

# Mastercard Network Processing Dual Message Clearing System Guide

4 November 2025



# Contents

|                                                                       |    |
|-----------------------------------------------------------------------|----|
| Mastercard Network Processing Dual Message Clearing System Guide..... | 45 |
| Chapter 1: How to Use This Guide.....                                 | 50 |
| Chapter 2: High-level Overview.....                                   | 51 |
| Introduction to the Dual Message Clearing System.....                 | 53 |
| Introduction to Mastercard Switches for Processing .....              | 54 |
| Dual Message Clearing System Features.....                            | 54 |
| Participants in Mastercard Network Processing.....                    | 55 |
| Dual Message Clearing System Basics.....                              | 57 |
| Chapter 3: Introduction to messages.....                              | 60 |
| Overview.....                                                         | 61 |
| Elements of Integrated Product Messages.....                          | 63 |
| Clearing flows.....                                                   | 64 |
| Processing cycles of clearing transactions.....                       | 66 |
| Clearing schedule.....                                                | 67 |
| IPM file structure.....                                               | 70 |
| Mastercard message classifications.....                               | 71 |
| List of Dual Message Clearing System IPM messages.....                | 71 |
| About message definitions.....                                        | 75 |
| Presentment/1240 messages.....                                        | 75 |
| Chargeback/1442 messages.....                                         | 76 |
| File Header and File Trailer/1644 messages.....                       | 76 |
| Financial Detail Addendum/1644 messages.....                          | 77 |
| Reconciliation messages/1644 messages.....                            | 78 |
| Administrative messages/1644 messages.....                            | 79 |
| Fee Collection/1740 messages.....                                     | 81 |
| Chapter 4: General message layout information.....                    | 83 |
| Overview.....                                                         | 85 |
| Data representation.....                                              | 85 |
| Data length.....                                                      | 86 |
| Data field.....                                                       | 87 |
| Justification.....                                                    | 88 |
| Date and time attribute notations.....                                | 88 |
| Entity descriptions.....                                              | 89 |

|                                                                                                |     |
|------------------------------------------------------------------------------------------------|-----|
| Presence notations.....                                                                        | 90  |
| Presence requirement notations.....                                                            | 91  |
| Subfield presence requirements.....                                                            | 92  |
| Message types.....                                                                             | 92  |
| Bit map information.....                                                                       | 92  |
| File Header/1644 messages.....                                                                 | 93  |
| File Trailer/1644 messages.....                                                                | 94  |
| First Presentment/1240 messages.....                                                           | 95  |
| Financial Detail Addendum/1644 messages.....                                                   | 102 |
| Financial Detail Addendum/1644 messages listed by usage code.....                              | 102 |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644.....   | 103 |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644.....                    | 106 |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644.....                | 109 |
| Financial Detail Addendum (Vehicle Rental Detail)/1644.....                                    | 112 |
| Financial Detail Addendum (Lodging Summary)/1644.....                                          | 116 |
| Financial Detail Addendum (Temporary Services)/1644.....                                       | 120 |
| Financial Detail Addendum (Shipping/Courier Services)/1644.....                                | 122 |
| Financial Detail Addendum (Electronic Invoices)/1644.....                                      | 125 |
| Use of the Electronic Invoice addendum messages with other addendum messages.....              | 126 |
| Message layout for Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644.....  | 126 |
| Message layout for Financial Detail Addendum (Electronic Invoice, Party Information)/1644..... | 128 |
| Financial Detail Addendum (Payment Transaction Detail)/1644.....                               | 129 |
| Financial Detail Addendum (Telephony Billing Services)/1644.....                               | 131 |
| Message Layout for Financial Detail Addendum (Telephony Billing, Detail)/1644.....             | 134 |
| Financial Detail Addendum (Travel Agency, Detail)/1644.....                                    | 136 |
| Financial Detail Addendum (Lodged Account Detail)/1644.....                                    | 137 |
| Financial Detail Addendum (Private Label Common Data)/1644.....                                | 139 |
| Financial Detail Addendum (Private Label Line Item Detail)/1644.....                           | 141 |
| Financial Detail Addendum (Healthcare)/1644.....                                               | 143 |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644.....                  | 145 |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644.....                  | 149 |
| Financial Detail Addendum (Corporate Line Item Detail)/1644.....                               | 152 |
| Financial Detail Addendum (Generic Detail)/1644.....                                           | 156 |
| First Chargeback/1442 messages.....                                                            | 157 |
| Second Presentment/1240 messages.....                                                          | 164 |
| Retrieval Request/1644 messages.....                                                           | 170 |
| Retrieval Request Acknowledgment/1644 messages.....                                            | 174 |
| Fee Collection messages.....                                                                   | 177 |
| Fee Collection (Retrieval Fee Billing)/1740.....                                               | 178 |

|                                                                           |     |
|---------------------------------------------------------------------------|-----|
| Fee Collection (Handling Fees)/1740.....                                  | 182 |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740..... | 185 |
| Activity types accumulated by reconciliation messages.....                | 189 |
| Function Codes used.....                                                  | 189 |
| Message Reason Codes used.....                                            | 189 |
| Reconciliation Amount/Reconciliation Fee totals.....                      | 190 |
| Reconciliation messages.....                                              | 191 |
| Acknowledgment messages.....                                              | 191 |
| Notification messages.....                                                | 191 |
| Reconciliation message totals.....                                        | 191 |
| Debit/Credit totals.....                                                  | 193 |
| Reconciliation category summary.....                                      | 195 |
| Reconciliation category definitions.....                                  | 197 |
| File Currency Summary/1644 messages.....                                  | 203 |
| Financial Position Detail/1644 messages.....                              | 204 |
| Settlement Position Detail/1644 messages.....                             | 207 |
| Message Exception/1644 messages.....                                      | 209 |
| File Reject/1644 messages.....                                            | 211 |
| Text Message/1644 messages.....                                           | 214 |
| Currency Update/1644 messages.....                                        | 214 |

## Chapter 5: Data element and private data subelement definitions and details..... 216

|                                                     |     |
|-----------------------------------------------------|-----|
| Data element definitions and details.....           | 252 |
| Data element layout.....                            | 252 |
| Subelement layout.....                              | 253 |
| Subfield layout.....                                | 254 |
| Position layout.....                                | 254 |
| European transaction requirements.....              | 254 |
| Bit Map, Primary.....                               | 255 |
| DE 1 (Bit Map, Secondary).....                      | 257 |
| DE 2 (Primary Account Number [PAN]).....            | 260 |
| DE 3 (Processing Code).....                         | 262 |
| DE 3 subfields.....                                 | 268 |
| Subfield 1 (Cardholder Transaction Type).....       | 269 |
| Subfield 2 (Cardholder from Account Type Code)..... | 272 |
| Subfield 3 (Cardholder to Account Type Code).....   | 273 |
| DE 4 (Amount, Transaction).....                     | 273 |
| DE 5 (Amount, Reconciliation).....                  | 276 |
| DE 6 (Amount, Cardholder Billing).....              | 277 |
| DE 9 (Conversion Rate, Reconciliation).....         | 279 |
| DE 10 (Conversion Rate, Cardholder Billing).....    | 280 |



|                                                                       |     |
|-----------------------------------------------------------------------|-----|
| DE 12 (Date and Time, Local Transaction).....                         | 281 |
| Subfield 1 (Date).....                                                | 282 |
| Subfield 2 (Time).....                                                | 284 |
| DE 14 (Date, Expiration).....                                         | 284 |
| DE 22 (Point of Service [POS] Entry Mode).....                        | 285 |
| Authorization to clearing data element mapping.....                   | 286 |
| Subfield 1 (Terminal Data, Card Data Input Capability).....           | 290 |
| Subfield 2 (Terminal Data, Cardholder Authentication Capability)..... | 291 |
| Subfield 3 (Terminal Data, Card Capture Capability).....              | 292 |
| Subfield 4 (Terminal Operating Environment).....                      | 293 |
| Subfield 5 (Cardholder Present Data).....                             | 293 |
| Subfield 6 (Card Present Data).....                                   | 294 |
| Subfield 7 (Card Data, Input Mode).....                               | 295 |
| Subfield 8 (Cardholder Authentication Method).....                    | 297 |
| Subfield 9 (Cardholder Authentication Entity).....                    | 297 |
| Subfield 10 (Card Data Output Capability).....                        | 298 |
| Subfield 11 (Terminal Data Output Capability).....                    | 299 |
| Subfield 12 (PIN Capture Capability).....                             | 300 |
| DE 23 (Card Sequence Number).....                                     | 301 |
| DE 24 (Function Code).....                                            | 302 |
| DE 25 (Message Reason Code).....                                      | 306 |
| DE 26 (Acceptor Business Code [MCC]).....                             | 378 |
| DE 30 (Amounts, Original).....                                        | 380 |
| DE 30 subfields.....                                                  | 381 |
| Subfield 1 (Original Amount, Transaction).....                        | 381 |
| Subfield 2 (Original Amount, Reconciliation).....                     | 382 |
| DE 31 (Acquirer Reference Data).....                                  | 382 |
| DE 31 subfields.....                                                  | 383 |
| DE 32 (Acquiring Institution ID Code).....                            | 384 |
| DE 33 (Forwarding Institution ID Code).....                           | 386 |
| DE 37 (Retrieval Reference Number).....                               | 388 |
| DE 38 (Approval Code).....                                            | 389 |
| DE 40 (Service Code).....                                             | 393 |
| DE 41 (Acceptor Terminal ID).....                                     | 394 |
| DE 42 (Acceptor ID).....                                              | 395 |
| DE 43 (Acceptor Name and Location).....                               | 397 |
| Subfield 1 (Acceptor Name).....                                       | 398 |
| Subfield 2 (Acceptor Street Address).....                             | 401 |
| Subfield 3 (Acceptor City Name).....                                  | 402 |
| Subfield 4 (Acceptor Postal Code).....                                | 403 |
| Subfield 5 (Acceptor Country Subdivision Code).....                   | 404 |
| Subfield 6 (Acceptor Country Code).....                               | 405 |
| DE 48 (Additional Data).....                                          | 406 |

|                                                                |     |
|----------------------------------------------------------------|-----|
| DE 49 (Currency Code, Transaction).....                        | 409 |
| DE 50 (Currency Code, Reconciliation).....                     | 410 |
| DE 51 (Currency Code, Cardholder Billing).....                 | 412 |
| DE 54 (Amounts, Additional).....                               | 413 |
| DE 54 subfields.....                                           | 416 |
| Subfield 1 (Additional Amount, Account Type).....              | 416 |
| Subfield 2 (Additional Amount, Amount Type).....               | 417 |
| Subfield 3 (Additional Amount, Currency Code).....             | 417 |
| Subfield 4 (Additional Amount, Amount Sign).....               | 417 |
| Subfield 5 (Additional Amount, Amount).....                    | 417 |
| DE 55 (Integrated Circuit Card [ICC] System-Related Data)..... | 418 |
| DE 62 (Additional Data 2).....                                 | 424 |
| DE 63 (Transaction Life Cycle ID).....                         | 427 |
| DE 63 subfields.....                                           | 430 |
| Subfield 1 (Life Cycle Support Indicator).....                 | 430 |
| Subfield 2 (Trace ID).....                                     | 430 |
| DE 71 (Message Number).....                                    | 432 |
| DE 72 (Data Record).....                                       | 435 |
| DE 73 (Date, Action).....                                      | 436 |
| DE 93 (Transaction Destination Institution ID Code).....       | 437 |
| DE 94 (Transaction Originator Institution ID Code).....        | 440 |
| DE 95 (Card Issuer Reference Data).....                        | 443 |
| DE 100 (Receiving Institution ID Code).....                    | 444 |
| DE 105 (Multi-Use Transaction Identification Data).....        | 446 |
| Subelement 001 (Transaction Link ID [TLID]).....               | 448 |
| DE 111 (Amount, Currency Conversion Assessment).....           | 448 |
| DE 123 (Additional Data 3).....                                | 450 |
| DE 124 (Additional Data 4).....                                | 453 |
| DE 125 (Additional Data 5).....                                | 456 |
| DE 127 (Network Data).....                                     | 459 |
| Private data subelement definitions.....                       | 459 |
| PDS construction and use.....                                  | 459 |
| PDS and subfield justification.....                            | 460 |
| Subelement tag assignment.....                                 | 461 |
| Additional information about the use of PDSs.....              | 462 |
| PDS 0001 (Mastercard Mapping Service Account Number).....      | 462 |
| Subfield 1 (Account Number Type).....                          | 463 |
| Subfield 2 (Account Number).....                               | 466 |
| PDS 0002 (GCMS Product Identifier).....                        | 467 |
| PDS 0003 (Licensed Product Identifier).....                    | 484 |
| PDS 0004 (Funding Account Information).....                    | 486 |
| Subfield 1 (Funding Source).....                               | 487 |
| Subfield 2 (Sender Account Number).....                        | 488 |

|                                                                    |     |
|--------------------------------------------------------------------|-----|
| PDS 0005 (Message Error Indicator).....                            | 488 |
| PDS 0005 subfields.....                                            | 489 |
| Subfield 1 (Data Element ID).....                                  | 489 |
| Subfield 2 (Error Severity Code).....                              | 490 |
| Subfield 3 (Error Message Code).....                               | 490 |
| Subfield 4 (Subfield ID).....                                      | 490 |
| PDS 0006 (Applied Business Service Arrangement).....               | 490 |
| PDS 0006 subfields.....                                            | 491 |
| Subfield 1 (Card Program Identifier).....                          | 491 |
| Subfield 2 (Business Service Arrangement Type Code).....           | 492 |
| Subfield 3 (Business Service ID Code).....                         | 492 |
| PDS 0010 (Currency Rate Service).....                              | 492 |
| Subfield 1 (Currency Rate Service Applied).....                    | 493 |
| Subfield 2 (Currency Rate Date).....                               | 494 |
| PDS 0011 (Additional PAN Data).....                                | 494 |
| PDS 0011 subfields .....                                           | 495 |
| Subfield 1 (Additional Account Number Indicator).....              | 496 |
| Subfield 2 (Additional Account Number).....                        | 496 |
| PDS 0012 (Authorization Matching Data).....                        | 497 |
| PDS 0014 (Digital Account Reference Number).....                   | 498 |
| PDS 0015 (Clearing Currency Conversion Identifier).....            | 499 |
| Subfield 1 (Currency Conversion Date).....                         | 501 |
| Subfield 2 (Currency Conversion Indicator).....                    | 501 |
| PDS 0016 (Digital Service Provider).....                           | 502 |
| Subfield 1 (Digital Service Provider ID 1).....                    | 503 |
| Subfield 2 (Digital Service Provider ID 2).....                    | 503 |
| PDS 0017 (Interchange Structure Indicator).....                    | 504 |
| PDS 0018 (Acceptance Data).....                                    | 506 |
| Subfield 1 (mPOS Acceptance Device Type).....                      | 507 |
| PDS 0020 (Digital Commerce Solutions Indicators) .....             | 508 |
| Subfield 1 (Digital Commerce Domain Identifier) .....              | 509 |
| Subfield 2 (Digital Commerce Program Type) .....                   | 510 |
| Subfield 3 (Digital Commerce Program Type Details).....            | 511 |
| Subfield 4 (Digital Commerce Check-In Details).....                | 512 |
| PDS 0021 (Transaction Type Indicator).....                         | 513 |
| PDS 0022 (Additional Terminal Operating Environments).....         | 514 |
| PDS 0023 (Terminal Type).....                                      | 515 |
| PDS 0025 (Message Reversal Indicator).....                         | 518 |
| PDS 0025 subfields.....                                            | 519 |
| Subfield 1 (Message Reversal Indicator).....                       | 519 |
| Subfield 2 (Central Site Processing Date of Original Message)..... | 520 |
| PDS 0026 (File Reversal Indicator).....                            | 520 |
| PDS 0026 subfields.....                                            | 522 |

|                                                                                |     |
|--------------------------------------------------------------------------------|-----|
| Subfield 1 (File Reversal Indicator).....                                      | 522 |
| Subfield 2 (Central Site Processing Date of Original File).....                | 522 |
| PDS 0027 (Flex Code).....                                                      | 523 |
| PDS 0028 (Mastercard Merchant Presented QR [MPQR] Receiving Account Number)... | 524 |
| PDS 0029 (QR Dynamic Code Data).....                                           | 525 |
| PDS 0030 (QR Initiated Transaction).....                                       | 527 |
| PDS 0042 (Merchant Capability).....                                            | 527 |
| PDS 0043 (Transaction Type Identifier).....                                    | 529 |
| PDS 0044 (Program Participation Indicator).....                                | 535 |
| Subfield 1 (CVC 2 Validation Program Indicator).....                           | 536 |
| Subfield 2 (PayPass Chargeback Eligibility Indicator).....                     | 536 |
| PDS 0045 (Mastercard Generated Installment Identifier).....                    | 537 |
| PDS 0046 (Japan Common Merchant Code).....                                     | 538 |
| PDS 0052 (Electronic Commerce Security Level Indicator).....                   | 539 |
| Subfield 1 (Security Protocol).....                                            | 543 |
| Subfield 2 (Cardholder Authentication).....                                    | 544 |
| Subfield 3 (UCAF Collection Indicator).....                                    | 545 |
| PDS 0056 (Mastercard Electronic Card Indicator).....                           | 547 |
| PDS 0057 (Transaction Category Indicator).....                                 | 548 |
| PDS 0058 (Token Assurance Level).....                                          | 551 |
| PDS 0059 (Token Requestor ID).....                                             | 551 |
| PDS 0068 (Financial Account Information).....                                  | 552 |
| Subfield 1 (Financial Account Identifier).....                                 | 553 |
| PDS 0071 (Chip to Magnetic Stripe Conversion Service Indicator).....           | 554 |
| PDS 0071 subfields.....                                                        | 554 |
| Subfield 1 (On-behalf [OB] Service).....                                       | 555 |
| Subfield 2 (On-behalf [OB] Result 1).....                                      | 555 |
| Subfield 3 (On-behalf [OB] Result 2).....                                      | 555 |
| PDS 0072 (Authentication Indicator).....                                       | 556 |
| PDS 0073 (Additional Commercial Issuer Data).....                              | 557 |
| PDS 0080 (Amount, Tax).....                                                    | 558 |
| PDS 0080 subfields.....                                                        | 560 |
| Subfield 1 (Rate Type Code).....                                               | 560 |
| Subfield 2 (Amount, Tax).....                                                  | 560 |
| Subfield 3 (Currency Code).....                                                | 560 |
| Subfield 4 (Currency Exponent).....                                            | 561 |
| Subfield 5 (Debit/Credit Indicator).....                                       | 561 |
| PDS 0105 (File ID).....                                                        | 561 |
| PDS 0105 subfields.....                                                        | 562 |
| Subfield 1 (File Type).....                                                    | 562 |
| Subfield 2 (File Reference Date).....                                          | 563 |
| Subfield 3 (Processor ID).....                                                 | 563 |
| Subfield 4 (File Sequence Number).....                                         | 564 |

|                                                                          |     |
|--------------------------------------------------------------------------|-----|
| PDS 0106 (Clearing Optimizer Information).....                           | 564 |
| PDS 0106 subfields.....                                                  | 566 |
| Subfield 1 (Clearing Optimizer Package).....                             | 566 |
| Subfield 2 (MPE Version).....                                            | 566 |
| Subfield 3 (Clearing Optimizer Version).....                             | 566 |
| PDS 0110 (Transmission ID).....                                          | 567 |
| PDS 0110 subfields.....                                                  | 568 |
| Subfield 1 (Transmission Type).....                                      | 568 |
| Subfield 2 (Transmission Reference Date).....                            | 568 |
| Subfield 3 (Processor ID).....                                           | 568 |
| Subfield 4 (Transmission Sequence Number).....                           | 569 |
| PDS 0122 (Processing Mode).....                                          | 569 |
| PDS 0137 (Fee Collection Control Number).....                            | 570 |
| PDS 0138 (Source Message Number ID).....                                 | 571 |
| PDS 0140 (Amount, Cardholder Billing Amounts USD).....                   | 572 |
| PDS 0140 subfields.....                                                  | 573 |
| Subfield 1 (Amount, Cardholder Billing USD).....                         | 573 |
| Subfield 2 (Amount, Currency Conversion Assessment USD).....             | 573 |
| PDS 0141 (Customer Currency Conversion Revenue Data).....                | 573 |
| Subfield 1 (Customer Currency Conversion Revenue Rate).....              | 574 |
| Subfield 2 (Customer Currency Conversion Revenue Amount).....            | 575 |
| PDS 0142 (Additional Service Data For Issuers).....                      | 575 |
| Subfield 01 (Reference Conversion Rate).....                             | 576 |
| Subfield 02 (Reference Conversion Rate Differential Sign Indicator)..... | 577 |
| Subfield 03 (Reference Conversion Rate Percent Differential).....        | 577 |
| PDS 0145 (Amount, Alternate Transaction Fee).....                        | 577 |
| PDS 0145 subfields.....                                                  | 578 |
| Subfield 1 (Currency Code, Fee).....                                     | 578 |
| Subfield 2 (Amount, Fee).....                                            | 579 |
| PDS 0146 (Amounts, Transaction Fee).....                                 | 579 |
| PDS 0146 subfields.....                                                  | 580 |
| Subfield 1 (Fee Type Code).....                                          | 581 |
| Subfield 2 (Fee Processing Code).....                                    | 582 |
| Subfield 3 (Fee Settlement Indicator).....                               | 582 |
| Subfield 4 (Currency Code, Fee).....                                     | 582 |
| Subfield 5 (Amount, Fee).....                                            | 583 |
| Subfield 6 (Currency Code, Fee, Reconciliation).....                     | 583 |
| Subfield 7 (Amount, Fee, Reconciliation).....                            | 583 |
| PDS 0147 (Extended Precision Amounts).....                               | 583 |
| PDS 0147 subfields.....                                                  | 584 |
| Subfield 1 (Fee Type Code).....                                          | 585 |
| Subfield 2 (Fee Processing Code).....                                    | 586 |
| Subfield 3 (Fee Settlement Indicator).....                               | 586 |

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| Subfield 4 (Currency Code, Fee).....                              | 586 |
| Subfield 5 (Interchange Amount, Fee).....                         | 587 |
| Subfield 6 (Currency Code, Fee, Reconciliation).....              | 587 |
| Subfield 7 (Interchange Amount, Fee, Reconciliation).....         | 587 |
| PDS 0148 (Currency Exponents).....                                | 587 |
| PDS 0148 subfields.....                                           | 589 |
| Subfield 1 (Currency Code).....                                   | 589 |
| Subfield 2 (Currency Exponent).....                               | 589 |
| PDS 0149 (Currency Codes, Amounts, Original).....                 | 590 |
| PDS 0149 subfields.....                                           | 591 |
| PDS 0150 (Additional Recurring Payments Information).....         | 591 |
| PDS 0157 (Alternate Processor Indicator).....                     | 594 |
| PDS 0158 (Business Activity).....                                 | 595 |
| Subfield 1 (Card Program Identifier).....                         | 602 |
| Subfield 2 (Business Service Arrangement Type Code).....          | 603 |
| Subfield 3 (Business Service ID Code).....                        | 604 |
| Subfield 4 (Interchange Rate Designator).....                     | 605 |
| Subfield 5 (Central Site Business Date).....                      | 606 |
| Subfield 6 (Business Cycle).....                                  | 606 |
| Subfield 7 (Acceptor Classification Override Indicator).....      | 607 |
| Subfield 8 (Product Class Override Indicator).....                | 608 |
| Subfield 9 (Corporate Incentive Rates Apply Indicator).....       | 609 |
| Subfield 10 (Special Conditions Indicator).....                   | 610 |
| Subfield 11 (Mastercard Assigned ID Override Indicator).....      | 611 |
| Subfield 12 (Account Level Management Account Category Code)..... | 611 |
| Subfield 13 (Rate Indicator).....                                 | 613 |
| Subfield 14 (Masterpass Incentive Indicator).....                 | 614 |
| Subfield 15 (Digital Wallet Interchange Override Indicator).....  | 614 |
| PDS 0159 (Settlement Data).....                                   | 615 |
| PDS 0159 subfields.....                                           | 616 |
| Subfield 1 (Settlement Service Transfer Agent ID Code).....       | 617 |
| Subfield 2 (Settlement Service Transfer Agent Account).....       | 617 |
| Subfield 3 (Settlement Service Level Code).....                   | 617 |
| Subfield 4 (Settlement Service ID Code).....                      | 618 |
| Subfield 5 (Settlement Foreign Exchange Rate Class Code).....     | 618 |
| Subfield 6 (Reconciliation Date).....                             | 618 |
| Subfield 7 (Reconciliation Cycle).....                            | 619 |
| Subfield 8 (Settlement Date).....                                 | 619 |
| Subfield 9 (Settlement Cycle).....                                | 620 |
| PDS 0160 (Settlement Data, Multiple).....                         | 620 |
| PDS 0160 subfields.....                                           | 621 |
| Subfield 1 (Settlement Date).....                                 | 622 |
| Subfield 2 (Settlement Amount).....                               | 622 |

|                                                          |     |
|----------------------------------------------------------|-----|
| PDS 0164 (Currency Cross Rates).....                     | 622 |
| PDS 0164 subfields.....                                  | 623 |
| Subfield 1 (Currency Code).....                          | 624 |
| Subfield 2 (Currency Conversion Rate).....               | 624 |
| Subfield 3 (Currency Conversion Type).....               | 624 |
| Subfield 4 (Business Date).....                          | 625 |
| Subfield 5 (Delivery Cycle).....                         | 625 |
| PDS 0165 (Settlement Indicator).....                     | 625 |
| PDS 0165 subfields.....                                  | 627 |
| Subfield 1 (Settlement Indicator).....                   | 627 |
| Subfield 2 (Settlement Information).....                 | 627 |
| PDS 0170 (Acceptor Inquiry Information).....             | 628 |
| PDS 0170 subfields.....                                  | 629 |
| Subfield 1 (Acceptor Customer Service Phone Number)..... | 630 |
| Subfield 2 (Acceptor Phone Number).....                  | 631 |
| Subfield 3 (Additional Contact Information).....         | 632 |
| PDS 0171 (Alternate Acceptor Description Data).....      | 632 |
| PDS 0171 subfields.....                                  | 633 |
| Subfield 1 (Character Set Indicator).....                | 633 |
| Subfield 2 (Acceptor Description Data).....              | 634 |
| PDS 0172 (Sole Proprietor Name).....                     | 634 |
| PDS 0173 (Legal Corporate Name).....                     | 635 |
| PDS 0174 (Dun & Bradstreet Number).....                  | 636 |
| PDS 0175 (Acceptor URL Address).....                     | 637 |
| PDS 0176 (Mastercard Assigned ID).....                   | 639 |
| PDS 0177 (Cross-border).....                             | 642 |
| PDS 0177 subfields.....                                  | 643 |
| Subfield 1 (Cross-border Indicator).....                 | 643 |
| Subfield 2 (Currency Indicator).....                     | 643 |
| PDS 0178 (Alternate Acceptor Description Data 2).....    | 644 |
| PDS 0178 subfields.....                                  | 645 |
| Subfield 1 (Character Set Indicator 2).....              | 645 |
| Subfield 2 (Acceptor Description Data 2).....            | 646 |
| PDS 0179 (Long Running Transaction [LRT] Indicator)..... | 646 |
| PDS 0180 (Domestic Acceptor Tax ID).....                 | 647 |
| PDS 0181 (Installment Payment Data).....                 | 649 |
| Subfield 1 (Type of Installment).....                    | 650 |
| Subfield 2 (Number of Installments).....                 | 650 |
| Subfield 3 (Interest Rate).....                          | 651 |
| Subfield 4 (First Installment Amount).....               | 651 |
| Subfield 5 (Subsequent Installment Amount).....          | 652 |
| Subfield 6 (Annual Percentage Rate).....                 | 652 |
| Subfield 7 (Installment Fee).....                        | 653 |

|                                                               |     |
|---------------------------------------------------------------|-----|
| Subfield 8 (Commission Rate).....                             | 653 |
| Subfield 9 (Commission Sign).....                             | 653 |
| Subfield 10 (Commission Amount).....                          | 654 |
| PDS 0182 (Installment Payment Cardholder Statement Data)..... | 655 |
| Subfield 1 (Total Number of Installments).....                | 655 |
| Subfield 2 (Current Installment Number).....                  | 656 |
| Subfield 3 (Original Cardholder Billing Amount).....          | 657 |
| Subfield 4 (Installment Amount).....                          | 657 |
| Subfield 5 (Principal Amount).....                            | 657 |
| Subfield 6 (Interest Amount).....                             | 658 |
| Subfield 7 (Installment Fee).....                             | 658 |
| Subfield 8 (Interest Rate).....                               | 659 |
| Subfield 9 (APR).....                                         | 659 |
| Subfield 10 (Total Amount Due).....                           | 659 |
| Subfield 11 (Installment Cancellation Indicator).....         | 660 |
| PDS 0183 (Brazil Post-Dated Transaction Data).....            | 660 |
| Subfield 1 (Service Code).....                                | 661 |
| Subfield 2 (Number of Installments).....                      | 662 |
| Subfield 3 (Guarantee).....                                   | 662 |
| Subfield 4 (Guarantee Amount).....                            | 663 |
| Subfield 5 (Post Settlement Date).....                        | 663 |
| Subfield 6 (Original Authorization Request Date).....         | 663 |
| Subfield 7 (Original Banknet Reference Number).....           | 664 |
| Subfield 8 (Authorization Code).....                          | 664 |
| PDS 0184 (Directory Server Transaction ID).....               | 664 |
| PDS 0185 (Accountholder Authentication Value).....            | 665 |
| PDS 0186 (Program Protocol).....                              | 667 |
| PDS 0188 (Private Data, Proprietary Service Data).....        | 668 |
| PDS 0189 (Point-of-Interaction [POI] Phone Data).....         | 669 |
| PDS 0189 subfields.....                                       | 670 |
| Subfield 1 (Format Number).....                               | 671 |
| Subfield 2 (Phone Data).....                                  | 671 |
| PDS 0190 (Partner ID Code).....                               | 673 |
| PDS 0191 (Originating Message Format).....                    | 674 |
| PDS 0192 (Payment Transaction Initiator).....                 | 676 |
| PDS 0194 (Remote Payments Program Data).....                  | 677 |
| PDS 0195 (Installment Data).....                              | 678 |
| Subfield 1 (Total Number of Installments).....                | 679 |
| Subfield 2 (Payment Option Code).....                         | 680 |
| Subfield 3 (Installment Number).....                          | 681 |
| Subfield 4 (Bonus Code).....                                  | 681 |
| Subfield 5 (Bonus Month Code).....                            | 682 |
| Subfield 6 (Number of Bonus Payments per Year).....           | 683 |



|                                                                 |     |
|-----------------------------------------------------------------|-----|
| Subfield 7 (Bonus Amount).....                                  | 685 |
| Subfield 8 (First Month of Bonus Payment).....                  | 686 |
| PDS 0196 (Mobile Phone Reload Data).....                        | 686 |
| PDS 0196 subfields.....                                         | 687 |
| Subfield 1 (Mobile Phone Number).....                           | 687 |
| Subfield 2 (Mobile Phone Service Provider Name).....            | 687 |
| PDS 0197 (National Use Tax Data).....                           | 688 |
| PDS 0197 subfields.....                                         | 689 |
| Subfield 1 (Tax Amount 1).....                                  | 689 |
| Subfield 2 (Tax Amount 2).....                                  | 689 |
| Subfield 3 (Tax Percentage).....                                | 689 |
| Subfield 4 (Tax Base Amount).....                               | 689 |
| Subfield 5 (Tax Amount 3).....                                  | 690 |
| PDS 0198 (Device Type).....                                     | 690 |
| PDS 0199 (Funding Transaction Information).....                 | 693 |
| PDS 0200 (Fraud Notification Date).....                         | 694 |
| PDS 0200 subfields.....                                         | 695 |
| Subfield 1 (Fraud Notification Service Date).....               | 695 |
| Subfield 2 (Fraud Notification Service Chargeback Counter)..... | 695 |
| PDS 0202 (Primary Account Number [PAN] Syntax Error).....       | 696 |
| PDS 0204 (Amount, Syntax Error).....                            | 697 |
| PDS 0205 (Syntax Return, Message Error Indicator).....          | 698 |
| PDS 0205 subfields.....                                         | 699 |
| Subfield 1 (Data Element ID).....                               | 699 |
| Subfield 2 (Error Severity Code).....                           | 699 |
| Subfield 3 (Error Message Code).....                            | 700 |
| Subfield 4 (Subfield ID).....                                   | 700 |
| PDS 0206 (Late Presentment Indicator).....                      | 700 |
| PDS 0206 subfields.....                                         | 701 |
| Subfield 1 (Number of Days Since Transaction Occurred).....     | 701 |
| Subfield 2 (Late Presentment Tier).....                         | 701 |
| PDS 0207 (Wallet Identifier).....                               | 701 |
| PDS 0208 (Additional Merchant Data).....                        | 705 |
| Subfield 1 (Payment Facilitator ID).....                        | 705 |
| Subfield 2 (Sponsored Merchant ID).....                         | 706 |
| PDS 0209 (Independent Sales Organization ID).....               | 707 |
| PDS 0210 (Transit Program).....                                 | 708 |
| PDS 0210 subfields.....                                         | 709 |
| Subfield 1 (Transit Transaction Type Indicator).....            | 709 |
| Subfield 2 (Transportation Mode Indicator).....                 | 710 |
| PDS 0211 (Terminal Compliant Indicator).....                    | 711 |
| Subfield 1 (TLE Compliant).....                                 | 712 |
| Subfield 2 (UKPT/DUKPT Compliant).....                          | 712 |

|                                                                                     |     |
|-------------------------------------------------------------------------------------|-----|
| PDS 0212 (Merchant Data Services).....                                              | 712 |
| PDS 0213 (Merchant Country of Origin).....                                          | 713 |
| PDS 0214 (Merchant Data Cleansing Plus).....                                        | 714 |
| PDS 0214 subfields.....                                                             | 715 |
| Subfield 1 (Cleansed Legal Corporate Name).....                                     | 716 |
| Subfield 2 (Sales Channel: Percentage Brick).....                                   | 716 |
| Subfield 3 (Sales Channel: Percentage Online).....                                  | 716 |
| Subfield 4 (Sales Channel: Percentage Other).....                                   | 716 |
| Subfield 5 (Cleansed Merchant URL).....                                             | 716 |
| PDS 0215 (Mastercard Merchant Data Advance).....                                    | 716 |
| PDS 0215 subfields.....                                                             | 717 |
| Subfield 1 (Aggregate Merchant ID).....                                             | 718 |
| Subfield 2 (Aggregate Merchant Name).....                                           | 718 |
| Subfield 3 (Industry Code).....                                                     | 718 |
| Subfield 4 (Super Industry Code).....                                               | 721 |
| Subfield 6 (Channel Distribution ID).....                                           | 723 |
| Subfield 7 (NAICS Code).....                                                        | 723 |
| Subfield 8 (Parent Aggregate Merchant ID).....                                      | 723 |
| PDS 0216 (Additional Acceptor Data).....                                            | 723 |
| Subfield 1 (Service Location City Name).....                                        | 724 |
| Subfield 2 (Service Location Country Subdivision Code).....                         | 725 |
| Subfield 3 (Service Location Country Code).....                                     | 725 |
| Subfield 4 (Service Location Postal Code).....                                      | 726 |
| Subfield 5 (Acceptor Geographic Coordinates).....                                   | 727 |
| Subfield 6 (Service Location Geographic Coordinates).....                           | 728 |
| PDS 0217 (Special Acceptance Conditions Data).....                                  | 729 |
| PDS 0217 subfields.....                                                             | 730 |
| Subfield 01 (Mastercard One Credential Exclusion Indicator).....                    | 730 |
| PDS 0218 (Cardholder/Merchant Initiated Transaction Indicator).....                 | 731 |
| PDS 0218 subfields.....                                                             | 732 |
| Subfield 1 (CIT/MIT Category).....                                                  | 732 |
| Subfield 2 (CIT/MIT Sub-category).....                                              | 733 |
| PDS 0220 (Brazil Merchant Tax ID).....                                              | 733 |
| PDS 0221 (Domestic Merchant Tax ID).....                                            | 734 |
| PDS 0222 (Mexico Domestic Dispute Resolution Documentation Image-Related Data)..... | 736 |
| PDS 0222 subfields.....                                                             | 737 |
| Subfield 1 (Mexico Domestic Data Indicator).....                                    | 737 |
| Subfield 2 (Unique Image Number (Single Issuer Folio Field in CATB Format)).....    | 738 |
| Subfield 3 (PDF Image File Name).....                                               | 738 |
| Subfield 4 (PDF Image File Hash Value).....                                         | 739 |
| PDS 0225 (Syntax Return, Original Message Reason Code).....                         | 739 |
| PDS 0228 (Retrieval Document Code).....                                             | 740 |
| PDS 0230 (Fulfillment Document Code).....                                           | 741 |

|                                                                                                          |     |
|----------------------------------------------------------------------------------------------------------|-----|
| PDS 0235 (Mastercard Assigned Incentive Identifier).....                                                 | 742 |
| PDS 0241 (MasterCom Control Number).....                                                                 | 743 |
| PDS 0243 (MasterCom Retrieval Response Data).....                                                        | 745 |
| Subfield 1 (MasterCom Issuer Retrieval Request Date).....                                                | 746 |
| Subfield 2 (MasterCom Acquirer Retrieval Response Code).....                                             | 746 |
| Subfield 3 (MasterCom Acquirer Retrieval Response Sent Date).....                                        | 747 |
| Subfield 4 (MasterCom Issuer Response Code).....                                                         | 748 |
| Subfield 5 (MasterCom Issuer Response Date).....                                                         | 749 |
| Subfield 6 (MasterCom Issuer Reject Reasons).....                                                        | 749 |
| Subfield 7 (MasterCom Image Review Decision).....                                                        | 750 |
| Subfield 8 (MasterCom Image Review Date).....                                                            | 751 |
| PDS 0244 (MasterCom Chargeback Support Documentation Dates).....                                         | 751 |
| PDS 0244 subfields.....                                                                                  | 752 |
| Subfield 1 (MasterCom Chargeback Documentation Sender Processing Date<br>[First Chargeback/1442]).....   | 753 |
| Subfield 2 (MasterCom Chargeback Documentation Sender Processing Date<br>[Second Presentment/1240])..... | 753 |
| PDS 0245 (MasterCom Arbitration Chargeback Sender Processing Date).....                                  | 753 |
| PDS 0246 (MasterCom Sender Memo).....                                                                    | 754 |
| PDS 0247 (MasterCom Receiver Memo).....                                                                  | 755 |
| PDS 0248 (MasterCom Image Review Memo).....                                                              | 756 |
| PDS 0249 (MasterCom Record ID).....                                                                      | 757 |
| PDS 0250 (MasterCom Endpoints).....                                                                      | 758 |
| PDS 0250 subfields.....                                                                                  | 759 |
| PDS 0251 (MasterCom Fulfillment Document Code).....                                                      | 760 |
| PDS 0252 (MasterCom Image Metadata).....                                                                 | 761 |
| PDS 0252 subfields.....                                                                                  | 762 |
| Subfield 1 (MasterCom TIFF Image Data Length).....                                                       | 762 |
| Subfield 2 (MasterCom TIFF Image Data Offset).....                                                       | 762 |
| Subfield 3 (MasterCom TIFF Image CRC32).....                                                             | 762 |
| Subfield 4 (MasterCom TIFF Image Filename).....                                                          | 762 |
| PDS 0253 (MasterCom System Enhanced Data).....                                                           | 763 |
| PDS 0254 (MasterCom Member Enhanced Data).....                                                           | 763 |
| PDS 0255 (MasterCom Message Type).....                                                                   | 764 |
| PDS 0260 (Edit Exclusion Indicator).....                                                                 | 766 |
| PDS 0260 subfields.....                                                                                  | 767 |
| Subfield 1 (Exclusion Request Code).....                                                                 | 767 |
| Subfield 2 (Exclusion Reason Code).....                                                                  | 768 |
| Subfield 3 (Exclusion Results Code).....                                                                 | 769 |
| PDS 0261 (Risk Management Approval Code).....                                                            | 770 |
| PDS 0262 (Documentation Indicator).....                                                                  | 771 |
| PDS 0264 (Original Retrieval Reason for Request).....                                                    | 772 |
| PDS 0265 (Initial Presentment/Fee Collection Data).....                                                  | 773 |

|                                                                                  |     |
|----------------------------------------------------------------------------------|-----|
| PDS 0265 subfields.....                                                          | 774 |
| Subfield 1 (Initial Message Reason Code).....                                    | 775 |
| Subfield 2 (Date, Initial Presentment Business).....                             | 775 |
| Subfield 3 (Data Record, Initial).....                                           | 775 |
| PDS 0266 (First Chargeback/Fee Collection Return Data).....                      | 776 |
| PDS 0266 subfields.....                                                          | 777 |
| Subfield 1 (Message Reason Code).....                                            | 777 |
| Subfield 2 (Date, First Return Business).....                                    | 778 |
| Subfield 3 (Edit Exclusion Reason Code).....                                     | 778 |
| Subfield 4 (Edit Exclusion Results Code).....                                    | 778 |
| Subfield 5 (Amount, First Return).....                                           | 779 |
| Subfield 6 (Currency Code, First Return).....                                    | 779 |
| Subfield 7 (Data Record, First Return).....                                      | 779 |
| PDS 0267 (Second Presentment/Fee Collection Resubmission Data).....              | 780 |
| PDS 0267 subfields.....                                                          | 781 |
| Subfield 1 (Message Reason Code).....                                            | 781 |
| Subfield 2 (Date, Second Return Business).....                                   | 782 |
| Subfield 3 (Edit Exclusion Reason Code).....                                     | 782 |
| Subfield 4 (Edit Exclusion Results Code).....                                    | 782 |
| Subfield 5 (Amount, Second Return).....                                          | 782 |
| Subfield 6 (Currency Code, Second Return).....                                   | 783 |
| Subfield 7 (Data Record, Second Return).....                                     | 783 |
| PDS 0268 (Amount, Partial Transaction).....                                      | 783 |
| PDS 0268 subfields.....                                                          | 784 |
| Subfield 1 (Amount, Partial Transaction).....                                    | 785 |
| Subfield 2 (Currency Code, Partial Transaction).....                             | 785 |
| PDS 0270 (Embedded Interchange Data).....                                        | 785 |
| PDS 0270 subfields.....                                                          | 786 |
| Subfield 1 (Negotiate/Default Indicator).....                                    | 786 |
| Subfield 2 (Interchange Percentage).....                                         | 787 |
| Subfield 3 (Unit Fee Amount).....                                                | 787 |
| Subfield 4 (Flat Interchange Amount).....                                        | 788 |
| Subfield 5 (Payment Party).....                                                  | 788 |
| Subfield 6 (Supplemental Interchange Data).....                                  | 789 |
| PDS 0275 (Account Level Management [ALM] Service Data).....                      | 789 |
| Subfield 1 (ALM Service Code).....                                               | 792 |
| Subfield 2 (ALM Graduated or Registered Product Code).....                       | 799 |
| Subfield 3 (ALM Product Class).....                                              | 806 |
| Subfield 4 (ALM Rate Type).....                                                  | 808 |
| Subfield 5 (ALM Data Source).....                                                | 809 |
| Subfield 6 (Mastercard One Credential Acceptance Brand).....                     | 810 |
| Subfield 7 (Mastercard One Credential Static/Dynamic Interchange Indicator)..... | 811 |
| Subfield 8 (Mastercard One Credential Issuer Account Range).....                 | 811 |

|                                                                  |     |
|------------------------------------------------------------------|-----|
| PDS 0276 (Fee Amounts, Additional).....                          | 812 |
| PDS 0276 subfields.....                                          | 814 |
| Subfield 1 (Rate Type).....                                      | 814 |
| Subfield 2 (Override Hierarchy).....                             | 814 |
| Subfield 3 (EDP Indicator (Extended Decimal Precision)).....     | 815 |
| Subfield 4 (Variable Fee Amount).....                            | 815 |
| Subfield 5 (Variable Fee Direction).....                         | 815 |
| Subfield 6 (Fixed Fee Amount).....                               | 815 |
| Subfield 7 (Fixed Fee Direction).....                            | 815 |
| Subfield 8 (Min/Max Limit Indicator).....                        | 815 |
| Subfield 9 (Tiered Amount Indicator).....                        | 816 |
| PDS 0280 (Source File ID).....                                   | 816 |
| PDS 0280 subfields.....                                          | 817 |
| PDS 0297 (Amount, Mexico Domestic [VAT]).....                    | 817 |
| PDS 0297 subfields.....                                          | 819 |
| Subfield 1 (Rate Type Code).....                                 | 819 |
| Subfield 2 (Amount, Tax).....                                    | 819 |
| Subfield 3 (Currency Code).....                                  | 820 |
| Subfield 4 (Currency Exponent).....                              | 820 |
| Subfield 5 (Debit/Credit Indicator).....                         | 821 |
| PDS 0298 (Amount, Mexico Domestic Transaction Fee).....          | 821 |
| PDS 0298 subfields.....                                          | 823 |
| Subfield 1 (Fee Type Code).....                                  | 824 |
| Subfield 2 (Fee Processing Code).....                            | 824 |
| Subfield 3 (Fee Settlement Indicator).....                       | 825 |
| Subfield 4 (Currency Code, Fee).....                             | 825 |
| Subfield 5 (Amount, Fee).....                                    | 825 |
| Subfield 6 (Currency Code, Fee, Reconciliation).....             | 826 |
| Subfield 7 (Amount, Fee, Reconciliation).....                    | 826 |
| PDS 0299 (Mexico Domestic Settlement Data for Fees and VAT)..... | 827 |
| PDS 0299 subfields.....                                          | 828 |
| Subfield 1 (Settlement Service Transfer Agent ID Code).....      | 828 |
| Subfield 2 (Settlement Service Transfer Agent Account).....      | 829 |
| Subfield 3 (Settlement Service Level Code).....                  | 829 |
| Subfield 4 (Settlement Service ID Code).....                     | 830 |
| Subfield 5 (Settlement Foreign Exchange Rate Class Code).....    | 830 |
| Subfield 6 (Reconciliation Data).....                            | 830 |
| Subfield 7 (Reconciliation Cycle).....                           | 831 |
| Subfield 8 (Settlement Date).....                                | 832 |
| Subfield 9 (Settlement Cycle).....                               | 832 |
| PDS 0300 (Reconciled, File).....                                 | 833 |
| PDS 0300 subfields.....                                          | 834 |
| PDS 0301 (File Amount, Checksum).....                            | 835 |

|                                                                                |     |
|--------------------------------------------------------------------------------|-----|
| PDS 0302 (Reconciled, Member Activity).....                                    | 836 |
| PDS 0306 (File Message Counts).....                                            | 837 |
| PDS 0358 (Reconciled, Business Activity).....                                  | 838 |
| PDS 0358 subfields.....                                                        | 839 |
| PDS 0359 (Reconciled, Settlement Activity).....                                | 840 |
| PDS 0359 subfields.....                                                        | 840 |
| PDS 0360 (Reconciled, Transaction Sequence Identifier).....                    | 841 |
| PDS 0360 subfields.....                                                        | 842 |
| PDS 0367 (Reconciled, Card Program Identifier).....                            | 843 |
| PDS 0368 (Reconciled, Transaction Function Group Code).....                    | 844 |
| PDS 0369 (Reconciled, Acquirer's BIN).....                                     | 845 |
| PDS 0370 (Reconciled, Account Range).....                                      | 846 |
| PDS 0370 subfields.....                                                        | 847 |
| PDS 0372 (Reconciled, Transaction Function).....                               | 847 |
| PDS 0372 subfields.....                                                        | 848 |
| PDS 0374 (Reconciled, Processing Code).....                                    | 849 |
| PDS 0375 (Member Reconciliation Indicator 1).....                              | 850 |
| PDS 0378 (Original/Reversal Totals Indicator).....                             | 851 |
| PDS 0380 (Debits, Transaction Amount In Transaction Currency).....             | 852 |
| PDS 0380 subfields.....                                                        | 853 |
| PDS 0381 (Credits, Transaction Amount in Transaction Currency).....            | 854 |
| PDS 0381 subfields.....                                                        | 855 |
| PDS 0384 (Amount, Net Transaction in Transaction Currency).....                | 855 |
| PDS 0384 subfields.....                                                        | 856 |
| PDS 0385 (Debits, Mexico Domestic VAT Amount in Reconciliation Currency).....  | 857 |
| PDS 0385 subfields.....                                                        | 858 |
| PDS 0386 (Credits, Mexico Domestic VAT Amount in Reconciliation Currency)..... | 858 |
| PDS 0386 subfields.....                                                        | 859 |
| PDS 0387 (Amount, Net Mexico Domestic VAT in Reconciliation Currency).....     | 860 |
| PDS 0387 subfields.....                                                        | 861 |
| PDS 0390 (Debits, Transaction Amount in Reconciliation Currency).....          | 861 |
| PDS 0390 subfields.....                                                        | 862 |
| PDS 0391 (Credits, Transaction Amount in Reconciliation Currency).....         | 863 |
| PDS 0391 subfields.....                                                        | 864 |
| PDS 0392 (Debits, Fee Amounts in Reconciliation Currency).....                 | 864 |
| PDS 0392 subfields.....                                                        | 865 |
| PDS 0393 (Credits, Fee Amounts in Reconciliation Currency).....                | 866 |
| PDS 0393 subfields.....                                                        | 867 |
| PDS 0394 (Amount, Net Transaction in Reconciliation Currency).....             | 867 |
| PDS 0394 subfields.....                                                        | 869 |
| PDS 0395 (Amount, Net Fee in Reconciliation Currency).....                     | 869 |
| PDS 0395 subfields.....                                                        | 870 |
| PDS 0396 (Amount, Net Total in Reconciliation Currency).....                   | 871 |

|                                                                               |     |
|-------------------------------------------------------------------------------|-----|
| PDS 0396 subfields.....                                                       | 872 |
| PDS 0397 (Debits, Extended Precision Amount in Reconciliation Currency).....  | 872 |
| PDS 0397 subfields.....                                                       | 873 |
| PDS 0398 (Credits, Extended Precision Amount in Reconciliation Currency)..... | 874 |
| PDS 0398 subfields.....                                                       | 875 |
| PDS 0399 (Amount, Net Extended Precision in Reconciliation Currency).....     | 875 |
| PDS 0399 subfields.....                                                       | 876 |
| PDS 0400 (Debits, Transaction Number).....                                    | 877 |
| PDS 0401 (Credits, Transaction Number).....                                   | 878 |
| PDS 0402 (Total, Transaction Number).....                                     | 879 |
| PDS 0444 (Resubmission Code).....                                             | 880 |
| PDS 0445 (Original Transaction Information).....                              | 881 |
| PDS 0446 (Transaction Fee Amount, Syntax Error).....                          | 882 |
| PDS 0501 (Transaction Description).....                                       | 883 |
| PDS 0501 subfields.....                                                       | 884 |
| Subfield 1 (Usage Code).....                                                  | 885 |
| Subfield 2 (Industry Record Number).....                                      | 886 |
| Subfield 3 (Occurrence Indicator).....                                        | 887 |
| Subfield 4 (Associated First Presentment Number).....                         | 889 |
| PDS 0502 (Custom Identifier).....                                             | 889 |
| PDS 0502 subfields.....                                                       | 891 |
| Subfield 1 (Custom Identifier Type).....                                      | 891 |
| Subfield 2 (Custom Identifier Detail).....                                    | 892 |
| PDS 0503 (Travel Agency Sequence Number).....                                 | 892 |
| PDS 0504 (Travel Agency Fee).....                                             | 893 |
| PDS 0504 subfields.....                                                       | 893 |
| Subfield 1 (Travel Agency Fee Amount).....                                    | 894 |
| Subfield 2 (Travel Agency Fee Amount Exponent).....                           | 894 |
| Subfield 3 (Travel Agency Fee Amount Sign).....                               | 894 |
| Subfield 4 (Travel Agency Fee Amount Rate).....                               | 894 |
| Subfield 5 (Travel Agency Fee Description).....                               | 894 |
| PDS 0505 (Passenger Name).....                                                | 895 |
| PDS 0506 (Ticket Number).....                                                 | 898 |
| PDS 0507 (Issuing Carrier).....                                               | 901 |
| PDS 0508 (Customer Code).....                                                 | 903 |
| PDS 0509 (Issue Date).....                                                    | 906 |
| PDS 0510 (Travel Agency Code).....                                            | 907 |
| PDS 0511 (Travel Agency Name).....                                            | 908 |
| PDS 0512 (Total Fare).....                                                    | 909 |
| PDS 0513 (Total Fees).....                                                    | 910 |
| PDS 0514 (Total Taxes).....                                                   | 911 |
| PDS 0515 (Additional Acceptor Information).....                               | 911 |
| PDS 0516 (Austin-Tetra Number).....                                           | 912 |



|                                                         |     |
|---------------------------------------------------------|-----|
| PDS 0517 (NAICS Code).....                              | 913 |
| PDS 0518 (Line Item Date).....                          | 914 |
| PDS 0519 (Additional Fuel Location Information).....    | 915 |
| PDS 0519 subfields.....                                 | 916 |
| PDS 0520 (Travel Date).....                             | 917 |
| PDS 0521 (Carrier Code).....                            | 919 |
| PDS 0522 (Service Class Code).....                      | 921 |
| PDS 0523 (City of Origin Airport Code).....             | 923 |
| PDS 0524 (City of Destination Airport Code).....        | 925 |
| PDS 0525 (Stop Over Code).....                          | 928 |
| PDS 0526 (Conjunction Ticket).....                      | 929 |
| PDS 0527 (Exchange Ticket).....                         | 930 |
| PDS 0528 (Coupon Number).....                           | 930 |
| PDS 0529 (Fare Basis Code).....                         | 931 |
| PDS 0530 (Flight Number).....                           | 932 |
| PDS 0531 (Departure Time).....                          | 934 |
| PDS 0531 subfields.....                                 | 935 |
| Subfield 1 (Departure Time).....                        | 935 |
| Subfield 2 (Departure Time Segment).....                | 935 |
| PDS 0532 (Total Charges).....                           | 935 |
| PDS 0532 subfields.....                                 | 936 |
| Subfield 1 (Total Charges Amount).....                  | 936 |
| Subfield 2 (Total Charges Exponent).....                | 937 |
| Subfield 3 (Total Charges Sign).....                    | 937 |
| PDS 0533 (Arrival Time).....                            | 937 |
| PDS 0533 subfields.....                                 | 938 |
| Subfield 1 (Arrival Time).....                          | 938 |
| Subfield 2 (Arrival Time Segment).....                  | 938 |
| PDS 0534 (Total Non-Room Charges).....                  | 939 |
| PDS 0534 subfields.....                                 | 939 |
| Subfield 1 (Total Non-Room Charges Amount).....         | 940 |
| Subfield 2 (Total Non-Room Charges Exponent).....       | 940 |
| Subfield 3 (Total Non-Room Charges Sign).....           | 940 |
| PDS 0535 (Fare).....                                    | 940 |
| PDS 0536 (Fee).....                                     | 941 |
| PDS 0537 (Taxes).....                                   | 942 |
| PDS 0538 (Endorsements/Restrictions).....               | 943 |
| PDS 0539 (Total Amount Charged on Card).....            | 944 |
| PDS 0539 subfields.....                                 | 945 |
| Subfield 1 (Total Amount Charged on Card Amount).....   | 945 |
| Subfield 2 (Total Amount Charged on Card Exponent)..... | 945 |
| Subfield 3 (Total Amount Charged on Card Sign).....     | 945 |
| PDS 0540 (Room Service Charges).....                    | 946 |



|                                                         |     |
|---------------------------------------------------------|-----|
| PDS 0540 subfields.....                                 | 947 |
| Subfield 1 (Room Services Charges Amount).....          | 947 |
| Subfield 2 (Room Service Charges Exponent).....         | 947 |
| Subfield 3 (Room Services Charges Sign).....            | 947 |
| PDS 0541 (Lounge/Bar Charges).....                      | 948 |
| PDS 0541 subfields.....                                 | 948 |
| Subfield 1 (Lounge/Bar Charges Amount).....             | 949 |
| Subfield 2 (Lounge/Bar Charges Exponent).....           | 949 |
| Subfield 3 (Lounge/Bar Charges Sign).....               | 949 |
| PDS 0542 (Transportation Charges).....                  | 949 |
| PDS 0542 subfields.....                                 | 950 |
| Subfield 1 (Transportation Charges Amount).....         | 950 |
| Subfield 2 (Transportation Charges Exponent).....       | 951 |
| Subfield 3 (Transportation Charges Sign).....           | 951 |
| PDS 0543 (Gratuities Charges).....                      | 951 |
| PDS 0543 subfields.....                                 | 952 |
| Subfield 1 (Gratuities Charges Amount).....             | 952 |
| Subfield 2 (Gratuities Charges Exponent).....           | 952 |
| Subfield 3 (Gratuities Charges Sign).....               | 953 |
| PDS 0544 (Rental Agreement Number).....                 | 953 |
| PDS 0545 (Renter Name).....                             | 954 |
| PDS 0546 (Rental Return City).....                      | 956 |
| PDS 0547 (Rental Return State/Province).....            | 957 |
| PDS 0548 (Rental Return Country).....                   | 959 |
| PDS 0549 (Rental Return Location ID).....               | 960 |
| PDS 0550 (Rental Return Date).....                      | 962 |
| PDS 0551 (Rental Check-Out Date).....                   | 963 |
| PDS 0552 (Customer Service Toll-Free [800] Number)..... | 965 |
| PDS 0553 (Rental Rate).....                             | 966 |
| PDS 0553 subfields.....                                 | 967 |
| Subfield 1 (Rental Rate Indicator).....                 | 968 |
| Subfield 2 (Rental Rate).....                           | 968 |
| PDS 0554 (Conference Room Charges).....                 | 968 |
| PDS 0554 subfields.....                                 | 969 |
| Subfield 1 (Conference Room Charges Amount).....        | 969 |
| Subfield 2 (Conference Room Charges Exponent).....      | 969 |
| Subfield 3 (Conference Room Charges Sign).....          | 970 |
| PDS 0555 (Rate Per Mile [or Per Kilometer]).....        | 970 |
| PDS 0556 (Total Miles [or Kilometers]).....             | 971 |
| PDS 0557 (Maximum Free Miles [or Kilometers]).....      | 972 |
| PDS 0558 (Miles/Kilometers Indicator).....              | 972 |
| PDS 0559 (Vehicle Insurance).....                       | 974 |
| PDS 0559 subfields.....                                 | 974 |

|                                                    |      |
|----------------------------------------------------|------|
| Subfield 1: Insurance Indicator.....               | 975  |
| Subfield 2 (Insurance Charges).....                | 975  |
| PDS 0560 (Audio Visual Charges).....               | 975  |
| PDS 0560 subfields.....                            | 976  |
| Subfield 1 (Audio Visual Charges Amount).....      | 976  |
| Subfield 2 (Audio Visual Charges Exponent).....    | 976  |
| Subfield 3 (Audio Visual Charges Sign).....        | 976  |
| PDS 0561 (Adjusted Amount).....                    | 977  |
| PDS 0561 subfields.....                            | 978  |
| Subfield 1 (Adjusted Amount Indicator).....        | 978  |
| Subfield 2 (Adjusted Amount).....                  | 978  |
| PDS 0562 (Banquet Charges).....                    | 979  |
| PDS 0562 subfields.....                            | 979  |
| Subfield 1 (Banquet Charges Amount).....           | 980  |
| Subfield 2 (Banquet Charges Exponent).....         | 980  |
| Subfield 3 (Banquet Charges Sign).....             | 980  |
| PDS 0563 (Program Code).....                       | 980  |
| PDS 0564 (Rental Location City).....               | 981  |
| PDS 0565 (Rental Location State/Province).....     | 982  |
| PDS 0566 (Rental Location Country).....            | 983  |
| PDS 0567 (Rental Location ID).....                 | 984  |
| PDS 0568 (Rental Class ID).....                    | 985  |
| PDS 0569 (Internet Access Charges).....            | 987  |
| PDS 0569 subfields.....                            | 988  |
| Subfield 1 (Internet Access Charges Amount).....   | 988  |
| Subfield 2 (Internet Access Charges Exponent)..... | 988  |
| Subfield 3 (Internet Access Charges Sign).....     | 988  |
| PDS 0570 (Early Departure Charges).....            | 989  |
| PDS 0570 subfields.....                            | 990  |
| Subfield 1 (Early Departure Charges Amount).....   | 990  |
| Subfield 2 (Early Departure Charges Exponent)..... | 990  |
| Subfield 3 (Early Departure Charges Sign).....     | 990  |
| PDS 0571 (Guest Name).....                         | 991  |
| PDS 0572 (Guest Number).....                       | 991  |
| PDS 0573 (Invoice Number).....                     | 992  |
| PDS 0574 (Arrival Date).....                       | 993  |
| PDS 0575 (Departure Date).....                     | 995  |
| PDS 0576 (Folio Number).....                       | 996  |
| PDS 0577 (Property Phone Number).....              | 998  |
| PDS 0578 (Billing Adjustment).....                 | 999  |
| PDS 0578 subfields.....                            | 1000 |
| Subfield 1 (Billing Adjustment Indicator).....     | 1000 |
| Subfield 2 (Billing Adjustment Amount).....        | 1000 |

|                                                             |      |
|-------------------------------------------------------------|------|
| Subfield 3 (Billing Adjustment Exponent).....               | 1001 |
| Subfield 4 (Billing Adjustment Sign).....                   | 1001 |
| PDS 0579 (Invoice Date).....                                | 1001 |
| PDS 0580 (Room Rate).....                                   | 1002 |
| PDS 0580 subfields.....                                     | 1003 |
| Subfield 1 (Room Rate Amount).....                          | 1003 |
| Subfield 2 (Room Rate Exponent).....                        | 1003 |
| PDS 0581 (Total Room Tax).....                              | 1004 |
| PDS 0581 subfields.....                                     | 1005 |
| Subfield 1 (Total Room Tax Amount).....                     | 1005 |
| Subfield 2 (Total Room Tax Exponent).....                   | 1005 |
| Subfield 3 (Total Room Tax Sign).....                       | 1005 |
| PDS 0582 (Program Code).....                                | 1006 |
| PDS 0583 (Phone Charges).....                               | 1006 |
| PDS 0583 subfields.....                                     | 1007 |
| Subfield 1 (Phone Charges Amount).....                      | 1007 |
| Subfield 2 (Phone Charges Exponent).....                    | 1008 |
| Subfield 3 (Phone Charges Sign).....                        | 1008 |
| PDS 0584 (Restaurant Charges).....                          | 1008 |
| PDS 0584 subfields.....                                     | 1009 |
| Subfield 1 (Restaurant Charges Amount).....                 | 1009 |
| Subfield 2 (Restaurant Charges Exponent).....               | 1009 |
| Subfield 3 (Restaurant Charges Sign).....                   | 1009 |
| PDS 0585 (Mini-Bar Charges).....                            | 1010 |
| PDS 0585 subfields.....                                     | 1011 |
| Subfield 1 (Mini-Bar Charges Amount).....                   | 1011 |
| Subfield 2 (Mini-Bar Charges Exponent).....                 | 1011 |
| Subfield 3 (Mini-Bar Charges Sign).....                     | 1011 |
| PDS 0586 (Gift Shop Charges).....                           | 1012 |
| PDS 0586 subfields.....                                     | 1012 |
| Subfield 1 (Gift Shop Charges Amount).....                  | 1013 |
| Subfield 2 (Gift Shop Charges Exponent).....                | 1013 |
| Subfield 3 (Gift Shop Charges Sign).....                    | 1013 |
| PDS 0587 (Laundry and Dry Cleaning Charges).....            | 1013 |
| PDS 0587 subfields.....                                     | 1014 |
| Subfield 1 (Laundry and Dry Cleaning Charges Amount).....   | 1014 |
| Subfield 2 (Laundry and Dry Cleaning Charges Exponent)..... | 1015 |
| Subfield 3 (Laundry and Dry Cleaning Charges Sign).....     | 1015 |
| PDS 0588 (Other Services).....                              | 1015 |
| PDS 0588 subfields.....                                     | 1016 |
| Subfield 1 (Other Services Code).....                       | 1016 |
| Subfield 2 (Other Services Amount).....                     | 1016 |
| Subfield 3 (Other Services Exponent).....                   | 1017 |

|                                                             |      |
|-------------------------------------------------------------|------|
| Subfield 4 (Other Services Sign).....                       | 1017 |
| PDS 0589 (Invoice Creation Date/Time).....                  | 1017 |
| PDS 0589 subfields.....                                     | 1018 |
| Subfield 1 (Invoice Creation Date).....                     | 1018 |
| Subfield 2 (Invoice Creation Time).....                     | 1018 |
| PDS 0590 (Party Identification).....                        | 1019 |
| PDS 0591 (Party Name).....                                  | 1020 |
| PDS 0591 subfields.....                                     | 1020 |
| Subfield 1 (Party Name).....                                | 1021 |
| PDS 0592 (Party Address).....                               | 1021 |
| PDS 0592 subfields.....                                     | 1022 |
| Subfield 1 (Party Address Line).....                        | 1022 |
| PDS 0593 (Party Postal Information).....                    | 1022 |
| PDS 0593 subfields.....                                     | 1023 |
| Subfield 1 (City).....                                      | 1023 |
| Subfield 2 (State/Province Code).....                       | 1023 |
| Subfield 3 (Country Code).....                              | 1024 |
| Subfield 4 (Postal Code).....                               | 1024 |
| PDS 0594 (Party Contact).....                               | 1024 |
| PDS 0594 subfields.....                                     | 1025 |
| Subfield 1 (Party Contact Descriptor).....                  | 1025 |
| Subfield 2 (Party Contact Information).....                 | 1025 |
| PDS 0595 (Acceptor Type).....                               | 1026 |
| PDS 0595 subfields.....                                     | 1028 |
| Subfield 1 (Business Type).....                             | 1028 |
| Subfield 2 (Business Owner Type).....                       | 1029 |
| Subfield 3 (Business Certification Type).....               | 1029 |
| Subfield 4 (Business Racial/Ethnic Type).....               | 1030 |
| Subfield 5 (Business Type Provided Code).....               | 1031 |
| Subfield 6 (Business Owner Type Provided Code).....         | 1031 |
| Subfield 7 (Business Certification Type Provided Code)..... | 1031 |
| Subfield 8 (Business Racial/Ethnic Type Provided Code)..... | 1032 |
| PDS 0596 (Acceptor Tax ID).....                             | 1032 |
| PDS 0596 subfields.....                                     | 1034 |
| Subfield 1 (Acceptor Tax ID).....                           | 1034 |
| Subfield 2 (Acceptor Tax ID Provided Code).....             | 1035 |
| PDS 0597 (Total Tax Amount).....                            | 1037 |
| PDS 0597 subfields.....                                     | 1041 |
| Subfield 1 (Total Tax Amount).....                          | 1041 |
| Subfield 2 (Total Tax Exponent).....                        | 1042 |
| Subfield 3 (Total Tax Sign).....                            | 1042 |
| PDS 0598 (Total Tax Collected Indicator).....               | 1043 |
| PDS 0599 (Corporation VAT Number).....                      | 1044 |

|                                                                 |      |
|-----------------------------------------------------------------|------|
| PDS 0600 (Acceptor Reference Number).....                       | 1045 |
| PDS 0601 (Party Nature of Filing).....                          | 1047 |
| PDS 0602 (Party Supplemental Data 1).....                       | 1048 |
| PDS 0602 subfields.....                                         | 1049 |
| Subfield 1 (Party Supplemental Data Description 1).....         | 1049 |
| Subfield 2 (Party Supplemental Data 1).....                     | 1049 |
| Subfield 3 (Party Supplemental Data Code 1).....                | 1049 |
| PDS 0603 (Party Supplemental Data 2).....                       | 1050 |
| PDS 0603 subfields.....                                         | 1050 |
| Subfield 1 (Party Supplemental Data Description 2).....         | 1051 |
| Subfield 2 (Party Supplemental Data 2).....                     | 1051 |
| Subfield 3 (Party Supplemental Data Code 2).....                | 1051 |
| PDS 0604 (Transaction Supplemental Data 1).....                 | 1051 |
| PDS 0604 subfields.....                                         | 1052 |
| Subfield 1 (Transaction Supplemental Data Description 1).....   | 1053 |
| Subfield 2 (Transaction Supplemental Data 1).....               | 1053 |
| Subfield 3 (Transaction Supplemental Data Code 1).....          | 1053 |
| PDS 0605 (Transaction Supplemental Data 2).....                 | 1053 |
| PDS 0605 subfields.....                                         | 1054 |
| Subfield 1 (Transaction Supplemental Data Description 2).....   | 1054 |
| Subfield 2 (Transaction Supplemental Data 2).....               | 1054 |
| Subfield 3 (Transaction Supplemental Data Code 2).....          | 1054 |
| PDS 0606 (Freight Amount).....                                  | 1055 |
| PDS 0606 subfields.....                                         | 1055 |
| Subfield 1 (Freight Amount).....                                | 1056 |
| Subfield 2 (Freight Amount Exponent).....                       | 1056 |
| Subfield 3 (Freight Amount Sign).....                           | 1056 |
| PDS 0607 (Duty Amount).....                                     | 1056 |
| PDS 0607 subfields.....                                         | 1057 |
| Subfield 1 (Duty Amount).....                                   | 1057 |
| Subfield 2 (Duty Amount Exponent).....                          | 1057 |
| Subfield 3 (Duty Amount Sign).....                              | 1057 |
| PDS 0608 (Destination Postal Code).....                         | 1058 |
| PDS 0609 (Destination State/Province Code).....                 | 1059 |
| PDS 0610 (Destination Country Code).....                        | 1060 |
| PDS 0611 (Sequence Number).....                                 | 1061 |
| PDS 0612 (Ship Date).....                                       | 1062 |
| PDS 0613 (Ship-From Postal Code).....                           | 1063 |
| PDS 0614 (Order Date).....                                      | 1064 |
| PDS 0615 (Medical Services Ship to Health Industry Number)..... | 1065 |
| PDS 0616 (Contract Number).....                                 | 1066 |
| PDS 0617 (Medical Services Price Adjustment).....               | 1067 |
| PDS 0618 (Medical Services Product Number Qualifier).....       | 1068 |

|                                                |      |
|------------------------------------------------|------|
| PDS 0619 (User Name).....                      | 1069 |
| PDS 0620 (Oil Company Brand Name).....         | 1070 |
| PDS 0621 (Purchase Time).....                  | 1071 |
| PDS 0622 (Motor Fuel Service Type).....        | 1073 |
| PDS 0623 (Motor Fuel Information).....         | 1076 |
| PDS 0623 subfields.....                        | 1078 |
| Subfield 1 (Motor Fuel Product Code).....      | 1078 |
| Subfield 2 (Motor Fuel Unit Price).....        | 1080 |
| Subfield 3 (Motor Fuel Unit of Measure).....   | 1080 |
| Subfield 4 (Motor Fuel Quantity).....          | 1080 |
| Subfield 5 (Motor Fuel Quantity Exponent)..... | 1081 |
| Subfield 6 (Motor Fuel Sale Amount).....       | 1081 |
| PDS 0624 (User Account Number).....            | 1081 |
| PDS 0625 (User Telephone Number).....          | 1082 |
| PDS 0626 (Billing Statement Period).....       | 1083 |
| PDS 0626 subfields.....                        | 1084 |
| Subfield 1 (Statement Start Date).....         | 1084 |
| Subfield 2 (Statement End Date).....           | 1084 |
| PDS 0627 (Billing Event 1).....                | 1084 |
| PDS 0627 subfields.....                        | 1085 |
| Subfield 1 (Billing Event Amount 1).....       | 1085 |
| Subfield 2 (Billing Event Exponent 1).....     | 1085 |
| Subfield 3 (Billing Event Sign 1).....         | 1086 |
| Subfield 4 (Billing Event Description 1).....  | 1086 |
| PDS 0628 (Billing Event 2).....                | 1086 |
| PDS 0628 subfields.....                        | 1087 |
| Subfield 1 (Billing Event Amount 2).....       | 1087 |
| Subfield 2 (Billing Event Exponent 2).....     | 1087 |
| Subfield 3 (Billing Event Sign 2).....         | 1087 |
| Subfield 4 (Billing Event Description 2).....  | 1088 |
| PDS 0629 (Odometer Reading).....               | 1088 |
| PDS 0630 (Vehicle Number).....                 | 1090 |
| PDS 0631 (Driver Number/ID Number).....        | 1091 |
| PDS 0632 (Product Type Code).....              | 1093 |
| PDS 0633 (Coupon/Discount Amount).....         | 1096 |
| PDS 0634 (Tax Amount 1).....                   | 1097 |
| PDS 0635 (Tax Amount 2).....                   | 1098 |
| PDS 0636 (Call Date).....                      | 1099 |
| PDS 0637 (Call Time).....                      | 1099 |
| PDS 0638 (Call To Information).....            | 1100 |
| PDS 0638 subfields.....                        | 1101 |
| Subfield 1 (Call To City).....                 | 1101 |
| Subfield 2 (Call To State/Province).....       | 1101 |

|                                                 |      |
|-------------------------------------------------|------|
| Subfield 3 (Call To Country).....               | 1102 |
| Subfield 4 (Call To Number).....                | 1102 |
| Subfield 5 (Call To Type).....                  | 1102 |
| PDS 0639 (Call Duration).....                   | 1102 |
| PDS 0640 (Call Time Period).....                | 1103 |
| PDS 0641 (Product Code).....                    | 1104 |
| PDS 0642 (Item Description).....                | 1113 |
| PDS 0643 (Item Quantity).....                   | 1118 |
| PDS 0643 subfields.....                         | 1122 |
| Subfield 1 (Item Quantity).....                 | 1123 |
| Subfield 2 (Item Quantity Exponent).....        | 1123 |
| PDS 0644 (Call From Information).....           | 1123 |
| PDS 0644 subfields.....                         | 1124 |
| Subfield 1 (Call From City).....                | 1124 |
| Subfield 2 (Call From State/Province).....      | 1124 |
| Subfield 3 (Call From Country).....             | 1124 |
| Subfield 4 (Call From Number).....              | 1124 |
| PDS 0645 (Item Unit of Measure).....            | 1125 |
| PDS 0646 (Unit Price).....                      | 1130 |
| PDS 0646 subfields.....                         | 1132 |
| Subfield 1 (Unit Price).....                    | 1133 |
| Subfield 2 (Unit Price Exponent).....           | 1133 |
| PDS 0647 (Extended Item Amount).....            | 1133 |
| PDS 0647 subfields.....                         | 1137 |
| Subfield 1 (Extended Item Amount).....          | 1137 |
| Subfield 2 (Extended Item Amount Exponent)..... | 1137 |
| Subfield 3 (Extended Item Amount Sign).....     | 1137 |
| PDS 0648 (Item Discount).....                   | 1138 |
| PDS 0648 subfields.....                         | 1139 |
| Subfield 1 (Discount Indicator).....            | 1140 |
| Subfield 2 (Discount Amount).....               | 1140 |
| Subfield 3 (Item Discount Rate).....            | 1140 |
| Subfield 4 (Item Discount Rate Exponent).....   | 1140 |
| Subfield 5 (Item Discount Amount Sign).....     | 1141 |
| PDS 0649 (Call Usage Amount).....               | 1141 |
| PDS 0649 subfields.....                         | 1142 |
| Subfield 1 (Call Usage Amount).....             | 1142 |
| Subfield 2 (Call Usage Amount Exponent).....    | 1142 |
| Subfield 3 (Call Usage Amount Sign).....        | 1142 |
| PDS 0650 (Zero Cost to Customer Indicator)..... | 1143 |
| PDS 0651 (Procedure ID).....                    | 1144 |
| PDS 0652 (Service Type).....                    | 1145 |
| Subfield 1 (Service Type).....                  | 1146 |

|                                                      |      |
|------------------------------------------------------|------|
| Subfield 2 (Service Nature).....                     | 1146 |
| PDS 0653 (Service Amount).....                       | 1146 |
| PDS 0653 subfields.....                              | 1147 |
| Subfield 1 (Service Amount).....                     | 1147 |
| Subfield 2 (Service Amount Exponent).....            | 1147 |
| Subfield 3 (Service Amount Sign).....                | 1147 |
| PDS 0654 (Debit or Credit Indicator).....            | 1148 |
| PDS 0655 (Call Long Distance Amount).....            | 1151 |
| PDS 0655 subfields.....                              | 1152 |
| Subfield 1 (Call Long Distance Amount).....          | 1152 |
| Subfield 2 (Call Long Distance Amount Exponent)..... | 1153 |
| Subfield 3 (Call Long Distance Amount Sign).....     | 1153 |
| PDS 0656 (Full VAT Amounts).....                     | 1153 |
| PDS 0656 subfields.....                              | 1154 |
| Subfield 1 (Full VAT Gross Amount).....              | 1154 |
| Subfield 2 (Full VAT Gross Amount Exponent).....     | 1154 |
| Subfield 3 (Full VAT Gross Amount Sign).....         | 1155 |
| Subfield 4 (Full VAT Tax Amount).....                | 1155 |
| Subfield 5 (Full VAT Tax Amount Exponent).....       | 1155 |
| Subfield 6 (Full VAT Tax Amount Sign).....           | 1155 |
| PDS 0657 (Half VAT Amounts).....                     | 1156 |
| PDS 0657 subfields.....                              | 1156 |
| Subfield 1 (Half VAT Gross Amount).....              | 1157 |
| Subfield 2 (Half VAT Gross Amount Exponent).....     | 1157 |
| Subfield 3 (Half VAT Gross Amount Sign).....         | 1157 |
| Subfield 4 (Half VAT Tax Amount).....                | 1157 |
| Subfield 5 (Half VAT Tax Amount Exponent).....       | 1158 |
| Subfield 6 (Half VAT Tax Amount Sign).....           | 1158 |
| PDS 0658 (Call Connect Amount).....                  | 1158 |
| PDS 0658 subfields.....                              | 1159 |
| Subfield 1 (Call Connect Amount).....                | 1159 |
| Subfield 2 (Call Connect Amount Exponent).....       | 1159 |
| Subfield 3 (Call Connect Amount Sign).....           | 1159 |
| PDS 0659 (Other Description).....                    | 1160 |
| PDS 0660 (Customer Reference).....                   | 1161 |
| PDS 0660 subfields.....                              | 1161 |
| Subfield 1 (Customer Reference Value ID).....        | 1162 |
| Subfield 2 (Customer Reference Value Detail).....    | 1162 |
| PDS 0661 (Traffic Code).....                         | 1162 |
| PDS 0662 (Sample Number).....                        | 1163 |
| PDS 0663 (Free-Form Description).....                | 1164 |
| PDS 0664 (Start Station).....                        | 1165 |
| PDS 0665 (Destination Station).....                  | 1167 |



|                                                                    |      |
|--------------------------------------------------------------------|------|
| PDS 0667 (Generic Data).....                                       | 1169 |
| PDS 0667 subfields.....                                            | 1170 |
| Subfield 1 (Generic Code).....                                     | 1170 |
| Subfield 2 (Generic Number).....                                   | 1170 |
| Subfield 3 (Generic Other Code).....                               | 1170 |
| Subfield 4 (Generic Other Number).....                             | 1170 |
| PDS 0668 (Reduction Data).....                                     | 1170 |
| PDS 0668 subfields.....                                            | 1171 |
| Subfield 1 (Reduction Code).....                                   | 1171 |
| Subfield 2 (Reduction Number).....                                 | 1172 |
| Subfield 3 (Reduction Other Code).....                             | 1172 |
| Subfield 4 (Reduction Other Number).....                           | 1172 |
| PDS 0669 (Transportation Other Code).....                          | 1172 |
| PDS 0670 (Payer/User Information).....                             | 1173 |
| PDS 0670 subfields.....                                            | 1174 |
| Subfield 1 (Payer Name/User ID).....                               | 1174 |
| Subfield 2 (Payer Address).....                                    | 1175 |
| Subfield 3 (Payer City).....                                       | 1175 |
| Subfield 4 (Payer State/Province Code).....                        | 1175 |
| Subfield 5 (Payer Country Code).....                               | 1175 |
| Subfield 6 (Payer Postal Code).....                                | 1175 |
| Subfield 7 (Payer Date of Birth).....                              | 1175 |
| PDS 0671 (Date of Funds Requested).....                            | 1175 |
| PDS 0673 (Date of Anticipated Receipt of Funds).....               | 1176 |
| PDS 0674 (Additional Trace/Reference Number Used by Acceptor)..... | 1177 |
| PDS 0675 (Additional Transaction Description Data).....            | 1179 |
| PDS 0676 (Acceptor VAT Number).....                                | 1180 |
| PDS 0677 (Customer VAT Number).....                                | 1181 |
| PDS 0678 (Unique Invoice Number).....                              | 1182 |
| PDS 0679 (Commodity Code).....                                     | 1183 |
| PDS 0680 (Authorized Contact Name).....                            | 1184 |
| PDS 0681 (Authorized Contact Phone).....                           | 1185 |
| PDS 0682 (Detail Tax Amount 1).....                                | 1186 |
| PDS 0682 subfields.....                                            | 1188 |
| Subfield 1 (Detail Tax Amount Indicator 1).....                    | 1188 |
| Subfield 2 (Detail Tax Amount 1).....                              | 1189 |
| Subfield 3 (Detail Tax Rate 1).....                                | 1189 |
| Subfield 4 (Detail Tax Rate Exponent 1).....                       | 1189 |
| Subfield 5 (Detail Tax Type Applied 1).....                        | 1190 |
| Subfield 6 (Detail Tax Type Identifier 1).....                     | 1190 |
| Subfield 7 (Acceptor Tax ID 1).....                                | 1191 |
| Subfield 8 (Detail Tax Amount Sign 1).....                         | 1191 |
| PDS 0683 (Detail Tax Amount 2).....                                | 1191 |

|                                                     |      |
|-----------------------------------------------------|------|
| PDS 0683 subfields.....                             | 1193 |
| Subfield 1 (Detail Tax Amount Indicator 2).....     | 1193 |
| Subfield 2 (Detail Tax Amount 2).....               | 1194 |
| Subfield 3 (Detail Tax Rate 2).....                 | 1194 |
| Subfield 4 (Detail Tax Rate Exponent 2).....        | 1194 |
| Subfield 5 (Detail Tax Type Applied 2).....         | 1195 |
| Subfield 6 (Detail Tax Type Identifier 2).....      | 1195 |
| Subfield 7 (Acceptor Tax ID 2).....                 | 1196 |
| Subfield 8 (Detail Tax Amount Sign 2).....          | 1196 |
| PDS 0684 (Detail Tax Amount 3).....                 | 1196 |
| PDS 0684 subfields.....                             | 1198 |
| Subfield 1 (Detail Tax Amount Indicator 3).....     | 1198 |
| Subfield 2 (Detail Tax Amount 3).....               | 1198 |
| Subfield 3 (Detail Tax Rate 3).....                 | 1199 |
| Subfield 4 (Detail Tax Rate Exponent 3).....        | 1199 |
| Subfield 5 (Detail Tax Type Applied 3).....         | 1199 |
| Subfield 6 (Detail Tax Type Identifier 3).....      | 1199 |
| Subfield 7 (Acceptor Tax ID 3).....                 | 1200 |
| Subfield 8 (Detail Tax Amount Sign 3).....          | 1200 |
| PDS 0685 (Type of Supply).....                      | 1201 |
| PDS 0686 (Tax Exempt Indicator).....                | 1202 |
| PDS 0687 (Unique VAT Invoice Reference Number)..... | 1203 |
| PDS 0688 (Acceptor Contact E-mail Address).....     | 1204 |
| PDS 0689 (Corporate Identifier).....                | 1205 |
| PDS 0690 (No Show Indicator).....                   | 1206 |
| PDS 0691 (Days Rented).....                         | 1207 |
| PDS 0692 (Weekly Rental Amount).....                | 1208 |
| PDS 0693 (Total Authorized Amount).....             | 1208 |
| PDS 0693 subfields.....                             | 1209 |
| Subfield 1 (Total Authorized Amount).....           | 1209 |
| Subfield 2 (Total Authorized Amount Exponent).....  | 1210 |
| Subfield 3 (Total Authorized Amount Sign).....      | 1210 |
| PDS 0694 (One Way Drop Off Charge).....             | 1210 |
| PDS 0695 (Regular Mileage Charge).....              | 1211 |
| PDS 0696 (Extra Mileage Charge).....                | 1212 |
| PDS 0697 (Late Charge).....                         | 1213 |
| PDS 0698 (Fuel Charge).....                         | 1213 |
| PDS 0699 (Lodging Total Tax Amount).....            | 1214 |
| PDS 0699 subfields.....                             | 1215 |
| Subfield 1 (Lodging Total Tax Amount).....          | 1215 |
| Subfield 2 (Lodging Total Tax Amount Exponent)..... | 1215 |
| Subfield 3 (Lodging Total Tax Amount Sign).....     | 1216 |
| PDS 0700 (Towing Charges).....                      | 1216 |

|                                                      |      |
|------------------------------------------------------|------|
| PDS 0701 (Extra Charges).....                        | 1217 |
| PDS 0702 (Other Charges).....                        | 1218 |
| PDS 0703 (Total Room Nights).....                    | 1218 |
| PDS 0704 (Prepaid Expenses).....                     | 1219 |
| PDS 0704 subfields.....                              | 1220 |
| Subfield 1 (Prepaid Expenses Amount).....            | 1220 |
| Subfield 2 (Prepaid Expenses Amount Exponent).....   | 1221 |
| Subfield 3 (Prepaid Expenses Amount Sign).....       | 1221 |
| PDS 0705 (Total Non-Room Tax Amount).....            | 1221 |
| PDS 0705 subfields.....                              | 1222 |
| Subfield 1 (Total Non-Room Tax Amount).....          | 1222 |
| Subfield 2 (Total Non-Room Tax Amount Exponent)..... | 1222 |
| Subfield 3 (Total Non-Room Tax Amount Sign).....     | 1223 |
| PDS 0706 (Cash Advances).....                        | 1223 |
| PDS 0706 subfields.....                              | 1224 |
| Subfield 1 (Cash Advance Amount).....                | 1224 |
| Subfield 2 (Cash Advance Exponent).....              | 1224 |
| Subfield 3 (Cash Advance Sign).....                  | 1225 |
| PDS 0707 (Valet Charges).....                        | 1225 |
| PDS 0707 subfields.....                              | 1226 |
| Subfield 1 (Valet Charges Amount).....               | 1226 |
| Subfield 2 (Valet Charges Exponent).....             | 1226 |
| Subfield 3 (Valet Charges Sign).....                 | 1226 |
| PDS 0708 (Movie Charges).....                        | 1227 |
| PDS 0708 subfields.....                              | 1228 |
| Subfield 1 (Movie Charges Amount).....               | 1228 |
| Subfield 2 (Movie Charges Exponent).....             | 1228 |
| Subfield 3 (Movie Charges Sign).....                 | 1228 |
| PDS 0709 (Business Center Charges).....              | 1229 |
| PDS 0709 subfields.....                              | 1229 |
| Subfield 1 (Business Center Charges Amount).....     | 1230 |
| Subfield 2 (Business Center Charges Exponent).....   | 1230 |
| Subfield 3 (Business Center Charges Sign).....       | 1230 |
| PDS 0710 (Health Club Charges).....                  | 1231 |
| PDS 0710 subfields.....                              | 1231 |
| Subfield 1 (Health Club Charges Amount).....         | 1232 |
| Subfield 2 (Health Club Charges Exponent).....       | 1232 |
| Subfield 3 (Health Club Charges Sign).....           | 1232 |
| PDS 0711 (Fire Safety Act Indicator).....            | 1232 |
| PDS 0712 (Net Fuel Price).....                       | 1234 |
| PDS 0712 subfields.....                              | 1234 |
| Subfield 1 (Net Fuel Price).....                     | 1235 |
| Subfield 2 (Net Fuel Price Exponent).....            | 1235 |

|                                                       |      |
|-------------------------------------------------------|------|
| PDS 0713 (Restricted Ticket Indicator).....           | 1235 |
| PDS 0714 (Exchange Ticket Amount).....                | 1236 |
| PDS 0715 (Ancillary Service Charges).....             | 1237 |
| PDS 0715 subfields.....                               | 1238 |
| Subfield 1 (Ancillary Fee Code).....                  | 1238 |
| Subfield 2 (Ancillary Fee Amount).....                | 1239 |
| PDS 0716 (Travel Authorization Code).....             | 1239 |
| PDS 0717 (IATA Client Code).....                      | 1240 |
| PDS 0718 (Employee/Temp Name/ID).....                 | 1241 |
| PDS 0719 (Employee Social Security Number or ID)..... | 1243 |
| PDS 0720 (Job Description).....                       | 1243 |
| PDS 0721 (Job Code).....                              | 1245 |
| PDS 0722 (Flat Rate Indicator).....                   | 1246 |
| PDS 0723 (Regular Hours Worked).....                  | 1247 |
| PDS 0723 subfields.....                               | 1249 |
| Subfield 1 (Regular Hours Worked).....                | 1250 |
| Subfield 2 (Regular Hours Worked Exponent).....       | 1250 |
| PDS 0724 (Regular Hours Rate).....                    | 1250 |
| PDS 0724 subfields.....                               | 1252 |
| Subfield 1 (Regular Hours Rate).....                  | 1252 |
| Subfield 2 (Regular Hours Rate Exponent).....         | 1252 |
| PDS 0725 (Overtime Hours Worked).....                 | 1252 |
| PDS 0725 subfields.....                               | 1254 |
| Subfield 1 (Overtime Hours Worked).....               | 1255 |
| Subfield 2 (Overtime Hours Worked Exponent).....      | 1255 |
| PDS 0726 (Overtime Hours Rate).....                   | 1255 |
| PDS 0726 subfields.....                               | 1256 |
| Subfield 1 (Overtime Hours Rate).....                 | 1257 |
| Subfield 2 (Overtime Hours Rate Exponent).....        | 1257 |
| PDS 0727 (Temp Start Date).....                       | 1257 |
| PDS 0728 (Temp Week Ending).....                      | 1259 |
| PDS 0729 (Requestor Name or ID).....                  | 1260 |
| PDS 0730 (Supervisor/Reports to).....                 | 1262 |
| PDS 0731 (Time Sheet Number).....                     | 1263 |
| PDS 0732 (Discount Amount).....                       | 1264 |
| PDS 0732 subfields.....                               | 1264 |
| Subfield 1 (Discount Amount).....                     | 1265 |
| Subfield 2 (Discount Amount Exponent).....            | 1265 |
| Subfield 3 (Discount Amount Sign).....                | 1265 |
| Subfield 4 (Discount Type).....                       | 1265 |
| PDS 0733 (Subtotal Amount).....                       | 1265 |
| PDS 0733 subfields.....                               | 1266 |
| Subfield 1 (Subtotal Amount).....                     | 1267 |

|                                                         |      |
|---------------------------------------------------------|------|
| Subfield 2 (Subtotal Amount Exponent).....              | 1267 |
| Subfield 3 (Subtotal Amount Sign).....                  | 1267 |
| PDS 0734 (Miscellaneous Expenses).....                  | 1267 |
| PDS 0734 subfields.....                                 | 1269 |
| Subfield 1 (Miscellaneous Expense Description).....     | 1270 |
| Subfield 2 (Miscellaneous Expense Amount).....          | 1270 |
| Subfield 3 (Miscellaneous Expense Amount Exponent)..... | 1270 |
| Subfield 4 (Miscellaneous Expense Amount Sign).....     | 1270 |
| PDS 0735 (Service Descriptor Codes).....                | 1270 |
| PDS 0736 (Tracking Number or Pickup Number).....        | 1272 |
| PDS 0737 (Shipping Net Amount).....                     | 1274 |
| PDS 0737 subfields.....                                 | 1276 |
| Subfield 1 (Shipping Net Amount).....                   | 1277 |
| Subfield 2 (Shipping Net Amount Exponent).....          | 1277 |
| Subfield 3 (Shipping Net Amount Sign).....              | 1277 |
| PDS 0738 (Incentive Amount).....                        | 1277 |
| PDS 0738 subfields.....                                 | 1278 |
| Subfield 1 (Incentive Amount).....                      | 1278 |
| Subfield 2 (Incentive Amount Exponent).....             | 1278 |
| Subfield 3 (Incentive Amount Sign).....                 | 1279 |
| PDS 0739 (Pickup Date).....                             | 1279 |
| PDS 0740 (Delivery Date).....                           | 1281 |
| PDS 0741 (Number of Packages).....                      | 1282 |
| PDS 0742 (Package Weight).....                          | 1284 |
| PDS 0743 (Unit of Measure).....                         | 1286 |
| PDS 0744 (Shipping Party Information).....              | 1288 |
| PDS 0744 subfields.....                                 | 1290 |
| Subfield 1 (Shipping Party Name).....                   | 1290 |
| PDS 0745 (Shipping Party Address).....                  | 1290 |
| PDS 0745 subfields.....                                 | 1292 |
| Subfield 1 (Shipping Party Address).....                | 1292 |
| PDS 0746 (Shipping Party Postal Information).....       | 1292 |
| PDS 0746 subfields.....                                 | 1294 |
| Subfield 1 (Shipping Party City).....                   | 1295 |
| Subfield 2 (Shipping Party State/Province Code).....    | 1295 |
| Subfield 3 (Shipping Party Country Code).....           | 1295 |
| Subfield 4 (Shipping Party Postal Code).....            | 1295 |
| PDS 0747 (Shipping Party Contact).....                  | 1295 |
| PDS 0747 subfields.....                                 | 1297 |
| Subfield 1 (Shipping Party Descriptor).....             | 1298 |
| Subfield 2 (Shipping Party Contact Information).....    | 1298 |
| PDS 0748 (Delivery Party Information).....              | 1298 |
| PDS 0748 subfields.....                                 | 1300 |

|                                                      |      |
|------------------------------------------------------|------|
| Subfield 1 (Delivery Party Name).....                | 1301 |
| PDS 0749 (Delivery Party Address Information).....   | 1301 |
| PDS 0749 subfields.....                              | 1303 |
| Subfield 1 (Delivery Party Address).....             | 1303 |
| PDS 0750 (Delivery Party Postal Information).....    | 1303 |
| PDS 0750 subfields.....                              | 1305 |
| Subfield 1 (Delivery Party City).....                | 1305 |
| Subfield 2 (Delivery Party State/Province Code)..... | 1305 |
| Subfield 3 (Delivery Party Country Code).....        | 1306 |
| Subfield 4 (Delivery Party Postal Code).....         | 1306 |
| PDS 0751 (Detail Tax Amount 4).....                  | 1306 |
| PDS 0751 subfields.....                              | 1307 |
| Subfield 1 (Detail Tax Amount Indicator 4).....      | 1308 |
| Subfield 2 (Detail Tax Amount 4).....                | 1308 |
| Subfield 3 (Detail Tax Rate 4).....                  | 1308 |
| Subfield 4 (Detail Tax Rate Exponent 4).....         | 1308 |
| Subfield 5 (Detail Tax Type Applied 4).....          | 1309 |
| Subfield 6 (Detail Tax Type Identifier 4).....       | 1309 |
| Subfield 7 (Acceptor Tax ID 4).....                  | 1310 |
| Subfield 8 (Detail Tax Amount Sign 4).....           | 1310 |
| PDS 0752 (Detail Tax Amount 5).....                  | 1310 |
| PDS 0752 subfields.....                              | 1312 |
| PDS 0753 (Detail Tax Amount 6).....                  | 1315 |
| PDS 0753 subfields.....                              | 1316 |
| PDS 0754 (Delivery Party Contact).....               | 1319 |
| PDS 0754 subfields.....                              | 1321 |
| PDS 0755 (Line Item Total Amount).....               | 1322 |
| PDS 0755 subfields.....                              | 1323 |
| PDS 0756 (Passenger Description).....                | 1324 |
| PDS 0756 subfields.....                              | 1326 |
| Subfield 1 (Number of Adults).....                   | 1326 |
| Subfield 2 (Number of Children).....                 | 1326 |
| Subfield 3 (Class).....                              | 1326 |
| PDS 0757 (Transportation Service Provider).....      | 1327 |
| PDS 0758 (Transportation Services Offered).....      | 1328 |
| PDS 0759 (Delivery Order Number).....                | 1329 |
| PDS 0760 (Credit Card Slip Number).....              | 1330 |
| PDS 0761 (Travel Agency ID).....                     | 1330 |
| PDS 0762 (Data Source).....                          | 1331 |
| PDS 0763 (VAT Suppression Indicator).....            | 1333 |
| PDS 0764 (Healthcare Eligible Status Indicator)..... | 1333 |
| PDS 0765 (MoneySend Receiver Data).....              | 1335 |
| Subfield 1 (Payee First Name).....                   | 1336 |

|                                                                                  |      |
|----------------------------------------------------------------------------------|------|
| Subfield 2 (Payee Last Name).....                                                | 1336 |
| Subfield 3 (Payee Address).....                                                  | 1337 |
| Subfield 4 (Payee City).....                                                     | 1337 |
| Subfield 5 (Payee State/Province Code).....                                      | 1337 |
| Subfield 6 (Payee Country Code).....                                             | 1338 |
| Subfield 7 (Payee Postal Code).....                                              | 1338 |
| Subfield 8 (Payee Date of Birth).....                                            | 1339 |
| Subfield 9 (Payee Phone Number).....                                             | 1339 |
| PDS 0770 (Additional Acceptor Inquiry Information).....                          | 1339 |
| PDS 0770 subfields.....                                                          | 1340 |
| Subfield 1 (Sales Rep Name).....                                                 | 1341 |
| Subfield 2 (Sales Rep Phone Number).....                                         | 1341 |
| Subfield 3 (Sales Rep Fax Number).....                                           | 1341 |
| Subfield 4 (Technical Support Phone Number).....                                 | 1341 |
| PDS 0771 (Cost Center Information).....                                          | 1342 |
| PDS 0771 subfields.....                                                          | 1342 |
| Subfield 1 (Cost Center Number).....                                             | 1343 |
| Subfield 2 (Cost Center Description).....                                        | 1343 |
| PDS 0772 (Driver License/State Issued ID Information).....                       | 1343 |
| PDS 0772 subfields.....                                                          | 1344 |
| Subfield 1 (Driver License/State Issued ID Number).....                          | 1344 |
| Subfield 2 (Driver License/State Issued ID State, Province, or Region Code)..... | 1344 |
| PDS 0773 (Payment Method Information).....                                       | 1345 |
| PDS 0773 subfields.....                                                          | 1345 |
| Subfield 1 (Payment Method).....                                                 | 1346 |
| Subfield 2 (Amount, Payment).....                                                | 1346 |
| PDS 0774 (Stock Keeping Unit (SKU) Description).....                             | 1347 |
| PDS 0775 (Department Code).....                                                  | 1348 |
| PDS 0776 (Alternate Custom Identifier).....                                      | 1349 |
| PDS 0776 subfields.....                                                          | 1350 |
| Subfield 1 (Alternate Custom Identifier Type).....                               | 1350 |
| Subfield 2 (Alternate Custom Identifier Detail).....                             | 1351 |
| PDS 0777 (Promotion Code).....                                                   | 1351 |
| PDS 0781 (Fleet Spend Control Enforced).....                                     | 1352 |
| PDS 0782 (Fleet Fuel Information).....                                           | 1354 |
| Subfield 1 (Fleet Fuel Product Code).....                                        | 1356 |
| Subfield 2 (Fleet Fuel Unit Price).....                                          | 1360 |
| Subfield 3 (Fleet Fuel Unit of Measure).....                                     | 1360 |
| Subfield 4 (Fleet Fuel Quantity).....                                            | 1360 |
| Subfield 5 (Fleet Fuel Quantity Exponent).....                                   | 1361 |
| Subfield 6 (Fleet Fuel Sale Amount).....                                         | 1361 |
| PDS 0783 (Fleet Product Code).....                                               | 1361 |
| PDS 0784 (Fleet Item Description).....                                           | 1371 |

|                                                        |      |
|--------------------------------------------------------|------|
| PDS 0785 (Fleet Item Quantity).....                    | 1373 |
| Subfield 1 (Fleet Item Quantity).....                  | 1375 |
| Subfield 2 (Fleet Item Quantity Exponent).....         | 1375 |
| PDS 0786 (Fleet Item Unit of Measure).....             | 1376 |
| PDS 0787 (Fleet Extended Item Amount).....             | 1380 |
| Subfield 1 (Fleet Extended Item Amount).....           | 1382 |
| Subfield 2 (Fleet Extended Item Amount Exponent).....  | 1383 |
| Subfield 3 (Fleet Extended Item Amount Sign).....      | 1383 |
| PDS 0790 (Fleet Prompted Data 1).....                  | 1383 |
| Subfield 1 (Prompt Code 1).....                        | 1385 |
| Subfield 2 (Driver Related Data 1).....                | 1387 |
| PDS 0791 (Fleet Prompted Data 2).....                  | 1387 |
| Subfield 1 (Prompt Code 2).....                        | 1389 |
| Subfield 2 (Driver Related Data 2).....                | 1391 |
| PDS 0792 (Fleet Prompted Data 3).....                  | 1391 |
| Subfield 1 (Prompt Code 3).....                        | 1392 |
| Subfield 2 (Driver Related Data 3).....                | 1394 |
| PDS 0793 (Fleet Prompted Data 4).....                  | 1395 |
| Subfield 1 (Prompt Code 4).....                        | 1396 |
| Subfield 2 (Driver Related Data 4).....                | 1398 |
| PDS 0794 (Fleet Prompted Data 5).....                  | 1399 |
| Subfield 1 (Prompt Code 5).....                        | 1400 |
| Subfield 2 (Driver Related Data 5).....                | 1402 |
| PDS 0799 (Test Case Traceability Identifiers).....     | 1402 |
| PDS 0799 subfields.....                                | 1404 |
| PDS 1000–1099 (Member-to-Member Proprietary Data)..... | 1405 |

|                                                       |             |
|-------------------------------------------------------|-------------|
| <b>Chapter 6: Transaction Message Validation.....</b> | <b>1409</b> |
| Error notification.....                               | 1411        |
| Edit errors best practices.....                       | 1412        |
| Common errors and best practices.....                 | 1413        |
| Error numbers and messages.....                       | 1425        |
| Edits and error messaging.....                        | 1425        |
| Error message overview.....                           | 1426        |
| Error numbers 0000–9600.....                          | 1426        |
| Syntax error numbers.....                             | 1543        |
| File Header/1644-697 messages.....                    | 1545        |
| File Header/1644-697.....                             | 1545        |
| First Presentment/1240–200 messages.....              | 1548        |
| First Presentment/1240-200.....                       | 1548        |
| Financial Detail Addendum/1644-696 messages.....      | 1598        |
| Financial Detail Addendum/1644-696.....               | 1598        |



|                                                                                              |             |
|----------------------------------------------------------------------------------------------|-------------|
| Retrieval Request/1644-603 messages.....                                                     | 1676        |
| Retrieval Request/1644-603.....                                                              | 1676        |
| Retrieval Request Acknowledgment/1644-605 messages.....                                      | 1689        |
| Retrieval Request Acknowledgment/1644-605.....                                               | 1689        |
| Fee Collection (Retrieval Fee Billing)/1740-700 messages.....                                | 1702        |
| Fee Collection (Retrieval Fee Billing)/1740-700.....                                         | 1702        |
| First Chargebacks (Full)/1442-450 and (Partial)/1442-453 messages.....                       | 1716        |
| First Chargebacks (Full)/1442-450 and (Partial)/1442-453.....                                | 1716        |
| Arbitration Chargeback (Full)/1442-451 and (Partial)/1442-454 messages.....                  | 1754        |
| Arbitration Chargeback (Full)/1442-451 and (Partial)/1442-454.....                           | 1754        |
| Second Presentment (Full)/1240-205, and (Partial)/1240-282 messages.....                     | 1789        |
| Second Presentment (Full)/1240-205, and (Partial)/1240-282.....                              | 1789        |
| Fee Collection (Other)/1740-700, 780, 781, and 782 messages.....                             | 1827        |
| Fee Collection (Other)/1740-700, 780, 781, and 782.....                                      | 1827        |
| Fee Collection (Funds Transfer)/1740-790 messages.....                                       | 1841        |
| Fee Collection (Funds Transfer)/1740-790.....                                                | 1841        |
| File Trailer/1644-695 messages.....                                                          | 1848        |
| File Trailer/1644-695.....                                                                   | 1848        |
| Syntax error messages.....                                                                   | 1850        |
| Syntax errors.....                                                                           | 1850        |
| Duplicate Dual Message Clearing System files, postings, and potential duplicate rejects..... | 1851        |
| Dual Message Clearing System editing for duplicate files.....                                | 1851        |
| Reasons for duplicate Dual Message Clearing System files or postings.....                    | 1852        |
| Identification of duplicate Dual Message Clearing System postings.....                       | 1852        |
| Potential duplicate clearing transaction rejections.....                                     | 1852        |
| Full File Reversal Utility.....                                                              | 1853        |
| Having Mastercard reverse files.....                                                         | 1854        |
| Editing reversal messages.....                                                               | 1854        |
| Reporting reversal rejects.....                                                              | 1854        |
| <b>Chapter 7: System functionality and services.....</b>                                     | <b>1855</b> |
| Automated fuel dispenser completion.....                                                     | 1857        |
| Bilateral settlement activity.....                                                           | 1857        |
| Definition of bilateral settlement agreement.....                                            | 1857        |
| Identification of bilateral settlement transactions.....                                     | 1858        |
| Editing bilateral transactions.....                                                          | 1858        |
| Bilateral transactions in relation to reconciliation messages.....                           | 1858        |
| Business service arrangements.....                                                           | 1858        |
| Definition of business service.....                                                          | 1858        |
| Types of business service arrangements.....                                                  | 1859        |
| Criteria details.....                                                                        | 1861        |

|                                                                                              |      |
|----------------------------------------------------------------------------------------------|------|
| Additional features for business service arrangements.....                                   | 1862 |
| Business service calendar and transaction timeliness.....                                    | 1862 |
| Interchange rates and fees structure.....                                                    | 1863 |
| Manual cash disbursement accommodation fee.....                                              | 1863 |
| Contents of PDS 0158 (Business Activity).....                                                | 1863 |
| Claims Manager.....                                                                          | 1864 |
| Currency conversion.....                                                                     | 1865 |
| Overview of currency conversion service performed during the clearing process.....           | 1865 |
| Amount definitions.....                                                                      | 1866 |
| Rates used for currency conversion.....                                                      | 1866 |
| Data elements calculated during currency conversion process.....                             | 1873 |
| Currency conversion for first presentments qualifying for regional settlement service.....   | 1873 |
| Acquirer side data elements.....                                                             | 1873 |
| Other acquirer calculation considerations: computed cross rates and fixed interchange.....   | 1883 |
| Issuer side data elements.....                                                               | 1883 |
| Rounding of Dual Message Clearing System currency conversion.....                            | 1892 |
| Customer currency conversion for chargebacks (all cycles).....                               | 1893 |
| Customer requirements for submitting first chargeback amounts.....                           | 1893 |
| Acquirer processing of second presentments.....                                              | 1897 |
| Processing of pre-arbitration and arbitration case filings.....                              | 1897 |
| Currency conversion for settlement of fee collection messages.....                           | 1897 |
| Currency conversion for reversals.....                                                       | 1898 |
| Currency Update/1644-640 Messages.....                                                       | 1898 |
| T057 Currency Conversion Rate File.....                                                      | 1899 |
| Acquirer Currency Conversion Rate File.....                                                  | 1902 |
| Originating Institution Payment Transaction Currency Conversion Rate File.....               | 1902 |
| Clearing Detail File (IP755120-AA) to facilitate acquirer reconciliation.....                | 1903 |
| Duplicate Dual Message Clearing System files, postings, and potential duplicate rejects..... | 1904 |
| Dual Message Clearing System editing for duplicate files.....                                | 1904 |
| Reasons for duplicate Dual Message Clearing System files or postings.....                    | 1904 |
| Identification of duplicate Dual Message Clearing System postings.....                       | 1905 |
| Potential duplicate clearing transaction rejections.....                                     | 1905 |
| Settlement service.....                                                                      | 1906 |
| Definition of Settlement Service.....                                                        | 1906 |
| Calculating net positions.....                                                               | 1907 |
| Settlement service levels.....                                                               | 1909 |
| Settlement service selection process.....                                                    | 1911 |
| Settlement service selection.....                                                            | 1912 |
| Settlement service parameters.....                                                           | 1912 |
| Settlement service participation and criteria selection.....                                 | 1914 |
| Intracurrency settlement service selection.....                                              | 1914 |

|                                                                                 |             |
|---------------------------------------------------------------------------------|-------------|
| Regional settlement service selection.....                                      | 1918        |
| Settlement date cycle calculation.....                                          | 1920        |
| Fee calculation routines for settlement service levels.....                     | 1921        |
| System-provided data in PDS 0159 (Settlement Data).....                         | 1921        |
| Settlement service advisements.....                                             | 1921        |
| Customer settlement advisements.....                                            | 1922        |
| Reversals.....                                                                  | 1922        |
| How to create reversals.....                                                    | 1922        |
| Identification of reversal messages.....                                        | 1922        |
| Identification of reversal files.....                                           | 1922        |
| How to send individual reversal messages.....                                   | 1923        |
| How to send reversal files: full files.....                                     | 1923        |
| How to send reversal files: partial files.....                                  | 1924        |
| Using the Clearing Optimizer Message Selection Utility to create reversals..... | 1925        |
| Full File Reversal Utility.....                                                 | 1925        |
| Having Mastercard reverse files.....                                            | 1926        |
| Editing reversal messages.....                                                  | 1926        |
| Reporting reversal rejects.....                                                 | 1926        |
| <b>Chapter 8: Reports and files.....</b>                                        | <b>1927</b> |
| Clearing submission and response.....                                           | 1929        |
| Currency conversion-related files.....                                          | 1929        |
| T057 Currency Conversion Rate File.....                                         | 1929        |
| Acquirer Currency Conversion Rate File.....                                     | 1932        |
| Originating Institution Payment Transaction Currency Conversion Rate File.....  | 1938        |
| Integrated Product Message (IPM) Mastercard Parameter Extract (MPE).....        | 1940        |
| Customer-generated files in the IPM format.....                                 | 1942        |
| Mastercard generated files in the IPM format.....                               | 1943        |
| Reconciliation-related reports and files.....                                   | 1946        |
| Dual Message Clearing System reconciliation reports.....                        | 1948        |
| IP727010-AA - Clearing Cycle Acknowledgment Report.....                         | 1950        |
| IP727020-AA - Clearing Cycle Notification Report.....                           | 1955        |
| IP728010-AA - Clearing Cycle Summary Reconciliation Report.....                 | 1961        |
| IP142110-AA - IPM Messages Created on Behalf of a Member.....                   | 1963        |
| IP142520-AA - On-behalf Service Fee Collection Report.....                      | 1970        |
| IP148320-AA - Miscellaneous Override Financial Adjustments Report.....          | 1971        |
| IP755120-AA - Clearing Detail Report.....                                       | 1974        |
| IP755220-AA-ALM Reconciliation Data Report .....                                | 1980        |
| Operational reporting .....                                                     | 1983        |
| Optional reports.....                                                           | 1983        |
| IP857010-BB - Global Collection Only Error Detail – Input Sequence.....         | 1985        |
| IP857010-AA - Error Detail -- Input Sequence.....                               | 1995        |

|                                                                                                  |      |
|--------------------------------------------------------------------------------------------------|------|
| Dual Message Clearing System transaction and chargeback analysis reports.....                    | 2006 |
| Optional service-related reports.....                                                            | 2015 |
| IP714010-AA - Acquirer Accepted Errors Detail Report.....                                        | 2016 |
| IP755140-AA-Clearing Interchange Enhancement Reconciliation Report .....                         | 2022 |
| IP755220-AA - Account Level Management (ALM) Reconciliation Data Report.....                     | 2025 |
| IP170010-AA - Acquirer-funded Reward Presentments Created On Behalf of a<br>Customer Report..... | 2027 |
| Consolidated on-request XML data file distribution.....                                          | 2028 |
| IP830010 - Issuer ICCR Report.....                                                               | 2030 |
| IP830020 - Cross-Border Fee Manager service reports.....                                         | 2032 |
| Region-specific reports.....                                                                     | 2034 |
| IP755020-AA - Interchange Detail Report.....                                                     | 2035 |
| Mexico RedMx Scheme reports.....                                                                 | 2041 |
| Summary of reports within raw data files.....                                                    | 2041 |

## Chapter 9: Reconciliation.....2042

|                                                                                            |      |
|--------------------------------------------------------------------------------------------|------|
| Overview.....                                                                              | 2043 |
| Options for reconciliation of clearing and settlement data.....                            | 2043 |
| IPM reconciliation messages for clearing and settlement data.....                          | 2044 |
| Reconciliation messages generated by the Dual Message Clearing System.....                 | 2044 |
| Financial messages considered in reconciliation.....                                       | 2045 |
| Acknowledgment reconciliation messages created by the Dual Message Clearing<br>System..... | 2045 |
| Notification reconciliation messages created by the Dual Message Clearing System...        | 2046 |
| Reconciliation message totals.....                                                         | 2046 |
| List of optional reconciliation categories.....                                            | 2048 |
| Account range reconciliation category.....                                                 | 2057 |
| Transaction function reconciliation category.....                                          | 2057 |
| Customer Reconciliation Indicator 1 reconciliation category.....                           | 2058 |
| Functionality in the reconciliation messages.....                                          | 2059 |
| File Currency Summary/1644-680 message.....                                                | 2060 |
| Financial Position Detail/1644-685 message.....                                            | 2061 |
| Choosing clearing reconciliation categories.....                                           | 2061 |
| Settlement Position Detail/1644-688 message.....                                           | 2064 |
| Choosing settlement reconciliation categories.....                                         | 2065 |
| Dual Message Clearing System reconciliation reports.....                                   | 2066 |
| Accumulating reconciliation totals.....                                                    | 2069 |
| Early Reconciliation Service Overview.....                                                 | 2071 |
| Early Reconciliation Service Enrollment.....                                               | 2072 |
| IPM reconciliation split.....                                                              | 2072 |
| Bilateral transactions in relation to reconciliation messages.....                         | 2073 |

|                                                                                                |             |
|------------------------------------------------------------------------------------------------|-------------|
| <b>Appendix A: Message Data Elements Used by the Dual Message Clearing System.....</b>         | <b>2074</b> |
| <b>Appendix B: Message Data Elements Not Used by Dual Message Clearing System.....</b>         | <b>2076</b> |
| <b>Appendix C: Services or products leveraging the system.....</b>                             | <b>2079</b> |
| Account Level Management.....                                                                  | 2081        |
| Mastercard ATM Cash Pick-Up service.....                                                       | 2081        |
| Clearing Chip Processing service.....                                                          | 2082        |
| Collection-only transaction reporting.....                                                     | 2083        |
| Global Collection Only Program.....                                                            | 2083        |
| Collection-only activity in relation to reconciliation messages.....                           | 2085        |
| First Presentment/1240: Global Collection Only format.....                                     | 2085        |
| Global Collection Only mapping for Single Message System transactions.....                     | 2089        |
| Cross-Border Fee Manager service.....                                                          | 2096        |
| Cross-Border Fee Manager reports.....                                                          | 2096        |
| Electronic commerce.....                                                                       | 2097        |
| Process for an electronic commerce transaction.....                                            | 2097        |
| Security of electronic commerce transactions.....                                              | 2098        |
| Universal Cardholder Authentication Field.....                                                 | 2098        |
| Relationship between e-commerce and Mastercard Identity Check.....                             | 2099        |
| UCAF in Digital Secure Remote Payments.....                                                    | 2099        |
| Extended Decimal Precision service.....                                                        | 2099        |
| Extended Decimal Precision adjustment amount determination.....                                | 2100        |
| Fleet Card transactions.....                                                                   | 2104        |
| Issuer Currency Conversion Rate (ICCR) service.....                                            | 2104        |
| ICCR enrollment.....                                                                           | 2105        |
| ICCR reports.....                                                                              | 2105        |
| Mastercard In Control platform.....                                                            | 2105        |
| Dual Message Clearing System processing for the Mastercard In Control platform.....            | 2105        |
| Mastercard In Control mapping process.....                                                     | 2106        |
| Mastercard Contactless and PAN Mapping Service.....                                            | 2108        |
| Mastercard contactless Mapping Service participation guidelines.....                           | 2108        |
| PAN Mapping Service.....                                                                       | 2109        |
| Process flow of the Mastercard PAN Mapping Service.....                                        | 2109        |
| Identifying issuer account ranges with IPM MPE.....                                            | 2110        |
| Identifying PAN Mapping within IPM Messages.....                                               | 2111        |
| Contents of DE 22 (Point of Service [POS] Entry Mode), Subfield 7 (Card Data, Input Mode)..... | 2112        |

|                                                                                                                         |      |
|-------------------------------------------------------------------------------------------------------------------------|------|
| Processing transactions through the Mastercard contactless Mapping Service.....                                         | 2112 |
| DE 22 values identify contactless transactions to Dual Message Clearing System.....                                     | 2113 |
| Processing First Presentment/1240 messages through the Mastercard contactless Mapping Service.....                      | 2113 |
| Processing First Chargeback/1442 messages through the Mastercard contactless Mapping Service.....                       | 2114 |
| Processing Second Presentment/1240 messages through the Mastercard contactless Mapping Service.....                     | 2116 |
| Processing Fee Collection (Retrieval Fee Billing)/1740 messages through the Mastercard contactless Mapping Service..... | 2116 |
| Elements used by the Mastercard Contactless Mapping Service.....                                                        | 2117 |
| Interchange compliance processing.....                                                                                  | 2118 |
| Mastercom processing.....                                                                                               | 2119 |
| Mastercard Digital Enablement Service.....                                                                              | 2119 |
| Mastercard Digital Enablement Service authorization process flows.....                                                  | 2120 |
| Identifying issuer account ranges with IPM MPE.....                                                                     | 2121 |
| Identifying Mastercard Digital Enablement Service mapping within IPM messages.....                                      | 2121 |
| PDS 0001, subfield 2 (Account Number).....                                                                              | 2121 |
| PDS 0001, subfield 1 (Account Number Type).....                                                                         | 2122 |
| Processing First Presentment/1240 Messages through the Mastercard Digital Enablement Service Mapping Service.....       | 2123 |
| Processing First Chargeback/1442 messages through the Mastercard Digital Enablement Service.....                        | 2124 |
| Processing Second Presentment/1240 Messages through the Mastercard Digital Enablement Service.....                      | 2125 |
| Processing Fee Collection/1740 Messages through the Mastercard Digital Enablement Service.....                          | 2125 |
| Elements related to the Mastercard Digital Enablement Service.....                                                      | 2126 |
| Interchange compliance processing.....                                                                                  | 2127 |
| Mastercard Transaction Calculator.....                                                                                  | 2128 |
| Mastercom and Claims Manager.....                                                                                       | 2128 |
| Multiple clearing messages.....                                                                                         | 2129 |
| Payment Cancellation Service.....                                                                                       | 2130 |
| Private Label Program.....                                                                                              | 2130 |
| Private Label addendum.....                                                                                             | 2131 |
| Private Label card activation plus initial load.....                                                                    | 2131 |
| Mastercard Transaction Enablement Service.....                                                                          | 2131 |
| Service Requirements for Acquirers.....                                                                                 | 2132 |
| Processing Message Exception/1644-691 messages through the Mastercard Transaction Enablement Service.....               | 2132 |
| MCC Adjustments in Brazil.....                                                                                          | 2132 |

|                                                                                                                                                  |                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <b>Appendix D: Transaction research .....</b>                                                                                                    | <b>2136</b>     |
| Registering for Transaction Investigator.....                                                                                                    | 2137            |
| Accessing and using the Transaction Investigator tool.....                                                                                       | 2138            |
| Setting user preferences.....                                                                                                                    | 2138            |
| Global Collection-Only data in Transaction Research.....                                                                                         | 2139            |
| <br><b>Appendix E: Transaction data classifications table.....</b>                                                                               | <br><b>2140</b> |
| <br><b>Appendix F: Fee collection.....</b>                                                                                                       | <br><b>2172</b> |
| Fee collection overview.....                                                                                                                     | 2173            |
| Fee collection messages for retrieval fee billing.....                                                                                           | 2173            |
| Fee collection messages for purposes other than retrieval fee billing.....                                                                       | 2173            |
| Presenting the Fee Collection/1740 message.....                                                                                                  | 2174            |
| Returning and resubmitting the Fee Collection/1740 message.....                                                                                  | 2174            |
| Reason codes for fee collection.....                                                                                                             | 2176            |
| Global Clearing Management System minimal rounding.....                                                                                          | 2176            |
| Fee Collection Return/1740–780 and Fee Collection Arbitration Return/1740–782....                                                                | 2177            |
| Fee Collection (Clearing System-generated)/1740–783.....                                                                                         | 2196            |
| <br><b>Appendix G: Determination and validation of business service.....</b>                                                                     | <br><b>2205</b> |
| Data and message content validation by Global Clearing Management System.....                                                                    | 2210            |
| Step 1: validate the elements used in the selection process.....                                                                                 | 2210            |
| Step 1a: validate format requirements.....                                                                                                       | 2210            |
| Step 1b: validate syntax/attribute of selection elements.....                                                                                    | 2211            |
| Step 1c: validate content of selection elements.....                                                                                             | 2212            |
| Step 2: determine whether the transaction requires business service processing.....                                                              | 2213            |
| Step 3: business service arrangement selection.....                                                                                              | 2214            |
| Step 3a (standard process): retrieve and match card program identifier and business<br>service arrangement participation.....                    | 2214            |
| Step 3b (central acquiring process): retrieve and validate issuer card program<br>identifier and business service arrangement participation..... | 2215            |
| Global Clearing Management System validation of business service arrangement.....                                                                | 2217            |
| Step 4: validate the message reason code and reversal indicator for the card program<br>identifier/business service arrangement combination..... | 2218            |
| Step 5: validate the processing code and reversal indicator for the card program<br>identifier/business service arrangement combination.....     | 2219            |
| Step 6: determine whether IRD validation is required for the transaction.....                                                                    | 2220            |
| Interchange rate designator (IRD) validation.....                                                                                                | 2220            |
| Step 7: validate the processing code and reversal indicator for the IRD.....                                                                     | 2220            |
| Step 8: validate product codes for the IRD.....                                                                                                  | 2221            |

|                                                                                       |             |
|---------------------------------------------------------------------------------------|-------------|
| Step 9: validate AB programs for the IRD.....                                         | 2223        |
| Step 10: validate transaction currency for the business service.....                  | 2224        |
| Step 11: check for intracountry business service overrides.....                       | 2224        |
| Enforcement of business service arrangements.....                                     | 2225        |
| Default business service arrangements.....                                            | 2226        |
| Life cycle processing supported by Global Clearing Management System.....             | 2226        |
| Global Clearing Management System edits, fee assignments, and fee calculation.....    | 2229        |
| <b>Appendix H: Files and best practices .....</b>                                     | <b>2233</b> |
| Record Descriptor Word at the beginning of IPM messages.....                          | 2234        |
| Notes on sending IPM files .....                                                      | 2235        |
| Penalty for late Dual Message Clearing System retransmission requests .....           | 2236        |
| Customer clearing file delivery options .....                                         | 2236        |
| Clearing cycle options .....                                                          | 2240        |
| Merging of clearing information between cycles .....                                  | 2240        |
| Early reconciliation customer and non-early reconciliation processor example .....    | 2241        |
| Important Data Elements specific to Early Reconciliation .....                        | 2244        |
| Comparison of T112 and T113 .....                                                     | 2244        |
| Text messages used by the Dual Message Clearing System .....                          | 2245        |
| Notification reconciliation messages created by the Dual Message Clearing System..... | 2246        |
| <b>Appendix I: Glossary.....</b>                                                      | <b>2247</b> |
| <b>Appendix J: Abbreviations and acronyms.....</b>                                    | <b>2258</b> |
| <b>Appendix K: Data element listing.....</b>                                          | <b>2279</b> |
| <b>Appendix L: PDS listing.....</b>                                                   | <b>2281</b> |
| <b>Notices.....</b>                                                                   | <b>2296</b> |



# Mastercard Network Processing Dual Message Clearing System Guide

## Overview

This document contains technical information and specifications for customers to understand the system functionality and to process transactions through the Mastercard Dual Message Clearing System. System specifications are based on Mastercard's adoption of the [International Organization for Standardization \(ISO\) 8583:1993](#) message formats. This is a new guide that is a consolidation of the:

- *Global Clearing Management System Reference Manual*
- *IPM Clearing Format error numbers and messages manual*
- *IPM Clearing Formats*

## Audience

This document is intended for parties using the [Mastercard Network](#) to process transactions through the Dual Message Clearing System. This includes acquirers, issuers, processors, and Network Enablement Partners.

## Questions

For more information, questions, or feedback about this document, click the Contact Customer Support button at the bottom of this page.

## Details

| Metadata        | Value                                                                                                                                |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Audience        | <ul style="list-style-type: none"><li>• Acquirer</li><li>• Issuer</li><li>• Processor</li><li>• Network Enablement Partner</li></ul> |
| Product         | Mastercard Network Processing and Operations                                                                                         |
| Region          | Global                                                                                                                               |
| Release version | 25.Q4                                                                                                                                |
| Type            | Technical specification guide                                                                                                        |
| Publish date    | 4 November 2025                                                                                                                      |

## Summary of Changes

| Description of Change                                                                                        | Where to Look                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Minor editorial, grammar, typographic fixes, or formatting changes to accommodate current writing standards. | Throughout                                                                                                                                                                                                                                                                                                                                        |
| Renamed Message Reason Code 2001 and 2004 on DE 25                                                           | <a href="#">DE 25 (Message Reason Code)</a>                                                                                                                                                                                                                                                                                                       |
| Added:                                                                                                       | <a href="#">Transaction Message Validation</a>                                                                                                                                                                                                                                                                                                    |
| • Chapter titled Transaction Message Validation                                                              | <a href="#">Fee collection</a>                                                                                                                                                                                                                                                                                                                    |
| • Appendix titled Fee Collection                                                                             | <a href="#">Determination and validation of business service</a>                                                                                                                                                                                                                                                                                  |
| • Appendix titled Determination and validation of business service                                           |                                                                                                                                                                                                                                                                                                                                                   |
| Data Field attribute on PDS 0001                                                                             | <a href="#">PDS 0001 (Mastercard Mapping Service Account Number)</a>                                                                                                                                                                                                                                                                              |
| Added clarifying text to PDS 0210, subfield 1                                                                | <a href="#">Subfield 1 (Transit Transaction Type Indicator)</a>                                                                                                                                                                                                                                                                                   |
| Updated IP755120-AA - Clearing Detail Report                                                                 | <a href="#">IP755120-AA - Clearing Detail Report</a>                                                                                                                                                                                                                                                                                              |
| Added MDA, MDD, MDE to PDS 0002                                                                              | <a href="#">PDS 0002 (GCMS Product Identifier)</a>                                                                                                                                                                                                                                                                                                |
| Added value CT8 to PDS 0023                                                                                  | <a href="#">PDS 0023 (Terminal Type)</a>                                                                                                                                                                                                                                                                                                          |
| PDS 0020                                                                                                     | <ul style="list-style-type: none"> <li>• <a href="#">Subfield 1 (Digital Commerce Domain Identifier)</a></li> <li>• <a href="#">Subfield 2 (Digital Commerce Program Type)</a></li> <li>• <a href="#">Subfield 3 (Digital Commerce Program Type Details)</a></li> <li>• <a href="#">Subfield 4 (Digital Commerce Check-In Details)</a></li> </ul> |
| • Value 0 to subfield 1                                                                                      |                                                                                                                                                                                                                                                                                                                                                   |
| • Value 0 to subfield 2 and updated data representation                                                      |                                                                                                                                                                                                                                                                                                                                                   |
| • Application notes to subfield 3                                                                            |                                                                                                                                                                                                                                                                                                                                                   |
| • Subfield 4 description updated                                                                             |                                                                                                                                                                                                                                                                                                                                                   |
| Modified names of MWJ, MWK, MWL in PDS 0002                                                                  | <a href="#">PDS 0002 (GCMS Product Identifier)</a>                                                                                                                                                                                                                                                                                                |
| Added MAJ to PDS 0002                                                                                        | <a href="#">PDS 0002 (GCMS Product Identifier)</a>                                                                                                                                                                                                                                                                                                |
| Added PDS 0012                                                                                               | <a href="#">PDS 0012 (Authorization Matching Data)</a><br><a href="#">PDS listing</a>                                                                                                                                                                                                                                                             |
| Added GPS to PDS 0002                                                                                        | <a href="#">PDS 0002 (GCMS Product Identifier)</a>                                                                                                                                                                                                                                                                                                |

| Description of Change                                                                                                                                                                                                                                                                                                                            | Where to Look                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Revised data elements: <ul style="list-style-type: none"> <li>• PDS 0596, subfield 1</li> <li>• PDS 0597 values</li> <li>• PDS 0641 values</li> <li>• PDS 0642 values</li> <li>• PDS 0645 values</li> <li>• PDS 0783 processing rules</li> <li>• PDS 0784 values and processing rules</li> <li>• PDS 0786 values and processing rules</li> </ul> | <ul style="list-style-type: none"> <li>• <a href="#">PDS 0596 (Acceptor Tax ID)</a></li> <li>• <a href="#">PDS 0597 (Total Tax Amount)</a></li> <li>• <a href="#">PDS 0641 (Product Code)</a></li> <li>• <a href="#">PDS 0642 (Item Description)</a></li> <li>• <a href="#">PDS 0645 (Item Unit of Measure)</a></li> <li>• <a href="#">PDS 0783 (Fleet Product Code)</a></li> <li>• <a href="#">PDS 0784 (Fleet Item Description)</a></li> <li>• <a href="#">PDS 0786 (Fleet Item Unit of Measure)</a></li> </ul>                                                                                                                  |
| Updated: <ul style="list-style-type: none"> <li>• PDS 0790, subfields 1 and 2</li> <li>• PDS 0791, subfields 1 and 2</li> <li>• PDS 0792, subfields 1 and 2</li> <li>• PDS 0793, subfields 1 and 2</li> <li>• PDS 0794, subfields 1 and 2</li> </ul>                                                                                             | <ul style="list-style-type: none"> <li>• <a href="#">PDS 0790 (Fleet Prompted Data 1)</a></li> <li>• <a href="#">PDS 0791 (Fleet Prompted Data 2)</a></li> <li>• <a href="#">PDS 0792 (Fleet Prompted Data 3)</a></li> <li>• <a href="#">PDS 0793 (Fleet Prompted Data 4)</a></li> <li>• <a href="#">PDS 0794 (Fleet Prompted Data 5)</a></li> </ul>                                                                                                                                                                                                                                                                               |
| Added: <ul style="list-style-type: none"> <li>• PDS 0297</li> <li>• PDS 0298</li> <li>• PDS 0299</li> <li>• PDS 0385</li> <li>• PDS 0386</li> <li>• PDS 0387</li> </ul>                                                                                                                                                                          | <ul style="list-style-type: none"> <li>• <a href="#">PDS 0297 (Amount, Mexico Domestic [VAT])</a></li> <li>• <a href="#">PDS 0298 (Amount, Mexico Domestic Transaction Fee)</a></li> <li>• <a href="#">PDS 0299 (Mexico Domestic Settlement Data for Fees and VAT)</a></li> <li>• <a href="#">PDS 0385 (Debits, Mexico Domestic VAT Amount in Reconciliation Currency)</a></li> <li>• <a href="#">PDS 0386 (Credits, Mexico Domestic VAT Amount in Reconciliation Currency)</a></li> <li>• <a href="#">PDS 0387 (Amount, Net Mexico Domestic VAT in Reconciliation Currency)</a></li> <li>• <a href="#">PDS listing</a></li> </ul> |
| Updated: <ul style="list-style-type: none"> <li>• PDS 0634</li> <li>• PDS 0635</li> </ul>                                                                                                                                                                                                                                                        | <ul style="list-style-type: none"> <li>• <a href="#">PDS 0634 (Tax Amount 1)</a></li> <li>• <a href="#">PDS 0635 (Tax Amount 2)</a></li> </ul>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Updated: <ul style="list-style-type: none"> <li>• PDS 0011, subfield 1 and 2</li> <li>• PDS 0275</li> </ul> Added: <ul style="list-style-type: none"> <li>• PDS 0217</li> <li>• PDS 0275 subfields 6, 7, and 8</li> <li>• Added report IP755220-AA-ALM Reconciliation Data Report</li> </ul>                                                     | <ul style="list-style-type: none"> <li>• <a href="#">PDS 0011 (Additional PAN Data)</a></li> <li>• <a href="#">PDS 0275 (Account Level Management [ALM] Service Data)</a></li> <li>• <a href="#">PDS 0217 (Special Acceptance Conditions Data)</a></li> <li>• <a href="#">IP755220-AA-ALM Reconciliation Data Report</a></li> <li>• <a href="#">PDS listing</a></li> </ul>                                                                                                                                                                                                                                                         |

| Description of Change                                                           | Where to Look                                                                      |
|---------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Added report IP755140-AA-Clearing Interchange Enhancement Reconciliation Report | <a href="#">IP755140-AA-Clearing Interchange Enhancement Reconciliation Report</a> |

### Summary of changes for Errors and Edits

| Change                            | Error Number | Error Message                                                                                                                                        | Edit Performed By... |
|-----------------------------------|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| Formatting and consistency update |              |                                                                                                                                                      |                      |
| New                               | 3111         | PDS 0052 MUST BE PRESENT AND NOT EQUAL 210 AND/OR PDS 0059 POSITIONS 1-3 MUST BE PRESENT AND NOT EQUAL 000                                           | GCMS                 |
| New                               | 3088         | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS ONLY PERMITTED IF THE MERCHANT COUNTRY, ACQUIRER COUNTRY, AND ISSUER ACCOUNT RANGE COUNTRY ARE ALL THE U.S. | Both                 |
| New                               | 3089         | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT PERMITTED IF THE MERCHANT COUNTRY, ACQUIRER COUNTRY, AND ISSUER ACCOUNT RANGE COUNTRY ARE ALL THE U.S.  | Both                 |
| New                               | 3132         | PDS0217S1 MASTERCARD ONE CREDENTIAL EXCLUSION INDICATOR INVALID, MUST BE C, D OR M.                                                                  | Both                 |

| Change | Error Number | Error Message                                                                                                                     | Edit Performed By... |
|--------|--------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------|
| New    | 3117         | Interchange Rate Designator (IRD) must be appropriate for the brand and product code of the Mastercard One Credential Funding PAN | GCMS                 |

# Chapter 1 How to Use This Guide

Mastercard's switching services include three core activities: authorization, clearing, and settlement. This guide describes clearing, which is where the acceptor's bank (acquirer) sends financial transaction data to the Mastercard Dual Message Clearing System before reaching settlement. The clearing process takes place after a transaction has been authorized and before the funds are settled.

## Structure of the guide

This guide explains clearing concepts, how to compile a clearing file or message at a high level, and errors you may encounter in submitting your messages. Additional products or services can impact the data you include in your clearing file, so this manual also contains guidance for each case and relevant amendments.

The initial chapters describe how to implement clearing specifications to support the Mastercard transaction flow. The guide explores Mastercard's implementation of the [ISO 8583:1993](#) messaging standards. This guide also includes Mastercard data validations and supplemental reports.

The appendices contain supporting information for the chapters, including a glossary and basic information about Mastercard products and services.

This document provides the acronym phrase or word definition when the reader hovers their mouse over a highlighted word. Links within the document allow the reader to navigate directly to a related section, which provides supporting information for that topic.

**NOTE: Link and hover features are available in select formats only.**

## Chapter 2 High-level Overview

---

Introduction to the Dual Message Clearing System.....53

Introduction to Mastercard Switches for Processing ..... 54

Dual Message Clearing System Features.....54

Participants in Mastercard Network Processing..... 55

Dual Message Clearing System Basics.....57

## Fundamentals of Mastercard Processing


Mastercard facilitates the processing of payment transactions between banks, businesses, and customers. Mastercard supports the four-party model: cardholders, acceptors, cardholder's bank, and acceptor's bank. Acceptors include merchants, sponsored merchants, Automated Teller Machine (ATM) owners, or other parties. This process is explained by three main functions and the subsequent flow diagram.

- **Authorization:** Account details are communicated in real time between acquirers and issuers at the point of interaction. The issuer approves or declines the use of the Mastercard card, access device, or account to enable a transaction. Approval from the issuer creates a financial obligation from the issuer to the acquirer (for a transaction that debits funds from a cardholder's account) or from the acquirer to the issuer (for a transaction that credits funds to a cardholder's account).
- **Clearing:** Processing of multiple clearing batch processes per day (that is, clearing cycles) determine and calculate processing costs, resulting in one net amount per *acquirers* and *issuers* per clearing cycle.
- **Settlement:** Aggregation of financial positions from all clearing settlement information into one overall daily net settlement amount for each *acquirer* and *issuer*. Advisements (notifications) are created and distributed to acquirers and issuers along with Transfer Funds Orders to settlement banks for amounts to be transferred to or collected from acquirers and issuers.



### Authorization, Clearing, and Settlement Flows

Process flow displaying the three main functions.



## Introduction to the Dual Message Clearing System

Mastercard's clearing process is the process by which the acquirer sends financial transaction data to Mastercard's Dual Message Clearing System, also known as the [Global Clearing Management System \(GCMS\)](#). Data is exchanged in batches of clearing files that contain clearing messages. Clearing files are offline files and all parties involved in the clearing process are both senders and receivers of clearing data.

The authorization process precedes the clearing process. Mastercard uses the Dual Message Clearing System to complete the transaction processing and allow for the transaction to post to the cardholder account.

The GCMS, Mastercard's centralized clearing facility, processes Dual Message Clearing System data constructed in the Integrated Product Messages (IPM) message format. This message

format is based on the ISO 8583:1993 message standards published by the International Organization for Standardization.

Customers can use clearing data to perform various back-office functions based on their role in the Mastercard Network. For example:

- Acquirers use clearing data to transmit purchase and refund details to issuers, reconcile their financial obligations to acceptors and Mastercard, and manage disputes.
- Issuers use clearing data to post transactions to cardholder accounts, respond to customer service inquiries, and to manage disputes.

## Introduction to Mastercard Switches for Processing

Mastercard leverages its *Dual Message Switch* and *Single Message Switch* for the global processing of transaction data over the *Mastercard Network*.

The *Dual Message Switch* completes processing for *Authorization*, *Clearing*, and *Settlement* functions using both online and batch systems. *Authorization* processes as a real-time message, while *Clearing* and *Settlement* functions are achieved through a batch process.

The *Single Message Switch* completes processing for *Authorization*, *Clearing*, and *Settlement* functions leveraging a single online message. *Authorization* processes as a real-time message and automatically enables *Clearing* and *Settlement* functions through an internal batch process.

## Dual Message Clearing System Features


The Dual Message Clearing System is a complex system that performs many functions throughout a clearing business day, including but not limited to:

- Receive and process clearing files from message originators globally, and then determine the destination for each message received and send consolidated clearing files to message receivers globally.
- Validate clearing data received from message originators to ensure it complies with Mastercard's IPM messages specifications and other applicable processing standards.
- Modify, add, or remove clearing data from messages before sending to the message receiver, or reject clearing messages and return to the message originator when clearing data fails to comply with Mastercard requirements.
- Perform currency conversion.
- Calculate interchange fees.
- Calculate the settlement value of each message and a customer's net settlement position for all clearing data that they send and receive in a clearing business day.
- Provide message originators with acknowledgment messages confirming activity that the customer sent to GCMS and reconciliation.
- Provide message receivers with notification messages confirming activity that the customer received from GCMS and reconciliation.

## Participants in Mastercard Network Processing

*Mastercard Network* processing involves various functions and types of participants. This list includes the most common participants involved in processing, along with simplified descriptions.

### Participants in Mastercard Network processing flow



### Participants and definitions

| Term     | Definition                                                                                                                                                                                                                                                                                                                                                                             |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acceptor | A person or party that agrees to accept payment cards or devices bearing a particular brand or in respect to an agreement with the issuer. Also referred to as a merchant, <i>Automated Teller Machine (ATM)</i> , bank, merchant ATM, or other party authorized to accept brand transactions.                                                                                         |
| Acquirer | An acquirer is a licensed Mastercard customer that acquires the data relating to a transaction from the acceptor and submits that data for authorization. The acquirer also supports clearing and settlement functions to exchange funds between the issuer and the acceptor. Also referred to as an acquiring bank, acquirer bank, merchant bank, or acquiring financial institution. |


| Term                       | Definition                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cardholder                 | A cardholder is an authorized person or party to whom an account, card, or access device has been issued for the purpose of conducting transactions that access funds through a financial account. Also referred to as a consumer or account holder.                                                                                                                                                                                                                                |
| Customer                   | A financial institution or other entity that has been approved for participation in the payment scheme.                                                                                                                                                                                                                                                                                                                                                                             |
| Issuer                     | An issuer is a licensed Mastercard customer that issues cards or accounts and is responsible for approving or declining <a href="#">authorization</a> requests. The issuer also bills cardholders and supports <a href="#">clearing</a> and <a href="#">settlement</a> functions to exchange funds between the cardholder's account and the acquirer. Also referred to as an issuing bank, issuer bank, cardholder bank, non-bank issuing entity, or issuing financial institution. |
| Network Enablement Partner | A service provider that has a direct agreement with Mastercard and performs certain functions on behalf of one or more customers.                                                                                                                                                                                                                                                                                                                                                   |
| Processor                  | A service provider that provides authorization, clearing, or settlement services on behalf of a customer. Also referred to as a third-party processor or payment processor.                                                                                                                                                                                                                                                                                                         |
| Service provider           | A person or party that is registered with Mastercard by a customer to perform services related to the customer's acquiring or issuing activity.                                                                                                                                                                                                                                                                                                                                     |

**NOTE:** Throughout this guide, functional references to acquirer and issuer also refer to others acting as authorized agents for acquirers and issuers. Mastercard customers are responsible for the acts and omissions of their agents, including those with respect to Mastercard rules, regulations, policies, and procedures.

## Dual Message Clearing System Basics


The following diagrams illustrates the basics of the *Dual Message Authorization System* and *Dual Message Clearing System*.

### Basic Dual Message Authorization System Flow



1. The *cardholder* presents a Mastercard card to the *acceptor* to pay for goods or services.
2. The *acceptor* collects card and transaction data (for example, the *cardholder* may dip or tap the card at a terminal, enter the card data into a website payment page, place an order by phone or mail, or authorize the *acceptor* to use previously stored card data). A request for an authorization decision is sent from the *acceptor* to the *acquirer*.
3. The *acquirer* receives the request, appends additional data as needed, and sends the *authorization request* message to the Mastercard *Dual Message Authorization System*.
4. The *Dual Message Authorization System* receives the *authorization request* message and validates the format and content. Mastercard includes additional data as needed and sends the request message to the *issuer*.
5. The *issuer* receives the *authorization request* message and evaluates the transaction data and the account itself before making an authorization decision. The *issuer* generates an *authorization request* response message indicating its decision and sends the response message to Mastercard.
6. Mastercard receives the authorization request response message and validates the format and content. Mastercard includes additional data as needed and sends the authorization request response message to the acquirer.
7. The *acquirer* receives the authorization request response message and notifies the *acceptor* of the decision.
8. The *acceptor* receives the response to the decision and completes the transaction with the *cardholder*.
9. The *issuer* places a hold for the transaction amount against the *cardholder's* account or open-to-buy. The transaction will post when clearing occurs.

### Clearing and Settlement Process Flow




*Clearing* and *settlement* will occur through a separate process. This diagram outlines this process at a high level.

1. The *acquirer* submits batched clearing messages containing the data for the completed transactions from their acceptors.
2. The Mastercard Dual Message Clearing System will forward the appropriate transaction data to each *issuer* through *batch processing*.
3. The Mastercard Dual Message Clearing System processes the messages and forwards them to the Settlement System. The Settlement System generates reporting and settles with the acquirer and issuer.
4. The issuer uses the clearing data received to post the transaction to the *cardholder's* account.

**NOTE: Mastercard reserves the right to record, store, and use all data transmitted by the Mastercard Dual Message Clearing System in online electronic transactions, subject to Mastercard privacy and security compliance policies and applicable laws and regulations, without further notice.**

## GCMS basic flow

This flow depicts the movement of data associated with the clearing and settlement aspect of a financial transaction. This process is financial. It triggers the posting of transactions to consumer accounts and triggers the movement of funds (settlement) between the parties involved in the transaction.



1. The acceptor closes their acceptance business for the day, performs any internal reconciliation processes they follow, and sends all card-based transactions (for all Mastercard brands) to the acquirer.
2. The acquirer receives the batch of transaction data, separates the data by brand, appends additional data as needed, converts the Mastercard transaction data to the Mastercard IPM clearing format, creates a clearing file (per the IPM specifications), and sends the file to Mastercard. The file can include first presentments and fee collection records.
3. Mastercard receives the file. The Dual Message Clearing System validates the format and content of all messages. If there are any errors, Mastercard returns the erroneous messages to the acquirer indicating the problem, but continues processing the valid messages. Mastercard appends, changes, or removes additional data as needed, determines the various issuers involved, and then prepares and sends a clearing to each issuer. The clearing file sent to an issuer typically contains transactions from multiple acquirers globally.
4. The issuer receives the clearing file, processes the content, and posts transactions to the applicable cardholder accounts.
5. The acquirer settles with the acceptor, debiting or crediting the acceptor's bank account accordingly.

## Chapter 3 Introduction to messages

This section describes the *Integrated Product Message (IPM)* format, file structure messages, how to create reversals, *Message Type Indicators (MTIs)*, and lists of IPM message types.

---

|                                                        |    |
|--------------------------------------------------------|----|
| Overview.....                                          | 61 |
| Elements of Integrated Product Messages.....           | 63 |
| Clearing flows.....                                    | 64 |
| Processing cycles of clearing transactions.....        | 66 |
| Clearing schedule.....                                 | 67 |
| IPM file structure.....                                | 70 |
| Mastercard message classifications.....                | 71 |
| List of Dual Message Clearing System IPM messages..... | 71 |
| About message definitions.....                         | 75 |
| Presentment/1240 messages.....                         | 75 |
| Chargeback/1442 messages.....                          | 76 |
| File Header and File Trailer/1644 messages.....        | 76 |
| Financial Detail Addendum/1644 messages.....           | 77 |
| Reconciliation messages/1644 messages.....             | 78 |
| Administrative messages/1644 messages.....             | 79 |
| Fee Collection/1740 messages.....                      | 81 |



## Overview

The IPM format is based on the [ISO 8583:1993](#) international message standard, which comprises code values, data elements, and message types. Systems use the [ISO 8583:1993](#) protocol for the electronic exchange of transaction data for the purchase of goods and services.

The ISO standard defines the purpose of the message and origination through the [Message Type Indicators \(MTIs\)](#) defined in the table.

### ISO-defined MTI codes and related usage

| Code | Meaning                                          | Usage                                                                                                                                                                                                                                   |
|------|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00xx | Reserved by ISO                                  | N/A                                                                                                                                                                                                                                     |
| 01xx | Authorization messages                           | Authorization messages are used by the <a href="#">acquirer</a> to obtain approval or guarantee funds from the <a href="#">issuer</a> . These messages are not intended for use in posting to the <a href="#">cardholder's</a> account. |
| 12xx | Financial messages                               | Financial messages permit the application of the approved transaction amount to the cardholder's account for billing or posting.                                                                                                        |
| 13xx | File action messages                             | File action messages are used to add, change, delete, or inquire into a file or record (for example, to report lost or stolen cards).                                                                                                   |
| 14xx | Reversal messages                                | Reversal messages are used to partially or completely negate the effects of a previous financial or authorization transaction.                                                                                                          |
|      | Chargeback messages                              | Chargeback messages are used to partially or completely nullify a previous 12xx financial transaction. A chargeback is an advice or notification as activity has already occurred.                                                      |
| 15xx | Reconciliation messages (not used by Mastercard) | Reconciliation messages provide financial totals between an acquirer and an issuer.                                                                                                                                                     |

| Code | Meaning                     | Usage                                                                                                                                                     |
|------|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| 16xx | Administrative messages     | Administrative messages are used for the exchange of non-financial information between network participants.                                              |
| 17xx | Fee collection messages     | Fee collection messages are used to collect or disburse miscellaneous service fees.                                                                       |
| 18xx | Network management messages | Network management messages are used to control the system security and operating condition of a network and may be initiated by any network participant. |
| 19xx | Reserved by ISO             | N/A                                                                                                                                                       |

### ISO 8583:1993 Message Type Identifier (MTI) Structure Definitions

| Position 1 - Version          | Position 2 - Message Class | Position 3 - Message Function | Position 4 - Message Originator* |
|-------------------------------|----------------------------|-------------------------------|----------------------------------|
| 0 - ISO 8583:1987             | 0 - Reserved for ISO use   | 0 - Request                   | 0 - Acquirer                     |
| 1 - ISO 8583:1993             | 1 - Authorization          | 1 - Request response          | 1 - Acquirer repeat              |
| 2 - Reserved for ISO use      | 2 - Financial              | 2 - Advice                    | 2 - Card issuer                  |
| 3 - Reserved for ISO use      | 3 - File action            | 3 - Advice response           | 3 - Card issuer repeat           |
| 4 - Reserved for ISO use      | 4 - Reversal/chargeback    | 4 - Notification              | 4 - Other                        |
| 5 - Reserved for ISO use      | 5 - Reconciliation         | 5 - Reserved for ISO use      | 5 - Other repeat                 |
| 6 - Reserved for ISO use      | 6 - Administrative         | 6 - Reserved for ISO use      | 6 - Reserved for ISO use         |
| 7 - Reserved for ISO use      | 7 - Fee Collection         | 7 - Reserved for ISO use      | 7 - Reserved for ISO use         |
| 8 - Reserved for national use | 8 - Network management     | 8 - Reserved for ISO use      | 8 - Reserved for ISO use         |
| 9 - Reserved for Private Use  | 9 - Reserved ISO use       | 9 - Reserved for ISO use      | 9 - Reserved for ISO use         |

\* Position 4 of the MTI does not indicate which party originated the specific message. More accurately, this position of the MTI indicates which party originally initiated the transaction.

This guide documents the Mastercard implementation of the ISO standard for processing on Mastercard's [Dual Message Clearing System](#). The messages used by the Dual Message Clearing System are a subset of the ISO-defined messages. In some cases, Mastercard's adoption of

these messages differs from ISO definitions. The Dual Message Clearing System supports these message types. This chapter includes additional details on the use of these MTIs.

### Mastercard-defined MTI codes and related usage

| Code | Meaning                                               |
|------|-------------------------------------------------------|
| 1240 | <a href="#">Presentment/1240 messages</a>             |
| 1442 | <a href="#">Chargeback/1442 messages</a>              |
| 1644 | <a href="#">Administrative messages/1644 messages</a> |
| 1740 | <a href="#">Fee Collection/1740 messages</a>          |

## Elements of Integrated Product Messages


[IPM](#) messages contain four types of message elements.

- Message Type Identifier (MTI): Identifies the purpose of the message, such as Financial, Administrative, or Fee Collection.
- Two-bit maps: A series of binary digits (bits) that indicate the presence or absence of data elements.
- Data elements (DEs): Message elements, including subelements or subfields, defined with the [ISO 8583:1993](#) specification that may contain data.
- Private data subelements (PDSs): Message elements that Mastercard defined to support data not defined within the [ISO 8583:1993](#) specification.

## Clearing flows

The figure shows the process or flow of clearing messages through the *Dual Message Clearing System*.

### Clearing message flow through the Dual Message Clearing System



1. The customer (*acquirer* or *issuer*) creates a file of clearing messages to submit data to the *Dual Message Clearing System*. Possible messages include presentments from acquirers and fee collections from acquirers or issuers.
2. At the next cycle closing time (see clearing schedule), the Dual Message Clearing System processes the messages. The system validates the data supplied, calculates and applies any fees, and determines the net settlement amount for each individual clearing cycle.
3. The Dual Message Clearing System generates acknowledgment messages to send to the file originator depending on whether it is an acquirer or issuer. The acknowledgment messages contain the clearing system-calculated totals for the related customer outbound file. The clearing system calculates totals only for accepted files and accepted financial messages.
4. The Dual Message Clearing System generates notification messages to the receiving customer (acquirer or issuer). These messages can include presentments, chargebacks, and fee collections. These messages can be originated by customers or by the Mastercard Network.

## Processing cycles of clearing transactions

A clearing transaction may travel through five processing cycles. Customers can submit clearing transactions from any of these cycles in a single file.

### Processing cycles

| Processing Cycle                                                | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| First Presentment                                               | First Presentment occurs when the <i>acquirer</i> submits transaction data through the Mastercard <i>Dual Message Clearing System</i> to the <i>issuer</i> for posting to the <i>cardholder's</i> account.                                                                                                                                                                                                                                                          |
| Retrieval requests and fulfillments - Mexico RedMX scheme only* | An issuer can request the merchant transaction slip or receipt from the acquirer if there is any question about the transaction. To complete this cycle, the acquirer either fulfills the issuer's request or sends a message documenting the inability to honor the request.                                                                                                                                                                                       |
| Chargeback*                                                     | After the first presentment of a transaction from the acquirer to the issuer, the issuer may determine that, for a reason specified within the <i>Chargeback Guide</i> , the transaction may be invalid. The issuer may then return the transaction to the acquirer as a chargeback for possible remedy. After receiving a first chargeback, an acquirer can choose to acknowledge the first chargeback and close the claim or proceed with the second presentment. |

| Processing Cycle        | Description                                                                                                                                                                                                                                                                                                                                                 |
|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Second Presentment*     | Second Presentment occurs when the acquirer processes a response to a chargeback received from the issuer. An acquirer can create a second presentment when they believe the issuer's chargeback did not fulfill the requirements of the chargeback reason code or the acquirer can provide information that addresses the original reason for the dispute. |
| Arbitration case filing | After the chargeback and second presentment cycles have been completed, the issuer may continue a dispute by using the pre-arbitration and arbitration case filing process. When an arbitration case is not resolved between the acquirer and the issuer, Mastercard determines responsibility for the dispute.                                             |
| Compliance case filing  | An acquirer or issuer requests that Mastercard resolve a rules violation or a dispute when no remedy exists through the chargeback process.                                                                                                                                                                                                                 |

\* Acquirers use Claims Manager to respond to disputes. For more information, refer to *Mastercom User Guide*. Customers on the RedMX scheme can submit these messages directly to the Dual Message Clearing System. For more details, refer to *Mexico Domestic Switching Acquirer Implementation Guide*.

## Clearing schedule

The clearing process takes place in batches of six primary clearing cycles. Clearing messages and files submitted to Mastercard's [Dual Message Clearing System](#) are processed with the six clearing cycles and settlement is reached by the end of the processing day.

**NOTE: For more information on RedMX scheme and clearing cycles, refer to the *Mexico Domestic Switching Acquirer Implementation Guide*.**

The sending customer can submit clearing data to Mastercard 24 hours a day, 7 days a week.

The following tables show the daily schedule in [Universal Time \(UTC\)](#) for the six primary clearing cycles.

Standard Time (UTC-06) in the United States starts on the first Sunday in November and ends on the second Sunday in March. The following table shows the cycle cut-off times in both UTC and Standard Time for St. Louis.

**Clearing cycles when the United States is in Standard Time (in UTC and St. Louis [CST] time)**

| <b>Business day</b> | <b>Clearing cycle 1</b>        | <b>Clearing cycle 2</b>        | <b>Clearing cycle 3</b>        | <b>Clearing cycle 4</b>        | <b>Clearing cycle 5</b>        | <b>Clearing cycle 6</b>        |
|---------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| Sunday              | Sunday UTC 00:00               | Sunday UTC 03:00               | Sunday UTC 06:00               | Sunday UTC 09:00               | Sunday UTC 12:00               | Sunday UTC 14:00               |
|                     | Saturday St. Louis time 18:00  | Saturday St. Louis time 21:00  | Sunday St. Louis time 00:00    | Sunday 03:00                   | Sunday St. Louis time 06:00    | Sunday St. Louis time 08:00    |
| Monday              | Monday UTC 00:00               | Monday UTC 03:00               | Monday UTC 06:00               | Monday UTC 09:00               | Monday UTC 12:00               | Monday UTC 14:00               |
|                     | Sunday St. Louis time 18:00    | Sunday St. Louis time 21:00    | Monday St. Louis time 00:00    | Monday St. Louis time 03:00    | Monday St. Louis time 06:00    | Monday St. Louis time 08:00    |
| Tuesday             | Tuesday UTC 00:00              | Tuesday UTC 03:00              | Tuesday UTC 06:00              | Tuesday UTC 09:00              | Tuesday UTC 12:00              | Tuesday UTC 14:00              |
|                     | Monday St. Louis time 08:00    | Monday St. Louis time 21:00    | Tuesday St. Louis time 00:00   | Tuesday St. Louis time 03:00   | Tuesday St. Louis time 06:00   | Tuesday St. Louis time 08:00   |
| Wednesday           | Wednesday UTC 00:00            | Wednesday UTC 03:00            | Wednesday UTC 06:00            | Wednesday UTC 09:00            | Wednesday UTC 12:00            | Wednesday UTC 14:00            |
|                     | Tuesday St. Louis time 18:00   | Tuesday St. Louis time 21:00   | Wednesday St. Louis time 00:00 | Wednesday St. Louis time 03:00 | Wednesday St. Louis time 06:00 | Wednesday St. Louis time 08:00 |
| Thursday            | Thursday UTC 00:00             | Thursday UTC 03:00             | Thursday UTC 06:00             | Thursday UTC 09:00             | Thursday UTC 12:00             | Thursday UTC 14:00             |
|                     | Wednesday St. Louis time 18:00 | Wednesday St. Louis time 21:00 | Thursday St. Louis time 00:00  | Thursday St. Louis time 03:00  | Thursday St. Louis time 06:00  | Thursday St. Louis time 08:00  |
| Friday              | Friday UTC 00:00               | Friday UTC 03:00               | Friday UTC 06:00               | Friday UTC 09:00               | Friday UTC 12:00               | Friday UTC 14:00               |
|                     | Thursday St. Louis time 18:00  | Thursday St. Louis time 21:00  | Friday St. Louis time 00:00    | Friday St. Louis time 03:00    | Friday St. Louis time 06:00    | Friday St. Louis time 08:00    |



| <b>Business day</b> | <b>Clearing cycle 1</b>           | <b>Clearing cycle 2</b>           | <b>Clearing cycle 3</b>             | <b>Clearing cycle 4</b>             | <b>Clearing cycle 5</b>             | <b>Clearing cycle 6</b>             |
|---------------------|-----------------------------------|-----------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Saturday            | Saturday<br>UTC 00:00             | Saturday<br>UTC 03:00             | Saturday<br>UTC 06:00               | Saturday<br>UTC 09:00               | Saturday<br>UTC 12:00               | Saturday<br>UTC 14:00               |
|                     | Friday St.<br>Louis time<br>18:00 | Friday St.<br>Louis time<br>21:00 | Saturday St.<br>Louis time<br>00:00 | Saturday St.<br>Louis time<br>03:00 | Saturday St.<br>Louis time<br>06:00 | Saturday St.<br>Louis time<br>08:00 |

Daylight Saving Time (UTC-05) in most of the United States starts on the second Sunday in March and ends on the first Sunday in November. The following table shows the cycle cut-off times for each clearing cycle both UTC and Daylight Saving Time for St. Louis.

**Clearing cycles when the United States is in Daylight Saving Time (in *Universal Time (UTC)* and St. Louis [CDT] time)**

| <b>Business day</b> | <b>Clearing cycle 1</b>             | <b>Clearing cycle 2</b>             | <b>Clearing cycle 3</b>              | <b>Clearing cycle 4</b>              | <b>Clearing cycle 5</b>              | <b>Clearing cycle 6</b>              |
|---------------------|-------------------------------------|-------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Sunday              | Saturday<br>UTC 23:00               | Sunday UTC<br>02:00                 | Sunday UTC<br>05:00                  | Sunday UTC<br>08:00                  | Sunday UTC<br>11:00                  | Sunday UTC<br>13:00                  |
|                     | Saturday St.<br>Louis time<br>18:00 | Saturday St.<br>Louis time<br>21:00 | Sunday St.<br>Louis time<br>00:00    | Sunday<br>03:00                      | Sunday St.<br>Louis time<br>06:00    | Sunday St.<br>Louis time<br>08:00    |
| Monday              | Sunday UTC<br>23:00                 | Monday UTC<br>02:00                 | Monday UTC<br>05:00                  | Monday UTC<br>08:00                  | Monday UTC<br>11:00                  | Monday UTC<br>13:00                  |
|                     | Sunday St.<br>Louis time<br>18:00   | Sunday St.<br>Louis time<br>21:00   | Monday St.<br>Louis time<br>00:00    | Monday St.<br>Louis time<br>03:00    | Monday St.<br>Louis time<br>06:00    | Monday St.<br>Louis time<br>08:00    |
| Tuesday             | Monday UTC<br>23:00                 | Tuesday UTC<br>02:00                | Tuesday UTC<br>05:00                 | Tuesday UTC<br>08:00                 | Tuesday UTC<br>11:00                 | Tuesday UTC<br>13:00                 |
|                     | Monday St.<br>Louis time<br>08:00   | Monday St.<br>Louis time<br>21:00   | Tuesday St.<br>Louis time<br>00:00   | Tuesday St.<br>Louis time<br>03:00   | Tuesday St.<br>Louis time<br>06:00   | Tuesday St.<br>Louis time<br>08:00   |
| Wednesday           | Tuesday UTC<br>23:00                | Wednesday<br>UTC 02:00              | Wednesday<br>UTC 05:00               | Wednesday<br>UTC 08:00               | Wednesday<br>UTC 11:00               | Wednesday<br>UTC 13:00               |
|                     | Tuesday St.<br>Louis time<br>18:00  | Tuesday St.<br>Louis time<br>21:00  | Wednesday<br>St. Louis<br>time 00:00 | Wednesday<br>St. Louis<br>time 03:00 | Wednesday<br>St. Louis<br>time 06:00 | Wednesday<br>St. Louis<br>time 08:00 |

| Business day | Clearing cycle 1                     | Clearing cycle 2                     | Clearing cycle 3                    | Clearing cycle 4                    | Clearing cycle 5                    | Clearing cycle 6                    |
|--------------|--------------------------------------|--------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Thursday     | Wednesday<br>UTC 23:00               | Thursday<br>UTC 02:00                | Thursday<br>UTC 05:00               | Thursday<br>UTC 08:00               | Thursday<br>UTC 11:00               | Thursday<br>UTC 13:00               |
|              | Wednesday<br>St. Louis<br>time 18:00 | Wednesday<br>St. Louis<br>time 21:00 | Thursday St.<br>Louis time<br>00:00 | Thursday St.<br>Louis time<br>03:00 | Thursday St.<br>Louis time<br>06:00 | Thursday St.<br>Louis time<br>08:00 |
| Friday       | Thursday<br>UTC 23:00                | Friday UTC<br>02:00                  | Friday UTC<br>05:00                 | Friday UTC<br>08:00                 | Friday UTC<br>11:00                 | Friday UTC<br>13:00                 |
|              | Thursday St.<br>Louis time<br>18:00  | Thursday St.<br>Louis time<br>21:00  | Friday St.<br>Louis time<br>00:00   | Friday St.<br>Louis time<br>03:00   | Friday St.<br>Louis time<br>06:00   | Friday St.<br>Louis time<br>08:00   |
| Saturday     | Friday UTC<br>23:00                  | Saturday<br>UTC 02:00                | Saturday<br>UTC 05:00               | Saturday<br>UTC 08:00               | Saturday<br>UTC 11:00               | Saturday<br>UTC 13:00               |
|              | Friday St.<br>Louis time<br>18:00    | Friday St.<br>Louis time<br>21:00    | Saturday St.<br>Louis time<br>00:00 | Saturday St.<br>Louis time<br>03:00 | Saturday St.<br>Louis time<br>06:00 | Saturday St.<br>Louis time<br>08:00 |

## IPM file structure

Clearing system messages are included in the files sent between customers and are processed during clearing cycles.

### Requirements for processing

*Issuer*, [Dual Message Clearing System](#), and *acquirer* requirements for processing or actions are based on conditions at the time of the transaction event. The message flows assume that both the acquirer and issuer are using IPM clearing formats.

Messages may appear in any order in a clearing file with these exceptions:

- A file must begin with a File Header/1644 and end with a File Trailer/1644.
- If applicable, a Financial Detail Addendum/1644 must immediately follow the associated Financial Presentment/1240.
- Message Exception/1644 messages are immediately followed by the rejected message.

In addition, each message in a file must contain DE 71 (Message Number) with a unique value. The value in DE 71 for each message must be greater than the value in the previous message. DE 71 must be reset to 00000001 in the File Header/1644 of each logical file.

Refer to the [Reports and files](#) and [Files and best practices](#) sections for more information on the IPM files and the guidelines for creating and sending them.

## Mastercard message classifications

The Mastercard Network allows for the exchange of electronic data that may or may not contain account holder information or result in a financial transaction. The remaining message types are used to support administrative functions.

The message types adopted for use by the Mastercard [Dual Message Clearing System](#), as a broad classification, fall into three functional categories.

### Message type functional categories

| Category                      | Definition                                                                                                                                                                                                                                                                                            |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Financial message function    | This message type function results in a financial impact. It includes instructions or data related to payments, transfers, debits, or credits.                                                                                                                                                        |
| Nonfinancial message function | This message type function does not result in a financial impact. These messages provide information for: <ul style="list-style-type: none"><li>• The processing of clearing messages, which customers could use during reconciliation</li><li>• Balance inquiries</li><li>• PIN management</li></ul> |
| Supporting message function   | These messages work with other messages. They provide additional information related to the financial messages submitted into the system.                                                                                                                                                             |

## List of Dual Message Clearing System IPM messages

The following table list the message types the [Dual Message Clearing System](#) supports and indicates the originating parties for each message type. The Dual Message Clearing System may not support all message types for each Mastercard program and service.

Acquirers and issues are responsible for ensuring correct usage of the message types as described in the following table and may be liable for the impacts of transmitting erroneous messages.

Mastercard documentation refers to IPM message types by stating the MTI value and then the function code value, separated by a hyphen, as follows: File Header/1644-697.

### Presentment/12xx messages

| MTI  | Function code | Description                  | Acquirer | Issuer | MC network          |
|------|---------------|------------------------------|----------|--------|---------------------|
| 1240 | 200           | First Presentment            | X        |        | X                   |
| 1240 | 205           | Second Presentment (Full)    | X        |        | X<br>Claims Manager |
| 1240 | 282           | Second Presentment (Partial) | X        |        | X                   |

### Chargeback/1442 messages

| MTI  | Function code | Description                   | Acquirer | Issuer                                                                                                                                                                            | MC network          |
|------|---------------|-------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 1442 | 450           | First Chargeback (Full)       |          | X<br>Chargeback messages can only be submitted directly to the Dual Message Clearing System for specific markets. Arbitration chargebacks are only permitted in specific markets. | X<br>Claims Manager |
| 1442 | 451           | Arbitration Chargeback (Full) |          | X                                                                                                                                                                                 |                     |
| 1442 | 453           | First Chargeback (Partial)    |          | X                                                                                                                                                                                 | X<br>Claims Manager |

| MTI  | Function code | Description                       | Acquirer | Issuer | MC network |
|------|---------------|-----------------------------------|----------|--------|------------|
| 1442 | 454           | Arbitration Chargebacks (Partial) |          | X      |            |

### Administrative/1644 messages

| MTI  | Function code | Description                                         | Acquirer | Issuer | MC network |
|------|---------------|-----------------------------------------------------|----------|--------|------------|
| 1644 | 603           | Retrieval Request<br>Only specific markets          |          | X      |            |
| 1644 | 605           | Retrieval Request Acknowledgment                    | X        |        |            |
| 1644 | 640           | Currency Update                                     |          |        | X          |
| 1644 | 680           | File Currency Summary from the clearing system      |          |        | X          |
| 1644 | 685           | Financial Position details from the clearing system |          |        | X          |
| 1644 | 688           | Settlement Position Detail from the clearing system |          |        | X          |
| 1644 | 691           | Message Exception                                   |          |        | X          |
| 1644 | 693           | Text Message                                        |          |        | X          |
| 1644 | 695           | File Trailer                                        | X        | X      | X          |
| 1644 | 696           | Financial detail addendum                           | X        |        |            |
| 1644 | 697           | File header                                         | X        | X      | X          |
| 1644 | 699           | File Reject                                         |          |        | X          |

### Fee Collection/1740 messages

| MTI  | Function code | Description                                                                                                       | Acquirer | Issuer | MC network |
|------|---------------|-------------------------------------------------------------------------------------------------------------------|----------|--------|------------|
| 1740 | 700           | Fee Collection (Customer-generated)                                                                               | X        | X      | X          |
| 1740 | 780           | Fee Collection Return (Customer-generated)                                                                        | X        | X      |            |
| 1740 | 781           | Fee collection resubmission (Customer-generated)                                                                  | X        | X      |            |
| 1740 | 782           | Fee Collection Arbitration Return (Customer-generated)                                                            | X        | X      |            |
| 1740 | 783           | Fee Collection (Clearing System-generated)                                                                        |          |        | X          |
| 1740 | 790           | Fee Collection (Funds Transfer) This applies only in the IPM Pre-edit system to UK Domestic Maestro transactions. |          |        |            |

## About message definitions

This section provides details on message definitions used in the *Dual Message Clearing System*.

### Presentment/1240 messages

An *acquirer* sends presentment messages into the clearing system to provide transaction details following successful authorization requests for posting transactions to the *cardholder's* account. In some cases, Mastercard may initiate and send presentment messages.

When a chargeback is initiated on a transaction, the *acquirer* may initiate a second presentment if they either:

- Think the *issuer's* chargeback did not fulfill the requirements of the chargeback reason code
- Can provide information that addresses the original reason for the dispute

For more information on second presentments, refer to the *Chargeback Guide*.

Each message includes Data Element (DE) 24 (Function Code), which indicates the primary type or function of the transaction. The message may also include DE 25 (Message Reason Code) to specify the primary reason for the transaction. Presentment messages can contain these function codes:

- 200 - First Presentment
- 205 - Second Presentment (Full)
- 282 - Second Presentment (Partial)

#### First Presentment/1240-200

|         |                                                                                                         |
|---------|---------------------------------------------------------------------------------------------------------|
| Routing | From the acquirer to the <i>Mastercard Network</i> , then the Mastercard Network to the issuer.         |
|         | From Mastercard Network as the originator to the issuer.                                                |
| Purpose | Function code 200 - Provides transaction data that allows the issuer to post to the cardholder account. |

#### Second Presentment (Full)/1240-205 and Second Presentment (Partial)/1240-282

|         |                                                                                         |
|---------|-----------------------------------------------------------------------------------------|
| Routing | From the acquirer to the Mastercard Network, then the Mastercard Network to the issuer. |
|         | From Mastercard Network as the originator to the issuer.                                |

|         |                                                                                                                                                                                                                                                                                                      |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Purpose | <p>Function code 205 - Indicates that the message is a Second Presentment (full)/1240 for the full Presentment/1240 amount.</p> <p>Function code 282 - Indicates that the message is a Second Presentment (Partial)/1240 for part of the First Presentment/1240 or First Chargeback/1442 amount.</p> |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Chargeback/1442 messages

After the initial presentment of the [cardholder](#) transaction from the [acquirer](#) to the [issuer](#), the issuer may determine that, for a given reason, the transaction may not be valid.

The issuer may return the transaction to the acquirer as a chargeback through Claims Manager. For more information on Claims Manager, refer to the *Mastercom User Guide*.

A chargeback may be submitted for the full amount of the original transaction or in certain cases, for a partial amount.

For information on Mexico dispute processing using the RedMX scheme, including the use of arbitration chargebacks indicated by function codes 451 and 454 in Data Element (DE) 24 (Function Code), refer to the *Mexico Domestic Switching Acquirer Implementation Guide*.

### Chargeback/1442 messages

|         |                                                                                                                                                                                                                                                                               |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Routing | <p>For Mexico RedMX only - From the issuer to the <a href="#">Mastercard Network</a>, then the Mastercard Network to the acquirer.</p> <p>From Mastercard Network as the originator to the acquirer.</p>                                                                      |
| Purpose | <p>Function code 450 - Indicates that the message is a First Chargeback (full)/1442 for the full First Presentment/1240 amount.</p> <p>Function code 453 - Indicates that the message is a First Chargeback (partial)/1442 for part of the First Presentment/1240 amount.</p> |

## File Header and File Trailer/1644 messages

A File Header/1644 is each file's first message. The header message provides information about the file:

- Originating Customer ID or Processor ID



- File ID
- Transmission ID - optionally provided by customers, [processors](#), or both
- File direction - incoming (generated by Mastercard) or outgoing (customer-generated)
- Processing Mode - production or test
- Reversal Indicator
- Originating Message Format

### File Header/1644-697

|         |                                                                                                                                      |
|---------|--------------------------------------------------------------------------------------------------------------------------------------|
| Routing | From the originator to the <a href="#">Mastercard Network</a> .<br>From the Mastercard Network as the originator to the destination. |
| Purpose | Provides information about the file and the originator.                                                                              |

A File Trailer/1644 is each file's last message and provides information about the file:

- The File ID that links the File Trailer/1644 with the File Header/1644
- The hash totals used to validate the file's integrity

### File Trailer/1644-695

|         |                                                                                                                     |
|---------|---------------------------------------------------------------------------------------------------------------------|
| Routing | From the originator to the Mastercard Network.<br>From the Mastercard Network as the originator to the destination. |
| Purpose | Identifies the end of the file and summarizes the file contents.                                                    |

## Financial Detail Addendum/1644 messages

A Financial Detail Addendum/1644 message provides additional program, service, or industry data to supplement the First Presentment/1240.

The usage code in PDS 0501 (Transaction Description), subfield 1 (Usage Code) indicates the type of addendum data provided.

#### Financial Detail Addendum/1644-696

|         |                                                                                                                                           |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Routing | From the <a href="#">acquirer</a> to the <a href="#">Mastercard Network</a> , then the Mastercard Network to the <a href="#">issuer</a> . |
| Purpose | Provides additional information pertaining to certain First Presentment/1240 messages.                                                    |

## Reconciliation messages/1644 messages

The reconciliation messages accumulate accepted financial activity processing by the [Dual Message Clearing System](#). Rejected financial activity and all nonfinancial activity are accumulated and reported elsewhere.

For additional information regarding reconciliation of clearing files and amounts, refer to the [Reconciliation](#) section of this guide.

#### File Currency Summary/1644-680

|         |                                                                                   |
|---------|-----------------------------------------------------------------------------------|
| Routing | From the <a href="#">Mastercard Network</a> as the originator to the destination. |
| Purpose | This message provides totals in the source currency.                              |

#### Financial Position Detail/1644-685

|         |                                                                          |
|---------|--------------------------------------------------------------------------|
| Routing | From the Mastercard Network as the originator to the destination.        |
| Purpose | Usage code 685 - This message provides the clearing totals for the file. |

#### Settlement Position Detail/1644-688

|         |                                                                   |
|---------|-------------------------------------------------------------------|
| Routing | From the Mastercard Network as the originator to the destination. |
|---------|-------------------------------------------------------------------|

|         |                                                                                                                 |
|---------|-----------------------------------------------------------------------------------------------------------------|
| Purpose | Usage code 688 - This message provides settlement position information for the customer for the clearing cycle. |
|---------|-----------------------------------------------------------------------------------------------------------------|

## Administrative messages/1644 messages

Administrative messages communicate information to the customers concerning message and file rejects and errors, broadcast messages, and currency conversion rates.

### Currency Update/1644-640 messages

Mastercard supports buy, mid, and sell currency conversion rates. Customers may request Currency Update/1644 messages from Mastercard as part of the clearing file. The delivery options for Currency Update/1644 messages are:

- Do not deliver Currency Update/1644 messages
- Deliver mid rate Currency Update/1644 messages
- Deliver buy and sell rate Currency Update/1644 messages only
- Deliver buy, mid, and sell rate Currency Update/1644 messages

After these options are selected, the customer must also specify which clearing cycles they have selected to receive the deliveries. The clearing cycles indicated should coincide with a delivery cycle for that customer or endpoint.

### Currency Update/1644-640

|         |                                                                                                                               |
|---------|-------------------------------------------------------------------------------------------------------------------------------|
| Routing | From the <a href="#">Mastercard Network</a> as the originator to the destination.                                             |
| Purpose | Provide conversion rates between Mastercard Global Payment currency and all other payment currencies supported by Mastercard. |

### Message Exception/1644-691 messages

The [Dual Message Clearing System](#) generates Message Exception/1644-691 messages when it encounters an exception condition while processing an individual message. Message Exception/1644-691 messages only include errors.

The Message Exception/1644-691 message contains a code identifying the error. It also contains the data element numbers or private data subelement (PDS) numbers that caused the exception conditions. Refer to the [Edits and error messaging](#) section for more information on errors.

Other identifying information related to the message is presented if the Dual Message Clearing System can parse the information.

For Mexico RedMX transactions, under certain conditions, the message is flagged for error but it is cleared and settled. Syntax condition is not rejected. In this case, the error is indicated by PDS 0005 (Message Error Indicator) and is present in the presentment, chargeback, retrieval request, and retrieval request acknowledgment messages.

### Message Exception/1644-691

|         |                                                                                                                        |
|---------|------------------------------------------------------------------------------------------------------------------------|
| Routing | From the Mastercard Network as the originator to the destination.                                                      |
| Purpose | Advises if messages were unrecognizable, could not be parsed, or contained an error in one or more supported elements. |

### Text Message/1644-693 messages

Text Message/1644-693 messages transmit text messages from the clearing system to a customer or processor and broadcast messages from the clearing system to all customers and processors.

### Text Message/1644-693

|         |                                                                   |
|---------|-------------------------------------------------------------------|
| Routing | From the Mastercard Network as the originator to the destination. |
| Purpose | Transmits broadcast message information to customers.             |

### File Reject/1644-699 messages

The clearing system generates File Reject/1644 messages to indicate that an entire file is rejected.

If all detail messages in a logical file are rejected, the clearing system returns each detail message in a Message Exception/1644-691 message. In addition, it returns a File Reject/1644-699 message because it did not accept any of the individual messages. The clearing system returns individual error messages with the Full File Reject Message.

Refer to the [Edits and error messaging](#) section for more information on errors.

### File Reject/1644-699

|         |                                                                   |
|---------|-------------------------------------------------------------------|
| Routing | From the Mastercard Network as the originator to the destination. |
| Purpose | Advises the customer of a clearing file rejection.                |

### Retrieval Request/1644-606 and -605 messages

This functionality is only available for Mexico RedMX scheme customers.

An [issuer](#) sends a Retrieval Request/1644 when it is determined that the transaction information document needs to be examined for issuer or [cardholder](#) needs.

For information on Mexico dispute processing, refer to the *Mexico Domestic Switching Acquirer Implementation Guide*.

## Fee Collection/1740 messages

Fee collection messages are used for the collection or disbursement of fees that require funds settlement between various clearing system participants.

Fee collection messages may include fees generated between pairs of customers and fees generated between the corporation and customers.

These messages must contain 1740 in the MTI and one of these values in data element (DE) 24 (Function Code):

- 700 - Fee Collection (Customer-generated)
- 780 - Fee Collection Return
- 781 - Fee Collection Resubmission
- 782 - Fee Collection Arbitration Return
- 783 - Fee Collection (Clearing System-generated)
- 790 - Fee Collection (Funds Transfer). This value applies only in the IPM pre-edit system to UK Domestic Maestro transactions.

Function Codes 780, 781, and 782 only apply to Fee Collection (Customer-generated)/1740-700 messages. The value in DE 25 (Message Reason Code) provides information on why the fee collection message was initiated.

### Fee Collections (Customer-generated)/1740 messages with Function Codes 700, 780, 781, and 782

|         |                                                                                                                                                                                                                                                                                                                               |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Routing | From the originator to the <a href="#">Mastercard Network</a> , then the Mastercard Network passes the message to the destination.                                                                                                                                                                                            |
| Purpose | <p>Collection or disbursement from customer-to-customer of fees that brand, program, and service rules permit.</p> <p>Collection or disbursement from customer-to-customer of summary settlement positions between customers that participate in bilateral clearing arrangements with clearing system summary settlement.</p> |

Fee Collection (Clearing System-generated)/1740-783 messages cannot be returned.

### Fee Collection (Clearing System-generated)/1740-783

|         |                                                                                                                                                                                                                                                                                                                                                                                                                     |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Routing | From Mastercard Network as the originator to the destination.                                                                                                                                                                                                                                                                                                                                                       |
| Purpose | <p>Function code 783.</p> <p>Collection or disbursement from Mastercard to the customer of fees related to processing services that the clearing system provides.</p> <p>Collection or disbursement from Mastercard to the customer of these fees according to brand, program, and service:</p> <ul style="list-style-type: none"><li>• Administrative fees</li><li>• Membership fees</li><li>• Penalties</li></ul> |

### Fee Collection (Funds Transfer)/1740-790

|         |                                                                                         |
|---------|-----------------------------------------------------------------------------------------|
| Routing |                                                                                         |
| Purpose | This value only applies in the IPM pre-edit system to UK Domestic Maestro transactions. |

## Chapter 4 General message layout information

---

|                                                                                                |     |
|------------------------------------------------------------------------------------------------|-----|
| Overview.....                                                                                  | 85  |
| Data representation.....                                                                       | 85  |
| Data length.....                                                                               | 86  |
| Data field.....                                                                                | 87  |
| Justification.....                                                                             | 88  |
| Date and time attribute notations.....                                                         | 88  |
| Entity descriptions.....                                                                       | 89  |
| Presence notations.....                                                                        | 90  |
| Presence requirement notations.....                                                            | 91  |
| Subfield presence requirements.....                                                            | 92  |
| Message types.....                                                                             | 92  |
| Bit map information.....                                                                       | 92  |
| File Header/1644 messages.....                                                                 | 93  |
| File Trailer/1644 messages.....                                                                | 94  |
| First Presentment/1240 messages.....                                                           | 95  |
| Financial Detail Addendum/1644 messages.....                                                   | 102 |
| Financial Detail Addendum/1644 messages listed by usage code.....                              | 102 |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644.....   | 103 |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644.....                    | 106 |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644.....                | 109 |
| Financial Detail Addendum (Vehicle Rental Detail)/1644.....                                    | 112 |
| Financial Detail Addendum (Lodging Summary)/1644.....                                          | 116 |
| Financial Detail Addendum (Temporary Services)/1644.....                                       | 120 |
| Financial Detail Addendum (Shipping/Courier Services)/1644.....                                | 122 |
| Financial Detail Addendum (Electronic Invoices)/1644.....                                      | 125 |
| Use of the Electronic Invoice addendum messages with other addendum messages.....              | 126 |
| Message layout for Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644.....  | 126 |
| Message layout for Financial Detail Addendum (Electronic Invoice, Party Information)/1644..... | 128 |
| Financial Detail Addendum (Payment Transaction Detail)/1644.....                               | 129 |
| Financial Detail Addendum (Telephony Billing Services)/1644.....                               | 131 |
| Message Layout for Financial Detail Addendum (Telephony Billing, Detail)/1644.....             | 134 |
| Financial Detail Addendum (Travel Agency, Detail)/1644.....                                    | 136 |
| Financial Detail Addendum (Lodged Account Detail)/1644.....                                    | 137 |
| Financial Detail Addendum (Private Label Common Data)/1644.....                                | 139 |

|                                                                               |     |
|-------------------------------------------------------------------------------|-----|
| Financial Detail Addendum (Private Label Line Item Detail)/1644.....          | 141 |
| Financial Detail Addendum (Healthcare)/1644.....                              | 143 |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644..... | 145 |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644..... | 149 |
| Financial Detail Addendum (Corporate Line Item Detail)/1644.....              | 152 |
| Financial Detail Addendum (Generic Detail)/1644.....                          | 156 |
| First Chargeback/1442 messages.....                                           | 157 |
| Second Presentment/1240 messages.....                                         | 164 |
| Retrieval Request/1644 messages.....                                          | 170 |
| Retrieval Request Acknowledgment/1644 messages.....                           | 174 |
| Fee Collection messages.....                                                  | 177 |
| Fee Collection (Retrieval Fee Billing)/1740.....                              | 178 |
| Fee Collection (Handling Fees)/1740.....                                      | 182 |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740.....     | 185 |
| Activity types accumulated by reconciliation messages.....                    | 189 |
| Function Codes used.....                                                      | 189 |
| Message Reason Codes used.....                                                | 189 |
| Reconciliation Amount/Reconciliation Fee totals.....                          | 190 |
| Reconciliation messages.....                                                  | 191 |
| Acknowledgment messages.....                                                  | 191 |
| Notification messages.....                                                    | 191 |
| Reconciliation message totals.....                                            | 191 |
| Debit/Credit totals.....                                                      | 193 |
| Reconciliation category summary.....                                          | 195 |
| Reconciliation category definitions.....                                      | 197 |
| File Currency Summary/1644 messages.....                                      | 203 |
| Financial Position Detail/1644 messages.....                                  | 204 |
| Settlement Position Detail/1644 messages.....                                 | 207 |
| Message Exception/1644 messages.....                                          | 209 |
| File Reject/1644 messages.....                                                | 211 |
| Text Message/1644 messages.....                                               | 214 |
| Currency Update/1644 messages.....                                            | 214 |



## Overview

This section describes how the data attributes and notations are documented for use in the Mastercard Network's Dual Message Clearing System. This information provides details necessary to build or receive the messages supported by the system as described in [Data element and private data subelement definitions and details](#).

The notations used to describe the data elements and message formats are:

- Data representation
- Data length
- Data field
- Justification
- Date and time attribute notations
- Entity descriptions
- Presence notations
- Presence requirement notations

## Data representation

Data representation notations indicate how data is transmitted, processed, and stored.

### Data representation notations

| Notation | Description                                                                                                                                                                                                                                                                                                 |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| a        | alphabetic characters A-Z and a-z (Note that Country and Country Subdivision must be capitalized)                                                                                                                                                                                                           |
| an       | alphabetic (A-Z and a-z) and numeric (digits 0-9) characters                                                                                                                                                                                                                                                |
| ans      | alphabetic (A-Z and a-z), numeric (digits 0-9) and special characters (including spaces)                                                                                                                                                                                                                    |
| as       | alphabetic (A-Z and a-z) and special characters (including spaces)                                                                                                                                                                                                                                          |
| b        | binary<br><br>All binary data elements are constructed of bit-strings that have lengths that are an integral number of eight-bit bytes. No binary data element has a length of less than eight bits (one byte).<br><br>b-8 indicates a fixed-length binary field of eight characters (eight bytes, 64 bits) |
| n        | numeric digits 0-9                                                                                                                                                                                                                                                                                          |
| ns       | numeric digits 0-9 and special characters (including spaces)                                                                                                                                                                                                                                                |

| Notation | Description                                                                                                                                     |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| s        | special characters<br><br>Special characters are any non-numeric or non-alphabetic characters (for example, @, #, &, and \$), including spaces. |

The data encoding conventions have been adapted for all Mastercard Network messages as follows:

- The system aligns all message data element fields on byte boundaries; for example, a data field cannot begin with the low order nibble or any bit other than the high-order bit of any byte.
- All data types listed in the data representation table are encoded for transmission between the Mastercard Network and processor systems using EBCDIC display character representation.
- The ASCII to EBCDIC character set table indicates alpha, numeric, and special characters sent to the Mastercard Network. When received, the Mastercard Network passes these characters through as they are received. The Extended ASCII Character Sets table presents the mapping of decimal to hexadecimal character sets when received by the Mastercard Network. Any characters not shown in the tables are mapped as a space.
- All numeric (attribute n) data elements are right-justified with leading zeros unless otherwise specified in the individual data element definitions. All other data elements are left-justified with trailing blanks unless otherwise specified.
- All Track-2 or Track-3 (attribute ans) data elements are encoded as EBCDIC representations of the hexadecimal data specified in ISO specification 7811 and 7812. Thus, a hex D (binary 1101) is encoded as an EBCDIC character D, and so on. The LLVAR or LLLVAR length specification of each data element specifies the field length in number of bytes.
- The system encodes all length subfields as numeric EBCDIC, right-justified with leading zeros unless otherwise specified.

## Data length

Data length notations define the characteristics of the data length field.

### Data length notations

| Notation  | Description                                                                                                                                                                    |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| -digit(s) | Fixed length in number of positions.<br><br>Example: n-3 indicates a 3-position numeric data element.<br><br>Example: an-10 indicates a 10-position alphanumeric data element. |

| Notation              | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ...digit(s)           | <p>Variable length field, with maximum number of positions specified.</p> <p>Example: n...11 indicates a variable-length numeric data element of 1 to 11 digits.</p> <p>Example: an...25 indicates a variable-length alphanumeric data element of 1 to 25 positions.</p>                                                                                                                                                                                                                                                           |
| LLVAR                 | <p>Present with a variable-length data element attribute, indicates that the data element contains these two fields:</p> <ul style="list-style-type: none"> <li>• LL is the length field and represents the number of positions in the variable-length data field that follows. The length field contains a value in the range of 01 to 99.</li> <li>• VAR is the variable-length data field.</li> </ul> <p>Example: an...25; LLVAR represents a variable-length alphanumeric data element with a length of 1 to 25 positions.</p> |
| LLLVAR                | <p>Present with a variable-length data element attribute, indicates that the data element contains two fields:</p> <ul style="list-style-type: none"> <li>• LLL is the length field and represents the number of positions in the variable-length data field that follows. The length field contains a value in the range 001–999.</li> <li>• VAR is the variable-length data field.</li> </ul> <p>Example: an...500; LLLVAR indicates a variable-length alphanumeric data element having a length of 1–500 positions.</p>         |
| TAGLL or TAGLLL       | <p>Integrated Product Messages (IPM) private data subelement (PDS) use only. Unique tag value assigned to the PDS followed by the fixed length value.</p>                                                                                                                                                                                                                                                                                                                                                                          |
| TAGLLVAR or TAGLLLVAR | <p>IPM PDS use only. Unique tag value assigned to the PDS followed by the variable-length value.</p>                                                                                                                                                                                                                                                                                                                                                                                                                               |

## Data field

### Data field notations

| Notation              | Description                                                                         |
|-----------------------|-------------------------------------------------------------------------------------|
| Contents of subfields | <p>Subfield number or number range</p> <p>Example: Contents of subfields 1 to 8</p> |

| Notation                | Description                                                              |
|-------------------------|--------------------------------------------------------------------------|
| Contents of position(s) | Position number or number range<br>Example: Contents of positions 1 to 8 |
| N/A                     | Not applicable                                                           |

## Justification

Data justification indicates the position of the data in the data element. A justification of not applicable (N/A) indicates that the values contained within those fields or subfields take up all positions allowed.

### Justification notations

| Notation      | Description                                                                                                                |
|---------------|----------------------------------------------------------------------------------------------------------------------------|
| Left          | Data is left-justified                                                                                                     |
| Right         | Data is right-justified                                                                                                    |
| See subfields | Data justification is defined in the subfield description indicating the subfield justification may vary between subfields |
| N/A           | Not applicable                                                                                                             |

Right-justified data fields and subfields that do not contain a value that fills the entire field must contain leading zeros. Most numeric (attribute n) data elements are right-justified; for example, amounts always have this right justification with leading zeros.

Left-justified fields and subfields that do not use the entire field with a value must have trailing spaces.

## Date and time attribute notations

Date and time notations indicate the format of the data that represents date and time.

### Date and time notations

| Notation | Description               |
|----------|---------------------------|
| MM       | Month (two digits, 01–12) |

| Notation | Description                                    |
|----------|------------------------------------------------|
| DD       | Day (two digits, 01–31)                        |
| YY       | Year (last two digits of calendar year, 00–99) |
| hh       | Hour (two digits, 00–23)                       |
| mm       | Minute (two digits, 00–59)                     |
| ss       | Second (two digits, 00–59)                     |

## Entity descriptions

Several entities may insert or modify data elements in a message as it flows from the message origin to the Mastercard Network and from the Mastercard Network to the message destination.

These entities typically include the acquirer or issuer at the origin, the Mastercard Network, and the acquirer or issuer at the destination.

### Entity description

| Notation | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Org      | <p>Originator requirements. The message originator must satisfy this data element's requirements.</p> <p>Examples of originators include:</p> <ul style="list-style-type: none"> <li>• Authorization Request/0100 message from an acquirer</li> <li>• Financial Transaction Request/0200 message from an acquirer</li> <li>• First Presentment/1240 message from an acquirer</li> </ul>                                                                                                    |
| Sys      | <p>Mastercard Network requirements. The system may insert, correct, modify, delete, or echo this data element while, for example, routing a message from the originator to the destination. The system may overwrite the data element and, as a result, overwrite any previous content.</p>                                                                                                                                                                                                |
| Dst      | <p>Destination requirements. The message destination must expect this data element (read it) and accept this data element (process it) if the originator requirements are satisfied.</p> <p>Examples of destinations include:</p> <ul style="list-style-type: none"> <li>• Authorization Request/0100 message received by an issuer</li> <li>• Financial Transaction Request/0200 message received by an issuer</li> <li>• First Presentment/1240 message received by an issuer</li> </ul> |

## Presence notations

Presence notations indicate if and how data is present. These notations appear in the originator (Org), Mastercard Network (Sys), and destination (Dst).

Mastercard uses these notation codes to indicate how message senders and receivers must understand the use of data in a message.

### Codes used by the originator or destination

| Notation | Description                                                                                                                                                                                                     |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| M        | Mandatory. The data element is required in the message.                                                                                                                                                         |
| C        | Conditional. The data element is required in the message if conditions described in the accompanying text apply.                                                                                                |
| O        | Optional. The data element is not required, but may be included in the message at the message initiator's option.                                                                                               |
| ME       | Mandatory Echo. The data element is required in a response message and must contain the same value (echoed) from the original request or advice message.                                                        |
| CE       | Conditional Echo. The data element is required in a response message if it was present in the original request or advice message, and it must contain the same value (echoed) from the original message.        |
| OE       | Optional Echo. The data element is not required in a response message if it was present in the original request or advice message, but the same value (echoed) may be included from the original message.       |
| •        | Not Required or Not Applicable. The data element is not required or is not applicable. The transaction originator should not include this data element if this code/symbol is present in the Org or Dst column. |

**NOTE:** The echo notations do not apply to the [Dual Message Clearing System](#).

Mastercard uses these notation codes to indicate how message receivers must interpret the presence or absence of data managed by the [Mastercard Network](#).

### Codes used by the Mastercard Network

| Notation | Description                                                                                                                                                                          |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| X        | System Interaction. The Mastercard Network may (or will) insert or overwrite the data element, depending on specific support services provided for individual programs and services. |

| Notation | Description                                                                                                          |
|----------|----------------------------------------------------------------------------------------------------------------------|
| XE       | System Echo. The Mastercard Network will contain the value from the original request or advice (echoed), if present. |
| P        | Pass-through. The data element is forwarded by the Mastercard Network to the destination (unmodified).               |
| .        | When under the Sys column, the Mastercard Network does not forward the data.                                         |

## Presence requirement notations

Presence requirement notations describe the possible presence or usage requirements. An entity presence requirement is the three combined values in the originator (Org), Mastercard Network (Sys), and destination (Dst).

### Presence requirement notations

| Org | Sys | Dst | Description                                                                                                               |
|-----|-----|-----|---------------------------------------------------------------------------------------------------------------------------|
| M   | .   | M   | Mandatory; originator must provide the data element.                                                                      |
| M   | X   | M   | Mandatory; originator must provide the data element; Mastercard Network adjusts/appends data.                             |
| C   | P   | C   | Conditionally required; conditions are described in Comments column for originators and destinations to send and receive. |
| C   | X   | C   | Conditionally required; Mastercard Network adjusts/appends data.                                                          |
| .   | X   | C   | Mastercard Network provides the data element conditionally.                                                               |
| .   | X   | M   | Mastercard Network always provides the data element.                                                                      |
| O   | X   | C   | Optional; originator may provide the data element; Mastercard Network adjusts/appends data.                               |
| M   | .   | .   | Mandatory; originator must provide the data element; Mastercard Network does not forward data.                            |
| C   | .   | .   | Conditionally required; Mastercard Network does not forward data.                                                         |
| O   | .   | .   | Optional; Mastercard Network does not forward data.                                                                       |
| .   | X   | .   | Mastercard use only.                                                                                                      |

## Subfield presence requirements

Data elements and private data subelements (PDSs) may contain subfields.

Some PDS subfields are mandatory and some are optional. For all fixed-length data elements and PDSs, all subfields must be populated. For variable-length data elements and PDSs, these rules must be followed:

- All subfields that comprise the minimum length for the data element or PDS require population. Subfields that are beyond the minimum length of the element are optional and should not be populated unless the sender has valid data to present. In other words, optional subfields should not be populated with filler characters such as all spaces or all zeros.
- If any optional subfield is presented with valid data, all subfields preceding that subfield must be populated. In this case, filler characters such as spaces are acceptable. For example, if a PDS contains four subfields and the sender has valid data to present for subfields 1, 2, and 4, it must fill subfield 3 with all spaces or all zeros so that all four subfields are presented in the correct positions for the PDS.

## Message types

This section describes the formats for all of the file header and trailer messages that the clearing system uses. The layouts identify all required, conditional, optional, or clearing system-provided *data elements (DEs)* and private data subelements (PDSs) for these messages.

## Bit map information

All Mastercard Network messages are variable-length, with a bit map scheme used as the first data elements of the message following the Message Type Identifier (MTI) to indicate the presence or absence of additional data elements in the message.

Each bit map is a 64-bit string contained within an eight-byte data element.

The Mastercard switching systems use a maximum of two-bit maps: a Primary and a Secondary Bit Map. Bits set to 1 or 0 in the Primary Bit Map indicate the presence or absence of *DE 2* through *DE 64*. Bits set to 1 or 0 in the Secondary Bit Map indicate the presence or absence of *DE 66* through *DE 128*.

All bit positions are interpreted from left to right within each bit map. For example, within the Primary Bit Map the left-most bit is bit number 1 and the right-most bit is bit number 64. The first bit in each bit map is 1 or 0 to indicate the presence or absence of another (immediately following) bit map data element.

Bit number 1 in the Primary Bit Map and bit number 65 in the Secondary Bit Map (that is, the first bit in each bit map) have no corresponding data elements; these bits indicate the presence or absence of additional bit map data elements in the message. If bit number 1 is 1, it indicates that the Secondary Bit Map is present and that selected data elements in the range *DE 65* through *DE 128* also are present in the message as indicated by bit positions in the Secondary Bit Map. Mastercard currently uses a maximum of two-bit maps (Primary and Secondary) in



Mastercard Network messages, with a maximum number of message data elements ranging from *DE 1* through *DE 128*. Consequently, *DE 65* (the first bit in the Secondary Bit Map) must always be 0.

Each message must contain the Primary Bit Map. The Secondary Bit Map must be included in a message only when data elements in the range *DE 65* through *DE 128* are present in the message.

## File Header/1644 messages

A File Header/1644 is each file's first message.

### File Header (Customer-generated)/1644 message layout

This table shows the customer-generated message layout.

#### File Header (Customer-generated)/1644 message layout

| No.   | Data element name          | Org | Sys | Dst |
|-------|----------------------------|-----|-----|-----|
|       | Message Type Identifier    | M   | .   | .   |
|       | Bit Map, Primary           | M   | .   | .   |
| 1     | Bit Map, Secondary         | M   | .   | .   |
| 24    | Function Code              | M   | .   | .   |
| 48    | Additional Data            | M   | .   | .   |
| p0026 | File Reversal Indicator    | C   | .   | .   |
| p0105 | File ID                    | M   | .   | .   |
| p0110 | Transmission ID            | O   | .   | .   |
| p0122 | Processing Mode            | M   | .   | .   |
| p0191 | Originating Message Format | O   | .   | .   |
| 71    | Message Number             | M   | .   | .   |

### File Header (Generated by Mastercard)/1644 message layout

This table shows the message layout that is generated by Mastercard.

#### File Header (Generated by Mastercard)/1644 message layout

| No. | Data element name       | Org | Sys | Dst |
|-----|-------------------------|-----|-----|-----|
|     | Message Type Identifier | .   | X   | M   |

| No.   | Data element name  | Org | Sys | Dst |
|-------|--------------------|-----|-----|-----|
|       | Bit Map, Primary   | •   | X   | M   |
| 1     | Bit Map, Secondary | •   | X   | M   |
| 24    | Function Code      | •   | X   | M   |
| 48    | Additional Data    | •   | X   | M   |
| p0105 | File ID            | •   | X   | M   |
| p0122 | Processing Mode    | •   | X   | M   |
| 71    | Message Number     | •   | X   | M   |

## File Trailer/1644 messages

A File Trailer/1644 is each file's last message.

### File Trailer (Customer-generated)/1644 message layout

This table shows the customer-generated message layout.

#### File Trailer (Customer-generated)/1644 message layout

| No.   | Data element name          | Org | Sys | Dst |
|-------|----------------------------|-----|-----|-----|
|       | Message Type Identifier    | M   | •   | •   |
|       | Bit Map, Primary           | M   | •   | •   |
| 1     | Bit Map, Secondary         | M   | •   | •   |
| 24    | Function Code              | M   | •   | •   |
| 48    | Additional Data            | M   | •   | •   |
| p0105 | File ID                    | M   | •   | •   |
| p0191 | Originating Message Format | O   | •   | •   |
| p0301 | File Amount, Checksum      | M   | •   | •   |
| p0306 | File Message Counts        | M   | •   | •   |
| 71    | Message Number             | M   | •   | •   |

### File Trailer (Generated by Mastercard)/1644 message layout

This table shows the message layout that is generated by Mastercard.

### File Trailer (Generated by Mastercard)/1644 message layout

| No.   | Data Element Name       | Org | Sys | Dst |
|-------|-------------------------|-----|-----|-----|
|       | Message Type Identifier | .   | X   | M   |
|       | Bit Map, Primary        | .   | X   | M   |
| 1     | Bit Map, Secondary      | .   | X   | M   |
| 24    | Function Code           | .   | X   | M   |
| 48    | Additional Data         | .   | X   | M   |
| p0105 | File ID                 | .   | X   | M   |
| p0301 | File Amount, Checksum   | .   | X   | C   |
| p0306 | File Message Counts     | .   | X   | M   |
| 71    | Message Number          | .   | X   | M   |

## First Presentment/1240 messages

An *acquirer* may initiate a First Presentment/1240 message to advise the *issuer* or its agent that a financial transaction was completed on its behalf.

The First Presentment/1240 message must contain 1240 in the [Message Type Identifier \(MTI\)](#) and 200 in DE 24 to identify it as a First Presentment/1240. This table shows the message layout.

### First Presentment/1240 message layout

| No. | Data element name               | Org | Sys | Dst |
|-----|---------------------------------|-----|-----|-----|
|     | Message Type Identifier         | M   | .   | M   |
|     | Bit Map, Primary                | M   | X   | M   |
| 1   | Bit Map, Secondary              | M   | X   | M   |
| 2   | Primary Account Number (PAN)    | M   | .   | M   |
| 3   | Processing Code                 | M   | .   | M   |
| 4   | Amount, Transaction             | M   | .   | M   |
| 5   | Amount, Reconciliation          | C   | X   | M   |
| 6   | Amount, Cardholder Billing      | O   | X   | C   |
| 9   | Conversion Rate, Reconciliation | .   | X   | M   |

| No. | Data element name                                    | Org | Sys | Dst |
|-----|------------------------------------------------------|-----|-----|-----|
| 10  | Conversion Rate, Cardholder Billing                  | .   | X   | C   |
| 12  | Date and Time, Local Transaction                     | M   | .   | M   |
|     | s2 Time                                              | C   | .   | C   |
| 14  | Date, Expiration                                     | O   | .   | C   |
| 22  | Point of Service Data Code                           | M   | .   | M   |
|     | s7 Card Data: Input Mode                             | M   | X   | M   |
| 23  | Card Sequence Number                                 | O   | .   | C   |
| 24  | Function Code                                        | M   | .   | M   |
| 25  | Message Reason Code                                  | O   | .   | C   |
| 26  | Acceptor Business Code                               | M   | .   | M   |
| 30  | Amounts, Original                                    | O   | .   | C   |
| 31  | Acquirer Reference Data                              | M   | .   | M   |
| 32  | Acquiring Institution ID Code                        | O   | .   | C   |
| 33  | Forwarding Institution ID Code                       | M   | X   | M   |
| 37  | Retrieval Reference Number                           | C   | .   | C   |
| 38  | Approval Code                                        | C   | .   | C   |
| 40  | Service Code                                         | C   | .   | C   |
| 41  | Acceptor Terminal ID                                 | C   | .   | C   |
| 42  | Acceptor ID Code                                     | C   | .   | C   |
| 43  | Acceptor Name/Location                               | M   | .   | M   |
|     | s2 Acceptor Street Address                           | C   | .   | C   |
|     | s3 Acceptor City                                     | C   | .   | C   |
| 48  | Additional Data                                      | M   | X   | M   |
| 49  | Currency Code, Transaction                           | M   | .   | M   |
| 50  | Currency Code, Reconciliation                        | C   | X   | M   |
| 51  | Currency Code, Cardholder Billing                    | C   | X   | C   |
| 54  | Amounts, Additional                                  | C   | .   | C   |
| 55  | Integrated Circuit Card (ICC)<br>System Related Data | C   | .   | C   |
| 62  | Additional Data 2                                    | C   | X   | C   |

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
| 63    | Transaction Life Cycle ID                   | C   | •   | C   |
| 71    | Message Number                              | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | X   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 111   | Amount, Currency Conversion Assessment      | •   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0001 | Mastercard® Mapping Service Account Number  | •   | X   | C   |
| p0002 | GCMS Product Identifier                     | •   | X   | M   |
| p0003 | Licensed Product Identifier                 | •   | X   | M   |
| p0004 | Funding Account Information                 | C   | •   | C   |
| p0005 | Message Error Indicator                     | •   | X   | C   |
| p0014 | Digital Account Reference Number            | O   | X   | C   |
| p0015 | Clearing Currency Conversion Identifier     | •   | X   | M   |
|       | s1 Currency Conversion Date                 | •   | X   | M   |
|       | s2 Currency Conversion Indicator            | •   | X   | M   |
| p0017 | Transaction Integrity Class                 | O   | •   | O   |
| p0018 | Acceptance Data                             | C   | •   | C   |
| p0020 | Digital Commerce Solutions Indicators       | •   | X   | C   |
| p0021 | Transaction Type Indicator                  | C   | •   | C   |
| p0022 | Additional Terminal Operating Environments  | C   | •   | C   |
| p0023 | Terminal Type                               | C   | •   | C   |

| No.   | Data element name                                             | Org | Sys | Dst |
|-------|---------------------------------------------------------------|-----|-----|-----|
| p0025 | Message Reversal Indicator                                    | O   | •   | C   |
| p0027 | Flex Code                                                     | •   | X   | C   |
| p0028 | Mastercard Merchant Presented (MPQR) Receiving Account Number | O   | •   | C   |
| p0029 | QR Dynamic Code Data                                          | O   | •   | C   |
| p0043 | Transaction Type Identifier                                   | C   | •   | C   |
| p0044 | Program Participation Indicator                               | •   | X   | C   |
| p0045 | Mastercard Generated Installment Identifier                   | •   | X   | C   |
| p0046 | Japan Common Merchant Code                                    | O   | •   | C   |
| p0052 | Electronic Commerce Security Level Indicator                  | C   | •   | C   |
| p0056 | Mastercard Electronic Card Indicator                          | •   | X   | C   |
| p0057 | Transaction Category Indicator                                | C   | X   | C   |
| p0058 | Token Assurance Level                                         | O   | X   | C   |
| p0059 | Token Requestor ID                                            | C   | X   | C   |
| p0068 | Financial Account Information                                 | •   | X   | C   |
| p0071 | Chip-to-Magnetic Stripe Conversion Service Indicator          | •   | X   | C   |
| p0072 | Authentication Indicator                                      | •   | X   | C   |
| p0080 | Amount, Tax                                                   | C   | X   | C   |
| p0140 | Amount, Cardholder Billing Amounts (USD)                      | •   | X   | C   |
|       | s1 Amount, Cardholder Billing USD                             | •   | X   | C   |
|       | s2 Amount, Currency Conversion Assessment USD                 | •   | X   | C   |
| p0141 | Customer Currency Conversion Revenue Data                     | •   | X   | C   |
| p0145 | Amount, Alternate Transaction Fee                             | C   | X   | C   |
| p0146 | Amounts, Transaction Fee                                      | C   | X   | C   |
| p0147 | Extended Precision Amounts                                    | •   | X   | C   |

| No.   | Data element name                                     | Org | Sys | Dst |
|-------|-------------------------------------------------------|-----|-----|-----|
| p0148 | Currency Exponents                                    | M   | X   | M   |
| p0149 | Currency Codes, Amounts,<br>Original                  | C   | .   | C   |
| p0157 | Alternate Processor Indicator                         | C   | .   | C   |
| p0158 | Business Activity                                     | C   | X   | M   |
|       | s5 Central Site Business Date                         | .   | X   | M   |
|       | s6 Business Cycle                                     | .   | X   | M   |
|       | s7 Acceptor Classification<br>Override Indicator      | .   | X   | M   |
|       | s8 Product Override Indicator                         | .   | X   | M   |
|       | s9 Corporate Incentive Rates<br>Apply Indicator       | .   | X   | M   |
|       | s10 Special Conditions Indicator                      | .   | X   | M   |
|       | s11 Mastercard Assigned ID<br>Override Indicator      | .   | X   | M   |
|       | s12 Account Level Management<br>Account Category Code | .   | X   | M   |
|       | s13 Rate Indicator                                    | .   | X   | M   |
|       | s14 Masterpass Incentive<br>Indicator                 | .   | X   | M   |
|       | s15 Digital Wallet Interchange<br>Override Indicator  | .   | X   | M   |
| p0159 | Settlement Data                                       | C   | X   | C   |
| p0160 | Settlement Data, Multiple                             | .   | X   | C   |
| p0165 | Settlement Indicator                                  | M   | .   | M   |
|       | s2 Settlement Information                             | O   | .   | C   |
| p0170 | Acceptor Inquiry Information                          | C   | .   | C   |
|       | s1 Customer Service Phone<br>Number                   | O   | .   | C   |
|       | s2 Acceptor Phone Number                              | O   | .   | C   |
|       | s3 Additional Contact<br>Information                  | O   | .   | C   |
| p0171 | Alternate Acceptor Description                        | O   | .   | C   |
| p0172 | Sole Proprietor Name                                  | O   | .   | C   |

| No.   | Data element name                                               | Org | Sys | Dst |
|-------|-----------------------------------------------------------------|-----|-----|-----|
| p0173 | Legal Corporate Name                                            | C   | •   | C   |
| p0174 | Dun & Bradstreet Number                                         | O   | •   | C   |
| p0175 | Acceptor URL                                                    | O   | •   | C   |
| p0176 | Mastercard Assigned ID                                          | C   | •   | C   |
| p0177 | Cross-border                                                    | C   | X   | M   |
| p0178 | Alternate Acceptor Description Data 2                           | O   | •   | C   |
| p0179 | Long Running Transaction (LRT) Indicator                        | C   | •   | C   |
| p0180 | Domestic Acceptor Tax ID                                        | C   | •   | C   |
| p0181 | Installment Payment Data                                        | C   | X   | C   |
| p0182 | Installment Payment Cardholder Statement Data                   | •   | C   | C   |
| p0183 | Brazil Post-Dated Transaction Data                              | C   | •   | C   |
| p0184 | Directory Server Transaction ID                                 | C   | •   | C   |
| p0185 | Accountholder Authentication Value                              | C   | •   | C   |
| p0186 | Program Protocol                                                | C   | •   | C   |
| p0188 | Private Data, Proprietary In Control Data (for future use only) | •   | X   | C   |
| p0189 | Point-of-Interaction (POI) Phone Data                           | O   | •   | C   |
| p0190 | Partner ID Code                                                 | O   | •   | C   |
| p0191 | Originating Message Format                                      | O   | X   | M   |
| p0192 | Payment Transaction Initiator                                   | •   | X   | C   |
| p0194 | Remote Payment Program Date                                     | C   | •   | C   |
| p0195 | Installment Data                                                | C   | •   | C   |
| p0196 | Mobile Phone Reload Data                                        | O   | •   | C   |
| p0197 | National Use Tax Data                                           | O   | •   | C   |
| p0198 | Device Type                                                     | O   | •   | C   |
| p0199 | Funding Transaction Information                                 | C   | •   | C   |
| p0202 | Primary Account Number (PAN) Syntax Error                       | C   | •   | C   |



| No.   | Data element name                                      | Org | Sys | Dst |
|-------|--------------------------------------------------------|-----|-----|-----|
| p0204 | Amount, Syntax Error                                   | C   | .   | C   |
| p0205 | Syntax Return, Message Error Indicator                 | C   | .   | C   |
| p0206 | Late Presentment Indicator                             | .   | X   | C   |
| p0207 | Wallet Identifier (for Masterpass transactions)        | C   | .   | C   |
|       | Wallet Identifier (for MDES transactions)              | .   | X   | C   |
| p0208 | Additional Merchant Data                               | C   | .   | C   |
| p0209 | Independent Sales Organization ID                      | C   | .   | C   |
| p0210 | Transit Program                                        | C   | .   | C   |
| p0211 | Terminal Compliant Indicator                           | C   | .   | C   |
| p0213 | Merchant Country of Origin                             | .   | X   | C   |
| p0216 | Additional Acceptor Data                               | C   | .   | C   |
| p0218 | Cardholder/Merchant Initiated Transaction Indicator    | O   | .   | C   |
| p0220 | Brazil Merchant Tax ID                                 | C   | .   | C   |
| p0221 | Domestic Merchant Tax ID                               | M   | .   | M   |
| p0225 | Syntax Return, Original Message Reason Code            | C   | .   | C   |
| p0261 | Risk Management Approval Code (Rejected by Mastercard) | C   | X   | .   |
| p0375 | Member Reconciliation Indicator 1                      | O   | .   | .   |
| p0446 | Transaction Fee Amount, Syntax Error                   | C   | X   | C   |
| p0502 | Custom Identifier                                      | C   | X   | C   |
| p0596 | Acceptor Tax ID                                        | C   | .   | C   |
| p0597 | Total Tax Amount                                       | O   | .   | C   |
| p0623 | Motor Fuel Information                                 | O   | .   | C   |
| p0629 | Odometer Reading                                       | O   | .   | C   |
| p0674 | Additional Trace/Reference Number Used by acceptor     | C   | .   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0799 | Test Case Traceability Identifiers                      | O   | •   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | •   | C   |

## Financial Detail Addendum/1644 messages

A Financial Detail Addendum/1644 provides additional program, service, or industry data to supplement the First Presentment/1240. This message must contain 1644 in the MTI and 696 in DE 24 to identify it as a Financial Detail Addendum/1644.

### Financial Detail Addendum/1644 messages listed by usage code

This table shows a listing of each type of addendum message by usage code. Usage codes are a value used in PDS, which describes the type of transaction.

#### Financial Detail Addendum/1644 messages listed by usage code

| Usage code | Financial Detail Addendum/1644 messages                 |
|------------|---------------------------------------------------------|
| 01         | Passenger Transport Detail (General Ticket Information) |
| 01         | Passenger Transport Detail (Rail Data)                  |
| 01         | Passenger Transport Detail (Trip Leg Data)              |
| 05         | Vehicle Rental Detail                                   |
| 06         | Lodging Summary                                         |
| 07         | Temporary Services                                      |
| 08         | Shipping/Courier Services                               |
| 09         | Electronic Invoices                                     |
| 10         | Payment Transaction Detail                              |
| 11         | Telephony Billing Services                              |
| 12         | Travel Agency Detail                                    |
| 13         | Lodged Account Detail                                   |
| 14         | Private Label Common Data                               |
| 14         | Private Label Line Item Detail                          |
| 15         | Healthcare                                              |
| 98         | Corporate Card Common Data Requirements                 |

| Usage code | Financial Detail Addendum/1644 messages |
|------------|-----------------------------------------|
| 98         | Corporate Fleet Transaction Information |
| 98         | Corporate Line Item Detail              |
| 99         | Generic Detail                          |

## Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644

This message supports ticketing transactions for airline, railway, and travel agency transactions to provide passenger ticket information for the cardholder. Acquirers may submit one occurrence of this message for each airline, railway, or travel agency transaction to provide general ticket information.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

Acquirers should also submit one or more occurrences of the Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 message (Usage Code 01, Industry Record Number 001) or the Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 Message (Usage Code 01, Industry Record Number 002) or both. Each trip leg message occurrence provides detailed information regarding one trip leg associated with the ticket.

One occurrence of this addendum message must be provided if the associated First Presentment/1240 message contains an airline [acceptor business code \(MCC\)](#) or a Passenger Railway MCC and is submitted for one of the U.S. region incentive interchange rate programs.

One occurrence of this addendum message may be provided if the associated First Presentment/1240 message contains a travel agency MCC and is submitted for one of the U.S. region incentive interchange rate programs.

**NOTE: Refer to the Interchange manuals for more information on interchange rate programs.**

This addendum message may be provided only if the associated First Presentment/1240 contains an airline, railway, or travel agency MCC in DE 26 (Acceptor Business Code).

If the First Presentment/1240 message associated with this addendum is submitted for an incentive interchange program that requires only this addendum, and the associated First Presentment/1240 message is submitted for a railway or travel agent MCC in DE 26, the Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 message can be used in addition to this addendum message.

For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.

The clearing system always will reject this Financial Detail Addendum/1644 message if it contains invalid data. The associated First Presentment/1240 message also will be rejected if it is submitted for a U.S. region or international interchange program, unless it is submitted as:

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R
- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C, or
- A transaction submitted for Standard interchange program (U.S. region and international IRDs 01, 61, 63, 65, 75, 85, 95, RU, or WA) as defined by Mastercard.

For information about the individual PDS requirements for this addendum and for the specific incentive interchange programs, refer to the applicable sections of the *Interchange Manual*.

**Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 message layout**

| No.   | Data Element Name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                     | M   | •   | M   |
|       | Bit Map, Primary                            | M   | X   | M   |
| 1     | Bit Map, Secondary                          | M   | X   | M   |
| 24    | Function Code                               | M   | •   | M   |
| 32    | Acquiring Institution ID Code               | O   | •   | C   |
| 33    | Forwarding Institution ID Code              | M   | •   | M   |
| 48    | Additional Data                             | M   | X   | M   |
| 62    | Additional Data 2                           | C   | X   | C   |
| 63    | Transaction Life Cycle ID                   | C   | •   | C   |
| 71    | Message Number                              | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| p0191 | Originating Message Format                  | O   | X   | M   |
| p0501 | Transaction Description                     | M   | •   | M   |
| p0505 | Passenger Name                              | C   | •   | C   |
| p0506 | Ticket Number                               | C   | •   | C   |

| No.   | Data Element Name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0507 | Issuing Carrier                                         | C   | .   | C   |
| p0508 | Customer Code                                           | C   | .   | C   |
| p0509 | Issue Date                                              | O   | .   | C   |
| p0510 | Travel Agency Code                                      | O   | .   | C   |
| p0511 | Travel Agency Name                                      | O   | .   | C   |
| p0512 | Total Fare                                              | C   | .   | C   |
| p0513 | Total Fees                                              | O   | .   | C   |
| p0514 | Total Taxes                                             | O   | .   | C   |
| p0597 | Total Tax Amount                                        | O   | .   | C   |
| p0598 | Total Tax Collected Indicator                           | O   | .   | C   |
| p0679 | Commodity Code                                          | O   | .   | C   |
| p0682 | Detail Tax Amount 1                                     | O   | .   | C   |
| p0683 | Detail Tax Amount 2                                     | O   | .   | C   |
| p0684 | Detail Tax Amount 3                                     | O   | .   | C   |
| p0686 | Tax Exempt Indicator                                    | O   | .   | C   |
| p0713 | Restricted Ticket Indicator                             | O   | .   | C   |
| p0714 | Exchange Ticket Amount                                  | O   | .   | C   |
| p0715 | Ancillary Service Charges                               | O   | .   | C   |
| p0716 | Travel Authorization Code                               | O   | .   | C   |
| p0717 | IATA Client Code                                        | O   | .   | C   |
| p0751 | Detail Tax Amount 4                                     | O   | .   | C   |
| p0752 | Detail Tax Amount 5                                     | O   | .   | C   |
| p0753 | Detail Tax Amount 6                                     | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

When an occurrence of this addendum message is submitted in association with a First Presentment/1240 message, it must include the following fields.

### First Presentment/1240 message fields

| No.   | Data element name |
|-------|-------------------|
| p0506 | Ticket Number     |
| p0507 | Issuing Carrier   |
| p0509 | Issue Date        |

## Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644

This message supports ticketing information for railway transactions to provide detailed itinerary information for the cardholder. Acquirers may submit 1–999 occurrences of this message. Each occurrence provides detailed itinerary data associated with a railway transaction.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

The submission of this addendum message is optional. Acquirers may provide a Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 message for First Presentment transactions where the [acceptor business code \(MCC\)](#) value is 4112 (Railway) or 4722 (Travel Agency) under these circumstances.

- For U.S. region or international incentive interchange rate programs that require a Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 and a Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644, the acquirer may submit the Rail Data addendum in place of the Trip Leg Data addendum.
- For U.S. region or international incentive interchange rate programs that require a Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 and a Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644, the acquirer may submit the Rail Data addendum in addition to the General Ticket and Trip Leg Data addenda.

Acquirers must provide a single occurrence of the Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 message (Usage Code 01, Industry Record Number 000) before the first occurrence of rail detail data for railway transactions.

When the Financial Detail Addendum (Passenger Transport Detail, General Ticket Information) is provided, the occurrence indicator (PDS 0501, subfield 3) submitted for the first Rail Data addendum should equal 002. Otherwise, it should equal 001.

This message supports rail transaction information. Acquirers may submit 1–999 occurrences of this message. Each occurrence provides detailed data for one trip leg of the associated rail transaction.

This addendum message may be provided only if the associated First Presentment/1240 contains a rail or travel agency MCC in DE 26 (Acceptor Business Code).

The submission of this addendum is optional. Acquirers may provide a Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 message (Usage Code 01, Industry Record Number 002,) under these circumstances:

- For U.S. region incentive interchange rate programs that require a Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 and a Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644, the acquirer may submit the Rail Data addendum in place of the Trip Leg Data addendum.

**NOTE: Refer to the Interchange manuals for more information on interchange rate programs.**

For other incentive interchange rate programs that do not require an addendum, the Rail Data addendum may be submitted by itself, or in addition to any other applicable addendum.

When the Financial Detail Addendum (Passenger Transport Detail, General Ticket Information) is provided, the occurrence indicator (PDS 0501, subfield 3) submitted for the first Rail Data addendum should equal 002. Otherwise, it should equal 001.

For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.

#### Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 Message Layout

| No. | Data element name                           | Org | Sys | Dst |
|-----|---------------------------------------------|-----|-----|-----|
|     | Message Type Identifier                     | M   | •   | M   |
|     | Bit Map, Primary                            | M   | X   | M   |
| 1   | Bit Map, Secondary                          | M   | X   | M   |
| 24  | Function Code                               | M   | •   | M   |
| 32  | Acquiring Institution ID Code               | O   | •   | C   |
| 33  | Forwarding Institution ID Code              | M   | •   | M   |
| 48  | Additional Data                             | M   | X   | M   |
| 62  | Additional Data 2                           | C   | X   | C   |
| 63  | Transaction Life Cycle ID                   | C   | •   | C   |
| 71  | Message Number                              | M   | X   | M   |
| 93  | Transaction Destination Institution ID Code | •   | X   | M   |
| 94  | Transaction Originator Institution ID Code  | M   | •   | M   |

| No.   | Data element name                         | Org | Sys | Dst |
|-------|-------------------------------------------|-----|-----|-----|
| 100   | Receiving Institution ID Code             | .   | X   | M   |
| 105   | Multi-Use Transaction Identification Data | C   | X   | C   |
| 123   | Additional Data 3                         | C   | X   | C   |
| 124   | Additional Data 4                         | C   | X   | C   |
| 125   | Additional Data 5                         | C   | X   | C   |
| p0191 | Originating Message Format                | O   | X   | M   |
| p0501 | Transaction Description                   | M   | .   | M   |
| p0505 | Passenger Name                            | C   | .   | C   |
| p0506 | Ticket Number                             | C   | .   | C   |
| p0510 | Travel Agency Code                        | O   | .   | C   |
| p0511 | Travel Agency Name                        | O   | .   | C   |
| p0520 | Travel Date                               | C   | .   | C   |
| p0611 | Sequence Number                           | O   | .   | C   |
| p0651 | Procedure ID                              | O   | .   | C   |
| p0652 | Service Type                              | C   | .   | C   |
| p0653 | Service Amount                            | O   | .   | C   |
| p0656 | Full VAT Amounts                          | O   | .   | C   |
| p0657 | Half VAT Amounts                          | O   | .   | C   |
| p0661 | Traffic Code                              | O   | .   | C   |
| p0662 | Sample Number                             | O   | .   | C   |
| p0664 | Start Station                             | C   | .   | C   |
| p0665 | Destination Station                       | C   | .   | C   |
| p0667 | Generic Data                              | O   | .   | C   |
| p0668 | Reduction Data                            | O   | .   | C   |
| p0669 | Transportation Other Code                 | O   | .   | C   |
| p0756 | Passenger Description                     | O   | .   | C   |
| p0757 | Transportation Service Provider           | O   | .   | C   |
| p0758 | Transportation Services Offered           | O   | .   | C   |

When an occurrence of this addendum message is submitted in association with a First Presentment/1240 message, it must include the following fields.



### First Presentment/1240 message fields

| No.   | Data element name   |
|-------|---------------------|
| p0506 | Ticket Number       |
| p0520 | Travel Date         |
| p0664 | Start Station       |
| p0665 | Destination Station |

## Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644

This message supports ticketing transactions for airline, railway, and travel agency transactions to provide detailed itinerary information for the cardholder. Acquirers may submit 1–998 occurrences of this message. Each occurrence provides detailed itinerary data for one trip leg associated with an airline, railway, or travel agency transaction.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

If this addendum detail describes an airline itinerary, the City of Origin/Airport Code and City of Destination/Airport Code for each trip leg should contain an Airport Code from the International Air Transport Association (IATA) which contains a list of standard airport and airline service abbreviations.

If acquirers include at least one trip leg of a transaction in the Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 message (Usage Code 01, Industry Record Number 000) then they must include all trip legs of the transaction.

For railway transactions, acquirers may submit a Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 message in addition to or in place of the Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 message. One occurrence of this addendum message must be provided if the associated First Presentment/1240 message contains an airline or railway [acceptor business code \(MCC\)](#) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table. Rail Data addendum message may be used instead of or in addition to the trip leg data when a rail MCC is submitted.

One occurrence of this addendum message may be provided if the associated First Presentment/1240 message contains a travel agency MCC and is submitted for one of the U.S. region incentive interchange rate programs.

**NOTE: Refer to the Interchange manuals for more information on interchange rate programs.**

This addendum message may be provided only if the associated First Presentment/1240 contains an airline, railway, or travel agency MCC in DE 26 (Acceptor Business Code).

If the U.S. region or international First Presentment/1240 message associated with the addendum contains a railway or travel agent MCC in DE 26, the Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 message can be used in place of or in addition to this addendum.

For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.

The clearing system always rejects this Financial Detail Addendum/1644 message if it contains invalid data. The associated First Presentment/1240 message is also rejected if it is submitted for a U.S. region or international interchange program, unless it is submitted as one of these:

- Credit: DE 3 (Processing Code), subfield 1= 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R
- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C
- A transaction submitted for a Standard interchange program (U.S. region and international IRDs 01, 61, 63, 65, 75, 85, 95, RU, or WA) as defined by Mastercard

For information about the individual PDS requirements for this addendum and for the specific incentive interchange programs listed above, refer to the applicable sections of the *Interchange Manual*.

### Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 Message Layout

| No. | Data element name                           | Org | Sys | Dst |
|-----|---------------------------------------------|-----|-----|-----|
|     | Message Type Identifier                     | M   | •   | M   |
|     | Bit Map, Primary                            | M   | X   | M   |
| 1   | Bit Map, Secondary                          | M   | X   | M   |
| 24  | Function Code                               | M   | •   | M   |
| 32  | Acquiring Institution ID Code               | O   | •   | C   |
| 33  | Forwarding Institution ID Code              | M   | •   | M   |
| 48  | Additional Data                             | M   | X   | M   |
| 62  | Additional Data 2                           | C   | X   | C   |
| 63  | Transaction Life Cycle ID                   | C   | •   | C   |
| 71  | Message Number                              | M   | X   | M   |
| 93  | Transaction Destination Institution ID Code | •   | X   | M   |
| 94  | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100 | Receiving Institution ID Code               | •   | X   | M   |

| No.   | Data element name                         | Org | Sys | Dst |
|-------|-------------------------------------------|-----|-----|-----|
| 105   | Multi-Use Transaction Identification Data | C   | X   | C   |
| 123   | Additional Data 3                         | C   | X   | C   |
| 124   | Additional Data 4                         | C   | X   | C   |
| 125   | Additional Data 5                         | C   | X   | C   |
| p0191 | Originating Message Format                | O   | X   | M   |
| p0501 | Transaction Description                   | M   | .   | M   |
| p0520 | Travel Date                               | C   | .   | C   |
| p0521 | Carrier Code                              | C   | .   | C   |
| p0522 | Service Class Code                        | C   | .   | C   |
| p0523 | City of Origin/Airport Code               | C   | .   | C   |
| p0524 | City of Destination/Airport Code          | C   | .   | C   |
| p0525 | Stop Over Code                            | C   | .   | C   |
| p0526 | Conjunction Ticket                        | O   | .   | C   |
| p0527 | Exchange Ticket                           | O   | .   | C   |
| p0528 | Coupon Number                             | O   | .   | C   |
| p0529 | Fare Basis Code                           | C   | .   | C   |
| p0530 | Flight Number                             | C   | .   | C   |
| p0531 | Departure Time                            | C   | .   | C   |
| p0533 | Arrival Time                              | O   | .   | C   |
| p0535 | Fare                                      | O   | .   | C   |
| p0536 | Fee                                       | O   | .   | C   |
| p0537 | Taxes                                     | O   | .   | C   |
| p0538 | Endorsements/Restrictions                 | O   | .   | C   |
| p0597 | Total Tax Amount                          | O   | .   | C   |
| p0598 | Total Tax Collected Indicator             | O   | .   | C   |
| p0682 | Detail Tax Amount 1                       | O   | .   | C   |
| p0683 | Detail Tax Amount 2                       | O   | .   | C   |
| p0684 | Detail Tax Amount 3                       | O   | .   | C   |
| p0751 | Detail Tax Amount 4                       | O   | .   | C   |
| p0752 | Detail Tax Amount 5                       | O   | .   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0753 | Detail Tax Amount 6                                     | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

When an occurrence of this addendum message is submitted in association with a First Presentment/1240 message, it must include the following fields.

#### First Presentment/1240 message fields

| No.   | Data element name                |
|-------|----------------------------------|
| p0520 | Travel Date                      |
| p0521 | Carrier Code                     |
| p0522 | Service Class Code               |
| p0523 | City of Origin/Airport Code      |
| p0524 | City of Destination/Airport Code |
| p0530 | Flight Number                    |

### Financial Detail Addendum (Vehicle Rental Detail)/1644

This message provides detailed vehicle rental information for the cardholder. One occurrence of this message provides rental agreement data reporting for a single vehicle rental transaction.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message may be provided in a single occurrence (such as a single transaction for a single vehicle rental) or in multiple occurrences (a single transaction for the rental of multiple vehicles).

At least one occurrence of this addendum message must be provided if the associated First Presentment/1240 contains a Vehicle Rental [acceptor business code \(MCC\)](#) and is submitted for one of the U.S. region incentive interchange rate programs.

**NOTE: Refer to the Interchange manuals for more information on interchange rate programs.**

This addendum message may be provided only if the associated First Presentment/1240 contains a vehicle MCC in DE 26 (Acceptor Business Code).

For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.

The clearing system always rejects this Financial Detail Addendum/1644 message if it contains invalid data. The associated First Presentment/1240 message is also rejected if it is submitted for a U.S. region or international interchange program, unless it is submitted as one of these:

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R
- Collection Only transaction: PDS 0165 ((Settlement Indicator), subfield 1 = C
- A transaction submitted for a Standard interchange program (U.S. region and international IRDs 01, 61, 63, 65, 75, 85, 95, or RU, or WA) as defined by Mastercard

For information about the individual PDS requirements for this addendum and for the specific incentive interchange programs listed above, refer to the applicable chapters of the *Interchange Manual*.

#### Financial Detail Addendum (Vehicle Rental Detail)/1644 message layout

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                     | M   | .   | M   |
|       | Bit Map, Primary                            | M   | X   | M   |
| 1     | Bit Map, Secondary                          | M   | X   | M   |
| 24    | Function Code                               | M   | .   | M   |
| 32    | Acquiring Institution ID Code               | O   | .   | C   |
| 33    | Forwarding Institution ID Code              | M   | .   | M   |
| 48    | Additional Data                             | M   | X   | M   |
| 62    | Additional Data 2                           | C   | X   | C   |
| 63    | Transaction Life Cycle ID                   | C   | .   | C   |
| 71    | Message Number                              | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code | .   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | .   | M   |
| 100   | Receiving Institution ID Code               | .   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0191 | Originating Message Format                  | O   | X   | M   |

| No.   | Data element name                       | Org | Sys | Dst |
|-------|-----------------------------------------|-----|-----|-----|
| p0501 | Transaction Description                 | M   | .   | M   |
| p0544 | Rental Agreement Number                 | C   | .   | C   |
| p0545 | Renter Name                             | C   | .   | C   |
| p0546 | Rental Return City                      | C   | .   | C   |
| p0547 | Rental Return State/Province            | C   | .   | C   |
| p0548 | Rental Return Country                   | C   | .   | C   |
| p0549 | Rental Return Location ID               | C   | .   | C   |
| p0550 | Rental Return Date                      | C   | .   | C   |
| p0551 | Rental Checkout Date                    | C   | .   | C   |
| p0552 | Customer Service Toll-Free (800) Number | C   | .   | C   |
| p0553 | Rental Rate                             | C   | .   | C   |
| p0555 | Rate per Mile (or Per Kilometer)        | O   | .   | C   |
| p0556 | Total Miles (or Kilometers)             | O   | .   | C   |
| p0557 | Maximum Free Miles (or Kilometers)      | O   | .   | C   |
| p0558 | Miles/Kilometer Indicator               | O   | .   | C   |
| p0559 | Vehicle Insurance                       | O   | .   | C   |
| p0561 | Adjusted Amount                         | O   | .   | C   |
| p0563 | Program Code                            | O   | .   | C   |
| p0564 | Rental Location City                    | C   | .   | C   |
| p0565 | Rental Location State/Province          | C   | .   | C   |
| p0566 | Rental Location Country                 | C   | .   | C   |
| p0567 | Rental Location ID                      | O   | .   | C   |
| p0568 | Rental Class ID                         | C   | .   | C   |
| p0597 | Total Tax Amount                        | O   | .   | C   |
| p0598 | Total Tax Collected Indicator           | O   | .   | C   |
| p0679 | Commodity Code                          | O   | .   | C   |
| p0682 | Detail Tax Amount 1                     | O   | .   | C   |
| p0683 | Detail Tax Amount 2                     | O   | .   | C   |
| p0684 | Detail Tax Amount 3                     | O   | .   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0686 | Tax Exempt Indicator                                    | C   | .   | C   |
| p0689 | Corporate Identifier                                    | O   | .   | C   |
| p0690 | No Show Indicator                                       | O   | .   | C   |
| p0691 | Days Rented                                             | C   | .   | C   |
| p0692 | Weekly Rental Amount                                    | O   | .   | C   |
| p0693 | Total Authorized Amount                                 | O   | .   | C   |
| p0694 | One Way Drop Off Charge                                 | O   | .   | C   |
| p0695 | Regular Mileage Charge                                  | O   | .   | C   |
| p0696 | Extra Mileage Charge                                    | O   | .   | C   |
| p0697 | Late Charge                                             | O   | .   | C   |
| p0698 | Fuel Charge                                             | O   | .   | C   |
| p0700 | Towing Charges                                          | O   | .   | C   |
| p0701 | Extra Charges                                           | O   | .   | C   |
| p0702 | Other Charges                                           | O   | .   | C   |
| p0751 | Detail Tax Amount 4                                     | O   | .   | C   |
| p0752 | Detail Tax Amount 5                                     | O   | .   | C   |
| p0753 | Detail Tax Amount 6                                     | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

When an occurrence of this addendum message is submitted in association with a First Presentment/1240 message, it must include the following fields.

#### Associated First Presentment/1240 message fields

| No.   | Data element name            |
|-------|------------------------------|
| p0544 | Rental Agreement Number      |
| p0545 | Renter Name                  |
| p0546 | Rental Return City           |
| p0547 | Rental Return State/Province |
| p0548 | Rental Return Country        |
| p0549 | Rental Return Location ID    |

| No.   | Data element name    |
|-------|----------------------|
| p0550 | Rental Return Date   |
| p0551 | Rental Checkout Date |
| p0553 | Rental Rate          |
| p0691 | Days Rented          |

## Financial Detail Addendum (Lodging Summary)/1644

This message provides detailed information about lodging accommodations and related expenses for the cardholder. One occurrence of this message provides lodging accommodation reporting for a single lodging folio, such as a single stay at a lodging facility with one check-in and one check-out.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message may be provided in a single occurrence (such as a single transaction for a single room rental) or in multiple occurrences (a single transaction for the rental of several rooms).

This message must be provided if the associated First Presentment/1240 contains a valid Lodging [acceptor business code \(MCC\)](#) and is submitted for one of the U.S. Region incentive interchange rate programs.

**NOTE: Refer to the Interchange manuals for more information on interchange rate programs.**

This addendum message may be provided only if the associated First Presentment/1240 contains a lodging MCC in DE 26 (Acceptor Business Code). The clearing system always rejects a Financial Detail Addendum (Lodging Summary)/1644 message if it contains invalid data.

The associated First Presentment/1240 message is also rejected if it is submitted for a U.S. region or international interchange program, unless it is submitted as:

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R
- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C
- A transaction submitted for a Standard interchange program (U.S. region and international IRDs 01, 61, 63, 65, 75, 85, 95, RU, or WA) as defined by Mastercard

Whenever the Financial Detail Addendum (Lodging Summary)/1644 message is present, and the transaction involves one of the Mastercard Corporate Cards, these optional addendum messages may be provided:

- Corporate Card Common Data Requirement, usage code 98, industry record number 000, or
- Corporate Card Line Item Detail, usage code 98, industry record number 950.

For specific corporate transactions occurring in the United States, Corporate Card Common Data is also required.



For information about the individual PDS requirements for this addendum and for the specific incentive interchange programs listed, refer to the applicable sections of the *Interchange Manual*.

**Financial Detail Addendum (Lodging Summary)/1644 message layout**

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                     | M   | •   | M   |
|       | Bit Map, Primary                            | M   | X   | M   |
| 1     | Bit Map, Secondary                          | M   | X   | M   |
| 24    | Function Code                               | M   | •   | M   |
| 32    | Acquiring Institution ID Code               | O   | •   | C   |
| 33    | Forwarding Institution ID Code              | M   | •   | M   |
| 48    | Additional Data                             | M   | X   | M   |
| 62    | Additional Data 2                           | C   | X   | C   |
| 63    | Transaction Life Cycle ID                   | C   | •   | C   |
| 71    | Message Number                              | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0191 | Originating Message Format                  | O   | X   | M   |
| p0501 | Transaction Description                     | M   | •   | M   |
| p0502 | Custom Identifier                           | C   | X   | C   |
| p0521 | Carrier Code                                | O   | •   | C   |
| p0530 | Flight Number                               | O   | •   | C   |
| p0532 | Total Charges                               | O   | •   | C   |
| p0534 | Total Non-Room Charges                      | O   | •   | C   |

| No.   | Data element name                       | Org | Sys | Dst |
|-------|-----------------------------------------|-----|-----|-----|
| p0539 | Total Amount Charged on Credit Card     | O   | .   | C   |
| p0540 | Room Service Charges                    | O   | .   | C   |
| p0541 | Lounge/Bar Charges                      | O   | .   | C   |
| p0542 | Transportation Charges                  | O   | .   | C   |
| p0543 | Gratuity Charges                        | O   | .   | C   |
| p0552 | Customer Service Toll-Free (800) Number | C   | .   | C   |
| p0554 | Conference Room Charges                 | O   | .   | C   |
| p0560 | Audio Visual Charges                    | O   | .   | C   |
| p0562 | Banquet Charges                         | O   | .   | C   |
| p0569 | Internet Access Charges                 | O   | .   | C   |
| p0570 | Early Departure Charges                 | O   | .   | C   |
| p0571 | Guest Name                              | O   | .   | O   |
| p0572 | Guest Number                            | O   | .   | C   |
| p0574 | Arrival Date                            | C   | .   | C   |
| p0575 | Departure Date                          | C   | .   | C   |
| p0576 | Folio Number                            | C   | .   | C   |
| p0577 | Property Phone Number                   | C   | .   | C   |
| p0578 | Billing Adjustment                      | O   | .   | C   |
| p0580 | Room Rate                               | C   | .   | C   |
| p0581 | Total Room Tax                          | C   | .   | C   |
| p0582 | Program Code                            | O   | .   | C   |
| p0583 | Phone Charges                           | O   | .   | C   |
| p0584 | Restaurant Charges                      | O   | .   | C   |
| p0585 | Mini-Bar Charges                        | O   | .   | C   |
| p0586 | Gift Shop Charges                       | O   | .   | C   |
| p0587 | Laundry and Dry Cleaning Charges        | O   | .   | C   |
| p0588 | Other Services                          | O   | .   | C   |
| p0597 | Total Tax Amount                        | O   | .   | C   |
| p0598 | Total Tax Collected Indicator           | O   | .   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0679 | Commodity Code                                          | O   | .   | C   |
| p0682 | Detail Tax Amount 1                                     | O   | .   | C   |
| p0683 | Detail Tax Amount 2                                     | O   | .   | C   |
| p0684 | Detail Tax Amount 3                                     | O   | .   | C   |
| p0686 | Tax Exempt Indicator                                    | O   | .   | C   |
| p0690 | No Show Indicator                                       | O   | .   | C   |
| p0693 | Total Authorized Amount                                 | O   | .   | C   |
| p0699 | Total Tax Amount                                        | O   | .   | C   |
| p0703 | Total Room Nights                                       | C   | .   | C   |
| p0704 | Prepaid Expenses                                        | O   | .   | C   |
| p0705 | Total Non-Room Tax Amount                               | O   | .   | C   |
| p0706 | Cash Advances                                           | O   | .   | C   |
| p0707 | Valet Charges                                           | O   | .   | C   |
| p0708 | Movie Charges                                           | O   | .   | C   |
| p0709 | Business Center Charges                                 | O   | .   | C   |
| p0710 | Health Club Charges                                     | O   | .   | C   |
| p0711 | Fire Safety Act Indicator                               | C   | .   | C   |
| p0751 | Detail Tax Amount 4                                     | O   | .   | C   |
| p0752 | Detail Tax Amount 5                                     | O   | .   | C   |
| p0753 | Detail Tax Amount 6                                     | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

When an occurrence of this addendum message is submitted in association with a First Presentment/1240 message, it must include the following fields.

#### First Presentment/1240 message fields

| No.   | Data element name |
|-------|-------------------|
| p0574 | Arrival Date      |
| p0575 | Departure Date    |
| p0576 | Folio Number      |

| No.   | Data element name |
|-------|-------------------|
| p0580 | Room Rate         |
| p0703 | Total Room Nights |

## Financial Detail Addendum (Temporary Services)/1644

The temporary services detail addendum provides information regarding the billing for services rendered on a temporary or contract basis. The message layout provides information such as the employee job performed, timekeeping, and billing rates.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message is optional. However, if this addendum is submitted with a First Presentment/1240 message for an incentive interchange rate program, and the addendum is rejected because of invalid data, the First Presentment/1240 message will also be rejected.

The clearing system always rejects this Financial Detail Addendum/1644 message if it contains invalid data. The associated First Presentment/1240 message is also rejected if it is submitted for a U.S. region or international interchange program, unless it is submitted as:

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R
- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C
- A transaction submitted for a Standard interchange program (U.S. region and international IRDs 01, 61, 63, 65, 75, 85, 95, RU, or WA) as defined by Mastercard

This addendum message is required for transactions when the associated First Presentment/1240 message contains a DE 26 (Acceptor Business Code) value of 7361 (Employment Agencies, Temporary Help Services).

For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.

**NOTE: Refer to the Interchange manuals for more information on interchange rate programs.**

### Financial Detail Addendum (Temporary Services)/1644 message layout

| No. | Data element name             | Org | Sys | Dst |
|-----|-------------------------------|-----|-----|-----|
|     | Message Type Identifier       | M   | .   | M   |
|     | Bit Map, Primary              | M   | X   | M   |
| 1   | Bit Map, Secondary            | M   | X   | M   |
| 24  | Function Code                 | M   | .   | M   |
| 32  | Acquiring Institution ID Code | O   | .   | C   |

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
| 33    | Forwarding Institution ID Code              | M   | •   | M   |
| 48    | Additional Data                             | M   | X   | M   |
| 62    | Additional Data 2                           | C   | X   | C   |
| 63    | Transaction Life Cycle ID                   | C   | •   | C   |
| 71    | Message Number                              | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0191 | Originating Message Format                  | O   | X   | M   |
| p0501 | Transaction Description                     | M   | •   | M   |
| p0508 | Customer Code                               | C   | •   | C   |
| p0597 | Total Tax Amount                            | O   | •   | C   |
| p0598 | Total Tax Collected Indicator               | O   | •   | C   |
| p0679 | Commodity Code                              | O   | •   | C   |
| p0682 | Detail Tax Amount 1                         | O   | •   | C   |
| p0683 | Detail Tax Amount 2                         | O   | •   | C   |
| p0684 | Detail Tax Amount 3                         | O   | •   | C   |
| p0686 | Tax Exempt Indicator                        | O   | •   | C   |
| p0718 | Employee/Temp Name/ID                       | C   | •   | C   |
| p0719 | Employee Social Security Number or ID       | O   | •   | C   |
| p0720 | Job Description                             | C   | •   | C   |
| p0721 | Job Code                                    | O   | •   | C   |
| p0722 | Flat Rate Indicator                         | O   | •   | C   |
| p0723 | Regular Hours Worked                        | C   | •   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0724 | Regular Hours Rate                                      | C   | .   | C   |
| p0725 | Overtime Hours Worked                                   | C   | .   | C   |
| p0726 | Overtime Hours Rate                                     | C   | .   | C   |
| p0727 | Temp Start Date                                         | C   | .   | C   |
| p0728 | Temp Week Ending                                        | C   | .   | C   |
| p0729 | Requestor Name or ID                                    | C   | .   | C   |
| p0730 | Supervisor/Reports To                                   | O   | .   | C   |
| p0731 | Time Sheet Number                                       | O   | .   | C   |
| p0732 | Discount Amount                                         | O   | .   | C   |
| p0733 | Subtotal Amount                                         | O   | .   | C   |
| p0734 | Miscellaneous Expenses                                  | C   | .   | C   |
| p0751 | Detail Tax Amount 4                                     | O   | .   | C   |
| p0752 | Detail Tax Amount 5                                     | O   | .   | C   |
| p0753 | Detail Tax Amount 6                                     | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

## Financial Detail Addendum (Shipping/Courier Services)/1644

The Shipping/Courier Services detail addendum provides information regarding delivery or courier services. The message layout supports the shipping and delivery tracking information.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message is optional; however, if this addendum is submitted with a First Presentment/1240 message for an incentive interchange rate program, and the addendum is rejected due to invalid data, the First Presentment/1240 message also will be rejected.

The clearing system always rejects this Financial Detail Addendum/1644 message if it contains invalid data. The associated First Presentment/1240 message also will be rejected if it is submitted for a U.S. region or international interchange program, unless it is submitted as one of the following.

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R
- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C
- A transaction submitted for a Standard interchange program (U.S. region and international IRDs 01, 61, 63, 65, 75, 85, 95, RU, or WA) as defined by Mastercard

- A Shipping/Courier [acceptor business code \(MCC\)](#) (MCC 4214 or 4215) is present in DE 26 (Acceptor Business Code) of the First Presentment/1240 message
- A Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present

For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.

**NOTE: Refer to the Interchange manuals for more information on interchange rate programs.**

### Financial Detail Addendum (Shipping/Courier Services)/1644 message layout

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                     | M   | •   | M   |
|       | Bit Map, Primary                            | M   | X   | M   |
| 1     | Bit Map, Secondary                          | M   | X   | M   |
| 24    | Function Code                               | M   | •   | M   |
| 32    | Acquiring Institution ID Code               | O   | •   | C   |
| 33    | Forwarding Institution ID Code              | M   | •   | M   |
| 48    | Additional Data                             | M   | X   | M   |
| 62    | Additional Data 2                           | C   | X   | C   |
| 63    | Transaction Life Cycle ID                   | C   | •   | C   |
| 71    | Message Number                              | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0191 | Originating Message Format                  | O   | X   | M   |
| p0501 | Transaction Description                     | M   | •   | M   |
| p0508 | Customer Code                               | C   | •   | C   |
| p0597 | Total Tax Amount                            | C   | •   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0598 | Total Tax Collected Indicator                           | O   | .   | C   |
| p0679 | Commodity Code                                          | O   | .   | C   |
| p0682 | Detail Tax Amount 1                                     | O   | .   | C   |
| p0683 | Detail Tax Amount 2                                     | O   | .   | C   |
| p0684 | Detail Tax Amount 3                                     | O   | .   | C   |
| p0686 | Tax Exempt Indicator                                    | O   | .   | C   |
| p0734 | Miscellaneous Expenses                                  | O   | .   | C   |
| p0735 | Service Descriptor Code                                 | C   | .   | C   |
| p0736 | Tracking Number or Pickup Number                        | C   | .   | C   |
| p0737 | Shipping Net Amount                                     | C   | .   | C   |
| p0738 | Incentive Amount                                        | O   | .   | C   |
| p0739 | Pickup Date                                             | C   | .   | C   |
| p0740 | Delivery Date                                           | O   | .   | C   |
| p0741 | Number of Packages                                      | C   | .   | C   |
| p0742 | Package Weight                                          | C   | .   | C   |
| p0743 | Unit of Measure                                         | C   | .   | C   |
| p0744 | Shipping Party Information                              | C   | .   | C   |
| p0745 | Shipping Party Address                                  | C   | .   | C   |
| p0746 | Shipping Party Postal Information                       | C   | .   | C   |
| p0747 | Shipping Party Contact                                  | C   | .   | C   |
| p0748 | Delivery Party Information                              | C   | .   | C   |
| p0749 | Delivery Party Address Information                      | C   | .   | C   |
| p0750 | Delivery Party Postal Information                       | C   | .   | C   |
| p0751 | Detail Tax Amount 4                                     | O   | .   | C   |
| p0752 | Detail Tax Amount 5                                     | O   | .   | C   |
| p0753 | Detail Tax Amount 6                                     | O   | .   | C   |
| p0754 | Delivery Party Contact                                  | C   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |



## Financial Detail Addendum (Electronic Invoices)/1644

The Electronic Invoices detail addendum messages are designed to carry electronic invoice data that is not present in other addendum messages, and to allow issuers to supply more transaction information to their corporate clients.

These addendum messages provide additional information passed between buyer and seller in business-to-business (B2B) and electronic-business-to-business (eB2B) transactions.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message is optional; however, [Dual Message Clearing System](#) rejects both Financial Detail Addendum (Electronic Invoice, Transaction Data) and Electronic Invoice (Party Information)/1644 messages, and any other addendum messages submitted with a First Presentment/1240 message for an incentive interchange rate program if any of the addenda contain invalid data.

The associated First Presentment/1240 message is also rejected unless it was submitted in one of these ways:

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R
- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C
- A transaction submitted for a Standard interchange program (U.S. region and international 01, 61, 63, 65, 75, 85, 95, RU, or WA) as defined by Mastercard

These are the electronic invoice addendum messages:

- Electronic Invoice (Transaction Data) (multiple occurrences permitted)
- Electronic Invoice (Party Information) (one to six occurrences permitted)

Here is general information about the optional Financial Detail Addendum (Electronic Invoice, Transaction Data) and (Electronic Invoice, Party Information)/1644 messages:

- The new electronic invoice information is contained in two addendum messages.
  - The Electronic Invoice (Transaction Data) addendum message contains details about the items listed in the invoice. The Electronic Invoice (Transaction Data) addendum must precede the Electronic Invoice (Party Information).
  - The Electronic Invoice (Party Information) addendum message contains information about the buyer, the supplier, the invoice recipient, the payee, the delivery party, and the ship from party. A minimum of one occurrence of the Electronic Invoice (Party Information) addendum message must be present when the Electronic Invoice (Transaction Data) addendum message is present.
- The electronic invoice addendum messages must be sent with the Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message to provide the tax information needed to comply with the various tax reporting laws that exist in the global marketplace.
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message optionally may be sent.
- There can be a combined total of 999 occurrences of the two Electronic Invoice messages.

- The number of occurrences (provided in PDS 0501 [Transaction Indicator], subfield 3 [Occurrence Indicator]) of the Electronic Invoice (Transaction Data) addendum is variable.
- The number of occurrences (provided in PDS 0501, subfield 3) of the Electronic Invoice (Party Information) addendum is also variable. Electronic Invoice (Party Information) addendum must have a minimum occurrence of one and can have a maximum occurrence of six.
- Each successive PDS 0501, subfield 3 with the same usage code must be greater than the previous occurrence indicator. No edits are defined to validate the value in Occurrence Indicator because both the Electronic Invoice (Transaction Data) addendum and the Electronic Invoice (Party Information) addendum may have variable occurrences.

## Use of the Electronic Invoice addendum messages with other addendum messages

These are the rules for using the electronic invoice addendum messages with other addendum messages.

- The Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644 and Financial Detail Addendum (Electronic Invoice, Party Information)/1644 messages optionally may accompany any First Presentment/1240 message submitted with a Mastercard Corporate Card.
- If one or more occurrences of the Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644 message is provided, then at least one occurrence of the Financial Detail Addendum (Electronic Invoice, Party Information)/1644 message also must be provided, and must follow the Electronic Invoice (Transaction Data) addendum messages.
- The Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message must also be provided.
- One or more occurrences of the Financial Detail Addendum (Corporate Card Line Item Detail)/1644 message may optionally be provided.
- One or more occurrences of the Financial Detail Addendum (Generic Detail)/1644 message may optionally be provided.
- Other industry-specific Financial Detail Addendum/1644 messages may be provided if they are appropriate for the transaction, such as Lodging Summary, Vehicle Rental, Passenger Transport, Temporary Services, and Shipping/Courier Services.

## Message layout for Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644

The Electronic Invoice (Transaction Data) addendum provides information about each transaction.

This table shows the message layout.

**Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644 message layout**

| No.   | Description                                             | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                                 | M   | •   | M   |
|       | Bit Map Primary                                         | M   | X   | M   |
| 1     | Bit Map Secondary                                       | M   | X   | M   |
| 24    | Function Code                                           | M   | •   | M   |
| 32    | Acquiring Institution ID                                | O   | •   | C   |
| 33    | Forwarding Institution ID Code                          | M   | •   | M   |
| 48    | Additional Data                                         | M   | X   | M   |
| p0191 | Originating Message Format                              | O   | X   | M   |
| p0501 | Transaction Description                                 | M   | •   | M   |
| p0573 | Invoice Number                                          | C   | X   | C   |
| p0579 | Invoice Date                                            | O   | •   | C   |
| p0589 | Invoice Creation Date and Time                          | O   | •   | C   |
| p0604 | Transaction Supplemental Data 1                         | O   | •   | C   |
| p0605 | Transaction Supplemental Data 2                         | O   | •   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | •   | C   |
| 62    | Additional Data 2                                       | C   | X   | C   |
| 63    | Transaction Life Cycle ID                               | C   | •   | C   |
| 71    | Message Number                                          | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code             | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code              | M   | •   | M   |
| 100   | Receiving Institution ID Code                           | •   | X   | M   |
| 123   | Additional Data 3                                       | C   | X   | C   |
| 124   | Additional Data 4                                       | C   | X   | C   |
| 125   | Additional Data 5                                       | C   | X   | C   |

## Message layout for Financial Detail Addendum (Electronic Invoice, Party Information)/1644

The Electronic Invoice (Party Information) addendum provides information about each entity, or party, involved in the transaction.

PDS 0590 (Party Identification) indicates the entity to which the information in the addendum applies. There is a minimum of one occurrence and a maximum of six occurrences of Electronic Invoice (Party Information). There is no specific sequence in which the party information should be presented.

This table provides the layout for the Financial Detail Addendum (Electronic Invoice, Party Information)/1644 message.

### Message layout for Financial Detail Addendum (Electronic Invoice, Party Information)/1644

| No.   | Description                                             | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                                 | M   | .   | M   |
|       | Bit Map Primary                                         | M   | X   | M   |
| 1     | Bit Map Secondary                                       | M   | X   | M   |
| 24    | Function Code                                           | M   | .   | M   |
| 32    | Acquiring Institution ID                                | O   | .   | C   |
| 33    | Forwarding Institution ID Code                          | M   | .   | M   |
| 48    | Additional Data                                         | M   | X   | M   |
| p0191 | Originating Message Format                              | O   | X   | M   |
| p0501 | Transaction Description                                 | M   | .   | M   |
| p0590 | Party Identification                                    | O   | .   | C   |
| p0591 | Party Name                                              | O   | .   | C   |
| p0592 | Party Address                                           | O   | .   | C   |
| p0593 | Party Postal Information                                | O   | .   | C   |
| p0594 | Party Contact                                           | O   | .   | C   |
| p0601 | Party Nature of Filing                                  | O   | .   | C   |
| p0602 | Party Supplemental Data 1                               | O   | .   | C   |
| p0603 | Party Supplemental Data 2                               | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |
| 62    | Additional Data 2                                       | C   | X   | C   |

| No. | Description                                 | Org | Sys | Dst |
|-----|---------------------------------------------|-----|-----|-----|
| 63  | Transaction Life Cycle ID                   | C   | •   | C   |
| 71  | Message Number                              | M   | X   | M   |
| 93  | Transaction Destination Institution ID Code | •   | X   | M   |
| 94  | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100 | Receiving Institution ID Code               | •   | X   | M   |
| 123 | Additional Data 3                           | C   | X   | C   |
| 124 | Additional Data 4                           | C   | X   | C   |
| 125 | Additional Data 5                           | C   | X   | C   |

## Financial Detail Addendum (Payment Transaction Detail)/1644

This message supports data related to a program permitting Mastercard cardholders to receive payments from a money transfer agent or a financial institution. Within this program, the cardholder's issuer posts the credit to the cardholder's Mastercard account.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message occurs only once per transaction. It is optional, unless the associated First Presentment/1240 message is a Mastercard® MoneySend™ payment transaction with PDS 0043 (Transaction Type Identifier) equal to C04, C07, C52, C53, C54, C55, C56, C57, C58, C59, or C65 if this addendum is submitted with a First Presentment/1240 message for an incentive interchange rate program, and the addendum is rejected because of invalid data, the First Presentment/1240 message is also rejected.

This addendum message can optionally be submitted with First Presentment/1240 messages for Payment Transactions, unless the PDS 0043 is equal to C04, C07, C52, C53, C54, C55, C56, C57, C58, C59, or C65 in which the addendum message is mandatory. The Payment Transaction Detail addendum provides the issuer and cardholder with enhanced data about the acceptor, recipient of funds, and other transaction details.

All acquirers of Mastercard® MoneySend™ payment transactions are required to submit PDS 0670 (Payer/User Information), PDS 0671 (Date of Funds Requested), and PDS 0674 (Additional Trace/Reference Number used by Acceptor).

The associated First Presentment/1240 message is also rejected if it is submitted for a U.S. region or international interchange program, unless it is submitted as:

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R

- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C
- A transaction submitted for a Standard interchange program (U.S. region and international IRDs 01, 61, 63, 65, 75, 85, 95, RU, or WA) as defined by Mastercard

This table shows the message layout.

**Financial Detail Addendum (Payment Transaction Detail)/1644**

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                     | M   | •   | M   |
|       | Bit Map, Primary                            | M   | X   | M   |
| 1     | Bit Map, Secondary                          | M   | X   | M   |
| 24    | Function Code                               | M   | •   | M   |
| 32    | Acquiring Institution ID Code               | O   | •   | C   |
| 33    | Forwarding Institution ID Code              | M   | •   | M   |
| 48    | Additional Data                             | M   | X   | M   |
| 62    | Additional Data 2                           | C   | X   | C   |
| 63    | Transaction Life Cycle ID                   | C   | •   | C   |
| 71    | Message Number                              | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0191 | Originating Message Format                  | O   | X   | M   |
| p0501 | Transaction Description                     | M   | •   | M   |
| p0670 | Payer Name or User ID                       | C   | •   | C   |
|       | s1 Payer Name/User ID                       | C   | •   | C   |
|       | s2 Payer Address                            | C   | •   | C   |
|       | s3 Payer City                               | C   | •   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
|       | s4 Payer State/Province Code                            | C   | .   | C   |
|       | s5 Payer Country Code                                   | C   | .   | C   |
|       | s6 Payer Postal Code                                    | C   | .   | C   |
|       | s7 Payer Date of Birth                                  | O   | .   | C   |
| p0671 | Date of Funds Requested                                 | C   | .   | C   |
| p0673 | Date of Anticipated Receipt of Funds                    | O   | .   | C   |
| p0674 | Additional Trace/Reference Number Used by Acceptor      | C   | .   | C   |
| p0675 | Additional Transaction Description Data                 | O   | .   | C   |
| p0765 | MoneySend Receiver Data                                 | C   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

## Financial Detail Addendum (Telephony Billing Services)/1644

The Telephony Billing Service detail addendum is designed to carry telephony billing data and to enable issuers to supply additional transaction information to their consumer and corporate clients.

These addendum messages are intended to encourage companies to pay for telephony services using a Mastercard Corporate Purchasing Card®.

The enhanced data in the addendum messages provides information normally received on monthly statements generated by the service provider.

Refer to Private Data Subelement (PDS) 0501 (Transaction Description) for the required values for these addendum messages.

An associated First Presentment/1240 message can have a combined total of 999 occurrences of the two Telephony Billing addendum messages.

This message is optional; however, [Dual Message Clearing System](#) rejects both Financial Detail Addendum (Telephony Billing, Summary) and (Telephony Billing, Detail)/1644 messages submitted with a First Presentment/1240 message for an incentive interchange rate program if either addendum contains invalid data. The associated First Presentment/1240 message is also rejected unless it was submitted in one of these ways:

- Credit: DE 3 (Processing Code)
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 (Message Reversal Indicator) = R
- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C

Telephony services include corporate conference call provider services and usage, and corporate mobile phone usage.

These are the two Telephony Billing addendum messages:

- Telephony Billing (Summary) (one occurrence permitted; PDS 0501 [Occurrence Indicator], subfield 3 is 001). Contains summary billing information about the telephone customer and billing totals.
- Telephony Billing (Detail) (1 to 998 occurrences permitted; PDS 0501 [Occurrence Indicator], subfield 3 is variable. If a Telephony Billing (Detail) addendum is present, the occurrence value may be 002–999). Contains specific information about each telephone call. The Telephony Billing Detail is optional. If one or more Telephony Billing (Detail) addendum messages are present, they must follow the Telephony Billing (Summary) message.

For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.

*Dual Message Clearing System* rejects addendum messages that contain invalid data. The associated First Presentment/1240 message is also rejected unless it was submitted as:

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R
- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C
- A transaction submitted for a Standard interchange program (U.S. region and international 01, 61, 63, 65, 75, 85, 95, RU, or WA) as defined by Mastercard

### Use of Telephony Billing addendum messages with other addendum messages

1. The Financial Detail Addendum (Telephony Billing, Summary)/1644 and Financial Detail Addendum (Telephony Billing, Detail)/1644 messages optionally may accompany any First Presentment/1240 message, although they are intended for use in corporate transactions.
2. If one occurrence of the Financial Detail Addendum (Telephony Billing, Summary)/1644 message is provided, these messages also optionally may be provided.
  - One or more occurrences of the Financial Detail Addendum (Telephony Billing, Detail)/1644 message.
  - The Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message (in transactions involving a Mastercard Corporate Card).
  - One or more occurrences of the Financial Detail Addendum (Generic Detail)/1644 message.
  - One or more occurrences of the Financial Detail Addendum (Corporate Card Line Item Detail)/1644 messages.
  - Other industry-specific Financial Detail Addendum/1644 messages (if they are appropriate for the transaction, such as Lodging Summary, Vehicle Rental, Passenger Transport, Temporary Services, and Shipping/Courier Services).

This table provides the layout for the Financial Detail Addendum (Telephony Billing, Summary)/1644 message.



**Financial Detail Addendum (Telephony Billing, Summary)/1644 message layout**

| No.   | Data element                                   | Org | Sys | Dst |
|-------|------------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                        | M   | •   | M   |
|       | Bit Map Primary                                | M   | X   | M   |
| 1     | Bit Map Secondary                              | M   | X   | M   |
| 24    | Function Code                                  | M   | •   | M   |
| 32    | Acquiring Institution ID                       | O   | •   | C   |
| 33    | Forwarding Institution ID Code                 | M   | •   | M   |
| 48    | Additional Data                                | M   | X   | M   |
| 62    | Additional Data 2                              | C   | X   | C   |
| 63    | Transaction Life Cycle ID                      | C   | •   | C   |
| 71    | Message Number                                 | M   | X   | M   |
| 93    | Transaction Destination<br>Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution<br>ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code                  | •   | X   | M   |
| 105   | Multi-Use Transaction<br>Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                              | C   | X   | C   |
| 124   | Additional Data 4                              | C   | X   | C   |
| 125   | Additional Data 5                              | C   | X   | C   |
| p0191 | Originating Message Format                     | O   | X   | M   |
| p0501 | Transaction Description                        | M   | •   | M   |
| p0597 | Total Tax Amount                               | O   | •   | C   |
| p0598 | Total Tax Collected Indicator                  | O   | •   | C   |
| p0619 | User Name                                      | O   | •   | C   |
| p0624 | User Account Number                            | O   | •   | C   |
| p0625 | User Telephone Number                          | O   | •   | C   |
| p0626 | Billing Statement Period                       | O   | •   | C   |
| p0627 | Billing Event 1                                | O   | •   | C   |

| No.   | Data element                                            | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0628 | Billing Event 2                                         | O   | .   | C   |
| p0682 | Detail Tax Amount 1                                     | O   | .   | C   |
| p0683 | Detail Tax Amount 2                                     | O   | .   | C   |
| p0684 | Detail Tax Amount 3                                     | O   | .   | C   |
| p0751 | Detail Tax Amount 4                                     | O   | .   | C   |
| p0752 | Detail Tax Amount 5                                     | O   | .   | C   |
| p0753 | Detail Tax Amount 6                                     | O   | .   | C   |
| p0755 | Line Item Total Amount                                  | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

## Message Layout for Financial Detail Addendum (Telephony Billing, Detail)/1644

The Telephony Billing (Detail) addendum contains the call detail information that is summarized in the Telephony Billing (Summary) addendum message.

The Telephony Billing (Detail) addendum message is optional and if sent must follow the Telephony Billing (Summary) addendum.

This table provides the layout for the Financial Detail Addendum (Telephony Billing, Detail)/1644 message.

### Financial Detail Addendum (Telephony Billing, Detail)/1644 message layout

| No. | Data element                   | Org | Sys | Dst |
|-----|--------------------------------|-----|-----|-----|
|     | Message Type Identifier        | M   | .   | M   |
|     | Bit Map Primary                | M   | X   | M   |
| 1   | Bit Map Secondary              | M   | X   | M   |
| 24  | Function Code                  | M   | .   | M   |
| 32  | Acquiring Institution Id       | O   | .   | C   |
| 33  | Forwarding Institution ID Code | M   | .   | M   |
| 48  | Additional Data                | M   | X   | M   |
| 62  | Additional Data 2              | C   | X   | C   |
| 63  | Transaction Life Cycle ID      | C   | .   | C   |

| No.   | Data element                                   | Org | Sys | Dst |
|-------|------------------------------------------------|-----|-----|-----|
| 71    | Message Number                                 | M   | X   | M   |
| 93    | Transaction Destination<br>Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution<br>ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code                  | •   | X   | M   |
| 123   | Additional Data 3                              | C   | X   | C   |
| 124   | Additional Data 4                              | C   | X   | C   |
| 125   | Additional Data 5                              | C   | X   | C   |
| p0191 | Originating Message Format                     | O   | X   | M   |
| p0501 | Transaction Description                        | M   | •   | M   |
| p0597 | Total Tax Amount                               | O   | •   | C   |
| p0636 | Call Date                                      | O   | •   | C   |
| p0637 | Call Time                                      | O   | •   | C   |
| p0638 | Call To Information                            | O   | •   | C   |
| p0639 | Call Duration                                  | O   | •   | C   |
| p0640 | Call Time Period                               | O   | •   | C   |
| p0644 | Call From Information                          | O   | •   | C   |
| p0649 | Call Usage Amount                              | O   | •   | C   |
| p0655 | Call Long Distance Amount                      | O   | •   | C   |
| p0658 | Call Connect Amount                            | O   | •   | C   |
| p0659 | Other Description                              | O   | •   | C   |
| p0682 | Detail Tax Amount 1                            | O   | •   | C   |
| p0683 | Detail Tax Amount 2                            | O   | •   | C   |
| p0684 | Detail Tax Amount 3                            | O   | •   | C   |
| p0734 | Miscellaneous Expense                          | O   | •   | C   |
| p0751 | Detail Tax Amount 4                            | O   | •   | C   |
| p0752 | Detail Tax Amount 5                            | O   | •   | C   |
| p0753 | Detail Tax Amount 6                            | O   | •   | C   |
| p0755 | Line Item Total Amount                         | O   | •   | C   |

| No.   | Data element                                            | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

## Financial Detail Addendum (Travel Agency, Detail)/1644

This message supports corporate transactions for travel agency, airline, or railway transactions.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message supports travel agency transaction information. Acquirers may submit 1–999 occurrences of this message. Each occurrence provides detailed data for one portion of the associated travel agency transaction.

This addendum is optional and is restricted for use with financial transactions where the [acceptor business code \(MCC\)](#) is a Travel Agency (MCC 4722), Railway (MCC 4112), or Airline (MCC 3000–3299, 4511).

Acquirers may provide a Financial Detail Addendum (Travel Agency, Detail)/1644 message (Usage Code 12, Industry Record Number 000) along with any other addendum message, or it may be submitted by itself based on the restrictions for the submitted interchange program.

For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.

This table provides the layout for the Financial Detail Addendum (Travel Agency, Detail)/1644 message.

### Financial Detail Addendum (Travel Agency, Detail)/1644 message format

| No. | Data element name              | Org | Sys | Dst |
|-----|--------------------------------|-----|-----|-----|
|     | Message Type Identifier        | M   | .   | M   |
|     | Bit Map, Primary               | M   | X   | M   |
| 1   | Bit Map, Secondary             | M   | X   | M   |
| 24  | Function Code                  | M   | .   | M   |
| 32  | Acquiring Institution ID Code  | O   | .   | C   |
| 33  | Forwarding Institution ID Code | M   | .   | M   |
| 48  | Additional Data                | M   | X   | M   |
| 62  | Additional Data 2              | C   | X   | C   |
| 63  | Transaction Life Cycle ID      | C   | .   | C   |
| 71  | Message Number                 | M   | X   | M   |

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
| 93    | Transaction Destination Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0191 | Originating Message Format                  | O   | X   | M   |
| p0501 | Transaction Description                     | M   | •   | M   |
| p0502 | Custom Identifier                           | C   | X   | C   |
| p0503 | Travel Agency Sequence Number               | O   | •   | C   |
| p0504 | Travel Agency Fee                           | O   | •   | C   |

## Financial Detail Addendum (Lodged Account Detail)/1644

A lodged account is defined as a corporate card account used by a travel agency for multiple individuals within the same corporate client.

Travel costs for all individuals are supplemented with the client-specific information requested by the corporation. This may include things such as cost accounting, project designation, company/division, and so on.

This message supports Lodged Account transactions information for corporate cardholders. Acquirers may submit 1–999 occurrences of this message. Each occurrence provides detailed data for one portion of the associated lodged account transaction.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This addendum is optional and is available to be used along with a financial transaction where [acceptor business code \(MCC\)](#) is a travel agency (4722), airline (3000–3299, 4511), or railway (4112).

Acquirers may provide a Financial Detail Addendum (Lodged Account Detail)/1644 message (Usage Code 13, Industry Record Number 000) along with any other addendum message, or it may be submitted by itself.

For specific corporate transactions occurring in the U.S. region, Corporate Card Common Data is also required.

This table provides the layout for the Financial Detail Addendum (Lodged Account Detail)/1644 message.

**Financial Detail Addendum (Lodged Account Detail)/1644 message format**

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                     | M   | •   | M   |
|       | Bit Map, Primary                            | M   | X   | M   |
| 1     | Bit Map, Secondary                          | M   | X   | M   |
| 24    | Function Code                               | M   | •   | M   |
| 32    | Acquiring Institution ID Code               | O   | •   | C   |
| 33    | Forwarding Institution ID Code              | M   | •   | M   |
| 48    | Additional Data                             | M   | X   | M   |
| 62    | Additional Data 2                           | C   | X   | C   |
| 63    | Transaction Life Cycle ID                   | C   | •   | C   |
| 71    | Message Number                              | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0191 | Originating Message Format                  | O   | X   | M   |
| p0501 | Transaction Description                     | M   | •   | M   |
| p0502 | Custom Identifier                           | C   | •   | C   |
| p0660 | Customer Reference                          | O   | •   | C   |
| p0759 | Delivery Order Number                       | O   | •   | C   |
| p0760 | Credit Card Slip Number                     | O   | •   | C   |
| p0761 | Travel Agency ID                            | O   | •   | C   |
| p0762 | Data Source                                 | O   | •   | C   |

| No.   | Data element name         | Org | Sys | Dst |
|-------|---------------------------|-----|-----|-----|
| p0763 | VAT Suppression Indicator | O   | .   | C   |

## Financial Detail Addendum (Private Label Common Data)/1644

The Financial Detail Addendum (Private Label Common Data)/1644 message (Usage Code 14, Industry Record Number 000) may be provided with a transaction in which a private label card is used.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This addendum message is conditionally required. This message must be provided if the transaction contains the Financial Detail Addendum (Private Label Line Item Detail)/1644 data. The Private Label Common Data addendum must precede the Private Label Line Item Detail addendum.

If this addendum message is rejected for invalid data, the First Presentment/1240 message is not rejected.

This table provides the layout for the Financial Detail Addendum (Private Label Common Data)/1644 message.

### Financial Detail Addendum (Private Label Common Data)/1644 message layout

| No. | Data element name                              | Org | Sys | Dst |
|-----|------------------------------------------------|-----|-----|-----|
|     | Message Type Identifier                        | M   | .   | M   |
|     | Bit Map Primary                                | M   | X   | M   |
| 1   | Bit Map Secondary                              | M   | X   | M   |
| 24  | Function Code                                  | M   | .   | M   |
| 32  | Acquiring Institution ID                       | O   | .   | C   |
| 33  | Forwarding Institution ID                      | M   | .   | M   |
| 48  | Additional Data                                | M   | X   | M   |
| 62  | Additional Data 2                              | C   | X   | C   |
| 63  | Transaction Life Cycle ID                      | C   | .   | C   |
| 71  | Message Number                                 | M   | X   | M   |
| 93  | Transaction Destination<br>Institution ID Code | .   | X   | M   |
| 94  | Transaction Originator Institution<br>ID Code  | M   | .   | M   |

| No.   | Data element name                                  | Org | Sys | Dst |
|-------|----------------------------------------------------|-----|-----|-----|
| 100   | Receiving Institution ID Code                      | .   | X   | M   |
| 105   | Multi-Use Transaction Identification Data          | C   | X   | C   |
| 123   | Additional Data 3                                  | C   | X   | C   |
| 124   | Additional Data 4                                  | C   | X   | C   |
| 125   | Additional Data 5                                  | C   | X   | C   |
| p0191 | Originating Message Format                         | O   | X   | M   |
| p0501 | Transaction Description                            | M   | .   | M   |
| p0508 | Customer Code                                      | O   | .   | C   |
| p0515 | Additional Acceptor Information                    | O   | .   | C   |
| p0597 | Total Tax Amount                                   | O   | .   | C   |
| p0600 | Acceptor Reference Number                          | O   | .   | C   |
| p0614 | Order Date                                         | O   | .   | C   |
| p0623 | Motor Fuel Information                             | O   | .   | C   |
| p0629 | Odometer Reading                                   | C   | .   | C   |
| p0631 | Driver Number/ID number                            | O   | .   | C   |
| p0634 | Tax Amount 1                                       | O   | .   | C   |
| p0635 | Tax Amount 2                                       | O   | .   | C   |
| p0674 | Additional Trace/Reference Number Used by Acceptor | O   | .   | C   |
| p0678 | Unique Invoice Number                              | O   | .   | C   |
| p0680 | Authorized Contact Name                            | O   | .   | C   |
| p0682 | Detail Tax Amount 1                                | O   | .   | C   |
| p0683 | Detail Tax Amount 2                                | O   | .   | C   |
| p0684 | Detail Tax Amount 3                                | O   | .   | C   |
| p0720 | Job Description                                    | O   | .   | C   |
| p0751 | Detail Tax Amount 4                                | O   | .   | C   |
| p0752 | Detail Tax Amount 5                                | O   | .   | C   |
| p0753 | Detail Tax Amount 6                                | O   | .   | C   |
| p0770 | Additional Acceptor Inquiry Information            | O   | .   | C   |
| p0771 | Cost Center Information                            | O   | .   | C   |



| No.   | Data element name                          | Org | Sys | Dst |
|-------|--------------------------------------------|-----|-----|-----|
| p0772 | Driver License/State Issued ID Information | O   | .   | C   |
| p0773 | Payment Method Information                 | O   | .   | C   |
| p0775 | Department Code                            | O   | .   | C   |
| p0776 | Alternate Custom Identifier                | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data          | O   | .   | C   |

## Financial Detail Addendum (Private Label Line Item Detail)/1644

The Financial Detail Addendum (Private Label Line Item Detail)/1644 message (Usage Code 14, Industry Record Number 001) may be provided with a transaction in which a private label card is used. It includes information relevant to private label transactions for participants in the Mastercard Private Label Program.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This addendum message supports a single private label card transaction with multiple line item details. This message may be repeated from 1 to 998 times for each private label card transaction. Each occurrence represents a single-line item for a private label card transaction.

This addendum message is optional. However, submission of the Private Label Line Item Detail addendum message requires the submission of the Financial Detail Addendum (Private Label Common Data)/1644 message. The Private Label Common Data addendum must precede the Private Label Line Item Detail addendum.

If this addendum message is rejected for invalid data, the First Presentment/1240 message is not rejected.

This table provides the layout for the Financial Detail Addendum (Private Label Line Item Detail)/1644 message.

### Financial Detail Addendum (Private Label Line Item Detail)/1644 message layout

| No. | Data element name        | Org | Sys | Dst |
|-----|--------------------------|-----|-----|-----|
|     | Message Type Identifier  | M   | .   | M   |
|     | Bit Map Primary          | M   | X   | M   |
| 1   | Bit Map Secondary        | M   | X   | M   |
| 24  | Function Code            | M   | .   | M   |
| 32  | Acquiring Institution ID | O   | .   | C   |

| No.   | Data element name                              | Org | Sys | Dst |
|-------|------------------------------------------------|-----|-----|-----|
| 33    | Forwarding Institution ID                      | M   | •   | M   |
| 48    | Additional Data                                | M   | X   | M   |
| 62    | Additional Data 2                              | C   | X   | C   |
| 63    | Transaction Life Cycle ID                      | C   | •   | C   |
| 71    | Message Number                                 | M   | X   | M   |
| 93    | Transaction Destination<br>Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution<br>ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code                  | •   | X   | M   |
| 105   | Multi-Use Transaction<br>Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                              | C   | X   | C   |
| 124   | Additional Data 4                              | C   | X   | C   |
| 125   | Additional Data 5                              | C   | X   | C   |
| p0191 | Originating Message Format                     | O   | X   | M   |
| p0501 | Transaction Description                        | M   | •   | M   |
| p0508 | Customer Code                                  | O   | •   | C   |
| p0597 | Total Tax Amount                               | O   | •   | C   |
| p0612 | Ship Date                                      | O   | •   | C   |
| p0614 | Order Date                                     | O   | •   | C   |
| p0634 | Tax Amount 1                                   | O   | •   | C   |
| p0635 | Tax Amount 2                                   | O   | •   | C   |
| p0641 | Product Code                                   | O   | •   | C   |
| p0642 | Item Description                               | O   | •   | C   |
| p0643 | Item Quantity                                  | O   | •   | C   |
| p0645 | Item Unit of Measure                           | O   | •   | C   |
| p0646 | Unit Price                                     | O   | •   | C   |
| p0647 | Extended Item Amount                           | O   | •   | C   |
| p0682 | Detail Tax Amount 1                            | O   | •   | C   |
| p0683 | Detail Tax Amount 2                            | O   | •   | C   |
| p0684 | Detail Tax Amount 3                            | O   | •   | C   |

| No.   | Data element name                    | Org | Sys | Dst |
|-------|--------------------------------------|-----|-----|-----|
| p0737 | Shipping Net Amounts                 | O   | .   | C   |
| p0741 | Number of Packages                   | O   | .   | C   |
| p0742 | Package Weight                       | O   | .   | C   |
| p0743 | Unit of Measure                      | O   | .   | C   |
| p0745 | Shipping Party Address               | O   | .   | C   |
| p0747 | Shipping Party Contact               | O   | .   | C   |
| p0748 | Delivery Party Information           | O   | .   | C   |
| p0749 | Delivery Party Address Information   | O   | .   | C   |
| p0750 | Delivery Party Postal Information    | O   | .   | C   |
| p0751 | Detail Tax Amount 4                  | O   | .   | C   |
| p0752 | Detail Tax Amount 5                  | O   | .   | C   |
| p0753 | Detail Tax Amount 6                  | O   | .   | C   |
| p0771 | Cost Center Information              | O   | .   | C   |
| p0774 | Stock Keeping Unit (SKU) Description | O   | .   | C   |
| p0775 | Department Code                      | O   | .   | C   |
| p0776 | Alternate Custom Identifier          | O   | .   | C   |
| p0777 | Promotion Code                       | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data    | O   | .   | C   |

## Financial Detail Addendum (Healthcare)/1644

The Financial Detail Addendum (Healthcare)/1644 provides a detailed description of the item purchased.

Line item detail related to the purchase is presented through 1–999 occurrences of the Financial Detail Addendum (Healthcare)/1644 message (Usage Code 15, Industry Record Number 000). One of these messages is submitted for each occurrence of the line item data in the transaction.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message is optional. If this addendum is submitted with a First Presentment/1240 message and the addendum is rejected due to invalid data, the First Presentment/1240 message will continued to be processed.

PDS 1046 (Member-to-Member Proprietary Data) is the suggested element to house information for the Real-time Substantiation Audit Retrieval Fulfillment that is sent directly to the requester. Issuers can provide instructions to the acquirer for fulfilling this request through the use of PDS 1046 (Member-to-Member Proprietary Data) to be sent in the Retrieval Request/1644, Retrieval Request Acknowledgment/1644 message.

This table provides the layout for the Financial Detail Addendum (Healthcare)/1644 message.

#### Financial Detail Addendum (Healthcare)/1644 message layout

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                     | M   | •   | M   |
|       | Bit Map, Primary                            | M   | X   | M   |
| 1     | Bit Map, Secondary                          | M   | X   | M   |
| 24    | Function Code                               | M   | •   | M   |
| 32    | Acquirer Institution ID                     | O   | •   | C   |
| 33    | Forwarding Institution ID Code              | M   | •   | M   |
| 48    | Additional Data                             | M   | X   | M   |
| 62    | Additional Data 2                           | C   | X   | C   |
| 63    | Transaction Life Cycle ID                   | C   | •   | C   |
| 71    | Message Number                              | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0191 | Origination Message Format                  | O   | X   | M   |
| p0501 | Transaction Description                     | M   | •   | M   |
| p0642 | Item Description                            | M   | •   | M   |
| p0643 | Item Quantity                               | M   | •   | M   |
| p0646 | Unit Price                                  | M   | •   | M   |

| No.   | Data element name                    | Org | Sys | Dst |
|-------|--------------------------------------|-----|-----|-----|
| p0764 | Healthcare Eligible Status Indicator | M   | .   | M   |
| p10XX | Member-to-Member Proprietary Data    | O   | .   | C   |

## Financial Detail Addendum (Corporate Card Common Data Requirements)/1644

The Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message (Usage Code 98, Industry Record Number 000) may be provided with any transaction in which one of the corporate cards is used.

This addendum is required for specific corporate transactions occurring in the United States and conditionally required for specific interchange programs outside the U.S. Region.

If a Mastercard Corporate Purchasing Card® or other corporate program or service is used for airline, railway, lodging, or vehicle rental, those industry-specific addendum messages may be submitted in addition to the Corporate Card Common Data Requirements message.

If the transaction is a business-to-business purchase, customers may provide up to 998 occurrences of the Financial Detail Addendum (Corporate Line Item Detail)/1644 message in addition to the Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message.

The acceptor location, country subdivision code, postal code, and country code should be provided in DE 43 (Acceptor Name/Location) of the related First Presentment/1240 message (not in this addendum message). In addition, the acceptor location phone number should be provided in subfield 1 of PDS 0170 (Merchant Inquiry Information) of the related First Presentment/1240 message instead of in this addendum message.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message occurs only once per transaction and includes information relevant to any transaction involving a corporate card.

This addendum message may be provided only if the associated First Presentment/1240 is for a transaction that was completed with one of the Mastercard Corporate cards and may optionally be provided with these transactions:

- Any First Presentment/1240 transaction that was completed with one of the Mastercard Corporate Cards
- When a First Presentment/1240 message involves a Corporate Card and includes the Financial Detail Addendum (Lodging Summary)/1644 message

The associated First Presentment/1240 message will also be rejected if it is submitted for a U.S. region or international interchange program, unless it is submitted as:

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R

Acquirers are required to submit PDS 0595 (Acceptor Type) and PDS 0596 (Acceptor Tax ID) within the Financial Detail Addendum (Corporate Card Common Data)/1644 message, for U.S.-acquired Mastercard Commercial Fleet Card transactions occurring at fuel locations.

Acquirers should provide the Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message containing PDS 0608 (Destination Postal Code), PDS 0609 (Destination State/Province Code), PDS 0610 (Destination Country Code), and PDS 0613 (Ship-From Postal Code) from U.S. acceptors for all commercial card transactions in which goods were shipped. All goods in a transaction must be shipped from one location and received at one location.

This table provides the layout for the Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message.

#### Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message layout

| No. | Data element name                           | Org | Sys | Dst |
|-----|---------------------------------------------|-----|-----|-----|
|     | Message Type Identifier                     | M   | •   | M   |
|     | Bit Map, Primary                            | M   | X   | M   |
| 1   | Bit Map, Secondary                          | M   | X   | M   |
| 24  | Function Code                               | M   | •   | M   |
| 32  | Acquiring Institution ID Code               | O   | •   | C   |
| 33  | Forwarding Institution ID Code              | M   | •   | M   |
| 48  | Additional Data                             | M   | X   | M   |
| 62  | Additional Data 2                           | C   | X   | C   |
| 63  | Transaction Life Cycle ID                   | C   | •   | C   |
| 71  | Message Number                              | M   | X   | M   |
| 93  | Transaction Destination Institution ID Code | •   | X   | M   |
| 94  | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100 | Receiving Institution ID Code               | •   | X   | M   |
| 105 | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123 | Additional Data 3                           | C   | X   | C   |

| No.   | Data element name               | Org | Sys | Dst |
|-------|---------------------------------|-----|-----|-----|
| 124   | Additional Data 4               | C   | X   | C   |
| 125   | Additional Data 5               | C   | X   | C   |
| p0191 | Originating Message Format      | O   | X   | M   |
| p0501 | Transaction Description         | M   | .   | M   |
| p0508 | Customer Code                   | C   | .   | C   |
| p0515 | Additional Acceptor Information | O   | .   | C   |
| p0516 | Austin-Tetra Number             | O   | .   | C   |
| p0517 | NAICS Code                      | O   | .   | C   |
| p0595 | Acceptor Type                   | C   | .   | C   |
| p0596 | Acceptor Tax ID                 | C   | .   | C   |
| p0597 | Tax Amount                      | C   | .   | C   |
| p0598 | Tax Collected Indicator         | O   | .   | C   |
| p0599 | Corporation VAT Number          | O   | .   | C   |
| p0600 | Acceptor Reference Number       | C   | .   | C   |
| p0606 | Freight Amount                  | O   | .   | C   |
| p0607 | Duty Amount                     | O   | .   | C   |
| p0608 | Destination Postal Code         | O   | .   | C   |
| p0609 | Destination State/Province Code | O   | .   | C   |
| p0610 | Destination Country Code        | O   | .   | C   |
| p0613 | Ship-From Postal Code           | O   | .   | C   |
| p0614 | Order Date                      | O   | .   | C   |
| p0676 | Acceptor VAT Number             | O   | .   | C   |
| p0677 | Customer VAT Number             | O   | .   | C   |
| p0678 | Unique Invoice Number           | O   | .   | C   |
| p0679 | Commodity Code                  | O   | .   | C   |
| p0680 | Authorized Contact Name         | O   | .   | C   |
| p0681 | Authorized Contact Phone        | O   | .   | C   |
| p0682 | Detail Tax Amount 1             | C   | .   | C   |
| p0683 | Detail Tax Amount 2             | O   | .   | C   |
| p0684 | Detail Tax Amount 3             | O   | .   | C   |
| p0686 | Tax Exempt Indicator            | O   | .   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| P0688 | Acceptor Contact E-mail Address                         | O   | .   | C   |
| p0732 | Discount Amount                                         | O   | .   | C   |
| p0751 | Detail Tax Amount 4                                     | O   | .   | C   |
| p0752 | Detail Tax Amount 5                                     | O   | .   | C   |
| p0753 | Detail Tax Amount 6                                     | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

### Transactions occurring at United States locations

This addendum must be provided if the associated First Presentment/1240 message meets all of these conditions:

- The product is any corporate product.
- The Acceptor Country Code (DE 43, subfield 6) equals USA.
- The Cardholder Transaction Type (DE 3, subfield 1) equals 00 (Purchase) or 18 (Unique).
- The transaction is not a reversal.

### Interregional transactions

This addendum message must be provided if the associated First Presentment/1240 message is for a transaction that meets these conditions:

- It is a Mastercard Corporate Card.
- The transaction is submitted for one of the incentive interchange rate programs listed in this table.

### Inter-regional transactions

| IRD | Incentive Interchange Rate Programs    |
|-----|----------------------------------------|
| 16  | World Small Ticket Card Present        |
| 67  | Inter-regional Commercial Data Rate II |
| 68  | Commercial Data Rate 1                 |
| 91  | Warehouse Base                         |
| 94  | Commercial Large Ticket II             |
| 99  | Commercial Large Ticket III            |
| E1  | Commercial Large Ticket Rate 1 MPG     |
| E2  | Commercial Large Ticket Rate 2 MPG     |



| IRD | Incentive Interchange Rate Programs |
|-----|-------------------------------------|
| E3  | Commercial Large Ticket Rate 3 MPG  |

### Transactions occurring at European locations

This addendum message must be provided if the associated First Presentment/1240 message is for a transaction that meets these conditions:

- It is a Mastercard Fleet Card or Mastercard Purchasing Card.
- The transaction is submitted for one of the incentive interchange rate programs listed in this table.

### Transactions occurring at European locations

| IRD | Incentive Interchange Rate Programs           |
|-----|-----------------------------------------------|
| 26  | Europe Region Purchasing Large Ticket Level 1 |
| 27  | Europe Region Purchasing Large Ticket Level 2 |

## Financial Detail Addendum (Corporate Fleet Transaction Information)/1644

Customers must ensure that the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message precedes the Financial Detail Addendum (Corporate Line Item Detail)/1644 message.

If the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 messages are not received in the order noted, the First Presentment/1240 message and any associated addendum messages are rejected.

When a Mastercard® is used at a fuel location, the Corporate Fleet Transaction Information message (Usage Code 98, Industry Record Number 002) may be submitted to provide information related to the purchase as a whole, such as motor fuel service type, product code, unit of measure, or quantity.

In addition to this message, customers must provide line item detail related to non-fuel products purchased using a Mastercard Corporate Fleet Card at fuel locations through 1–998 occurrences of the Corporate Program Line Item Detail message (Usage Code 98, Industry Record Number 950 when the Motor Fuel Type (PDS 0622 = 3) is for non-fuel items being purchased). One line item detail message is submitted for each occurrence of line item data in the transaction.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message has up to three occurrences per transaction and includes the common information related to the total fuel purchase.

This message must be provided if the associated First Presentment/1240 message is a Mastercard Corporate Fleet Card transaction for a fuel or non-fuel purchase and it is submitted for the incentive interchange rate programs.

**NOTE: Refer to the Interchange manuals for more information on interchange rate programs.**

This addendum message may be provided only if the associated First Presentment/1240 message is for a transaction that was completed with a Mastercard Corporate Fleet Card at a fuel location.

The associated First Presentment/1240 message is also rejected if it is submitted for a U.S. region or international interchange program, unless it is submitted as:

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R
- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C
- A transaction submitted for a Standard interchange program (U.S. region and interregional IRDs 61, 63, or 65) as defined by Mastercard

For U.S. region acceptors, the submission of this addendum requires the submission of a Financial Detail Addendum (Corporate Card Common Data)/1644 message.

This table provides the layout for the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.

**Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message layout**

| No. | Data element name              | Org | Sys | Dst |
|-----|--------------------------------|-----|-----|-----|
|     | Message Type Identifier        | M   | •   | M   |
|     | Bit Map, Primary               | M   | X   | M   |
| 1   | Bit Map, Secondary             | M   | X   | M   |
| 24  | Function Code                  | M   | •   | M   |
| 32  | Acquiring Institution ID Code  | O   | •   | C   |
| 33  | Forwarding Institution ID Code | M   | •   | M   |
| 48  | Additional Data                | M   | X   | M   |
| 62  | Additional Data 2              | C   | X   | C   |
| 63  | Transaction Life Cycle ID      | C   | •   | C   |
| 71  | Message Number                 | M   | X   | M   |

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
| 93    | Transaction Destination Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 105   | Multi-Use Transaction Identification Data   | C   | X   | C   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0191 | Originating Message Format                  | O   | X   | M   |
| p0501 | Transaction Description                     | M   | •   | M   |
| p0519 | Additional Fuel Location Information        | O   | •   | C   |
| p0597 | Total Tax Amount                            | O   | •   | C   |
| p0598 | Total Tax Collected Indicator               | O   | •   | C   |
| p0620 | Oil Company Brand Name                      | C   | •   | C   |
| p0621 | Purchase Time                               | C   | •   | C   |
| p0622 | Motor Fuel Service Type                     | C   | •   | C   |
| p0623 | Motor Fuel Information                      | C   | •   | C   |
| p0629 | Odometer Reading                            | C   | •   | C   |
| p0630 | Vehicle Number                              | C   | •   | C   |
| p0631 | Driver Number/ID Number                     | C   | •   | C   |
| p0632 | Product Type Code                           | C   | •   | C   |
| p0633 | Coupon/Discount Amount                      | O   | •   | C   |
| p0634 | Tax Amount 1                                | O   | •   | C   |
| p0635 | Tax Amount 2                                | O   | •   | C   |
| p0679 | Commodity Code                              | O   | •   | C   |
| p0682 | Detail Tax Amount 1                         | O   | •   | C   |
| p0683 | Detail Tax Amount 2                         | O   | •   | C   |
| p0684 | Detail Tax Amount 3                         | O   | •   | C   |
| p0686 | Tax Exempt Indicator                        | O   | •   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0712 | Net Fuel Price                                          | O   | .   | C   |
| p0751 | Detail Tax Amount 4                                     | O   | .   | C   |
| p0752 | Detail Tax Amount 5                                     | O   | .   | C   |
| p0753 | Detail Tax Amount 6                                     | O   | .   | C   |
| p0781 | Fleet Spend Control Enforced                            | O   | .   | C   |
| p0782 | Fleet Fuel Information                                  | O   | .   | C   |
| p0790 | Fleet Prompted Data 1                                   | O   | .   | C   |
| p0791 | Fleet Prompted Data 2                                   | O   | .   | C   |
| p0792 | Fleet Prompted Data 3                                   | O   | .   | C   |
| p0793 | Fleet Prompted Data 4                                   | O   | .   | C   |
| p0794 | Fleet Prompted Data 5                                   | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

## Financial Detail Addendum (Corporate Line Item Detail)/1644

Customers must ensure that the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message precedes the Financial Detail Addendum (Corporate Line Item Detail)/1644 message.

If the Financial Detail Addendum (Corporate Line Item Detail)/1644 messages are not received in the order noted, the First Presentment/1240 message and any associated Addendum messages are rejected.

- When a Corporate Fleet Card (MCF, MNF, MPK, MGF) is used at fuel locations (MCCs 4468, 5541, 5499, and 5983) and the Motor Fuel Information (PDS 0622) = 3:
  - Only non-fuel items being purchased are present on the Fleet Transaction Information addendum
  - The transaction is submitted with an incentive interchange program (IRD16, 62, 67, 68, 91, 94, 99)
  - These PDSs must be provided on the Corporate Line Item Detail Addendum: PDS 0641, PDS 0642, PDS 0643, PDS 0645, PDS 0647, and PDS 0654

When a corporate card (such as Mastercard® or Mastercard Corporate Fleet Card®) is used in a business-to-business purchase, any line item detail related to the purchase is presented via 1–998 occurrences of the Financial Detail Addendum (Corporate Line Item Detail)/1644 message (Usage Code 98, Industry Record Number 950). One of these messages is submitted for each occurrence of line item data in the transaction.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This message supports a single corporate program transaction with multiple line item details. It may be repeated from 001 to 998 times for each corporate card transaction. Each occurrence represents a single line item for a corporate card transaction or a single non-fuel item purchased with a Mastercard Fleet Card at a fuel location.

This message must be provided if any of these conditions are met:

- The associated First Presentment/1240 is submitted for one of the above interchange programs, and it contains a shipping/courier MCC in DE 26 (Acceptor Business Code), in which case the acquirer must provide either the Financial Detail Addendum (Shipping/Courier Services)/1644 message or the Financial Detail Addendum (Corporate Line Item Detail)/1644 message.
- The associated First Presentment/1240 is submitted for one of the above interchange programs, and it contains a temporary services MCC in DE 26, in which case the acquirer must provide the Financial Detail Addendum (Temporary Services)/1644 message. The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not required.
- The associated First Presentment/1240 is a Mastercard Corporate Purchasing Card, Mastercard Business Card, Mastercard Corporate Card, or Mastercard Corporate Fleet Card (at a non-fuel location) transaction and is submitted for one of the interchange programs listed in this table unless the transaction is a shipping/courier or temporary services transaction.

This message must be provided if the associated First Presentment/1240 meets all of this criteria:

- The Product Code is MCP or MCF at a non-fuel location.
- The Business Service is equal to one of the items in this table.

#### Financial Detail Addendum (Corporate Line Item Detail)/1644, Business Service information

| Business Service Type Code (PDS 0158, subfield 2) | Business Service ID (PDS 0158, subfield 3) | Description           |
|---------------------------------------------------|--------------------------------------------|-----------------------|
| 2                                                 | 050001                                     | Europe Intra-regional |
| 3                                                 | 050012                                     | Europe Inter-country  |
| 3                                                 | 050021                                     | Europe Inter-country  |
| 3                                                 | 050031                                     | Europe Inter-country  |

**NOTE: This applies to additional domestic arrangements within the Europe region.**

The IRD submitted in the associated First Presentment/1240 is either IRD 26: Purchasing Large Ticket Level 1 Interchange or IRD 27: Purchasing Large Ticket Level 2 Interchange.

**NOTE: Refer to the Interchange manuals for more information on interchange rate programs.**

This addendum message may be provided only if the associated First Presentment/1240 is for a transaction that was completed with one of the Mastercard Corporate Cards.

The submission of this addendum requires the submission of a Financial Detail Addendum (Corporate Card Common Data)/1644 message.

The clearing system rejects this Financial Detail Addendum/1644 message if it contains invalid data. The associated First Presentment/1240 message is also rejected if it is submitted for a U.S. region or international interchange program, unless it is submitted as:

- Credit: DE 3 (Processing Code), subfield 1 = 20
- Reversal: PDS 0025 (Message Reversal Indicator), subfield 1 = R
- Collection Only transaction: PDS 0165 (Settlement Indicator), subfield 1 = C
- A transaction submitted for a Standard interchange program (U.S. region and international IRDs 61, 63, or 65) as defined by Mastercard

This table provides the message layout.

#### Financial Detail Addendum (Corporate Line Item Detail)/1644

| No. | Data element name                           | Org | Sys | Dst |
|-----|---------------------------------------------|-----|-----|-----|
|     | Message Type Identifier                     | M   | •   | M   |
|     | Bit Map, Primary                            | M   | X   | M   |
| 1   | Bit Map, Secondary                          | M   | X   | M   |
| 24  | Function Code                               | M   | •   | M   |
| 32  | Acquiring Institution ID Code               | O   | •   | C   |
| 33  | Forwarding Institution ID Code              | M   | •   | M   |
| 48  | Additional Data                             | M   | X   | M   |
| 62  | Additional Data 2                           | C   | X   | C   |
| 63  | Transaction Life Cycle ID                   | C   | •   | C   |
| 71  | Message Number                              | M   | X   | M   |
| 93  | Transaction Destination Institution ID Code | •   | X   | M   |
| 94  | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100 | Receiving Institution ID Code               | •   | X   | M   |
| 105 | Multi-Use Transaction Identification Data   | C   | X   | C   |

| No.   | Data element name                               | Org | Sys | Dst |
|-------|-------------------------------------------------|-----|-----|-----|
| 123   | Additional Data 3                               | C   | X   | C   |
| 124   | Additional Data 4                               | C   | X   | C   |
| 125   | Additional Data 5                               | C   | X   | C   |
| p0191 | Originating Message Format                      | O   | X   | M   |
| p0501 | Transaction Description                         | M   | .   | M   |
| p0508 | Customer Code                                   | O   | .   | C   |
| p0518 | Line Item Date                                  | C   | .   | C   |
| p0597 | Total Tax Amount                                | O   | .   | C   |
| p0598 | Total Tax Collected Indicator                   | O   | .   | C   |
| p0612 | Ship Date                                       | O   | .   | C   |
| p0614 | Order Date                                      | O   | .   | C   |
| p0615 | Medical Services Ship To Health Industry Number | O   | .   | C   |
| p0616 | Contract Number                                 | O   | .   | C   |
| p0617 | Medical Services Price Adjustment               | O   | .   | C   |
| p0618 | Medical Services Product Number Qualifier       | O   | .   | C   |
| p0641 | Product Code                                    | C   | .   | C   |
| p0642 | Item Description                                | C   | .   | C   |
| p0643 | Item Quantity                                   | C   | .   | C   |
| p0645 | Item Unit of Measure                            | C   | .   | C   |
| p0646 | Unit Price                                      | C   | .   | C   |
| p0647 | Extended Item Amount                            | C   | .   | C   |
| p0648 | Item Discount                                   | C   | .   | C   |
| p0650 | Zero Cost to Customer Indicator                 | O   | .   | C   |
| p0654 | Debit or Credit Indicator                       | C   | .   | C   |
| p0679 | Commodity Code                                  | O   | .   | C   |
| p0682 | Detail Tax Amount 1                             | O   | .   | C   |
| p0683 | Detail Tax Amount 2                             | O   | .   | C   |
| p0684 | Detail Tax Amount 3                             | O   | .   | C   |
| p0685 | Type of Supply                                  | O   | .   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0686 | Tax Exempt Indicator                                    | O   | .   | C   |
| p0687 | Unique VAT Invoice Reference Number                     | O   | .   | C   |
| p0751 | Detail Tax Amount 4                                     | O   | .   | C   |
| p0752 | Detail Tax Amount 5                                     | O   | .   | C   |
| p0753 | Detail Tax Amount 6                                     | O   | .   | C   |
| p0755 | Line Item Total Amount                                  | O   | .   | C   |
| p0783 | Fleet Product Code                                      | O   | .   | C   |
| p0784 | Fleet Item Description                                  | O   | .   | C   |
| p0785 | Fleet Item Quantity                                     | O   | .   | C   |
| p0786 | Fleet Item Unit of Measure                              | O   | .   | C   |
| p0787 | Fleet Extended Item Amount                              | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

## Financial Detail Addendum (Generic Detail)/1644

This message supports data related to new programs and services the Corporation introduces that require the presence of data not available in First Presentment/1240 messages.

The format allows the Corporation to respond to new business opportunities without waiting for the clearing system's next release.

Refer to [PDS 0501 \(Transaction Description\)](#) for the required values for this addendum.

This table provides the layout for the Financial Detail Addendum (Generic Detail)/1644 message.

### Financial Detail Addendum (Generic Detail)/1644 message layout

| No. | Data element name             | Org | Sys | Dst |
|-----|-------------------------------|-----|-----|-----|
|     | Message Type Identifier       | M   | .   | M   |
|     | Bit Map, Primary              | M   | X   | M   |
| 1   | Bit Map, Secondary            | M   | X   | M   |
| 24  | Function Code                 | M   | .   | M   |
| 32  | Acquiring Institution ID Code | O   | .   | C   |



| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| 33    | Forwarding Institution ID Code                          | M   | .   | M   |
| 48    | Additional Data                                         | M   | X   | M   |
| 62    | Additional Data 2                                       | C   | X   | C   |
| 63    | Transaction Life Cycle ID                               | C   | .   | C   |
| 71    | Message Number                                          | M   | X   | M   |
| 93    | Transaction Destination Institution ID Code             | .   | X   | M   |
| 94    | Transaction Originator Institution ID Code              | M   | .   | M   |
| 100   | Receiving Institution ID Code                           | .   | X   | M   |
| 105   | Multi-Use Transaction Identification Data               | C   | X   | C   |
| 123   | Additional Data 3                                       | C   | X   | C   |
| 124   | Additional Data 4                                       | C   | X   | C   |
| 125   | Additional Data 5                                       | C   | X   | C   |
| p0191 | Originating Message Format                              | O   | X   | M   |
| p0501 | Transaction Description                                 | M   | .   | M   |
| p0663 | Free-Form Description                                   | M   | .   | M   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

## First Chargeback/1442 messages

An issuer initiates First Chargeback/1442 messages to return partially or completely a previous First Presentment/1240.

For information regarding Mexico RedMX usage of Arbitration Chargebacks/1442 messages, see the *Mexico Domestic Switching Acquirer Implementation Guide*.

Depending on program and service rules, an issuer may charge back a First Presentment/1240 that the acquirer submitted through Claims Manager. For more information on Claims Manager, refer to the *Mastercom User Guide*.

These messages must contain 1442 in the MTI and one of these values in DE 24 (Function Code):

- 450 to indicate that the message is a First Chargeback (Full)/1442 for the full First Presentment/1240 amount

- 453 to indicate that the message is a First Chargeback (Partial)/1442 for part of the First Presentment/1240 amount
- 451 to indicate that the message is an Arbitration Chargeback (Full)/1442 for the full First Presentment/1240 amount, or
- 454 to indicate that the message is an Arbitration Chargeback (Partial)/1442 for part of the First Presentment/1240 or Second Presentment/1240 amount.

The specific reason for the First Chargeback/1442 or Arbitration Chargeback/1442 is in DE 25 (Message Reason Code).

This table provides the layout for the First Chargeback/1442 message.

### First Chargeback/1442 message layout

| No. | Data element name                | Org | Sys | Dst |
|-----|----------------------------------|-----|-----|-----|
|     | Message Type Identifier          | M   | .   | M   |
|     | Bit Map, Primary                 | M   | X   | M   |
| 1   | Bit Map, Secondary               | M   | X   | M   |
| 2   | Primary Account Number (PAN)     | M   | .   | M   |
| 3   | Processing Code                  | M   | .   | M   |
| 4   | Amount, Transaction              | M   | .   | M   |
| 5   | Amount, Reconciliation           | .   | X   | M   |
| 9   | Conversion Rate, Reconciliation  | .   | X   | M   |
| 12  | Date and Time, Local Transaction | M   | .   | M   |
| 14  | Date, Expiration                 | O   | .   | C   |
| 22  | Point of Service Data Code       | M   | .   | M   |
|     | s7 Card Data: Input Mode         | M   | X   | M   |
| 23  | Card Sequence Number             | O   | .   | C   |
| 24  | Function Code                    | M   | .   | M   |
| 25  | Message Reason Code              | M   | .   | M   |
| 26  | Acceptor Business Code           | M   | .   | M   |
| 30  | Amounts, Original                | M   | .   | M   |
| 31  | Acquirer Reference Data          | M   | .   | M   |
| 32  | Acquiring Institution ID Code    | O   | .   | C   |
| 33  | Forwarding Institution ID Code   | M   | X   | M   |
| 37  | Retrieval Reference Number       | O   | .   | C   |

| No.   | Data element name                                    | Org | Sys | Dst |
|-------|------------------------------------------------------|-----|-----|-----|
| 38    | Approval Code                                        | C   | •   | C   |
| 40    | Service Code                                         | C   | •   | C   |
| 41    | Acceptor Terminal ID                                 | O   | •   | C   |
| 42    | Acceptor ID Code                                     | C   | •   | C   |
| 43    | Acceptor Name/Location                               | M   | •   | M   |
| 48    | Additional Data                                      | M   | X   | M   |
| 49    | Currency Code, Transaction                           | M   | •   | M   |
| 50    | Currency Code, Reconciliation                        | •   | X   | M   |
| 54    | Amounts, Additional                                  | C   | •   | C   |
| 55    | Integrated Circuit Card (ICC)<br>System Related Data | O   | •   | C   |
| 62    | Additional Data 2                                    | C   | X   | C   |
| 63    | Transaction Life Cycle ID                            | C   | •   | C   |
| 71    | Message Number                                       | M   | X   | M   |
| 72    | Data Record                                          | C   | •   | C   |
| 93    | Transaction Destination<br>Institution ID Code       | •   | X   | M   |
| 94    | Transaction Originator Institution<br>ID Code        | M   | X   | M   |
| 95    | Card Issuer Reference Data                           | M   | •   | M   |
| 100   | Receiving Institution ID Code                        | •   | X   | M   |
| 105   | Multi-Use Transaction<br>Identification Data         | C   | X   | C   |
| 123   | Additional Data 3                                    | C   | X   | C   |
| 124   | Additional Data 4                                    | C   | X   | C   |
| 125   | Additional Data 5                                    | C   | X   | C   |
| p0001 | Mastercard® Mapping Service<br>Account Number        | •   | X   | C   |
| p0002 | GCMS Product Identifier                              | •   | X   | M   |
| p0003 | Licensed Product Identifier                          | •   | X   | M   |
| p0005 | Message Error Indicator                              | •   | X   | C   |
| p0015 | Clearing Currency Conversion<br>Identifier           | •   | X   | M   |

| No.   | Data element name                                                      | Org | Sys | Dst |
|-------|------------------------------------------------------------------------|-----|-----|-----|
|       | s1 Currency Conversion Date                                            | .   | X   | M   |
|       | s2 Currency Conversion Indicator                                       | .   | X   | M   |
| p0017 | Transaction Integrity Class                                            | O   | .   | O   |
| p0023 | Terminal Type                                                          | C   | .   | C   |
| p0025 | Message Reversal Indicator                                             | C   | .   | C   |
| p0027 | Flex Code                                                              | .   | X   | C   |
| p0028 | Mastercard Merchant Presented<br>QR (MPQR) Receiving Account<br>Number | O   | .   | C   |
| p0029 | QR Dynamic Code Data                                                   | O   | .   | C   |
| p0043 | Transaction Type Identifier                                            | O   | .   | C   |
| p0046 | Japan Common Merchant Code                                             | C   | .   | C   |
| p0052 | Electronic Commerce Security<br>Level Indicator                        | C   | .   | C   |
| p0057 | Transaction Category Indicator                                         | C   | .   | C   |
| p0058 | Token Assurance Level                                                  | O   | X   | C   |
| p0059 | Token Requestor ID                                                     | C   | X   | C   |
| p0080 | Amount, Tax                                                            | C   | X   | C   |
| p0140 | Amount, Cardholder Billing<br>Amounts (USD)                            | .   | X   | C   |
|       | s1 Amount, Cardholder Billing<br>USD                                   | .   | X   | C   |
|       | s2 Amount, Currency Conversion<br>Assessment USD                       | .   | X   | C   |
| p0145 | Amount, Alternate Transaction<br>Fee                                   | O   | X   | C   |
| p0146 | Amounts, Transaction Fee                                               | O   | X   | C   |
| p0147 | Extended Precision Amounts                                             | .   | X   | C   |
| p0148 | Currency Exponents                                                     | M   | X   | M   |
| p0149 | Currency Codes, Amounts,<br>Original                                   | M   | .   | M   |
| p0157 | Alternate Processor Indicator                                          | C   | .   | C   |
| p0158 | Business Activity                                                      | C   | X   | M   |
|       | s5 Central Site Business Date                                          | .   | X   | M   |

| No.   | Data element name                                     | Org | Sys | Dst |
|-------|-------------------------------------------------------|-----|-----|-----|
|       | s6 Business Cycle                                     | .   | X   | M   |
|       | s7 Acceptor Classification<br>Override Indicator      | .   | X   | M   |
|       | s8 Product Override Indicator                         | .   | X   | M   |
|       | s9 Corporate Incentive Rates<br>Apply Indicator       | .   | X   | M   |
|       | s10 Special Conditions Indicator                      | .   | X   | M   |
|       | s11 Mastercard Assigned ID<br>Override Indicator      | .   | X   | M   |
|       | s12 Account Level Management<br>Account Category Code | .   | X   | M   |
|       | s13 Rate Indicator                                    | .   | X   | M   |
|       | s14 Masterpass Incentive<br>Indicator                 | .   | X   | M   |
|       | s15 Digital Wallet Interchange<br>Override Indicator  | .   | X   | M   |
| p0159 | Settlement Data                                       | C   | X   | C   |
| p0160 | Settlement Data, Multiple                             | .   | X   | C   |
| p0165 | Settlement Indicator                                  | M   | .   | M   |
|       | s2 Settlement Information                             | O   | .   | C   |
| p0170 | Acceptor Inquiry Information                          | O   | .   | C   |
| p0171 | Alternate Acceptor Description                        | O   | .   | C   |
| p0172 | Sole Proprietor Name                                  | O   | .   | C   |
| p0173 | Legal Corporate Name                                  | O   | .   | C   |
| p0174 | Dun & Bradstreet Number                               | O   | .   | C   |
| p0175 | Acceptor URL                                          | O   | .   | C   |
| p0176 | Mastercard Assigned ID                                | C   | .   | C   |
| p0177 | Cross-border                                          | C   | X   | M   |
| p0178 | Alternate Acceptor Description<br>Data 2              | O   | .   | C   |
| p0181 | Installment Payment Data                              | C   | .   | C   |
| p0183 | Brazil Post-Dated Transaction<br>Data                 | C   | .   | C   |

| No.   | Data element name                                                   | Org | Sys | Dst |
|-------|---------------------------------------------------------------------|-----|-----|-----|
| p0189 | Point-of-Interaction (POI) Phone Data                               | O   | •   | C   |
| p0190 | Partner ID Code                                                     | O   | •   | C   |
| p0191 | Originating Message Format                                          | O   | X   | M   |
| p0194 | Remote Payments Program Data                                        | C   | •   | C   |
| p0195 | Installment Data                                                    | C   | •   | C   |
| p0196 | Mobile Phone Reload Data                                            | O   | •   | C   |
| p0197 | National Use Tax Data                                               | O   | •   | C   |
| p0200 | Fraud Notification Date                                             | •   | X   | C   |
| p0202 | Primary Account Number (PAN) Syntax Error                           | C   | •   | C   |
| p0204 | Amount, Syntax Error                                                | C   | •   | C   |
| p0205 | Syntax Return, Message Error Indicator                              | C   | •   | C   |
| p0207 | Wallet Identifier (for Masterpass transactions)                     | C   | •   | C   |
|       | Wallet Identifier (for MDES transactions)                           | •   | X   | C   |
| p0208 | Additional Merchant Data                                            | C   | •   | C   |
| p0209 | Independent Sales Organization ID                                   | C   | •   | C   |
| p0210 | Transit Program                                                     | C   | •   | C   |
| p0213 | Merchant Country of Origin                                          | •   | X   | C   |
| p0216 | Additional Acceptor Data                                            | C   | •   | C   |
| p0218 | Cardholder/Merchant Initiated Transaction Indicator                 | O   | •   | C   |
| p0222 | Mexico Domestic Dispute Resolution Documentation Image-Related Data | C   | •   | C   |
| p0225 | Message Reason Code Syntax Error                                    | C   | •   | C   |
| p0241 | MasterCom Control Number                                            | O   | •   | C   |
| p0243 | MasterCom Retrieval Response Data                                   | •   | X   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0244 | MasterCom Chargeback Support Documentation Dates        | .   | X   | C   |
| p0245 | MasterCom Arbitration Chargeback Sender Processing Date | .   | X   | C   |
| p0246 | MasterCom Sender Memo                                   | O   | .   | C   |
| p0247 | MasterCom Receiver Memo                                 | O   | .   | C   |
| p0249 | MasterCom Record ID                                     | O   | .   | C   |
| p0250 | MasterCom Endpoints                                     | O   | .   | C   |
| p0253 | MasterCom System Enhanced Data                          | O   | .   | C   |
| p0254 | MasterCom Member Enhanced Data                          | O   | .   | C   |
| p0255 | MasterCom Message Type                                  | O   | .   | C   |
| p0260 | Edit Exclusion Indicator                                | C   | X   | C   |
|       | s1 Exclusion Request Code                               | C   | .   | C   |
|       | s2 Exclusion Reason Code                                | .   | X   | C   |
|       | s3 Exclusion Results Code                               | .   | X   | C   |
| p0262 | Documentation Indicator                                 | M   | .   | M   |
| p0266 | First Chargeback/Fee Collection Return Data             | .   | X   | C   |
| p0267 | Second Presentment/Fee Collection Resubmission Data     | .   | X   | C   |
| p0268 | Amount, Partial Transaction                             | O   | .   | C   |
| p0375 | Member Reconciliation Indicator 1                       | O   | .   | .   |
| p0446 | Transaction Fee Amount, Syntax Error                    | O   | X   | C   |
| p0799 | Test Case Traceability Identifiers                      | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

## Second Presentment/1240 messages

An acquirer initiates Second Presentment/1240 messages to remedy a previous First Chargeback/1442.

The issuer may return the transaction to the acquirer as a chargeback through Claims Manager. For more information on Claims Manager, refer to the *Mastercom User Guide*.

These messages must contain 1240 in the MTI and one of these values in DE 24 (Function Code):

- 205 to indicate that the Second Presentment (Full)/1240 is for the full First Presentment/1240 amount, or
- 282 to indicate that the message is a Second Presentment (Partial)/1240 for part of the First Presentment/1240 or First Chargeback/1442 amount.

The specific reason for the Second Presentment/1240 is in DE 25 (Message Reason Code).

This table provides the layout for the Second Presentment/1240 message.

### Second Presentment/1240 message layout

| No. | Data element name                   | Org | Sys | Dst |
|-----|-------------------------------------|-----|-----|-----|
|     | Message Type Identifier             | M   | .   | M   |
|     | Bit Map, Primary                    | M   | X   | M   |
| 1   | Bit Map, Secondary                  | M   | X   | M   |
| 2   | Primary Account Number (PAN)        | M   | .   | M   |
| 3   | Processing Code                     | M   | .   | M   |
| 4   | Amount, Transaction                 | M   | .   | M   |
| 5   | Amount, Reconciliation              | .   | X   | M   |
| 6   | Amount, Cardholder Billing          | O   | X   | C   |
| 9   | Conversion Rate, Reconciliation     | .   | X   | M   |
| 10  | Conversion Rate, Cardholder Billing | .   | X   | C   |
| 12  | Date and Time, Local Transaction    | M   | .   | M   |
| 14  | Date, Expiration                    | O   | .   | C   |
| 22  | Point of Service Data Code          | M   | .   | M   |
|     | s7 Card Data: Input Mode            | M   | X   | M   |
| 23  | Card Sequence Number                | O   | .   | C   |
| 24  | Function Code                       | M   | .   | M   |



| No. | Data element name                                                                         | Org | Sys | Dst |
|-----|-------------------------------------------------------------------------------------------|-----|-----|-----|
| 25  | Message Reason Code                                                                       | M   | •   | M   |
| 26  | Acceptor Business Code                                                                    | M   | •   | M   |
| 30  | Amounts, Original                                                                         | M   | •   | M   |
| 31  | Acquirer Reference Data                                                                   | M   | •   | M   |
| 32  | Acquiring Institution ID Code                                                             | O   | •   | C   |
| 33  | Forwarding Institution ID Code                                                            | M   | •   | M   |
| 37  | Retrieval Reference Number                                                                | O   | X   | C   |
| 38  | Approval Code                                                                             | C   | •   | C   |
| 40  | Service Code                                                                              | O   | •   | C   |
| 41  | Acceptor Terminal ID                                                                      | O   | •   | C   |
| 42  | Acceptor ID Code                                                                          | C   | •   | C   |
| 43  | Acceptor Name/Location                                                                    | M   | •   | M   |
|     | s2 Acceptor Street Address                                                                | O   | •   | C   |
|     | s3 Acceptor City                                                                          | C   | •   | C   |
| 48  | Additional Data                                                                           | M   | X   | M   |
| 49  | Currency Code, Transaction                                                                | M   | •   | M   |
| 50  | Currency Code, Reconciliation                                                             | •   | X   | M   |
| 51  |                                                                                           | C   | X   | C   |
| 54  | Amounts, Additional                                                                       | C   | •   | C   |
| 55  | Integrated Circuit Card (ICC)<br>System Related Data Currency<br>Code, Cardholder Billing | O   | •   | C   |
| 62  | Additional Data 2                                                                         | C   | X   | C   |
| 63  | Transaction Life Cycle ID                                                                 | C   | •   | C   |
| 71  | Message Number                                                                            | M   | X   | M   |
| 72  | Data Record                                                                               | C   | •   | C   |
| 93  | Currency Code, Cardholder<br>Transaction Destination<br>Institution ID Code               | •   | X   | M   |
| 94  | Transaction Originator Institution<br>ID Code                                             | M   | •   | M   |
| 95  | Card Issuer Reference Data                                                                | M   | •   | M   |
| 100 | Receiving Institution ID Code                                                             | •   | X   | M   |

| No.   | Data element name                                             | Org | Sys | Dst |
|-------|---------------------------------------------------------------|-----|-----|-----|
| 105   | Multi-Use Transaction Identification Data                     | C   | X   | C   |
| 123   | Additional Data 3                                             | C   | X   | C   |
| 124   | Additional Data 4                                             | C   | X   | C   |
| 125   | Additional Data 5                                             | C   | X   | C   |
| p0001 | Mastercard Mapping Service Account Number                     | .   | X   | C   |
| p0002 | GCMS Product Identifier                                       | .   | X   | M   |
| P0003 | Licensed Product Identifier                                   | .   | X   | M   |
| p0005 | Message Error Indicator                                       | .   | X   | C   |
| p0015 | Clearing Currency Conversion Identifier                       | .   | X   | M   |
|       | s1 Currency Conversion Date                                   | .   | X   | M   |
|       | s2 Currency Conversion Indicator                              | .   | X   | M   |
| p0017 | Transaction Integrity Class                                   | O   | .   | O   |
| p0023 | Terminal Type                                                 | C   | .   | C   |
| p0025 | Message Reversal Indicator                                    | C   | .   | C   |
|       | s2 Central Site Processing Date of Original Message           | O   | .   | C   |
| p0027 | Flex Code                                                     | .   | X   | C   |
| p0028 | Mastercard Merchant Presented (MPQR) Receiving Account Number | O   | .   | C   |
| p0029 | QR Dynamic Code Data                                          | O   | .   | .   |
| p0043 | Transaction Type Identifier                                   | O   | .   | C   |
| p0044 | Program Participation Indicator                               | .   | X   | C   |
| p0046 | Japan Common Merchant Code                                    | C   | .   | C   |
| p0052 | Electronic Commerce Security Level Indicator                  | C   | .   | C   |
| p0057 | Transaction Category Indicator                                | O   | .   | C   |
| p0058 | Token Assurance Level                                         | O   | X   | C   |
| p0059 | Token Requestor ID                                            | C   | X   | C   |
| p0068 | Financial Account Information                                 | .   | X   | C   |

| No.   | Data element name                                  | Org | Sys | Dst |
|-------|----------------------------------------------------|-----|-----|-----|
| p0080 | Amount, Tax                                        | C   | X   | C   |
| p0140 | Amount, Cardholder Billing Amounts (USD)           | •   | X   | C   |
|       | s1 Amount, Cardholder Billing USD                  | •   | X   | C   |
|       | s2 Amount, Currency Conversion Assessment USD      | •   | X   | C   |
| p0146 | Amounts, Transaction Fee                           | O   | X   | C   |
| p0147 | Extended Precision Amounts                         | •   | X   | C   |
| p0148 | Currency Exponents                                 | M   | X   | M   |
| p0149 | Currency Codes, Amounts, Original                  | M   | •   | M   |
| p0157 | Alternate Processor Indicator                      | C   | •   | C   |
| p0158 | Business Activity                                  | C   | X   | M   |
|       | s4 Interchange Rate Designator                     | C   | •   | M   |
|       | s5 Central Site Business Date                      | •   | X   | M   |
|       | s6 Business Cycle                                  | •   | X   | M   |
|       | s7 Acceptor Classification Override Indicator      | •   | X   | M   |
|       | s8 Product Override Indicator                      | •   | X   | M   |
|       | s9 Corporate Incentive Rates Apply Indicator       | •   | X   | M   |
|       | s10 Special Conditions Indicator                   | •   | X   | M   |
|       | s11 Mastercard Assigned ID Override Indicator      | •   | X   | M   |
|       | s12 Account Level Management Account Category Code | •   | X   | M   |
|       | s13 Rate Indicator                                 | •   | X   | M   |
|       | s14 Masterpass Incentive Indicator                 | •   | X   | M   |
|       | s15 Digital Wallet Interchange Override Indicator  | •   | X   | M   |
| p0159 | Settlement Data                                    | C   | X   | C   |
| p0160 | Settlement Data, Multiple                          | •   | X   | C   |

| No.   | Data element name                                                  | Org | Sys | Dst |
|-------|--------------------------------------------------------------------|-----|-----|-----|
| p0165 | Settlement Indicator                                               | M   | .   | M   |
|       | s2 Settlement Information                                          | O   | .   | C   |
| p0170 | Acceptor Inquiry Information                                       | O   | .   | C   |
| p0171 | Alternate Acceptor Description                                     | O   | .   | C   |
| p0172 | Sole Proprietor Name                                               | O   | .   | C   |
| p0173 | Legal Corporate Name                                               | O   | .   | C   |
| p0174 | Dun & Bradstreet Number                                            | O   | .   | C   |
| p0175 | Acceptor URL                                                       | O   | .   | C   |
| p0176 | Mastercard Assigned ID                                             | C   | .   | C   |
| p0177 | Cross-border                                                       | C   | X   | M   |
| p0178 | Alternate Acceptor Description<br>Data 2                           | O   | .   | C   |
| p0181 | Installment Payment Data                                           | C   | .   | C   |
| p0183 | Brazil Post-Dated Transaction<br>Data                              | C   | .   | C   |
| p0188 | Private Data: Proprietary In<br>Control Data (for future use only) | .   | X   | C   |
| p0189 | Point-of-Interaction (POI) Phone<br>Data                           | O   | .   | C   |
| p0190 | Partner ID Code                                                    | O   | .   | C   |
| p0191 | Originating Message Format                                         | O   | X   | M   |
| p0194 | Remote Payments Program Data                                       | C   | .   | C   |
| p0195 | Installment Data                                                   | C   | .   | C   |
| p0196 | Mobile Phone Reload Data                                           | O   | .   | C   |
| p0197 | National Use Tax Data                                              | O   | .   | C   |
| p0202 | Primary Account Number (PAN)<br>Syntax Error                       | C   | .   | C   |
| p0204 | Amount, Syntax Error                                               | C   | .   | C   |
| p0205 | Syntax Return, Message Error<br>Indicator                          | C   | .   | C   |
| p0207 | Wallet Identifier (for Masterpass<br>transactions)                 | C   | .   | C   |
|       | Wallet Identifier (for MDES<br>transactions)                       | .   | X   | C   |

| No.   | Data element name                                                                              | Org | Sys | Dst |
|-------|------------------------------------------------------------------------------------------------|-----|-----|-----|
| p0208 | Additional Merchant Data                                                                       | C   | .   | C   |
| p0209 | Independent Sales Organization ID                                                              | C   | .   | C   |
| p0210 | Transit Program                                                                                | C   | .   | C   |
| p0213 | Merchant Country of Origin                                                                     | .   | X   | C   |
| p0216 | Additional Acceptor Data                                                                       | C   | .   | C   |
| p0218 | Cardholder/Merchant Initiated Transaction Indicator                                            | O   | .   | C   |
| p0222 | Mexico Domestic Dispute Resolution Documentation Image-Related Data                            | C   | .   | C   |
| p0225 | Message Reason Code Syntax Error                                                               | C   | .   | C   |
| p0241 | MasterCom Control Number                                                                       | O   | .   | C   |
| p0243 | MasterCom Retrieval Response Data                                                              | .   | X   | C   |
| p0244 | MasterCom Chargeback Support Documentation Dates                                               | .   | X   | C   |
|       | s2 MasterCom Chargeback Support Documentation Sender Processing Date (Second Presentment/1240) | .   | .   | .   |
| p0260 | Edit Exclusion Indicator                                                                       | C   | X   | C   |
|       | s1 Exclusion Request Code                                                                      | C   | .   | C   |
|       | s2 Exclusion Reason Code                                                                       | .   | X   | C   |
|       | s3 Exclusion Results Code                                                                      | .   | X   | C   |
| p0262 | Documentation Indicator                                                                        | M   | .   | M   |
| p0266 | First Chargeback/Fee Collection Return Data                                                    | .   | X   | C   |
| p0268 | Amount, Partial Transaction                                                                    | O   | .   | C   |
| p0375 | Member Reconciliation Indicator 1                                                              | O   | .   | .   |
| p0446 | Transaction Fee Amount, Syntax Error                                                           | O   | X   | C   |
| p0674 | Additional Trace/Reference Number Used by Acceptor                                             | O   | .   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

## Retrieval Request/1644 messages

An issuer sends a Retrieval Request/1644 to an acquirer when it is determined that the transaction information document needs to be examined for issuer or cardholder needs.

These messages are only applicable for Mexico RedMX transactions. For information regarding Mexico RedMX, see the *Mexico Domestic Switching Acquirer Implementation Guide*.

The message must contain 1644 in the MTI and 603 in Data Element (DE) 24 (Function Code) to identify it as a Retrieval Request/1644.

This table provides the layout for the Retrieval Request/1644 message.

### Retrieval Request/1644 message layout

| No. | Data element name                | Org | Sys | Dst |
|-----|----------------------------------|-----|-----|-----|
|     | Message Type Identifier          | M   | .   | M   |
|     | Bit Map, Primary                 | M   | X   | M   |
| 1   | Bit Map, Secondary               | M   | X   | M   |
| 2   | Primary Account Number (PAN)     | M   | .   | M   |
| 3   | Processing Code                  | M   | .   | M   |
| 12  | Date and Time, Local Transaction | M   | .   | M   |
| 14  | Date, Expiration                 | O   | .   | C   |
| 22  | Point of Service Data Code       | M   | .   | M   |
|     | s7 Card Data: Input Mode         | M   | X   | M   |
| 23  | Card Sequence Number             | O   | .   | C   |
| 24  | Function Code                    | M   | .   | M   |
| 25  | Message Reason Code              | M   | .   | M   |
| 26  | Acceptor Business Code           | M   | .   | M   |
| 30  | Amounts, Original                | M   | .   | M   |
| 31  | Acquirer Reference Data          | M   | .   | M   |
| 32  | Acquiring Institution ID Code    | O   | .   | C   |
| 33  | Forwarding Institution ID Code   | M   | X   | M   |

| No.   | Data element name                                      | Org | Sys | Dst |
|-------|--------------------------------------------------------|-----|-----|-----|
| 37    | Retrieval Reference Number                             | O   | •   | C   |
| 38    | Approval Code                                          | O   | •   | C   |
| 41    | Acceptor Terminal ID                                   | O   | •   | C   |
| 42    | Acceptor ID Code                                       | O   | •   | C   |
| 43    | Acceptor Name/Location                                 | O   | •   | C   |
| 48    | Additional Data                                        | M   | X   | M   |
| 62    | Additional Data 2                                      | C   | X   | C   |
| 63    | Transaction Life Cycle ID                              | C   | •   | C   |
| 71    | Message Number                                         | M   | X   | M   |
| 93    | Transaction Destination<br>Institution ID Code         | •   | X   | M   |
| 94    | Transaction Originator Institution<br>ID Code          | M   | X   | M   |
| 95    | Card Issuer Reference Data                             | O   | •   | C   |
| 100   | Receiving Institution ID Code                          | •   | X   | M   |
| 123   | Additional Data 3                                      | C   | X   | C   |
| 124   | Additional Data 4                                      | C   | X   | C   |
| 125   | Additional Data 5                                      | C   | X   | C   |
| p0001 | Mastercard® Mapping Service<br>Account Number          | •   | X   | C   |
| p0002 | GCMS Product Identifier                                | •   | X   | M   |
| p0003 | Licensed Product Identifier                            | •   | X   | M   |
| p0005 | Message Error Indicator                                | •   | X   | C   |
| p0025 | Message Reversal Indicator                             | C   | •   | C   |
|       | s2 Central Site Processing Date<br>of Original Message | O   | •   | C   |
| p0027 | Flex Code                                              | •   | X   | C   |
| p0043 | Transaction Type Identifier                            | C   | •   | C   |
| p0059 | Token Requestor ID                                     | C   | X   | C   |
| p0148 | Currency Exponents                                     | M   | •   | M   |
| p0149 | Currency Codes, Amounts<br>Original                    | M   | •   | M   |
| p0158 | Business Activity                                      | O   | X   | M   |

| No.   | Data element name                                  | Org | Sys | Dst |
|-------|----------------------------------------------------|-----|-----|-----|
|       | s1 Card Program Identifier                         | C   | X   | M   |
|       | s2 Business Service Arrangement Type Code          | C   | X   | M   |
|       | s3 Business Service ID Code                        | C   | X   | M   |
|       | s4 Interchange Rate Designator                     | C   | X   | M   |
|       | s5 Central Site Business Date                      | .   | X   | M   |
|       | s6 Business Cycle                                  | .   | X   | M   |
|       | s7 Acceptor Classification Override Indicator      | .   | X   | M   |
|       | s8 Product Override Indicator                      | .   | X   | M   |
|       | s9 Corporate Incentive Rates Apply Indicator       | .   | X   | M   |
|       | s10 Special Conditions Indicator                   | .   | X   | M   |
|       | s11 Mastercard Assigned ID Override Indicator      | .   | X   | M   |
|       | s12 Account Level Management Account Category Code | .   | X   | M   |
|       | s13 Rate Indicator                                 | .   | X   | M   |
|       | s14 Masterpass Incentive Indicator                 | .   | X   | M   |
|       | s15 Digital Wallet Interchange Override Indicator  | .   | X   | M   |
| p0165 | Settlement Indicator                               | M   | .   | M   |
|       | s2 Settlement Information                          | O   | .   | C   |
| p0170 | Acceptor Inquiry Information                       | O   | .   | C   |
| p0171 | Alternate Acceptor Description                     | O   | .   | C   |
| p0172 | Sole Proprietor Name                               | O   | .   | C   |
| p0173 | Legal Corporate Name                               | O   | .   | C   |
| p0174 | Dun & Bradstreet Number                            | O   | .   | C   |
| p0175 | Acceptor URL                                       | O   | .   | C   |
| p0178 | Alternate Acceptor Description Data 2              | O   | .   | C   |
| p0189 | Point-of-Interaction (POI) Phone Data              | O   | .   | C   |



| No.   | Data element name                                                         | Org | Sys | Dst |
|-------|---------------------------------------------------------------------------|-----|-----|-----|
| p0190 | Partner ID Code                                                           | O   | .   | C   |
| p0191 | Originating Message Format                                                | O   | X   | M   |
| p0192 | Payment Transaction initiator                                             | C   | .   | C   |
| p0202 | Primary Account Number (PAN)<br>Syntax Error                              | C   | .   | C   |
| p0205 | Syntax Return, Message Error<br>Indicator                                 | C   | .   | C   |
| p0222 | Mexico Domestic Dispute<br>Resolution Documentation<br>Image-Related Data | C   | .   | C   |
| p0225 | Message Reason Code Syntax<br>Error                                       | C   | .   | C   |
| p0228 | Retrieval Document Code                                                   | M   | .   | M   |
| p0241 | MasterCom Control Number                                                  | O   | .   | C   |
| p0246 | MasterCom Sender Memo                                                     | O   | .   | C   |
| p0247 | MasterCom Receiver Memo                                                   | O   | .   | C   |
| p0248 | MasterCom Image Review Memo                                               | O   | .   | C   |
| p0249 | MasterCom Record ID                                                       | O   | .   | C   |
| p0250 | MasterCom Endpoints                                                       | O   | .   | C   |
| p0253 | MasterCom System Enhanced<br>Data                                         | O   | .   | C   |
| p0254 | MasterCom Member Enhanced<br>Data                                         | O   | .   | C   |
| p0255 | MasterCom Message Type                                                    | O   | .   | C   |
| p0375 | Member Reconciliation Indicator<br>1                                      | O   | .   | .   |
| p0799 | Test Case Traceability Identifiers                                        | O   | .   | C   |
| p10XX | Member-to-Member Proprietary<br>Data (p1000 through p1099)                | O   | .   | C   |

## Retrieval Request Acknowledgment/1644 messages

An acquirer sends a Retrieval Request Acknowledgment/1644 to an issuer indicating that the acquirer has fulfilled the Retrieval Request.

These messages are only applicable for Mexico RedMX transactions. For information regarding Mexico RedMX, see the *Mexico Domestic Switching Acquirer Implementation Guide*.

The message must contain 1644 in the MTI and 605 in DE 24 (Function Code) to identify it as a Retrieval Request Acknowledgment/1644.

This table provides the layout for the Retrieval Request Acknowledgment/1644 message.

### Retrieval Request Acknowledgment/1644 message layout

| No. | Data element name                | Org | Sys | Dst |
|-----|----------------------------------|-----|-----|-----|
|     | Message Type Identifier          | M   | .   | M   |
|     | Bit Map, Primary                 | M   | X   | M   |
| 1   | Bit Map, Secondary               | M   | X   | M   |
| 2   | Primary Account Number (PAN)     | M   | .   | M   |
| 3   | Processing Code                  | M   | .   | M   |
| 12  | Date and Time, Local Transaction | M   | .   | M   |
| 14  | Date, Expiration                 | O   | .   | C   |
| 22  | Point of Service Data Code       | M   | .   | M   |
|     | s7 Card Data: Input Mode         | M   | X   | M   |
| 23  | Card Sequence Number             | O   | .   | C   |
| 24  | Function Code                    | M   | .   | M   |
| 25  | Message Reason Code              | M   | .   | M   |
| 26  | Acceptor Business Code           | M   | .   | M   |
| 30  | Amounts, Original                | M   | .   | M   |
| 31  | Acquirer Reference Data          | M   | .   | M   |
| 32  | Acquiring Institution ID Code    | O   | .   | C   |
| 33  | Forwarding Institution ID Code   | M   | X   | M   |
| 37  | Retrieval Reference Number       | O   | .   | C   |
| 38  | Approval Code                    | O   | .   | C   |
| 41  | Acceptor Terminal ID             | O   | .   | C   |
| 42  | Acceptor ID Code                 | O   | .   | C   |

| No.   | Data element name                                      | Org | Sys | Dst |
|-------|--------------------------------------------------------|-----|-----|-----|
| 43    | Acceptor Name/Location                                 | O   | •   | C   |
| 48    | Additional Data                                        | M   | X   | M   |
| 62    | Additional Data 2                                      | C   | X   | C   |
| 63    | Transaction Life Cycle ID                              | C   | •   | C   |
| 71    | Message Number                                         | M   | X   | M   |
| 93    | Transaction Destination<br>Institution ID Code         | •   | X   | M   |
| 94    | Transaction Originator Institution<br>ID Code          | M   | X   | M   |
| 95    | Card Issuer Reference Data                             | O   | •   | C   |
| 100   | Receiving Institution ID Code                          | •   | X   | M   |
| 123   | Additional Data 3                                      | C   | X   | C   |
| 124   | Additional Data 4                                      | C   | X   | C   |
| 125   | Additional Data 5                                      | C   | X   | C   |
| p0001 | Mastercard® Mapping Service<br>Account Number          | •   | X   | C   |
| p0002 | GCMS Product Identifier                                | •   | X   | M   |
| p0003 | Licensed Product Identifier                            | •   | X   | M   |
| p0005 | Message Error Indicator                                | •   | X   | C   |
| p0025 | Message Reversal Indicator                             | C   | •   | C   |
|       | s2 Central Site Processing Date<br>of Original Message | O   | •   | C   |
| p0027 | Flex Code                                              | •   | X   | C   |
| p0043 | Transaction Type Identifier                            | C   | •   | C   |
| p0068 | Financial Account Information                          | •   | X   | C   |
| p0059 | Token Requestor ID                                     | C   | X   | C   |
| p0148 | Currency Exponents                                     | M   | •   | M   |
| p0149 | Currency Codes, Amounts<br>Original                    | M   | •   | M   |
| p0158 | Business Activity                                      | O   | X   | M   |
|       | s1 Card Program Identifier                             | C   | X   | M   |
|       | s2 Business Service Arrangement<br>Type Code           | C   | X   | M   |

| No.   | Data element name                                     | Org | Sys | Dst |
|-------|-------------------------------------------------------|-----|-----|-----|
|       | s3 Business Service ID Code                           | C   | X   | M   |
|       | s4 Interchange Rate Designator                        | C   | X   | M   |
|       | s5 Central Site Business Date                         | .   | X   | M   |
|       | s6 Business Cycle                                     | .   | X   | M   |
|       | s7 Acceptor Classification<br>Override Indicator      | .   | X   | M   |
|       | s8 Product Override Indicator                         | .   | X   | M   |
|       | s9 Corporate Incentive Rates<br>Apply Indicator       | .   | X   | M   |
|       | s10 Special Conditions Indicator                      | .   | X   | M   |
|       | s11 Mastercard Assigned ID<br>Override Indicator      | .   | X   | M   |
|       | s12 Account Level Management<br>Account Category Code | .   | X   | M   |
|       | s13 Rate Indicator                                    | .   | X   | M   |
|       | s14 Masterpass Incentive<br>Indicator                 | .   | X   | M   |
|       | s15 Digital Wallet Interchange<br>Override Indicator  | .   | X   | M   |
| p0165 | Settlement Indicator                                  | M   | .   | M   |
|       | s2 Settlement Information                             | O   | .   | C   |
| p0170 | Acceptor Inquiry Information                          | O   | .   | C   |
| p0171 | Alternate Acceptor Description                        | O   | .   | C   |
| p0172 | Sole Proprietor Name                                  | O   | .   | C   |
| p0173 | Legal Corporate Name                                  | O   | .   | C   |
| p0174 | Dun & Bradstreet Number                               | O   | .   | C   |
| p0175 | Acceptor URL                                          | O   | .   | C   |
| p0178 | Alternate Acceptor Description<br>Data 2              | O   | .   | C   |
| p0189 | Point-of-Interaction (POI) Phone<br>Data              | O   | .   | C   |
| p0190 | Partner ID Code                                       | O   | .   | C   |
| p0191 | Originating Message Format                            | O   | X   | M   |
| p0192 | Payment Transaction initiator                         | C   | .   | C   |

| No.   | Data element name                                                         | Org | Sys | Dst |
|-------|---------------------------------------------------------------------------|-----|-----|-----|
| p0202 | Primary Account Number (PAN)<br>Syntax Error                              | C   | .   | C   |
| p0205 | Syntax Return, Message Error<br>Indicator                                 | C   | .   | C   |
| p0207 | Wallet Identifier                                                         | .   | X   | C   |
| p0222 | Mexico Domestic Dispute<br>Resolution Documentation<br>Image-Related Data | C   | .   | C   |
| p0225 | Message Reason Code Syntax<br>Error                                       | C   | .   | C   |
| p0228 | Retrieval Document Code                                                   | M   | .   | M   |
| p0241 | MasterCom Control Number                                                  | O   | .   | C   |
| p0246 | MasterCom Sender Memo                                                     | O   | .   | C   |
| p0247 | MasterCom Receiver Memo                                                   | O   | .   | C   |
| p0248 | MasterCom Image Review Memo                                               | O   | .   | C   |
| p0249 | MasterCom Record ID                                                       | O   | .   | C   |
| p0250 | MasterCom Endpoints                                                       | O   | .   | C   |
| p0253 | MasterCom System Enhanced<br>Data                                         | O   | .   | C   |
| p0254 | MasterCom Member Enhanced<br>Data                                         | O   | .   | C   |
| p0255 | MasterCom Message Type                                                    | O   | .   | C   |
| p0375 | Member Reconciliation Indicator<br>1                                      | O   | .   | .   |
| p0799 | Test Case Traceability Identifiers                                        | O   | .   | C   |
| p10XX | Member-to-Member Proprietary<br>Data (p1000 through p1099)                | O   | .   | C   |

## Fee Collection messages

Fee Collection messages are used for the collection or disbursement of fees that require funds settlement between various clearing system participants. Fee Collection messages may include fees generated between pairs of customers, and fees generated between the corporation and customers.

This list shows some examples of Fee Collection messages:

- Collection or disbursement from customer to customer of fees that brand, program, and service rules permit
- Collection or disbursement from Mastercard to customer of fees related to processing services that the clearing system provides
- Collection or disbursement from Mastercard to customer of such fees as administrative fees, membership fees, and penalties, according to brand, program, and service
- Collection or disbursement from customer to customer of summary settlement positions between customers that participate in bilateral clearing arrangements with clearing system summary settlement

These messages must contain 1740 in the MTI and one of these values in DE 24:

- 700 Fee Collection (Customer-generated)
- 780 Fee Collection Return (Customer-generated)
- 781 Fee Collection Resubmission (Customer-generated)
- 782 Fee Collection Arbitration Return (Customer-generated)
- 783 Fee Collection (Clearing System-generated)
- 790 Fee Collection (Funds Transfer) This value applies only in the IPM Pre-edit system to UK Domestic Maestro transactions.

Fee Collection (Clearing System-generated)/1740 messages (DE 24 = 783) cannot be returned. Function Codes 780, 781, and 782 apply only to Fee Collection (Customer-generated)/1740 messages (DE 24 = 700).

## Fee Collection (Retrieval Fee Billing)/1740

An acquirer uses this message layout to collect the USD 15 delivery fee from an issuer that reimburses the acquirer for costs associated with delivering a hardcopy retrieval document to the issuer.

If the acquirer fulfills a Retrieval Request/1644 for a hardcopy document, the acquirer should collect the appropriate hardcopy fulfillment fee by submitting a Fee Collection (Retrieval Fee Billing)/1740 with the appropriate code (190000) in DE 3 (Processing Code), and with DE 24 = 700 and DE 25 (Message Reason Code) = 7614. This credits the acquirer and debits the issuer for the retrieval fulfillment fees.

This table provides the layout for the Fee Collection (Retrieval Fee Billing)/1740 message.

### Fee Collection (Retrieval Fee Billing)/1740 message layout

| No. | Data element name       | Org | Sys | Dst |
|-----|-------------------------|-----|-----|-----|
|     | Message Type Identifier | M   | .   | M   |
|     | Bit Map, Primary        | M   | X   | M   |
| 1   | Bit Map, Secondary      | M   | X   | M   |

| No. | Data element name                           | Org | Sys | Dst |
|-----|---------------------------------------------|-----|-----|-----|
| 2   | Primary Account Number (PAN)                | M   | •   | M   |
| 3   | Processing Code                             | M   | •   | M   |
| 4   | Amount, Transaction                         | •   | X   | M   |
| 5   | Amount, Reconciliation                      | •   | X   | M   |
| 9   | Conversion Rate, Reconciliation             | •   | X   | M   |
| 14  | Date, Expiration                            | O   | •   | C   |
| 23  | Card Sequence Number                        | O   | •   | C   |
| 24  | Function Code                               | M   | •   | M   |
| 25  | Message Reason Code                         | M   | •   | M   |
| 26  | Acceptor Business Code                      | O   | •   | C   |
| 30  | Amounts, Original                           | M   | •   | M   |
| 31  | Acquirer Reference Data                     | M   | •   | M   |
| 32  | Acquiring Institution Identification Code   | O   | •   | C   |
| 33  | Forwarding Institution ID Code              | M   | X   | M   |
| 37  | Retrieval Reference Number                  | O   | •   | C   |
| 38  | Approval Code                               | O   | •   | C   |
| 41  | Acceptor Terminal ID                        | O   | •   | C   |
| 42  | Acceptor ID Code                            | O   | •   | C   |
| 43  | Acceptor Name/Location                      | O   | •   | C   |
| 48  | Additional Data                             | M   | X   | M   |
| 49  | Currency Code, Transaction                  | •   | X   | M   |
| 50  | Currency Code, Reconciliation               | •   | X   | M   |
| 62  | Additional Data 2                           | C   | X   | C   |
| 63  | Transaction Life Cycle ID                   | C   | •   | C   |
| 71  | Message Number                              | M   | X   | M   |
| 72  | Data Record                                 | O   | •   | C   |
| 73  | Date, Action                                | M   | •   | M   |
| 93  | Transaction Destination Institution ID Code | •   | X   | M   |
| 94  | Transaction Originator Institution ID Code  | M   | X   | M   |

| No.   | Data element name                                   | Org | Sys | Dst |
|-------|-----------------------------------------------------|-----|-----|-----|
| 95    | Card Issuer Reference Data                          | O   | •   | C   |
| 100   | Receiving Institution ID Code                       | •   | X   | M   |
| 123   | Additional Data 3                                   | C   | X   | C   |
| 124   | Additional Data 4                                   | C   | X   | C   |
| 125   | Additional Data 5                                   | C   | X   | C   |
| p0001 | Mastercard® Mapping Service Account Number          | •   | X   | C   |
| p0002 | GCMS Product Identifier                             | •   | X   | M   |
| p0003 | Licensed Product Identifier                         | •   | X   | M   |
| p0015 | Clearing Currency Conversion Identifier             | •   | X   | M   |
|       | s1 Currency Conversion Date                         | •   | X   | M   |
|       | s2 Currency Conversion Indicator                    | •   | X   | M   |
| p0025 | Message Reversal Indicator                          | C   | X   | C   |
|       | s2 Central Site Processing Date of Original Message | O   | X   | C   |
| p0027 | Flex Code                                           | •   | X   | C   |
| p0059 | Token Requestor ID                                  | C   | X   | C   |
| p0068 | Financial Account Information                       | •   | X   | C   |
| p0137 | Fee Collection Control Number                       | M   | •   | M   |
| p0148 | Currency Exponents                                  | M   | X   | M   |
| p0149 | Currency Codes, Amounts, Original                   | M   | •   | M   |
| p0158 | Business Activity                                   | O   | X   | M   |
|       | s1 Card Program Identifier                          | C   | X   | M   |
|       | s2 Business Service Arrangement Type Code           | C   | X   | M   |
|       | s3 Business Service ID Code                         | C   | X   | M   |
|       | s4 Interchange Rate Designator                      | C   | X   | M   |
|       | s5 Central Site Business Date                       | •   | X   | M   |
|       | s6 Business Cycle                                   | •   | X   | M   |
|       | s7 Acceptor Classification Override Indicator       | •   | X   | M   |



| No.   | Data element name                                                   | Org | Sys | Dst |
|-------|---------------------------------------------------------------------|-----|-----|-----|
|       | s8 Product Class Override Indicator                                 | •   | X   | M   |
|       | s9 Corporate Incentive Rates Apply Indicator                        | •   | X   | M   |
|       | s10 Special Conditions Indicator                                    | •   | X   | M   |
|       | s11 Mastercard Assigned ID Override Indicator                       | •   | X   | M   |
|       | s12 Account Level Management Account Category Code                  | •   | X   | M   |
|       | s13 Rate Indicator                                                  | •   | X   | M   |
|       | s14 Masterpass Incentive Indicator                                  | •   | X   | M   |
|       | s15 Digital Wallet Interchange Override Indicator                   | •   | X   | M   |
| p0159 | Settlement Data                                                     | C   | X   | C   |
| p0165 | Settlement Indicator                                                | M   | •   | M   |
|       | s2 Settlement Information                                           | O   | •   | C   |
| p0170 | Acceptor Inquiry Information                                        | O   | •   | C   |
| p0171 | Alternate Acceptor Description                                      | O   | •   | C   |
| p0172 | Sole Proprietor Name                                                | O   | •   | C   |
| p0173 | Legal Corporate Name                                                | O   | •   | C   |
| p0174 | Dun & Bradstreet Number                                             | O   | •   | C   |
| p0175 | Acceptor URL                                                        | O   | •   | C   |
| p0178 | Alternate Acceptor Description Data 2                               | O   | •   | C   |
| p0188 | Private Data, Proprietary In Control Data (for future use only)     | •   | X   | C   |
| p0189 | Point-of-Interaction (POI) Phone Data                               | O   | •   | C   |
| p0190 | Partner ID Code                                                     | O   | •   | C   |
| p0191 | Originating Message Format                                          | O   | X   | M   |
| p0222 | Mexico Domestic Dispute Resolution Documentation Image-Related Data | C   | •   | C   |
| p0207 | Wallet Identifier                                                   | •   | X   | C   |

| No.   | Data element name                                       | Org | Sys | Dst |
|-------|---------------------------------------------------------|-----|-----|-----|
| p0228 | Retrieval Document Code                                 | O   | .   | C   |
| p0230 | Fulfillment Document Code                               | M   | .   | M   |
| p0241 | MasterCom Control Number                                | O   | .   | C   |
| p0262 | Documentation Indicator                                 | O   | .   | C   |
| p0264 | Original Retrieval Reason for Request                   | M   | .   | M   |
| p0375 | Member Reconciliation Indicator 1                       | O   | .   | .   |
| p0799 | Test Case Traceability Identifiers                      | O   | .   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099) | O   | .   | C   |

## Fee Collection (Handling Fees)/1740

Acquirers and issuers use this message layout to collect the progressive handling fees related to authorization-related chargebacks (chargeback reason codes 4807, 4808, and 4847).

This list shows the values for the message layout.

- The MTI must be 1740.
- DE 24 (Function Code) can be 700, 780, 781, or 782.
- DE 25 (Message Reason Code) must be 7622, 7623, 7624, or 7627.

This table provides the layout for the Fee Collection (Handling Fees)/1740 message.

### Fee Collection (Handling Fees)/1740 message layout

| No. | Data element name               | Org | Sys | Dst |
|-----|---------------------------------|-----|-----|-----|
|     | Message Type Identifier         | M   | .   | M   |
|     | Bit Map, Primary                | M   | X   | M   |
| 1   | Bit Map, Secondary              | M   | X   | M   |
| 2   | Primary Account Number (PAN)    | M   | .   | M   |
| 3   | Processing Code                 | M   | .   | M   |
| 4   | Amount, Transaction             | M   | .   | M   |
| 5   | Amount, Reconciliation          | .   | X   | M   |
| 9   | Conversion Rate, Reconciliation | .   | X   | M   |

| No.   | Data element name                           | Org | Sys | Dst |
|-------|---------------------------------------------|-----|-----|-----|
| 23    | Card Sequence Number                        | O   | •   | C   |
| 24    | Function Code                               | M   | •   | M   |
| 25    | Message Reason Code                         | M   | •   | M   |
| 26    | Acceptor Business Code                      | O   | •   | C   |
| 30    | Amounts, Original                           | O   | •   | C   |
| 31    | Acquirer Reference Data                     | M   | •   | M   |
| 32    | Acquiring Institution Identification Code   | O   | •   | C   |
| 33    | Forwarding Institution ID Code              | M   | •   | M   |
| 38    | Approval Code                               | O   | •   | C   |
| 41    | Acceptor Terminal ID                        | O   | •   | C   |
| 42    | Acceptor ID Code                            | O   | •   | C   |
| 43    | Acceptor Name/Location                      | O   | •   | C   |
| 48    | Additional Data                             | M   | X   | M   |
| 49    | Currency Code, Transaction                  | M   | •   | M   |
| 50    | Currency Code, Reconciliation               | •   | X   | M   |
| 62    | Additional Data 2                           | C   | X   | C   |
| 63    | Transaction Life Cycle ID                   | C   | •   | C   |
| 71    | Message Number                              | M   | X   | M   |
| 72    | Data Record                                 | M   | •   | M   |
| 73    | Date, Action                                | M   | •   | M   |
| 93    | Transaction Destination Institution ID Code | M   | X   | M   |
| 94    | Transaction Originator Institution ID Code  | M   | •   | M   |
| 100   | Receiving Institution ID Code               | •   | X   | M   |
| 123   | Additional Data 3                           | C   | X   | C   |
| 124   | Additional Data 4                           | C   | X   | C   |
| 125   | Additional Data 5                           | C   | X   | C   |
| p0002 | GCMS Product Identifier                     | •   | X   | C   |
| p0003 | Licensed Product Identifier                 | •   | X   | C   |

| No.   | Data element name                                   | Org | Sys | Dst |
|-------|-----------------------------------------------------|-----|-----|-----|
| p0015 | Clearing Currency Conversion Identifier             | •   | X   | M   |
|       | s1 Currency Conversion Date                         | •   | X   | M   |
|       | s2 Currency Conversion Indicator                    | •   | X   | M   |
| p0025 | Message Reversal Indicator                          | C   | X   | C   |
|       | s2 Central Site Processing Date of Original Message | O   | X   | C   |
| p0068 | Financial Account Information                       | •   | X   | C   |
| p0137 | Fee Collection Control Number                       | M   | •   | M   |
| p0148 | Currency Exponents                                  | M   | X   | M   |
| p0149 | Currency Codes, Amounts, Original                   | C   | •   | C   |
| p0158 | Business Activity                                   | O   | X   | M   |
|       | s1 Card Program Identifier                          | C   | X   | M   |
|       | s2 Business Service Arrangement Type Code           | C   | X   | M   |
|       | s3 Business Service ID Code                         | C   | X   | M   |
|       | s4 Interchange Rate Designator                      | C   | X   | M   |
|       | s5 Central Site Business Date                       | •   | X   | M   |
|       | s6 Business Cycle                                   | •   | X   | M   |
|       | s7 Acceptor Classification Override Indicator       | •   | X   | M   |
|       | s8 Product Class Override Indicator                 | •   | X   | M   |
|       | s9 Corporate Incentive Rates Apply Indicator        | •   | X   | M   |
|       | s10 Special Conditions Indicator                    | •   | X   | M   |
|       | s11 Mastercard Assigned ID Override Indicator       | •   | X   | M   |
|       | s12 Account Level Management Account Category Code  | •   | X   | M   |
|       | s13 Rate Indicator                                  | •   | X   | M   |
|       | s14 Masterpass Incentive Indicator                  | •   | X   | M   |

| No.   | Data element name                                                   | Org | Sys | Dst |
|-------|---------------------------------------------------------------------|-----|-----|-----|
|       | s15 Digital Wallet Interchange Override Indicator                   | .   | X   | M   |
| p0159 | Settlement Data                                                     | C   | X   | C   |
| p0165 | Settlement Indicator                                                | M   | .   | M   |
|       | s2 Settlement Information                                           | O   | .   | C   |
| p0175 | Acceptor URL                                                        | O   | .   | C   |
| p0191 | Originating Message Format                                          | O   | X   | M   |
| p0207 | Wallet Identifier                                                   | .   | X   | C   |
| p0222 | Mexico Domestic Dispute Resolution Documentation Image-Related Data | C   | .   | C   |
| p0262 | Documentation Indicator                                             | O   | .   | C   |
| p0265 | Initial Presentment/Fee Collection Data                             | O   | .   | C   |
| p0266 | First Chargeback/Fee Collection Return Data                         | O   | .   | C   |
| p0267 | Second Presentment/Fee Collection Resubmission Data                 | O   | .   | C   |
| p0375 | Member Reconciliation Indicator 1                                   | O   | .   | .   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099)             | O   | .   | C   |

## Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740

Both Mastercard and customers use this message layout for fee collections other than retrieval fee billing or handling fees.

This list shows the values for the message layout.

- The MTI must be 1740.
- DE 24 (Function Code) must be 700, 780, 781, 782, 783, 790, or 791.
- DE 25 (Message Reason Code) must contain a value other than 7614, 7622, 7623, 7624, or 7627.

This table provides the layout for the Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 message.

**Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 message layout**

| <b>No.</b> | <b>Data element name</b>                  | <b>Org</b> | <b>Sys</b> | <b>Dst</b> |
|------------|-------------------------------------------|------------|------------|------------|
|            | Message Type Identifier                   | M          | .          | M          |
|            | Bit Map, Primary                          | M          | X          | M          |
| 1          | Bit Map, Secondary                        | M          | X          | M          |
| 2          | Primary Account Number (PAN)              | C          | .          | C          |
| 3          | Processing Code                           | M          | .          | M          |
| 4          | Amount, Transaction                       | M          | .          | M          |
| 5          | Amount, Reconciliation                    | .          | X          | M          |
| 9          | Conversion Rate, Reconciliation           | .          | X          | M          |
| 23         | Card Sequence Number                      | O          | .          | C          |
| 24         | Function Code                             | M          | .          | M          |
| 25         | Message Reason Code                       | M          | .          | M          |
| 26         | Acceptor Business Code                    | O          | .          | C          |
| 30         | Amounts, Original                         | O          | .          | C          |
| 31         | Acquirer Reference Data                   | O          | .          | C          |
| 32         | Acquiring Institution Identification Code | O          | .          | C          |
| 33         | Forwarding Institution ID Code            | M          | .          | M          |
| 38         | Approval Code                             | O          | .          | C          |
| 41         | Acceptor Terminal ID                      | O          | .          | C          |
| 42         | Acceptor ID Code                          | C          | .          | C          |
| 43         | Acceptor Name/Location                    | O          | .          | C          |
| 48         | Additional Data                           | M          | X          | M          |
| 49         | Currency Code, Transaction                | M          | .          | M          |
| 50         | Currency Code, Reconciliation             | .          | X          | M          |
| 62         | Additional Data 2                         | C          | X          | C          |
| 63         | Transaction Life Cycle ID                 | C          | .          | C          |
| 71         | Message Number                            | M          | X          | M          |
| 72         | Data Record                               | C          | .          | C          |
| 73         | Date, Action                              | C          | .          | C          |

| No.   | Data element name                                   | Org | Sys | Dst |
|-------|-----------------------------------------------------|-----|-----|-----|
| 93    | Transaction Destination Institution ID Code         | M   | X   | M   |
| 94    | Transaction Originator Institution ID Code          | M   | •   | M   |
| 100   | Receiving Institution ID Code                       | •   | X   | M   |
| 123   | Additional Data 3                                   | C   | X   | C   |
| 124   | Additional Data 4                                   | C   | X   | C   |
| 125   | Additional Data 5                                   | C   | X   | C   |
| p0002 | GCMS Product Identifier                             | •   | X   | C   |
| p0003 | Licensed Product Identifier                         | •   | X   | C   |
| p0015 | Clearing Currency Conversion Identifier             | •   | X   | M   |
|       | s1 Currency Conversion Date                         | •   | X   | M   |
|       | s2 Currency Conversion Indicator                    | •   | X   | M   |
| p0025 | Message Reversal Indicator                          | C   | X   | C   |
|       | s2 Central Site Processing Date of Original Message | O   | X   | C   |
| p0068 | Financial Account Information                       | •   | X   | C   |
| p0080 | Amount, Tax                                         | C   | X   | C   |
| p0137 | Fee Collection Control Number                       | M   | •   | M   |
| p0148 | Currency Exponents                                  | M   | X   | M   |
| p0149 | Currency Codes, Amounts, Original                   | C   | •   | C   |
| p0158 | Business Activity                                   | O   | X   | M   |
|       | s1 Card Program Identifier                          | C   | X   | M   |
|       | s2 Business Service Arrangement Type Code           | C   | X   | M   |
|       | s3 Business Service ID Code                         | C   | X   | M   |
|       | s4 Interchange Rate Designator                      | C   | X   | M   |
|       | s5 Central Site Business Date                       | •   | X   | M   |
|       | s6 Business Cycle                                   | •   | X   | M   |
|       | s7 Acceptor Classification Override Indicator       | •   | X   | M   |

| No.   | Data element name                                                   | Org | Sys | Dst |
|-------|---------------------------------------------------------------------|-----|-----|-----|
|       | s8 Product Class Override Indicator                                 | •   | X   | M   |
|       | s9 Corporate Incentive Rates Apply Indicator                        | •   | X   | M   |
|       | s10 Special Conditions Indicator                                    | •   | X   | M   |
|       | s11 Mastercard Assigned ID Override Indicator                       | •   | X   | M   |
|       | s12 Account Level Management Account Category Code                  | •   | X   | M   |
|       | s13 Rate Indicator                                                  | •   | X   | M   |
|       | s14 Masterpass Incentive Indicator                                  | •   | X   | M   |
|       | s15 Digital Wallet Interchange Override Indicator                   | •   | X   | M   |
| p0159 | Settlement Data                                                     | C   | X   | C   |
| p0165 | Settlement Indicator                                                | M   | •   | M   |
|       | s2 Settlement Information                                           | O   | •   | C   |
| p0175 | Acceptor URL                                                        | O   | •   | C   |
| p0191 | Originating Message Format                                          | O   | X   | M   |
| p0207 | Wallet Identifier                                                   | •   | X   | C   |
| p0222 | Mexico Domestic Dispute Resolution Documentation Image-Related Data | C   | •   | C   |
| p0262 | Documentation Indicator                                             | O   | •   | C   |
| p0265 | Initial Presentment/Fee Collection Data                             | O   | •   | C   |
| p0266 | First Chargeback/Fee Collection Return Data                         | O   | •   | C   |
| p0267 | Second Presentment/Fee Collection Resubmission Data                 | O   | •   | C   |
| p0375 | Member Reconciliation Indicator 1                                   | O   | •   | •   |
| P0799 | Test Case Traceability Identifiers                                  | O   | •   | C   |
| p10XX | Member-to-Member Proprietary Data (p1000 through p1099)             | O   | •   | C   |



## Activity types accumulated by reconciliation messages

Reconciliation messages accumulate only accepted financial activity.

Financial activity includes First Presentment/1240, First Chargeback/1442, Second Presentment/1240, Arbitration Chargeback/1442, and Fee Collection/1740 messages.

Non-financial activity includes File Header/1644, File Trailer/1644, Text/1644, Message Exception/1644, File Reject/1644, Retrieval Request/1644, Currency Update/1644, and Financial Detail Addendum/1644 messages.

Rejected financial activity and all non-financial activity are accumulated and reported in other messages.

## Function Codes used

Each reconciliation message type is identified by a unique Data Element (DE) 24 (Function Code).

This table lists the DE 24 function codes.

### Function Codes used

| Function Code | Reconciliation Message Type                         |
|---------------|-----------------------------------------------------|
| 680           | File Currency Summary/1644 (Source currency totals) |
| 685           | Financial Position Detail/1644 (Clearing totals)    |
| 688           | Settlement Position Detail/1644 (Settlement detail) |

## Message Reason Codes used

The reconciliation message formats also include a DE 25 (Message Reason Code).

The values in this data element allow for a mechanism to easily segregate acknowledgment and notification reconciliation messages delivered in a single offline file, as shown in this table.

### Message Reason Codes used

| Message Reason Code | Reconciliation Message Reason Code Description                                                         |
|---------------------|--------------------------------------------------------------------------------------------------------|
| 6861                | Acknowledgment Reconciliation: the clearing system generates after processing member outbound activity |
| 6862                | Notification Reconciliation: the clearing system generates for member inbound activity                 |

**NOTE: Refer to these definitions:**

- **Acknowledgment is a type of IPM reconciliation message confirming activity that the customer sent to [Dual Message Clearing System](#).**
- **Notification is a type of IPM reconciliation message confirming activity that the customer received from Dual Message Clearing System.**

## Reconciliation Amount/Reconciliation Fee totals

Financial Position Detail/1644 messages and Settlement Position Detail/1644 messages provide fee totals (PDS 0146 [Amounts, Transaction Fee]) separately from DE 5 (Amount, Reconciliation) totals. The fee totals are provided by fee type code.

All fees are in PDS 0146 of the clearing transaction. PDS 0146 contains from 1 to 12 fee occurrences. Subfield 1, Fee Type Code identifies each fee. Each fee is accumulated as either a debit or a credit based on subfield 2, Fee Processing Code.

This table describes the process for accumulating fee totals.

### Reconciliation Amount/Reconciliation Fee totals

| DE/PDS   | Amount, Fee, Reconciliation (subfield 7) | Fee Processing Code (subfield 2) | PDS 0025 | Originator Dr/Cr Indicator* | Receiver Dr/Cr Indicator** |
|----------|------------------------------------------|----------------------------------|----------|-----------------------------|----------------------------|
| PDS 0146 | Amount, Fee, Reconciliation              | 19                               | -        | Cr                          | Dr                         |
| PDS 0146 | Amount, Fee, Reconciliation              | 19                               | R        | Dr                          | Cr                         |
| PDS 0146 | Amount, Fee, Reconciliation              | 29                               | -        | Dr                          | Cr                         |
| PDS 0146 | Amount, Fee, Reconciliation              | 29                               | R        | Cr                          | Dr                         |

\* In reconciliation messages, if DE 25 contains 6861, the reconciliation message represents an acknowledgment, which is an accumulation of a customer's previously submitted outgoing clearing file. Therefore, when DE 25 is 6861, the reconciliation message is generated for the originator.

\*\* Further, if DE 25 contains 6862, the reconciliation message represents a notification, which is an accumulation of a customer's new incoming clearing file. Therefore, when DE 25 is 6862, the reconciliation message is generated for the receiver.

In the Financial Position Detail/1644 and the Settlement Position Detail/1644 messages, debit fee totals are provided in reconciliation currency in PDS 0392 (Debit, Fee Amounts), credit fee

totals are provided in reconciliation currency in PDS 0393 (Credits, Fee Amounts), and the net totals are provided in reconciliation currency in PDS 0395 (Amount, Net Fee).

## Reconciliation messages

These sections describe the reconciliation messages.

### Acknowledgment messages

The acknowledgment messages contain the clearing system-calculated totals for the related customer outbound file.

The clearing system responds to a customer-originated file by sending the customer acknowledgment messages based on customer profile options. The clearing system calculates totals only for accepted files and accepted financial messages.

Acknowledgment messages contain a DE 25 (Message Reason Code) value of 6861.

### Notification messages

The notification messages contain the clearing system-calculated totals for the customer's inbound activity.

The clearing system provides notification messages for each customer inbound file based on the customer profile options.

Notification messages contain a DE 25 value of 6862.

### Reconciliation message totals

For the Financial Position Detail/1644 messages and the Settlement Position Detail/1644 messages, [Dual Message Clearing System](#) provides totals for each of the reconciliation categories chosen.

This table shows the usage requirements (mandatory or conditional) for each of these PDSs within the message.

#### PDS usage requirements

| Value | Description                                                                                                                  |
|-------|------------------------------------------------------------------------------------------------------------------------------|
| M     | Mandatory. The data element is always present in the message.                                                                |
| C     | Conditional. The data element is present in the message if the conditions described in the accompanying text are applicable. |
| N/A   | Not applicable                                                                                                               |

This table shows the PDS usage details.

### PDS usage details

| PDS number | Reconciliation totals       | Currency type                                                                                             | Presence in the 1644/680 message | Presence in the 1644/685 message | Presence in the 1644/688 message |
|------------|-----------------------------|-----------------------------------------------------------------------------------------------------------|----------------------------------|----------------------------------|----------------------------------|
| 0380       | Debits, transaction amount  | Transaction                                                                                               | M                                | C                                | N/A                              |
| 0381       | Credits, transaction amount | Transaction                                                                                               | M                                | C                                | N/A                              |
| 0384       | Amount, net transaction     | Transaction                                                                                               | M                                | C                                | N/A                              |
| 0390       | Debits, transaction amount  | Reconciliation                                                                                            | N/A                              | M                                | M                                |
| 0391       | Credits, transaction amount | Reconciliation                                                                                            | N/A                              | M                                | M                                |
| 0392       | Debits, fee amounts         | Reconciliation                                                                                            | N/A                              | M                                | M                                |
| 0393       | Credits, fee amounts        | Reconciliation                                                                                            | N/A                              | M                                | M                                |
| 0394       | Amount, net transaction     | Reconciliation                                                                                            | N/A                              | M                                | M                                |
| 0395       | Amount, net fee             | Reconciliation                                                                                            | N/A                              | M                                | M                                |
| 0396       | Amount, net total           | Reconciliation                                                                                            | N/A                              | M                                | M                                |
| 0400       | Debits, transaction number  | This is a record count of all bilateral and Collection Only transactions and those settled by Mastercard. | M                                | M                                | N/A                              |
| 0401       | Credits, transaction number | This is a record count of all bilateral and Collection Only transactions and those settled by Mastercard. | M                                | M                                | N/A                              |
| 0402       | Total, transaction number   | This is a record count of all bilateral and Collection Only transactions and those settled by Mastercard. | M                                | M                                | N/A                              |

## Debit/Credit totals

Reconciliation messages provide separate totals for debit and credit amounts.

DE 5 (Amount, Reconciliation) reconciliation debit and credit totals are determined for the transaction originator and transaction destination by using the transaction function ([Message Type Identifier \[MTI\]](#) and DE 24 [Function code]), DE 3 [Processing Code], and PDS 0025 [Message Reversal Indicator]. For activity other than bilaterally settled or Collection Only, transaction and fee totals are designated as debit or credit according to the settlement impact to each customer. For example, an original retail purchase is accumulated as a credit to the originator (the acquirer) and a debit to the receiver (the issuer).

An acquirer always originates and an issuer always receives the financial transactions listed in this table.

### Debit/Credit totals originated by acquirers

| MTI  | DE 24 | DE 3      | PDS 0025 | Amount DE/PDS | Originator Dr/Cr Indicator (Acquirer) | Receiver Dr/Cr Indicator (Issuer) |
|------|-------|-----------|----------|---------------|---------------------------------------|-----------------------------------|
| 1240 | 200   | 00-18, 50 | -        | DE 5          | Cr                                    | Dr                                |
| 1240 | 200   | 00-18, 50 | R        | DE 5          | Dr                                    | Cr                                |
| 1240 | 200   | 20, 28    | -        | DE 5          | Dr                                    | Cr                                |
| 1240 | 200   | 20, 28    | R        | DE 5          | Cr                                    | Dr                                |
| 1240 | 205   | 00-18, 50 | -        | DE 5          | Cr                                    | Dr                                |
| 1240 | 205   | 00-18, 50 | R        | DE 5          | Dr                                    | Cr                                |
| 1240 | 205   | 20, 28    | -        | DE 5          | Dr                                    | Cr                                |
| 1240 | 205   | 20, 28    | R        | DE 5          | Cr                                    | Dr                                |
| 1240 | 282   | 00-18, 50 | -        | DE 5          | Cr                                    | Dr                                |
| 1240 | 282   | 00-18, 50 | R        | DE 5          | Dr                                    | Cr                                |
| 1240 | 282   | 20, 28    | -        | DE 5          | Dr                                    | Cr                                |
| 1240 | 282   | 20, 28    | R        | DE 5          | Cr                                    | Dr                                |

An issuer always originates and the acquirer always receives the financial transactions listed in this table.

### Debit/Credit totals originated by issuers

| MTI  | DE 24 | DE 3      | PDS 0025 | Amount<br>DE/PDS | Originator<br>Dr/Cr<br>Indicator<br>(Issuer) | Receiver<br>Dr/Cr<br>Indicator<br>(Acquirer) |
|------|-------|-----------|----------|------------------|----------------------------------------------|----------------------------------------------|
| 1442 | 450   | 00-18, 50 | -        | DE 5             | Cr                                           | Dr                                           |
| 1442 | 450   | 00-18, 50 | R        | DE 5             | Dr                                           | Cr                                           |
| 1442 | 450   | 20, 28    | -        | DE 5             | Dr                                           | Cr                                           |
| 1442 | 450   | 20, 28    | R        | DE 5             | Cr                                           | Dr                                           |
| 1442 | 451   | 00-18, 50 | -        | DE 5             | Cr                                           | Dr                                           |
| 1442 | 451   | 00-18, 50 | R        | DE 5             | Dr                                           | Cr                                           |
| 1442 | 451   | 20, 28    | -        | DE 5             | Dr                                           | Cr                                           |
| 1442 | 451   | 20, 28    | R        | DE 5             | Cr                                           | Dr                                           |
| 1442 | 453   | 00-18, 50 | -        | DE 5             | Cr                                           | Dr                                           |
| 1442 | 453   | 00-18, 50 | R        | DE 5             | Dr                                           | Cr                                           |
| 1442 | 453   | 20, 28    | -        | DE 5             | Dr                                           | Cr                                           |
| 1442 | 453   | 20, 28    | R        | DE 5             | Cr                                           | Dr                                           |
| 1442 | 454   | 00-18, 50 | -        | DE 5             | Cr                                           | Dr                                           |
| 1442 | 454   | 00-18, 50 | R        | DE 5             | Dr                                           | Cr                                           |
| 1442 | 454   | 20, 28    | -        | DE 5             | Dr                                           | Cr                                           |
| 1442 | 454   | 20, 28    | R        | DE 5             | Cr                                           | Dr                                           |

The two previous tables apply to Collection Only, non-Collection Only, and bilateral activity.

Both acquirers and issuers may originate and receive Fee Collection messages. The clearing system may also originate these messages. The transactions are listed in this table.

### Debit/Credit totals originated by either party

| MTI  | DE 24 | DE 3 | PDS 0025 | Amount<br>DE/PDS | Originator<br>Dr/Cr<br>Indicator | Receiver<br>Dr/Cr<br>Indicator |
|------|-------|------|----------|------------------|----------------------------------|--------------------------------|
| 1740 | 700   | 19   | -        | DE 5             | Cr                               | Dr                             |
| 1740 | 700   | 19   | R        | DE 5             | Dr                               | Cr                             |

| <b>MTI</b> | <b>DE 24</b> | <b>DE 3</b> | <b>PDS 0025</b> | <b>Amount<br/>DE/PDS</b> | <b>Originator<br/>Dr/Cr<br/>Indicator</b> | <b>Receiver<br/>Dr/Cr<br/>Indicator</b> |
|------------|--------------|-------------|-----------------|--------------------------|-------------------------------------------|-----------------------------------------|
| 1740       | 700          | 29          | -               | DE 5                     | Dr                                        | Cr                                      |
| 1740       | 700          | 29          | R               | DE 5                     | Cr                                        | Dr                                      |
| 1740       | 780          | 19          | -               | DE 5                     | Cr                                        | Dr                                      |
| 1740       | 780          | 19          | R               | DE 5                     | Dr                                        | Cr                                      |
| 1740       | 780          | 29          | -               | DE 5                     | Dr                                        | Cr                                      |
| 1740       | 780          | 29          | R               | DE 5                     | Cr                                        | Dr                                      |
| 1740       | 781          | 19          | -               | DE 5                     | Cr                                        | Dr                                      |
| 1740       | 781          | 19          | R               | DE 5                     | Dr                                        | Cr                                      |
| 1740       | 781          | 29          | -               | DE 5                     | Dr                                        | Cr                                      |
| 1740       | 781          | 29          | R               | DE 5                     | Cr                                        | Dr                                      |
| 1740       | 782          | 19          | -               | DE 5                     | Cr                                        | Dr                                      |
| 1740       | 782          | 19          | R               | DE 5                     | Dr                                        | Cr                                      |
| 1740       | 782          | 29          | -               | DE 5                     | Dr                                        | Cr                                      |
| 1740       | 782          | 29          | R               | DE 5                     | Cr                                        | Dr                                      |
| 1740       | 783          | 19          | -               | DE 5                     | Cr                                        | Dr                                      |
| 1740       | 783          | 19          | R               | DE 5                     | Dr                                        | Cr                                      |
| 1740       | 783          | 29          | -               | DE 5                     | Dr                                        | Cr                                      |
| 1740       | 783          | 29          | R               | DE 5                     | Cr                                        | Dr                                      |

## Reconciliation category summary

Financial Position Detail/1644 message and Settlement Position Detail/1644 message totals may include indicators for several reconciliation categories to support a broad range of business requirements.

A Financial Position Detail/1644 message or Settlement Position Detail/1644 message is generated for each unique combination of values for the selected clearing reconciliation categories depending on the options selected by the customer. The amount totals in the reconciliation messages are always in the customer's reconciliation currency (based on DE 5 [Amount Reconciliation] of the original sender or the original receiver, depending on whether the 1644-685 or 1644-688 message is going to the sender [acknowledgment] or receiver [notification]). The totals may also be in a transaction currency/reconciliation currency pair, depending on whether the customer selects transaction currency as an option.

This table shows these categories.

## Reconciliation category summary

| Category                                                                               | 1644-685 Financial<br>Position Detail | 1644-685 Financial<br>Position Detail | 1644-688 Settlement<br>Position Detail |
|----------------------------------------------------------------------------------------|---------------------------------------|---------------------------------------|----------------------------------------|
|                                                                                        | Acknowledgment                        | Notification                          | Acknowledgment/<br>Notification        |
| Reconciled, File (PDS 0300)                                                            | Y or N                                | Y or N                                | Default                                |
| Reconciled, Account Range (PDS 0370)                                                   | Y or N                                | Y or N                                | Y or N                                 |
| Reconciled, Member Activity (PDS 0302)                                                 | Y or N                                | Y or N                                | Conditional                            |
| Reconciled, Business Activity (PDS 0358)                                               | Y or N                                | Y or N                                | N/A                                    |
| Settlement Indicator (PDS 0165)                                                        | Y or N                                | Y or N                                | N/A                                    |
| Reconciled, Transaction Function (PDS 0372)                                            | Y or N                                | Y or N                                | N/A                                    |
| Reconciled, Processing Code (PDS 0374)                                                 | Y or N                                | Y or N                                | N/A                                    |
| Member specified Reconciliation Criteria: Member Reconciliation Indicator 1 (PDS 0375) | Y or N                                | N/A                                   | N/A                                    |
| Original/Reversal Totals Indicator (PDS 0378)                                          | Y or N                                | Y or N                                | N/A                                    |
| Currency Code, Transaction (DE 49)                                                     | Y or N                                | Y or N                                | Y or N                                 |
| Settlement Activity (PDS 0359)                                                         | N/A                                   | N/A                                   | Default                                |
| Card Program Identifier (PDS 0367)                                                     | N/A                                   | N/A                                   | Y or N                                 |
| Transaction Function Group Code (PDS 0368)                                             | N/A                                   | N/A                                   | Y or N                                 |
| Acquirer's BIN (PDS 0369)                                                              | N/A                                   | N/A                                   | Y or N                                 |

To ensure that customers receive a complete representation of their Mastercard settled activity, when either the account range or the Acquirer's BIN category (or both) is selected, [Dual](#)



[Message Clearing System](#) automatically accumulates the totals, in PDS 0302, Reconciled, Member Activity, based on one or more of these values:

- Issuing activity
- Acquiring activity, or
- Fee collection activity.

**NOTE: Customers electing to receive Settlement Position Detail messages always receive both acknowledgment and notification messages for each settlement reconciliation category.**

## Reconciliation category definitions

This topic defines the reconciliation categories.

### PDS 0105 (File ID) and PDS 0300 (Reconciled, File ID)

The file originator must create a unique File ID for each File Header/1644 in and across transmissions. The file originator accomplishes this by using unique values in PDS 0105 in each File Header/1644 and corresponding File Trailer/1644. The File ID for which the totals are presented is provided in PDS 0300 (Reconciled, File) of the Reconciliation message.

In acknowledgment reconciliation messages, PDS 0300 contains the PDS 0105 value submitted by the file originator in customer-generated files.

In notification reconciliation messages, PDS 0300 contains the clearing cycle delivery file ID assigned by [Dual Message Clearing System](#) for files generated by Mastercard.

PDS 0300 is a default category for Settlement Position Detail/1644 messages, and an optional category for Financial Position Detail/1644 messages. Customers who elect to receive the reconciliation messages and choose this category receive either the Financial Position Detail/1644 or Settlement Position Detail/1644-688 messages, or both, as selected by the customer, grouped by this category. The File ID for which the totals are presented is provided in PDS 0300 of the reconciliation message. Customers can use these values in PDS 0300 to identify the corresponding File ID for reconciliation to the Settlement Advisement line item totals as well as their reconciliation reports.

### PDS 0370 (Reconciled, Account Range)

This optional category provides totals of clearing or settlement amounts in reconciliation currency grouped by issuing account ranges. A customer will receive amount totals for their own issuing account ranges as established and maintained at Mastercard.

Totals also may be accumulated by issuing account range activity for the reconciled customer ID. If a customer/processor selects the account range level reconciliation category, PDS 0370 (Reconciled, Account Range) is provided in the Reconciliation messages. Only the customer's issuing account range activity is provided; customers will not receive account range activity for other issuers' account ranges. Customers that select this reconciliation option will receive a message for each unique account range established for its customer ID that had activity in the applicable file, clearing cycle, or both.

For Financial Position Detail/1644 messages, if the PDS 0370 category is selected, the Reconciled, Member Activity (PDS 0302) also must be selected to obtain complete amount totals by issuing account range, acquiring activity (customer ID level), and fee collection activity (customer ID level).

For Settlement Position Detail/1644 messages, if the PDS 0370 category is selected, PDS 0302 will automatically be selected to provide complete amount totals by issuing account range, acquiring activity (customer ID level), and fee collection activity (customer ID level).

### PDS 0302 (Reconciled, Member Activity)

Customers may choose to receive separate financial position detail totals for their acquiring activity, issuing activity, and fee collection activity. This table illustrates the clearing system's classification of Financial messages as issuing, acquiring, or fee collection.

#### PDS 0302 (Reconciled, Member Activity)

| Transaction Description | Transaction Functions              | Acquiring Activity for the Customer Identified by | Issuing Activity for the Customer Identified by | Fee Collection Activity for the Customer Identified by |
|-------------------------|------------------------------------|---------------------------------------------------|-------------------------------------------------|--------------------------------------------------------|
| First Presentment       | 1240–200                           | DE 94                                             | DE 93                                           | N/A                                                    |
| First Chargeback        | 1442–450, 453                      | DE 93                                             | DE 94                                           | N/A                                                    |
| Second Presentment      | 1240–205, 282                      | DE 94                                             | DE 93                                           | N/A                                                    |
| Arbitration Chargeback  | 1442–451, 454                      | DE 93                                             | DE 94                                           | N/A                                                    |
| Fee Collection          | 1740–700, 780, 781, 782, 783, 790* | N/A                                               | N/A                                             | DE 94 and DE 93**                                      |

\* Transaction function 1740–790 is valid only in the IPM Pre-edit system for U.K. Domestic Maestro® transactions.

\*\* DE 94 (Transaction Originator Institution ID Code) indicates the transaction originator, and DE 93 (Transaction Destination ID Code) indicates the transaction receiver.

If selected for Financial Position Detail/1644 messages, the PDS 0302 (Reconciled, Member Activity) category provides totals by issuing activity, acquiring activity, and fee collection activity at the customer ID level. If selected with PDS 0370 (Account Range Category), the totals are by issuing account range, acquiring activity (customer ID level), and fee collections (customer ID level).

Customers cannot choose just to receive issuing activity or just the fee collection activity. They receive totals for whatever activity is processed.

This category is not offered as a settlement reconciliation category; however, [Dual Message Clearing System](#) automatically generates totals for this type of activity for customers that elect reconciliation by issuing account range, acquirers BIN, or both.

This table lists the category and related totals.

### Category and related totals

| Category                                                 | Dual Message Clearing System-provided totals   |
|----------------------------------------------------------|------------------------------------------------|
| Reconciled, Account Range                                | Acquiring activity and fee collection activity |
| Reconciled, Acquirer's BIN                               | Issuing activity and fee collection activity   |
| Reconciled, Account Range and Reconciled, Acquirer's BIN | Fee collection activity                        |

### PDS 0358 (Reconciled, Business Activity)

Customers may choose to receive financial position detail totals by PDS 0358 (Reconciled, Business Activity). PDS 0358 includes the card program identifier, business service ID and level, interchange rate designator, business date and business cycle, and other subelements defined in PDS 0158 (Business Activity). This enables customers to reconcile interchange fees for financial activity occurring in each business service group.

If PDS 0358, subfield 7 contains 0, then DE 26 (Acceptor Business Code [MCC]) is also present in the Financial position Detail/1644 message, to provide totals based on the value in DE 26.

### PDS 0165 (Settlement Indicator)

The settlement indicator in each Financial Position Detail/1644 indicates whether the totals are totals settled by Mastercard, bilaterally settled totals, or Collection Only totals. Customers may optionally choose to receive financial position detail totals by PDS 0165.

Totals settled by Mastercard refer to customer-to-customer and customer-to-Mastercard financial activity for which settlement completes using the Mastercard settlement system as opposed to a bilateral arrangement. Most offline clearing transactions are cleared and settled in this manner.

Bilateral totals refer to transactions submitted for clearing that are settled directly between customers by a mechanism other than the [Dual Message Clearing System](#) (Mastercard does not settle these transactions).

Collection Only totals refer to On-Us or intraprocessor transactions that were cleared and settled outside the clearing system. They are sent to the clearing system for reporting purposes only.

For bilateral and Collection Only totals, amounts are provided in transaction currency only, and only if the customer has also selected Financial Position Detail Reconciliation messages in transaction currency.

If customers want to be able to reconcile, separate, bilateral and Collection Only activity, and that settled by Mastercard, they should choose this category and the transaction currency category.

### **PDS 0372 (Reconciled, Transaction Function)**

Customers may optionally choose to receive financial position detail reconciliation totals by transaction function. Transaction function refers to a combination of MTI and DE 24 (Function Code) that provides a method of uniquely identifying financial transaction categories.

Totals are provided for each unique transaction function supported in this table that shows the transaction function subset.

### **PDS 0372 (Reconciled, Transaction Function)**

| <b>Description</b>                            | <b>MTI</b> | <b>Function Code</b>           |
|-----------------------------------------------|------------|--------------------------------|
| Presentments and Second Presentments          | 1240       | 200, 205, 282                  |
| First Chargebacks and Arbitration Chargebacks | 1442       | 450, 451, 453, 454             |
| Retrieval Requests*                           | 1644       | 603                            |
| Fee Collections                               | 1740       | 700, 780, 781, 782, 783, 790** |

\* Customers selecting this option and submitting 1644-603 (Retrieval Requests; non-financial messages) will receive reconciliation messages with zero counts and amounts.

\*\* Transaction function 1740-790 is valid only in the IPM Pre-edit system for UK domestic Maestro transactions.

### **DE 3 (Processing Code) and PDS 0374 (Reconciled, Processing Code) transaction type**

Customers may optionally choose to receive financial position detail totals by DE 3 (Processing Code). Each financial transaction that a customer submits and receives contains one of the Processing Codes in this table.

### **DE 3 (Processing Code) and PDS 0374 (Reconciled, Processing Code) transaction type**

| <b>Processing Code</b> | <b>Description</b>                                                                                        |
|------------------------|-----------------------------------------------------------------------------------------------------------|
| 00                     | Purchase (Goods and Services) transaction                                                                 |
| 01                     | ATM Cash Withdrawal transaction                                                                           |
| 09                     | Purchase (Goods and Services) with Cashback (Only for use with specific UK domestic Maestro transactions) |

| Processing Code | Description                                 |
|-----------------|---------------------------------------------|
| 12              | Cash Disbursement transaction               |
| 17              | Convenience Checks (Collection Only)        |
| 18              | Unique transaction                          |
| 19              | Fee Collection (Credit Originator)          |
| 20              | Credit transaction                          |
| 28              | Payment Transaction                         |
| 29              | Fee Collection (Debit Originator)           |
| 30              | Balance Inquiry                             |
| 50              | Payment/Balance Transfers (Collection Only) |
| 91              | PIN Unblock                                 |
| 92              | PIN Change                                  |

Customers cannot choose to receive totals for specific DE 3 values. They receive totals for all DE 3 activity processed by the clearing system for which they have activity.

#### **PDS 0375 (Member Reconciliation Indicator 1)**

If selected for a Financial Position Detail/1644 message, financial message originators may choose to include a PDS 0375 (Member Reconciliation Indicator 1).

This PDS contains values the originator defined. If provided, the clearing system generates reconciliation totals in accordance with the originator's defined values. This reconciliation category is available for acknowledgment reconciliation in Financial Position Detail/1644 messages.

Customers can populate PDS 0375 in their customer outgoing messages with any proprietary value up to 50 positions in length.

For example, an acquirer may choose to assign a value for a specific merchant chain and place this value into PDS 0375 in an outgoing customer First Presentment/1240 message related to the merchant chain. The acquirer can then choose Member Reconciliation Indicator 1 (PDS 0375) as an acknowledgment reconciliation message option, and receive acknowledgment reconciliation messages from Dual Message Clearing System containing totals based on this merchant chain identifier.

If the customer has chosen this reconciliation category but does not include PDS 0375 in its customer outgoing data, Dual Message Clearing System creates an acknowledgment reconciliation message with a PDS 0375 value of undefined.

#### **PDS 0378 (Original/Reversal Totals Indicator)**

If selected for Financial Position Detail/1644 messages, PDS 0378 (Original/Reversal Totals Indicator) provides separate totals for original amounts and reversal amounts.

Reversal transactions consist of all transactions that the clearing system receives with a Message Reversal Indicator (subfield 1 of PDS 0025 [Message Reversal Indicator]) value of R.

Original transactions include both original submissions (no PDS 0025 is present) and re-submissions (subfield 1 of PDS 0025 contains a space, and subfield 2 contains a date).

#### **DE 49 (Currency Code, Transaction)**

This optional category provides totals of transaction amounts in reconciliation currency grouped by transaction currency. Customers that choose this reconciliation category receive reconciliation currency amount totals per customer ID for each unique combination of reconciliation and transaction currency pair. All Financial Position Detail/1644 and Settlement Position Detail/1644 message totals are automatically provided in the receiving customer's reconciliation currencies.

Customers that want to reconcile separately the bilateral and Collection Only clearing activity and that settled by Mastercard for their Financial Position Detail/1644 messages should select this category and the PDS 0165 (Settlement Indicator) category.

#### **PDS 0359 (Reconciled, Settlement Activity) (Default)**

This is a default settlement category. Customers who elect to receive the settlement reconciliation messages always receive Settlement Position Detail/1644-688 messages grouped by this category. Customers receive settlement position detail totals based on the information that Dual Message Clearing System populates in PDS 0159 (Settlement Data) of each transaction settled by Mastercard. This category generates one message per customer ID for each unique combination of the items in this list.

- Settlement Service Transfer Agent ID
- Settlement Service Transfer Agent account
- Settlement service level
- Settlement Service ID
- Settlement Foreign exchange rate class
- Reconciliation date
- Reconciliation cycle
- Settlement date
- Settlement cycle

#### **PDS 0367 (Reconciled, Card Program Identifier)**

This optional settlement category provides totals of settlement amounts in reconciliation currency grouped by the value in the card program identifier, PDS 0158, subfield 1. Customers selecting this reconciliation category for Settlement Position Detail/1644 messages will receive amount totals per customer ID for each unique occurrence of a Card Program Identifier.

#### **PDS 0368 (Reconciled, Transaction Function Group Code)**

Customers may choose to receive settlement reconciliation totals by transaction function group. Mastercard created transaction function groups as a method of grouping similar types of

financial transactions together for processing efficiency. Totals are provided within the Settlement Position Detail/1644-688 message for each unique transaction function group.

### PDS 0369 (Reconciled, Acquirer's BIN)

This optional settlement category provides totals of settlement amounts in reconciliation currency grouped by acquiring BINs. Customers that select this category for their Settlement Position Detail/1644 messages receive amount totals for their own acquiring BINs as established and maintained at Mastercard. When this category is selected, the acquirer receives messages for each BIN established for its customer ID that has activity in the applicable file, clearing cycle, or both.

Customers that select this category automatically receive totals for:

- Issuing activity at the customer ID level when Issuing Account Range category is not selected and
- Fee collection activity at the customer ID level.

## File Currency Summary/1644 messages

Customers may use File Currency Summary/1644 messages to reconcile clearing transaction currency totals for each offline file.

File Currency Summary/1644 messages contain debit amount totals, credit amount totals, and net totals. One File Currency Summary/1644 is created for each clearing transaction currency that occurs in a file.

File Currency Summary/1644 messages may be provided as acknowledgment messages (to reconcile a customer's previously submitted outgoing clearing file), notification messages (to reconcile a customer's incoming clearing data), or both. The Message Reason Code distinguishes notification and acknowledgment messages that may be delivered in a common file.

This table provides the message layout.

### File Currency Summary/1644 message layout

| No.   | Data element name       | Org | Sys | Dst |
|-------|-------------------------|-----|-----|-----|
|       | Message Type Identifier | •   | X   | M   |
|       | Bit Map, Primary        | •   | X   | M   |
| 1     | Bit Map, Secondary      | •   | X   | M   |
| 24    | Function Code           | •   | X   | M   |
| 25    | Message Reason Code     | •   | X   | M   |
| 48    | Additional Data         | •   | X   | M   |
| p0148 | Currency Exponents      | •   | X   | M   |

| No.   | Data element name                                   | Org | Sys | Dst |
|-------|-----------------------------------------------------|-----|-----|-----|
| p0300 | Reconciled, File                                    | •   | X   | M   |
| p0380 | Debits, Transaction Amount in Transaction Currency  | •   | X   | M   |
| p0381 | Credits, Transaction Amount in Transaction Currency | •   | X   | M   |
| p0384 | Amount, Net Transaction in Transaction Currency     | •   | X   | M   |
| p0400 | Debits, Transaction Number                          | •   | X   | M   |
| p0401 | Credits, Transaction Number                         | •   | X   | M   |
| p0402 | Total, Transaction Number                           | •   | X   | M   |
| 49    | Currency Code, Transaction                          | •   | X   | M   |
| 62    | Additional Data 2                                   | •   | X   | C   |
| 71    | Message Number                                      | •   | X   | M   |
| 93    | Transaction Destination Institution ID Code         | •   | X   | M   |
| 100   | Receiving Institution ID Code                       | •   | X   | M   |
| 123   | Additional Data 3                                   | •   | X   | C   |
| 124   | Additional Data 4                                   | •   | X   | C   |
| 125   | Additional Data 5                                   | •   | X   | C   |

## Financial Position Detail/1644 messages

Financial Position Detail/1644 messages may be used to reconcile offline file financial activity at a more detailed level than File Currency Summary/1644 messages allow.

One Financial Position Detail/1644 message is generated for each unique combination of values for customer-selected clearing reconciliation categories that occur in a file.

Customers that elect to receive Financial Position Detail/1644 reconciliation messages may choose from ten optional categories for acknowledgment or nine categories for notification messages. Customers must be set up for at least one of the recommended or optional categories to receive the financial position detail reconciliation messages. The clearing system accumulates totals in reconciliation currency and generates Financial Position Detail/1644 reconciliation messages for both customer inbound data (notification data) and customer outbound data (acknowledgment data), if the customer selects both type and message.

This table provides the message layout.



### Financial Position Detail/1644 message layout

| No.   | Data element name                                         | Org | Sys | Dst |
|-------|-----------------------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                                   | •   | X   | M   |
|       | Bit Map, Primary                                          | •   | X   | M   |
| 1     | Bit Map, Secondary                                        | •   | X   | M   |
| 24    | Function Code                                             | •   | X   | M   |
| 25    | Message Reason Code                                       | •   | X   | M   |
| 26    | Acceptor Business Code                                    | •   | X   | C   |
| 48    | Additional Data                                           | •   | X   | M   |
| p0148 | Currency Exponents                                        | •   | X   | M   |
| p0165 | Settlement Indicator                                      | •   | X   | C   |
| p0300 | Reconciled, File                                          | •   | X   | C   |
| p0302 | Reconciled, Member Activity                               | •   | X   | C   |
| p0358 | Reconciled, Business Activity                             | •   | X   | C   |
|       | s10 Special Conditions Indicator                          | O   | X   | M   |
| p0370 | Reconciled, Account Range                                 | •   | X   | C   |
| p0372 | Reconciled, Transaction Function                          | •   | X   | C   |
| p0374 | Reconciled, Processing Code                               | •   | X   | C   |
| p0375 | Member Reconciliation Indicator<br>1                      | •   | X   | C   |
| p0378 | Original/Reversal Totals Indicator                        | •   | X   | C   |
| p0380 | Debits, Transaction Amount in<br>Transaction Currency     | •   | X   | C   |
| p0381 | Credits, Transaction Amount in<br>Transaction Currency    | •   | X   | C   |
| p0384 | Amount, Net Transaction in<br>Transaction Currency        | •   | X   | C   |
| p0390 | Debits, Transaction Amount in<br>Reconciliation Currency  | •   | X   | M   |
| p0391 | Credits, Transaction Amount in<br>Reconciliation Currency | •   | X   | M   |
| p0392 | Debits, Fee Amount in<br>Reconciliation Currency          | •   | X   | M   |

| No.   | Data element name                                             | Org | Sys | Dst |
|-------|---------------------------------------------------------------|-----|-----|-----|
| p0393 | Credits, Fee Amount in Reconciliation Currency                | •   | X   | M   |
| p0394 | Amount, Net Transaction in Reconciliation Currency            | •   | X   | M   |
| p0395 | Amount, Net Fee in Reconciliation Currency                    | •   | X   | M   |
| p0396 | Amount, Net Total in Reconciliation Currency                  | •   | X   | M   |
| p0397 | Debits, Extended Precision Amount in Reconciliation Currency  | •   | X   | C   |
| p0398 | Credits, Extended Precision Amount in Reconciliation Currency | •   | X   | C   |
| p0399 | Amount, Net Extended Precision in Reconciliation Currency     | •   | X   | C   |
| p0400 | Debits, Transaction Number                                    | •   | X   | M   |
| p0401 | Credits, Transaction Number                                   | •   | X   | M   |
| p0402 | Total, Transaction Number                                     | •   | X   | M   |
| 49    | Currency Code, Transaction                                    | •   | X   | C   |
| 50    | Currency Code, Reconciliation                                 | •   | X   | M   |
| 62    | Additional Data 2                                             | •   | X   | C   |
| 71    | Message Number                                                | •   | X   | M   |
| 93    | Transaction Destination Institution ID Code                   | •   | X   | M   |
| 100   | Receiving Institution ID Code                                 | •   | X   | M   |
| 123   | Additional Data 3                                             | •   | X   | C   |
| 124   | Additional Data 4                                             | •   | X   | C   |
| 125   | Additional Data 5                                             | •   | X   | C   |

## Settlement Position Detail/1644 messages

The Settlement Position Detail/1644 (Function Code 688) message provides details of a customer's settlement activity by settlement service and other settlement reconciliation categories.

This message may be used to reconcile financial activity at the file level against settlement funds transfers. These messages, generated after clearing cycle cutoffs, provide totals for each file processed in the clearing cycle.

Customers that elect to receive settlement reconciliation messages are automatically set up for default categories. In addition, five optional categories are available that customers may choose. Customers must be set up for at least the two default categories to receive the settlement position detail reconciliation messages. The clearing system accumulates totals in reconciliation currency and generates Settlement Position Detail/1644 reconciliation messages for both customer inbound data (notification data) and customer outbound data (acknowledgment data).

**NOTE: The Settlement Position Detail/1644 message is delivered along with the customer's normal activity at the end of each clearing cycle (Bulk Type T112) and will not be distributed within the IPM Early Reconciliation File (Bulk Type T113).**

This table provides the layout for the Settlement Position Detail/1644 message.

### Settlement Position Detail/1644 message layout

| No. | Data element name                              | Org | Sys | Dst |
|-----|------------------------------------------------|-----|-----|-----|
|     | Message Type Identifier                        | .   | X   | M   |
|     | Bit Map, Primary                               | .   | X   | M   |
| 1   | Bit Map, Secondary                             | .   | X   | M   |
| 24  | Function Code                                  | .   | X   | M   |
| 25  | Message Reason Code                            | .   | X   | M   |
| 48  | Additional Data                                | .   | X   | M   |
| 49  | Currency Code, Transaction                     | .   | X   | C   |
| 50  | Currency Code, Reconciliation                  | .   | X   | M   |
| 62  | Additional Data 2                              | .   | X   | C   |
| 71  | Message Number                                 | .   | X   | M   |
| 93  | Transaction Destination<br>Institution ID Code | .   | X   | M   |
| 100 | Receiving Institution ID Code                  | .   | X   | M   |

| No.   | Data element name                                             | Org | Sys | Dst |
|-------|---------------------------------------------------------------|-----|-----|-----|
| 123   | Additional Data 3                                             | •   | X   | C   |
| 124   | Additional Data 4                                             | •   | X   | C   |
| 125   | Additional Data 5                                             | •   | X   | C   |
| p0148 | Currency Exponents                                            | •   | X   | M   |
| p0300 | Reconciled, File                                              | •   | X   | M   |
| p0302 | Reconciled, Member Activity                                   | •   | X   | C   |
| p0359 | Reconciled, Settlement Activity                               | •   | X   | M   |
| p0367 | Reconciled, Card Program Identifier Code                      | •   | X   | C   |
| p0368 | Reconciled, Transaction Function Group Code                   | •   | X   | C   |
| p0369 | Reconciled, Acquirer's BIN                                    | •   | X   | C   |
| p0370 | Reconciled, Account Range                                     | •   | X   | C   |
| p0390 | Debits, Transaction Amount in Reconciliation Currency         | •   | X   | M   |
| p0391 | Credits, Transaction Amount in Reconciliation Currency        | •   | X   | M   |
| p0392 | Debits, Fee Amount in Reconciliation Currency                 | •   | X   | M   |
| p0393 | Credits, Fee Amount in Reconciliation Currency                | •   | X   | M   |
| p0394 | Amount, Net Transaction in Reconciliation Currency            | •   | X   | M   |
| p0395 | Amount, Net Fee in Reconciliation Currency                    | •   | X   | M   |
| p0396 | Amount, Net Total in Reconciliation Currency                  | •   | X   | M   |
| p0397 | Debits, Extended Precision Amount in Reconciliation Currency  | •   | X   | C   |
| p0398 | Credits, Extended Precision Amount in Reconciliation Currency | •   | X   | C   |
| p0399 | Amount, Net Extended Precision in Reconciliation Currency     | •   | X   | C   |

## Message Exception/1644 messages

The clearing system generates Message Exception/1644 messages when it encounters an exception condition while processing an individual message.

Only errors are included in Message Exception/1644 messages. The errors are listed in this table.

### Message Exception/1644 messages

| Level of severity | Condition                               | Originator receives                                                                                                                                                                                                                                                                                                                                                                     | Destination receives |
|-------------------|-----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| Error             | Unparseable or unrecognizable message   | Message Exception/1644 only<br>(The rejected message is not returned.)                                                                                                                                                                                                                                                                                                                  | Nothing              |
| Error             | Error in one or more supported elements | Message Exception/1644 and the rejected message itself. If generated by the IPM Pre-edit utility, Data Element (DE) 71 (Message Number) in the rejected message is modified to contain a value that is greater than the DE 71 value of the preceding message in the file. If generated by <a href="#">Dual Message Clearing System</a> , DE 71 in the rejected message is not modified. | Nothing              |

The Message Exception/1644 message contains a code identifying the error. It also contains the data element numbers or private data subelement (PDS) numbers that caused the exception conditions.

Other identifying information related to the message is presented if the clearing system can parse the information.

For Mexico RedMX scheme transactions, under certain condition the message is flagged for error but it is cleared and settled. Syntax condition is not rejected. In this case, the error is indicated by PDS 0005 and is present in the presentment, chargeback, retrieval request, and retrieval request acknowledgment messages.

This table provides the layout for the Message Exception/1644 message.

### Message Exception/1644 message content

| DE or PDS | Contents |
|-----------|----------|
| MTI       | 1644     |

| DE or PDS | Contents                                                                                                                                                                                                                                                                                                          |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DE 24     | 691                                                                                                                                                                                                                                                                                                               |
| DE 72     | 1–10 data element and PDS numbers in error and their contents. May also include additional explanatory text.                                                                                                                                                                                                      |
| PDS 0005  | Message error codes, severity codes, and data element and PDS numbers in error                                                                                                                                                                                                                                    |
| PDS 0025  | Reversal Indicator of the exception message (if the clearing system can parse)                                                                                                                                                                                                                                    |
| PDS 0138  | DE 71 (Message Number) of the exception message (if the clearing system can parse)                                                                                                                                                                                                                                |
| PDS 0165  | Settlement Indicator of the exception message (if the clearing system can parse)                                                                                                                                                                                                                                  |
| PDS 0261  | Risk Management Approval Code assigned to First Presentments that exceeded the issuer and/or acquirer transaction amount limits. PDS 0261 is not present in the Message Exception/1644 message. Instead, GCMS inserts it into the First Presentment/1240 message that follows the Message Exception/1644 message. |
| PDS 0280  | PDS 0105 (File ID) of the file containing the exception message (from the File Header/1644, if present and if the clearing system can parse)                                                                                                                                                                      |

## DE 72 (Data Record)

In a Message Exception/1644, DE 72 contains 1–10 data element and PDS numbers in error and their contents, if the clearing system can parse the message.

If a message rejects because the clearing system cannot parse it, DE 72 (Data Record) contains the first 1–200 positions of the rejected message. DE 72 may also contain additional information, depending on the message reject reason.

This list is some examples of DE 72 contents in a Message Exception/1644:

- If the clearing system rejects a message because the combination of MTI and DE 24 (Function Code) is invalid, DE 72 is formatted as:  
DE24\contents MTI^contents of DE24\\1–200 positions of the rejected message.
- If the clearing system rejects a message because a single element contains an invalid value, DE 72 is formatted as:  
DXXX (or PXXXX)\contents of DXXX (or PXXXX)\\.
- If the clearing system rejects a message because more than one element or subfield is in error, DE 72 is formatted as:  
DXXX\contents\\PXXXX\contents\\PXXXX\contents\\.
- If the clearing system rejects a Financial Detail Addendum/1644, DE 72 is formatted as:

\USAGE=xx,IND REC NO=yyy, OCCUR=aaa^DExxx(or PDSxxxx)\contents\.

## File Reject/1644 messages

The clearing system generates File Reject/1644 messages to indicate that an entire file is rejected.

No warning or adjustment conditions are included in File Reject/1644 messages. The errors are listed in this table.

### File Reject/1644 messages

| Level of severity | Condition | Originator receives                                                                                                                                                                                                                                                                                                                                                                                                                                               | Destination receives |
|-------------------|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| Error             | Any       | File Reject/1644 message and, if applicable, a Message Exception/1644. If all detail messages in a logical file are rejected, the clearing system returns each detail message in a Message Exception/ 1644 (Function Code 691) message. In addition, it returns a File Reject/1644 (Function Code 699) message because it did not accept any of the individual messages. The clearing system returns individual error messages with the Full File Reject Message. | Nothing              |

The File Reject/1644 message contains the error codes that caused the file to be rejected, plus 1–200 positions of the rejected file's first message. In addition, if the [Dual Message Clearing System](#) identifies any individual data element or PDS errors, the wrong data element or PDS and related error codes are presented. Other identifying information related to the file is presented if the clearing system can parse it.

This table summarizes the critical data provided.

### File Reject/1644 messages critical data

| DE or PDS | Contents                                                                                                                                     |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------|
| MTI       | 1644                                                                                                                                         |
| DE 24     | 699                                                                                                                                          |
| DE 72     | 1–200 positions of the rejected file's first message, plus specific data elements and PDSs and their values that are in error, if applicable |

| DE or PDS | Contents                                                                                                                                   |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------|
| PDS 0005  | File reject error codes, severity codes indicating fatal, and specific data elements and PDSs and their related error codes, if applicable |
| PDS 0138  | DE 71 (Message Number) of the message that caused the file to be rejected (if the clearing system can parse)                               |
| PDS 0280  | PDS 0105 (File ID) of the rejected file (from the File Header/1644, if present and the clearing system can parse)                          |

## DE 72 (Data Record)

In a File Reject/1644 message, DE 72 always contains the first 1–200 positions of the rejected file's first message.

DE 72 may also contain additional information, depending on the file reject reason.

This list is some examples of DE 72 contents in a File Reject/1644 message:

- If the clearing system rejects a file because DE 71 in the File Header/1644 message contains a value other than 00000001, DE 72 is formatted as:  
DE71\contents of DE71\\1–200 positions of the rejected file's first message.
- If the clearing system rejects a file because DE 71 (Message Number) in the header message contains a value other than 00000001 and PDS 0026 (File Reversal Indicator) is present in the File Header/1644, DE 72 is formatted as:  
DE71\contents of DE71\\PDS0026\contents of PDS0026\\1–200 positions of the rejected file's first message.
- If the clearing system rejects a file because PDS 0306 (File Message Counts) in the File Trailer/1644 is not equal to the total number of messages in the logical file, DE 72 is formatted as:  
PDS0306\contents of PDS0306^SYSTEM CALCULATED VALUE=XXXXXXXX\\1–200 positions of the rejected file's first message.
- If a file is rejected because it contains no messages, no recognizable messages, no File Header/1644 messages, or all messages in the file rejected, DE 72 is formatted as:  
\\1–200 positions of the rejected file's first message.
- If the clearing system rejects a message because it was unable to convert it from non-IPM to IPM, DE 72 is formatted as:

It will include the first 200 bytes of the parsed message. (The parsed message structure could vary from one format to another.)

This table provides the message layouts for Message Exception/1644 and File Reject/1644 messages.



### Message Exception/1644 and File Reject/1644 message layouts

| No.   | Data element name                                                                                                                                                             | Org | Sys | Dst |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                                                                                                                                                       | •   | X   | M   |
|       | Bit Map, Primary                                                                                                                                                              | •   | X   | M   |
| 1     | Bit Map, Secondary                                                                                                                                                            | •   | X   | M   |
| 24    | Function Code                                                                                                                                                                 | •   | X   | M   |
| 48    | Additional Data                                                                                                                                                               | •   | X   | M   |
| 71    | Message Number                                                                                                                                                                | •   | X   | M   |
| 72    | Data Record                                                                                                                                                                   | •   | X   | M   |
| 93    | Transaction Destination<br>Institution ID Code                                                                                                                                | •   | X   | M   |
| 94    | Transaction Originator Institution<br>ID Code                                                                                                                                 | •   | X   | M   |
| 100   | Receiving Institution ID Code                                                                                                                                                 | •   | X   | M   |
| p0005 | Message Error Indicator. This PDS<br>may contain 1–10 occurrences of<br>message exception data. Each<br>reported exception consists of<br>four subfields: s1, s2, s3, and s4. | •   | X   | M   |
|       | s1 Data Element ID                                                                                                                                                            | •   | X   | M   |
|       | s2 Error Severity Code                                                                                                                                                        | •   | X   | M   |
|       | s3 Error Message Code                                                                                                                                                         | •   | X   | M   |
|       | s4 Subfield ID                                                                                                                                                                | •   | X   | M   |
| p0006 | Applied Business Service<br>Arrangement                                                                                                                                       | •   | X   | C   |
| p0025 | Message Reversal Indicator                                                                                                                                                    | •   | X   | C   |
| p0026 | File Reversal Indicator                                                                                                                                                       | •   | X   | C   |
| p0138 | Source Message Number ID                                                                                                                                                      | •   | X   | C   |
| p0165 | Settlement Indicator                                                                                                                                                          | •   | X   | C   |
| p0280 | Source File ID                                                                                                                                                                | •   | X   | C   |

## Text Message/1644 messages

Text Message/1644 messages transmit text messages from the [Dual Message Clearing System](#) to a customer or processor and broadcast messages from the clearing system to all customers and processors.

This message contains 1644 in the MTI and 693 in DE 24 (Function Code) to identify it as a Text Message/1644. In a delivery file containing more than one clearing cycle of data, one message will be present per customer, per file.

This table provides the layout for the Text Message/1644 message.

### Text Message/1644 message layout

| No. | Data element name                           | Org | Sys | Dst |
|-----|---------------------------------------------|-----|-----|-----|
|     | Message Type Identifier                     | •   | X   | M   |
|     | Bit Map, Primary                            | •   | X   | M   |
| 1   | Bit Map, Secondary                          | •   | X   | M   |
| 24  | Function Code                               | •   | X   | M   |
| 25  | Message Reason Code                         | •   | X   | M   |
| 71  | Message Number                              | •   | X   | M   |
| 72  | Data Record                                 | •   | X   | M   |
| 93  | Transaction Destination Institution ID Code | •   | X   | M   |
| 94  | Transaction Originator Institution ID Code  | •   | X   | M   |
| 100 | Receiving Institution ID Code               | •   | X   | M   |

## Currency Update/1644 messages

Currency Update/1644 messages provide conversion rates between Mastercard Global Payment currency and all other payment currencies supported by Mastercard.

Mastercard supports buy, mid, and sell currency conversion rates. Customers may request Currency Update/1644 messages from Mastercard as part of the clearing file.

The delivery options for Currency Update/1644 messages are:

- Do not deliver Currency Update/1644 messages
- Deliver mid rate Currency Update/1644 messages
- Deliver buy and sell rate Currency Update/1644 messages only
- Deliver buy, mid, and sell rate Currency Update/1644 messages

After selecting these options, the customer must also specify which clearing cycles they have selected to receive the deliveries. The clearing cycles indicated should coincide with a delivery cycle for that customer or endpoint.

This message will contain a value of 1644 in the MTI and a value 640 in DE 24 (Function Code) to identify it as a Currency Update/1644 message.

This message provides the layout for the Currency Update/1644 message.

### Currency Update/1644 message layout

| No.   | Data element name                              | Org | Sys | Dst |
|-------|------------------------------------------------|-----|-----|-----|
|       | Message Type Identifier                        | •   | X   | M   |
|       | Bit Map, Primary                               | •   | X   | M   |
| 1     | Bit Map, Secondary                             | •   | X   | M   |
| 24    | Function Code                                  | •   | X   | M   |
| 48    | Additional Data                                | •   | X   | M   |
| 50    | Currency Code, Reconciliation                  | •   | X   | M   |
| 71    | Message Number                                 | •   | X   | M   |
| 93    | Transaction Destination<br>Institution ID Code | •   | X   | M   |
| 94    | Transaction Originator Institution<br>ID Code  | •   | X   | M   |
| 100   | Receiving Institution ID Code                  | •   | X   | M   |
| p0164 | Currency Cross Rates                           | •   | X   | M   |

## Chapter 5 Data element and private data subelement definitions and details

*The Mastercard Network uses data elements and private data subelements in Dual Message Clearing System messages.*

---

|                                                                       |     |
|-----------------------------------------------------------------------|-----|
| Data element definitions and details.....                             | 252 |
| Data element layout.....                                              | 252 |
| Subelement layout.....                                                | 253 |
| Subfield layout.....                                                  | 254 |
| Position layout.....                                                  | 254 |
| European transaction requirements.....                                | 254 |
| Bit Map, Primary.....                                                 | 255 |
| DE 1 (Bit Map, Secondary).....                                        | 257 |
| DE 2 (Primary Account Number [PAN]).....                              | 260 |
| DE 3 (Processing Code).....                                           | 262 |
| DE 3 subfields.....                                                   | 268 |
| Subfield 1 (Cardholder Transaction Type).....                         | 269 |
| Subfield 2 (Cardholder from Account Type Code).....                   | 272 |
| Subfield 3 (Cardholder to Account Type Code).....                     | 273 |
| DE 4 (Amount, Transaction).....                                       | 273 |
| DE 5 (Amount, Reconciliation).....                                    | 276 |
| DE 6 (Amount, Cardholder Billing).....                                | 277 |
| DE 9 (Conversion Rate, Reconciliation).....                           | 279 |
| DE 10 (Conversion Rate, Cardholder Billing).....                      | 280 |
| DE 12 (Date and Time, Local Transaction).....                         | 281 |
| Subfield 1 (Date).....                                                | 282 |
| Subfield 2 (Time).....                                                | 284 |
| DE 14 (Date, Expiration).....                                         | 284 |
| DE 22 (Point of Service [POS] Entry Mode).....                        | 285 |
| Authorization to clearing data element mapping.....                   | 286 |
| Subfield 1 (Terminal Data, Card Data Input Capability).....           | 290 |
| Subfield 2 (Terminal Data, Cardholder Authentication Capability)..... | 291 |
| Subfield 3 (Terminal Data, Card Capture Capability).....              | 292 |
| Subfield 4 (Terminal Operating Environment).....                      | 293 |
| Subfield 5 (Cardholder Present Data).....                             | 293 |
| Subfield 6 (Card Present Data).....                                   | 294 |

|                                                     |     |
|-----------------------------------------------------|-----|
| Subfield 7 (Card Data, Input Mode).....             | 295 |
| Subfield 8 (Cardholder Authentication Method).....  | 297 |
| Subfield 9 (Cardholder Authentication Entity).....  | 297 |
| Subfield 10 (Card Data Output Capability).....      | 298 |
| Subfield 11 (Terminal Data Output Capability).....  | 299 |
| Subfield 12 (PIN Capture Capability).....           | 300 |
| DE 23 (Card Sequence Number).....                   | 301 |
| DE 24 (Function Code).....                          | 302 |
| DE 25 (Message Reason Code).....                    | 306 |
| DE 26 (Acceptor Business Code [MCC]).....           | 378 |
| DE 30 (Amounts, Original).....                      | 380 |
| DE 30 subfields.....                                | 381 |
| Subfield 1 (Original Amount, Transaction).....      | 381 |
| Subfield 2 (Original Amount, Reconciliation).....   | 382 |
| DE 31 (Acquirer Reference Data).....                | 382 |
| DE 31 subfields.....                                | 383 |
| DE 32 (Acquiring Institution ID Code).....          | 384 |
| DE 33 (Forwarding Institution ID Code).....         | 386 |
| DE 37 (Retrieval Reference Number).....             | 388 |
| DE 38 (Approval Code).....                          | 389 |
| DE 40 (Service Code).....                           | 393 |
| DE 41 (Acceptor Terminal ID).....                   | 394 |
| DE 42 (Acceptor ID).....                            | 395 |
| DE 43 (Acceptor Name and Location).....             | 397 |
| Subfield 1 (Acceptor Name).....                     | 398 |
| Subfield 2 (Acceptor Street Address).....           | 401 |
| Subfield 3 (Acceptor City Name).....                | 402 |
| Subfield 4 (Acceptor Postal Code).....              | 403 |
| Subfield 5 (Acceptor Country Subdivision Code)..... | 404 |
| Subfield 6 (Acceptor Country Code).....             | 405 |
| DE 48 (Additional Data).....                        | 406 |
| DE 49 (Currency Code, Transaction).....             | 409 |
| DE 50 (Currency Code, Reconciliation).....          | 410 |
| DE 51 (Currency Code, Cardholder Billing).....      | 412 |
| DE 54 (Amounts, Additional).....                    | 413 |
| DE 54 subfields.....                                | 416 |
| Subfield 1 (Additional Amount, Account Type).....   | 416 |
| Subfield 2 (Additional Amount, Amount Type).....    | 417 |
| Subfield 3 (Additional Amount, Currency Code).....  | 417 |

|                                                                |     |
|----------------------------------------------------------------|-----|
| Subfield 4 (Additional Amount, Amount Sign).....               | 417 |
| Subfield 5 (Additional Amount, Amount).....                    | 417 |
| DE 55 (Integrated Circuit Card [ICC] System-Related Data)..... | 418 |
| DE 62 (Additional Data 2).....                                 | 424 |
| DE 63 (Transaction Life Cycle ID).....                         | 427 |
| DE 63 subfields.....                                           | 430 |
| Subfield 1 (Life Cycle Support Indicator).....                 | 430 |
| Subfield 2 (Trace ID).....                                     | 430 |
| DE 71 (Message Number).....                                    | 432 |
| DE 72 (Data Record).....                                       | 435 |
| DE 73 (Date, Action).....                                      | 436 |
| DE 93 (Transaction Destination Institution ID Code).....       | 437 |
| DE 94 (Transaction Originator Institution ID Code).....        | 440 |
| DE 95 (Card Issuer Reference Data).....                        | 443 |
| DE 100 (Receiving Institution ID Code).....                    | 444 |
| DE 105 (Multi-Use Transaction Identification Data).....        | 446 |
| Subelement 001 (Transaction Link ID [TLID]).....               | 448 |
| DE 111 (Amount, Currency Conversion Assessment).....           | 448 |
| DE 123 (Additional Data 3).....                                | 450 |
| DE 124 (Additional Data 4).....                                | 453 |
| DE 125 (Additional Data 5).....                                | 456 |
| DE 127 (Network Data).....                                     | 459 |
| Private data subelement definitions.....                       | 459 |
| PDS construction and use.....                                  | 459 |
| PDS and subfield justification.....                            | 460 |
| Subelement tag assignment.....                                 | 461 |
| Additional information about the use of PDSs.....              | 462 |
| PDS 0001 (Mastercard Mapping Service Account Number).....      | 462 |
| Subfield 1 (Account Number Type).....                          | 463 |
| Subfield 2 (Account Number).....                               | 466 |
| PDS 0002 (GCMS Product Identifier).....                        | 467 |
| PDS 0003 (Licensed Product Identifier).....                    | 484 |
| PDS 0004 (Funding Account Information).....                    | 486 |
| Subfield 1 (Funding Source).....                               | 487 |
| Subfield 2 (Sender Account Number).....                        | 488 |
| PDS 0005 (Message Error Indicator).....                        | 488 |
| PDS 0005 subfields.....                                        | 489 |
| Subfield 1 (Data Element ID).....                              | 489 |
| Subfield 2 (Error Severity Code).....                          | 490 |

|                                                                    |     |
|--------------------------------------------------------------------|-----|
| Subfield 3 (Error Message Code).....                               | 490 |
| Subfield 4 (Subfield ID).....                                      | 490 |
| PDS 0006 (Applied Business Service Arrangement).....               | 490 |
| PDS 0006 subfields.....                                            | 491 |
| Subfield 1 (Card Program Identifier).....                          | 491 |
| Subfield 2 (Business Service Arrangement Type Code).....           | 492 |
| Subfield 3 (Business Service ID Code).....                         | 492 |
| PDS 0010 (Currency Rate Service).....                              | 492 |
| Subfield 1 (Currency Rate Service Applied).....                    | 493 |
| Subfield 2 (Currency Rate Date).....                               | 494 |
| PDS 0011 (Additional PAN Data).....                                | 494 |
| PDS 0011 subfields .....                                           | 495 |
| Subfield 1 (Additional Account Number Indicator).....              | 496 |
| Subfield 2 (Additional Account Number).....                        | 496 |
| PDS 0012 (Authorization Matching Data).....                        | 497 |
| PDS 0014 (Digital Account Reference Number).....                   | 498 |
| PDS 0015 (Clearing Currency Conversion Identifier).....            | 499 |
| Subfield 1 (Currency Conversion Date).....                         | 501 |
| Subfield 2 (Currency Conversion Indicator).....                    | 501 |
| PDS 0016 (Digital Service Provider).....                           | 502 |
| Subfield 1 (Digital Service Provider ID 1).....                    | 503 |
| Subfield 2 (Digital Service Provider ID 2).....                    | 503 |
| PDS 0017 (Interchange Structure Indicator).....                    | 504 |
| PDS 0018 (Acceptance Data).....                                    | 506 |
| Subfield 1 (mPOS Acceptance Device Type).....                      | 507 |
| PDS 0020 (Digital Commerce Solutions Indicators) .....             | 508 |
| Subfield 1 (Digital Commerce Domain Identifier) .....              | 509 |
| Subfield 2 (Digital Commerce Program Type) .....                   | 510 |
| Subfield 3 (Digital Commerce Program Type Details).....            | 511 |
| Subfield 4 (Digital Commerce Check-In Details).....                | 512 |
| PDS 0021 (Transaction Type Indicator).....                         | 513 |
| PDS 0022 (Additional Terminal Operating Environments).....         | 514 |
| PDS 0023 (Terminal Type).....                                      | 515 |
| PDS 0025 (Message Reversal Indicator).....                         | 518 |
| PDS 0025 subfields.....                                            | 519 |
| Subfield 1 (Message Reversal Indicator).....                       | 519 |
| Subfield 2 (Central Site Processing Date of Original Message)..... | 520 |
| PDS 0026 (File Reversal Indicator).....                            | 520 |
| PDS 0026 subfields.....                                            | 522 |

|                                                                                  |     |
|----------------------------------------------------------------------------------|-----|
| Subfield 1 (File Reversal Indicator).....                                        | 522 |
| Subfield 2 (Central Site Processing Date of Original File).....                  | 522 |
| PDS 0027 (Flex Code).....                                                        | 523 |
| PDS 0028 (Mastercard Merchant Presented QR [MPQR] Receiving Account Number)..... | 524 |
| PDS 0029 (QR Dynamic Code Data).....                                             | 525 |
| PDS 0030 (QR Initiated Transaction).....                                         | 527 |
| PDS 0042 (Merchant Capability).....                                              | 527 |
| PDS 0043 (Transaction Type Identifier).....                                      | 529 |
| PDS 0044 (Program Participation Indicator).....                                  | 535 |
| Subfield 1 (CVC 2 Validation Program Indicator).....                             | 536 |
| Subfield 2 (PayPass Chargeback Eligibility Indicator).....                       | 536 |
| PDS 0045 (Mastercard Generated Installment Identifier).....                      | 537 |
| PDS 0046 (Japan Common Merchant Code).....                                       | 538 |
| PDS 0052 (Electronic Commerce Security Level Indicator).....                     | 539 |
| Subfield 1 (Security Protocol).....                                              | 543 |
| Subfield 2 (Cardholder Authentication).....                                      | 544 |
| Subfield 3 (UCAF Collection Indicator).....                                      | 545 |
| PDS 0056 (Mastercard Electronic Card Indicator).....                             | 547 |
| PDS 0057 (Transaction Category Indicator).....                                   | 548 |
| PDS 0058 (Token Assurance Level).....                                            | 551 |
| PDS 0059 (Token Requestor ID).....                                               | 551 |
| PDS 0068 (Financial Account Information).....                                    | 552 |
| Subfield 1 (Financial Account Identifier).....                                   | 553 |
| PDS 0071 (Chip to Magnetic Stripe Conversion Service Indicator).....             | 554 |
| PDS 0071 subfields.....                                                          | 554 |
| Subfield 1 (On-behalf [OB] Service).....                                         | 555 |
| Subfield 2 (On-behalf [OB] Result 1).....                                        | 555 |
| Subfield 3 (On-behalf [OB] Result 2).....                                        | 555 |
| PDS 0072 (Authentication Indicator).....                                         | 556 |
| PDS 0073 (Additional Commercial Issuer Data).....                                | 557 |
| PDS 0080 (Amount, Tax).....                                                      | 558 |
| PDS 0080 subfields.....                                                          | 560 |
| Subfield 1 (Rate Type Code).....                                                 | 560 |
| Subfield 2 (Amount, Tax).....                                                    | 560 |
| Subfield 3 (Currency Code).....                                                  | 560 |
| Subfield 4 (Currency Exponent).....                                              | 561 |
| Subfield 5 (Debit/Credit Indicator).....                                         | 561 |
| PDS 0105 (File ID).....                                                          | 561 |
| PDS 0105 subfields.....                                                          | 562 |



|                                                                          |     |
|--------------------------------------------------------------------------|-----|
| Subfield 1 (File Type).....                                              | 562 |
| Subfield 2 (File Reference Date).....                                    | 563 |
| Subfield 3 (Processor ID).....                                           | 563 |
| Subfield 4 (File Sequence Number).....                                   | 564 |
| PDS 0106 (Clearing Optimizer Information).....                           | 564 |
| PDS 0106 subfields.....                                                  | 566 |
| Subfield 1 (Clearing Optimizer Package).....                             | 566 |
| Subfield 2 (MPE Version).....                                            | 566 |
| Subfield 3 (Clearing Optimizer Version).....                             | 566 |
| PDS 0110 (Transmission ID).....                                          | 567 |
| PDS 0110 subfields.....                                                  | 568 |
| Subfield 1 (Transmission Type).....                                      | 568 |
| Subfield 2 (Transmission Reference Date).....                            | 568 |
| Subfield 3 (Processor ID).....                                           | 568 |
| Subfield 4 (Transmission Sequence Number).....                           | 569 |
| PDS 0122 (Processing Mode).....                                          | 569 |
| PDS 0137 (Fee Collection Control Number).....                            | 570 |
| PDS 0138 (Source Message Number ID).....                                 | 571 |
| PDS 0140 (Amount, Cardholder Billing Amounts USD).....                   | 572 |
| PDS 0140 subfields.....                                                  | 573 |
| Subfield 1 (Amount, Cardholder Billing USD).....                         | 573 |
| Subfield 2 (Amount, Currency Conversion Assessment USD).....             | 573 |
| PDS 0141 (Customer Currency Conversion Revenue Data).....                | 573 |
| Subfield 1 (Customer Currency Conversion Revenue Rate).....              | 574 |
| Subfield 2 (Customer Currency Conversion Revenue Amount).....            | 575 |
| PDS 0142 (Additional Service Data For Issuers).....                      | 575 |
| Subfield 01 (Reference Conversion Rate).....                             | 576 |
| Subfield 02 (Reference Conversion Rate Differential Sign Indicator)..... | 577 |
| Subfield 03 (Reference Conversion Rate Percent Differential).....        | 577 |
| PDS 0145 (Amount, Alternate Transaction Fee).....                        | 577 |
| PDS 0145 subfields.....                                                  | 578 |
| Subfield 1 (Currency Code, Fee).....                                     | 578 |
| Subfield 2 (Amount, Fee).....                                            | 579 |
| PDS 0146 (Amounts, Transaction Fee).....                                 | 579 |
| PDS 0146 subfields.....                                                  | 580 |
| Subfield 1 (Fee Type Code).....                                          | 581 |
| Subfield 2 (Fee Processing Code).....                                    | 582 |
| Subfield 3 (Fee Settlement Indicator).....                               | 582 |
| Subfield 4 (Currency Code, Fee).....                                     | 582 |

|                                                                   |     |
|-------------------------------------------------------------------|-----|
| Subfield 5 (Amount, Fee).....                                     | 583 |
| Subfield 6 (Currency Code, Fee, Reconciliation).....              | 583 |
| Subfield 7 (Amount, Fee, Reconciliation).....                     | 583 |
| PDS 0147 (Extended Precision Amounts).....                        | 583 |
| PDS 0147 subfields.....                                           | 584 |
| Subfield 1 (Fee Type Code).....                                   | 585 |
| Subfield 2 (Fee Processing Code).....                             | 586 |
| Subfield 3 (Fee Settlement Indicator).....                        | 586 |
| Subfield 4 (Currency Code, Fee).....                              | 586 |
| Subfield 5 (Interchange Amount, Fee).....                         | 587 |
| Subfield 6 (Currency Code, Fee, Reconciliation).....              | 587 |
| Subfield 7 (Interchange Amount, Fee, Reconciliation).....         | 587 |
| PDS 0148 (Currency Exponents).....                                | 587 |
| PDS 0148 subfields.....                                           | 589 |
| Subfield 1 (Currency Code).....                                   | 589 |
| Subfield 2 (Currency Exponent).....                               | 589 |
| PDS 0149 (Currency Codes, Amounts, Original).....                 | 590 |
| PDS 0149 subfields.....                                           | 591 |
| PDS 0150 (Additional Recurring Payments Information).....         | 591 |
| PDS 0157 (Alternate Processor Indicator).....                     | 594 |
| PDS 0158 (Business Activity).....                                 | 595 |
| Subfield 1 (Card Program Identifier).....                         | 602 |
| Subfield 2 (Business Service Arrangement Type Code).....          | 603 |
| Subfield 3 (Business Service ID Code).....                        | 604 |
| Subfield 4 (Interchange Rate Designator).....                     | 605 |
| Subfield 5 (Central Site Business Date).....                      | 606 |
| Subfield 6 (Business Cycle).....                                  | 606 |
| Subfield 7 (Acceptor Classification Override Indicator).....      | 607 |
| Subfield 8 (Product Class Override Indicator).....                | 608 |
| Subfield 9 (Corporate Incentive Rates Apply Indicator).....       | 609 |
| Subfield 10 (Special Conditions Indicator).....                   | 610 |
| Subfield 11 (Mastercard Assigned ID Override Indicator).....      | 611 |
| Subfield 12 (Account Level Management Account Category Code)..... | 611 |
| Subfield 13 (Rate Indicator).....                                 | 613 |
| Subfield 14 (Masterpass Incentive Indicator).....                 | 614 |
| Subfield 15 (Digital Wallet Interchange Override Indicator).....  | 614 |
| PDS 0159 (Settlement Data).....                                   | 615 |
| PDS 0159 subfields.....                                           | 616 |
| Subfield 1 (Settlement Service Transfer Agent ID Code).....       | 617 |

|                                                               |     |
|---------------------------------------------------------------|-----|
| Subfield 2 (Settlement Service Transfer Agent Account).....   | 617 |
| Subfield 3 (Settlement Service Level Code).....               | 617 |
| Subfield 4 (Settlement Service ID Code).....                  | 618 |
| Subfield 5 (Settlement Foreign Exchange Rate Class Code)..... | 618 |
| Subfield 6 (Reconciliation Date).....                         | 618 |
| Subfield 7 (Reconciliation Cycle).....                        | 619 |
| Subfield 8 (Settlement Date).....                             | 619 |
| Subfield 9 (Settlement Cycle).....                            | 620 |
| PDS 0160 (Settlement Data, Multiple).....                     | 620 |
| PDS 0160 subfields.....                                       | 621 |
| Subfield 1 (Settlement Date).....                             | 622 |
| Subfield 2 (Settlement Amount).....                           | 622 |
| PDS 0164 (Currency Cross Rates).....                          | 622 |
| PDS 0164 subfields.....                                       | 623 |
| Subfield 1 (Currency Code).....                               | 624 |
| Subfield 2 (Currency Conversion Rate).....                    | 624 |
| Subfield 3 (Currency Conversion Type).....                    | 624 |
| Subfield 4 (Business Date).....                               | 625 |
| Subfield 5 (Delivery Cycle).....                              | 625 |
| PDS 0165 (Settlement Indicator).....                          | 625 |
| PDS 0165 subfields.....                                       | 627 |
| Subfield 1 (Settlement Indicator).....                        | 627 |
| Subfield 2 (Settlement Information).....                      | 627 |
| PDS 0170 (Acceptor Inquiry Information).....                  | 628 |
| PDS 0170 subfields.....                                       | 629 |
| Subfield 1 (Acceptor Customer Service Phone Number).....      | 630 |
| Subfield 2 (Acceptor Phone Number).....                       | 631 |
| Subfield 3 (Additional Contact Information).....              | 632 |
| PDS 0171 (Alternate Acceptor Description Data).....           | 632 |
| PDS 0171 subfields.....                                       | 633 |
| Subfield 1 (Character Set Indicator).....                     | 633 |
| Subfield 2 (Acceptor Description Data).....                   | 634 |
| PDS 0172 (Sole Proprietor Name).....                          | 634 |
| PDS 0173 (Legal Corporate Name).....                          | 635 |
| PDS 0174 (Dun & Bradstreet Number).....                       | 636 |
| PDS 0175 (Acceptor URL Address).....                          | 637 |
| PDS 0176 (Mastercard Assigned ID).....                        | 639 |
| PDS 0177 (Cross-border).....                                  | 642 |
| PDS 0177 subfields.....                                       | 643 |

|                                                               |     |
|---------------------------------------------------------------|-----|
| Subfield 1 (Cross-border Indicator).....                      | 643 |
| Subfield 2 (Currency Indicator).....                          | 643 |
| PDS 0178 (Alternate Acceptor Description Data 2).....         | 644 |
| PDS 0178 subfields.....                                       | 645 |
| Subfield 1 (Character Set Indicator 2).....                   | 645 |
| Subfield 2 (Acceptor Description Data 2).....                 | 646 |
| PDS 0179 (Long Running Transaction [LRT] Indicator).....      | 646 |
| PDS 0180 (Domestic Acceptor Tax ID).....                      | 647 |
| PDS 0181 (Installment Payment Data).....                      | 649 |
| Subfield 1 (Type of Installment).....                         | 650 |
| Subfield 2 (Number of Installments).....                      | 650 |
| Subfield 3 (Interest Rate).....                               | 651 |
| Subfield 4 (First Installment Amount).....                    | 651 |
| Subfield 5 (Subsequent Installment Amount).....               | 652 |
| Subfield 6 (Annual Percentage Rate).....                      | 652 |
| Subfield 7 (Installment Fee).....                             | 653 |
| Subfield 8 (Commission Rate).....                             | 653 |
| Subfield 9 (Commission Sign).....                             | 653 |
| Subfield 10 (Commission Amount).....                          | 654 |
| PDS 0182 (Installment Payment Cardholder Statement Data)..... | 655 |
| Subfield 1 (Total Number of Installments).....                | 655 |
| Subfield 2 (Current Installment Number).....                  | 656 |
| Subfield 3 (Original Cardholder Billing Amount).....          | 657 |
| Subfield 4 (Installment Amount).....                          | 657 |
| Subfield 5 (Principal Amount).....                            | 657 |
| Subfield 6 (Interest Amount).....                             | 658 |
| Subfield 7 (Installment Fee).....                             | 658 |
| Subfield 8 (Interest Rate).....                               | 659 |
| Subfield 9 (APR).....                                         | 659 |
| Subfield 10 (Total Amount Due).....                           | 659 |
| Subfield 11 (Installment Cancellation Indicator).....         | 660 |
| PDS 0183 (Brazil Post-Dated Transaction Data).....            | 660 |
| Subfield 1 (Service Code).....                                | 661 |
| Subfield 2 (Number of Installments).....                      | 662 |
| Subfield 3 (Guarantee).....                                   | 662 |
| Subfield 4 (Guarantee Amount).....                            | 663 |
| Subfield 5 (Post Settlement Date).....                        | 663 |
| Subfield 6 (Original Authorization Request Date).....         | 663 |
| Subfield 7 (Original Banknet Reference Number).....           | 664 |

|                                                                 |     |
|-----------------------------------------------------------------|-----|
| Subfield 8 (Authorization Code).....                            | 664 |
| PDS 0184 (Directory Server Transaction ID).....                 | 664 |
| PDS 0185 (Accountholder Authentication Value).....              | 665 |
| PDS 0186 (Program Protocol).....                                | 667 |
| PDS 0188 (Private Data, Proprietary Service Data).....          | 668 |
| PDS 0189 (Point-of-Interaction [POI] Phone Data).....           | 669 |
| PDS 0189 subfields.....                                         | 670 |
| Subfield 1 (Format Number).....                                 | 671 |
| Subfield 2 (Phone Data).....                                    | 671 |
| PDS 0190 (Partner ID Code).....                                 | 673 |
| PDS 0191 (Originating Message Format).....                      | 674 |
| PDS 0192 (Payment Transaction Initiator).....                   | 676 |
| PDS 0194 (Remote Payments Program Data).....                    | 677 |
| PDS 0195 (Installment Data).....                                | 678 |
| Subfield 1 (Total Number of Installments).....                  | 679 |
| Subfield 2 (Payment Option Code).....                           | 680 |
| Subfield 3 (Installment Number).....                            | 681 |
| Subfield 4 (Bonus Code).....                                    | 681 |
| Subfield 5 (Bonus Month Code).....                              | 682 |
| Subfield 6 (Number of Bonus Payments per Year).....             | 683 |
| Subfield 7 (Bonus Amount).....                                  | 685 |
| Subfield 8 (First Month of Bonus Payment).....                  | 686 |
| PDS 0196 (Mobile Phone Reload Data).....                        | 686 |
| PDS 0196 subfields.....                                         | 687 |
| Subfield 1 (Mobile Phone Number).....                           | 687 |
| Subfield 2 (Mobile Phone Service Provider Name).....            | 687 |
| PDS 0197 (National Use Tax Data).....                           | 688 |
| PDS 0197 subfields.....                                         | 689 |
| Subfield 1 (Tax Amount 1).....                                  | 689 |
| Subfield 2 (Tax Amount 2).....                                  | 689 |
| Subfield 3 (Tax Percentage).....                                | 689 |
| Subfield 4 (Tax Base Amount).....                               | 689 |
| Subfield 5 (Tax Amount 3).....                                  | 690 |
| PDS 0198 (Device Type).....                                     | 690 |
| PDS 0199 (Funding Transaction Information).....                 | 693 |
| PDS 0200 (Fraud Notification Date).....                         | 694 |
| PDS 0200 subfields.....                                         | 695 |
| Subfield 1 (Fraud Notification Service Date).....               | 695 |
| Subfield 2 (Fraud Notification Service Chargeback Counter)..... | 695 |

|                                                             |     |
|-------------------------------------------------------------|-----|
| PDS 0202 (Primary Account Number [PAN] Syntax Error).....   | 696 |
| PDS 0204 (Amount, Syntax Error).....                        | 697 |
| PDS 0205 (Syntax Return, Message Error Indicator).....      | 698 |
| PDS 0205 subfields.....                                     | 699 |
| Subfield 1 (Data Element ID).....                           | 699 |
| Subfield 2 (Error Severity Code).....                       | 699 |
| Subfield 3 (Error Message Code).....                        | 700 |
| Subfield 4 (Subfield ID).....                               | 700 |
| PDS 0206 (Late Presentment Indicator).....                  | 700 |
| PDS 0206 subfields.....                                     | 701 |
| Subfield 1 (Number of Days Since Transaction Occurred)..... | 701 |
| Subfield 2 (Late Presentment Tier).....                     | 701 |
| PDS 0207 (Wallet Identifier).....                           | 701 |
| PDS 0208 (Additional Merchant Data).....                    | 705 |
| Subfield 1 (Payment Facilitator ID).....                    | 705 |
| Subfield 2 (Sponsored Merchant ID).....                     | 706 |
| PDS 0209 (Independent Sales Organization ID).....           | 707 |
| PDS 0210 (Transit Program).....                             | 708 |
| PDS 0210 subfields.....                                     | 709 |
| Subfield 1 (Transit Transaction Type Indicator).....        | 709 |
| Subfield 2 (Transportation Mode Indicator).....             | 710 |
| PDS 0211 (Terminal Compliant Indicator).....                | 711 |
| Subfield 1 (TLE Compliant).....                             | 712 |
| Subfield 2 (UKPT/DUKPT Compliant).....                      | 712 |
| PDS 0212 (Merchant Data Services).....                      | 712 |
| PDS 0213 (Merchant Country of Origin).....                  | 713 |
| PDS 0214 (Merchant Data Cleansing Plus).....                | 714 |
| PDS 0214 subfields.....                                     | 715 |
| Subfield 1 (Cleansed Legal Corporate Name).....             | 716 |
| Subfield 2 (Sales Channel: Percentage Brick).....           | 716 |
| Subfield 3 (Sales Channel: Percentage Online).....          | 716 |
| Subfield 4 (Sales Channel: Percentage Other).....           | 716 |
| Subfield 5 (Cleansed Merchant URL).....                     | 716 |
| PDS 0215 (Mastercard Merchant Data Advance).....            | 716 |
| PDS 0215 subfields.....                                     | 717 |
| Subfield 1 (Aggregate Merchant ID).....                     | 718 |
| Subfield 2 (Aggregate Merchant Name).....                   | 718 |
| Subfield 3 (Industry Code).....                             | 718 |
| Subfield 4 (Super Industry Code).....                       | 721 |

|                                                                                     |     |
|-------------------------------------------------------------------------------------|-----|
| Subfield 6 (Channel Distribution ID).....                                           | 723 |
| Subfield 7 (NAICS Code).....                                                        | 723 |
| Subfield 8 (Parent Aggregate Merchant ID).....                                      | 723 |
| PDS 0216 (Additional Acceptor Data).....                                            | 723 |
| Subfield 1 (Service Location City Name).....                                        | 724 |
| Subfield 2 (Service Location Country Subdivision Code).....                         | 725 |
| Subfield 3 (Service Location Country Code).....                                     | 725 |
| Subfield 4 (Service Location Postal Code).....                                      | 726 |
| Subfield 5 (Acceptor Geographic Coordinates).....                                   | 727 |
| Subfield 6 (Service Location Geographic Coordinates).....                           | 728 |
| PDS 0217 (Special Acceptance Conditions Data).....                                  | 729 |
| PDS 0217 subfields.....                                                             | 730 |
| Subfield 01 (Mastercard One Credential Exclusion Indicator).....                    | 730 |
| PDS 0218 (Cardholder/Merchant Initiated Transaction Indicator).....                 | 731 |
| PDS 0218 subfields.....                                                             | 732 |
| Subfield 1 (CIT/MIT Category).....                                                  | 732 |
| Subfield 2 (CIT/MIT Sub-category).....                                              | 733 |
| PDS 0220 (Brazil Merchant Tax ID).....                                              | 733 |
| PDS 0221 (Domestic Merchant Tax ID).....                                            | 734 |
| PDS 0222 (Mexico Domestic Dispute Resolution Documentation Image-Related Data)..... | 736 |
| PDS 0222 subfields.....                                                             | 737 |
| Subfield 1 (Mexico Domestic Data Indicator).....                                    | 737 |
| Subfield 2 (Unique Image Number (Single Issuer Folio Field in CATB Format)).....    | 738 |
| Subfield 3 (PDF Image File Name).....                                               | 738 |
| Subfield 4 (PDF Image File Hash Value).....                                         | 739 |
| PDS 0225 (Syntax Return, Original Message Reason Code).....                         | 739 |
| PDS 0228 (Retrieval Document Code).....                                             | 740 |
| PDS 0230 (Fulfillment Document Code).....                                           | 741 |
| PDS 0235 (Mastercard Assigned Incentive Identifier).....                            | 742 |
| PDS 0241 (MasterCom Control Number).....                                            | 743 |
| PDS 0243 (MasterCom Retrieval Response Data).....                                   | 745 |
| Subfield 1 (MasterCom Issuer Retrieval Request Date).....                           | 746 |
| Subfield 2 (MasterCom Acquirer Retrieval Response Code).....                        | 746 |
| Subfield 3 (MasterCom Acquirer Retrieval Response Sent Date).....                   | 747 |
| Subfield 4 (MasterCom Issuer Response Code).....                                    | 748 |
| Subfield 5 (MasterCom Issuer Response Date).....                                    | 749 |
| Subfield 6 (MasterCom Issuer Reject Reasons).....                                   | 749 |
| Subfield 7 (MasterCom Image Review Decision).....                                   | 750 |
| Subfield 8 (MasterCom Image Review Date).....                                       | 751 |

|                                                                                                       |     |
|-------------------------------------------------------------------------------------------------------|-----|
| PDS 0244 (MasterCom Chargeback Support Documentation Dates).....                                      | 751 |
| PDS 0244 subfields.....                                                                               | 752 |
| Subfield 1 (MasterCom Chargeback Documentation Sender Processing Date [First Chargeback/1442]).....   | 753 |
| Subfield 2 (MasterCom Chargeback Documentation Sender Processing Date [Second Presentment/1240])..... | 753 |
| PDS 0245 (MasterCom Arbitration Chargeback Sender Processing Date).....                               | 753 |
| PDS 0246 (MasterCom Sender Memo).....                                                                 | 754 |
| PDS 0247 (MasterCom Receiver Memo).....                                                               | 755 |
| PDS 0248 (MasterCom Image Review Memo).....                                                           | 756 |
| PDS 0249 (MasterCom Record ID).....                                                                   | 757 |
| PDS 0250 (MasterCom Endpoints).....                                                                   | 758 |
| PDS 0250 subfields.....                                                                               | 759 |
| PDS 0251 (MasterCom Fulfillment Document Code).....                                                   | 760 |
| PDS 0252 (MasterCom Image Metadata).....                                                              | 761 |
| PDS 0252 subfields.....                                                                               | 762 |
| Subfield 1 (MasterCom TIFF Image Data Length).....                                                    | 762 |
| Subfield 2 (MasterCom TIFF Image Data Offset).....                                                    | 762 |
| Subfield 3 (MasterCom TIFF Image CRC32).....                                                          | 762 |
| Subfield 4 (MasterCom TIFF Image Filename).....                                                       | 762 |
| PDS 0253 (MasterCom System Enhanced Data).....                                                        | 763 |
| PDS 0254 (MasterCom Member Enhanced Data).....                                                        | 763 |
| PDS 0255 (MasterCom Message Type).....                                                                | 764 |
| PDS 0260 (Edit Exclusion Indicator).....                                                              | 766 |
| PDS 0260 subfields.....                                                                               | 767 |
| Subfield 1 (Exclusion Request Code).....                                                              | 767 |
| Subfield 2 (Exclusion Reason Code).....                                                               | 768 |
| Subfield 3 (Exclusion Results Code).....                                                              | 769 |
| PDS 0261 (Risk Management Approval Code).....                                                         | 770 |
| PDS 0262 (Documentation Indicator).....                                                               | 771 |
| PDS 0264 (Original Retrieval Reason for Request).....                                                 | 772 |
| PDS 0265 (Initial Presentment/Fee Collection Data).....                                               | 773 |
| PDS 0265 subfields.....                                                                               | 774 |
| Subfield 1 (Initial Message Reason Code).....                                                         | 775 |
| Subfield 2 (Date, Initial Presentment Business).....                                                  | 775 |
| Subfield 3 (Data Record, Initial).....                                                                | 775 |
| PDS 0266 (First Chargeback/Fee Collection Return Data).....                                           | 776 |
| PDS 0266 subfields.....                                                                               | 777 |
| Subfield 1 (Message Reason Code).....                                                                 | 777 |



|                                                                                  |     |
|----------------------------------------------------------------------------------|-----|
| Subfield 2 (Date, First Return Business).....                                    | 778 |
| Subfield 3 (Edit Exclusion Reason Code).....                                     | 778 |
| Subfield 4 (Edit Exclusion Results Code).....                                    | 778 |
| Subfield 5 (Amount, First Return).....                                           | 779 |
| Subfield 6 (Currency Code, First Return).....                                    | 779 |
| Subfield 7 (Data Record, First Return).....                                      | 779 |
| PDS 0267 (Second Presentment/Fee Collection Resubmission Data).....              | 780 |
| PDS 0267 subfields.....                                                          | 781 |
| Subfield 1 (Message Reason Code).....                                            | 781 |
| Subfield 2 (Date, Second Return Business).....                                   | 782 |
| Subfield 3 (Edit Exclusion Reason Code).....                                     | 782 |
| Subfield 4 (Edit Exclusion Results Code).....                                    | 782 |
| Subfield 5 (Amount, Second Return).....                                          | 782 |
| Subfield 6 (Currency Code, Second Return).....                                   | 783 |
| Subfield 7 (Data Record, Second Return).....                                     | 783 |
| PDS 0268 (Amount, Partial Transaction).....                                      | 783 |
| PDS 0268 subfields.....                                                          | 784 |
| Subfield 1 (Amount, Partial Transaction).....                                    | 785 |
| Subfield 2 (Currency Code, Partial Transaction).....                             | 785 |
| PDS 0270 (Embedded Interchange Data).....                                        | 785 |
| PDS 0270 subfields.....                                                          | 786 |
| Subfield 1 (Negotiate/Default Indicator).....                                    | 786 |
| Subfield 2 (Interchange Percentage).....                                         | 787 |
| Subfield 3 (Unit Fee Amount).....                                                | 787 |
| Subfield 4 (Flat Interchange Amount).....                                        | 788 |
| Subfield 5 (Payment Party).....                                                  | 788 |
| Subfield 6 (Supplemental Interchange Data).....                                  | 789 |
| PDS 0275 (Account Level Management [ALM] Service Data).....                      | 789 |
| Subfield 1 (ALM Service Code).....                                               | 792 |
| Subfield 2 (ALM Graduated or Registered Product Code).....                       | 799 |
| Subfield 3 (ALM Product Class).....                                              | 806 |
| Subfield 4 (ALM Rate Type).....                                                  | 808 |
| Subfield 5 (ALM Data Source).....                                                | 809 |
| Subfield 6 (Mastercard One Credential Acceptance Brand).....                     | 810 |
| Subfield 7 (Mastercard One Credential Static/Dynamic Interchange Indicator)..... | 811 |
| Subfield 8 (Mastercard One Credential Issuer Account Range).....                 | 811 |
| PDS 0276 (Fee Amounts, Additional).....                                          | 812 |
| PDS 0276 subfields.....                                                          | 814 |
| Subfield 1 (Rate Type).....                                                      | 814 |

|                                                                  |     |
|------------------------------------------------------------------|-----|
| Subfield 2 (Override Hierarchy).....                             | 814 |
| Subfield 3 (EDP Indicator (Extended Decimal Precision)).....     | 815 |
| Subfield 4 (Variable Fee Amount).....                            | 815 |
| Subfield 5 (Variable Fee Direction).....                         | 815 |
| Subfield 6 (Fixed Fee Amount).....                               | 815 |
| Subfield 7 (Fixed Fee Direction).....                            | 815 |
| Subfield 8 (Min/Max Limit Indicator).....                        | 815 |
| Subfield 9 (Tiered Amount Indicator).....                        | 816 |
| PDS 0280 (Source File ID).....                                   | 816 |
| PDS 0280 subfields.....                                          | 817 |
| PDS 0297 (Amount, Mexico Domestic [VAT]).....                    | 817 |
| PDS 0297 subfields.....                                          | 819 |
| Subfield 1 (Rate Type Code).....                                 | 819 |
| Subfield 2 (Amount, Tax).....                                    | 819 |
| Subfield 3 (Currency Code).....                                  | 820 |
| Subfield 4 (Currency Exponent).....                              | 820 |
| Subfield 5 (Debit/Credit Indicator).....                         | 821 |
| PDS 0298 (Amount, Mexico Domestic Transaction Fee).....          | 821 |
| PDS 0298 subfields.....                                          | 823 |
| Subfield 1 (Fee Type Code).....                                  | 824 |
| Subfield 2 (Fee Processing Code).....                            | 824 |
| Subfield 3 (Fee Settlement Indicator).....                       | 825 |
| Subfield 4 (Currency Code, Fee).....                             | 825 |
| Subfield 5 (Amount, Fee).....                                    | 825 |
| Subfield 6 (Currency Code, Fee, Reconciliation).....             | 826 |
| Subfield 7 (Amount, Fee, Reconciliation).....                    | 826 |
| PDS 0299 (Mexico Domestic Settlement Data for Fees and VAT)..... | 827 |
| PDS 0299 subfields.....                                          | 828 |
| Subfield 1 (Settlement Service Transfer Agent ID Code).....      | 828 |
| Subfield 2 (Settlement Service Transfer Agent Account).....      | 829 |
| Subfield 3 (Settlement Service Level Code).....                  | 829 |
| Subfield 4 (Settlement Service ID Code).....                     | 830 |
| Subfield 5 (Settlement Foreign Exchange Rate Class Code).....    | 830 |
| Subfield 6 (Reconciliation Data).....                            | 830 |
| Subfield 7 (Reconciliation Cycle).....                           | 831 |
| Subfield 8 (Settlement Date).....                                | 832 |
| Subfield 9 (Settlement Cycle).....                               | 832 |
| PDS 0300 (Reconciled, File).....                                 | 833 |
| PDS 0300 subfields.....                                          | 834 |

|                                                                                |     |
|--------------------------------------------------------------------------------|-----|
| PDS 0301 (File Amount, Checksum).....                                          | 835 |
| PDS 0302 (Reconciled, Member Activity).....                                    | 836 |
| PDS 0306 (File Message Counts).....                                            | 837 |
| PDS 0358 (Reconciled, Business Activity).....                                  | 838 |
| PDS 0358 subfields.....                                                        | 839 |
| PDS 0359 (Reconciled, Settlement Activity).....                                | 840 |
| PDS 0359 subfields.....                                                        | 840 |
| PDS 0360 (Reconciled, Transaction Sequence Identifier).....                    | 841 |
| PDS 0360 subfields.....                                                        | 842 |
| PDS 0367 (Reconciled, Card Program Identifier).....                            | 843 |
| PDS 0368 (Reconciled, Transaction Function Group Code).....                    | 844 |
| PDS 0369 (Reconciled, Acquirer's BIN).....                                     | 845 |
| PDS 0370 (Reconciled, Account Range).....                                      | 846 |
| PDS 0370 subfields.....                                                        | 847 |
| PDS 0372 (Reconciled, Transaction Function).....                               | 847 |
| PDS 0372 subfields.....                                                        | 848 |
| PDS 0374 (Reconciled, Processing Code).....                                    | 849 |
| PDS 0375 (Member Reconciliation Indicator 1).....                              | 850 |
| PDS 0378 (Original/Reversal Totals Indicator).....                             | 851 |
| PDS 0380 (Debits, Transaction Amount In Transaction Currency).....             | 852 |
| PDS 0380 subfields.....                                                        | 853 |
| PDS 0381 (Credits, Transaction Amount in Transaction Currency).....            | 854 |
| PDS 0381 subfields.....                                                        | 855 |
| PDS 0384 (Amount, Net Transaction in Transaction Currency).....                | 855 |
| PDS 0384 subfields.....                                                        | 856 |
| PDS 0385 (Debits, Mexico Domestic VAT Amount in Reconciliation Currency).....  | 857 |
| PDS 0385 subfields.....                                                        | 858 |
| PDS 0386 (Credits, Mexico Domestic VAT Amount in Reconciliation Currency)..... | 858 |
| PDS 0386 subfields.....                                                        | 859 |
| PDS 0387 (Amount, Net Mexico Domestic VAT in Reconciliation Currency).....     | 860 |
| PDS 0387 subfields.....                                                        | 861 |
| PDS 0390 (Debits, Transaction Amount in Reconciliation Currency).....          | 861 |
| PDS 0390 subfields.....                                                        | 862 |
| PDS 0391 (Credits, Transaction Amount in Reconciliation Currency).....         | 863 |
| PDS 0391 subfields.....                                                        | 864 |
| PDS 0392 (Debits, Fee Amounts in Reconciliation Currency).....                 | 864 |
| PDS 0392 subfields.....                                                        | 865 |
| PDS 0393 (Credits, Fee Amounts in Reconciliation Currency).....                | 866 |
| PDS 0393 subfields.....                                                        | 867 |

|                                                                               |     |
|-------------------------------------------------------------------------------|-----|
| PDS 0394 (Amount, Net Transaction in Reconciliation Currency).....            | 867 |
| PDS 0394 subfields.....                                                       | 869 |
| PDS 0395 (Amount, Net Fee in Reconciliation Currency).....                    | 869 |
| PDS 0395 subfields.....                                                       | 870 |
| PDS 0396 (Amount, Net Total in Reconciliation Currency).....                  | 871 |
| PDS 0396 subfields.....                                                       | 872 |
| PDS 0397 (Debits, Extended Precision Amount in Reconciliation Currency).....  | 872 |
| PDS 0397 subfields.....                                                       | 873 |
| PDS 0398 (Credits, Extended Precision Amount in Reconciliation Currency)..... | 874 |
| PDS 0398 subfields.....                                                       | 875 |
| PDS 0399 (Amount, Net Extended Precision in Reconciliation Currency).....     | 875 |
| PDS 0399 subfields.....                                                       | 876 |
| PDS 0400 (Debits, Transaction Number).....                                    | 877 |
| PDS 0401 (Credits, Transaction Number).....                                   | 878 |
| PDS 0402 (Total, Transaction Number).....                                     | 879 |
| PDS 0444 (Resubmission Code).....                                             | 880 |
| PDS 0445 (Original Transaction Information).....                              | 881 |
| PDS 0446 (Transaction Fee Amount, Syntax Error).....                          | 882 |
| PDS 0501 (Transaction Description).....                                       | 883 |
| PDS 0501 subfields.....                                                       | 884 |
| Subfield 1 (Usage Code).....                                                  | 885 |
| Subfield 2 (Industry Record Number).....                                      | 886 |
| Subfield 3 (Occurrence Indicator).....                                        | 887 |
| Subfield 4 (Associated First Presentment Number).....                         | 889 |
| PDS 0502 (Custom Identifier).....                                             | 889 |
| PDS 0502 subfields.....                                                       | 891 |
| Subfield 1 (Custom Identifier Type).....                                      | 891 |
| Subfield 2 (Custom Identifier Detail).....                                    | 892 |
| PDS 0503 (Travel Agency Sequence Number).....                                 | 892 |
| PDS 0504 (Travel Agency Fee).....                                             | 893 |
| PDS 0504 subfields.....                                                       | 893 |
| Subfield 1 (Travel Agency Fee Amount).....                                    | 894 |
| Subfield 2 (Travel Agency Fee Amount Exponent).....                           | 894 |
| Subfield 3 (Travel Agency Fee Amount Sign).....                               | 894 |
| Subfield 4 (Travel Agency Fee Amount Rate).....                               | 894 |
| Subfield 5 (Travel Agency Fee Description).....                               | 894 |
| PDS 0505 (Passenger Name).....                                                | 895 |
| PDS 0506 (Ticket Number).....                                                 | 898 |
| PDS 0507 (Issuing Carrier).....                                               | 901 |

|                                                      |     |
|------------------------------------------------------|-----|
| PDS 0508 (Customer Code).....                        | 903 |
| PDS 0509 (Issue Date).....                           | 906 |
| PDS 0510 (Travel Agency Code).....                   | 907 |
| PDS 0511 (Travel Agency Name).....                   | 908 |
| PDS 0512 (Total Fare).....                           | 909 |
| PDS 0513 (Total Fees).....                           | 910 |
| PDS 0514 (Total Taxes).....                          | 911 |
| PDS 0515 (Additional Acceptor Information).....      | 911 |
| PDS 0516 (Austin-Tetra Number).....                  | 912 |
| PDS 0517 (NAICS Code).....                           | 913 |
| PDS 0518 (Line Item Date).....                       | 914 |
| PDS 0519 (Additional Fuel Location Information)..... | 915 |
| PDS 0519 subfields.....                              | 916 |
| PDS 0520 (Travel Date).....                          | 917 |
| PDS 0521 (Carrier Code).....                         | 919 |
| PDS 0522 (Service Class Code).....                   | 921 |
| PDS 0523 (City of Origin Airport Code).....          | 923 |
| PDS 0524 (City of Destination Airport Code).....     | 925 |
| PDS 0525 (Stop Over Code).....                       | 928 |
| PDS 0526 (Conjunction Ticket).....                   | 929 |
| PDS 0527 (Exchange Ticket).....                      | 930 |
| PDS 0528 (Coupon Number).....                        | 930 |
| PDS 0529 (Fare Basis Code).....                      | 931 |
| PDS 0530 (Flight Number).....                        | 932 |
| PDS 0531 (Departure Time).....                       | 934 |
| PDS 0531 subfields.....                              | 935 |
| Subfield 1 (Departure Time).....                     | 935 |
| Subfield 2 (Departure Time Segment).....             | 935 |
| PDS 0532 (Total Charges).....                        | 935 |
| PDS 0532 subfields.....                              | 936 |
| Subfield 1 (Total Charges Amount).....               | 936 |
| Subfield 2 (Total Charges Exponent).....             | 937 |
| Subfield 3 (Total Charges Sign).....                 | 937 |
| PDS 0533 (Arrival Time).....                         | 937 |
| PDS 0533 subfields.....                              | 938 |
| Subfield 1 (Arrival Time).....                       | 938 |
| Subfield 2 (Arrival Time Segment).....               | 938 |
| PDS 0534 (Total Non-Room Charges).....               | 939 |
| PDS 0534 subfields.....                              | 939 |

|                                                         |     |
|---------------------------------------------------------|-----|
| Subfield 1 (Total Non-Room Charges Amount).....         | 940 |
| Subfield 2 (Total Non-Room Charges Exponent).....       | 940 |
| Subfield 3 (Total Non-Room Charges Sign).....           | 940 |
| PDS 0535 (Fare).....                                    | 940 |
| PDS 0536 (Fee).....                                     | 941 |
| PDS 0537 (Taxes).....                                   | 942 |
| PDS 0538 (Endorsements/Restrictions).....               | 943 |
| PDS 0539 (Total Amount Charged on Card).....            | 944 |
| PDS 0539 subfields.....                                 | 945 |
| Subfield 1 (Total Amount Charged on Card Amount).....   | 945 |
| Subfield 2 (Total Amount Charged on Card Exponent)..... | 945 |
| Subfield 3 (Total Amount Charged on Card Sign).....     | 945 |
| PDS 0540 (Room Service Charges).....                    | 946 |
| PDS 0540 subfields.....                                 | 947 |
| Subfield 1 (Room Services Charges Amount).....          | 947 |
| Subfield 2 (Room Service Charges Exponent).....         | 947 |
| Subfield 3 (Room Services Charges Sign).....            | 947 |
| PDS 0541 (Lounge/Bar Charges).....                      | 948 |
| PDS 0541 subfields.....                                 | 948 |
| Subfield 1 (Lounge/Bar Charges Amount).....             | 949 |
| Subfield 2 (Lounge/Bar Charges Exponent).....           | 949 |
| Subfield 3 (Lounge/Bar Charges Sign).....               | 949 |
| PDS 0542 (Transportation Charges).....                  | 949 |
| PDS 0542 subfields.....                                 | 950 |
| Subfield 1 (Transportation Charges Amount).....         | 950 |
| Subfield 2 (Transportation Charges Exponent).....       | 951 |
| Subfield 3 (Transportation Charges Sign).....           | 951 |
| PDS 0543 (Gratuity Charges).....                        | 951 |
| PDS 0543 subfields.....                                 | 952 |
| Subfield 1 (Gratuity Charges Amount).....               | 952 |
| Subfield 2 (Gratuity Charges Exponent).....             | 952 |
| Subfield 3 (Gratuity Charges Sign).....                 | 953 |
| PDS 0544 (Rental Agreement Number).....                 | 953 |
| PDS 0545 (Renter Name).....                             | 954 |
| PDS 0546 (Rental Return City).....                      | 956 |
| PDS 0547 (Rental Return State/Province).....            | 957 |
| PDS 0548 (Rental Return Country).....                   | 959 |
| PDS 0549 (Rental Return Location ID).....               | 960 |
| PDS 0550 (Rental Return Date).....                      | 962 |

|                                                         |     |
|---------------------------------------------------------|-----|
| PDS 0551 (Rental Check-Out Date).....                   | 963 |
| PDS 0552 (Customer Service Toll-Free [800] Number)..... | 965 |
| PDS 0553 (Rental Rate).....                             | 966 |
| PDS 0553 subfields.....                                 | 967 |
| Subfield 1 (Rental Rate Indicator).....                 | 968 |
| Subfield 2 (Rental Rate).....                           | 968 |
| PDS 0554 (Conference Room Charges).....                 | 968 |
| PDS 0554 subfields.....                                 | 969 |
| Subfield 1 (Conference Room Charges Amount).....        | 969 |
| Subfield 2 (Conference Room Charges Exponent).....      | 969 |
| Subfield 3 (Conference Room Charges Sign).....          | 970 |
| PDS 0555 (Rate Per Mile [or Per Kilometer]).....        | 970 |
| PDS 0556 (Total Miles [or Kilometers]).....             | 971 |
| PDS 0557 (Maximum Free Miles [or Kilometers]).....      | 972 |
| PDS 0558 (Miles/Kilometers Indicator).....              | 972 |
| PDS 0559 (Vehicle Insurance).....                       | 974 |
| PDS 0559 subfields.....                                 | 974 |
| Subfield 1: Insurance Indicator.....                    | 975 |
| Subfield 2 (Insurance Charges).....                     | 975 |
| PDS 0560 (Audio Visual Charges).....                    | 975 |
| PDS 0560 subfields.....                                 | 976 |
| Subfield 1 (Audio Visual Charges Amount).....           | 976 |
| Subfield 2 (Audio Visual Charges Exponent).....         | 976 |
| Subfield 3 (Audio Visual Charges Sign).....             | 976 |
| PDS 0561 (Adjusted Amount).....                         | 977 |
| PDS 0561 subfields.....                                 | 978 |
| Subfield 1 (Adjusted Amount Indicator).....             | 978 |
| Subfield 2 (Adjusted Amount).....                       | 978 |
| PDS 0562 (Banquet Charges).....                         | 979 |
| PDS 0562 subfields.....                                 | 979 |
| Subfield 1 (Banquet Charges Amount).....                | 980 |
| Subfield 2 (Banquet Charges Exponent).....              | 980 |
| Subfield 3 (Banquet Charges Sign).....                  | 980 |
| PDS 0563 (Program Code).....                            | 980 |
| PDS 0564 (Rental Location City).....                    | 981 |
| PDS 0565 (Rental Location State/Province).....          | 982 |
| PDS 0566 (Rental Location Country).....                 | 983 |
| PDS 0567 (Rental Location ID).....                      | 984 |
| PDS 0568 (Rental Class ID).....                         | 985 |

|                                                    |      |
|----------------------------------------------------|------|
| PDS 0569 (Internet Access Charges).....            | 987  |
| PDS 0569 subfields.....                            | 988  |
| Subfield 1 (Internet Access Charges Amount).....   | 988  |
| Subfield 2 (Internet Access Charges Exponent)..... | 988  |
| Subfield 3 (Internet Access Charges Sign).....     | 988  |
| PDS 0570 (Early Departure Charges).....            | 989  |
| PDS 0570 subfields.....                            | 990  |
| Subfield 1 (Early Departure Charges Amount).....   | 990  |
| Subfield 2 (Early Departure Charges Exponent)..... | 990  |
| Subfield 3 (Early Departure Charges Sign).....     | 990  |
| PDS 0571 (Guest Name).....                         | 991  |
| PDS 0572 (Guest Number).....                       | 991  |
| PDS 0573 (Invoice Number).....                     | 992  |
| PDS 0574 (Arrival Date).....                       | 993  |
| PDS 0575 (Departure Date).....                     | 995  |
| PDS 0576 (Folio Number).....                       | 996  |
| PDS 0577 (Property Phone Number).....              | 998  |
| PDS 0578 (Billing Adjustment).....                 | 999  |
| PDS 0578 subfields.....                            | 1000 |
| Subfield 1 (Billing Adjustment Indicator).....     | 1000 |
| Subfield 2 (Billing Adjustment Amount).....        | 1000 |
| Subfield 3 (Billing Adjustment Exponent).....      | 1001 |
| Subfield 4 (Billing Adjustment Sign).....          | 1001 |
| PDS 0579 (Invoice Date).....                       | 1001 |
| PDS 0580 (Room Rate).....                          | 1002 |
| PDS 0580 subfields.....                            | 1003 |
| Subfield 1 (Room Rate Amount).....                 | 1003 |
| Subfield 2 (Room Rate Exponent).....               | 1003 |
| PDS 0581 (Total Room Tax).....                     | 1004 |
| PDS 0581 subfields.....                            | 1005 |
| Subfield 1 (Total Room Tax Amount).....            | 1005 |
| Subfield 2 (Total Room Tax Exponent).....          | 1005 |
| Subfield 3 (Total Room Tax Sign).....              | 1005 |
| PDS 0582 (Program Code).....                       | 1006 |
| PDS 0583 (Phone Charges).....                      | 1006 |
| PDS 0583 subfields.....                            | 1007 |
| Subfield 1 (Phone Charges Amount).....             | 1007 |
| Subfield 2 (Phone Charges Exponent).....           | 1008 |
| Subfield 3 (Phone Charges Sign).....               | 1008 |



|                                                             |      |
|-------------------------------------------------------------|------|
| PDS 0584 (Restaurant Charges).....                          | 1008 |
| PDS 0584 subfields.....                                     | 1009 |
| Subfield 1 (Restaurant Charges Amount).....                 | 1009 |
| Subfield 2 (Restaurant Charges Exponent).....               | 1009 |
| Subfield 3 (Restaurant Charges Sign).....                   | 1009 |
| PDS 0585 (Mini-Bar Charges).....                            | 1010 |
| PDS 0585 subfields.....                                     | 1011 |
| Subfield 1 (Mini-Bar Charges Amount).....                   | 1011 |
| Subfield 2 (Mini-Bar Charges Exponent).....                 | 1011 |
| Subfield 3 (Mini-Bar Charges Sign).....                     | 1011 |
| PDS 0586 (Gift Shop Charges).....                           | 1012 |
| PDS 0586 subfields.....                                     | 1012 |
| Subfield 1 (Gift Shop Charges Amount).....                  | 1013 |
| Subfield 2 (Gift Shop Charges Exponent).....                | 1013 |
| Subfield 3 (Gift Shop Charges Sign).....                    | 1013 |
| PDS 0587 (Laundry and Dry Cleaning Charges).....            | 1013 |
| PDS 0587 subfields.....                                     | 1014 |
| Subfield 1 (Laundry and Dry Cleaning Charges Amount).....   | 1014 |
| Subfield 2 (Laundry and Dry Cleaning Charges Exponent)..... | 1015 |
| Subfield 3 (Laundry and Dry Cleaning Charges Sign).....     | 1015 |
| PDS 0588 (Other Services).....                              | 1015 |
| PDS 0588 subfields.....                                     | 1016 |
| Subfield 1 (Other Services Code).....                       | 1016 |
| Subfield 2 (Other Services Amount).....                     | 1016 |
| Subfield 3 (Other Services Exponent).....                   | 1017 |
| Subfield 4 (Other Services Sign).....                       | 1017 |
| PDS 0589 (Invoice Creation Date/Time).....                  | 1017 |
| PDS 0589 subfields.....                                     | 1018 |
| Subfield 1 (Invoice Creation Date).....                     | 1018 |
| Subfield 2 (Invoice Creation Time).....                     | 1018 |
| PDS 0590 (Party Identification).....                        | 1019 |
| PDS 0591 (Party Name).....                                  | 1020 |
| PDS 0591 subfields.....                                     | 1020 |
| Subfield 1 (Party Name).....                                | 1021 |
| PDS 0592 (Party Address).....                               | 1021 |
| PDS 0592 subfields.....                                     | 1022 |
| Subfield 1 (Party Address Line).....                        | 1022 |
| PDS 0593 (Party Postal Information).....                    | 1022 |
| PDS 0593 subfields.....                                     | 1023 |

|                                                             |      |
|-------------------------------------------------------------|------|
| Subfield 1 (City).....                                      | 1023 |
| Subfield 2 (State/Province Code).....                       | 1023 |
| Subfield 3 (Country Code).....                              | 1024 |
| Subfield 4 (Postal Code).....                               | 1024 |
| PDS 0594 (Party Contact).....                               | 1024 |
| PDS 0594 subfields.....                                     | 1025 |
| Subfield 1 (Party Contact Descriptor).....                  | 1025 |
| Subfield 2 (Party Contact Information).....                 | 1025 |
| PDS 0595 (Acceptor Type).....                               | 1026 |
| PDS 0595 subfields.....                                     | 1028 |
| Subfield 1 (Business Type).....                             | 1028 |
| Subfield 2 (Business Owner Type).....                       | 1029 |
| Subfield 3 (Business Certification Type).....               | 1029 |
| Subfield 4 (Business Racial/Ethnic Type).....               | 1030 |
| Subfield 5 (Business Type Provided Code).....               | 1031 |
| Subfield 6 (Business Owner Type Provided Code).....         | 1031 |
| Subfield 7 (Business Certification Type Provided Code)..... | 1031 |
| Subfield 8 (Business Racial/Ethnic Type Provided Code)..... | 1032 |
| PDS 0596 (Acceptor Tax ID).....                             | 1032 |
| PDS 0596 subfields.....                                     | 1034 |
| Subfield 1 (Acceptor Tax ID).....                           | 1034 |
| Subfield 2 (Acceptor Tax ID Provided Code).....             | 1035 |
| PDS 0597 (Total Tax Amount).....                            | 1037 |
| PDS 0597 subfields.....                                     | 1041 |
| Subfield 1 (Total Tax Amount).....                          | 1041 |
| Subfield 2 (Total Tax Exponent).....                        | 1042 |
| Subfield 3 (Total Tax Sign).....                            | 1042 |
| PDS 0598 (Total Tax Collected Indicator).....               | 1043 |
| PDS 0599 (Corporation VAT Number).....                      | 1044 |
| PDS 0600 (Acceptor Reference Number).....                   | 1045 |
| PDS 0601 (Party Nature of Filing).....                      | 1047 |
| PDS 0602 (Party Supplemental Data 1).....                   | 1048 |
| PDS 0602 subfields.....                                     | 1049 |
| Subfield 1 (Party Supplemental Data Description 1).....     | 1049 |
| Subfield 2 (Party Supplemental Data 1).....                 | 1049 |
| Subfield 3 (Party Supplemental Data Code 1).....            | 1049 |
| PDS 0603 (Party Supplemental Data 2).....                   | 1050 |
| PDS 0603 subfields.....                                     | 1050 |
| Subfield 1 (Party Supplemental Data Description 2).....     | 1051 |

|                                                                 |      |
|-----------------------------------------------------------------|------|
| Subfield 2 (Party Supplemental Data 2).....                     | 1051 |
| Subfield 3 (Party Supplemental Data Code 2).....                | 1051 |
| PDS 0604 (Transaction Supplemental Data 1).....                 | 1051 |
| PDS 0604 subfields.....                                         | 1052 |
| Subfield 1 (Transaction Supplemental Data Description 1).....   | 1053 |
| Subfield 2 (Transaction Supplemental Data 1).....               | 1053 |
| Subfield 3 (Transaction Supplemental Data Code 1).....          | 1053 |
| PDS 0605 (Transaction Supplemental Data 2).....                 | 1053 |
| PDS 0605 subfields.....                                         | 1054 |
| Subfield 1 (Transaction Supplemental Data Description 2).....   | 1054 |
| Subfield 2 (Transaction Supplemental Data 2).....               | 1054 |
| Subfield 3 (Transaction Supplemental Data Code 2).....          | 1054 |
| PDS 0606 (Freight Amount).....                                  | 1055 |
| PDS 0606 subfields.....                                         | 1055 |
| Subfield 1 (Freight Amount).....                                | 1056 |
| Subfield 2 (Freight Amount Exponent).....                       | 1056 |
| Subfield 3 (Freight Amount Sign).....                           | 1056 |
| PDS 0607 (Duty Amount).....                                     | 1056 |
| PDS 0607 subfields.....                                         | 1057 |
| Subfield 1 (Duty Amount).....                                   | 1057 |
| Subfield 2 (Duty Amount Exponent).....                          | 1057 |
| Subfield 3 (Duty Amount Sign).....                              | 1057 |
| PDS 0608 (Destination Postal Code).....                         | 1058 |
| PDS 0609 (Destination State/Province Code).....                 | 1059 |
| PDS 0610 (Destination Country Code).....                        | 1060 |
| PDS 0611 (Sequence Number).....                                 | 1061 |
| PDS 0612 (Ship Date).....                                       | 1062 |
| PDS 0613 (Ship-From Postal Code).....                           | 1063 |
| PDS 0614 (Order Date).....                                      | 1064 |
| PDS 0615 (Medical Services Ship to Health Industry Number)..... | 1065 |
| PDS 0616 (Contract Number).....                                 | 1066 |
| PDS 0617 (Medical Services Price Adjustment).....               | 1067 |
| PDS 0618 (Medical Services Product Number Qualifier).....       | 1068 |
| PDS 0619 (User Name).....                                       | 1069 |
| PDS 0620 (Oil Company Brand Name).....                          | 1070 |
| PDS 0621 (Purchase Time).....                                   | 1071 |
| PDS 0622 (Motor Fuel Service Type).....                         | 1073 |
| PDS 0623 (Motor Fuel Information).....                          | 1076 |
| PDS 0623 subfields.....                                         | 1078 |

|                                                |      |
|------------------------------------------------|------|
| Subfield 1 (Motor Fuel Product Code).....      | 1078 |
| Subfield 2 (Motor Fuel Unit Price).....        | 1080 |
| Subfield 3 (Motor Fuel Unit of Measure).....   | 1080 |
| Subfield 4 (Motor Fuel Quantity).....          | 1080 |
| Subfield 5 (Motor Fuel Quantity Exponent)..... | 1081 |
| Subfield 6 (Motor Fuel Sale Amount).....       | 1081 |
| PDS 0624 (User Account Number).....            | 1081 |
| PDS 0625 (User Telephone Number).....          | 1082 |
| PDS 0626 (Billing Statement Period).....       | 1083 |
| PDS 0626 subfields.....                        | 1084 |
| Subfield 1 (Statement Start Date).....         | 1084 |
| Subfield 2 (Statement End Date).....           | 1084 |
| PDS 0627 (Billing Event 1).....                | 1084 |
| PDS 0627 subfields.....                        | 1085 |
| Subfield 1 (Billing Event Amount 1).....       | 1085 |
| Subfield 2 (Billing Event Exponent 1).....     | 1085 |
| Subfield 3 (Billing Event Sign 1).....         | 1086 |
| Subfield 4 (Billing Event Description 1).....  | 1086 |
| PDS 0628 (Billing Event 2).....                | 1086 |
| PDS 0628 subfields.....                        | 1087 |
| Subfield 1 (Billing Event Amount 2).....       | 1087 |
| Subfield 2 (Billing Event Exponent 2).....     | 1087 |
| Subfield 3 (Billing Event Sign 2).....         | 1087 |
| Subfield 4 (Billing Event Description 2).....  | 1088 |
| PDS 0629 (Odometer Reading).....               | 1088 |
| PDS 0630 (Vehicle Number).....                 | 1090 |
| PDS 0631 (Driver Number/ID Number).....        | 1091 |
| PDS 0632 (Product Type Code).....              | 1093 |
| PDS 0633 (Coupon/Discount Amount).....         | 1096 |
| PDS 0634 (Tax Amount 1).....                   | 1097 |
| PDS 0635 (Tax Amount 2).....                   | 1098 |
| PDS 0636 (Call Date).....                      | 1099 |
| PDS 0637 (Call Time).....                      | 1099 |
| PDS 0638 (Call To Information).....            | 1100 |
| PDS 0638 subfields.....                        | 1101 |
| Subfield 1 (Call To City).....                 | 1101 |
| Subfield 2 (Call To State/Province).....       | 1101 |
| Subfield 3 (Call To Country).....              | 1102 |
| Subfield 4 (Call To Number).....               | 1102 |

|                                                 |      |
|-------------------------------------------------|------|
| Subfield 5 (Call To Type).....                  | 1102 |
| PDS 0639 (Call Duration).....                   | 1102 |
| PDS 0640 (Call Time Period).....                | 1103 |
| PDS 0641 (Product Code).....                    | 1104 |
| PDS 0642 (Item Description).....                | 1113 |
| PDS 0643 (Item Quantity).....                   | 1118 |
| PDS 0643 subfields.....                         | 1122 |
| Subfield 1 (Item Quantity).....                 | 1123 |
| Subfield 2 (Item Quantity Exponent).....        | 1123 |
| PDS 0644 (Call From Information).....           | 1123 |
| PDS 0644 subfields.....                         | 1124 |
| Subfield 1 (Call From City).....                | 1124 |
| Subfield 2 (Call From State/Province).....      | 1124 |
| Subfield 3 (Call From Country).....             | 1124 |
| Subfield 4 (Call From Number).....              | 1124 |
| PDS 0645 (Item Unit of Measure).....            | 1125 |
| PDS 0646 (Unit Price).....                      | 1130 |
| PDS 0646 subfields.....                         | 1132 |
| Subfield 1 (Unit Price).....                    | 1133 |
| Subfield 2 (Unit Price Exponent).....           | 1133 |
| PDS 0647 (Extended Item Amount).....            | 1133 |
| PDS 0647 subfields.....                         | 1137 |
| Subfield 1 (Extended Item Amount).....          | 1137 |
| Subfield 2 (Extended Item Amount Exponent)..... | 1137 |
| Subfield 3 (Extended Item Amount Sign).....     | 1137 |
| PDS 0648 (Item Discount).....                   | 1138 |
| PDS 0648 subfields.....                         | 1139 |
| Subfield 1 (Discount Indicator).....            | 1140 |
| Subfield 2 (Discount Amount).....               | 1140 |
| Subfield 3 (Item Discount Rate).....            | 1140 |
| Subfield 4 (Item Discount Rate Exponent).....   | 1140 |
| Subfield 5 (Item Discount Amount Sign).....     | 1141 |
| PDS 0649 (Call Usage Amount).....               | 1141 |
| PDS 0649 subfields.....                         | 1142 |
| Subfield 1 (Call Usage Amount).....             | 1142 |
| Subfield 2 (Call Usage Amount Exponent).....    | 1142 |
| Subfield 3 (Call Usage Amount Sign).....        | 1142 |
| PDS 0650 (Zero Cost to Customer Indicator)..... | 1143 |
| PDS 0651 (Procedure ID).....                    | 1144 |

|                                                      |      |
|------------------------------------------------------|------|
| PDS 0652 (Service Type).....                         | 1145 |
| Subfield 1 (Service Type).....                       | 1146 |
| Subfield 2 (Service Nature).....                     | 1146 |
| PDS 0653 (Service Amount).....                       | 1146 |
| PDS 0653 subfields.....                              | 1147 |
| Subfield 1 (Service Amount).....                     | 1147 |
| Subfield 2 (Service Amount Exponent).....            | 1147 |
| Subfield 3 (Service Amount Sign).....                | 1147 |
| PDS 0654 (Debit or Credit Indicator).....            | 1148 |
| PDS 0655 (Call Long Distance Amount).....            | 1151 |
| PDS 0655 subfields.....                              | 1152 |
| Subfield 1 (Call Long Distance Amount).....          | 1152 |
| Subfield 2 (Call Long Distance Amount Exponent)..... | 1153 |
| Subfield 3 (Call Long Distance Amount Sign).....     | 1153 |
| PDS 0656 (Full VAT Amounts).....                     | 1153 |
| PDS 0656 subfields.....                              | 1154 |
| Subfield 1 (Full VAT Gross Amount).....              | 1154 |
| Subfield 2 (Full VAT Gross Amount Exponent).....     | 1154 |
| Subfield 3 (Full VAT Gross Amount Sign).....         | 1155 |
| Subfield 4 (Full VAT Tax Amount).....                | 1155 |
| Subfield 5 (Full VAT Tax Amount Exponent).....       | 1155 |
| Subfield 6 (Full VAT Tax Amount Sign).....           | 1155 |
| PDS 0657 (Half VAT Amounts).....                     | 1156 |
| PDS 0657 subfields.....                              | 1156 |
| Subfield 1 (Half VAT Gross Amount).....              | 1157 |
| Subfield 2 (Half VAT Gross Amount Exponent).....     | 1157 |
| Subfield 3 (Half VAT Gross Amount Sign).....         | 1157 |
| Subfield 4 (Half VAT Tax Amount).....                | 1157 |
| Subfield 5 (Half VAT Tax Amount Exponent).....       | 1158 |
| Subfield 6 (Half VAT Tax Amount Sign).....           | 1158 |
| PDS 0658 (Call Connect Amount).....                  | 1158 |
| PDS 0658 subfields.....                              | 1159 |
| Subfield 1 (Call Connect Amount).....                | 1159 |
| Subfield 2 (Call Connect Amount Exponent).....       | 1159 |
| Subfield 3 (Call Connect Amount Sign).....           | 1159 |
| PDS 0659 (Other Description).....                    | 1160 |
| PDS 0660 (Customer Reference).....                   | 1161 |
| PDS 0660 subfields.....                              | 1161 |
| Subfield 1 (Customer Reference Value ID).....        | 1162 |

|                                                                    |      |
|--------------------------------------------------------------------|------|
| Subfield 2 (Customer Reference Value Detail).....                  | 1162 |
| PDS 0661 (Traffic Code).....                                       | 1162 |
| PDS 0662 (Sample Number).....                                      | 1163 |
| PDS 0663 (Free-Form Description).....                              | 1164 |
| PDS 0664 (Start Station).....                                      | 1165 |
| PDS 0665 (Destination Station).....                                | 1167 |
| PDS 0667 (Generic Data).....                                       | 1169 |
| PDS 0667 subfields.....                                            | 1170 |
| Subfield 1 (Generic Code).....                                     | 1170 |
| Subfield 2 (Generic Number).....                                   | 1170 |
| Subfield 3 (Generic Other Code).....                               | 1170 |
| Subfield 4 (Generic Other Number).....                             | 1170 |
| PDS 0668 (Reduction Data).....                                     | 1170 |
| PDS 0668 subfields.....                                            | 1171 |
| Subfield 1 (Reduction Code).....                                   | 1171 |
| Subfield 2 (Reduction Number).....                                 | 1172 |
| Subfield 3 (Reduction Other Code).....                             | 1172 |
| Subfield 4 (Reduction Other Number).....                           | 1172 |
| PDS 0669 (Transportation Other Code).....                          | 1172 |
| PDS 0670 (Payer/User Information).....                             | 1173 |
| PDS 0670 subfields.....                                            | 1174 |
| Subfield 1 (Payer Name/User ID).....                               | 1174 |
| Subfield 2 (Payer Address).....                                    | 1175 |
| Subfield 3 (Payer City).....                                       | 1175 |
| Subfield 4 (Payer State/Province Code).....                        | 1175 |
| Subfield 5 (Payer Country Code).....                               | 1175 |
| Subfield 6 (Payer Postal Code).....                                | 1175 |
| Subfield 7 (Payer Date of Birth).....                              | 1175 |
| PDS 0671 (Date of Funds Requested).....                            | 1175 |
| PDS 0673 (Date of Anticipated Receipt of Funds).....               | 1176 |
| PDS 0674 (Additional Trace/Reference Number Used by Acceptor)..... | 1177 |
| PDS 0675 (Additional Transaction Description Data).....            | 1179 |
| PDS 0676 (Acceptor VAT Number).....                                | 1180 |
| PDS 0677 (Customer VAT Number).....                                | 1181 |
| PDS 0678 (Unique Invoice Number).....                              | 1182 |
| PDS 0679 (Commodity Code).....                                     | 1183 |
| PDS 0680 (Authorized Contact Name).....                            | 1184 |
| PDS 0681 (Authorized Contact Phone).....                           | 1185 |
| PDS 0682 (Detail Tax Amount 1).....                                | 1186 |

|                                                     |      |
|-----------------------------------------------------|------|
| PDS 0682 subfields.....                             | 1188 |
| Subfield 1 (Detail Tax Amount Indicator 1).....     | 1188 |
| Subfield 2 (Detail Tax Amount 1).....               | 1189 |
| Subfield 3 (Detail Tax Rate 1).....                 | 1189 |
| Subfield 4 (Detail Tax Rate Exponent 1).....        | 1189 |
| Subfield 5 (Detail Tax Type Applied 1).....         | 1190 |
| Subfield 6 (Detail Tax Type Identifier 1).....      | 1190 |
| Subfield 7 (Acceptor Tax ID 1).....                 | 1191 |
| Subfield 8 (Detail Tax Amount Sign 1).....          | 1191 |
| PDS 0683 (Detail Tax Amount 2).....                 | 1191 |
| PDS 0683 subfields.....                             | 1193 |
| Subfield 1 (Detail Tax Amount Indicator 2).....     | 1193 |
| Subfield 2 (Detail Tax Amount 2).....               | 1194 |
| Subfield 3 (Detail Tax Rate 2).....                 | 1194 |
| Subfield 4 (Detail Tax Rate Exponent 2).....        | 1194 |
| Subfield 5 (Detail Tax Type Applied 2).....         | 1195 |
| Subfield 6 (Detail Tax Type Identifier 2).....      | 1195 |
| Subfield 7 (Acceptor Tax ID 2).....                 | 1196 |
| Subfield 8 (Detail Tax Amount Sign 2).....          | 1196 |
| PDS 0684 (Detail Tax Amount 3).....                 | 1196 |
| PDS 0684 subfields.....                             | 1198 |
| Subfield 1 (Detail Tax Amount Indicator 3).....     | 1198 |
| Subfield 2 (Detail Tax Amount 3).....               | 1198 |
| Subfield 3 (Detail Tax Rate 3).....                 | 1199 |
| Subfield 4 (Detail Tax Rate Exponent 3).....        | 1199 |
| Subfield 5 (Detail Tax Type Applied 3).....         | 1199 |
| Subfield 6 (Detail Tax Type Identifier 3).....      | 1199 |
| Subfield 7 (Acceptor Tax ID 3).....                 | 1200 |
| Subfield 8 (Detail Tax Amount Sign 3).....          | 1200 |
| PDS 0685 (Type of Supply).....                      | 1201 |
| PDS 0686 (Tax Exempt Indicator).....                | 1202 |
| PDS 0687 (Unique VAT Invoice Reference Number)..... | 1203 |
| PDS 0688 (Acceptor Contact E-mail Address).....     | 1204 |
| PDS 0689 (Corporate Identifier).....                | 1205 |
| PDS 0690 (No Show Indicator).....                   | 1206 |
| PDS 0691 (Days Rented).....                         | 1207 |
| PDS 0692 (Weekly Rental Amount).....                | 1208 |
| PDS 0693 (Total Authorized Amount).....             | 1208 |
| PDS 0693 subfields.....                             | 1209 |



|                                                      |      |
|------------------------------------------------------|------|
| Subfield 1 (Total Authorized Amount).....            | 1209 |
| Subfield 2 (Total Authorized Amount Exponent).....   | 1210 |
| Subfield 3 (Total Authorized Amount Sign).....       | 1210 |
| PDS 0694 (One Way Drop Off Charge).....              | 1210 |
| PDS 0695 (Regular Mileage Charge).....               | 1211 |
| PDS 0696 (Extra Mileage Charge).....                 | 1212 |
| PDS 0697 (Late Charge).....                          | 1213 |
| PDS 0698 (Fuel Charge).....                          | 1213 |
| PDS 0699 (Lodging Total Tax Amount).....             | 1214 |
| PDS 0699 subfields.....                              | 1215 |
| Subfield 1 (Lodging Total Tax Amount).....           | 1215 |
| Subfield 2 (Lodging Total Tax Amount Exponent).....  | 1215 |
| Subfield 3 (Lodging Total Tax Amount Sign).....      | 1216 |
| PDS 0700 (Towing Charges).....                       | 1216 |
| PDS 0701 (Extra Charges).....                        | 1217 |
| PDS 0702 (Other Charges).....                        | 1218 |
| PDS 0703 (Total Room Nights).....                    | 1218 |
| PDS 0704 (Prepaid Expenses).....                     | 1219 |
| PDS 0704 subfields.....                              | 1220 |
| Subfield 1 (Prepaid Expenses Amount).....            | 1220 |
| Subfield 2 (Prepaid Expenses Amount Exponent).....   | 1221 |
| Subfield 3 (Prepaid Expenses Amount Sign).....       | 1221 |
| PDS 0705 (Total Non-Room Tax Amount).....            | 1221 |
| PDS 0705 subfields.....                              | 1222 |
| Subfield 1 (Total Non-Room Tax Amount).....          | 1222 |
| Subfield 2 (Total Non-Room Tax Amount Exponent)..... | 1222 |
| Subfield 3 (Total Non-Room Tax Amount Sign).....     | 1223 |
| PDS 0706 (Cash Advances).....                        | 1223 |
| PDS 0706 subfields.....                              | 1224 |
| Subfield 1 (Cash Advance Amount).....                | 1224 |
| Subfield 2 (Cash Advance Exponent).....              | 1224 |
| Subfield 3 (Cash Advance Sign).....                  | 1225 |
| PDS 0707 (Valet Charges).....                        | 1225 |
| PDS 0707 subfields.....                              | 1226 |
| Subfield 1 (Valet Charges Amount).....               | 1226 |
| Subfield 2 (Valet Charges Exponent).....             | 1226 |
| Subfield 3 (Valet Charges Sign).....                 | 1226 |
| PDS 0708 (Movie Charges).....                        | 1227 |
| PDS 0708 subfields.....                              | 1228 |

|                                                       |      |
|-------------------------------------------------------|------|
| Subfield 1 (Movie Charges Amount).....                | 1228 |
| Subfield 2 (Movie Charges Exponent).....              | 1228 |
| Subfield 3 (Movie Charges Sign).....                  | 1228 |
| PDS 0709 (Business Center Charges).....               | 1229 |
| PDS 0709 subfields.....                               | 1229 |
| Subfield 1 (Business Center Charges Amount).....      | 1230 |
| Subfield 2 (Business Center Charges Exponent).....    | 1230 |
| Subfield 3 (Business Center Charges Sign).....        | 1230 |
| PDS 0710 (Health Club Charges).....                   | 1231 |
| PDS 0710 subfields.....                               | 1231 |
| Subfield 1 (Health Club Charges Amount).....          | 1232 |
| Subfield 2 (Health Club Charges Exponent).....        | 1232 |
| Subfield 3 (Health Club Charges Sign).....            | 1232 |
| PDS 0711 (Fire Safety Act Indicator).....             | 1232 |
| PDS 0712 (Net Fuel Price).....                        | 1234 |
| PDS 0712 subfields.....                               | 1234 |
| Subfield 1 (Net Fuel Price).....                      | 1235 |
| Subfield 2 (Net Fuel Price Exponent).....             | 1235 |
| PDS 0713 (Restricted Ticket Indicator).....           | 1235 |
| PDS 0714 (Exchange Ticket Amount).....                | 1236 |
| PDS 0715 (Ancillary Service Charges).....             | 1237 |
| PDS 0715 subfields.....                               | 1238 |
| Subfield 1 (Ancillary Fee Code).....                  | 1238 |
| Subfield 2 (Ancillary Fee Amount).....                | 1239 |
| PDS 0716 (Travel Authorization Code).....             | 1239 |
| PDS 0717 (IATA Client Code).....                      | 1240 |
| PDS 0718 (Employee/Temp Name/ID).....                 | 1241 |
| PDS 0719 (Employee Social Security Number or ID)..... | 1243 |
| PDS 0720 (Job Description).....                       | 1243 |
| PDS 0721 (Job Code).....                              | 1245 |
| PDS 0722 (Flat Rate Indicator).....                   | 1246 |
| PDS 0723 (Regular Hours Worked).....                  | 1247 |
| PDS 0723 subfields.....                               | 1249 |
| Subfield 1 (Regular Hours Worked).....                | 1250 |
| Subfield 2 (Regular Hours Worked Exponent).....       | 1250 |
| PDS 0724 (Regular Hours Rate).....                    | 1250 |
| PDS 0724 subfields.....                               | 1252 |
| Subfield 1 (Regular Hours Rate).....                  | 1252 |
| Subfield 2 (Regular Hours Rate Exponent).....         | 1252 |

|                                                         |      |
|---------------------------------------------------------|------|
| PDS 0725 (Overtime Hours Worked).....                   | 1252 |
| PDS 0725 subfields.....                                 | 1254 |
| Subfield 1 (Overtime Hours Worked).....                 | 1255 |
| Subfield 2 (Overtime Hours Worked Exponent).....        | 1255 |
| PDS 0726 (Overtime Hours Rate).....                     | 1255 |
| PDS 0726 subfields.....                                 | 1256 |
| Subfield 1 (Overtime Hours Rate).....                   | 1257 |
| Subfield 2 (Overtime Hours Rate Exponent).....          | 1257 |
| PDS 0727 (Temp Start Date).....                         | 1257 |
| PDS 0728 (Temp Week Ending).....                        | 1259 |
| PDS 0729 (Requestor Name or ID).....                    | 1260 |
| PDS 0730 (Supervisor/Reports to).....                   | 1262 |
| PDS 0731 (Time Sheet Number).....                       | 1263 |
| PDS 0732 (Discount Amount).....                         | 1264 |
| PDS 0732 subfields.....                                 | 1264 |
| Subfield 1 (Discount Amount).....                       | 1265 |
| Subfield 2 (Discount Amount Exponent).....              | 1265 |
| Subfield 3 (Discount Amount Sign).....                  | 1265 |
| Subfield 4 (Discount Type).....                         | 1265 |
| PDS 0733 (Subtotal Amount).....                         | 1265 |
| PDS 0733 subfields.....                                 | 1266 |
| Subfield 1 (Subtotal Amount).....                       | 1267 |
| Subfield 2 (Subtotal Amount Exponent).....              | 1267 |
| Subfield 3 (Subtotal Amount Sign).....                  | 1267 |
| PDS 0734 (Miscellaneous Expenses).....                  | 1267 |
| PDS 0734 subfields.....                                 | 1269 |
| Subfield 1 (Miscellaneous Expense Description).....     | 1270 |
| Subfield 2 (Miscellaneous Expense Amount).....          | 1270 |
| Subfield 3 (Miscellaneous Expense Amount Exponent)..... | 1270 |
| Subfield 4 (Miscellaneous Expense Amount Sign).....     | 1270 |
| PDS 0735 (Service Descriptor Codes).....                | 1270 |
| PDS 0736 (Tracking Number or Pickup Number).....        | 1272 |
| PDS 0737 (Shipping Net Amount).....                     | 1274 |
| PDS 0737 subfields.....                                 | 1276 |
| Subfield 1 (Shipping Net Amount).....                   | 1277 |
| Subfield 2 (Shipping Net Amount Exponent).....          | 1277 |
| Subfield 3 (Shipping Net Amount Sign).....              | 1277 |
| PDS 0738 (Incentive Amount).....                        | 1277 |
| PDS 0738 subfields.....                                 | 1278 |

|                                                      |      |
|------------------------------------------------------|------|
| Subfield 1 (Incentive Amount).....                   | 1278 |
| Subfield 2 (Incentive Amount Exponent).....          | 1278 |
| Subfield 3 (Incentive Amount Sign).....              | 1279 |
| PDS 0739 (Pickup Date).....                          | 1279 |
| PDS 0740 (Delivery Date).....                        | 1281 |
| PDS 0741 (Number of Packages).....                   | 1282 |
| PDS 0742 (Package Weight).....                       | 1284 |
| PDS 0743 (Unit of Measure).....                      | 1286 |
| PDS 0744 (Shipping Party Information).....           | 1288 |
| PDS 0744 subfields.....                              | 1290 |
| Subfield 1 (Shipping Party Name).....                | 1290 |
| PDS 0745 (Shipping Party Address).....               | 1290 |
| PDS 0745 subfields.....                              | 1292 |
| Subfield 1 (Shipping Party Address).....             | 1292 |
| PDS 0746 (Shipping Party Postal Information).....    | 1292 |
| PDS 0746 subfields.....                              | 1294 |
| Subfield 1 (Shipping Party City).....                | 1295 |
| Subfield 2 (Shipping Party State/Province Code)..... | 1295 |
| Subfield 3 (Shipping Party Country Code).....        | 1295 |
| Subfield 4 (Shipping Party Postal Code).....         | 1295 |
| PDS 0747 (Shipping Party Contact).....               | 1295 |
| PDS 0747 subfields.....                              | 1297 |
| Subfield 1 (Shipping Party Descriptor).....          | 1298 |
| Subfield 2 (Shipping Party Contact Information)..... | 1298 |
| PDS 0748 (Delivery Party Information).....           | 1298 |
| PDS 0748 subfields.....                              | 1300 |
| Subfield 1 (Delivery Party Name).....                | 1301 |
| PDS 0749 (Delivery Party Address Information).....   | 1301 |
| PDS 0749 subfields.....                              | 1303 |
| Subfield 1 (Delivery Party Address).....             | 1303 |
| PDS 0750 (Delivery Party Postal Information).....    | 1303 |
| PDS 0750 subfields.....                              | 1305 |
| Subfield 1 (Delivery Party City).....                | 1305 |
| Subfield 2 (Delivery Party State/Province Code)..... | 1305 |
| Subfield 3 (Delivery Party Country Code).....        | 1306 |
| Subfield 4 (Delivery Party Postal Code).....         | 1306 |
| PDS 0751 (Detail Tax Amount 4).....                  | 1306 |
| PDS 0751 subfields.....                              | 1307 |
| Subfield 1 (Detail Tax Amount Indicator 4).....      | 1308 |

|                                                         |      |
|---------------------------------------------------------|------|
| Subfield 2 (Detail Tax Amount 4).....                   | 1308 |
| Subfield 3 (Detail Tax Rate 4).....                     | 1308 |
| Subfield 4 (Detail Tax Rate Exponent 4).....            | 1308 |
| Subfield 5 (Detail Tax Type Applied 4).....             | 1309 |
| Subfield 6 (Detail Tax Type Identifier 4).....          | 1309 |
| Subfield 7 (Acceptor Tax ID 4).....                     | 1310 |
| Subfield 8 (Detail Tax Amount Sign 4).....              | 1310 |
| PDS 0752 (Detail Tax Amount 5).....                     | 1310 |
| PDS 0752 subfields.....                                 | 1312 |
| PDS 0753 (Detail Tax Amount 6).....                     | 1315 |
| PDS 0753 subfields.....                                 | 1316 |
| PDS 0754 (Delivery Party Contact).....                  | 1319 |
| PDS 0754 subfields.....                                 | 1321 |
| PDS 0755 (Line Item Total Amount).....                  | 1322 |
| PDS 0755 subfields.....                                 | 1323 |
| PDS 0756 (Passenger Description).....                   | 1324 |
| PDS 0756 subfields.....                                 | 1326 |
| Subfield 1 (Number of Adults).....                      | 1326 |
| Subfield 2 (Number of Children).....                    | 1326 |
| Subfield 3 (Class).....                                 | 1326 |
| PDS 0757 (Transportation Service Provider).....         | 1327 |
| PDS 0758 (Transportation Services Offered).....         | 1328 |
| PDS 0759 (Delivery Order Number).....                   | 1329 |
| PDS 0760 (Credit Card Slip Number).....                 | 1330 |
| PDS 0761 (Travel Agency ID).....                        | 1330 |
| PDS 0762 (Data Source).....                             | 1331 |
| PDS 0763 (VAT Suppression Indicator).....               | 1333 |
| PDS 0764 (Healthcare Eligible Status Indicator).....    | 1333 |
| PDS 0765 (MoneySend Receiver Data).....                 | 1335 |
| Subfield 1 (Payee First Name).....                      | 1336 |
| Subfield 2 (Payee Last Name).....                       | 1336 |
| Subfield 3 (Payee Address).....                         | 1337 |
| Subfield 4 (Payee City).....                            | 1337 |
| Subfield 5 (Payee State/Province Code).....             | 1337 |
| Subfield 6 (Payee Country Code).....                    | 1338 |
| Subfield 7 (Payee Postal Code).....                     | 1338 |
| Subfield 8 (Payee Date of Birth).....                   | 1339 |
| Subfield 9 (Payee Phone Number).....                    | 1339 |
| PDS 0770 (Additional Acceptor Inquiry Information)..... | 1339 |

|                                                                                  |      |
|----------------------------------------------------------------------------------|------|
| PDS 0770 subfields.....                                                          | 1340 |
| Subfield 1 (Sales Rep Name).....                                                 | 1341 |
| Subfield 2 (Sales Rep Phone Number).....                                         | 1341 |
| Subfield 3 (Sales Rep Fax Number).....                                           | 1341 |
| Subfield 4 (Technical Support Phone Number).....                                 | 1341 |
| PDS 0771 (Cost Center Information).....                                          | 1342 |
| PDS 0771 subfields.....                                                          | 1342 |
| Subfield 1 (Cost Center Number).....                                             | 1343 |
| Subfield 2 (Cost Center Description).....                                        | 1343 |
| PDS 0772 (Driver License/State Issued ID Information).....                       | 1343 |
| PDS 0772 subfields.....                                                          | 1344 |
| Subfield 1 (Driver License/State Issued ID Number).....                          | 1344 |
| Subfield 2 (Driver License/State Issued ID State, Province, or Region Code)..... | 1344 |
| PDS 0773 (Payment Method Information).....                                       | 1345 |
| PDS 0773 subfields.....                                                          | 1345 |
| Subfield 1 (Payment Method).....                                                 | 1346 |
| Subfield 2 (Amount, Payment).....                                                | 1346 |
| PDS 0774 (Stock Keeping Unit (SKU) Description).....                             | 1347 |
| PDS 0775 (Department Code).....                                                  | 1348 |
| PDS 0776 (Alternate Custom Identifier).....                                      | 1349 |
| PDS 0776 subfields.....                                                          | 1350 |
| Subfield 1 (Alternate Custom Identifier Type).....                               | 1350 |
| Subfield 2 (Alternate Custom Identifier Detail).....                             | 1351 |
| PDS 0777 (Promotion Code).....                                                   | 1351 |
| PDS 0781 (Fleet Spend Control Enforced).....                                     | 1352 |
| PDS 0782 (Fleet Fuel Information).....                                           | 1354 |
| Subfield 1 (Fleet Fuel Product Code).....                                        | 1356 |
| Subfield 2 (Fleet Fuel Unit Price).....                                          | 1360 |
| Subfield 3 (Fleet Fuel Unit of Measure).....                                     | 1360 |
| Subfield 4 (Fleet Fuel Quantity).....                                            | 1360 |
| Subfield 5 (Fleet Fuel Quantity Exponent).....                                   | 1361 |
| Subfield 6 (Fleet Fuel Sale Amount).....                                         | 1361 |
| PDS 0783 (Fleet Product Code).....                                               | 1361 |
| PDS 0784 (Fleet Item Description).....                                           | 1371 |
| PDS 0785 (Fleet Item Quantity).....                                              | 1373 |
| Subfield 1 (Fleet Item Quantity).....                                            | 1375 |
| Subfield 2 (Fleet Item Quantity Exponent).....                                   | 1375 |
| PDS 0786 (Fleet Item Unit of Measure).....                                       | 1376 |
| PDS 0787 (Fleet Extended Item Amount).....                                       | 1380 |

|                                                        |      |
|--------------------------------------------------------|------|
| Subfield 1 (Fleet Extended Item Amount).....           | 1382 |
| Subfield 2 (Fleet Extended Item Amount Exponent).....  | 1383 |
| Subfield 3 (Fleet Extended Item Amount Sign).....      | 1383 |
| PDS 0790 (Fleet Prompted Data 1).....                  | 1383 |
| Subfield 1 (Prompt Code 1).....                        | 1385 |
| Subfield 2 (Driver Related Data 1).....                | 1387 |
| PDS 0791 (Fleet Prompted Data 2).....                  | 1387 |
| Subfield 1 (Prompt Code 2).....                        | 1389 |
| Subfield 2 (Driver Related Data 2).....                | 1391 |
| PDS 0792 (Fleet Prompted Data 3).....                  | 1391 |
| Subfield 1 (Prompt Code 3).....                        | 1392 |
| Subfield 2 (Driver Related Data 3).....                | 1394 |
| PDS 0793 (Fleet Prompted Data 4).....                  | 1395 |
| Subfield 1 (Prompt Code 4).....                        | 1396 |
| Subfield 2 (Driver Related Data 4).....                | 1398 |
| PDS 0794 (Fleet Prompted Data 5).....                  | 1399 |
| Subfield 1 (Prompt Code 5).....                        | 1400 |
| Subfield 2 (Driver Related Data 5).....                | 1402 |
| PDS 0799 (Test Case Traceability Identifiers).....     | 1402 |
| PDS 0799 subfields.....                                | 1404 |
| PDS 1000–1099 (Member-to-Member Proprietary Data)..... | 1405 |

## Data element definitions and details

This section provides a detailed definition of data elements (DEs) used in IPM format offline clearing messages.

### Data element layout

This section contains the data element structure for describing data elements. This section omits values and application note information from the data element attributes of those data elements not currently used in the Mastercard Network messages.

#### Attributes

| Attribute           | Description                                              |
|---------------------|----------------------------------------------------------|
| Data Representation | Annotation and data length (fixed or variable in length) |
| Data Length         | 2 or 3 positions, if variable in length                  |
| Data Field          | Contents of subelement, subfields, or N/A                |
| Subfields           | Indicates the number of subelements, subfields, or N/A   |
| Justification       | Left, Right, or N/A                                      |

Following is the usage of DE xx (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

#### Applicable messages

| Message                                                                            | Org | Sys | Dst |
|------------------------------------------------------------------------------------|-----|-----|-----|
| Applicable message types                                                           | .   | .   | .   |
| Refer to <a href="#">Data element definitions and details</a> for the usage codes. |     |     |     |

#### Values

Valid values and name of each value listed.

#### Application notes

Specific application notes, conditions, and cross-edits where applicable.



## Subelement layout

This is the subelement structure for describing data element subelements.

### Attributes

| Attribute              | Description                                              |
|------------------------|----------------------------------------------------------|
| Subelement ID          | Subelement identifier                                    |
| Subelement Data Length | 2 or 3 positions, if variable in length                  |
| Data Representation    | Annotation and data length (fixed or variable in length) |
| Data Field             | Contents of subfields                                    |
| Subfields              | Indicates the number of subfields                        |
| Justification          | See subfields (may be subfield-specific)                 |

Following is the usage of subelement XX (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Applicable messages

| Message                                                            | Org | Sys | Dst |
|--------------------------------------------------------------------|-----|-----|-----|
| Applicable message types                                           | .   | .   | .   |
| Refer to Data element definitions and details for the usage codes. |     |     |     |

### Values

The list of subelement values or see subfields.

## Subfield layout

This is the subfield structure for describing data element and subelement subfields. This section omits Subfield ID and Subfield Length from the subfield attributes when not including subfield ID and length in the data.

### Attributes

| Attribute            | Description                                                                         |
|----------------------|-------------------------------------------------------------------------------------|
| Subfield ID          | Subfield identifier (omitted if not part of the data)                               |
| Subfield Data Length | 2 or 3 positions, if variable in length                                             |
| Data Representation  | Annotation and data length (fixed or variable in length)                            |
| Data Field           | Contents of positions                                                               |
| Justification        | Left, Right, or N/A, when not using justification to describe subelement subfields) |

### Values

Valid values and name of each value listed.

## Position layout

This is the position structure for describing subelement and subfield positions.

### Position layout

|                     |                                                          |
|---------------------|----------------------------------------------------------|
| Data Representation | Annotation and data length (fixed or variable in length) |
| Data Field          | Description of data                                      |
| Values              | List of values                                           |

## European transaction requirements

Some data elements and PDSs note specific requirements for European use.

Intra-European and Inter-European messages are those in which both the acquirer and issuer are in the Europe region.

## Bit Map, Primary

Bit Map, Primary is a series of 64 bits that identify the presence (denoted by 1) or the absence (denoted by 0) of DE 1 (Bit Map, Secondary) through DE 64 (Message Authentication Code [MAC]) in the message.

This data element must be included in every IPM message as the second data field immediately following the MTI. It indicates the presence or absence of DE 1–DE 64 in the message.

The use of bit maps enables message originators to include only those data elements in a message that are required for a specific function.

### Attributes

This table shows the message attributes.

#### Attributes

| Attribute           | Description                              |
|---------------------|------------------------------------------|
| Data Representation | b-8                                      |
| Data Length         | None                                     |
| Data Field          | Fixed length, 8 bytes (for each bit map) |
| Subfields           | None                                     |
| Justification       | N/A                                      |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

#### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644                                                   | M   | X   | •   |
| File Header (Clearing System-generated)/1644                                            | •   | X   | M   |
| File Trailer (Customer-generated)/1644                                                  | M   | X   | •   |
| File Trailer (Clearing System-generated)/1644                                           | •   | X   | M   |
| First Presentment/1240                                                                  | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | M   | X   | M   |

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644     | M   | X   | M   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                     | M   | X   | M   |
| Financial Detail Addendum (Lodging Summary)/1644                           | M   | X   | M   |
| Financial Detail Addendum (Temporary Services)/1644                        | M   | X   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                 | M   | X   | M   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                | M   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                | M   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                 | M   | X   | M   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                     | M   | X   | M   |
| Financial Detail Addendum (Lodged Account, Detail)/1644                    | M   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644      | M   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644     | M   | X   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644   | M   | X   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644   | M   | X   | M   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                | M   | X   | M   |
| Financial Detail Addendum (Generic Detail)/1644                            | M   | X   | M   |
| Financial Detail Addendum (Healthcare)/1644                                | M   | X   | M   |
| Financial Detail Addendum (Private Label Common Data)/1644                 | M   | X   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644            | M   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                      | M   | X   | M   |
| Second Presentment/1240                                                    | M   | X   | M   |
| File Currency Summary/1644                                                 | .   | X   | M   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Financial Position Detail/1644                                       | .   | X   | M   |
| Settlement Position Detail/1644                                      | .   | X   | M   |
| Retrieval Request/1644                                               | M   | X   | M   |
| Retrieval Request Acknowledgment/1644                                | M   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | X   | M   |
| Message Exception/1644 and File Reject/1644                          | .   | X   | M   |
| Text Message/1644                                                    | .   | X   | M   |
| Currency Update/1644                                                 | .   | X   | M   |

### Related required data element

DE 1 is also required in every IPM message to be used in conjunction with Bit Map, Primary. DE 1 must be the third data field of every IPM message following the MTI and Bit Map, Primary.

A total bit map mechanism of 128 bits comprises these two bit maps to select any combination of the 128 standard ISO data elements within an IPM message.

**NOTE: All Mastercard IPM messages have mandatory data elements from both the Primary and Secondary Bit Maps. Therefore, both Primary and Secondary Bit Maps are required in all IPM messages.**

## DE 1 (Bit Map, Secondary)

DE 1 (Bit Map, Secondary) is a series of 64 bits that identify the presence (denoted by 1) or the absence (denoted by 0) of DE 65 (Bit Map, Extended) through DE 128 (Message Authentication Code [MAC]) in the message.

### Attributes

| Attribute           | Description                              |
|---------------------|------------------------------------------|
| Data Representation | b-8                                      |
| Data Length         | None                                     |
| Data Field          | Fixed length, 8 bytes (for each bit map) |
| Subfields           | None                                     |

| Attribute     | Description |
|---------------|-------------|
| Justification | N/A         |

## Usage

Use of this data element is mandatory, conditional, optional, system provided, or not required in applicable messages.

## Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644                                                   | M   | X   | .   |
| File Header (Clearing System-generated)/1644                                            | .   | X   | M   |
| File Trailer (Customer-generated)/1644                                                  | M   | X   | .   |
| File Trailer (Clearing System-generated)/1644                                           | .   | X   | M   |
| First Presentment/1240                                                                  | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | M   | X   | M   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | M   | X   | M   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | M   | X   | M   |
| Financial Detail Addendum (Temporary Services)/1644                                     | M   | X   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | M   | X   | M   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | M   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | M   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | M   | X   | M   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                                  | M   | X   | M   |
| Financial Detail Addendum (Lodged Account Detail)/1644                                  | M   | X   | M   |

Data element and private data subelement definitions and details  
DE 1 (Bit Map, Secondary)

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644    | M   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644   | M   | X   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | M   | X   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | M   | X   | M   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | M   | X   | M   |
| Financial Detail Addendum (Generic Detail)/1644                          | M   | X   | M   |
| Financial Detail Addendum (Healthcare)/1644                              | M   | X   | M   |
| Financial Detail Addendum (Private Label Common Data)/1644               | M   | X   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | M   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                    | M   | X   | M   |
| Second Presentment/1240                                                  | M   | X   | M   |
| File Currency Summary/1644                                               | .   | X   | M   |
| Financial Position Detail/1644                                           | .   | X   | M   |
| Settlement Position Detail/1644                                          | .   | X   | M   |
| Retrieval Request/1644                                                   | M   | X   | M   |
| Retrieval Request Acknowledgment/1644                                    | M   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                              | M   | X   | M   |
| Fee Collection (Handling Fees)/1740                                      | M   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740     | M   | X   | M   |
| Message Exception/1644 and File Reject/1644                              | .   | X   | M   |
| Text Message/1644                                                        | .   | X   | M   |
| Currency Update/1644                                                     | .   | X   | M   |

This data element always must be in every IPM message as the third data field immediately following the MTI and the Bit Map, Primary. It indicates the presence or absence of DE 65–DE 128 in the message.

The use of bit maps enables message originators to include only those data elements in a message that are required for a specific function.

### Related required data element

Bit Map, Primary is also required in every IPM message to be used with DE 1.

A total bit map mechanism of 128 bits comprises the two bit maps to select any combination of the 128 standard ISO data elements in an IPM message.

**NOTE: All Mastercard IPM messages have mandatory data elements from both the Primary and Secondary Bit Maps. Therefore, both Primary and Secondary Bit Maps are required in all IPM messages.**

## DE 2 (Primary Account Number [PAN])

DE 2 (Primary Account Number [PAN]) is a series of digits that identify a customer account or relationship.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | n...19; LLVAR                   |
| Data Length         | 2 positions, value = 06–19      |
| Data Field          | Variable length, 6–19 positions |
| Subfields           | None                            |
| Justification       | None                            |

The clearing system expects DE 2 to contain the appropriate number of positions for the account number without any filler characters to the left or right. For example, if a 16-digit account number is captured for a given transaction, the length of DE 2 must be 16, and exactly 16 digits must be provided beginning in position 1 of DE 2.

### Usage

Use of this data element is mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | M   | .   | M   |



| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442                | M   | .   | M   |
| Second Presentment/1240                                              | M   | .   | M   |
| Retrieval Request/1644                                               | M   | .   | M   |
| Retrieval Request Acknowledgment/1644                                | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | .   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | C   | .   | C   |

This data element identifies the cardholder's PAN. It contains an account number of up to 19 digits that is encoded on magnetic stripe track 1 and track 2 or on the embedded chip of a payment card, provisioned on a device or embossed on a bankcard's face.

This data element is required for payment card-originated authorization, financial, and related transactions.

The PAN used in a First Presentment/1240 must remain the same in all subsequent life cycle messages related to it (such as subsequent Retrieval Request/1644, Chargeback/1442, and Second Presentment/1240 messages).

If DE 2 is not provided in the Fee Collection/1740 message for the collection of Handling Fees, the receiving customer has the right to return the message.

### Values

This data element is used for all numeric PANs up to 19 digits long.

Specific requirements for PAN composition are detailed in the ISO 7812 and 7813 specifications. All PANs used in messages must conform to the ISO PAN encoding requirements as specified in these documents.

In addition, all transactions processed through the clearing system must include PAN data that complies with Mastercard standards and policy publications.

## DE 3 (Processing Code)

DE 3 (Processing Code) is a series of digits that describe the effect of a transaction on a customer account and the type of accounts affected.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6                       |
| Data Length         | None                      |
| Data Field          | Fixed length, 6 positions |
| Subfields           | 3                         |
| Justification       | N/A                       |

### Usage

Use of this data element is mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | M   | .   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | M   | .   | M   |
| Second Presentment/1240                                              | M   | .   | M   |
| Retrieval Request/1644                                               | M   | .   | M   |
| Retrieval Request Acknowledgment/1644                                | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | .   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | .   | M   |

The Processing Code describes in First Presentment/1240 messages the cardholder transaction type at the point of interaction. It also indicates whether DE 4 (Amount, Transaction) is to be applied as a credit or a debit to the cardholder's account.

It is also used in the following transaction life cycle messages related to a First Presentment/1240 message to properly identify the original cardholder transaction type and ensure proper application of funds:

- Retrieval Request/1644
- Retrieval Request Acknowledgment/1644
- First Chargeback/1442
- Second Presentment/1240
- Arbitration Chargeback/1442

For all life cycle messages related to a First Presentment/1240 message, the DE 3 value must remain the same.

The Processing Code is also used in Fee Collection messages to indicate funds movement direction.

### Related data element

Refer to [DE 26 \(Acceptor Business Code \[MCC\]\)](#) for more Acceptor Business Code information.

Transactions submitted with DE 3, subfield 1 (Cardholder Transaction Type), value 28 (Payment Transaction) require a valid Transaction Type Identifier in PDS 0043 (Transaction Type Identifier)

### Authorization to clearing data element mapping

The [Dual Message Authorization System](#) authorization messages currently use the ISO 8583:1987 message format, whereas the IPM clearing messages use the ISO 8583:1993 message format. Therefore, there are some differences for the same data elements between the authorization and clearing messages that customers should consider when mapping between them.

This table details the mapping between the authorization and clearing data elements for DE 3.

### Authorization and clearing data element mapping

| To map to<br>IPM DE3 s1<br>value | Description | Use CIS<br>DE3 s1<br>value | Description | Notes |
|----------------------------------|-------------|----------------------------|-------------|-------|
| <b>Mastercard credit</b>         |             |                            |             |       |
| <b>Cardholder account debits</b> |             |                            |             |       |

| To map to<br>IPM DE3 s1<br>value  | Description                                                                                                                                                                     | Use CIS<br>DE3 s1<br>value | Description                                                                                                                                                                                                                                                                                                                 | Notes                                                                                                        |
|-----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| 18                                | Unique Transaction<br>(requires unique MCC)                                                                                                                                     | 00                         | Purchase (Unique MCC) <ul style="list-style-type: none"> <li>• 4829 (Money Transfer)</li> <li>• 6050 (Quasi Cash Financial Institution)</li> <li>• 6051 (Quasi Cash–Merchant)</li> <li>• 7801 (Internet Gambling)</li> <li>• 7802 (Government Licensed Horse/Dog Racing)</li> <li>• 7995 (Gambling Transactions)</li> </ul> |                                                                                                              |
| 00                                | Purchase                                                                                                                                                                        | 00                         | Purchase (Non-unique MCC)                                                                                                                                                                                                                                                                                                   |                                                                                                              |
| 00                                | 4829 (Money Transfer):<br>when used in combination with a valid Transaction Type Identifier (PDS 0043) per the Mastercard MoneySend and Funding Transactions Program Standards. | 00                         | 4829 (Money Transfer):<br>when used in combination with a valid Transaction Type Identifier (PDS 0043) per the Mastercard MoneySend and Funding Transactions Program Standards.                                                                                                                                             |                                                                                                              |
| 01                                | ATM Cash Withdrawal                                                                                                                                                             | 01                         | Withdrawal                                                                                                                                                                                                                                                                                                                  |                                                                                                              |
| N/A                               | N/A                                                                                                                                                                             | 02                         | Debit Adjustment                                                                                                                                                                                                                                                                                                            |                                                                                                              |
| 12                                | Cash Disbursement                                                                                                                                                               | 17                         | Cash Disbursement                                                                                                                                                                                                                                                                                                           |                                                                                                              |
| 17                                | Convenience Check<br>(available only in Collection Only messages)                                                                                                               | 17                         | Cash Disbursement                                                                                                                                                                                                                                                                                                           |                                                                                                              |
| 19                                | Fee Collection (Credit to Transaction Originator)                                                                                                                               | N/A                        | N/A                                                                                                                                                                                                                                                                                                                         |                                                                                                              |
| <b>Cardholder account credits</b> |                                                                                                                                                                                 |                            |                                                                                                                                                                                                                                                                                                                             |                                                                                                              |
| 20                                | Credit (Purchase Return)                                                                                                                                                        | 20                         | Credit (Purchase Return)                                                                                                                                                                                                                                                                                                    | Refer to the <i>Quick Reference Booklet</i> , for further information on Acceptor Business Code (MCC) types. |

| To map to<br>IPM DE3 s1<br>value                      | Description                                                                    | Use CIS<br>DE3 s1<br>value | Description                                                                                                                                                                                                                                                                                                                                                     | Notes |
|-------------------------------------------------------|--------------------------------------------------------------------------------|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| N/A                                                   | N/A                                                                            | 21                         | Deposit                                                                                                                                                                                                                                                                                                                                                         |       |
| N/A                                                   | N/A                                                                            | 22                         | Credit Adjustment                                                                                                                                                                                                                                                                                                                                               |       |
| N/A                                                   | N/A                                                                            | 23                         | Check Deposit<br>Guarantee                                                                                                                                                                                                                                                                                                                                      |       |
| N/A                                                   | N/A                                                                            | 24                         | Check Deposit                                                                                                                                                                                                                                                                                                                                                   |       |
| 28                                                    | Payment Transaction                                                            | 28                         | Payment Transaction                                                                                                                                                                                                                                                                                                                                             |       |
| 29                                                    | Fee Collection (Debit to<br>Transaction Originator)                            | N/A                        | N/A                                                                                                                                                                                                                                                                                                                                                             |       |
| <b>Cardholder account inquiry</b>                     |                                                                                |                            |                                                                                                                                                                                                                                                                                                                                                                 |       |
| 30                                                    | N/A                                                                            | 30                         | Balance Inquiry                                                                                                                                                                                                                                                                                                                                                 |       |
| <b>Cardholder transfer services</b>                   |                                                                                |                            |                                                                                                                                                                                                                                                                                                                                                                 |       |
| 50                                                    | Payment/Balance<br>Transfer (available only<br>in Collection Only<br>messages) | 40                         | Account Transfer                                                                                                                                                                                                                                                                                                                                                |       |
| <b>Chip PIN management transaction</b>                |                                                                                |                            |                                                                                                                                                                                                                                                                                                                                                                 |       |
| 91                                                    | PIN Unblock                                                                    | 91                         | PIN Unblock                                                                                                                                                                                                                                                                                                                                                     |       |
| 92                                                    | PIN Change                                                                     | 92                         | PIN Change                                                                                                                                                                                                                                                                                                                                                      |       |
| <b>Mastercard debit<br/>Cardholder account debits</b> |                                                                                |                            |                                                                                                                                                                                                                                                                                                                                                                 |       |
| 18                                                    | Unique Transaction<br>(requires unique MCC)                                    | 00                         | Purchase (Unique MCC) <ul style="list-style-type: none"> <li>• 4829 (Money Transfer)</li> <li>• 6050 (Quasi Cash Financial Institution)</li> <li>• 6051 (Quasi Cash-Merchant)</li> <li>• 6538 (MoneySend Funding)</li> <li>• 7801 (Internet Gambling)</li> <li>• 7802 (Government Licensed Horse/Dog Racing)</li> <li>• 7995 (Gambling Transactions)</li> </ul> |       |

| To map to<br>IPM DE3 s1<br>value  | Description                                                                                                                                                                  | Use CIS<br>DE3 s1<br>value | Description                                                                                                                                                                  | Notes                                                                                                        |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| 00                                | Purchase                                                                                                                                                                     | 00                         | Purchase (Non-unique MCC)                                                                                                                                                    |                                                                                                              |
| 00                                | 4829 (Money Transfer): when used in combination with a valid Transaction Type Identifier (PDS 0043) per the Mastercard MoneySend and Funding Transactions Program Standards. | 00                         | 4829 (Money Transfer): when used in combination with a valid Transaction Type Identifier (PDS 0043) per the Mastercard MoneySend and Funding Transactions Program Standards. |                                                                                                              |
| 01                                | ATM Cash Withdrawal                                                                                                                                                          | 01                         | Withdrawal                                                                                                                                                                   |                                                                                                              |
| 09                                | Purchase (Goods and Services) with Cash Back (only for use with Debit Mastercard Card Products)                                                                              | 09                         | Purchase with Cash Back                                                                                                                                                      |                                                                                                              |
| 12                                | Cash Disbursement                                                                                                                                                            | 17                         | Cash Disbursement                                                                                                                                                            |                                                                                                              |
| 17                                | Convenience Check (available only in Collection Only messages)                                                                                                               | 17                         | Cash Disbursement                                                                                                                                                            |                                                                                                              |
| 19                                | Fee Collection (Credit to Transaction Originator)                                                                                                                            | N/A                        | N/A                                                                                                                                                                          |                                                                                                              |
| <b>Cardholder account credits</b> |                                                                                                                                                                              |                            |                                                                                                                                                                              |                                                                                                              |
| 20                                | Credit (Purchase Return)                                                                                                                                                     | 20                         | Credit (Purchase Return)                                                                                                                                                     | Refer to the <i>Quick Reference Booklet</i> , for further information on Acceptor Business Code (MCC) types. |
| 28                                | Payment Transaction                                                                                                                                                          | 28                         | Payment Transaction                                                                                                                                                          |                                                                                                              |
| 29                                | Fee Collection (Debit to Transaction Originator)                                                                                                                             | N/A                        | N/A                                                                                                                                                                          |                                                                                                              |
| <b>Cardholder account inquiry</b> |                                                                                                                                                                              |                            |                                                                                                                                                                              |                                                                                                              |
| 30                                | N/A                                                                                                                                                                          | 30                         | Balance Inquiry                                                                                                                                                              |                                                                                                              |
| <b>Transfer service</b>           |                                                                                                                                                                              |                            |                                                                                                                                                                              |                                                                                                              |

| To map to<br>IPM DE3 s1<br>value       | Description                                                           | Use CIS<br>DE3 s1<br>value | Description               | Notes                                                                                                                              |
|----------------------------------------|-----------------------------------------------------------------------|----------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| 50                                     | Payment/Balance Transfer (available only in Collection Only messages) | 40                         | Account Transfer          |                                                                                                                                    |
| <b>Chip PIN Management transaction</b> |                                                                       |                            |                           |                                                                                                                                    |
| 91                                     | PIN Unblock                                                           | 91                         | PIN Unblock               |                                                                                                                                    |
| 92                                     | PIN Change                                                            | 92                         | PIN Change                |                                                                                                                                    |
| <b>Maestro</b>                         |                                                                       |                            |                           |                                                                                                                                    |
| 00                                     | Purchase                                                              | 00                         | Purchase (Non-unique MCC) |                                                                                                                                    |
| 01                                     | ATM Cash Withdrawal                                                   | 01                         | Withdrawal                |                                                                                                                                    |
| 09                                     | Purchase (Goods and Services) with Cash Back                          | 09                         | Purchase with Cash Back   |                                                                                                                                    |
| 12                                     | Cash Disbursement                                                     | 01                         | Cash Disbursement         |                                                                                                                                    |
| 19                                     | Fee Collection (Credit to Transaction Originator)                     | N/A                        | N/A                       |                                                                                                                                    |
| 20                                     | Credit (Purchase Return)                                              | 20                         | Credit (Purchase Return)  | Value 20 is only applicable to Private Label and Swedish Domestic Authorization Switching Service (SASS) for Maestro transactions. |
| 28                                     | Payment Transaction                                                   | 28                         | Payment Transaction       |                                                                                                                                    |
| 29                                     | Fee Collection (Debit to Transaction Originator)                      | N/A                        | N/A                       |                                                                                                                                    |
| <b>Cirrus</b>                          |                                                                       |                            |                           |                                                                                                                                    |
| 01                                     | ATM Cash Withdrawal                                                   | 01                         | Withdrawal                |                                                                                                                                    |
| 12                                     | Cash Disbursement                                                     | 17                         | Cash Disbursement         |                                                                                                                                    |
| 19                                     | Fee Collection (Credit to Transaction Originator)                     | N/A                        | N/A                       |                                                                                                                                    |
| 29                                     | Fee Collection (Debit to Transaction Originator)                      | N/A                        | N/A                       |                                                                                                                                    |
| <b>Private label</b>                   |                                                                       |                            |                           |                                                                                                                                    |

| To map to<br>IPM DE3 s1<br>value | Description                                 | Use CIS<br>DE3 s1<br>value | Description                                                                                                                                                                                                                                                                                                                                                                                                                | Notes |
|----------------------------------|---------------------------------------------|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| 18                               | Unique Transaction<br>(requires unique MCC) | 00                         | Purchase (Unique MCC) <ul style="list-style-type: none"> <li>• 4829 (Money Transfer)</li> <li>• 6050 (Quasi Cash Financial Institution)</li> <li>• 6051 (Quasi Cash-Merchant)</li> <li>• 6529 (Remote Stored Value Load-Member Financial Institution)</li> <li>• 6530 (Remote Stored Value Load-Merchant)</li> <li>• 6534 (Money Transfer-Member Financial Institution)</li> <li>• 7995 (Gambling Transactions)</li> </ul> |       |
| 00                               | Purchase                                    | 00                         | Purchase (Non-unique MCC)                                                                                                                                                                                                                                                                                                                                                                                                  |       |
| 20                               | Credit (Purchase Return)                    | 20                         | Credit (Purchase Return)                                                                                                                                                                                                                                                                                                                                                                                                   |       |
| 28                               | Payment Transaction                         | 28                         | Payment Transaction                                                                                                                                                                                                                                                                                                                                                                                                        |       |

## DE 3 subfields

DE 3 is comprised of three subfields.

This table describes the subfield formats for DE 3.

### DE 3 subfields

| Number | Positions | Name                              | Attribute | Justification |
|--------|-----------|-----------------------------------|-----------|---------------|
| 1      | 1-2       | Cardholder Transaction Type       | n-2       | N/A           |
| 2      | 3-4       | Cardholder From Account Type Code | n-2       | N/A           |
| 3      | 5-6       | Cardholder To Account Type Code   | n-2       | N/A           |



Subfield 1 describes the specific cardholder transaction type.

Subfield 2 describes the cardholder account type affected for cardholder debit and inquiry transactions and the *from* account type for cardholder transfer transactions.

Subfield 3 describes the cardholder account type affected for cardholder credit transactions and the *to* account type for cardholder transfer transactions. This subfield is currently not used and must be populated with 00.

## Subfield 1 (Cardholder Transaction Type)

The cardholder transaction types that the clearing system supports are listed in these tables.

These tables are applicable for Mastercard credit card transactions:

### Cardholder account debits

| Value | Description                                                                           |
|-------|---------------------------------------------------------------------------------------|
| 00    | Purchase (Goods and Services)                                                         |
| 01    | ATM Cash Withdrawal                                                                   |
| 09    | Purchase (Goods and Services) with Cash Back (available only in designated countries) |
| 12    | Cash Disbursement                                                                     |
| 17    | Convenience Check (available only in Collection Only messages)                        |
| 18    | Unique Transaction (requires unique MCC)                                              |
| 19    | Fee Collection (Credit to Transaction Originator)                                     |

### Cardholder account credits

| Value | Description                                      |
|-------|--------------------------------------------------|
| 20    | Credit (Purchase Return)                         |
| 28    | Payment Transaction                              |
| 29    | Fee Collection (Debit to Transaction Originator) |

### Cardholder account inquiry

| Value | Description     |
|-------|-----------------|
| 30    | Balance Inquiry |

### Chip PIN management transaction

| Value | Description |
|-------|-------------|
| 91    | PIN Unblock |
| 92    | PIN Change  |

### Transfer services

| Value | Description                                                           |
|-------|-----------------------------------------------------------------------|
| 50    | Payment/Balance Transfer (Available Only in Collection Only Messages) |

These tables are applicable for Mastercard debit card transactions:

### Cardholder account debits

| Value | Description                                                    |
|-------|----------------------------------------------------------------|
| 00    | Purchase (Goods and Services)                                  |
| 01    | ATM Cash Withdrawal                                            |
| 09    | Purchase (Goods and Services) with Cash Back                   |
| 12    | Cash Disbursement                                              |
| 17    | Convenience Check (available only in Collection Only messages) |
| 18    | Unique Transaction (requires unique MCC)                       |
| 19    | Fee Collection (Credit to Transaction Originator)              |

### Cardholder account credits

| Value | Description                                      |
|-------|--------------------------------------------------|
| 20    | Credit (Purchase Return)                         |
| 28    | Payment Transaction                              |
| 29    | Fee Collection (Debit to Transaction Originator) |

### Cardholder account inquiry

| Value | Description     |
|-------|-----------------|
| 30    | Balance Inquiry |

### Chip PIN management transaction

| Value | Description |
|-------|-------------|
| 91    | PIN Unblock |
| 92    | PIN Change  |

### Transfer services

| Value | Description                                                           |
|-------|-----------------------------------------------------------------------|
| 50    | Payment/Balance Transfer (available only in Collection Only messages) |

### For Maestro card transactions

| Value | Description                                       |
|-------|---------------------------------------------------|
| 00    | Purchase (Goods and Services)                     |
| 01    | ATM Cash Withdrawal                               |
| 09    | Purchase (Goods and Services) with Cash Back      |
| 12    | Cash Disbursement                                 |
| 19    | Fee Collection (Credit to Transaction Originator) |

| Value | Description                                      |
|-------|--------------------------------------------------|
| 20    | Credit (purchase return)                         |
| 28    | Payment Transaction                              |
| 29    | Fee Collection (Debit to Transaction Originator) |

#### For Cirrus card transactions

| Value | Description                                       |
|-------|---------------------------------------------------|
| 01    | ATM Cash Withdrawal                               |
| 12    | Cash Disbursement                                 |
| 19    | Fee Collection (Credit to Transaction Originator) |
| 29    | Fee Collection (Debit to Transaction Originator)  |

#### For private label card transactions

| Value | Description                              |
|-------|------------------------------------------|
| 00    | Purchase                                 |
| 18    | Unique Transaction (requires unique MCC) |
| 20    | Credit (Purchase Return)                 |
| 28    | Payment Transaction                      |

### Subfield 2 (Cardholder from Account Type Code)

#### For Mastercard credit card transactions

| Value | Description               |
|-------|---------------------------|
| 00    | Default Account           |
| 10    | Savings Account           |
| 20    | Checking Account          |
| 30    | Credit Account            |
| 39    | Commercial Credit Account |

| Value | Description          |
|-------|----------------------|
| 60    | Stored Value Account |

#### For Maestro and Cirrus card transactions

| Value | Description              |
|-------|--------------------------|
| 00    | Default Account          |
| 10    | Savings Account          |
| 20    | Checking Account         |
| 30    | Credit Card Account      |
| 39    | Corporate Credit Account |
| 60    | Stored Value Account     |

**NOTE:** The Mastercard Parameter Extract (MPE) retains only the masked values for the cardholder from account type code.

### Subfield 3 (Cardholder to Account Type Code)

The cardholder to account type code subfield must be 00 (default account) in all clearing system messages.

## DE 4 (Amount, Transaction)

DE 4 (Amount, Transaction) is the amount of the transaction as agreed by the cardholder in the currency appearing on the transaction receipt, which may be the acceptor's local currency or a currency acceptable to the cardholder and acceptor that the acquirer supports, exclusive of PDS 0146 (Amounts, Transaction Fee).

Refer to Section 3.13 Transaction Receipt Requirements of the *Transaction Processing Rules* guide for more information about transaction receipts.

#### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12                       |
| Data Length         | None                       |
| Data Field          | Fixed length, 12 positions |

| Attribute     | Description               |
|---------------|---------------------------|
| Subfields     | None                      |
| Justification | Right, with leading zeros |

## Usage

Use of this data element is mandatory, conditional, optional, system provided, or not required in applicable messages.

## Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | M   | .   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | M   | .   | M   |
| Second Presentment/1240                                              | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | .   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | .   | M   |

## First Presentment/1240 messages

DE 4 is the cardholder transaction actual amount in the acceptor's local currency or in a currency to which the acceptor and cardholder agree and that the acquirer supports. It is exclusive of any transaction fees associated with the transaction. This may or may not be the same as the original amount the acceptor requested in a related authorization request.

## First Chargeback/1442 messages

DE 4 is the First Chargeback/1442 amount in the First Chargeback/1442 currency, exclusive of any transaction fees. A First Chargeback/1442 is classified as partial if it is for less than the First Presentment/1240 amount.

**NOTE: For ATM First Chargeback/1442 messages involving non-European Primary Account Numbers (PANs) and destined for the non-European, non-intracountry Mastercard Network identifier, the issuer must add interchange fees to the chargeback amount before sending the message.**

## Second Presentment/1240 messages

DE 4 is the Second Presentment/1240 amount in the Second Presentment/1240 currency, exclusive of any transaction fees. A Second Presentment/1240 is classified as partial if it is for less than the First Presentment/1240 amount.

### **Arbitration Chargeback/1442 messages**

DE 4 is the Arbitration Chargeback/1442 amount in the Arbitration Chargeback/1442 currency, exclusive of any transaction fees. An Arbitration Chargeback/1442 is classified as partial if it is for less than the amount of the First Presentment/1240.

### **Fee Collection/1740 messages**

DE 4 is the Fee Collection/1740 transaction amount, exclusive of any transaction fees.

Fee Collection/1740 messages can be accepted in any currency except if the transaction is an intracurrency settlement service transaction it must be submitted in the currency of the intracurrency.

### **Fee Collection Return/1740 messages**

DE 4 is the Fee Collection Return/1740 transaction amount, exclusive of any transaction fees.

### **Fee Collection Resubmission/1740 messages**

DE 4 is the Fee Collection Resubmission/1740 transaction amount, exclusive of any transaction fees.

### **Fee Collection Arbitration Return/1740 messages**

DE 4 is the Fee Collection Arbitration Return/1740 transaction amount, exclusive of any transaction fees.

### **Related required data element and PDS**

DE 49 (Currency Code, Transaction) and PDS 0148 (Currency Exponents) must be present in conjunction with DE 4 to identify the transaction's currency and exponent.

### **Values**

In first chargebacks, second presentments, arbitration chargebacks, and fee collection (Retrieval Fee Billing/Handling Fees) messages, if the transaction is not an intracurrency settlement service level transaction, or an intra-European transaction, DE 4 must contain the U.S. dollar equivalent of the transaction amount if submitted by a customer unless the transaction came from the Single Message System. For fee collection messages, if the transaction is an intracurrency settlement service transaction it must be submitted in the currency of the intracurrency settlement agreement.

In all messages other than Fee Collection/1740 messages, DE 4 must be greater than zero.

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of USD 212.50 is expressed as 000000021250.

## DE 5 (Amount, Reconciliation)

DE 5 (Amount, Reconciliation) is the DE 4 (Amount, Transaction) value converted to the customer's reconciliation payment or settlement currency.

This amount is exclusive of any fees that are provided in PDS 0146 (Amounts, Transaction Fee).

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12                       |
| Data Length         | None                       |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right, with leading zeros  |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | C   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | •   | X   | M   |
| Second Presentment/1240                                              | •   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | •   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | •   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | •   | X   | M   |

For ATM transactions submitted by the Mastercard Network, this element is mandatory.

For ATM transactions submitted by the acquirer, DE 5 is mandatory when the ATM indicator is 1 or 4.

For all transactions, the clearing system always provides this element.

If a Currency Conversion Assessment (DE 111) was applied, DE 5 will contain this amount.



### **First Presentment/1240 messages**

DE 5 is DE 4 converted to the issuer's reconciliation currency for the transaction. The clearing system may use an adjusted conversion rate.

### **First Chargeback/1442 messages**

DE 5 is DE 4 converted to the acquirer's reconciliation currency for the transaction.

### **Second Presentment/1240 messages**

DE 5 is DE 4 converted to the issuer's reconciliation currency for the transaction.

### **Arbitration Chargeback/1442 messages**

DE 5 is DE 4 converted to the acquirer's reconciliation currency for the transaction.

### **Fee Collection/1740 Messages, Fee Collection Return/1740 messages, Fee Collection Resubmission/1740 messages, or Fee Collection Arbitration Return/1740 messages**

DE 5 is DE 4 converted to the receiving customer's reconciliation currency for the transaction.

**NOTE: These usage notes assume the transaction passes all system edits, and therefore, DE 5 is calculated in the destination party's reconciliation currency.**

**If a transaction is rejected and therefore returned to the originator, DE 5 is not calculated or presented in the message.**

### **Related data element and PDS**

DE 50 (Currency Code, Reconciliation) and PDS 0148 (Currency Exponents) must be present in conjunction with DE 5 to identify the reconciliation (payment) currency and exponent.

### **Values**

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a reconciliation amount of USD 212.50 is expressed as 000000021250.

## **DE 6 (Amount, Cardholder Billing)**

DE 6 (Amount, Cardholder Billing) is DE 4 (Amount, Transaction) converted to the issuer's designated cardholder billing currency.

This amount is exclusive of any fees that are provided in PDS 0146 (Amounts, Transaction Fee).

## Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12                       |
| Data Length         | None                       |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right, with leading zeros  |

## Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

## Applicable messages

| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| First Presentment/1240  | O   | X   | C   |
| Second Presentment/1240 | O   | X   | C   |

For bilaterally settled transactions, this element is optional.

For all other transactions, the clearing system always provides this element.

### First Presentment/1240 messages

DE 6 is DE 4 converted to the issuer's cardholder billing currency. A supplemental cardholder fee for the Issuer Currency Conversion Rate (ICCR) Service may be added to DE 6 for a participant's transaction.

### Second Presentment/1240 messages

DE 6 is DE 4 converted to the issuer's cardholder billing currency.

### Related required data element and PDS

DE 51 (Currency Code, Cardholder Billing) and PDS 0148 (Currency Exponents) must be present in conjunction with DE 6 to identify the cardholder billing currency and exponent.

The clearing system determines the cardholder billing currency for transactions on the basis of data processing parameters that issuers select in the customer profile database. Cardholder

billing currency selection may be established on issuing account range (PAN) data and other criteria.

The clearing system also optionally enables issuers to determine the cardholder billing currency for a given transaction according to the account range and the transaction currency in DE 49 (Currency Code, Transaction).

### Values

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a cardholder billing amount of USD 212.50 is expressed as 000000021250.

## DE 9 (Conversion Rate, Reconciliation)

DE 9 (Conversion Rate, Reconciliation) is the factor used in converting transaction amount to reconciliation amount.

### How DE 5 is calculated using DE 9

After adjusting for the decimal location, DE 9 is multiplied by DE 4 (Amount, Transaction) to determine DE 5 (Amount, Reconciliation).

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-8                       |
| Data Length         | None                      |
| Data Field          | Fixed length, 8 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | •   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | •   | X   | M   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Second Presentment/1240                                              | .   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | .   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | .   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | .   | X   | M   |

This data element is calculated by dividing DE 5 by DE 4. The result is adjusted to fit within the last seven positions of DE 9, and the first position is populated with the number of decimal places. DE 9 provides the currency conversion cross-rate from DE 4 to DE 5.

**NOTE: This data element is simply a quotient of the two related amount data elements and may not reflect the actual currency conversion rates or algorithms the clearing system uses to execute the currency conversion service.**

### Values

The left-most digit denotes the number of positions that the decimal separator shall be moved from the right. The left-most digit is in the range 0–9. For example, a data value of 91234567 indicates a conversion rate of 0.001234567.

If DE 5 = DE 4, DE 9 will contain a value of 61000000.

## DE 10 (Conversion Rate, Cardholder Billing)

DE 10 (Conversion Rate, Cardholder Billing) is the factor used in converting a transaction amount to the cardholder billing amount.

After adjusting for the decimal location, DE 10 is multiplied by DE 4 (Amount, Transaction) to determine DE 6 (Amount, Cardholder Billing).

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data representation | n-8                       |
| Data Length         | None                      |
| Data field          | Fixed length, 8 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

## Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

## Applicable messages

| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| First Presentment/1240  | .   | X   | C   |
| Second Presentment/1240 | .   | X   | C   |

This data element is calculated by dividing DE 6 by DE 4. The result is adjusted to fit within the last seven positions of DE 10, and the first position is populated with the number of decimal places. DE 10 provides the currency conversion cross-rate from DE 4 to DE 6.

DE 10 is present in a message whenever DE 4 and DE 6 are present.

## Values

The left-most digit denotes the number of positions that the decimal separator shall be moved from the right. The left-most digit is in the range 0–9. For example, a data value of 91234567 indicates a conversion rate of 0.001234567.

If DE 6 = DE 4, DE 10 will contain a value of 61000000.

## DE 12 (Date and Time, Local Transaction)

DE 12 (Date and Time, Local Transaction) is the local year, month, day, and time at which the transaction takes place at the acceptor location.

## Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; YYMMDDhhmmss         |
| Data Length         | None                       |
| Data Field          | Fixed length, 12 positions |
| Subfields           | 2                          |
| Justification       | N/A                        |

## Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | M   | .   | M   |
| s1 Date                                               | M   | .   | M   |
| s2 Time                                               | M   | .   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | M   | .   | M   |
| Second Presentment/1240                               | M   | .   | M   |
| Retrieval Request/1644                                | M   | .   | M   |
| Retrieval Request Acknowledgment/1644                 | M   | .   | M   |

For business transaction life cycle messages, DE 12 contains the actual cardholder transaction local date and time at the point of interaction.

The DE 12 value submitted in the First Presentment/1240 should be retained and returned unaltered in all subsequent life cycle messages.

DE 12 is required in the life cycle transactions if it was provided on the First Presentment. This is critical if the transaction qualifies for Account Level Management/Spend Shortfall processing. Refer to the *Account Level Management User Manual* for details regarding which transactions qualify for Account Level Management.

## Subfield 1 (Date)

DE 12 (Date and Time, Local Transaction), subfield 1 (Date) describes the date on which a transaction takes place at the acceptor location.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; YYMMDD               |
| Data Field          | Contents of positions 1–6 |
| Justification       | N/A                       |

## Requirements

- DE 12, subfield 1 must be present and contain a valid date in the format YYMMDD in all First Presentment/1240 transactions. GCMS rejects the transaction if DE 12, subfield 1 is not present.
- In First Presentment/1240 messages, DE 12 must contain a valid date to qualify for most incentive interchange programs.
- The date cannot be greater than the file header date provided in subfield 2, File Reference Date, of PDS 0105 (File ID), unless the transaction is Collection Only.
- If the transaction is a retrieval request and DE 12 is present, this subfield must contain a valid date in the format YYMMDD.
- This table describes the rules for the date subfield based on the transaction type.

## Rules for the date subfield based on transaction type

| Transaction type                                                                                                       | Transaction date used in DE 12, subfield 1                                                                                                                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Face-to-face                                                                                                           | The date goods or services are exchanged.                                                                                                                                                                                                            |
| Non-Face-to-face                                                                                                       | The date goods are shipped or services performed                                                                                                                                                                                                     |
| Vehicle Rental                                                                                                         | The date the vehicle is returned, or, if applicable, the prepayment date.                                                                                                                                                                            |
| Lodging                                                                                                                | The date checkout occurred, or if applicable, the prepayment date.                                                                                                                                                                                   |
| No-show                                                                                                                | The date the cardholder was expected to arrive at the hotel or motel and failed to appear.                                                                                                                                                           |
| Airline/Railway                                                                                                        | The date the ticket was issued.                                                                                                                                                                                                                      |
| Cruise Line                                                                                                            | The date transportation documents are issued.                                                                                                                                                                                                        |
| On-board Cruise Line                                                                                                   | The date the passenger disembarks.                                                                                                                                                                                                                   |
| Credit                                                                                                                 | The date the acceptor grants a credit or price adjustment.                                                                                                                                                                                           |
| All in-flight commerce transactions except in-flight commerce mailed purchases                                         | The date the flight departs from the originating city. The transaction date for in-flight commerce mailed purchases is the shipment date unless otherwise disclosed to the cardholder.                                                               |
| Post-authorized Aggregated Contactless Transit or Authorized Aggregated Split Clearing Contactless Transit Transaction | The date the cardholder undertook travel that was included in this aggregation. If the aggregation spanned multiple days, the date used should be that which most clearly allows the cardholder to link the amount charged to the travel undertaken. |

## Subfield 2 (Time)

DE 12 (Date and Time, Local Transaction), subfield 2 (Time) describes the time at which a transaction takes place at the acceptor location.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Date Representation | n-6; hhmmss                |
| Data Field          | Contents of positions 7–12 |
| Justification       | N/A                        |

### Requirements

- This subfield must be in hhmmss format representing hours, minutes, and seconds.
- If the transaction time is unknown or unavailable, the time subfield should be populated with zeros.

## DE 14 (Date, Expiration)

DE 14 (Date, Expiration) specifies the year and month after which a card expires.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-4; YYMM                 |
| Data Length         | None                      |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.



### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |

This data element may be used in messages to contain the date after which a card expires and is no longer valid for cardholder use.

### Values

This data element must consist of a year (YY) and a month (MM).

## DE 22 (Point of Service [POS] Entry Mode)

DE 22 (Point of Service [POS] Entry Mode) is a series of codes that identify terminal capability, terminal environment, and point-of-interaction (POI) security data.

DE 22 indicates specific conditions that are (or were) present at the time a transaction occurred at the point of interaction.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | an-12                      |
| Data Length         | None                       |
| Data Field          | Fixed length, 12 positions |
| Subfields           | 12                         |
| Justification       | N/A                        |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | M   | .   | M   |
| s7 Card Data: Input Mode                              | M   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | M   | .   | M   |
| s7 Card Data: Input Mode                              | M   | X   | M   |
| Second Presentment/1240                               | M   | .   | M   |
| s7 Card Data: Input Mode                              | M   | X   | M   |
| Retrieval Request/1644                                | M   | X   | M   |
| s7 Card Data: Input Mode                              | M   | X   | M   |
| Retrieval Request Acknowledgment/1644                 | M   | .   | M   |
| s7 Card Data: Input Mode                              | M   | X   | M   |

This data element describes in First Presentment/1240 messages (and subsequent related life cycle messages) the POI environment at the time that a transaction occurred. Credit (Purchase Return) messages should submit point-of-interaction (POI) data based on the refund environment, not the environment of the original transaction.

If the acquirer fails to provide DE 22 (Point of Service Data Code) in the First Presentment of an electronic commerce transaction, regardless of the IRD submitted, the transaction will be rejected.

### Requirements

This list describes the requirements for DE 22.

- If DE 22 is not present in the First Presentment/1240 message, GCMS rejects the transaction.
- DE 22 data sent in the First and Arbitration Chargeback/1442 and Second Presentment/1240 messages should be the same value as that which was sent in DE 22 in the First Presentment/1240 message.
- DE 22 is required in Retrieval Request/1644 and Retrieval Request Acknowledgment/1644 messages whenever it was included in the associated First Presentment/1240.

### Authorization to clearing data element mapping

The [Dual Message Authorization System](#) authorization messages currently use the ISO 8583:1987 message format, whereas the IPM clearing messages use the ISO 8583:1993 message format. There are some differences for the same data elements between the

authorization and clearing messages that customers should consider when mapping between them.

**NOTE: Refer to the *Data Integrity Monitoring Program* manual for specific edit information.**

### Authorization to clearing mapping for DE 22 subfields

This table describes the mapping of CIS authorization DE 61, DE 22, DE 26, and DE 48 values to IPM DE 22 subfield values

| If the CIS authorization message contains:                                 | Then in this IPM DE 22 subfield, use:                                          |
|----------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| CIS DE 61, subfield 11 (POS Card Data Terminal Input Capability Indicator) | IPM DE 22, subfield 1 (Terminal Data: Card Data Input Capability)              |
| 0                                                                          | 0                                                                              |
| 1                                                                          | 1                                                                              |
| 2                                                                          | 2                                                                              |
| 3                                                                          | M                                                                              |
| 4                                                                          | A                                                                              |
| 5                                                                          | D                                                                              |
| 6                                                                          | 6                                                                              |
| 7                                                                          | B                                                                              |
| 8                                                                          | C                                                                              |
| 9                                                                          | 5                                                                              |
| CIS DE 22, subfield 1<br>(POS Terminal PAN Entry Mode)                     | IPM DE 22, subfield 2<br>(Terminal Data: Cardholder Authentication Capability) |
| 04                                                                         | 6                                                                              |
| CIS DE 22, subfield 2<br>(Point-of-Service [POS] Entry Mode)               | IPM DE 22, subfield 2<br>(Terminal Data: Cardholder Authentication Capability) |
| 0                                                                          | 9                                                                              |
| 1                                                                          | 1                                                                              |
| 2                                                                          | 0                                                                              |
| 8                                                                          | 5                                                                              |
| CIS DE 61, subfield 6<br>(POS Card Capture Capabilities)                   | IPM DE 22, subfield 3<br>(Terminal Data: Card Capture Capability)              |

Data element and private data subelement definitions and details  
Authorization to clearing data element mapping

| If the CIS authorization message contains:                   | Then in this IPM DE 22 subfield, use:                     |
|--------------------------------------------------------------|-----------------------------------------------------------|
| 0                                                            | 0                                                         |
| 1                                                            | 1                                                         |
| CIS DE 61 subfields                                          | IPM DE 22, subfield 4<br>(Terminal Operating Environment) |
| subfield 1 = 2 and subfield 3 = 3                            | 0                                                         |
| subfield 1 = 0 and subfield 3 = 0                            | 1                                                         |
| subfield 1 = 1 and subfield 3 = 0                            | 2                                                         |
| subfield 1 = 1 and subfield 3 = 4                            | 2                                                         |
| subfield 1 = 0 and subfield 3 = 1                            | 3                                                         |
| subfield 1 = 1 and subfield 3 = 1                            | 4                                                         |
| subfield 1 = 1 and subfield 3 = 2                            | 4 or 5                                                    |
| subfield 3 = 8                                               | 8                                                         |
| subfield 1 = any other value or subfield 3 = any other value | 9                                                         |
| CIS DE 61, subfield 4<br>(POS Cardholder Presence)           | IPM DE 22, subfield 5<br>(Cardholder Present Data)        |
| 0                                                            | 0                                                         |
| 1                                                            | 1                                                         |
| 2                                                            | 2                                                         |
| 3                                                            | 3                                                         |
| 4                                                            | 4                                                         |
| 5                                                            | 5                                                         |
| CIS DE 61, subfield 5<br>(POS Card Presence)                 | IPM DE 22, subfield 6<br>(Card Present Data)              |
| 0                                                            | 1                                                         |
| 1                                                            | 0                                                         |
| CIS DE 22, subfield 1<br>(POS Terminal PAN Entry Mode)       | IPM DE 22, subfield 7<br>(Card Data: Input Mode)          |
| 00                                                           | 0                                                         |
| 01                                                           | 1                                                         |
| 02                                                           | 2                                                         |

Data element and private data subelement definitions and details  
Authorization to clearing data element mapping

| If the CIS authorization message contains:             | Then in this IPM DE 22 subfield, use:                       |
|--------------------------------------------------------|-------------------------------------------------------------|
| 03                                                     | 0                                                           |
| 04                                                     | 0                                                           |
| 05                                                     | C                                                           |
| 07                                                     | M                                                           |
| 09                                                     | R                                                           |
| 10                                                     | 7                                                           |
| 79                                                     | 6                                                           |
| 80                                                     | B                                                           |
| 81                                                     | S                                                           |
| 82                                                     | T                                                           |
| 90                                                     | B                                                           |
| 91                                                     | A                                                           |
| 95                                                     | C                                                           |
| CIS DE 48, subelement 80<br>(PIN Service Code)         | IPM DE 22, subfield 8<br>(Cardholder Authentication Method) |
| PV or TV                                               | 1                                                           |
| A value other than PV or TV                            | 9                                                           |
| None                                                   | IPM DE 22, subfield 9<br>Cardholder Authentication Entity)  |
| No authorization equivalent                            | Default = 9                                                 |
| None                                                   | IPM DE 22, subfield 10<br>(Card Data Output Capability)     |
| No authorization equivalent                            | Default = 0                                                 |
| None                                                   | IPM DE 22, subfield 11<br>(Terminal Data Output Capability) |
| No authorization equivalent                            | Default = 0                                                 |
| CIS DE 22, subfield 2<br>(POS Terminal PIN Entry Mode) | PM DE 22, subfield 12<br>(PIN Capture Capability)           |
| 0                                                      | 1                                                           |
| 2                                                      | 0                                                           |

| If the CIS authorization message contains:                                  | Then in this IPM DE 22 subfield, use:              |
|-----------------------------------------------------------------------------|----------------------------------------------------|
| CIS DE 26<br>(Point-of-Service [POS] Personal ID Number [PIN] Capture Code) | IPM DE 22, subfield 12<br>(PIN Capture Capability) |
| 04                                                                          | 4                                                  |
| 05                                                                          | 5                                                  |
| 06                                                                          | 6                                                  |
| 07                                                                          | 7                                                  |
| 08                                                                          | 8                                                  |
| 09                                                                          | 9                                                  |
| 10                                                                          | A                                                  |
| 11                                                                          | B                                                  |
| 12                                                                          | C                                                  |

## Subfield 1 (Terminal Data, Card Data Input Capability)

DE 22 (Point of Service [POS] Entry Mode), subfield 1 indicates the set of methods supported by the terminal for the input of account number, card, or mobile device data.

### Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data Representation | an-1                   |
| Data Field          | Contents of position 1 |
| Justification       | N/A                    |

| Values | Description                                                                                                           |
|--------|-----------------------------------------------------------------------------------------------------------------------|
| 0      | Input capability unknown or unspecified.                                                                              |
| 1      | No POS terminal used (for example, voice/ARU authorization or other transactions that originated from a data server). |
| 2      | Terminal supports magnetic stripe input only.                                                                         |
| 4      | Optical character reader (OCR) capability                                                                             |
| 5      | Terminal supports EMV contact chip input only.                                                                        |

| Values | Description                                                                                                                                                                                                                                                                                         |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6      | Terminal supports key entry input only.                                                                                                                                                                                                                                                             |
| A      | Contactless Magnetic Stripe (Proximity Chip)<br><br><b>NOTE: Terminal supports contactless magnetic stripe input but not contactless EMV input. The terminal may also support one or more other card input types, including EMV contact chip input, magnetic stripe input, and key entry input.</b> |
| B      | Terminal supports magnetic stripe input, and key entry input.                                                                                                                                                                                                                                       |
| C      | Terminal supports EMV contact chip input, magnetic stripe input, and key entry input.                                                                                                                                                                                                               |
| D      | Terminal supports EMV contact chip input and magnetic stripe input.                                                                                                                                                                                                                                 |
| E      | EMV contact chip and key entry capability.                                                                                                                                                                                                                                                          |
| M      | Contactless EMV/Chip (Proximity Chip)<br><br><b>NOTE: Terminal supports contactless EMV input. The terminal also may support one or more other card input types, including contactless magnetic stripe input, EMV contact chip input, magnetic stripe input, and key entry input.</b>               |
| V      | Other capability                                                                                                                                                                                                                                                                                    |

- DE 22 is used in a clearing message to identify a message as a Clearing contactless magnetic stripe transaction. For this transaction type, DE 22, subfield 1 contains values A or M, and subfield 7 contains value A.
- DE 22 is used in a clearing message to identify a message as a Clearing contactless M/Chip transaction. For this transaction type, DE 22, subfields 1 and 7 contain value M.

## Subfield 2 (Terminal Data, Cardholder Authentication Capability)

DE 22 (Point of Service [POS] Entry Mode), subfield 2 describes the capability of the terminal device to support/accept authentication data.

### Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data Representation | n-1                    |
| Data Field          | Contents of position 2 |
| Justification       | N/A                    |

| Values | Description                                                              |
|--------|--------------------------------------------------------------------------|
| 0      | Terminal does not have PIN entry capability                              |
| 1      | Terminal has PIN entry capability                                        |
| 2      | Electronic signature analysis capability                                 |
| 3      | POS software-based PIN entry capability                                  |
| 5      | Terminal has PIN entry capability but PIN pad is not currently operative |
| 6      | Other                                                                    |
| 9      | Unknown; data unavailable                                                |

### Subfield 3 (Terminal Data, Card Capture Capability)

DE 22 (Point of Service [POS] Entry Mode), subfield 3 indicates whether the terminal has card capture capabilities.

#### Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data Representation | n-1                    |
| Data Field          | Contents of position 3 |
| Justification       | N/A                    |

| Values | Description                                             |
|--------|---------------------------------------------------------|
| 0      | Terminal/operator does not have card capture capability |
| 1      | Terminal/operator has card capture capability           |
| 9      | Unknown; data unavailable                               |



## Subfield 4 (Terminal Operating Environment)

DE 22 (Point of Service [POS] Entry Mode), subfield 4 indicates whether the acceptor is attending the terminal and the location of the terminal.

### Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data Representation | n-1                    |
| Data Field          | Contents of position 4 |
| Justification       | N/A                    |

### Applicable messages

| Values | Description                                |
|--------|--------------------------------------------|
| 0      | No terminal used                           |
| 1      | On acceptor premises; attended terminal    |
| 2      | On acceptor premises; unattended terminal  |
| 3      | Off acceptor premises; attended            |
| 4      | Off acceptor premises; unattended          |
| 5      | On cardholder premises; unattended         |
| 6      | Off cardholder premises; unattended        |
| 7      | Private use (Future use)                   |
| 8      | Additional Terminal Operating Environments |
| 9      | Unknown; data unavailable                  |

## Subfield 5 (Cardholder Present Data)

DE 22 (Point of Service [POS] Entry Mode), subfield 5 indicates whether the cardholder is present at the point of service and explains the condition if the cardholder is not present.

### Attributes

| Attribute           | Description |
|---------------------|-------------|
| Data Representation | n-1         |

| Attribute     | Description            |
|---------------|------------------------|
| Data Field    | Contents of position 5 |
| Justification | N/A                    |

| Values | Description                                                                    |
|--------|--------------------------------------------------------------------------------|
| 0      | Cardholder present                                                             |
| 1      | Cardholder not present (unspecified)                                           |
| 2      | Cardholder not present (mail/facsimile transaction)                            |
| 3      | Cardholder not present (phone order or from automated response unit [ARU])     |
| 4      | Cardholder not present (standing order/recurring transactions)                 |
| 5      | Cardholder not present (electronic order [PC, Internet, mobile phone, or PDA]) |
| 9      | Unknown; data unavailable                                                      |

## Subfield 6 (Card Present Data)

DE 22 (Point of Service [POS] Entry Mode), subfield 6 indicates if the card is present at the point of service.

### Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data Representation | n-1                    |
| Data Field          | Contents of position 6 |
| Justification       | N/A                    |

### Values

| Values | Description               |
|--------|---------------------------|
| 0      | Card not present*         |
| 1      | Card present*             |
| 9      | Unknown; data unavailable |

| Values | Description                                                                                                   |
|--------|---------------------------------------------------------------------------------------------------------------|
|        | * Due to different versions of ISO standards the CIS values are opposite of values for IPM DE 22, subfield 6. |

## Subfield 7 (Card Data, Input Mode)

DE 22 (Point of Service [POS] Entry Mode), subfield 7 indicates the method used for PAN entry to initiate a transaction.

### Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data Representation | an-1                   |
| Data Field          | Contents of position 7 |
| Justification       | N/A                    |

### Values

| Values | Description                                                                                                                                         |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| 0      | PAN entry mode unknown                                                                                                                              |
| 1      | PAN manual entry; no terminal used                                                                                                                  |
| 2      | PAN auto-entry via magnetic stripe: track data is not required within transaction                                                                   |
| 6      | PAN manual entry using a terminal, or through voice transaction after chip card read error or chip fallback transaction failure                     |
| 7      | Credential on File                                                                                                                                  |
| A      | PAN auto-entry via contactless magnetic stripe: track data provided unaltered within transaction                                                    |
| B      | PAN auto-entry via magnetic stripe: track data provided unaltered within transaction (magnetic stripe entry may also be chip fallback transaction). |
| C      | PAN auto-entry via chip (online authorized transaction)                                                                                             |
| F      | PAN auto-entry via chip (offline chip-approved transaction)                                                                                         |
| M      | PAN auto-entry via contactless M/Chip                                                                                                               |

| Values | Description                                                                                                                               |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------|
| R      | PAN entry via electronic commerce containing Digital Secure Remote Payment (DSRP) cryptogram within DE 55 (Integrated Circuit Card [ICC]) |
| S      | PAN entry via electronic commerce                                                                                                         |
| T      | PAN auto-entry via server (issuer, acquirer, or third party vendor system)                                                                |

- DE 22 is required when DE 55 is present. In this situation, DE 22, subfield 7 must contain values F, M, R, S, or C.
- DE 22 is used in a clearing message to identify a message as a Clearing contactless magnetic stripe transaction. For this transaction type, DE 22, subfield 1 contains values A or M, and subfield 7 contains value A.
- DE 22 is used in a clearing message to identify a message as a Clearing contactless M/Chip transaction. For this transaction type, DE 22, subfields 1 and 7 contain value M.
- For offline chip transactions when DE 38 (Approval Code) is not available, DE 22, subfield 7 must contain value F to identify the transaction as offline chip.
- DE 22, subfield 4 must contain value 2 or 4 when DE 22, subfield 7 contains value R.
- DE 22, subfield 5 must contain values 4 or 5 when DE 22, subfield 7 contains value S.
- Transactions identified as contactless PAN-mapped or Mastercard Digital Enablement Service PAN-mapped, contactless transactions sent to the issuer, will have the value sent by the acquirer (A or M) in DE 22, subfield 7, changed by Mastercard to value M.
- Transactions identified as contactless PAN-mapped or Mastercard Digital Enablement Service PAN-mapped, contactless transactions sent to the acquirer, will have the DE 22, subfield 7 value sent by the issuer (M) changed by Mastercard to the original value sent in by the acquirer.
- Transactions identified as Mastercard Digital Enablement Service PAN-mapped Digital Secure Remote Payment transactions sent to the issuer will have value R sent by the acquirer in DE 22, subfield 7, changed by Mastercard to value O.
- Transactions identified as Mastercard Digital Enablement Service PAN-mapped Digital Secure Remote Payment transactions sent to the acquirer will have value O sent by the issuer and changed by Mastercard to the original value sent in by the acquirer.

## Subfield 8 (Cardholder Authentication Method)

DE 22 (Point of Service [POS] Entry Mode), subfield 8 indicates the method by which the cardholder's identity was verified at the point of service.

### Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data Representation | an-1                   |
| Data Field          | Contents of position 8 |
| Justification       | N/A                    |

### Values

| Values | Description                                                   |
|--------|---------------------------------------------------------------|
| 0      | Not authenticated                                             |
| 1      | PIN                                                           |
| 2      | Electronic signature analysis                                 |
| 5      | Manual signature verification                                 |
| 6      | Other manual verification (such as a driver's license number) |
| 9      | Unknown; data unavailable                                     |
| S      | Other systematic verification                                 |

## Subfield 9 (Cardholder Authentication Entity)

DE 22 (Point of Service [POS] Entry Mode), subfield 9 indicates the entity through which the cardholder's identity was verified at the point of service.

### Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data Representation | n-1                    |
| Data Field          | Contents of position 9 |
| Justification       | N/A                    |

### Values

| Values | Description                   |
|--------|-------------------------------|
| 0      | Not authenticated             |
| 1      | ICC, Offline PIN              |
| 2      | Card acceptance device (CAD)  |
| 3      | Authorizing agent, Online PIN |
| 4      | Merchant/acceptor, signature  |
| 5      | Other                         |
| 9      | Unknown; data unavailable     |

### Application notes

For chip transactions, the Cardholder Verification Method (CVM) used for that transaction is specified via the combination of values for DE 22, subfield 8 (Cardholder Authentication Method) and subfield 9 shown in this table.

### Application notes

| CVM         | Subfield 8 value | Subfield 9 value |
|-------------|------------------|------------------|
| Offline PIN | 1                | 1                |
| Online PIN  | 1                | 3                |
| Signature   | 5                | 4                |
| No CVM      | 0                | 0                |

## Subfield 10 (Card Data Output Capability)

DE 22 (Point of Service [POS] Entry Mode), subfield 10 indicates the ability of the terminal to write or output data to a card.

### Attributes

| Attribute           | Description             |
|---------------------|-------------------------|
| Data Representation | an-1                    |
| Data Field          | Contents of position 10 |

| Attribute     | Description |
|---------------|-------------|
| Justification | N/A         |

### Values

| Values | Description                                 |
|--------|---------------------------------------------|
| 0      | Unknown; data unavailable                   |
| 1      | None                                        |
| 2      | Write data to card at magnetic stripe level |
| 3      | Write data to card at ICC chip level        |
| S      | Other                                       |

## Subfield 11 (Terminal Data Output Capability)

DE 22 (Point of Service [POS] Entry Mode), subfield 11 indicates the print and display capabilities of the terminal.

### Attributes

| Attribute           | Description             |
|---------------------|-------------------------|
| Data Representation | n-1                     |
| Data Field          | Contents of position 11 |
| Justification       | N/A                     |

### Values

| Values | Description                     |
|--------|---------------------------------|
| 0      | Unknown; data unavailable       |
| 1      | None                            |
| 2      | Printing capability only        |
| 3      | Display capability only         |
| 4      | Printing and display capability |

## Subfield 12 (PIN Capture Capability)

DE 22 (Point of Service [POS] Entry Mode), subfield 12 indicates the maximum number of PIN characters that the POS terminal can capture.

### Attributes

| Attribute           | Description             |
|---------------------|-------------------------|
| Data Representation | an-1                    |
| Data Field          | Contents of position 12 |
| Justification       | N/A                     |

### Values

| Values | Description                                  |
|--------|----------------------------------------------|
| 0      | No PIN capture capability                    |
| 1      | Unknown; data unavailable                    |
| 2      | Reserved                                     |
| 3      | Reserved                                     |
| 4      | PIN capture capability 4 characters maximum  |
| 5      | PIN capture capability 5 characters maximum  |
| 6      | PIN capture capability 6 characters maximum  |
| 7      | PIN capture capability 7 characters maximum  |
| 8      | PIN capture capability 8 characters maximum  |
| 9      | PIN capture capability 9 characters maximum  |
| A      | PIN capture capability 10 characters maximum |
| B      | PIN capture capability 11 characters maximum |
| C      | PIN capture capability 12 characters maximum |



## DE 23 (Card Sequence Number)

DE 23 (Card Sequence Number) distinguishes among separate cards that have the same DE 2 (Primary Account Number [PAN]).

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-3                       |
| Data Length         | None                      |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | O   | .   | C   |
| Second Presentment/1240                                              | O   | .   | C   |
| Retrieval Request/1644                                               | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                                  | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

DE 23 is used to identify one of several cards issued under a single PAN. Normally, when such cards are issued, the card sequence number is encoded on track 1 or track 2 of the card, and this information is automatically captured during a magnetic stripe-read operation at a POI terminal.

For chip transactions that include EMV-compliant ICC system-related data (DE 55), DE 23 must be present and contain the Application PAN Sequence Number (tag 5F34) if provided by the IC card to the terminal.

If the account range is registered for the Authentication Indicator Type 1 Service, then DE 23 must be present.

### Values

If present, DE 23 contains the Card Sequence Number in the range 000–099.

In the context of chip transactions, the Application PAN Sequence Number (EMV tag 5F34) is defined as a one-byte numeric value. The acquirer software shall therefore convert this one-byte numeric value to a three-byte value in DE 23, with leading zeros. For example, if the value of 5F34 is 2, the value of DE 23 will be 002.

### Application notes

For Europe-acquired, Brazil-issued chip combination cards; acquirers in the Europe region may optionally recognize the Brazil-issued chip combination card acceptance brand selection that is determined by a unique PSN value in DE 23.

- 0x1 (Credit/Mastercard®), where x is the sequence number 0 to 9: the transaction is processed a credit transaction.
- 0x2 (Debit/Mastercard®), where x is the sequence number 0 to 9: the transaction is processed as a debit transaction.
- If neither 0x1 or 0x2 is present, the transaction is processed as a credit transaction.

## DE 24 (Function Code)

DE 24 (Function Code) indicates the specific purpose for a message.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-3                       |
| Data Length         | None                      |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644                                                   | M   | .   | .   |
| File Header (Clearing System-generated)/1644                                            | .   | X   | M   |
| File Trailer (Customer-generated)/1644                                                  | M   | .   | .   |
| File Trailer (Clearing System-generated)/1644                                           | .   | X   | M   |
| First Presentment/1240                                                                  | M   | .   | M   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | M   | .   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | M   | .   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | M   | .   | M   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | M   | .   | M   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | M   | .   | M   |
| Financial Detail Addendum (Temporary Services)/1644                                     | M   | .   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | M   | .   | M   |
| Financial Detail Addendum (Payment Transactions Detail)/1644                            | M   | .   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | M   | .   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | M   | .   | M   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                                  | M   | .   | M   |
| Financial Detail Addendum (Lodged Account Detail)/1644                                  | M   | .   | M   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644                   | M   | .   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644                  | M   | .   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | M   | .   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                | M   | .   | M   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644          | M   | .   | M   |
| Financial Detail Addendum (Generic Detail)/1644                      | M   | .   | M   |
| Financial Detail Addendum (Healthcare)/1644                          | M   | .   | M   |
| Financial Detail Addendum (Private Label Common Data)/1644           | M   | .   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644      | M   | .   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | M   | .   | M   |
| Second Presentment/1240                                              | M   | .   | M   |
| Retrieval Request/1644                                               | M   | .   | M   |
| Retrieval Request Acknowledgment/1644                                | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | .   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | .   | M   |
| File Currency Summary/1644                                           | .   | X   | M   |
| Financial Position Detail/1644                                       | .   | X   | M   |
| Settlement Position Detail/1644                                      | .   | X   | M   |
| Message Exception/1644 and File Reject/1644                          | .   | X   | M   |
| Text Message/1644                                                    | .   | X   | M   |
| Currency Update/1644                                                 | .   | X   | M   |

## Values

This table lists all Function Codes the clearing system supports. The associated MTIs are also provided.

## Values

| MTI  | Function Code | Clearing System Transaction Function |
|------|---------------|--------------------------------------|
| 1240 | 200           | First Presentment                    |
| 1240 | 205           | Second Presentment (Full)            |
| 1240 | 282           | Second Presentment (Partial)         |

| MTI  | Function Code | Clearing System Transaction Function             |
|------|---------------|--------------------------------------------------|
| 1442 | 450           | First Chargeback (Full)                          |
| 1442 | 451           | Arbitration Chargeback (Full) <sup>1</sup>       |
| 1442 | 453           | First Chargeback (Partial)                       |
| 1442 | 454           | Arbitration Chargeback (Partial)                 |
| 1644 | 603           | Retrieval Request <sup>1</sup>                   |
| 1644 | 605           | Retrieval Request Acknowledgment                 |
| 1644 | 640           | Currency Update                                  |
| 1644 | 680           | File Currency Summary                            |
| 1644 | 685           | Financial Position Detail                        |
| 1644 | 688           | Settlement Position Detail                       |
| 1644 | 691           | Message Exception                                |
| 1644 | 693           | Text Message                                     |
| 1644 | 695           | File Trailer                                     |
| 1644 | 696           | Financial Detail Addendum                        |
| 1644 | 697           | File Header                                      |
| 1644 | 699           | File Reject                                      |
| 1740 | 700           | Fee Collection (Customer-generated) <sup>2</sup> |
| 1740 | 780           | Fee Collection Return                            |
| 1740 | 781           | Fee Collection Resubmission                      |
| 1740 | 782           | Fee Collection Arbitration Return                |
| 1740 | 783           | Fee Collection (Clearing System-generated)       |
| 1740 | 790           | Fee Collection (Funds Transfer)                  |
| 1740 | 791           | Fee Collection (Funds Transfer Backout)          |

<sup>1</sup> Not supported for ATM transactions (DE 3 = 010000)<sup>1</sup>

<sup>2</sup> Fee Collection (Customer-generated)/1740 messages includes manually submitted (non-MasterCom) retrieval fulfillments.

## DE 25 (Message Reason Code)

DE 25 (Message Reason Code) provides the message receiver with the reason for sending the message.

### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | n-4                       |
| Length Field:        | None                      |
| Data Length:         | Fixed length, 4 positions |
| Subfields:           | None                      |
| Justification:       | Right                     |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Usage

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | M   | .   | M   |
| Second Presentment/1240                                              | M   | .   | M   |
| File Currency Summary/1644                                           | .   | X   | M   |
| Financial Position Detail/1644                                       | .   | X   | M   |
| Settlement Position Detail/1644                                      | .   | X   | M   |
| Retrieval Request/1644                                               | M   | .   | M   |
| Retrieval Request Acknowledgment/1644                                | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | .   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | .   | M   |
| Text Message/1644                                                    | .   | X   | M   |

DE 25 is required in a First Presentment/1240 message when multiple partial-amount clearing messages are submitted for a single purchase transaction.

DE 25 identifies the specific reason that a transaction was initiated, such as the reason for a Retrieval Request/1644 message, Retrieval Request Acknowledgment/1644 message, First Chargeback/1442 message, or Second Presentment/1240 message.

DE 25 identifies the specific reason that a transaction was initiated, such as the reason for a Fee Collection/1740 message.

## Values

These tables list Message Reason Codes the clearing system supports for IPM messages. The associated MTIs and Function Codes are also provided to indicate the specific circumstances in which each Message Reason Code is used.

### First Presentment/1240 (Function Code = 200)

| Message Reason Code | Message Reason Code Description                                   | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement, and Cirrus messages |
|---------------------|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| 1400                | Not previously authorized due to other reason                     | Yes                                                                                                                                                             | Yes                                           | Yes                                                                                                                            |
| 1401                | Previously approved authorization, amount same                    | Yes                                                                                                                                                             | Yes                                           | Yes                                                                                                                            |
| 1402                | Previously approved authorization, amount differs                 | Yes                                                                                                                                                             | Yes                                           | Yes                                                                                                                            |
| 1403                | Previously approved authorization, partial amount, multi-clearing | Yes                                                                                                                                                             | No                                            | No                                                                                                                             |

| <b>Message Reason Code</b> | <b>Message Reason Code Description</b>                                         | <b>Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages</b> | <b>Valid for intra-European Maestro POS messages</b> | <b>Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement, and Cirrus messages</b> |
|----------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 1404                       | Previously approved authorization, partial amount, final clearing              | Yes                                                                                                                                                                    | No                                                   | No                                                                                                                                    |
| 1405                       | Not previously authorized due to terminal malfunction                          | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 1406                       | Not previously authorized due to network unavailability                        | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 1407                       | Authorized outside of Mastercard Network                                       | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 1451                       | Incorrect transaction parameters (Reversals: Invalid data previously supplied) | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 1452                       | Duplicate transaction (Reversals: Duplicate transaction)                       | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 1500                       | Identifies a syntax error return                                               | No                                                                                                                                                                     | No                                                   | No                                                                                                                                    |
| 1600                       | Resubmit previously rejected transaction                                       | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |



**Second Presentment (Full)/1240 (Function Code = 205) and Second Presentment (Partial)/1240 (Function Code = 282)**

| <b>Message Reason Code</b> | <b>Message Reason Code Description</b>                                                 | <b>Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages</b> | <b>Valid for intra-European Maestro POS messages</b> | <b>Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement, and Cirrus messages</b> |
|----------------------------|----------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 1500                       | Identifies a syntax error return                                                       | No                                                                                                                                                                     | No                                                   | No                                                                                                                                    |
| 2001                       | Suspected Altered or Falsified Documentation                                           | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2002                       | Non-receipt of required documentation to support chargeback within maximum time frame. | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2003                       | Correct transaction date provided.                                                     | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2004                       | Suspected Return Fraud                                                                 | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2005                       | Correct acceptor location/description provided.                                        | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2008                       | Issuer authorized transaction.                                                         | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2011                       | Credit previously issued.                                                              | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |

| <b>Message Reason Code</b> | <b>Message Reason Code Description</b>                                                | <b>Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages</b> | <b>Valid for intra-European Maestro POS messages</b> | <b>Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement, and Cirrus messages</b> |
|----------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 2700                       | Chargeback remedied, see corresponding documentation.                                 | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2701                       | Duplicate chargeback                                                                  | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2702                       | Past chargeback time limit.                                                           | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2703                       | Requested transaction document provided (requires hardship variance)                  | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2704                       | Invalid member message text                                                           | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2705                       | Correct MCC provided                                                                  | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2706                       | Authorization advised suspicious                                                      | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2707                       | No authorization request required nor attempted                                       | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2708                       | Account was not listed on the applicable warning bulletin as of the transaction date. | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |
| 2709                       | Documentation received was illegible.                                                 | Yes                                                                                                                                                                    | Yes                                                  | Yes                                                                                                                                   |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                                                                                                                                              | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages |                          |                          | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement, and Cirrus messages |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|--------------------------------------------------------------------------------------------------------------------------------|
|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Valid for intra-European                                                                                                                                        | Valid for intra-European | Valid for intra-European |                                                                                                                                |
| 2710                | Scanning error—unrelated documents or partial scan                                                                                                                                                                                                                                                                                                                                                                                                                           | Yes                                                                                                                                                             | Yes                      | Yes                      | Yes                                                                                                                            |
| 2713                | Invalid Chargeback                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Yes                                                                                                                                                             | Yes                      | Yes                      | Yes                                                                                                                            |
| 2870                | Chip Liability Shift*<br><br>*Valid for all intraregional transactions except those involving U.S. region and all interregional transactions between the following:<br><br><ul style="list-style-type: none"> <li>• AP region and MEA region</li> <li>• Europe region and participating countries in MEA region</li> <li>• Europe region and participating countries in AP region</li> </ul><br><b>NOTE: Refer to Chargeback Guide for a list of participating countries</b> | Yes*                                                                                                                                                            | Yes                      | Yes                      | Yes                                                                                                                            |

| Message Reason Code | Message Reason Code Description                                                 | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement, and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| 2871                | Chip/PIN Liability Shift**<br><br>** Reserved for intra-Europe and intra-Canada | Yes*                                                                                                                                                            | Yes                                           | Yes                                                                                                                            |

**First Chargeback (Full)/1442 (Function Code = 450) and First Chargeback (Partial)/1442 (Function Code = 453)**

| Message Reason Code | Message Reason Code Description                                                                         | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| 4515                | Cardholder Denies Transaction Finalized                                                                 |                                                                                                                                                                 | Yes                                           |                                                                                                                               |
| 4804                | Multiple Processing, Duplicate (used only by the Mastercard Network for European-acquired transactions) | Yes                                                                                                                                                             | Yes                                           | Yes                                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                            | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| 4807                | Warning bulletin                                                                                           | Yes                                                                                                                                                             |                                               |                                                                                                                               |
| 4808                | Requested/required authorization not obtained                                                              | Yes                                                                                                                                                             | Yes                                           | Yes                                                                                                                           |
| 4809                | Transaction Not Reconciled<br><br>(Used only by the Mastercard Network for European-acquired transactions) | Yes                                                                                                                                                             | Yes                                           | Yes                                                                                                                           |
| 4811                | Stale Transaction<br><br>(Used by the Mastercard Network only for European-acquired transactions)          | Yes                                                                                                                                                             | Yes                                           | Yes                                                                                                                           |
| 4812                | Account number was not on file.                                                                            | Yes                                                                                                                                                             |                                               |                                                                                                                               |
| 4831                | Transaction amount differs.                                                                                | Yes                                                                                                                                                             | Yes                                           |                                                                                                                               |
| 4834                | Duplicate processing                                                                                       | Yes                                                                                                                                                             | Yes                                           | Yes                                                                                                                           |
| 4837                | Fraudulent transaction; no cardholder authorization                                                        | Yes                                                                                                                                                             | Yes                                           |                                                                                                                               |

| Message Reason Code | Message Reason Code Description                         | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| 4840                | Fraudulent processing of transaction                    | Yes                                                                                                                                                             |                                               |                                                                                                                               |
| 4841                | Canceled recurring transaction                          | Yes                                                                                                                                                             | Yes                                           |                                                                                                                               |
| 4842                | Late presentment                                        | Yes                                                                                                                                                             | Yes                                           | Yes                                                                                                                           |
| 4846                | Correct transaction currency code was not provided.     | Yes                                                                                                                                                             | Yes                                           |                                                                                                                               |
| 4849                | Questionable acceptor activity                          | Yes                                                                                                                                                             |                                               |                                                                                                                               |
| 4850                | Installment Transaction Dispute <sup>3</sup>            |                                                                                                                                                                 |                                               |                                                                                                                               |
| 4853                | Cardholder Dispute Defective/Not as Described           | Yes                                                                                                                                                             |                                               |                                                                                                                               |
| 4854                | Cardholder dispute not elsewhere classified (U.S. only) | Yes                                                                                                                                                             |                                               |                                                                                                                               |
| 4855                | Non-receipt of merchandise                              | Yes                                                                                                                                                             | Yes                                           |                                                                                                                               |
| 4859                | Services not rendered                                   | Yes                                                                                                                                                             |                                               | Yes                                                                                                                           |
| 4860                | Credit not processed                                    | Yes                                                                                                                                                             | Yes                                           |                                                                                                                               |

<sup>3</sup> Valid for Brazil domestic chargebacks only

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                                                                                      | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| 4863                | Cardholder does not recognize, Potential fraud                                                                                                                                                                                                                                                                                                                                                                       | Yes                                                                                                                                                             | Yes                                           | Yes                                                                                                                           |
| 4870                | <p>Chip Liability Shift*</p> <p>*Valid for all intraregional transactions except those involving U.S. region and all interregional transactions between the following:</p> <ul style="list-style-type: none"> <li>• AP region and MEA region</li> <li>• Europe region and participating countries in MEA region<sup>1</sup></li> <li>• Europe region and participating countries in AP region<sup>2</sup></li> </ul> | Yes*                                                                                                                                                            |                                               | Yes                                                                                                                           |
| 4871                | <p>Chip/PIN Liability Shift**</p> <p>** Reserved for intra-Europe and intra-Canada</p>                                                                                                                                                                                                                                                                                                                               | Yes*                                                                                                                                                            | Yes                                           | Yes                                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                                           | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| 4880                | Maestro Late Presentment<br><br>*Applies only to non-intra-European and non-inter-European Maestro chip-read and PIN-based POS transactions<br><br>**Applies only to Maestro transactions | Yes*                                                                                                                                                            | Yes                                           | Yes**                                                                                                                         |
| 4890                | Identifies a syntax error return                                                                                                                                                          | No                                                                                                                                                              | No                                            | No                                                                                                                            |
| 4999                | Domestic Chargeback Dispute<br><br>*Reserved for intra-European and inter-European use                                                                                                    | Yes*                                                                                                                                                            | Yes*                                          | Yes*                                                                                                                          |



**Arbitration Chargeback (Full)/1442 (Function Code = 451) and Arbitration Chargeback (Partial)/1442 (Function Code = 454)**

| <b>Message Reason Code</b> | <b>Message Reason Code Description</b>              | <b>Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages</b> | <b>Valid for intra-European and inter-European Maestro POS messages</b> | <b>Valid for intra-European and inter-European Mastercard ATM, Maestro ATM Maestro manual cash disbursement and Cirrus messages</b> |
|----------------------------|-----------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| 4807                       | Warning bulletin                                    | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4808                       | Requested/required authorization not obtained       | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4812                       | Account number was not on file.                     | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4831                       | Transaction amount differs.                         | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4834                       | Duplicate processing.                               | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4837                       | Fraudulent transaction; no cardholder authorization | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4840                       | Fraudulent processing of transaction                | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4841                       | Canceled recurring transaction                      | Yes                                                                                                                                                                    | Yes                                                                     | N/A                                                                                                                                 |
| 4842                       | Late presentment                                    | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4846                       | Correct transaction currency code was not provided. | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |

| <b>Message Reason Code</b> | <b>Message Reason Code Description</b>                  | <b>Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages</b> | <b>Valid for intra-European and inter-European Maestro POS messages</b> | <b>Valid for intra-European and inter-European Mastercard ATM, Maestro ATM Maestro manual cash disbursement and Cirrus messages</b> |
|----------------------------|---------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| 4849                       | Questionable acceptor activity                          | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4850                       | Installment Transaction Dispute <sup>4</sup>            | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4853                       | Cardholder Dispute Defective/Not as Described           | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4854                       | Cardholder dispute not elsewhere classified (U.S. only) | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4855                       | Non-receipt of merchandise                              | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4859                       | Services not rendered                                   | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4860                       | Credit not processed                                    | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |
| 4863                       | Cardholder does not recognize, Potential fraud          | Yes                                                                                                                                                                    | N/A                                                                     | N/A                                                                                                                                 |

<sup>4</sup> Valid for Brazil domestic chargebacks only

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                                                                                      | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM Maestro manual cash disbursement and Cirrus messages |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| 4870                | <p>Chip Liability Shift*</p> <p>*Valid for all intraregional transactions except those involving U.S. region and all interregional transactions between the following:</p> <ul style="list-style-type: none"> <li>• AP region and MEA region</li> <li>• Europe region and participating countries in MEA region<sup>1</sup></li> <li>• Europe region and participating countries in AP region<sup>2</sup></li> </ul> | Yes*                                                                                                                                                            | Yes                                                              | Yes                                                                                                                          |
| 4871                | <p>Chip/PIN Liability Shift**</p> <p>** Reserved for intra-Europe and intra-Canada</p>                                                                                                                                                                                                                                                                                                                               | Yes*                                                                                                                                                            | Yes                                                              | Yes                                                                                                                          |
| 4890                | Identifies a syntax error return                                                                                                                                                                                                                                                                                                                                                                                     | No                                                                                                                                                              | No                                                               | No                                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                     | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages |                                                                  |  | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------|
|                     |                                                                                                                                                                     |                                                                                                                                                                 | Valid for intra-European and inter-European Maestro POS messages |  |                                                                                                                              |
| 4900                | General; invalid Second Presentment/1240; Second Presentment/1240 did not remedy First Chargeback/1442; this message reason code cannot be submitted in IPM format. | Yes                                                                                                                                                             | N/A                                                              |  | N/A                                                                                                                          |
| 4901                | Required documentation not received to support prior Second Presentment/1240.                                                                                       | Yes                                                                                                                                                             | N/A                                                              |  | N/A                                                                                                                          |
| 4902                | Documentation received was illegible.                                                                                                                               | Yes                                                                                                                                                             | N/A                                                              |  | N/A                                                                                                                          |
| 4903                | Scanning error—unrelated documents or partial scan                                                                                                                  | Yes                                                                                                                                                             | N/A                                                              |  | N/A                                                                                                                          |
| 4905                | Invalid Acquirer Reference Data in Second Presentment/1240; no documentation required or provided                                                                   | Yes                                                                                                                                                             | N/A                                                              |  | N/A                                                                                                                          |

| Message Reason Code | Message Reason Code Description                                                         | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM Maestro manual cash disbursement and Cirrus messages |
|---------------------|-----------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| 4908                | Invalid Acquirer Reference Data in Second Presentment/1240; documentation was received. | Yes                                                                                                                                                             | N/A                                                              | N/A                                                                                                                          |
| 4999                | Domestic Chargeback Dispute Reserved for intra-European and inter-European use          | Yes                                                                                                                                                             | N/A                                                              | N/A                                                                                                                          |

**Retrieval Request/1644 (Function Code = 603)**

| MTI  | Function Code | Message Reason Code | Message Reason Code Description                                                                                  |
|------|---------------|---------------------|------------------------------------------------------------------------------------------------------------------|
| 1644 | 603           | 6305                | Cardholder does not agree with amount billed.                                                                    |
|      |               | 6321                | Cardholder does not recognize transaction (for example, does not recognize acceptor name, city, state, or date). |
|      |               | 6322                | Request Transaction Certificate for a chip transaction                                                           |

| MTI | Function Code | Message Reason Code | Message Reason Code Description                                                                                  |
|-----|---------------|---------------------|------------------------------------------------------------------------------------------------------------------|
|     |               | 6323                | Cardholder needs information for personal records (such as tax records or business expense records).             |
|     |               | 6341                | Fraud investigation                                                                                              |
|     |               | 6342                | Potential chargeback or compliance documentation is required.                                                    |
|     |               | 6343                | Real-time Substantiation Audit Request                                                                           |
|     |               | 6390                | Identifies a syntax error return                                                                                 |
|     | 605           | 6305                | Cardholder does not agree with amount billed.                                                                    |
|     |               | 6321                | Cardholder does not recognize transaction (for example, does not recognize acceptor name, city, state, or date). |
|     |               | 6322                | Request Transaction Certificate for a chip transaction                                                           |
|     |               | 6323                | Cardholder needs information for personal records (such as tax records or business expense records).             |
|     |               | 6341                | Fraud investigation                                                                                              |
|     |               | 6342                | Potential chargeback or compliance documentation is required.                                                    |

| MTI | Function Code | Message Reason Code | Message Reason Code Description        |
|-----|---------------|---------------------|----------------------------------------|
|     |               | 6343                | Real-time Substantiation Audit Request |
|     |               | 6390                | Identifies a syntax error return       |

**Retrieval Request/1644 (Function Code = 603)**

| Message Reason Code | Message Reason Code Description        | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement, and Cirrus messages |
|---------------------|----------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| 6343                | Real-time Substantiation Audit Request | No                                                                                                                                                              | No                                                               | No                                                                                                                             |
| 6390                | Identifies a syntax error return       | No                                                                                                                                                              | No                                                               | No                                                                                                                             |

**Retrieval Request Acknowledgment/1644 (Function Code = 605)**

| <b>Message Reason Code</b> | <b>Message Reason Code Description</b>                                                      | <b>Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages</b> | <b>Valid for intra-European and inter-European Maestro POS messages</b> | <b>Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement, and Cirrus messages</b> |
|----------------------------|---------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|
| 6343                       | Real-time Substantiation Audit Request                                                      | No                                                                                                                                                                     | No                                                                      | No                                                                                                                                    |
| 6380                       | OPERATIONAL ERROR RETURN - DOCUMENT REQUEST REJECTION - LOCAL MEXICO DOMESTIC SCHEME ONLY   | Yes*<br><br>*Not valid for intra-European and inter-European transactions.                                                                                             | No                                                                      | No                                                                                                                                    |
| 6390                       | Identifies a syntax error return                                                            | No                                                                                                                                                                     | No                                                                      | No                                                                                                                                    |
| 6391                       | SYNTAX ERROR RETURN - DECLINE DOCUMENT REQUEST REJECTION- LOCAL MEXICO DOMESTIC SCHEME ONLY | Yes*<br><br>*Not valid for intra-European and inter-European transactions.                                                                                             | No                                                                      | No                                                                                                                                    |



**Text Message/1644 (Function Code = 693)**

| MTI  | Function Code | Message Reason Code | Message Reason Code Description                                 |
|------|---------------|---------------------|-----------------------------------------------------------------|
| 1644 | 693           | 6801                | Official message from Mastercard to member                      |
|      |               | 6802                | No data for this member and/or endpoint for this delivery cycle |

**Reconciliation Messages: File Currency Summary/1644 (Function Code = 680), Financial Position Detail/1644 (Function Code = 685), and Settlement Position Detail (Function Code = 688)**

| MTI  | Function Code | Message Reason Code | Message Reason Code Description                                                                         |
|------|---------------|---------------------|---------------------------------------------------------------------------------------------------------|
| 1644 | 680, 685      | 6861                | File Acknowledgment, The clearing system generates after processing member outbound activity.           |
| 1644 | 680, 685      | 6862                | File Notification, The clearing system generates to reconcile a member's incoming activity.             |
| 1644 | 685           | 6863, 6864          | Reserved for Mastercard internal use                                                                    |
| 1644 | 688           | 6861                | File Acknowledgment, The clearing system acknowledges settlement activity sent by the member.           |
| 1644 | 688           | 6862                | File Notification, The clearing system notifies the member of settlement activity bound for the member. |

**Fee Collection (Customer-generated)/1740 (Function Code = 700) and Fee Collection Return/1740 (Function Code = 780)**

| Message Reason Code | Message Reason Code Description                                                 | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement, and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| 7690                | SYNTAX ERROR RETURN - DECLINE FEE COLLECTIONS-LOCAL MEXICO DOMESTIC SCHEME ONLY | Yes*<br><br>*Not valid for intra-European and inter-European transactions.                                                                                      | No                                                               | No                                                                                                                             |
| 7615                | COMPLIANCE RULING PENALTY FEE- LOCAL MEXICO DOMESTIC SCHEME ONLY                | Yes*<br><br>*Not valid for intra-European and inter-European transactions.                                                                                      | No                                                               | No                                                                                                                             |

**Fee Collection (Customer-generated)/1740-700**

| Message Reason Code | Message Reason Code Description | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7717                | Multi-token network settlement  | Yes                                                                                                                            | N/A                                                              | N/A                                                                                                           |

| <b>Message Reason Code</b> | <b>Message Reason Code Description</b>               | <b>Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages</b> | <b>Valid for intra-European and inter-European Maestro POS messages</b> | <b>Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages</b> |
|----------------------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| 7718                       | Cross-border business services settlement            | Yes                                                                                                                                   | N/A                                                                     | N/A                                                                                                                  |
| 7680                       | Installments - Merchant fee for single purchase      | Yes                                                                                                                                   | No                                                                      | No                                                                                                                   |
| 7681                       | Installments - Merchant fee for aggregated purchases | Yes                                                                                                                                   | No                                                                      | No                                                                                                                   |

**Fee Collection (Customer-generated)/1740 (Function Code = 700) and Fee Collection Resubmission/1740 (Function Code = 781)**

| <b>Message Reason Code</b> | <b>Message Reason Code Description</b>                                                                                                                                                 | <b>Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages</b> | <b>Valid for intra-European and inter-European Maestro POS messages</b> | <b>Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages</b> |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| 7600                       | Lost/stolen telex/phone fee; for collection of lost/stolen report fee and phone or telex costs incurred for taking a lost or stolen card report<br><br>DE 3, s1 = 19, credit to sender | Yes                                                                                                                                   |                                                                         |                                                                                                                      |

| Message Reason Code | Message Reason Code Description                                                                                                                                            | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7601                | Recovered card award fee; for collection of reward for a acceptor or financial institution employee when a card has been recovered<br><br>DE 3, s1 = 19, credit to sender  | Yes                                                                                                                            | Yes                                                              |                                                                                                               |
| 7602                | Emergency cash disbursement fee; for collection of fees associated with the handling of emergency cash disbursements to cardholders<br><br>DE 3, s1 = 19, credit to sender | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7603                | Compliance ruling settlement; for collection of a compliance ruling settlement amount<br><br>DE 3, s1 = 19, credit to sender<br><br>DE3, s1 = 29, debit to sender          | Yes                                                                                                                            | Yes                                                              |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                         | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7604                | Emergency card replacement fee; for collection of fees associated with the Emergency Card Replacement Service (ECR Service)<br><br>DE 3, s1 = 19, credit to sender                      | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7605                | Warning bulletin handling fee, issuer-originated; for settlement of warning bulletin handling fees in accordance with Mastercard operating rules<br><br>DE 3, s1 = 19, credit to sender | Yes                                                                                                                            | Yes                                                              |                                                                                                               |
| 7606                | Good faith acceptance settlement; for settlement of the amount of a good faith acceptance<br><br>DE 3, s1 = 19, credit to sender<br><br>DE3, s1 = 29, debit to sender                   | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                                            | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7607                | Collection letter handling fee; for settlement of the amount of a collection letter acceptance<br><br>DE 3, s1 = 19, credit to sender<br><br>DE3, s1 = 29, debit to sender                 | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7608                | Telex authorization fee; for collection of fees associated with an international telex authorization<br><br>DE 3, s1 = 19, credit to sender                                                | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7610                | Investigation fee; for fee collection when an investigation report has been completed by an investigating member on behalf of the requesting member<br><br>DE 3, s1 = 19, credit to sender | Yes                                                                                                                            |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                            | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7611                | <p>Retrieval fee reversal; issuer-originated; used to reverse a retrieval request fulfillment fee for documents never received or for invalid documents</p> <p>An issuer would use this code in response to receiving from an inquirer an invalid message containing code 7614.</p> <p>DE 3, s1 = 19, credit to sender</p> | Yes                                                                                                                            | Yes                                                              |                                                                                                               |
| 7612                | <p>Retrieval handling fee; issuer-originator; used to penalize an acquirer for incorrect information verified by the retrieval request document</p> <p>DE 3, s1 = 19, credit to sender</p>                                                                                                                                 | Yes                                                                                                                            | Yes                                                              |                                                                                                               |
| 7613                | IIAS Nonfulfillment                                                                                                                                                                                                                                                                                                        | No                                                                                                                             | No                                                               | No                                                                                                            |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                                                                                                                                                | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7614                | <p>Settlement of fulfillment fees other than MasterCom; for settlement of retrieval request fulfillments not processed through the MasterCom system; credit to message originator (acquirer)</p> <p>DE 3, s1 = 19, credit to sender</p> <p>This reason code is valid only for Function Code 700 (acquirer to issuer). An issuer that wants to dispute these charges should submit a 1740-780 Fee Collection containing a DE 25 Message Reason Code of either 7611 or 7612.</p> | Yes                                                                                                                            | Yes                                                              |                                                                                                               |



| Message Reason Code | Message Reason Code Description                                                                                                                                                           | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7616                | Handling fee (acquirer-originated) for second presentment of reason codes 4812 and 4835 for chip transactions where transaction certificate and DE 55 are present in the clearing message | Yes                                                                                                                            | Yes                                                              |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7616                | <p>OR</p> <p>Handling fee (issuer-originated) for First Presentment chip transactions where DE 55 is either not present or is non-compliant in the clearing message.</p> <p>When submitting DE 25 with this message reason code, issuers can use the Retrieval Request ID (a unique ID generated by the MasterCom system for each record), found in PDS 0249 (MasterCom Record ID) in a Retrieval Request/ 1644-603, in the following manner, to indicate the purpose for submitting this reason code: RR<br/>XXXXXXXXXX<br/>MMDYY RR =<br/>retrieval request<br/>XXXXXXXXXX =<br/>MasterCom<br/>Retrieval IR<br/>MMDDYY =</p> |                                                                                                                                |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                         | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
|                     | retrieval request date<br><br>DE 3, s1 = 19, credit to sender                                                                                                           |                                                                                                                                |                                                                  |                                                                                                               |
| 7617                | Adjustment for promotional transactions<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                                                    | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7618                | Reversal of previously reimbursed State Fuel Tax<br><br>*Not valid for intra-European and inter-European transactions<br><br>DE 3, s1 = 19, credit to sender            | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7619                | Emergency card replacement center, cash advance lockbox fee<br><br>DE 3, s1 = 19, credit to sender<br><br>*Not valid for intra-European and inter-European transactions | Yes*                                                                                                                           |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                              | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7621                | ATM Balance Inquiry Fee<br><br>DE 3, s1 = 19, credit to sender<br><br>*Reserved for intra-European and inter-European use                                                                                                                                                                                                    | Yes*                                                                                                                           |                                                                  | Yes*                                                                                                          |
| 7622                | Handling Fee for Authorization Related Chargebacks (4807, 4808, and 4847); for issuer use in a Fee Collection (Handling Fee) message after sending First Chargeback/1442 for one of the specified authorization related chargebacks<br><br>DE 3, s1 = 19, credit to sender<br><br>*Not valid for Intra-European transactions | Yes*                                                                                                                           |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                      | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7623                | <p>Handling Fee for Authorization-Related Chargebacks (4807, 4808, and 4847); for acquirer use in a Fee Collection (Handling Fee) message after sending Second Presentment/1240, which indicates that the transaction was authorized</p> <p>DE 3, s1 = 19, credit to sender</p> <p>*Not valid for intra-European and inter-European transactions</p> | Yes*                                                                                                                           |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                    | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7624                | Handling Fee for Authorization-Related Chargebacks (4807, 4808, and 4847); for issuer use in a Fee Collection (Handling Fee) message after sending Arbitration Chargeback/1442 for one of the specified authorization related chargebacks<br><br>DE 3, s1 = 19, credit to sender<br><br>*Not valid for Intra-European transactions | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7625                | PIN Management Service at ATM<br><br>DE 3, s1 = 19, credit to sender<br><br>*Reserved for intra-European and inter-European use                                                                                                                                                                                                    | Yes*                                                                                                                           |                                                                  | Yes*                                                                                                          |
| 7626                | Private Label Merchant Fee                                                                                                                                                                                                                                                                                                         | Yes                                                                                                                            | Yes                                                              | No                                                                                                            |

| Message Reason Code | Message Reason Code Description                                                                                                                  | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7627                | Failure to provide a merchant advice code in a Fee Collection (Handling Fee) message<br><br>DE 3 = 19 credit to sender                           | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7628                | Reclaim surcharge<br><br>*This is restricted to intra-European and European transaction-related services.<br><br>DE 3, s1 = 19, credit to sender | Yes*                                                                                                                           | Yes                                                              | Yes                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                         | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7700                | <p>Intracurrency agreement settlement; for settlement of amounts in accordance with an intracurrency agreement between transaction originator and transaction destination parties</p> <p>*Not valid for intra-European and inter-European transactions</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p> | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7701                | <p>Mastercard member settlement of fulfillment fees processed by MasterCom</p> <p>Intracountry Mexico fulfillment fees</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p>                                                                                                                                 | Yes                                                                                                                            | Yes                                                              |                                                                                                               |



| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                       | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7702                | Domestic ATM VAT Fees/Services<br>DE 3, s1 = 19, credit to sender<br>DE 3, s1 = 29, debit to sender                                                                                                                                   | Yes*<br>*Not valid for intra-European and inter-European transactions.                                                         | No                                                               | Yes                                                                                                           |
| 7703                | Domestic POS VAT Fees/Services, Customer calculates VAT (Value Added Tax)*<br>*Mexico Domestic<br>*Not valid for intra-European and inter-European transactions.<br>DE 3, s1 = 19, credit to sender<br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           | Yes                                                              | No                                                                                                            |
| 7704                | Bank Card Interchange fee, reverse interchange for ATM transactions<br>*Mexico Domestic<br>DE 3, s1 = 19, credit to sender<br>DE 3, s1 = 29, debit to sender                                                                          | Yes*                                                                                                                           |                                                                  | Yes                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                      | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7705                | Transactions below to threshold published, Customer calculates VAT (Value Added Tax)<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                                            | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |
| 7706                | Difference in interchange amount between member calculated and Mastercard calculated, Customer calculates VAT (Value Added Tax)<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                   | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7707                | Interest for late settlements,<br>Customer calculates VAT<br>(Value Added Tax)<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19,<br>credit to sender<br><br>DE 3, s1 = 29, debit<br>to sender         | Yes*                                                                                                                           | Yes                                                              | Yes                                                                                                           |
| 7708                | Non fulfilled documentation penalties,<br>Customer calculates VAT<br>(Value Added Tax)<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19,<br>credit to sender<br><br>DE 3, s1 = 29, debit<br>to sender | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |
| 7709                | Penalties on code 102 miscellaneous,<br>Customer calculates VAT<br>(Value Added Tax)<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19,<br>credit to sender<br><br>DE 3, s1 = 29, debit<br>to sender   | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                            | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7710                | Miscellaneous<br>*Mexico Domestic<br>DE 3, s1 = 19, credit to sender<br>DE 3, s1 = 29, debit to sender                                                                                     | Yes*                                                                                                                           | Yes                                                              | Yes                                                                                                           |
| 7711                | Pre, fund amount, offset for others<br>*Mexico Domestic<br>DE 3, s1 = 19, credit to sender<br>DE 3, s1 = 29, debit to sender                                                               | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |
| 7712                | Bank Card Interchange fee, balance inquiry interchange, Customer calculates VAT (Value Added Tax)<br>*Mexico Domestic<br>DE 3, s1 = 19, credit to sender<br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |
|                     | Difference in Negotiated Interchange (amounts/rates)                                                                                                                                       | Yes                                                                                                                            |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                    | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7750 to 7779        | Bilateral agreement settlement; for settlement of amounts in accordance with a bilateral agreement between transaction originator and transaction destination parties<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7780 to 7781        | Bilateral agreement settlement; for settlement of amounts in accordance with a bilateral agreement between transaction originator and transaction destination parties<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes                                                                                                                            | Yes                                                              |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                    | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7782<br>to<br>7789  | Bilateral agreement settlement; for settlement of amounts in accordance with a bilateral agreement between transaction originator and transaction destination parties<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7790<br>to<br>7799  | Bilateral agreement settlement; for settlement of amounts in accordance with a bilateral agreement between transaction originator and transaction destination parties<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes                                                                                                                            |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                             | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7800                | <p>Mastercard member settlement; for collection or payment of such things as member assessments, processed through the Mastercard Consolidated Billing System (MCBS) or case dispute amount or retrieval request fulfillment fees, processed by MasterCom.</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p> | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7813                | <p>Bank Card Interchange fee, Mexico interchange fee for arbitration</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p>                                                                                                                                                                                       | Yes                                                                                                                            | Yes                                                              |                                                                                                               |

**Fee Collection Return/1740 (Function Code = 780) and Fee Collection Arbitration Return/1740 (Function Code = 782)**

| <b>Message Reason Code</b> | <b>Message Reason Code Description</b>                                                                                                                                                                          | <b>Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages</b> | <b>Valid for intra-European and inter-European Maestro POS messages</b> | <b>Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages</b> |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| 7600                       | Lost/stolen telex/phone fee; for collection of lost stolen report fee and phone or telex costs incurred for taking a lost or stolen card report<br><br>DE 3, s1 = 19, credit to sender                          | Yes                                                                                                                                   |                                                                         |                                                                                                                      |
| 7601                       | Recovered card award fee; for collection of reward for a acceptor or financial institution employee when a card has been recovered<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes                                                                                                                                   | Yes                                                                     |                                                                                                                      |



| Message Reason Code | Message Reason Code Description                                                                                                                                            | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7602                | Emergency cash disbursement fee; for collection of fees associated with the handling of emergency cash disbursements to cardholders<br><br>DE 3, s1 = 19, credit to sender | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7603                | Compliance ruling settlement; for collection of a compliance ruling settlement amount<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender         | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7604                | Emergency card replacement fee; for collection of fees associated with the Emergency Card Replacement Service (ECR Service)<br><br>DE 3, s1 = 19, credit to sender         | Yes                                                                                                                            |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                         | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7605                | Warning bulletin handling fee, issuer-originated; for settlement of warning bulletin handling fees in accordance with Mastercard operating rules<br><br>DE 3, s1 = 19, credit to sender | Yes                                                                                                                            | Yes                                                              |                                                                                                               |
| 7606                | Good faith acceptance settlement; for settlement of the amount of a good faith acceptance<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                  | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7607                | Collection letter handling fee; for settlement of the amount of a collection letter acceptance<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender             | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                                            | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7608                | Telex authorization fee; for collection of fees associated with an international telex authorization<br><br>DE 3, s1 = 19, credit to sender                                                | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7610                | Investigation fee; for fee collection when an investigation report has been completed by an investigating member on behalf of the requesting member<br><br>DE 3, s1 = 19, credit to sender | Yes                                                                                                                            |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                  | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages |                                                                  |  | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|--|---------------------------------------------------------------------------------------------------------------|
|                     |                                                                                                                                                                                                                                                                                                                                                  | Valid for intra-European and inter-European Mastercard messages                                                                | Valid for intra-European and inter-European Maestro POS messages |  |                                                                                                               |
| 7611                | <p>Retrieval fee reversal; issuer-originated; acquirers may return; used to reverse a retrieval request fulfillment fee for documents never received or for invalid documents</p> <p>An issuer would use this code in response to receiving an invalid message from an acquirer containing code 7614.</p> <p>DE 3, s1 = 19, credit to sender</p> | Yes                                                                                                                            | Yes                                                              |  |                                                                                                               |
| 7612                | <p>Retrieval handling fee; issuer-originated; acquirers may return; used to penalize an acquirer for incorrect information verified by the retrieval request document</p> <p>DE 3, s1 = 19, credit to sender</p>                                                                                                                                 | Yes                                                                                                                            | Yes                                                              |  |                                                                                                               |
| 7613                | IIAS Nonfulfillment                                                                                                                                                                                                                                                                                                                              | No                                                                                                                             | No                                                               |  | No                                                                                                            |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7616                | <p>Handling fee for second presentment of reason codes 4812 and 4835 for chip transactions where transaction certificate and DE 55 are present in the clearing message. Acquirer-originated</p> <p>OR</p> <p>Handling fee for First Presentment chip transactions where DE 55 is either not present or is non-compliant in the clearing message. Issuer-originated.</p> <p>DE 3, s1 = 19, credit to sender</p> <p>*Issuer-originated handling fee is not valid for non-intra-European transactions</p> | Yes                                                                                                                            |                                                                  | Yes                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                          | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7617                | Adjustment for promotional transactions<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                                                     | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7618                | Reversal of previously reimbursed State Fuel Tax<br><br>*Not valid for intra-European and inter-European transactions<br><br>DE 3, s1 = 19, credit to sender             | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7619                | Emergency card replacement center, cash advance lockbox fee<br><br>DE 3, s1 = 19, credit to sender<br><br>*Not valid for intra-European and inter-European transactions. | Yes*                                                                                                                           |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                 | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7621                | ATM Balance Inquiry Fee<br><br>DE 3, s1 = 19, credit to sender<br><br>*Reserved for intra-European and inter-European use                                                                                                                                                                                                                       | Yes*                                                                                                                           |                                                                  | Yes*                                                                                                          |
| 7622                | Handling Fee for Authorization Related Chargebacks (4807, 4808, and 4847), for issuer use in a Fee Collection (Handling Fee) message after sending First Chargeback/1442 for one of the specified authorization-related chargebacks<br><br>DE 3, s1 = 19, credit to sender<br><br>*Not valid for intra-European and inter-European transactions | Yes*                                                                                                                           |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                       | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7623                | <p>Handling Fee for Authorization Related Chargebacks (4807, 4808, and 4847); for acquirer use in a Fee Collection (Handling Fee) message after sending Second Presentment/ 1240, which indicates that the transaction was authorized</p> <p>DE 3, s1 = 19, credit to sender</p> <p>*Not valid for intra-European and inter-European transactions</p> | Yes*                                                                                                                           |                                                                  |                                                                                                               |



| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                                         | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7624                | Handling Fee for Authorization Related Chargebacks (4807, 4808, and 4847); for issuer use in a Fee Collection (Handling Fee) message after sending Arbitration Chargeback /1442 for one of the specified authorization-related chargebacks<br><br>DE 3, s1 = 19, credit to sender<br><br>*Not valid for intra-European and inter-European transactions. | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7625                | PIN Management Service at ATM<br><br>DE 3, s1 = 19 credit to sender<br><br>*Reserved for intra-European and inter-European use                                                                                                                                                                                                                          | Yes*                                                                                                                           |                                                                  | Yes*                                                                                                          |
| 7626                | Private Label Merchant Fee                                                                                                                                                                                                                                                                                                                              | Yes                                                                                                                            | Yes                                                              | No                                                                                                            |

| Message Reason Code | Message Reason Code Description                                                                                                                    | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7627                | Failure to provide a merchant advice code in a Fee Collection (Handling Fee) message<br><br>DE 3, s1 = 19 credit to sender                         | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7628                | Reclaim surcharge.<br><br>* This is restricted to intra-European and European transaction-related services.<br><br>DE 3, s1 = 19, credit to sender | Yes*                                                                                                                           | Yes                                                              | Yes                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                         | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7700                | <p>Intracurrency agreement settlement; for settlement of amounts in accordance with an intracurrency agreement between transaction originator and transaction destination parties</p> <p>*Not valid for intra-European and inter-European transactions</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p> | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7701                | <p>Mastercard member settlement of fulfillment fees processed by MasterCom</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p>                                                                                                                                                                             |                                                                                                                                |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                       | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7702                | Domestic ATM VAT Fees/Services<br><br>*Not valid for intra-European and inter-European transactions.<br><br>-<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                                                            | Yes*                                                                                                                           | No                                                               | Yes                                                                                                           |
| 7703                | Domestic POS VAT Fees/Services, Customer calculates VAT (Value Added Tax)*<br><br>*Mexico Domestic<br><br>*Not valid for intra-European and inter-European transactions.<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           | Yes                                                              | No                                                                                                            |

| Message Reason Code | Message Reason Code Description                                                                                                                                                           | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7704                | Bank Card Interchange fee, reverse interchange for ATM transactions<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                  | Yes*                                                                                                                           |                                                                  | Yes                                                                                                           |
| 7705                | Transactions below to threshold published, Customer calculates VAT (Value Added Tax)<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                             | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7706                | <p>Difference in interchange amount between member calculated and Mastercard calculated, Customer calculates VAT (Value Added Tax)</p> <p>*Mexico Domestic</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p> | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |
| 7707                | <p>Interest for late settlements, Customer calculates VAT (Value Added Tax)</p> <p>*Mexico Domestic</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p>                                                        | Yes*                                                                                                                           | Yes                                                              | Yes                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                                       | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7708                | Non fulfilled documentation penalties, Customer calculates VAT (Value Added Tax)<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |
| 7709                | Penalties on code 102 miscellaneous, Customer calculates VAT (Value Added Tax)<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender   | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |
| 7710                | Miscellaneous<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                                                                    | Yes*                                                                                                                           | Yes                                                              | Yes                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                        | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7711                | Pre, fund amount, offset for others<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                                                               | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |
| 7712                | Bank Card Interchange fee, balance inquiry interchange, Customer calculates VAT (Value Added Tax)<br><br>*Mexico Domestic<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           | Yes                                                              |                                                                                                               |



| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                           | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7750 to 7779        | <p>Bilateral agreement settlement; for settlement of amounts in accordance with a bilateral agreement between transaction originator and transaction destination parties</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p> | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7780 to 7781        | <p>Bilateral agreement settlement; for settlement of amounts in accordance with a bilateral agreement between transaction originator and transaction destination parties</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p> | Yes                                                                                                                            | Yes                                                              |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                    | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7782 to 7789        | Bilateral agreement settlement; for settlement of amounts in accordance with a bilateral agreement between transaction originator and transaction destination parties<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7790 to 7799        | Bilateral agreement settlement; for settlement of amounts in accordance with a bilateral agreement between transaction originator and transaction destination parties<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes                                                                                                                            |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                             | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7800                | <p>Mastercard member settlement; for collection or payment of such things as member assessments, processed through the Mastercard Consolidated Billing System (MCBS) or case dispute amount or retrieval request fulfillment fees, processed by MasterCom.</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p> | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7813                | <p>Bank Card Interchange fee, Mexico interchange fee for arbitration</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p>                                                                                                                                                                                       | Yes                                                                                                                            | Yes                                                              |                                                                                                               |

**Fee Collection (Clearing System-generated)/1740 (Function Code = 783)**

| <b>Message Reason Code</b> | <b>Message Reason Code Description</b>                                                                                                                               | <b>Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages</b> | <b>Valid for intra-European and inter-European Maestro POS messages</b> | <b>Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages</b> |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| 7621                       | ATM Balance Inquiry Fee<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender<br><br>*Reserved for intra-European and inter-European use      | Yes*                                                                                                                                  |                                                                         | Yes*                                                                                                                 |
| 7625                       | PIN Management Service at ATM<br><br>DE 3, s1 = 19 credit to sender<br><br>DE 3, s1 = 29, debit to sender<br><br>*Reserved for intra-European and inter-European use | Yes*                                                                                                                                  |                                                                         | Yes*                                                                                                                 |
| 7629                       | Non-financial ATM Service fee<br><br>(declined transactions)                                                                                                         | Yes*                                                                                                                                  |                                                                         | Yes*                                                                                                                 |
| 7630                       | Wallet Authentication Fee                                                                                                                                            | Yes                                                                                                                                   | No                                                                      | No                                                                                                                   |

| Message Reason Code | Message Reason Code Description                                                                                                                                                   | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7702                | Domestic ATM VAT Fees/Services<br><br>*Not valid for intra-European and inter-European transactions.<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           | No                                                               | No                                                                                                            |
| 7703                | Domestic POS VAT Fees/Services<br><br>*Not valid for intra-European and inter-European transactions.<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           | No                                                               | No                                                                                                            |
| 7716                | Difference in Negotiated Interchange (amounts/rates)                                                                                                                              | Yes                                                                                                                            | N/A                                                              | N/A                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                                                                             | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7800                | <p>Mastercard member settlement; for collection or payment of such things as member assessments, processed through the Mastercard Consolidated Billing System (MCBS) or case dispute amount or retrieval request fulfillment fees, processed by MasterCom.</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p> | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7802                | <p>Interchange compliance adjustment; for settlement of financial amounts related to interchange compliance</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p>                                                                                                                                                | Yes                                                                                                                            |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                      | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7803                | Interchange compliance adjustment reversal; for settlement of financial amounts related to the reversal of a previous interchange compliance adjustment<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7804                | ATM transaction settlement; for settlement of daily ATM transaction amounts<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                                                                             | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                   | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7805                | <p>ATM intracountry switch fee settlement; for settlement of daily ATM transaction intracountry switch fees</p> <p>*Not valid for intra-European and inter-European transactions</p> <p>DE 3, s1 = 19, credit to sender</p>                       | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7806                | <p>ATM NICS switch fee settlement; for settlement of Single Message System NICS Switch Fees</p> <p>*Not valid for intra-European and inter-European transactions</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p> | Yes*                                                                                                                           |                                                                  |                                                                                                               |



| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                               | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7807                | <p>ATM intracountry first chargeback settlement; for settlement of daily ATM transaction intracountry first chargeback amounts</p> <p>*Not valid for intra-European and inter-European transactions</p> <p>DE 3, s1 = 29, debit to sender</p> | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7808                | <p>Miscellaneous Override Financial Adjustment</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p>                                                                                                               | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7811                | <p>Reimbursement of State Fuel Tax</p> <p>*Not valid for intra-European and inter-European transactions</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p>                                                      | Yes*                                                                                                                           |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                               | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7812                | Collection or return of collateral for security arrangement<br><br>*Not valid for intra-European and inter-European transactions<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7813                | Mexico IVA fees<br><br>* Not valid for intra-European and inter-European transactions<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                                            | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7820                | Disaster Relief Fund<br><br>*Not valid for intra-European and inter-European transactions<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender                                        | Yes*                                                                                                                           |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                       | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7821                | MCBS Emergency Borrowing Collection<br><br>*Not valid for intra-European and inter-European transactions<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7822                | Settlement Adjustment<br><br>*Not valid for intra-European and inter-European transactions<br><br>DE 3, s1 = 19, credit to sender<br><br>DE 3, s1 = 29, debit to sender               | Yes*                                                                                                                           |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                                                                        | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7823                | <p>Single Message System Offline Debit Settlement</p> <p>*Not valid for intra-European and inter-European transactions</p> <p>Single Message System feed via Settlement Account Management system (S.A.M.)</p> <p>DE 3, s1 = 19, credit to sender For Mastercard internal use only</p> | Yes*                                                                                                                           |                                                                  |                                                                                                               |
| 7824                | <p>Collection of reward amount as agreed upon between the customers</p> <p>DE 3, s1 = 19, credit to sender</p> <p>DE 3, s1 = 29, debit to sender</p>                                                                                                                                   | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |
| 7825                | Argentina Finance Fee                                                                                                                                                                                                                                                                  | Yes                                                                                                                            |                                                                  |                                                                                                               |
| 7826                | Argentina Finance Fee VAT                                                                                                                                                                                                                                                              | Yes                                                                                                                            |                                                                  |                                                                                                               |

| Message Reason Code | Message Reason Code Description                                                 | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Maestro ATM, Maestro manual cash disbursement and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|
| 7827                | EDP Adjustment Amount (Used only by the Mastercard Network for the EDP Service) | Yes                                                                                                                            | Yes                                                              | Yes                                                                                                           |

**Fee Collection Funds Transfer/1740 (Function Code = 790) and Fee Collection Funds Backout/1740 (Function Code = 791)**

| Message Reason Code | Message Reason Code Description                                                                                                                                                                                                             | Valid for (a) non-intra-European and non-inter-European messages AND (b) intra-European and inter-European Mastercard POS and manual cash disbursement messages | Valid for intra-European and inter-European Maestro POS messages | Valid for intra-European and inter-European Mastercard ATM, Maestro ATM, Maestro manual cash disbursement, and Cirrus messages |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| 7777                | Bilateral agreement settlement; for settlement of amounts in accordance with a bilateral agreement between transaction originator and transaction destination parties.<br>DE 3, s1 = 19, credit to sender<br>DE 3, s1 = 29, debit to sender | Yes                                                                                                                                                             | Yes                                                              | Yes                                                                                                                            |

## DE 26 (Acceptor Business Code [MCC])

DE 26 (Acceptor Business Code [MCC]) classifies the type of business applicable to the acceptor.

### Attributes

| Attribute           | Description |
|---------------------|-------------|
| Data Representation | n-4         |

| Attribute     | Description               |
|---------------|---------------------------|
| Data Length   | None                      |
| Data Field    | Fixed length, 4 positions |
| Subfields     | None                      |
| Justification | Right                     |

## Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | M   | .   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | M   | .   | M   |
| Second Presentment/1240                                              | M   | .   | M   |
| Financial Position Detail/1644                                       | .   | X   | C   |
| Retrieval Request/1644                                               | M   | .   | M   |
| Retrieval Request Acknowledgment/1644                                | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                                  | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

This data element contains a four-digit acceptor business code (MCC) that identifies the acceptor's primary business.

Acceptor business codes are required in Mastercard Financial transactions to qualify transactions for specific interchange rates.

DE 26 is mandatory in Retrieval Request/1644 and Retrieval Request Acknowledgment/1644 messages.

If PDS 0358 (Reconciled, Business Activity), subfield 7 ( Acceptor Classification Override Indicator) contains 0, DE 26 will also be present in the Financial Position Detail/1644 message, to provide totals based on the value in DE 26.

The four-position valid Mastercard Acceptor Business Code (MCC) that most reasonably and fairly represents the acceptor's primary business, must be presented in DE 26. For example, if a

large Internet retailer sells an item on behalf of a toy store, DE 26 should contain the MCC associated with the toy store. All MCCs recognized by Mastercard are published in the *Quick Reference Booklet*. For some transactions, Mastercard requires the use of a specific MCC. For example, gambling transactions require the use of MCC 7995.

## Values

Acceptor Business Codes comprise ISO standard business classification codes, augmented with additional classification codes.

The codes for all Mastercard programs and services are in the *Quick Reference Booklet*, which is periodically updated and made available to customer organizations.

Refer to the Interchange manuals for additional information about Mastercard interchange programs and their requirements, including valid DE 26 values for each interchange program, if applicable.

## DE 30 (Amounts, Original)

DE 30 (Amounts, Original) contains the amount data element values from the First Presentment/1240 or Fee Collection (Customer-generated)/1740 messages.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-24                       |
| Data Length         | None                       |
| Data Field          | Fixed length, 24 positions |
| Subfields           | 2                          |
| Justification       | Right                      |

## Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | •   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | M   | •   | M   |



| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Second Presentment/1240                                              | M   | .   | M   |
| Retrieval Request/1644                                               | M   | .   | M   |
| Retrieval Request Acknowledgment/1644                                | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | .   | M   |
| Fee Collection (Handling Fees)/1740                                  | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

DE 30 references the amount data elements (specifically, DE 4 [Amount, Transaction] and DE 5 [Amount, Reconciliation]) of the First Presentment/1240 or Fee Collection (Customer-generated)/1740.

In Fee Collection/1740 messages that are generated for reasons other than retrieval fee billing, the sender optionally may provide DE 30 in a Fee Collection Return/1740, Fee Collection Resubmission/1740, or Fee Collection Arbitration Return/1740. In this case, DE 30 contains the DE 4 value from the original Fee Collection (Customer-generated)/1740.

### Related PDSs

Whenever DE 30 is included in a message, PDS 0148 (Currency Exponents) and PDS 0149 (Currency Codes, Amounts, Original) must be included to identify the currency codes and exponents of the original amount subfields.

## DE 30 subfields

This data element consists of two subfields.

### DE 30 Subfields

| Number | Positions | Name                            | Attribute | Justification             |
|--------|-----------|---------------------------------|-----------|---------------------------|
| 1      | 1–12      | Original Amount, Transaction    | n-12      | right, with leading zeros |
| 2      | 13–24     | Original Amount, Reconciliation | n-12      | right, with leading zeros |

### Subfield 1 (Original Amount, Transaction)

Subfield 1 (Original Amount, Transaction) must contain DE 4 from the First Presentment/1240 or Fee Collection (Customer-generated)/1740.

## Subfield 2 (Original Amount, Reconciliation)

Subfield 2 (Original Amount, Reconciliation) must contain all zeros.

## DE 31 (Acquirer Reference Data)

DE 31 (Acquirer Reference Data) is data an acquirer supplies in an acquirer-originated message that may be required for an issuer to return to the acquirer in a subsequent message.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-23                       |
| Data Length         | 2 positions, value = 23    |
| Data Field          | Fixed length, 23 positions |
| Subfields           | 5                          |
| Justification       | N/A                        |

ISO defines DE 31 as a variable-length field. The data in DE 31 is preceded by a two-position length field. In the IPM format, customers must precede DE 31 data with a two-position length field. This length field always contains the value 23 and the data that follows must be exactly 23 positions long.

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | M   | .   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | M   | .   | M   |
| Second Presentment/1240                               | M   | .   | M   |
| Retrieval Request/1644                                | M   | .   | M   |
| Retrieval Request Acknowledgment/1644                 | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740           | M   | .   | M   |
| Fee Collection (Handling Fees)/1740                   | M   | .   | M   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

The acquirer reference data in a Second Presentment/1240 message must be the same as the acquirer reference data in the First Presentment/1240 and Chargeback/1442 messages.

The data must be returned to the acquirer in subsequent related life cycle messages, including Retrieval Request/1644, Retrieval Request Acknowledgment/1644, First Chargeback/1442, Second Presentment/1240, and Arbitration Chargeback/1442 messages related to the First Presentment/1240.

GCMS requires the six-digit acquiring BIN in DE 31, positions 2–7, for all applicable transactions.

If DE 31 is not provided in the Fee Collection/1740 message for the collection of handling fees, the receiving customer has the right to return the message.

### Values

DE 31 must be numeric.

## DE 31 subfields

DE 31 consists of five subfields.

### DE 31 (Acquirer Reference Data) subfields

| Number | Positions | Name                                                                                                                       | Attribute |
|--------|-----------|----------------------------------------------------------------------------------------------------------------------------|-----------|
| 1      | 1         | Mixed Use; any numeric value                                                                                               | n-1       |
| 2      | 2–7       | Contains the 6-digit Acquirer Reference ID.                                                                                | n-6       |
| 3      | 8–11      | Julian Processing Date YDDD contains the Julian processing date the acquirer assigned to the First Presentment/1240.       | n-4       |
| 4      | 12–22     | Acquirer's Sequence Number contains the sequence number that the acquirer assigned to the First Presentment/1240; numeric. | n-11      |
| 5      | 23        | Check Digit Numeric; Luhn Formula Modulus-10 algorithm determines value on the previous 22 positions.                      | n-1       |

## DE 32 (Acquiring Institution ID Code)

DE 32 (Acquiring Institution ID Code) identifies the transaction acquirer.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n...11; LLVAR             |
| Data Length         | 2 positions value = 01–11 |
| Data Field          | Variable length, 1–11     |
| Subfields           | None                      |
| Justification       | Right, with leading zeros |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | O   | •   | C   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | •   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | •   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | O   | •   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | •   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | •   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | O   | •   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | O   | •   | C   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | O   | •   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | O   | •   | C   |

Data element and private data subelement definitions and details  
DE 32 (Acquiring Institution ID Code)

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing, Detail)/1644               | O   | .   | C   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                   | O   | .   | C   |
| Financial Detail Addendum (Lodged Account Detail)/1644                   | O   | .   | C   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644    | O   | .   | C   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644   | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | O   | .   | C   |
| Financial Detail Addendum (Generic Detail)/1644                          | O   | .   | C   |
| Financial Detail Addendum (Healthcare)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                    | O   | .   | C   |
| Second Presentment/1240                                                  | O   | .   | C   |
| Retrieval Request/1644                                                   | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                    | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                              | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                                      | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing and Handling Fees)/1740 | O   | .   | C   |

For clearing system transactions, this data element may identify the financial institution that owns the merchant agreement.

DE 32 supplements the acquiring customer ID (located in either DE 94 [Transaction Originator Institution ID Code] or DE 93 [Transaction Destination Institution ID Code]) by providing additional information about the agent bank relationship. If the issuer returns DE 32 to the acquirer in subsequent chargebacks, the acquirer may more easily determine the institution responsible for the transaction.

## Values

When present in clearing system messages, this data element contains a value the acquirer assigns.

This value may be any proprietary numeric value as the acquirer determines.

When present, DE 32 must be numeric and cannot contain all zeros.

## DE 33 (Forwarding Institution ID Code)

DE 33 (Forwarding Institution ID Code) identifies a message's forwarding institution.

A forwarding institution is the institution in a transaction flow that sends a message forward from the originating institution.

## Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | n...11; LLVAR                   |
| Data Length         | 2 positions value = 06–11       |
| Data Field          | Variable length, 6–11 positions |
| Subfields           | None                            |
| Justification       | Right                           |

## Current processing restrictions

The clearing system accepts a DE 33 length of 6–11 positions but expects this element to contain zeros in all but the last six positions. Only the last six positions are passed along to the receiver of the message.

## Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

## Applicable messages

| Message Type Identifier                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | M   | .   | M   |

| Message Type Identifier                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | M   | .   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644     | M   | .   | M   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                     | M   | .   | M   |
| Financial Detail Addendum (Lodging Summary)/1644                           | M   | .   | M   |
| Financial Detail Addendum (Temporary Services)/1644                        | M   | .   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                 | M   | .   | M   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                | M   | .   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                | M   | .   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                 | M   | .   | M   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                     | M   | .   | M   |
| Financial Detail Addendum (Lodged Account Detail)/1644                     | M   | .   | M   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644      | M   | .   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644     | M   | .   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644   | M   | .   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644   | M   | .   | M   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                | M   | .   | M   |
| Financial Detail Addendum (Generic Detail)/1644                            | M   | .   | M   |
| Financial Detail Addendum (Healthcare)/1644                                | M   | .   | M   |
| Financial Detail Addendum (Private Label Common Data)/1644                 | M   | .   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644            | M   | .   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                      | M   | X   | M   |
| Second Presentment/1240                                                    | M   | .   | M   |
| Retrieval Request/1644                                                     | M   | X   | M   |

| Message Type Identifier                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Retrieval Request Acknowledgment/1644                                | M   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | .   | M   |

DE 33 contains the clearing system customer ID or Processor ID of the processing facility that transmits a message.

### Values

This data element must contain a valid customer ID or Processor ID number.

## DE 37 (Retrieval Reference Number)

DE 37 (Retrieval Reference Number) is a transaction reference number that the acceptor's or designated agent's system supplies. DE 37 retains the transaction's original source information. This reference number assists in locating that source information (or a copy).

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-12                     |
| Data Length         | None                       |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | None                       |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |



| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |

This data element is for the exclusive use of acceptor systems that retain the original transaction source documentation such as electronic receipts, paper receipts, imprinted tickets, and cardholder signature documents.

Acquirer systems may assign a unique receipt or sales document identifier to satisfy regulatory or legal requirements when the merchant performs source document capture and truncation.

DE 37 should be supplied on European-acquired debit activity. The Single Message System application uses this field and some additional fields for matching the clearing message to information provided in the authorization response message. An unsuccessful match may result in Mastercard Network-generated chargebacks to the acquirer.

For ATM or electronic POI terminal usage, DE 37 may contain the transaction sequence number the terminal assigns.

### Values

If present, this element cannot contain all spaces or zeros.

## DE 38 (Approval Code)

DE 38 (Approval Code) is a code the authorizing institution assigns indicating approval.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-6                     |
| Data Length         | None                      |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | Left                      |

## Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

## Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | C   | .   | C   |
| Second Presentment/1240                                              | C   | .   | C   |
| Retrieval Request/1644                                               | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                                  | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

This data element transmits a card issuer's authorization code for approved transactions. The acceptor may retain this code to verify that proper authorization was received.

In First Presentment/1240 messages and related cardholder life cycle transactions, this data element contains the actual approval response code the issuer or its agent sends in response to an authorization request.

If DE 38 is present in a First Presentment/1240 message, DE 38 should be provided on all subsequent cycles (First Chargeback, Second Presentment, and so on).

For each transaction authorized via the Mastercard Network ("online-authorized transactions"), DE 38 of the First Presentment/1240 message must be populated with the same value contained in DE 38 of the related Authorization Request Response/0110 message, or for automated fuel dispenser (MCC 5542 and CAT level 2) transactions occurring in the U.S. or Canada regions, the related Authorization Advice Response/0130 message.

This requirement does not apply to transactions where online authorization is not requested or required, such as offline-authorized chip-read transactions, credit (purchase return) transactions, and Collection Only transactions.

DE 38 must be present for all Mastercard Account Level Management transactions. DE 38 should be retained and returned through all subsequent messages in the lifecycle. Account Level Management transactions require DE 38 for correct processing. For more information about Account Level Management services refer to the *Account Level Management Manual*.

Transactions for the accounts participating in the Co-Brand Proprietary Transaction Management require this data element for correct processing.

DE 38 must be present for all Mastercard® MoneySend™ transactions where (a) PDS 0043 (Transaction Type Identifier) equals C07, C52, C53, C54, C55, C56, C57, C58, C59, or C65 and (b) DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type) equals 28 (Payment Transaction).

### Values

This data element must contain an issuer's authorization response code formatted according to Corporation operating rules.

If present, this data element must be left-justified with trailing spaces if not the full 6 positions and cannot contain all spaces, all low values, or all high values. In addition, it cannot contain embedded spaces.

DE 38 must not be present if DE 22 (Point of Service [POS] Entry Mode) is present and DE 22, subfield 7 = F, indicating an offline chip transaction. (This does not apply to intracountry business service arrangements.)

DE 38 is required for all U.S., Canada, Moldova, and Ukraine First Presentment/1240 messages being submitted for incentive interchange. (This excludes transactions submitted for standard IRD, credits, and reversals.)

For transactions authorized via the network, the sixth position of DE 38 could contain an identifier indicating that the cardholder is a participant in Account Level Management, World Elite Spend Shortfall, or World Mastercard Spend Shortfall. Refer to the *Account Level Management Manual* for more information.

DE 38, position 6 may contain any of the account category codes when the account range is participating in an account level management service. This table describes the code values.

### Account category codes and descriptions

| Value | Description                                                                 |
|-------|-----------------------------------------------------------------------------|
| B     | Enhanced Value                                                              |
| M     | Enhanced Value and Product Graduation Plus                                  |
| B     | High Spend                                                                  |
| S     | Premium High Spend                                                          |
| P     | Product Graduation Plus                                                     |
| E     | Consumer Product Monitoring Service: World Qualified                        |
| G     | Consumer Product Monitoring Service: Name for GCMS Product ID MPE Qualified |
| J     | Consumer Product Monitoring Service: World Elite Qualified                  |

| Value | Description                                                           |
|-------|-----------------------------------------------------------------------|
| Q     | Consumer Product Monitoring Service: Muse Mastercard Qualified        |
| A     | Consumer Product Monitoring Service: Muse Mastercard Requalified      |
| X     | Consumer Product Monitoring Service: World Elite Requalified          |
| Y     | Affluent Shortfall World Mastercard and Product Graduation Plus       |
| W     | Affluent Shortfall World Mastercard                                   |
| W     | Affluent Shortfall World Elite Mastercard                             |
| Y     | Affluent Shortfall World Elite Mastercard and Product Graduation Plus |
| C     | Small Business Spend Level 1                                          |
| E     | Small Business Spend Level 2                                          |
| G     | Small Business Spend Level 3                                          |
| J     | Small Business Spend Level 4                                          |
| Q     | Small Business Spend Level 5                                          |
| H     | Small Business Spend Level 3 and Product Graduation Plus              |
| K     | Small Business Spend Level 4 and Product Graduation Plus              |
| D     | Small Business Spend Level 1 and Product Graduation Plus              |
| F     | Small Business Spend Level 2 and Product Graduation Plus              |
| R     | Small Business Spend Level 5 and Product Graduation Plus              |
| S     | World High Value                                                      |
| T     | World High Value and Product Graduation Plus                          |
| Z     | No Service: PAN not registered for ALM Activate Account Range         |

Spend shortfall identifiers are described in this table.

### Spend shortfall identifiers

| Value | Description                            |
|-------|----------------------------------------|
| W     | Spend Shortfall                        |
| Y     | Spend Shortfall and Product Graduation |

## DE 40 (Service Code)

DE 40 (Service Code) provides codes that increase flexibility in issuer-defined card acceptance parameters.

These codes also provide acquirers with the ability to interpret card acceptance preferences for all point-of-interaction (POI) conditions.

The service code is an issuer-defined, three-digit value on the magnetic stripe (tracks 1 and 2) and on the chip of a bankcard. The service code instructs the POI terminal about conditions under which the card may be used.

The service code first-digit value of 2 or 6 can only be defined on chip cards:

- That comply with both Mastercard and Visa (EMV chip).
- In which the application on the magnetic stripe matches the application on the chip.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-3                       |
| Data Length         | None                      |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

## Values

DE 40 is required to validate eligibility for some interchange programs. In such cases, acquirers must populate DE 40 with the service code value available on the card. Refer to the *Interchange Manual* for details.

Issuers may find more information about the physical and magnetic characteristics of chip cards in *International Organization for Standardization (ISO) 7813*.

## DE 41 (Acceptor Terminal ID)

DE 41 (Acceptor Terminal ID) identifier assigned by the acceptor or the acquirer to the terminal, payment gateway, or other acceptance device used to capture account data to effect a transaction at the acceptor location.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-8                     |
| Data Length         | None                      |
| Data Field          | Fixed length, 8 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                   | O   | .   | C   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

DE 41 is required in intra-European and inter-European ATM First Presentment/1240 messages.

### Values

If present, DE 41 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### Processing rules

The Acceptor Terminal ID must be present in all transactions.

Acceptor Terminal ID must uniquely identify each point-of-sale terminal and ATM terminal at the acceptor location. For electronic commerce, phone/mail order, or other card-not-present environments, the value must uniquely identify each payment gateway or other device used to capture account data at the acceptor location.

## DE 42 (Acceptor ID)

DE 42 (Acceptor ID) contains the identifier assigned by the acquirer to the acceptor and its location, or to the payment facilitator.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-15                     |
| Data Length         | None                       |
| Data Field          | Fixed length, 15 positions |
| Subfields           | None                       |
| Justification       | Left                       |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | C   | .   | C   |
| Second Presentment/1240                                              | C   | .   | C   |
| Retrieval Request/1644                                               | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                                  | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | C   | .   | C   |

DE 42 is required for all First Presentment/1240 transactions and will be edited except for ATM transactions.

DE 42 is required in First Chargeback/1442, Second Presentment/1240 transactions submitted for specific U.S.-to-U.S. interchange programs when DE 26 is equal to 5542 (Automated Fuel Dispenser).

DE 42 is required for all Fee Collection (Other than Retrieval Fee Billing/handling Fees)/1740-790 and 791 Funds Transfer messages generated by Mastercard on behalf of the customer. This requirement does not apply to U.K. Domestic Maestro activity. Refer to the *Interchange Manual* for specific IRD requirements.

### Values

The acquirer assigns DE 42 values. The values assigned must be unique for each acceptor name/location identified in DE 43 (Acceptor Name/Location) within the acquiring BIN ID. Mastercard recommends that DE 42 values not be reassigned to a different acceptor name/location until the values have been inactive for a minimum of three years. This practice helps to avoid ambiguity and erroneous tracking in fraud data analysis and reporting.

If present, DE 42 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### Processing rules

The Acceptor ID must be present in all transactions and must uniquely identify each acceptor and its location.

Payment facilitator-enabled transactions must uniquely identify the payment facilitator. The Acceptor ID of the sponsored merchant must be provided in the sponsored merchant ID data element.



## DE 43 (Acceptor Name and Location)

DE 43 (Acceptor Name and Location) contains the name and location of the acceptor point of interaction.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...99; LLVAR                  |
| Data Length         | 2 positions, value = 20–99       |
| Data Field          | Variable length, 20–99 positions |
| Subfields           | 6                                |
| Justification       | Left                             |

### Current processing restrictions

DE 43, subfield 1 must have a minimum length of 1 and a maximum length of 22, excluding the backslash delimiter.

DE 43, subfield 2 must be adjusted to have the total length of DE 43 < = 99.

DE 43, subfield 3 must have a maximum length of 13, excluding the backslash delimiter.

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | M   | .   | M   |
| s1 Acceptor Name                                      | M   | .   | M   |
| s2 Acceptor Street Address                            | C   | .   | C   |
| s3 Acceptor City                                      | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | M   | .   | M   |
| s1 Acceptor Name                                      | M   | .   | M   |
| s2 Acceptor Street Address                            | O   | .   | C   |
| s3 Acceptor City                                      | C   | .   | C   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Second Presentment/1240                                              | M   | .   | M   |
| s1 Acceptor Name                                                     | M   | .   | M   |
| s2 Acceptor Street Address                                           | O   | .   | C   |
| s3 Acceptor City                                                     | C   | .   | C   |
| Retrieval Request/1644                                               | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                                  | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

This data element provides the business name, street address, and other location information about the acceptor.

For DE 43, Mastercard will support only the International Organization for Standardization (ISO)/IEC 8859-1:1998 (Latin Alphabet No. 1) character set usage in all subfields. This character set can be identified in several ways:

- In COBOL compiler options, the term would be Code Page 1140.
- In MVS Operating System information, the term CCSID 37 (EBCDIC Latin + 1, USA) is used.
- In ISO, it is identified as ISO8859-1.

All other standards must not be submitted in DE 43 but instead may be submitted in PDS 0171 (Alternate Acceptor Description Data) or PDS 0178 (Alternate Acceptor Description Data 2).

## Subfield 1 (Acceptor Name)

DE 43 (Acceptor Name and Location), subfield 1 (Acceptor Name) contains the name of the acceptor that should be recognizable by the cardholder and may include other descriptors, such as a store number.

### Subfield attributes and values

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 01    |
| Subfield Length     | n-2       | 22    |
| Data Representation | ans...22  |       |

| Attribute     | Value |
|---------------|-------|
| Justification | Left  |

### Subfield requirements

This subfield is mandatory and must contain data in First Presentments/1240, Second Presentments/1240, First Chargebacks/1442, and Arbitration Chargebacks/1442 messages. It must end with a backslash (\) delimiter and be left-justified. It is variable length, 1–22 positions. It cannot contain all low values, all high values, or all spaces. It cannot contain backslashes other than at the end of the subfield.

### Airline transaction requirements

For airline transactions acquired in the U.S. region, the abbreviated airline name, not to exceed nine positions, must be provided in the Acceptor Name for all messages. If more than nine positions are provided, anything after position 9 must be a space up to the backslash delimiter. The ticket number and complete itinerary data must be provided in the Financial Detail Addendum (Passenger Transport Detail)/1644 messages.

The airline ticket number must not be provided in the Acceptor Name. For airline transactions acquired outside the U.S. region, the abbreviated carrier name must be provided in positions 1–9, followed by the ticket number in the Acceptor Name subfield, if the customer is provided with the airline/railway ticket identifier.

### Processing rules

The Acceptor Name must be present for all transactions and contain a valid merchant/ATM owner/entity name that is most recognizable to the cardholder.

Unique identifiers, invoice numbers, or additional descriptors must be placed after the merchant/ATM owner/entity name.

When a merchant is a part of a chain or franchise, the name most recognizable to the cardholder must be provided at the beginning of the field, followed by a store number or other unique identifier for each location. For a chain or franchise that has been issued a Mastercard Assigned ID, all submitted transactions must contain the Mastercard Assigned ID data element.

For any MCC in the 3000-3350 range (Airlines), the Abbreviated Airline listed in Chapter 3 of the *Quick Reference Booklet* must be provided in positions 1-9 of the field followed by the Airline Ticket Number.

For any MCC in the 3351-3500 range (Automobile/Vehicle Rentals), the first nine characters of the Description listed in Chapter 3 of the *Quick Reference Booklet* must be provided in positions 1-9 of the field. If acquired outside the U.S., this must be followed by a unique identifier for each location.

For any MCC in the 3501-3999 range (Hotels and Motels), the first nine characters of the Description listed in Chapter 3 of the *Quick Reference Booklet* must be provided in positions 1-9 of the field and then followed by a unique identifier for each location.

For MCC 4511, a U.S.-acquired airline transaction must contain only the airline name shortened to 9 positions. All other airline transactions must additionally contain the airline ticket number in this field.

The (ISO)/IEC 8859-1:1998 (Latin Alphabet No. 1) character set must be used.

### Program rules

Payment facilitator-enabled transactions: For information on populating the payment facilitator name in combination with the sponsored merchant name in this field, refer to section 5.8.3 Sponsored Merchant Name Information of the *Mastercard Rules*.

Staged digital wallet operator (SDWO): For information on populating the SDWO name in combination with the retailer name, when applicable, in this field, refer to Section 7.6.7 Staged Digital Wallet Operator Requirements of the *Mastercard Rules*.

Installment provider: For information on populating the installment provider name in combination with the retailer name in this field, refer to Section 5.5.2 Multiple-Authorization Installment Billing of the *Transaction Processing Rules*.

Business payment service provider (BPSP): For information on populating the BPSP name in combination with the supplier name in this field, refer to Section 7.6.8 Business Payment Service Provider (BPSP) Requirements of the *Mastercard Rules*.

Mastercard® rePower™ transactions must have the value "MC repower" following the merchant/ATM owner/entity name providing the service.

Payment Transactions must contain the name of the payment provider. Payee information must be provided in the Additional Transaction Reference Data and MoneySend Receiver Data data elements.

### Country rules

Mexico-acquired transactions must contain only:

- uppercase alpha characters (A-Z) (cannot contain accent characters)
- numeric characters (0–9)
- ampersand (&)
- asterisk (\*)
- space (cannot be the first character or contain more than one space between words)

## Subfield 2 (Acceptor Street Address)

DE 43 (Acceptor Name and Location), subfield 2 (Acceptor Street Address) contains the street address of the acceptor, which should include the street number, street name, and other identifiers of the precise location, such as a building or unit number.

### Subfield attributes and values

|                      | Attribute | Value |
|----------------------|-----------|-------|
| Subfield ID:         | n-2       | 02    |
| Subfield Length:     | n-2       | 48    |
| Data Representation: | ans...48  |       |
| Justification        | Left      |       |

### Subfield requirements

- For First Presentment/1240 messages, an acceptor address is mandatory for all non-ATM transactions. Refer to the appropriate regional *Interchange Manual* to determine the IRDs which require the presence of this subfield.
- A valid acceptor street address is required for First Presentment/1240, Second Presentment/1240, and First and Arbitration Chargeback/1442 transactions submitted for the appropriate Canada region interchange rate programs. For more information, refer to the *Interchange Manual Canada Region*.
- For First Presentment/1240 messages, DE 43, subfield 2 must be present for Commercial Card transactions in and between participating countries where value-added tax (VAT) applies. The edit validates that DE 43, subfield 6 (Acceptor Country Code) and the country code associated with the issuer account range in DE 2 (Primary Account Number) are on the list of participating countries. Participating VAT countries will be announced via an announcement and identified via the VAT Indicator in Table IP0028T1 (Country Codes) of the Mastercard Parameter Extract (MPE).
- If present, DE 43, subfield 2 must be left-justified and cannot contain all spaces, zeros, low values, or high values.
- This subfield cannot contain backslashes other than at the end of the subfield.
- Whether populated or not, this subfield must end with a backslash (\) delimiter.

### Values

Acceptor Street Address must contain all Address Line 1 and Address Line 2 information, including:

- The name of the street or thoroughfare.
- The locality or community.

- The building or house number.
- Any apartment, unit, suite, or floor number, if applicable.

This information must be populated and formatted as defined by country postal standards.

### Processing rules

The Acceptor Street Address must be present for all transactions and contain a valid location for the acceptor. The location of the acceptor will generally be the physical location where the transaction occurred or business location for transactions that occur virtually.

If the information for Acceptor Street Address does not exist per country postal standards, then the value of "Unavailable" must be provided.

### Program rules

Payment facilitator-enabled transactions: The sponsored merchant street address must be provided.

## Subfield 3 (Acceptor City Name)

DE 43, subfield 3 contains the city name of the acceptor.

### Subfield attributes and values

|                      | Attribute | Value |
|----------------------|-----------|-------|
| Subfield ID:         | n-2       | 03    |
| Subfield Length:     | n-2       | 13    |
| Data Representation: | ans...13  |       |
| Justification        | Left      |       |

### Subfield requirements

- The Acceptor City is mandatory on all transaction types except Payment Transactions and ATM Transactions.
- This subfield must contain only the Acceptor City and must not contain other information such as Acceptor Customer Service Phone Number, Acceptor URL Address, or other descriptors.
- For First and Second Presentment/1240 and Chargeback/1442 messages, the Acceptor City must be left justified and cannot contain all spaces or all zeros unless the transaction is an ATM or Payment Transaction.
- This subfield cannot contain backslashes other than at the end of the subfield.

- Whether populated or not, this subfield must end with a backslash (\) delimiter. It cannot contain all low values or all high values.
- This subfield must contain only the Acceptor City and must not contain other information such as Acceptor Customer Service Phone Number, Acceptor URL Address, or other descriptors.

### Values

Acceptor City Name must contain the name of the city, town, or village as defined by country postal standards.

For U.S. region transactions, Acceptor City Name must match the U.S. Postal Service list of acceptable cities and spellings by postal code.

### Processing rules

The Acceptor City Name must be present for all transactions and contain a valid location for the acceptor. The location of the acceptor will generally be the physical location where the transaction occurred or the business/operations location for transactions that occur virtually.

### Program rules

Payment facilitator-enabled transactions: The sponsored merchant city name must be provided.

## Subfield 4 (Acceptor Postal Code)

This subfield contains the postal code of the acceptor.

### Attributes

|                      |                             |
|----------------------|-----------------------------|
| Data Representation: | ans-10                      |
| Data Field:          | Contents of positions 84–93 |
| Justification:       | Left                        |

### Subfield requirements

- For U.S. region acceptors, acquirers must provide a five-digit or nine-digit ZIP Code.
- This subfield must be present and must contain a postal code or all spaces. This subfield cannot contain all low values or all high values.

### Processing rules

The Acceptor Postal Code must be present for all transactions and contain a valid code for countries that utilize postal codes. This information must be populated and formatted as defined by country postal standards.

## Program rules

Payment facilitator-enabled transactions: The sponsored merchant postal code must be provided.

## Subfield 5 (Acceptor Country Subdivision Code)

DE 43, subfield 5 (Acceptor Country Subdivision Code) contains the ISO 3166-2 code identifying the state, province, or other country subdivision of the acceptor.

## Attributes

|                      |                             |
|----------------------|-----------------------------|
| Data Representation: | ans-3                       |
| Data Field:          | Contents of positions 94–96 |
| Justification:       | Left                        |

## Subfield requirements

- For Presentments/1240, Chargebacks/1442, Retrievals/1644, and Fee Collections/1740, if DE 43, subfield 6 contains USA or CAN, subfield 5 must contain a valid country subdivision code for the country identified.
- When submitted for a First Presentment/1240 transaction, subfield 5 cannot contain all low values or high values.
- Mastercard will allow and populate DE 43, subfield 5 to contain text other than valid country subdivision code (for example: "com") when PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) contains value EZ for a U.S. Intra-regional or Canada intra-country Easy Savings transaction. Mastercard initiates these rebate transactions, which do not impact acquiring transactions.
- The U.S. Postal Service has established three state codes that, when combined with a five-digit ZIP Code from a specific range, will identify the Air/Army Post Office (APO) or Fleet Post Office (FPO) of a U.S. military unit. The U.S. military state codes are available for use in all authorization and clearing messages. Refer to the *Quick Reference Booklet* for more information.

## Values

Acceptor Country Subdivision Code must contain a valid code as defined in Chapter 2 of the *Quick Reference Booklet*.

## Processing rules

The Acceptor Country Subdivision Code must be present for all transactions when defined in Chapter 2 of the *Quick Reference Booklet*.



## Program rules

Payment facilitator-enabled transactions: The sponsored merchant country subdivision code must be provided.

## Subfield 6 (Acceptor Country Code)

DE 43, subfield 6 contains the ISO 3166-1 country code of the acceptor.

## Attributes

|                      |                             |
|----------------------|-----------------------------|
| Data Representation: | ans-3                       |
| Data Field:          | Contents of positions 97–99 |
| Justification:       | Left                        |

## Subfield requirements

- This subfield must contain a valid three-character ISO alphabetic country code in these messages:
  - First Presentment/1240
  - First Chargebacks/1442 and Arbitration Chargebacks/1442
  - Second Presentments/1240
  - Retrieval Request/1644
  - Retrieval Request Acknowledgment/1644
  - Fee Collection (Retrieval Fee Billing)/1740
  - Fee Collection (Handling Fees)/1740
  - Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740

## Values

Acceptor Country Code must contain a valid three-character alphabetic code as defined in Chapter 2 of the *Quick Reference Booklet*. When territories have a defined country code in the *Quick Reference Booklet*, that country code must be used.

## Processing rules

The Acceptor Country Code must be present for all transactions.

## Program rules

Payment facilitator-enabled transactions: The sponsored merchant country code must be provided.

## DE 48 (Additional Data)

DE 48 (Additional Data) contains one or more PDSs that may be required in a message to provide additional clearing system-related, program-related, or service data for which a specific ISO data element is unavailable.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...999; LLLVAR                |
| Data Length         | 3 positions, value = 008–999     |
| Data Field          | Variable length, 8–999 positions |
| Subelements         | See "Values"                     |
| Justification       | Left                             |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644                                                   | M   | •   | •   |
| File Header (Clearing System-generated)/1644                                            | •   | X   | M   |
| File Trailer (Customer-generated)/1644                                                  | M   | •   | •   |
| File Trailer (Clearing System-generated)/1644                                           | •   | X   | M   |
| First Presentment/1240                                                                  | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | M   | X   | M   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | M   | X   | M   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | M   | X   | M   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644                      | M   | X   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644               | M   | X   | M   |
| Financial Detail Addendum (Payment Transaction Detail)/1644              | M   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644              | M   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644               | M   | X   | M   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                   | M   | X   | M   |
| Financial Detail Addendum (Lodged Account Detail)/1644                   | M   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644    | M   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644   | M   | X   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | M   | X   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | M   | X   | M   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | M   | X   | M   |
| Financial Detail Addendum (Generic Detail)/1644                          | M   | X   | M   |
| Financial Detail Addendum (Healthcare)/1644                              | M   | X   | M   |
| Financial Detail Addendum (Private Label Common Data)/1644               | M   | X   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | M   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                    | M   | X   | M   |
| Second Presentment/1240                                                  | M   | X   | M   |
| File Currency Summary/1644                                               | .   | X   | M   |
| Financial Position Detail/1644                                           | .   | X   | M   |
| Settlement Position Detail/1644                                          | .   | X   | M   |
| Retrieval Request/1644                                                   | M   | X   | M   |
| Retrieval Request Acknowledgment/1644                                    | M   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                              | M   | X   | M   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Fee Collection (Handling Fees)/1740                                  | M   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | X   | M   |
| Message Exception/1644 and File Reject/1644                          | .   | X   | M   |
| Currency Update/1644                                                 | .   | X   | M   |

This data element is a carrier data field for private data subelements (PDSs) that supplement the original ISO 8583:1993 specification. These PDSs are annotated with the prefix PDS (for example, PDS 0001 and PDS 0158) for documentation purposes throughout this publication to distinguish them from the ISO-standard data elements, which are simply numbered DE 1–DE 128.

Encoding of PDSs is always initiated in DE 48. If the resulting data space required to contain all PDSs for a message exceeds the maximum length of DE 48 (999 positions), these data elements are employed, in sequential order, to contain PDS data:

- DE 62 (Additional Data 2)
- DE 123 (Additional Data 3)
- DE 124 (Additional Data 4)
- DE 125 (Additional Data 5)

DE 62, DE 123, DE 124, and DE 125 each may contain a maximum of 999 positions, each of encoded PDS information.

### Values

This data element contains one or more PDSs in PDS-encoded format.

PDSs are formatted using a tag-length-data encoding procedure, shown in this table.

### Values

| Number | Positions | Description           |
|--------|-----------|-----------------------|
| 1      | 1–4       | First PDS tag (ID)    |
| 2      | 5–7       | First PDS data length |
| 3      | 8–999     | First PDS data        |

Subfields 1–3 must be repeated as needed until all PDS data is presented or the total length of subfields 1, 2, and 3 causes the total length of DE 48 to exceed 999 positions.

## DE 49 (Currency Code, Transaction)

DE 49 (Currency Code, Transaction) defines the DE 4 (Amount, Transaction) currency.

### Attributes

|                     |                           |
|---------------------|---------------------------|
| Data Representation | n-3                       |
| Data Length         | None                      |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | M   | .   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | M   | .   | M   |
| Second Presentment/1240                                              | M   | .   | M   |
| File Currency Summary/1644                                           | .   | X   | M   |
| Financial Position Detail/1644                                       | .   | X   | C   |
| Settlement Position Detail/1644                                      | .   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | .   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | .   | M   |

DE 49 is required in messages whenever DE 4 is present. It also may be used in Reconciliation or Administrative messages to identify currencies referenced in those messages.

ISO standard currency codes define the currency type, the country of origin, and the implied decimal point location for the related amount data as defined in the ISO 4217 specification.

First Chargeback, Second Presentment, and Arbitration Chargeback messages must adhere to the currency rules outlined in the *Chargeback Guide* and *Quick Reference Booklet* where you can find the currency codes, which are also provided on the MPE. In some cases currency conversion is required based on these guidelines:

- Transactions that qualify for intracurrency settlement may use the intracurrency settlement currency.
- Intra-European and inter-European transactions (transactions exchanged between two European customers) allow for:
  - Original presentment transaction currency (DE49 from the First Presentment)
  - Reconciliation currency (DE50 from the previous message [DE50 from First Presentment when submitting First Chargeback]).
- All other conditions require the Chargeback, Second Presentment, and/or Arbitration Chargeback to be submitted in U.S. Dollars.

### Values

ISO standard numeric currency codes must be used.

This data element may contain the global base currency code in an acknowledgment 1644–680 or 1644–685 reconciliation message if the processed file contained only non-financial messages, depending on customer-reconciliation category options.

For First Presentment/1240 messages, DE 49 (Currency Code, Transaction) must be equal to DE 49 (Currency Code, Transaction) in the Authorization Request/0100 message.

**NOTE: If a First Presentment/1240 message is rejected and the acquirer submits a reversal for the rejected message within nine days, the clearing system will also reject the first presentment reversal. If the acquirer submits a reversal for a previously rejected first presentment more than nine days after the original message was processed and rejected, then the clearing system will not reject the reversal.**

### Related required data element and PDS

DE 4 (Amount, Transaction) and PDS 0148 (Currency Exponents) are required whenever DE 49 is present.

## DE 50 (Currency Code, Reconciliation)

DE 50 (Currency Code, Reconciliation) defines the DE 5 (Amount, Reconciliation) currency.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-3                       |
| Data Length         | None                      |
| Data Field          | Fixed length, 3 positions |

| Attribute     | Description |
|---------------|-------------|
| Subfields     | None        |
| Justification | N/A         |

## Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

## Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | C   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | •   | X   | M   |
| Second Presentment/1240                                              | •   | X   | M   |
| Financial Position Detail/1644                                       | •   | X   | M   |
| Settlement Position Detail/1644                                      | •   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | •   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | •   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | •   | X   | M   |
| Currency Update/1644                                                 | •   | X   | M   |

DE 50 is required in messages whenever DE 5 is present. If the transaction originator provides DE 5, it also must provide DE 50. The transaction originator should provide this only for a bilateral transaction, otherwise GCMS will override. If the clearing system provides DE 5, it will provide DE 50. It also may be used in Reconciliation or Administrative messages to identify currencies referenced in those messages.

ISO standard currency codes define the currency type, the country of origin, and the implied decimal point location for the related amount data as defined in the ISO 4217 specification.

## Values

ISO standard numeric currency codes must be used.

This data element may contain the global base currency code in an acknowledgment 1644–685 reconciliation message if the processed file contained only non-financial messages.

Refer to the *Quick Reference Booklet* where you can find the currency codes, which are also provided on the MPE.

### Related required data element and PDS

The following data element and PDS are required whenever DE 50 is present:

- DE 5 (Amount, Reconciliation)
- PDS 0148 (Currency Exponents)

## DE 51 (Currency Code, Cardholder Billing)

DE 51 (Currency Code, Cardholder Billing) defines the DE 6 (Amount, Cardholder Billing) currency, and DE 111 (Amount, Currency Conversion Assessment) currency.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-3                       |
| Data Length         | None                      |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Presentment, Addendum, and Chargeback Messages

| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| First Presentment/1240  | C   | X   | C   |
| Second Presentment/1240 | C   | X   | C   |

DE 51 is required in messages whenever DE 6 is present. If the transaction originator provides DE 6, it also must provide DE 51. The transaction originator should provide this only for a bilateral transaction; otherwise, GCMS will override. If the clearing system provides DE 6, it will provide DE 51.

ISO standard currency codes define the currency type, the country of origin, and the implied decimal point location for the related amount data as defined in the ISO 4217 specification.



## Values

ISO standard numeric currency codes must be used.

Refer to the *Quick Reference Booklet* where you can find the currency codes, which are also provided on the MPE.

## Related required data element and PDS

DE 6 (Amount, Cardholder Billing) and PDS 0148 (Currency Exponents) are required whenever DE 51 is present.

## DE 54 (Amounts, Additional)

DE 54 (Amounts, Additional) are additional amounts and related account data for which specific data elements have not been defined.

## Attributes

| Attribute           | Description                                       |
|---------------------|---------------------------------------------------|
| Data Representation | ans-20; LLLVAR                                    |
| Data Length         | 3 positions, value = 020–240 in increments of 20  |
| Data Field          | Variable length, 20–240 positions                 |
| Subfields           | 5 subfields for each additional amount occurrence |
| Occurrences         | 1–12                                              |
| Justification       | N/A or right                                      |

## Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

## Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

Transactions with surcharges (DE 54, subfield 2 = 42) are systemically permitted for all processing codes in DE 3 (Processing Code). However, customers should refer to the *Mastercard Rules* for standards pertaining to the areas in which they process.

DE 54 is required in Purchase with Cash Back transactions (Cardholder Transaction Type, DE 3, subfield 1 = 09) to indicate the cash back amount of the transaction.

The following describes usage expectations for transactions containing one or more of the following Amount Types: cash back amount, surcharge amount, or POI Amount.

- If DE 54 is present in a First Presentment/1240 message and indicates surcharging, customers:
  - Should not provide DE 54 in First Chargeback (Partial)/1442 or subsequent life cycle messages;
  - Should provide DE 54 in First Chargeback (Full)/1442 and subsequent life cycle messages;
  - Must provide the total amount of the Brand-Level Surcharge or Product-Level Surcharge amount in DE 54 in the First Chargeback/1442 message regardless of whether the chargeback is for the partial or full amount of the transaction and subsequent life cycle messages.
  - The first DE 54 occurrence will represent either the cash back amount information (DE 54, subfield 2 = 40) or the surcharging information (DE 54, subfield 2 = 42).
  - The second DE 54 occurrence will represent the original transaction amount and transaction currency, including either cash back amount or the surcharge amount.
- If DE 54 is present in a First Presentment/1240 message and indicates that a POI currency conversion service (also known as dynamic currency conversion [DCC]) was used by the cardholder, then the updated amount and currency are located in DE 4 (Amount, Transaction) and DE 49 (Currency Code, Transaction), respectively. DE 54 contains the original transaction amount and currency information.
- DE 54 will occur multiple times if Purchase with Cash Back (DE 3, subfield 1 [Cardholder Transaction Type] = 09) or surcharging occurs, and the POI currency conversion service (DCC) updated DE 4 (Amount, Transaction) and DE 49 (Currency Code, Transaction).
- Occurrences are described as follows:
  - The first DE 54 occurrence will represent either the cash back amount information (DE 54, subfield 2 = 40) or the surcharging information (DE 54, subfield 2 = 42).
  - The second DE 54 occurrence will represent the original transaction amount and transaction currency, including either cash back amount or the surcharge amount.

**NOTE: For information about the Brand-Level Surcharge or Product-Level Surcharge, refer to the *Mastercard Rules*.**

- Each DE 54 occurrence within a transaction must have a unique DE 54, subfield 2 (Additional Amount, Amount Type) value.
- The sum of all DE 54, subfield 5 occurrences should be equal to or less than DE 4 (Amount, Transaction). Occurrences with Amount, Surcharge (DE 54, subfield 2 = 42) and POI Amount (DE 54, subfield 2 = 58) are excluded from the sum.

In support of local government regulations, the Dual Message Clearing System determines whether interchange should be applied to transactions containing a surcharge. Interchange may be applied to surcharged transactions when:

- The combination of Card Program Identifier, Business Service Level and Business Service ID permits interchange with surcharging OR
- The Acceptor Country Code (DE 43, subfield 6) and the issuing account range (derived from PAN [DE 2]) country code are the same and the country permits interchange in combination with surcharging.

**NOTE: Although this edit will not produce an error, it will identify transactions qualifying for ATM surcharging.**

### Related required data elements and PDSs

For First Presentment/1240 messages in which a healthcare eligibility amount is included:

- DE 54, subfield 2 must be 10 (Healthcare Eligibility Amount)
- DE 54, subfield 3 must contain the same currency as DE 49 (Currency Code, Transaction)
- DE 54, subfield 4 must be C (Credit) or D (Debit)
- DE 54, subfield 5 must contain the healthcare eligibility amount

For First Presentment/1240 messages in which a prescription eligibility amount is included:

- DE 54, subfield 2 must be 11 (Prescription Eligibility Amount)
- DE 54, subfield 3 must contain the same currency as DE 49 (Currency Code, Transaction)
- DE 54, subfield 4 must be C (Credit) or D (Debit)
- DE 54, subfield 5 must contain the prescription eligibility amount

When DE 54 is present in First Presentment/1240 messages in which DE 3, subfield 1 (Cardholder Transaction Type) is 09 (Purchase with Cash Back):

- DE 54, subfield 2 must be 40 (Amount, Cash Back)
- DE 54, subfield 3 must contain the same currency as DE 49 (Currency Code, Transaction)
- DE 54, subfield 4 must be D (Debit)
- DE 54, subfield 5 must contain the cash back amount. This subfield may contain all zeros if the issuer has declined the cash back portion of the transaction. This amount must be less than the DE 4 (Amount, Transaction) amount.<sup>5</sup>

For First Presentment/1240 messages in which a surcharge is included:

- DE 54, subfield 2 must be 42 (Amount, Surcharge)
- DE 54, subfield 3 must contain the same currency as DE 49 (Currency Code, Transaction)
- DE 54, subfield 4 must be D (Debit).
- DE 54, subfield 5 must contain the surcharge amount.

---

<sup>5</sup> For intracountry India activity, the cash back amount can be equal to the DE 4 (Amount, Transaction) amount.

- For processing codes 30, 91, or 92, this amount must be equal to the DE 4 (Amount, Transaction) amount.
- For processing codes other than 30, 91 or 92, this amount must be less than the DE 4 (Amount, Transaction) amount.

For First Presentment/1240 messages when POI currency conversion (also known as dynamic currency conversion [DCC]) is performed, DE 54 must be present and:

- DE 54, subfield 2 must be 58 (Amount, POI Amount)
- DE 54, subfield 3 must contain the pre-conversion currency of the purchase or withdrawal, which must be a different currency from DE 49 (Currency Code, Transaction).

**NOTE: For First Presentment/1240 messages only.**

- DE 54, subfield 4 must be C (Credit) or D (Debit)
- DE 54, subfield 5 must contain the pre-conversion transaction amount. The cash back portion of a Purchase with Cash Back transaction, or a surcharge, will be included in this amount.

## DE 54 subfields

DE 54 may contain one to 12 occurrences of additional amounts.

Each additional amount consists of five subfields as defined in this table. Each field requires 20 positions; the length of this data element must be a multiple of 20, with a maximum length of 240 positions.

### DE 54 subfields

| Number | Positions | Name                             | Attribute            | Justification |
|--------|-----------|----------------------------------|----------------------|---------------|
| 1      | 1–2       | Additional Amount, Account Type  | n-2                  | N/A           |
| 2      | 3–4       | Additional Amount, Amount Type   | n-2                  | N/A           |
| 3      | 5–7       | Additional Amount, Currency Code | n-3                  | N/A           |
| 4      | 8         | Additional Amount, Amount Sign   | a-1, value of D or C | N/A           |
| 5      | 9–20      | Additional Amount, Amount        | n-12                 | Right         |

All subfields must be present for each amount occurrence when DE 54 is present.

### Subfield 1 (Additional Amount, Account Type)

The account type is a two-digit code as defined for digits 3 and 4 or digits 5 and 6 of DE 3 (Processing Code). The account type must be 00 (default account).

## Subfield 2 (Additional Amount, Amount Type)

The Amount Type that the clearing system supports for transactions is in this table.

### Subfield 2 (Additional Amount, Amount Type)

| Value | Description                        |
|-------|------------------------------------|
| 10    | Healthcare Eligibility Amount      |
| 11    | Prescription Eligibility Amount    |
| 12    | Vision Rx Eligibility Amount       |
| 17    | Prepaid Online Bill Pay Fee Amount |
| 40    | Amount, Cash Back                  |
| 42    | Amount, Surcharge                  |
| 44    | Amount Gratuity                    |
| 58    | Amount, POI Amount                 |

## Subfield 3 (Additional Amount, Currency Code)

Subfield 3 identifies the currency of the Additional Amount.

This subfield must contain a valid ISO numeric currency code.

Refer to the *Quick Reference Booklet* where you can find the currency codes, which are also provided on the MPE.

## Subfield 4 (Additional Amount, Amount Sign)

The amount sign indicates whether the Additional Amount must be debited (D) or credited (C). For all messages with a purchase with cash back, a surcharge amount type, or both, the sign must be D. For all other amount types, the sign is from the issuer's perspective on the First Presentment/1240 message and will not change in subsequent life cycle or reversal messages.

## Subfield 5 (Additional Amount, Amount)

Subfield 5 is the amount value for the Additional Amount Type in the Additional Amount Currency.

All currency amounts are expressed in the minor unit of currency without a decimal separator, in accordance with ISO standards for currency notation. For example, a transaction amount of GHP 212.50 is expressed as 000000021250.

The clearing system will verify that when the First Presentment/1240 message contains an Amount with Cash Back (DE 54, subfield 2 = 40) or an Amount, Surcharge (DE 54, subfield 2 = 42), these amounts must be equal to or less than the total transaction amount (DE 4). For processing codes 30, 91, or 92, this amount must be equal to the total transaction amount (DE 4). For processing codes other than 30, 91, or 92, this amount must be less than the total transaction amount (DE 4).

The Additional Amount, Amount must contain the amount in the same currency as DE 49 on life cycle messages.

## DE 55 (Integrated Circuit Card [ICC] System-Related Data)

DE 55 (Integrated Circuit Card [ICC] System-Related Data) contains data related to ICC systems.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | b...255; LLLVAR                  |
| Data Length         | 3 positions, value = 001–255     |
| Data Field          | Variable length, 1–255 positions |
| Subelements         | See "Values"                     |
| Justification       | N/A                              |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |

DE 55 must be provided for all chip transactions except for refund transactions.

If present, DE 55 cannot contain all spaces, all zeros, all low values, or all high values.

If present and maximum length (255), DE 55 must be left justified and zero (low value hex 00) filled.

If DE 55 is present and is greater than 255 characters in length, then the Dual Message Clearing System rejects the transaction.

### Values

DE 55 contains chip data formatted in accordance with the Europay, Mastercard, and Visa (EMV) chip specification.

If present, DE 55 cannot contain all spaces, zeros, low values, or high values.

DE 55 data is presented in binary format and contains the data used locally by a card's chip at a chip-capable terminal. In a First Presentment/1240, the acquirer should not modify this data but instead pass it unaltered to the issuer.

Chip data in DE 55 consists of a series of components in a "tag-length-data" format, similar to the presentation of PDSs in DE 48 (Additional Data). This table shows the layout.

### DE 55 layout

| Number | Positions      | Description                                  |
|--------|----------------|----------------------------------------------|
| 1      | 1 or 1-2       | First chip subelement tag (ID)               |
| 2      | 2 or 3         | First chip subelement data length            |
| 3      | 3-xxx or 4-xxx | First chip subelement data (variable length) |

Components 1–3 must be repeated as needed until all chip subelements are presented. The length of the tag component is either 1 or 2, depending on the definition of the tag in EMV chip. The length of the data length component is always one in DE 55.

### Mandatory and conditional subelements

When customers send DE 55 in clearing messages related to a chip transaction, the data elements in this table must be present.

### Mandatory and conditional subelements

| Subelement Description                                                                                                                   | Tag Value <sup>6</sup> | Format      | Component | Each Component Length <sup>7</sup> | Total Subelement Length <sup>8</sup> |
|------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------|-----------|------------------------------------|--------------------------------------|
| Application Cryptogram (AC)                                                                                                              | 9F26                   | b8          | tag       | 2                                  | 11                                   |
|                                                                                                                                          |                        | length      | 1         |                                    |                                      |
|                                                                                                                                          |                        | data        | 8         |                                    |                                      |
| Cryptogram Information Data                                                                                                              | 9F27                   | b1          | tag       | 2                                  | 4                                    |
|                                                                                                                                          |                        | length      | 1         |                                    |                                      |
|                                                                                                                                          |                        | data        | 1         |                                    |                                      |
| Issuer Application Data (IAD) (Must be provided by the acquirer if the corresponding data object is provided by the ICC to the terminal) | 9F10                   | b1..32, VAR | tag       | 2                                  | 4–35                                 |
|                                                                                                                                          |                        | length      | 1         |                                    |                                      |
|                                                                                                                                          |                        | data        | 1–32      |                                    |                                      |
| Cardholder Verification Method (CVM) Results                                                                                             | 9F34                   |             | b3        | tag                                | 2                                    |
|                                                                                                                                          |                        |             | length    | 1                                  | 6                                    |
|                                                                                                                                          |                        |             | data      | 3                                  |                                      |
| Terminal Capabilities                                                                                                                    | 9F33                   |             | b3        | tag                                | 2                                    |
|                                                                                                                                          |                        |             | length    | 1                                  | 6                                    |
|                                                                                                                                          |                        |             | data      | 3                                  |                                      |
| Unpredictable Number                                                                                                                     | 9F37                   | b4          | tag       | 2                                  | 7                                    |
|                                                                                                                                          |                        | length      | 1         |                                    |                                      |
|                                                                                                                                          |                        | data        | 4         |                                    |                                      |
| Application Transaction Counter                                                                                                          | 9F36                   | b2          | tag       | 2                                  | 5                                    |

<sup>6</sup> The hexadecimal representation is given here. Every two positions of hexadecimal data is one byte of binary data.

<sup>7</sup> Lengths are in binary format.

<sup>8</sup> "Total Subelement Length" is the sum of that subelement's tag, length, and data components.



Data element and private data subelement definitions and details  
DE 55 (Integrated Circuit Card [ICC] System-Related Data)

| Subelement Description          | Tag Value <sup>6</sup> | Format   | Component | Each Component Length <sup>7</sup> | Total Subelement Length <sup>8</sup> |
|---------------------------------|------------------------|----------|-----------|------------------------------------|--------------------------------------|
|                                 |                        | length   | 1         |                                    |                                      |
|                                 |                        | data     | 2         |                                    |                                      |
| Terminal Verification Result    | 95                     | b5       | tag       | 1                                  | 7                                    |
|                                 |                        | length   | 1         |                                    |                                      |
|                                 |                        | data     | 5         |                                    |                                      |
| Transaction Date                | 9A                     | b3 (n6)  | tag       | 1                                  | 5                                    |
|                                 |                        | length   | 1         |                                    |                                      |
|                                 |                        | data     | 3         |                                    |                                      |
| Transaction Type                | 9C                     | b1 (n2)  | tag       | 1                                  | 3                                    |
|                                 |                        | length   | 1         |                                    |                                      |
|                                 |                        | data     | 1         |                                    |                                      |
| Amount Authorized (numeric)     | 9F02                   | b6 (n12) | tag       | 2                                  | 9                                    |
|                                 |                        | length   | 1         |                                    |                                      |
|                                 |                        | data     | 6         |                                    |                                      |
| Transaction Currency Code       | 5F2A                   | b2 (n3)  | tag       | 2                                  | 5                                    |
|                                 |                        | length   | 1         |                                    |                                      |
|                                 |                        | data     | 2         |                                    |                                      |
| Application Interchange Profile | 82                     | b2       | tag       | 1                                  | 4                                    |
|                                 |                        | length   | 1         |                                    |                                      |
|                                 |                        | data     | 2         |                                    |                                      |
| Terminal Country Code           | 9F1A                   | b2 (n3)  | tag       | 2                                  | 5                                    |
|                                 |                        | length   | 1         |                                    |                                      |
|                                 |                        | data     | 2         |                                    |                                      |
| Dedicated File Name             | 84                     | b5...16  | tag       | 1                                  |                                      |
|                                 |                        | length   | 1         |                                    |                                      |

<sup>6</sup> The hexadecimal representation is given here. Every two positions of hexadecimal data is one byte of binary data.

<sup>7</sup> Lengths are in binary format.

<sup>8</sup> "Total Subelement Length" is the sum of that subelement's tag, length, and data components.

| Subelement Description                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Tag Value <sup>6</sup> | Format   | Component | Each Component Length <sup>7</sup> | Total Subelement Length <sup>8</sup> |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|----------|-----------|------------------------------------|--------------------------------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                        | data     | 5–16      |                                    |                                      |
| Amount, Other (numeric)                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 9F03                   | b6 (n12) | tag       | 2                                  | 9                                    |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                        | length   | 1         |                                    |                                      |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                        | data     | 6         |                                    |                                      |
| <p>When cash back is not allowed by product rules, 9F03 can only either be absent or present with a zero value. If cash back is allowed by product rules,</p> <ul style="list-style-type: none"> <li>• If there is a cash back amount, 9F03 carries the cashback amount, and this data element is mandatory.</li> <li>• If there is no cash back amount, the value of 9F03 will be zero, in which case 9F03 can either be absent or present with a zero value.</li> </ul> |                        |          |           |                                    |                                      |

## Optional subelements

Customers may send the optional subelements listed in this table.

<sup>6</sup> The hexadecimal representation is given here. Every two positions of hexadecimal data is one byte of binary data.

<sup>7</sup> Lengths are in binary format.

<sup>8</sup> "Total Subelement Length" is the sum of that subelement's tag, length, and data components.

### Optional subelements

| Subelement Description              | Tag Value <sup>9</sup> | Format    | Component | Each Component Length <sup>10</sup> | Total Subelement Length <sup>11</sup> |
|-------------------------------------|------------------------|-----------|-----------|-------------------------------------|---------------------------------------|
| Terminal Type                       | 9F35                   | b1 (n2)   | tag       | 2                                   | 4                                     |
|                                     |                        | length    | 1         |                                     |                                       |
|                                     |                        | data      | 1         |                                     |                                       |
| Interface Device Serial Number      | 9F1E                   | b8 (an 8) | tag       | 2                                   | 11                                    |
|                                     |                        | length    | 1         |                                     |                                       |
|                                     |                        | data      | 8         |                                     |                                       |
| Transaction Category Code           | 9F53                   | b1 (an 1) | tag       | 2                                   | 4                                     |
|                                     |                        | length    | 1         |                                     |                                       |
|                                     |                        | data      | 1         |                                     |                                       |
| Terminal Application version Number | 9F09                   | b2        | tag       | 2                                   | 5                                     |
|                                     |                        | length    | 1         |                                     |                                       |
|                                     |                        | data      | 2         |                                     |                                       |
| Transaction Sequence Counter        | 9F41                   | b2 (n..8) | tag       | 2                                   | 5-7                                   |
|                                     |                        | length    | 1         |                                     |                                       |
|                                     |                        | data      | 2-4       |                                     |                                       |
| Authenticated Application Data      | 9F60                   | b         | tag       | 2                                   | 4-130                                 |
|                                     |                        | length    | 1         |                                     |                                       |
|                                     |                        | data      | var-127   |                                     |                                       |
| Kernel Identifier-Terminal          | 96                     | b         | tag       | 1                                   | 10                                    |
|                                     |                        | length    | 1         |                                     |                                       |

<sup>9</sup> The hexadecimal representation is given here. Every two positions of hexadecimal data is one byte of binary data.

<sup>10</sup> Lengths are in binary format.

<sup>11</sup> "Total Subelement Length" is the sum of that subelement's tag, length, and data components.

| Subelement Description | Tag Value <sup>9</sup> | Format | Component | Each Component Length <sup>10</sup> | Total Subelement Length <sup>11</sup> |
|------------------------|------------------------|--------|-----------|-------------------------------------|---------------------------------------|
|                        |                        | data   | 8         |                                     |                                       |

This subelement may be present in the clearing message if it was present in the Authorization Request Response/0110 message.

#### Data from Authorization Request Response/0110

| Subelement description                                                                                | Tag Value | Format | Component | Each Component Length | Total Subelement Length |
|-------------------------------------------------------------------------------------------------------|-----------|--------|-----------|-----------------------|-------------------------|
| Issuer Authentication Data<br>(Provides data to be transmitted to the card for issuer authentication) | 91        | b8..16 | tag       | 1                     | 10–18                   |
|                                                                                                       |           | length | 1         |                       |                         |
|                                                                                                       |           | data   | 8–16      |                       |                         |

## DE 62 (Additional Data 2)

DE 62 (Additional Data 2) contains one or more PDSs that may be required in a message to provide additional clearing system-related, program-related, or service-related data for which a specific ISO data element is unavailable.

#### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...999; LLLVAR                |
| Data Length         | 3 positions, value = 008–999     |
| Data Field          | Variable length, 8–999 positions |
| Subelements         | See "Values"                     |
| Justification       | Left                             |

<sup>9</sup> The hexadecimal representation is given here. Every two positions of hexadecimal data is one byte of binary data.

<sup>10</sup> Lengths are in binary format.

<sup>11</sup> "Total Subelement Length" is the sum of that subelement's tag, length, and data components.

## Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

## Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | C   | X   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | C   | X   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | C   | X   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | C   | X   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | C   | X   | C   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | C   | X   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | C   | X   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | C   | X   | C   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                                  | C   | X   | C   |
| Financial Detail Addendum (Lodged Account Detail)/1644                                  | C   | X   | C   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644                   | C   | X   | C   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644                  | C   | X   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | C   | X   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                | C   | X   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                             | C   | X   | C   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Generic Detail)/1644                      | C   | X   | C   |
| Financial Detail Addendum (Healthcare)/1644                          | C   | X   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644           | C   | X   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644      | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | C   | X   | C   |
| Second Presentment/1240                                              | C   | X   | C   |
| File Currency Summary/1644                                           | .   | X   | C   |
| Financial Position Detail/1644                                       | .   | X   | C   |
| Settlement Position Detail/1644                                      | .   | X   | C   |
| Retrieval Request/1644                                               | C   | X   | C   |
| Retrieval Request Acknowledgment/1644                                | C   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | C   | X   | C   |
| Fee Collection (Handling Fees)/1740                                  | C   | X   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | C   | X   | C   |

This data element is a carrier data field for PDSs that supplement the ISO 8583:1993 specification.

Encoding of PDSs is always initiated in DE 48 (Additional Data). If the resulting data length required to contain all PDSs exceeds the maximum length of DE 48 (999 positions), these ISO data elements are employed, in sequential order, to contain the remaining PDS data:

- DE 62
- DE 123 (Additional Data 3)
- DE 124 (Additional Data 4)
- DE 125 (Additional Data 5)

DE 62, DE 123, DE 124, or DE 125 each may contain a maximum of 999 positions of encoded PDS information.

DE 62 is present in an IPM message only if DE 48 cannot contain the full length of encoded PDSs.

If both DE 48 and DE 62 are present in the message, DE 48 should contain as many complete PDSs (tag+length+data) as fits into 999 bytes. The remaining complete PDSs should be presented in DE 62, and then DE 123, DE 124, and finally DE 125, as needed.

Customers must not split a PDS between DE 48 and DE 62. If an entire PDS coding scheme (tag-length-data) causes DE 48 to exceed 999 positions, the entire PDS coding scheme (tag-length-data) must be presented in DE 62 instead. Therefore, the total length of DE 48 may be less than 999 positions, with DE 62 containing additional PDS data.

### Values

When present, this data element contains one or more PDSs in PDS-encoded format.

PDS data is formatted using a tag-length-data encoding procedure, shown in this table.

### Values

| Number | Positions | Description           |
|--------|-----------|-----------------------|
| 1      | 1–4       | First PDS tag (ID)    |
| 2      | 5–7       | First PDS data length |
| 3      | 8–999     | First PDS data        |

Subfields 1–3 must be repeated as needed until all PDS data is presented or the total length of subfields 1, 2, and 3 causes the total length of DE 62 to exceed 999 positions.

## DE 63 (Transaction Life Cycle ID)

DE 63 (Transaction Life Cycle ID) contains subfields that allow for transaction life cycle control.

All life cycle messages such as authorizations, financials, reversals, retrievals, fulfillments, and chargebacks are linked with the Life Cycle Support Indicator and Trace ID subfields.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-16; LLLVAR             |
| Data Length         | 3 positions, value = 016   |
| Data Field          | Fixed length, 16 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

ISO defines DE 63 as a variable-length field. Therefore, the DE 63 data is preceded by a three-position length field. In the IPM format, customers still must precede the DE 63 data with a

three-position length field. This length field always will contain the value 016, and the data that follows always must be exactly 16 positions long.

## Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | C   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | C   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | C   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | C   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | C   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | C   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | C   | .   | C   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | C   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | C   | .   | C   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                                  | C   | .   | C   |
| Financial Detail Addendum (Lodged Account Detail)/1644                                  | C   | .   | C   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644                  | C   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | C   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                | C   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                             | C   | .   | C   |
| Financial Detail Addendum (Generic Detail)/1644                                         | C   | .   | C   |



| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Healthcare)/1644                          | C   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644           | C   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644      | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | C   | .   | C   |
| Second Presentment/1240                                              | C   | .   | C   |
| Retrieval Request/1644                                               | C   | .   | C   |
| Retrieval Request Acknowledgment/1644                                | C   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | C   | .   | C   |
| Fee Collection (Handling Fees)/1740                                  | C   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | C   | .   | C   |

DE 63 data may be assigned at the time that the first message in the transaction life cycle is presented, usually at authorization. This data element consists of two subfields:

- Life Cycle Support Indicator
- Trace ID

DE 63 must be present in the First Presentment/1240 message for all transactions authorized via the Mastercard Network ("online-authorized transactions"). This requirement does not apply to transactions where online authorization is not requested or required, such as offline-authorized chip-read transactions, and Collection Only transactions.

Life cycle messages such as Authorization Request/0100, First Presentment/1240, Retrieval Request/1644, Retrieval Request Acknowledgment/1644, First Chargeback/1442, Second Presentment/1240, and Arbitration Chargeback/1442 messages are linked with this data element.

DE 63 should always be retained and returned throughout all subsequent messages in the life cycle.

DE 63 is required for European acquired activity destined for processing through the network unless DE 22 (Point of Service [POS] Entry Mode), subfield 7 (Card Data: Input Mode) = F (Offline Chip). This activity can be identified via one of the these situations:

- First presentment interregional ATM transactions
- First presentment PIN-based Maestro or Cirrus manual cash disbursement transactions
- First presentment interregional Maestro retail transactions
- First presentment European intraregional ATM or retail Enhanced Gateway transactions

Credit (Purchase Return) transactions are exempt from this requirement.

**NOTE: Enhanced Gateway transactions are defined as those from a Europe region acquirer for which the ATM Indicator is equal to 5 and for which the ATM Indicator of the issuer is equal to 4.**

Alternate Automated Fuel Dispenser Clearing Processing: Mastercard recommends that the Trace ID (DE 15 [Date, Settlement] and DE 63 [Network Data]) of the Automated Fuel Dispenser (AFD) completion advice response be used within the clearing presentment. The Trace ID of the original preauthorization may be used for clearing presentment if that same Trace ID is included in the AFD completion advice message within DE 48, subelement 63 (Trace ID).

## Values

If present, DE 63 cannot contain all low values or all high values.

## DE 63 subfields

DE 63 includes two subfields.

### DE 63 subfields

| Number | Positions | Name                         | Attribute | Justification |
|--------|-----------|------------------------------|-----------|---------------|
| 1      | 1         | Life Cycle Support Indicator | ans-1     | left          |
| 2      | 2-16      | Trace ID                     | ans-15    | left          |

### Subfield 1 (Life Cycle Support Indicator)

Currently, the Life Cycle Support Indicator subfield always contains a space.

Subfield 1 is required whenever subfield 2 is present. The valid Life Cycle Support Indicator is described in this table.

### Subfield 1 (Life Cycle Support Indicator)

| Value | Description                                |
|-------|--------------------------------------------|
| space | Trace ID assigned to Authorization message |

### Subfield 2 (Trace ID)

The Trace ID is intended to identify uniquely a transaction through its full life cycle. Currently Mastercard assigns a Trace ID to any transaction authorized via the Mastercard Network.

The Trace ID consists of the Network Reference Number (nine positions) followed by the Network Date (four positions–MMDD), followed by two spaces. For each transaction authorized via the network ("online-authorized transactions"), DE 63 subfield 2 (Trace ID) of the First Presentment/1240 message must be populated with the same values contained in the related authorization message.

This requirement does not apply to transactions where online authorization is not requested or required, such as offline-authorized chip-read transactions, credit (purchase return) transactions, and Collection Only transactions.

For each Authorization Request Response/0110 message transmitted via the network, subfield 2 of the First Presentment/1240 message must be populated with the values contained in DE 15, DE 63 subfield 1, and DE 63 subfield 2. For automated fuel dispenser (MCC 5542) transactions where an Authorization Request/0100 message is followed by an Authorization Advice/0120 message containing the final transaction amount, these values should come from the same fields of the related Authorization Advice Response/0130 message.

Subfield 2 is required if the associated First Presentment/1240 is submitted for any U.S. region consumer or corporate credit or consumer debit incentive interchange rate programs, unless the transaction is a credit, ATM cash disbursement, manual cash disbursement, reversal, Collection Only, or bilaterally settled transaction.

Mastercard recommends that the Trace ID (DE 15 [Date, Settlement] and DE 63 [Network Data]) of the completion advice response be used within the clearing presentment. (Refer to the Alternate AFD Clearing Processing in the following section.)

The Trace ID of the original pre-authorization may be used for Clearing presentment if that same Trace ID is included in the Automated Fuel Dispenser (AFD) completion advice message within CIS DE 48 (Additional Data, Private Use), subelement 63 (Trace ID).

GCMS requires the presence of DE 63 for all U.S. acquired transactions submitted for incentive interchange programs. For transactions containing 14-digit Enabled International Cards beginning with the digits 36, U.S. acquirers should populate Trace ID (DE 63, subfield 2) with the correct Network Reference Number and Network Date.

GCMS requires the presence of DE 63 for all Canada acquired transactions submitted for incentive interchange programs.

When Trace ID (DE 63) is present, edits will be applied against the network Reference Number (DE 63, subfield 2) to confirm the format of the information.

The edit checks are:

- Position 1–3: Must contain a valid Mastercard product code
- Position 4–9: Must contain six alphanumeric characters, no embedded spaces, low values, or high values.

This table represents mapping of values from DE 63 in the Authorization CIS message to the Clearing IPM message.

### Mapping of values from DE 63 (Authorization CIS) to Clearing IPM

| Position | Value                                          | Description                                              |
|----------|------------------------------------------------|----------------------------------------------------------|
| 1–3      | DE 63, subfield 1 of Authorization CIS message | First three positions of authorization response message. |
| 4–9      | DE 63, subfield 2 of Authorization CIS message | First six positions of authorization response message.   |
| 10–13    | DE 15 of Authorization CIS message             |                                                          |
| 14–15    | spaces                                         |                                                          |

## DE 71 (Message Number)

DE 71(Message Number) monitors the integrity and continuity of the files being exchanged. The transaction originator assigns the DE 71 (Message Number) to data messages in a file.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-8                       |
| Data Length         | None                      |
| Data Field          | Fixed length, 8 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                      | Org | Sys | Dst |
|----------------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644        | M   | .   | .   |
| File Header (Clearing System-generated)/1644 | .   | X   | M   |
| File Trailer (Customer-generated)/1644       | M   | .   | .   |

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| File Trailer (Clearing System-generated)/1644                                           | .   | X   | M   |
| First Presentment/1240                                                                  | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | M   | X   | M   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | M   | X   | M   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | M   | X   | M   |
| Financial Detail Addendum (Temporary Services)/1644                                     | M   | X   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | M   | X   | M   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | M   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | M   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | M   | X   | M   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                                  | M   | X   | M   |
| Financial Detail Addendum (Lodged Account Detail)/1644                                  | M   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644                   | M   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644                  | M   | X   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | M   | X   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                | M   | X   | M   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                             | M   | X   | M   |
| Financial Detail Addendum (Generic Detail)/1644                                         | M   | X   | M   |
| Financial Detail Addendum (Healthcare)/1644                                             | M   | X   | M   |
| Financial Detail Addendum (Private Label Common Data)/1644                              | M   | X   | M   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Line Item Detail)/1644      | M   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | M   | X   | M   |
| Second Presentment/1240                                              | M   | X   | M   |
| File Currency Summary/1644                                           | .   | X   | M   |
| Financial Position Detail/1644                                       | .   | X   | M   |
| Settlement Position Detail/1644                                      | .   | X   | M   |
| Retrieval Request/1644                                               | M   | X   | M   |
| Retrieval Request Acknowledgment/1644                                | M   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | X   | M   |
| Message Exception/1644 and File Reject/1644                          | .   | X   | M   |
| Text Message/1644                                                    | .   | X   | M   |
| Currency Update/1644                                                 | .   | X   | M   |

This data element provides the file recipient with a readily available means to verify that it receives all data messages in the file.

### Values

The first message in a data file (the File Header/1644) must have the message number initialized to 00000001. For each subsequent message in the file, this data element value must be greater than the value in the previously accepted message.

When the Dual Message Clearing System returns a message because it was rejected, the rejected message will immediately follow its related Message Exception/1644 or File Reject Message. If the Clearing Optimizer application rejects the message, it modifies the DE 71 value of the rejected message so that it is in sequence with the other messages in the file. If GCMS rejects the message, it retains the DE 71 value that the sender originally provided.

## DE 72 (Data Record)

DE 72 (Data Record) contains message text data, file update data, or other information as specified in individual IPM messages.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...999; LLLVAR                |
| Data Length         | 3 positions, value = 001-999     |
| Data Field          | Variable length, 1-999 positions |
| Subfields           | None                             |
| Justification       | Left                             |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442                | C   | .   | C   |
| Second Presentment/1240                                              | C   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | C   | .   | C   |
| Message Exception/1644 and File Reject/1644                          | .   | X   | M   |
| Text Message/1644                                                    | .   | X   | M   |

This data element is a variable-length data field that may be used for transmitting file message data or character string data in various message types.

DE 72 must be a maximum of 100 positions in First Chargeback/1442, Second Presentment/1240, Arbitration Chargeback/1442, and Fee Collection/1740 messages.

DE 72 may be up to 999 positions in Administrative messages that the clearing system generates.

### Values

For First Chargeback/1442, Second Presentment/1240, and Arbitration Chargeback/1422 messages, refer to the *Chargeback Guide* for specific DE 72 requirements based on the value in DE 25 (Message Reason Code). The clearing system does not edit to require DE 72. However, if it is not provided for a given message reason code (DE 25) as specified in the *Chargeback Guide*, the receiving customer has the right to return the message.

For Fee Collection Other/1740 messages, refer to [General message layout information](#) for specific DE 72 requirements based on DE 25. The clearing system does not edit for specific values in DE 72.

If present, DE 72 cannot contain all zeros, all spaces, all low values, or all high values.

## DE 73 (Date, Action)

DE 73 (Date, Action) specifies a future action date or a specific date such as a transaction date.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; YYYYMMDD             |
| Data Length         | None                      |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                     | Org | Sys | Dst |
|---------------------------------------------|-----|-----|-----|
| Fee Collection (Retrieval Fee Billing)/1740 | M   | .   | M   |
| Fee Collection (Handling Fees)/1740         | M   | .   | M   |



| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | C   | .   | C   |

In Fee Collection messages, this data element identifies a reference date related to the Fee Collection Message Reason Code.

For Fee Collection Other/1740 messages, refer to [General message layout information](#) for specific DE 73 requirements based on DE 25 (Message Reason Code). The clearing system does not edit to require DE 73. However, if it is not provided for a given Message Reason Code as specified in the *GCMS Reference Manual*, the receiving customer has the right to return the message.

### Values

The data in DE 73 must consist of all zeros or a valid year (YY), month (MM), and day (DD). For Fee Collection (Retrieval Fee Billing)/1740 messages, the DD portion may be zeros.

## DE 93 (Transaction Destination Institution ID Code)

DE 93 (Transaction Destination Institution ID Code) identifies the transaction destination institution.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | n...11; LLVAR                   |
| Data Length         | 2 positions, value 06–11        |
| Data Field          | Variable length, 6–11 positions |
| Subfields           | None                            |
| Justification       | Right                           |

### Current processing restrictions

The clearing system accepts a DE 93 length of 6 to 11 positions but expects this element to contain zeros in all but the last six positions. Only the last six positions are passed along to the receiver of the message.

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | •   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | •   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | •   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | •   | X   | M   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | •   | X   | M   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | •   | X   | M   |
| Financial Detail Addendum (Temporary Services)/1644                                     | •   | X   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | •   | X   | M   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | •   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | •   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | •   | X   | M   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                                  | •   | X   | M   |
| Financial Detail Addendum (Lodged Account Detail)/1644                                  | •   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644                   | •   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644                  | •   | X   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | •   | X   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                | •   | X   | M   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                             | •   | X   | M   |
| Financial Detail Addendum (Generic Detail)/1644                                         | •   | X   | M   |
| Financial Detail Addendum (Healthcare)/1644                                             | •   | X   | M   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Common Data)/1644           | •   | X   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644      | •   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | •   | X   | M   |
| Second Presentment/1240                                              | •   | X   | M   |
| Retrieval Request/1644                                               | •   | X   | M   |
| Retrieval Request Acknowledgment/1644                                | •   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | •   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | X   | M   |
| File Currency Summary/1644                                           | •   | X   | M   |
| Financial Position Detail/1644                                       | •   | X   | M   |
| Settlement Position Detail/1644                                      | •   | X   | M   |
| Message Exception/1644 and File Reject/1644                          | •   | X   | M   |
| Text Message/1644                                                    | •   | X   | M   |
| Currency Update/1644                                                 | •   | X   | M   |

This data element identifies the transaction destination institution that has financial responsibility and liability for the transaction.

For Mastercard transactions, this is the institution that has an agreement with Mastercard as being a principal member and has the financial authority to process Mastercard transactions as an acquirer or issuer.

This data element is required in all Fee Collection (Other) and Fee Collection (Handling Fees) transactions.

If the clearing system does not receive this data element from a customer in an originating message, it may perform automated routing services (based on other data elements such as DE 2 (Primary Account Number [PAN]) and inserts and passes to the receiving institution the proper value for DE 93.

## Values

When present in a message, this data element must contain a valid customer ID.

For lifecycle transactions initiated by issuers, DE 93 may contain the ICA number as provided in DE 94 (Transaction Originator Institution ID Code) from the First Presentment/1240 message.

If the ICA number present in DE 93 represents a Single Message System acquirer, the ICA number may not be present in the IPM MPE data as supplied by Mastercard. If the DE 93 value is provided, Mastercard recommends that it be the ICA number related to the bank identification number (BIN) in DE 31 (Acquirer Reference Data), subfield 2 (Acquirer's BIN must contain the six-digit acquirer's BIN).

## DE 94 (Transaction Originator Institution ID Code)

DE 94 (Transaction Originator Institution ID Code) identifies the transaction originator institution.

### Attributes

| Attribute           | Description                         |
|---------------------|-------------------------------------|
| Data Representation | n...11; LLVAR                       |
| Data Length         | 2 positions, value 06–11            |
| Data Field          | Variable length, 6–11 positions     |
| Subfields           | None                                |
| Justification       | Right, with leading zeros as needed |

### Processing restrictions

The clearing system accepts a DE 94 length of 6 to 11 positions but expects this element to contain zeros in all but the last six positions. Only the last six positions are passed along to the receiver of the message.

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | M   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | M   | .   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | M   | .   | M   |

Data element and private data subelement definitions and details  
DE 94 (Transaction Originator Institution ID Code)

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644   | M   | .   | M   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                   | M   | .   | M   |
| Financial Detail Addendum (Lodging Summary)/1644                         | M   | .   | M   |
| Financial Detail Addendum (Temporary Services)/1644                      | M   | .   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644               | M   | .   | M   |
| Financial Detail Addendum (Payment Transaction Detail)/1644              | M   | .   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644              | M   | .   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644               | M   | .   | M   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                   | M   | .   | M   |
| Financial Detail Addendum (Lodged Account Detail)/1644                   | M   | .   | M   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644    | M   | .   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644   | M   | .   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | M   | .   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | M   | .   | M   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | M   | .   | M   |
| Financial Detail Addendum (Generic Detail)/1644                          | M   | .   | M   |
| Financial Detail Addendum (Healthcare)/1644                              | M   | .   | M   |
| Financial Detail Addendum (Private Label Common Data)/1644               | M   | .   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | M   | .   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                    | M   | X   | M   |
| Second Presentment/1240                                                  | M   | X   | M   |
| Retrieval Request/1644                                                   | M   | X   | M   |
| Retrieval Request Acknowledgment/1644                                    | M   | X   | M   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | .   | M   |
| Message Exception/1644 and File Reject/1644                          | .   | X   | M   |
| Text Message/1644                                                    | .   | X   | M   |
| Currency Update/1644                                                 | .   | X   | M   |

This data element identifies the transaction originator institution that has financial responsibility and liability for the transaction.

For Mastercard transactions, this is the institution that has an agreement with Mastercard as being a principal member and that has the financial authority to process Mastercard transactions as an acquirer or issuer.

If the clearing system does not receive this data element from a customer in an originating message, it rejects the message.

In First Presentment/1240, Second Presentment/1240, Financial Detail Addendum/1644, and Fee Collection (Retrieval Fee Billing)/1740 messages, the customer ID cannot be designated as an issuer-only customer ID.

In First Chargeback/1442 and Arbitration Chargeback/1442 messages, the customer ID cannot be designated as an acquirer-only customer ID.

## Values

When present in a message, this data element must contain a valid customer ID. The customer ID must either be equal to the customer processor ID in subfield 3 of PDS 0105 File ID in the File Header/1644-697 message or be processed by that customer/processor ID.

For collection only activity, DE 94 must be compatible with the Acquirer Reference ID in DE 31 (Acquirer Reference Data), subfield 2 (Acquirer's BIN).

For outbound files to customers, DE 94 may contain an ICA number associated with a Single Message System customer. In such cases, the ICA number may not be included in the IPM MPE data provided by Mastercard and is intended for informational purposes.

## Application notes

For bridged transactions, issuers will now receive the ICA number that identifies the transaction originator institution having financial responsibility for the transaction in DE 94 of the First and Second Presentment/1240 messages, instead of a Mastercard-assigned internal ICA.

**NOTE: Transactions that have passed between platforms (Single Message System to Dual Message System, Dual Message System to Single Message System) are referred to as bridged transactions.**

## DE 95 (Card Issuer Reference Data)

DE 95 (Card Issuer Reference Data) is a control value of 10 positions that the issuer assigns with its original chargeback and is used to track the chargeback throughout its life cycle.

The issuer provides DE 95 (Card Issuer Reference Data) when processing retrieval or chargeback messages.

The acquirer is required to include the same data in a subsequent fulfillment of the retrieval request. In the case of a chargeback, this applies to both Second Presentment/1240 and Arbitration Chargeback/1442.

### Attributes

|                     |                            |
|---------------------|----------------------------|
| Data Representation | n-10; LLVAR                |
| Data Length         | 2 positions, value = 10    |
| Data Field          | Fixed length, 10 positions |
| Subfields           | None                       |
| Justification       | Right, with leading zeros  |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442 | M   | .   | M   |
| Second Presentment/1240                               | M   | .   | M   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |

This data element contains an "issuer's reference number" for a specific cardholder transaction. The acquirer may be required to retain and return DE 95 in subsequent Retrieval Fulfillment (presented via a Fee Collection message) or Second Presentment/1240 messages sent to the issuer.

The issuer may then use DE 95 as a common reference number to link related Retrieval Request/1644, Retrieval Request Acknowledgment/1644, and Retrieval Fulfillment (presented via a Fee Collection message) messages, or to link First Chargeback/1442, Second Presentment/1240, and Arbitration Chargeback/1442 messages to the original cardholder transaction.

### Values

For Retrieval Request/1644, Retrieval Request Acknowledgment/1644, and Retrieval Fulfillment messages (presented via Fee Collection messages), DE 95, if present, should contain the issuer's control number.

**NOTE: This only applies to markets where retrieval requests are allowed.**

For First Chargeback/1442, Second Presentment/1240, and Arbitration Chargeback/1442 messages, DE 95 must contain the Chargeback Reference Number. For items processed through Claims Manager, Claims Manager assigns the Chargeback Reference Number when the First Chargeback/1442 is created, and this number must be unique within BIN. It is used to track the chargeback throughout its life cycle.

If present, DE 95 must be numeric.

## DE 100 (Receiving Institution ID Code)

DE 100 (Receiving Institution ID Code) identifies the receiving institution.

### Attributes

| Attribute            | Description                     |
|----------------------|---------------------------------|
| Data Representation: | n...11; LLVAR                   |
| Length Field:        | 2 positions, value = 06–11      |
| Data Length:         | Variable length, 6–11 positions |
| Subfields:           | None                            |
| Justification:       | Right                           |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.



### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | •   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | •   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | •   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | •   | X   | M   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | •   | X   | M   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | •   | X   | M   |
| Financial Detail Addendum (Temporary Services)/1644                                     | •   | X   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | •   | X   | M   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | •   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | •   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | •   | X   | M   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                                  | •   | X   | M   |
| Financial Detail Addendum (Lodged Account Detail)/1644                                  | •   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644                   | •   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644                  | •   | X   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | •   | X   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                | •   | X   | M   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                             | •   | X   | M   |
| Financial Detail Addendum (Generic Detail)/1644                                         | •   | X   | M   |
| Financial Detail Addendum (Healthcare)/1644                                             | •   | X   | M   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Common Data)/1644           | •   | X   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644      | •   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | •   | X   | M   |
| Second Presentment/1240                                              | •   | X   | M   |
| File Currency Summary/1644                                           | •   | X   | M   |
| Financial Position Detail/1644                                       | •   | X   | M   |
| Settlement Position Detail/1644                                      | •   | X   | M   |
| Retrieval Request/1644                                               | •   | X   | M   |
| Retrieval Request Acknowledgment/1644                                | •   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | •   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | •   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | •   | X   | M   |
| Message Exception/1644 and File Reject/1644                          | •   | X   | M   |
| Text Message/1644                                                    | •   | X   | M   |
| Currency Update/1644                                                 | •   | X   | M   |

DE 100 contains the customer ID or Processor ID of the physically connected processing facility that receives a message.

### Values

This data element must contain a valid customer ID or Processor ID number.

## DE 105 (Multi-Use Transaction Identification Data)

DE 105 is alphanumeric, variable length using a tag-length-data encoding scheme to allow for easy addition of new subfields.

### Attributes

| Attribute           | Description                  |
|---------------------|------------------------------|
| Data representation | ans...999, LLLVAR            |
| Length field        | 3 positions, value = 001-999 |

| Attribute     | Description                      |
|---------------|----------------------------------|
| Data field    | Variable length, 1-999 positions |
| Subelements   | 1, see "Values"                  |
| Justification | N/A                              |

## Usage

Following is the usage of DE 105 (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | X   | C   |
| Financial Detail Addendum/1644                        | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | X   | C   |
| Second Presentment/1240                               | C   | X   | C   |

## Values

Data in DE 105 consists of a series of repeatable components in a tag-length-data format, similar to the presentation of the subelements in DE 55 (Integrated Circuit Card [ICC] System-Related Data).

| Component | Positions | Description                             |
|-----------|-----------|-----------------------------------------|
| 1         | 1-3       | First subelement tag (ID)               |
| 2         | 4-6       | First subelement data length            |
| 3         | 7-xxx     | First subelement data (variable length) |

Components 1-3 may be repeated, as needed, until all subelements are presented.

The subelement sequence does not have to be in the order of the ID value. For example, subelement 001 does not have to precede all the other subelements. If a new subelement 017 is defined in the future, it could be presented before subelement 001. Systems must be prepared to read and parse the contents of DE 105 to determine which tags (subelements) are present and which are necessary for their own internal processing.

## Subelement 001 (Transaction Link ID [TLID])

DE 105, subelement 001 (Transaction Link ID [TLID]) contains the transaction link ID that is globally unique and can be used as a single unique reference for deterministic matching and linking of all message activity.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Subelement ID       | 001                      |
| Subelement length   | 3 positions, value = 022 |
| Data representation | ans-22                   |
| Data field          | N/A                      |
| Subfields           | N/A                      |
| Justification       | N/A                      |

### Usage

Whether the data element is mandatory, conditional, optional, system-provided, or not required is noted for each applicable message.

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | X   | C   |
| Financial Detail Addendum/1644                        | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | X   | C   |
| Second Presentment/1240                               | C   | X   | C   |

## DE 111 (Amount, Currency Conversion Assessment)

DE 111 (Amount, Currency Conversion Assessment) is the amount based on the result of applying the multi-currency conversion rate (Currency Conversion Assessment) adjustment to the currency conversion rate used to convert DE 4 (Amount, Transaction) to DE 6 (Amount, Cardholder Billing) for qualified transactions.

The currency of this amount is the same as DE 51 (Currency Code, Cardholder Billing).

### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | n-12; LLLVAR              |
| Data Length          | 3 positions, value = 012  |
| Data Field:          | 12 positions              |
| Subfields:           | None                      |
| Justification:       | Right, with leading zeros |

ISO defines DE 111 as a variable-length field. Therefore, the DE 111 data is preceded by a three-position length field. In the IPM format, customers still must precede the DE 111 data with a three-position length field. This length field always will contain the value 012, and the data that follows always must be exactly 12 positions long.

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

This data element contains the calculated Currency Conversion Assessment adjustment amount. The clearing system provides DE 111 when the transaction qualifies for a Currency Conversion Assessment conversion adjustment.

### Values

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a cardholder billing amount of USD 212.50 is expressed as 000000021250.

## DE 123 (Additional Data 3)

DE 123 (Additional Data 3) contains one or more PDSs that may be required in a message to provide additional clearing system-related, program-related, or service-related data for which a specific ISO data element is not available.

### Attributes

| Attribute            | Description                      |
|----------------------|----------------------------------|
| Data Representation: | ans...999; LLLVAR                |
| Length Field:        | 3 positions, value = 008-999     |
| Data Length          | Variable length, 8-999 positions |
| Subelements:         | See "Values"                     |
| Justification:       | Left                             |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | C   | X   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | C   | X   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | C   | X   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | C   | X   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | C   | X   | C   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | C   | X   | C   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing, Summary)/1644              | C   | X   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644               | C   | X   | C   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                   | C   | X   | C   |
| Financial Detail Addendum (Lodged Account Detail)/1644                   | C   | X   | C   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644    | C   | X   | C   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644   | C   | X   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | C   | X   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | X   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | C   | X   | C   |
| Financial Detail Addendum (Generic Detail)/1644                          | C   | X   | C   |
| Financial Detail Addendum (Healthcare)/1644                              | C   | X   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | C   | X   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                    | C   | X   | C   |
| Second Presentment/1240                                                  | C   | X   | C   |
| Retrieval Request/1644                                                   | C   | X   | C   |
| Retrieval Request Acknowledgment/1644                                    | C   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                              | C   | X   | C   |
| Fee Collection (Handling Fees)/1740                                      | C   | X   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740     | C   | X   | C   |
| File Currency Summary/1644                                               | .   | X   | C   |
| Financial Position Detail/1644                                           | .   | X   | C   |
| Settlement Position Detail/1644                                          | .   | X   | C   |

This data element is a "carrier" data field for PDSs that supplement the ISO 8583:1993 specification.

Encoding of PDSs is always initiated in DE 48 (Additional Data). If the resulting data length required to contain all PDSs exceeds the maximum length of DE 48 (999 positions), these ISO data elements are employed, in sequential order, to contain the remaining PDS data:

- DE 62 (Additional Data 2)
- DE 123 (Additional Data 3)
- DE 124 (Additional Data 4)
- DE 125 (Additional Data 5)

DE 62, DE 123, DE 124, and DE 125 may contain a maximum of 999 positions, each, of encoded PDS information.

DE 123 is present in an IPM message only if DE 48 and DE 62 cannot together contain the full length of encoded PDSs.

If a significant amount of PDS data is in a message, DE 48 should contain as many complete PDSs as will fit into 999 bytes. Then DE 62 should contain as many complete PDSs (tag+length+data) as will fit into 999 bytes. The remaining complete PDSs must be presented in DE 123, DE 124, and DE 125, as needed.

Customers must not split a PDS between DE 48 and DE 62, or between DE 62 and DE 123. If an entire PDS coding scheme (tag-length-data) causes DE 48 or DE 62 to exceed 999 positions, the entire PDS coding scheme (tag-length-data) must be presented in the next PDS carrier (DE 62 or DE 123) instead. Therefore, the total length of DE 48 and DE 62 may be less than 999 positions each, with DE 123 containing additional PDS data.

## Values

When present, this data element contains one or more PDSs in PDS-encoded format.

PDS data is formatted using a "tag-length-data" encoding procedure, shown in this table.

## Values

| Number | Positions | Description           |
|--------|-----------|-----------------------|
| 1      | 1–4       | First PDS tag (ID)    |
| 2      | 5–7       | First PDS data length |
| 3      | 8–999     | First PDS data        |

Subfields 1–3 must be repeated as needed until all PDS data is presented or the total length of subfields 1, 2, and 3 causes the total length of DE 123 to exceed 999 positions.

Refer to [Private data subelement definitions](#), for additional information about PDS definitions and an example.



## DE 124 (Additional Data 4)

DE 124 (Additional Data 4) contains one or more PDSs that may be required in a message to provide additional clearing system-related, program-related, or service-related data for which a specific ISO data element is not available.

### Attributes

| Attribute            | Description                     |
|----------------------|---------------------------------|
| Data Representation: | ans...999; LLLVAR               |
| Length Field:        | 3 positions, value = 008–999    |
| Data Length          | Variable length 8–999 positions |
| Subelements:         | 3                               |
| Justification:       | Left                            |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | C   | X   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | C   | X   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | C   | X   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | C   | X   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | C   | X   | C   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | C   | X   | C   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing, Summary)/1644              | C   | X   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644               | C   | X   | C   |
| Financial Detail Addendum (Travel Agency Detail)/1644                    | C   | X   | C   |
| Financial Detail Addendum (Lodged Account Detail)/1644                   | C   | X   | C   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644    | C   | X   | C   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644   | C   | X   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | C   | X   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | X   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | C   | X   | C   |
| Financial Detail Addendum (Generic Detail)/1644                          | C   | X   | C   |
| Financial Detail Addendum (Healthcare)/1644                              | C   | X   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | C   | X   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                    | C   | X   | C   |
| Second Presentment/1240                                                  | C   | X   | C   |
| Retrieval Request/1644                                                   | C   | X   | C   |
| Retrieval Request Acknowledgment/1644                                    | C   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                              | C   | X   | C   |
| Fee Collection (Handling Fees)/1740                                      | C   | X   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740     | C   | X   | C   |
| File Currency Summary/1644                                               | .   | X   | C   |
| Financial Position Detail/1644                                           | .   | X   | C   |
| Settlement Position Detail/1644                                          | .   | X   | C   |

This data element is a "carrier" data field for PDSs that supplement the ISO 8583:1993 specification.

Encoding of PDSs is always initiated in DE 48 (Additional Data). If the resulting data length required to contain all PDSs exceeds the maximum length of DE 48 (999 positions), the following ISO data elements are employed, in sequential order, to contain the remaining PDS data:

- DE 62 (Additional Data 2)
- DE 123 (Additional Data 3)
- DE 124 (Additional Data 4)
- DE 125 (Additional Data 5)

DE 62, DE 123, DE 124, and DE 125 may contain a maximum of 999 positions, each, of encoded PDS information.

DE 124 is present in an IPM message only if DE 48, DE 62, and DE 123 cannot together contain the full length of encoded PDSs.

If a significant amount of PDS data is in a message, DE 48 should contain as many complete PDSs as will fit into 999 bytes. Then DE 62 should contain as many complete PDSs (tag+length+data) as will fit into 999 bytes. The remaining complete PDSs must be presented in DE 123, DE 124, and DE 125, as needed.

Customers must not split a PDS between DE 48 and DE 62, between DE 62 and DE 123, or between DE 123 and DE 124. If an entire PDS coding scheme (tag-length-data) causes DE 48 or DE 62 to exceed 999 positions, the entire PDS coding scheme (tag-length-data) must be presented in the next PDS carrier (DE 62 or DE 123) instead. Therefore, the total length of DE 48 and DE 62 may be less than 999 positions each, with DE 123 and DE 124 containing additional PDS data.

## Values

When present, this data element contains one or more PDSs in PDS-encoded format.

PDSs are formatted using a "tag-length-data" encoding procedure, shown in this table.

### Values

| Number | Positions | Description           |
|--------|-----------|-----------------------|
| 1      | 1-4       | First PDS tag (ID)    |
| 2      | 5-7       | First PDS data length |
| 3      | 8-999     | First PDS data        |

Subfields 1-3 must be repeated as needed until all PDS data is presented or the total length of subfields 1, 2, and 3 causes the total length of DE 124 to exceed 999 positions.

Refer to [Private data subelement definitions](#), for additional information about PDS definitions and an example.

## DE 125 (Additional Data 5)

DE 125 (Additional Data 5) contains one or more PDSs that may be required in a message to provide additional clearing system-related, program-related, or service-related data for which a specific ISO data element is not available.

### Attributes

| Attribute            | Description                      |
|----------------------|----------------------------------|
| Data Representation: | ans...999; LLLVAR                |
| Length Field:        | 3 positions, value = 008–999     |
| Data Length          | Variable length, 8–999 positions |
| Subelements:         | 3                                |
| Justification:       | Left                             |

### Usage

Use of this data element will be mandatory, conditional, optional, system provided, or not required in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | C   | X   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | C   | X   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | C   | X   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | C   | X   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | C   | X   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | C   | X   | C   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Payment Transaction Detail)/1644              | C   | X   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644              | C   | X   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644               | C   | X   | C   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                   | C   | X   | C   |
| Financial Detail Addendum (Lodged Account Detail)/1644                   | C   | X   | C   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644    | C   | X   | C   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644   | C   | X   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | C   | X   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | X   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | C   | X   | C   |
| Financial Detail Addendum (Generic Detail)/1644                          | C   | X   | C   |
| Financial Detail Addendum (Healthcare)/1644                              | C   | X   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | C   | X   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                    | C   | X   | C   |
| Second Presentment/1240                                                  | C   | X   | C   |
| Retrieval Request/1644                                                   | C   | X   | C   |
| Retrieval Request Acknowledgment/1644                                    | C   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                              | C   | X   | C   |
| Fee Collection (Handling Fees)/1740                                      | C   | X   | C   |
| Fee Collection (Other than Retrieval Fee Billing/handling Fees)/1740     | C   | X   | C   |
| File Currency Summary/1644                                               | •   | X   | C   |
| Financial Position Detail/1644                                           | •   | X   | C   |

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Settlement Position Detail/1644 | .   | X   | C   |

This data element is a "carrier" data field for PDSs that supplement the ISO 8583:1993 specification.

Encoding of PDSs is always initiated in DE 48 (Additional Data). If the resulting data length required to contain all PDSs exceeds the maximum length of DE 48 (999 positions), these ISO data elements are employed, in sequential order, to contain the remaining PDS data:

- DE 62 (Additional Data 2)
- DE 123 (Additional Data 3)
- DE 124 (Additional Data 4)
- DE 125 (Additional Data 5)

DE 62, DE 123, DE 124, and DE 125 may contain a maximum of 999 positions, each, of encoded PDS information.

DE 125 is present in an IPM message only if DE 48, DE 62, DE 123, and DE 124 cannot together contain the full length of encoded PDSs.

If a significant amount of PDS data is in a message, DE 48, DE 62, DE 123, and DE 124 should contain as many complete PDSs (tag+length+data) as will fit into 999 bytes each. The remaining complete PDSs must be presented in DE 125 if needed.

Customers must not split a PDS between DE 48 and DE 62, between DE 62 and DE 123, between DE 123 and DE 124, or between DE 124 and DE 125. If an entire PDS coding scheme (tag-length-data) causes a PDS carrier to exceed 999 positions, the entire PDS coding scheme (tag-length-data) must be presented in the next PDS carrier (DE 62, DE 123, DE 124, or DE 125) instead. Therefore, the total length of DE 48, DE 62, DE 123, and DE 124 may be less than 999 positions each, with DE 125 containing the remaining PDS data.

## Values

When present, this data element contains one or more PDSs in PDS-encoded format.

PDS data is formatted using a "tag-length-data" encoding procedure, shown in this table.

## Values

| Number | Positions | Description           |
|--------|-----------|-----------------------|
| 1      | 1-4       | First PDS tag (ID)    |
| 2      | 5-7       | First PDS data length |
| 3      | 8-999     | First PDS data        |

Subfields 1–3 must be repeated as needed until all PDS data is presented or the total length of subfields 1, 2, and 3 causes the total length of DE 125 to exceed 999 positions.

Refer to [Private data subelement definitions](#) for additional information about PDS definitions and an example.

## DE 127 (Network Data)

DE 127 (Network Data) is reserved for internal clearing system use.

### Usage

This data element is a "carrier" data field for internal clearing system PDSs that supplement the ISO 8583:1993 specification. The transaction originator does not provide this element. The clearing system populates DE 127 as needed with temporary data and does not forward this element to the message destination.

## Private data subelement definitions

This section provides a detailed definition of private data subelements (PDSs) used in IPM format offline clearing messages.

## PDS construction and use

This section defines private data subelements (PDSs) used in this specification.

These subelements are defined for situations in which the International Organization for Standardization (ISO) did not define standard data elements in the ISO 8583:1993 specification or in situations in which the ISO data elements are insufficient for operational requirements.

All PDSs are designed to be incorporated as subelements in ISO "private-use" data elements, which are specifically designated in the ISO 8583:1993 specification for "private" organization use. As such, defined PDSs enhance the overall functionality of the implementation of ISO 8583 entirely within the ISO specification framework.

Several ISO standard private-use data elements are designated to be formatted using a common PDS encoding procedure (described later in this chapter). When present in a message, these ISO data elements are always formatted to contain one or more PDSs in the ISO data element.

These ISO private-use data elements are designated to contain PDS-encoded data:

- DE 48 (Additional Data)
- DE 62 (Additional Data 2)
- DE 123 (Additional Data 3)
- DE 124 (Additional Data 4)
- DE 125 (Additional Data 5)

PDSs in DE 48, DE 62, DE 123, DE 124, and DE 125 primarily support individual program and service requirements. PDSs placed in these data elements are considered a permanent part of this specification.

The guidelines for populating the carrier private-use data elements can be found with the specifications for those data elements.

### PDS encoding scheme

Each PDS consists of three components:

- Tag field (tag)
- Length field (length)
- Data field (data)

The first four bytes of each PDS must contain the subelement tag ID, a numeric value in the range 0001–9999, to identify uniquely the subelement.

The next three bytes of each PDS must contain the subelement length, a numeric value in the range 001–992, to specify the total length (in bytes) of the PDS data portion.


The remainder of the PDS consists of the actual data.

Because all PDSs have a common tag-length-data encoding format, new PDSs may be added to messages at any time without affecting message processing software resident on any customer processing system. If a processor does not recognize a PDS tag, it may simply use the length field to count past the PDS data portion and continue parsing for any additional PDSs.

**NOTE: PDSs cannot be duplicated within an IPM message. The clearing system rejects any message containing duplicate occurrences of a PDS tag field.**

This diagram illustrates the PDS encoding scheme in an ISO standard data element.

### PDS encoding scheme



## PDS and subfield justification

The specific justification of data elements and subfields are given within each PDS topic.

Refer to the [Justification](#) section for more information.



**NOTE: Customers can send clearing files with PDSs in any sequence. In all clearing files that customers receive, the clearing system formats the PDS data in ascending sequence by PDS tag number.**

For example, assume a customer wants to present the PDS data in this table.

#### PDS data example

| PDS Number | Description                  | Length | Value          |
|------------|------------------------------|--------|----------------|
| 0165       | Settlement Indicator         | 1      | M              |
| 0023       | Terminal Type                | 3      | CT2            |
| 0170       | Acceptor Inquiry Information | 14     | 1-800-555-1212 |

The customer may construct DE 48 (Additional Data) as shown in this table.

#### DE 48 example

| Positions | Value          | Description       |
|-----------|----------------|-------------------|
| 1-4       | 0165           | First PDS tag     |
| 5-7       | 001            | First PDS length  |
| 8         | M              | First PDS data    |
| 9-12      | 0012           | Second PDS tag    |
| 13-15     | 014            | Second PDS length |
| 16-29     | 19960930000000 | Second PDS data   |
| 30-33     | 0023           | Third PDS tag     |
| 34-36     | 003            | Third PDS length  |
| 37-39     | CT2            | Third PDS data    |
| 40-43     | 0170           | Fourth PDS tag    |
| 44-46     | 014            | Fourth PDS length |
| 47-60     | 1-800-555-1212 | Fourth PDS data   |

## Subelement tag assignment

Each PDS is assigned a unique numeric tag number used for identification.

Mastercard supports PDSs within the range of 0001-9999. GCMS uses the PDS range of 0001 - 0799 to provide information related to programs and services to our customers.

GCMS reserves the PDS ranges of 0800-0899 and 0900-0999 to support internal network functionality. These PDSs will never be sent to customers. GCMS uses these PDSs for network support and other special functions.

The PDSs reserved for customer proprietary use are in the range 1000–1099. Customers can use these PDSs to exchange data related to special programs. The GCMS passes these PDSs unedited to the receivers. These PDSs may be placed in any of the "Additional Data" data elements (DE 48, DE 62, DE 123, DE 124, or DE 125). The total length of the tags, lengths, and data for PDSs 1000–1099 in a single IPM message cannot exceed 992 bytes.

PDS range 1100-9999 are reserved for future use.

## Additional information about the use of PDSs

PDSs are not restricted for use in a particular PDS carrier. PDS 0001–PDS 0799, or PDS 1000–1099, are not required to be in DE 48 as opposed to DE 62, DE 123, DE 124, or DE 125.

Customers/processors can present PDS data in any sequence, in any carrier, if the PDS data is placed first in DE 48, then DE 62, then DE 123, then DE 124, and finally DE 125.

## PDS 0001 (Mastercard Mapping Service Account Number)

PDS 0001 (Mastercard Mapping Service Account Number) provides either the virtual account number/token or the primary account number in a transaction for which mapping services were performed.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...21; TAGLLLLVAR            |
| Tag Field           | 0001                            |
| Data Length         | 3 positions, value = 006–021    |
| Data Field          | Variable length, 6–21 positions |
| Subfields           | 2 subfields                     |
| Justification       | N/A                             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | .   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | .   | X   | C   |
| Second Presentment/1240                               | .   | X   | C   |
| Retrieval Request/1644                                | .   | X   | C   |
| Retrieval Request Acknowledgment/1644                 | .   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | .   | X   | C   |

The clearing system provides PDS 0001 to the issuer whenever it performs the mapping service. This service maps a virtual card number or token to a real card number or a real card number to a virtual card number or token. PDS 0001 is provided to the acquirer only when a PAN Mapping Service has been performed.

### Subfield 1 (Account Number Type)

PDS 0001 (Mastercard Mapping Service Account Number), subfield 1 describes the type of account number contained in PDS 0001, subfield 2 (Account Number).

### Subfield attributes and values

|                      | Attribute | Value |
|----------------------|-----------|-------|
| Subfield ID:         | n-2       | 01    |
| Subfield Length:     | n-2       | 02    |
| Data Representation: | ans-2     |       |
| Justification:       | Left      |       |

Position 1 of subfield 1 indicates what type of account number is found in subfield 2.

- Values 1–6 if the number in subfield 2 is a contactless account number
- Values 8 or 9 if the number in subfield 2 is a Mastercard In Control™ virtual account number
- Value C if the number in subfield 2 is a Mastercard Digital Enablement Service secure element token
- Value H if the number in subfield 2 is a Mastercard Digital Enablement Service Cloud-Based Payments token

- Value O if the number in subfield 2 is a Mastercard Digital Enablement Service Card on File token
- Value T if the number in subfield 2 is a real card number

Within Retrieval Request/1644-603, Retrieval Request Acknowledgment/1644-605, and Chargeback/1442 dispute messages for Mastercard In Control transactions, PDS 0001, subfield 1, position 1 will contain value T, indicating that PDS 0001, subfield 2 contains the masked real account number. The real account number is masked according to these PCI guidelines.

- Display the first six digits.
- Fill the remaining digits of the real card number with zeros
- Display the final four digits (for example: 12345600000001234 for a 16-digit PANs or 1234560000000001234 for a 19-digit PAN).

Position 2 of this subfield contains a space if GCMS performed the mapping service using Mastercard authorization logs. Position 2 will contain value C if GCMS performed the mapping service using a source other than the Mastercard authorization logs. (This position will contain a C in all retrieval and chargeback messages.)

Possible values for subfield are listed in the table.

### Values

| Values  | Description                                                                                                                                                                                                                         |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C Space | Subfield 2 contains the Mastercard Digital Enablement Service secure element device token used at the point of sale. The account range is owned by an issuer. Mapping was based on the authorization log.                           |
| CC      | Subfield 2 contains the Mastercard Digital Enablement Service secure element device token used at the point of sale. The account range is owned by an issuer. Mapping was based on a source other than the authorization log.       |
| H Space | Subfield 2 contains the Mastercard Digital Enablement Service Cloud-Based Payments device token used at the point of sale. The account range is owned by an issuer. Mapping was based on the authorization log.                     |
| HC      | Subfield 2 contains the Mastercard Digital Enablement Service Cloud-Based Payments device token used at the point of sale. The account range is owned by an issuer. Mapping was based on a source other than the authorization log. |
| O Space | Subfield 2 contains the Mastercard Digital Enablement Service Card on File token submitted by the acquirer. The account range is owned by Mastercard. Mapping was based on the authorization log.                                   |
| OC      | Subfield 2 contains the Mastercard Digital Enablement Service Card on File token submitted by the acquirer. The account range is owned by Mastercard. Mapping was based on a source other than the authorization log.               |
| TC      | Subfield 2 contains a primary account number. Mapping was based on a source other than the authorization logs.                                                                                                                      |

| Values | Description                                                                                                                                                                                                                                                                                                                                  |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1      | Subfield 2 contains a contactless account number owned by an issuer, and the issuer is actively participating in the PayPass® Mapping Service. Every transaction containing this account range is to be mapped. Mapping was based on the authorization logs.                                                                                 |
| 1C     | Subfield 2 contains a contactless account number owned by an issuer, and the issuer is actively participating in the PayPass® Mapping Service. Every transaction containing this account range is to be mapped. Mapping was based on a source other than the authorization logs.                                                             |
| 2      | Subfield 2 contains a contactless account number owned by an issuer, and the issuer is actively participating in the PayPass® Mapping Service. Not all transactions in this issuer account range are mapped, because the issuer is phasing in the PayPass® Mapping Service. Mapping was based on the authorization logs.                     |
| 2C     | Subfield 2 contains a contactless account number owned by an issuer, and the issuer is actively participating in the PayPass® Mapping Service. Not all transactions in this issuer account range are mapped, because the issuer is phasing in the PayPass® Mapping Service. Mapping was based on a source other than the authorization logs. |
| 3      | Subfield 2 contains a contactless account number provided by Mastercard and is assigned to an issuer that is actively participating in the PayPass® Mapping Service. Mapping was based on the authorizations logs.                                                                                                                           |
| 3C     | Subfield 2 contains a contactless account number provided by Mastercard and is assigned to an issuer that is actively participating in the PayPass® Mapping Service. Mapping was based on a source other than the authorization logs.                                                                                                        |
| 4      | Subfield 2 contains a contactless account number provided by Mastercard and is assigned to an issuer that is passively participating in the PayPass® Mapping Service by permitting its cardholders to request a contactless card or device via that website. Mapping was based on the authorization logs.                                    |
| 4C     | Subfield 2 contains a contactless account number provided by Mastercard and is assigned to an issuer that is passively participating in the PayPass® Mapping Service by permitting its cardholders to request a contactless card or device via the website. Mapping was based on a source other than the authorization logs.                 |
| 5      | Subfield 2 contains a contactless account number provided by Mastercard and is assigned to a merchant that sponsors the contactless card or device. The issuer is passively participating in the PayPass® Mapping Service. Mapping was based on the authorization logs.                                                                      |
| 5C     | Subfield 2 contains a contactless account number provided by Mastercard and is assigned to a merchant that sponsors the contactless card or device. The issuer is passively participating in the PayPass® Mapping Service. Mapping was based on a source other than the authorization logs.                                                  |
| 6      | Subfield 2 contains a contactless account number provided by Mastercard, and Mastercard sponsors the contactless card or device. The issuer is passively participating in the PayPass® Mapping Service. Mapping was based on the authorization logs.                                                                                         |

| Values | Description                                                                                                                                                                                                                                                              |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6C     | Subfield 2 contains a contactless account number provided by Mastercard, and Mastercard sponsors the contactless card or device. The issuer is passively participating in the PayPass® Mapping Service. Mapping was based on a source other than the authorization logs. |
| 8      | Subfield 2 contains a Mastercard In Control account number. Mapping was based on the authorization logs.                                                                                                                                                                 |
| 8C     | Subfield 2 contains a Mastercard In Control account number. Mapping was based on a source other than the authorization logs.                                                                                                                                             |
| 9      | Subfield 2 contains the VCN used at the point of sale. Mapping was based on the authorization log.                                                                                                                                                                       |
| 9C     | Subfield 2 contains the VCN used at the point of sale. Mapping was based on a source other than the authorization log.                                                                                                                                                   |

## Subfield 2 (Account Number)

PDS 0001 (Mastercard Mapping Service Account Number), subfield 2 contains a virtual/token or real account number or a PAN.

### Subfield attributes and values

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 02    |
| Subfield Length     | n-2       | 04-19 |
| Data Representation | n...19    |       |
| Justification       | Left      |       |

### Application notes

- When issuers receive PDS 0001, this subfield always contains a virtual account number/token.
- When acquirers receive PDS 0001, this subfield always contains a real card number.
  - When Mastercard performs token mapping subfield 2 will contain only the last four digits of the PAN.
  - The Dual Message Clearing System will continue to send the full account number for tokenized InControl VCN transactions and transactions with transit MCCs:
    - MCC 3246: RyanAir
    - MCC 4111: Transportation-Suburban and Local Commuter Passenger, including Ferries

- MCC 4112: Passenger Railways
- MCC 4131: Bus Lines
- MCC 4511: Air Carries, Airlines- Not Else Where Classified
- MCC 4784: Bridge and Road Fees, Tolls
- MCC 7523: Automobile Parking Lots and Garages

## PDS 0002 (GCMS Product Identifier)

PDS 0002 (GCMS Product Identifier) identifies the product recognized by GCMS for the combination of issuer account range (part of DE 2 [Primary Account Number (PAN)]) and Card Program Identifier.

### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | ans-3; TAGLLL             |
| Tag Field:           | 0002                      |
| Length Field:        | 3 positions, value = 003  |
| Data Length:         | Fixed length, 3 positions |
| Subfields:           | None                      |
| Justification:       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | .   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | .   | X   | M   |
| Second Presentment/1240                               | .   | X   | M   |
| Retrieval Request/1644                                | .   | X   | M   |
| Retrieval Request Acknowledgment/1644                 | .   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | .   | X   | M   |

Licensed Product Identifier is provided in Fee Collection (Other)/1740 and Fee Collection (Handling Fees)/1740 if DE 2 (Primary Account Number [PAN]) is present and the issuer account range associated with the PAN contains a brand/product assignment that is compatible with the brand and business service arrangement assigned to the transaction by clearing.

The product codes in this table are representative of the credit and debit product codes recognized by the clearing system. This table identifies the product identifier used by GCMS (PDS 0002) as well as the Licensed Product Identifier (PDS 0003). Each Licensed Product Identifier has a different description, although multiple Licensed Product Identifier values may be associated with a common GCMS Product Identifier.

The Product Class Override Indicator is populated by GCMS in PDS 0158 subfield 8. The clearing system populates subfield 8 (Product Class Override Indicator) with a Product Class value indicating whether product class override interchange rates were used in the interchange fee amount designated in PDS 0146 (Amount, Transaction Fees).

**NOTE: Immediate Debit products begin with "T" in the GCMS Product Identifier and have "immediate" in the description.**

#### GCMS product identifier

| GCMS Product Identifier (PDS 0002) | Licensed Product Identifier (PDS 0003) | Licensed Product Identifier Description | Product Class Override Indicator            |
|------------------------------------|----------------------------------------|-----------------------------------------|---------------------------------------------|
| ACS                                | ACS                                    | Digital Debit                           | ACS, Digital Debit                          |
| BPC                                | BPC                                    | Bill Pay Commercial                     | BPC, Bill Pay Commercial                    |
| BPD                                | BPD                                    | Business Premium Debit                  | BPD, Business Premium Debit                 |
| BPE                                | BPE                                    | World Elite Business Debit              | BPE, World Elite Business Debit             |
| BPL                                | BPL                                    | Mastercard® Business Credit Plus        | BPL, Mastercard® Business Credit Plus       |
| CIR                                | CIR                                    | Cirrus®                                 | N/A                                         |
| DBS                                | DBS                                    | Consumer Charge Card                    | Consumer Charge Card                        |
| DCB                                | DCB                                    | Line of Credit or Offset Linked Card    | Line of Credit or Offset Linked Card        |
| DCO                                | DCO                                    | Consumer Elite Card                     | Consumer Elite Card                         |
| DLA                                | DLA                                    | Business Executive Charge Card          | Business Executive Charge Card              |
| DWF                                | DWF                                    | Debit Mastercard® Humanitarian Prepaid  | DWF, Debit Mastercard® Humanitarian Prepaid |



| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b> | <b>Product Class Override Indicator</b> |
|-------------------------------------------|-----------------------------------------------|------------------------------------------------|-----------------------------------------|
| ETA                                       | ETA                                           | Mastercard Installment Payments A              | ETA, Mastercard Installment Payments A  |
| ETB                                       | ETB                                           | Mastercard Installment Payments B              | ETB, Mastercard Installment Payments B  |
| ETC                                       | ETC                                           | Mastercard Installment Payments C              | ETC, Mastercard Installment Payments C  |
| ETD                                       | ETD                                           | Mastercard Installment Payments D              | ETD, Mastercard Installment Payments D  |
| ETE                                       | ETE                                           | Mastercard Installment Payments E              | ETE, Mastercard Installment Payments E  |
| ETF                                       | ETF                                           | Mastercard Installment Payments F              | ETF, Mastercard Installment Payments F  |
| ETG                                       | ETG                                           | Mastercard Installment Payments G              | ETG, Mastercard Installment Payments G  |
| ETH                                       | ETH                                           | Prepaid Installment Payments A                 | ETH, Prepaid Installment Payments A     |
| ETI                                       | ETI                                           | Prepaid Installment Payments B                 | ETI, Prepaid Installment Payments B     |
| ETJ                                       | ETJ                                           | Prepaid Installment Payments C                 | ETJ, Prepaid Installment Payments C     |
| ETK                                       | ETK                                           | Prepaid Installment Payments D                 | ETK, Prepaid Installment Payments D     |
| ETL                                       | ETL                                           | Prepaid Installment Payments E                 | ETL, Prepaid Installment Payments E     |
| ETM                                       | ETM                                           | Prepaid Installment Payments F                 | ETM, Prepaid Installment Payments F     |
| ETN                                       | ETN                                           | Prepaid Installment Payments G                 | ETN, Prepaid Installment Payments G     |
| FIA                                       | FIA                                           | Mastercard® B2B VIP 27                         | FIA, Mastercard® B2B VIP 27             |
| FIB                                       | FIB                                           | Mastercard® B2B VIP 28                         | FIB, Mastercard® B2B VIP 28             |
| FIC                                       | FIC                                           | Mastercard® B2B VIP 29                         | FIC, Mastercard® B2B VIP 29             |
| FID                                       | FID                                           | Mastercard® B2B VIP 30                         | FID, Mastercard® B2B VIP 30             |
| FIE                                       | FIE                                           | Mastercard® B2B VIP 31                         | FIE, Mastercard® B2B VIP 31             |
| FIF                                       | FIF                                           | Mastercard® B2B VIP 32                         | FIF, Mastercard® B2B VIP 32             |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b>           | <b>Product Class Override Indicator</b>              |
|-------------------------------------------|-----------------------------------------------|----------------------------------------------------------|------------------------------------------------------|
| FIG                                       | FIG                                           | Mastercard® B2B VIP 33                                   | FIG, Mastercard® B2B VIP 33                          |
| FIH                                       | FIH                                           | Mastercard® B2B VIP 34                                   | FIH, Mastercard® B2B VIP 34                          |
| GCP                                       | GCP                                           | Mastercard Installments Card Premium                     | GCP, Mastercard Installments Card Premium            |
| GCS                                       | GCS                                           | Mastercard Installment Payments T                        | GCS, Mastercard Installments Payments T              |
| GPP                                       | GPP                                           | Mastercard Prepaid Installments Card Premium             | GPP, Mastercard Prepaid Installments Card Premium    |
| GPS                                       | GPS                                           | Mastercard Prepaid Installment Payments Card U           | GPS, Mastercard Prepaid Installment Payments Card U  |
| MAB                                       | MAB                                           | World Elite™ Mastercard® for Business Card               | MAB, Business World Elite                            |
| MAC                                       | MAC                                           | Mastercard® World Elite™ Corporate Card                  | MAC, Corporate World Elite                           |
| MAJ                                       | MAJ                                           | World Legend Business Mastercard                         | MAJ, World Legend Business Mastercard                |
| MAP                                       | MAP                                           | MAP, Mastercard Commercial Payments Account              | MAP, Mastercard Commercial Payments Account          |
| MAQ                                       | MAQ                                           | Mastercard® Prepaid Commercial Payments Account          | MAQ, Mastercard® Prepaid Commercial Payments Account |
| MBA                                       | MBA                                           | Mastercard® B2B Product 2                                | MBA, Mastercard® B2B Product 2                       |
| MBB                                       | MBB                                           | Mastercard Prepaid Consumer                              | MBB, Mastercard Prepaid Consumer                     |
| MBC                                       | MBC                                           | Mastercard Prepaid Voucher                               | MBC, Mastercard Prepaid Voucher                      |
| MBD                                       | MBD                                           | Mastercard® Professional Debit BusinessCard Card         | MDB, Commercial Debit                                |
| MBE                                       | MBE                                           | Mastercard® Electronic™ Business Card                    | MCB, Corporate                                       |
| MBE                                       | MRB                                           | Mastercard® Prepaid Electronic™ Business Card (Non-U.S.) | MCB, Corporate                                       |
| MBG                                       | MBG                                           | Mastercard® B2B Product 3                                | MBG, Mastercard® B2B Product 3                       |
| MBH                                       | MBH                                           | Mastercard® B2B Product 4                                | MBH, Mastercard® B2B Product 4                       |
| MBI                                       | MBI                                           | Mastercard® B2B Product 5                                | MBI, Mastercard® B2B Product 5                       |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b>  | <b>Product Class Override Indicator</b>     |
|-------------------------------------------|-----------------------------------------------|-------------------------------------------------|---------------------------------------------|
| MBJ                                       | MBJ                                           | Mastercard® B2B Product 6                       | MBJ, Mastercard® B2B Product 6              |
| MBK                                       | MBK                                           | Mastercard Black® Card                          | MBK, Mastercard Black                       |
| MBL                                       | MBL                                           | Mastercard® B2B Product 28                      | MBL, Mastercard® B2B Product 28             |
| MBN                                       | MBN                                           | Mastercard® B2B Product 29                      | MBN, Mastercard® B2B Product 29             |
| MBO                                       | MBO                                           | Mastercard® B2B Product 30                      | MBO, Mastercard® B2B Product 30             |
| MBP                                       | MBP                                           | Mastercard Corporate Prepaid                    | MBP, Mastercard Corporate Prepaid           |
| MBQ                                       | MBQ                                           | Mastercard® B2B Product 31                      | MBQ, Mastercard® B2B Product 31             |
| MBR                                       | MBR                                           | Mastercard® B2B Product 32                      | MBR, Mastercard® B2B Product 32             |
| MBS                                       | MBS                                           | Mastercard® B2B Product 1                       | MBS, Mastercard® B2B Product 1              |
| MBW                                       | MBW                                           | World Mastercard® Black Edition, Debit          | MBW, World Mastercard® Black Edition, Debit |
| MCB                                       | MCB                                           | Mastercard® BusinessCard Card                   | MCB, Corporate                              |
| MCB                                       | MLC                                           | Mastercard® Micro-Business Card                 | MCB, Corporate                              |
| MCB                                       | MPC                                           | Mastercard® Professional Card                   | MCB, Corporate                              |
| MCB                                       | MXB                                           | Debit Card X Code                               | MCB, Corporate                              |
| MCC                                       | MCC                                           | Mastercard® Credit Card (mixed BIN)             | MCC, Consumer                               |
| MCC                                       | MHC                                           | Mastercard® Healthcare Credit Non-Substantiated | MCC, Consumer                               |
| MCC                                       | MNS                                           | Mastercard® Non Standard                        | MCC, Consumer                               |
| MCE                                       | MCE                                           | Mastercard® Electronic™ Card                    | MCC, Consumer                               |
| MCE                                       | MED                                           | Debit Mastercard® Electronic Card (Non-U.S.)    | MCC, Consumer                               |
| MCE                                       | MIB                                           | Mastercard® Electronic™ Student Card            | MCC, Consumer                               |
| MCE                                       | MIH                                           | Debit Mastercard® Electronic™ Student Card      | MCC, Consumer                               |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b>           | <b>Product Class Override Indicator</b> |
|-------------------------------------------|-----------------------------------------------|----------------------------------------------------------|-----------------------------------------|
| MCE                                       | MRL                                           | Prepaid Mastercard Electronic Commercial Card (Non-U.S.) | MCC, Consumer                           |
| MCF                                       | MCF                                           | Mastercard® Fleet Card                                   | MCF, Fleet                              |
| MCF                                       | MDM                                           | Middle Market Fleet Card                                 | MCF, Fleet                              |
| MCG                                       | MCG                                           | Gold Mastercard® Card                                    | MCG, Consumer                           |
| MCI                                       | MCI                                           | MCI, Mastercard Select Debit                             | MCI, Mastercard Select Debit            |
| MCO                                       | MCO                                           | Mastercard® Corporate Card                               | MCO, Global Certified Corporate         |
| MCO                                       | MDQ                                           | Middle Market Corporate Card                             | MCO, Global Certified Corporate         |
| MCP                                       | MCP                                           | Mastercard® Purchasing Card®                             | MCP, Mastercard Purchasing Card         |
| MCP                                       | MDN                                           | Middle Market Purchasing Card                            | MCP, Mastercard Purchasing Card         |
| MCS                                       | MCS                                           | Standard Mastercard® Card                                | MCC, Consumer                           |
| MCS                                       | MCU                                           | Unembossed Mastercard® Card                              | MCC, Consumer                           |
| MCS                                       | MIC                                           | Mastercard® Student Card                                 | MCC, Consumer                           |
| MCS                                       | MIG                                           | Unembossed Mastercard® Student Card                      | MCC, Consumer                           |
| MCS                                       | MIJ                                           | Debit Mastercard® Unembossed Non-U.S. Student Card       | MCC, Consumer                           |
| MCS                                       | MIU                                           | Debit Mastercard® Unembossed (Non-U.S.)                  | MCC, Consumer                           |
| MCS                                       | MSD                                           | Mastercard Deferred Debit Consumer                       | MCC, Consumer                           |
| MCT                                       | MCT                                           | Titanium Mastercard® Card                                | MCT, Titanium                           |
| MCW                                       | MCW                                           | World Mastercard® Card                                   | MCW, World                              |
| MCW                                       | MWP                                           | Mastercard® World Prepaid                                | MCW, Mastercard® World                  |
| MCW                                       | WMR                                           | World Mastercard® Rewards                                | MCW, World                              |
| MDA                                       | MDA                                           | Mastercard World Legend Debit                            | MDA, Mastercard World Legend Debit      |
| MDB                                       | MDB                                           | Debit Mastercard® BusinessCard Card                      | MDB, Commercial Debit                   |
| MDD                                       | MDD                                           | Mastercard CoBadge Debit                                 | MDD, Mastercard CoBadge Debit           |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b>                 | <b>Product Class Override Indicator</b> |
|-------------------------------------------|-----------------------------------------------|----------------------------------------------------------------|-----------------------------------------|
| MDE                                       | MDE                                           | Mastercard Essential Prepaid                                   | MDE, Mastercard Essential Prepaid       |
| MDG                                       | MDG                                           | Gold Debit Mastercard® Card                                    | MDG, Debit Mastercard Gold              |
| MDG                                       | MXG                                           | Gold Debit Mastercard® Card                                    | MDG, Debit Mastercard Gold              |
| MDH                                       | MDH                                           | Debit Other Embossed Mastercard® Card                          | MDH, Debit World                        |
| MDH                                       | WDR                                           | World Debit Mastercard® Rewards                                | MDH, World Debit                        |
| MDJ                                       | MDJ                                           | Debit Mastercard® (Enhanced)                                   | MDJ, Debit Mastercard® (Enhanced)       |
| MDO                                       | MDO                                           | Debit Other                                                    | DMC, Debit Mastercard                   |
| MDO                                       | MXO                                           | Debit Card Other                                               | DMC, Debit Mastercard                   |
| MDP                                       | MDP                                           | Platinum Debit Mastercard® Card                                | MDP, Debit Mastercard Platinum          |
| MDP                                       | MEP                                           | Premium Debit Mastercard® Card                                 | MDP, Debit Mastercard Platinum          |
| MDP                                       | MUP                                           | Premium Debit Unembossed Mastercard® Card                      | MDP, Debit Mastercard Platinum          |
| MDP                                       | MXP                                           | Platinum Debit Mastercard® Card                                | MDP, Debit Mastercard Platinum          |
| MDR                                       | MXR                                           | Debit Card Brokerage                                           | DMC, Debit Mastercard                   |
| MDS                                       | MDS                                           | Debit Mastercard® Card                                         | DMC, Debit Mastercard                   |
| MDS                                       | MDU                                           | Debit Unembossed Mastercard® Card                              | DMC, Debit Mastercard                   |
| MDS                                       | MID                                           | Debit Unembossed Mastercard® Student Card                      | DMC, Debit Mastercard                   |
| MDS                                       | MIS                                           | Debit Mastercard® Student Card                                 | DMC, Debit Mastercard                   |
| MDS                                       | MPQ                                           | Mastercard® Prepaid Debit Standard, Government Disaster Relief | DMC, Debit Mastercard                   |
| MDS                                       | MXS                                           | Standard Debit Mastercard® Card                                | DMC, Debit Mastercard                   |
| MDT                                       | MDT                                           | Commercial Debit Mastercard® Card                              | MDT, Business Debit                     |
| MDW                                       | MDW                                           | MDW, (World Elite™ Debit Mastercard®)                          | MDW, (World Elite™ Debit Mastercard®)   |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b>          | <b>Product Class Override Indicator</b>                 |
|-------------------------------------------|-----------------------------------------------|---------------------------------------------------------|---------------------------------------------------------|
| MDW                                       | MDW                                           | MDW, (World Black™ Debit [LAC region excluding Mexico]) | MDW, (World Black™ Debit [LAC region excluding Mexico]) |
| MEB                                       | MEB                                           | Mastercard® Executive BusinessCard Card                 | MEB, Corporate                                          |
| MEO                                       | MEO                                           | Mastercard® Corporate Executive Card                    | MEO, Corporate                                          |
| MES                                       | MES                                           | Mastercard Enterprise Solution                          | MES, Mastercard Enterprise Solution                     |
| MET                                       | MET                                           | Titanium Debit Mastercard® Card                         | MET, Titanium Debit Mastercard® Card                    |
| MFI                                       | MFI                                           | Mastercard Debit Financial Inclusion                    | MFI, Mastercard Debit Financial Inclusion               |
| MGF                                       | MGF                                           | Mastercard® Government Commercial Card                  | MCF, Fleet                                              |
| MGP                                       | MGP                                           | Mastercard® Prepaid Gold Payroll                        | MGP, Mastercard® Prepaid Gold Payroll                   |
| MGS                                       | MGS                                           | Platinum Mastercard®Prepaid General Spend               | MGS, Platinum Mastercard Prepaid General Spend          |
| MHA                                       | MHA                                           | Mastercard® Healthcare Prepaid Non-Tax                  | MPM, Prepaid Mastercard Consumer                        |
| MHB                                       | MHB                                           | Mastercard® HSA Substantiated                           | MPM, Prepaid Mastercard Consumer                        |
| MHH                                       | MHH                                           | Mastercard® HSA Non-Substantiated                       | MPM, Prepaid Mastercard Consumer                        |
| MIO                                       | MIO                                           | Mastercard Pay & Split                                  | MIO, Mastercard Pay & Split                             |
| MIP                                       | MIP                                           | Mastercard® Prepaid Student Card                        | MPG, Debit Mastercard Prepaid                           |
| MIU                                       | MIU                                           | Debit Mastercard® Unembossed (Non-U.S.)                 | MIU, Debit Mastercard Unembossed (Non-U.S.)             |
| MKA                                       | MKA                                           | Digital Gold Debit                                      | MKA, Digital Gold Debit                                 |
| MKB                                       | MKB                                           | Digital Platinum Debit                                  | MKB, Digital Platinum Debit                             |
| MKC                                       | MKC                                           | Digital World Debit                                     | MKC, Digital World Debit                                |
| MKD                                       | MKD                                           | Digital World Elite Debit                               | MKD, Digital World Elite Debit                          |
| MKE                                       | MKE                                           | Digital Platinum                                        | MKE, Digital Platinum                                   |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b>      | <b>Product Class Override Indicator</b>             |
|-------------------------------------------|-----------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
| MKF                                       | MKF                                           | Digital World                                       | MKF, Digital World                                  |
| MKG                                       | MKG                                           | Digital World Elite                                 | MKG, Digital World Elite                            |
| MKH                                       | MKH                                           | Digital World Elite Exclusive                       | MKH, Digital World Elite Exclusive                  |
| MLA                                       | MLA                                           | Mastercard® Central Travel Solutions Air Card       | MLA, Mastercard® Central Travel Solutions Air Card  |
| MLB                                       | MLB                                           | MLB, Mastercard Brazil Benefit for Home Improvement | MLB, Mastercard Brazil Benefit for Home Improvement |
| MLD                                       | MLD                                           | Mastercard Distribution Card                        | MLD, Mastercard Distribution Card                   |
| MLE                                       | MLE                                           | MLE, Mastercard Brazil General Benefits             | MLE, Mastercard Brazil General Benefits             |
| MLF                                       | MLF                                           | MLF, (Mastercard Agro)                              | MLF, Mastercard Agro                                |
| MLL                                       | MLL                                           | Mastercard® Central Travel Solutions Land Card      | MLL, Mastercard® Central Travel Solutions Land Card |
| MNF                                       | MNF                                           | Mastercard® Public Sector Commercial Card           | MCF, Fleet                                          |
| MNW                                       | MNW                                           | Mastercard® World Card                              | MNW, new World                                      |
| MOC                                       | MOC                                           | Standard Maestro® Social                            | MOC, Standard Maestro® Social                       |
| MPA                                       | MPA                                           | Mastercard® Prepaid Debit Standard, Payroll         | MPM, Prepaid Mastercard Consumer                    |
| MPB                                       | MPB                                           | Mastercard® Preferred Business Card                 | MCO, Global Certified Corporate Card                |
| MPD                                       | MPD                                           | Mastercard® Flex Prepaid                            | MPD, Mastercard Flex Prepaid                        |
| MPE                                       | MPE                                           | Name for GCMS Product ID MPE                        | MPE, Name for GCMS Product ID MPE                   |
| MPF                                       | MPF                                           | Mastercard® Prepaid Debit Standard, Gift            | MPM, Prepaid Mastercard Consumer                    |
| MPG                                       | MPG                                           | Debit Mastercard® Standard Prepaid, General Spend   | MPG, Debit Mastercard Prepaid                       |
| MPG                                       | MUS                                           | Prepaid Unembossed Mastercard® Card                 | MPG, Debit Mastercard Prepaid                       |
| MPJ                                       | MPJ                                           | Mastercard Debit Prepaid Meal Vouchers              | MPJ, Mastercard Debit Prepaid Meal Vouchers         |
| MPL                                       | MPL                                           | Platinum Mastercard® Card                           | MPL, Consumer                                       |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b>                        | <b>Product Class Override Indicator</b>              |
|-------------------------------------------|-----------------------------------------------|-----------------------------------------------------------------------|------------------------------------------------------|
| MPM                                       | MPM                                           | Mastercard® Prepaid Debit Standard, Consumer Incentive                | MPM, Prepaid Mastercard Consumer                     |
| MPN                                       | MPN                                           | Mastercard® Prepaid Debit Standard, Insurance                         | MPM, Prepaid Mastercard Consumer                     |
| MPO                                       | MPO                                           | Mastercard® Prepaid Debit Standard, Other                             | MPM, Prepaid Mastercard Consumer                     |
| MPP                                       | MFR                                           | Mastercard® Commercial Reward Funding                                 | MPG, Debit Mastercard Prepaid                        |
| MPP                                       | MPP                                           | Mastercard® Prepaid Card                                              | MPG, Debit Mastercard Prepaid                        |
| MPR                                       | MPR                                           | Mastercard® Prepaid Debit Standard, Travel                            | MPM, Prepaid Mastercard Consumer                     |
| MPT                                       | MPT                                           | Mastercard® Prepaid Debit Standard, Teen                              | MPM, Prepaid Mastercard Consumer                     |
| MPV                                       | MPV                                           | Mastercard® Prepaid Debit Standard, Government                        | MPM, Prepaid Mastercard Consumer                     |
| MPW                                       | MPW                                           | Debit Mastercard® BusinessCard Prepaid Workplace Business to Business | MPW, Mastercard Prepaid Commercial                   |
| MPX                                       | MPX                                           | Mastercard® Prepaid Debit Standard, Flex Benefit                      | MPM, Prepaid Mastercard Consumer                     |
| MPY                                       | MPY                                           | Mastercard® Prepaid Debit Standard, Employee Incentive                | MPM, Prepaid Mastercard Consumer                     |
| MRC                                       | MIK                                           | Mastercard® Electronic™ Prepaid Student Card                          | MRG, Mastercard Prepaid, Consumer                    |
| MRC                                       | MRC                                           | Prepaid Mastercard® Electronic™ Card (Non-U.S.)                       | MRG, Mastercard Prepaid, Consumer                    |
| MRD                                       | MRD                                           | Platinum Debit Mastercard® Prepaid General Spend                      | MRD, Platinum Debit Mastercard Prepaid General Spend |
| MRF                                       | MRF                                           | European Regulated Individual Pay                                     | MRF, European Regulated Individual Pay               |
| MRG                                       | MIL                                           | Prepaid Unembossed Mastercard® Student Card (Non-U.S.)                | MRG, Mastercard Prepaid, Consumer                    |
| MRG                                       | MRG                                           | Mastercard® Prepaid Card (Non-U.S.)                                   | MRG, Mastercard Prepaid, Consumer                    |



| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b>    | <b>Product Class Override Indicator</b>        |
|-------------------------------------------|-----------------------------------------------|---------------------------------------------------|------------------------------------------------|
| MRG                                       | MRS                                           | Prepaid Mastercard® Student Card                  | MRG, Mastercard Prepaid, Consumer              |
| MRH                                       | MRH                                           | Mastercard® Platinum Prepaid Travel Card          | MRH, Mastercard Platinum Prepaid Travel Card   |
| MRJ                                       | MRJ                                           | Mastercard Prepaid Meal Vouchers                  | MRJ, Mastercard Prepaid Meal Vouchers          |
| MRK                                       | MRK                                           | Prepaid Mastercard® Public Sector Commercial Card | MRW, Mastercard Prepaid, Commercial            |
| MRL                                       | MRL                                           | Mastercard Prepaid Business Preferred             | MRL, Mastercard Prepaid Business Preferred     |
| MRO                                       | MRO                                           | Mastercard® Rewards Only                          | MRO, Mastercard Rewards Only                   |
| MRW                                       | MRW                                           | Prepaid Mastercard® Business Card (Non-U.S.)      | MRW, Mastercard Prepaid, Commercial            |
| MSB                                       | MSB                                           | Maestro® Small Business Card                      | MSB, Maestro Small Business                    |
| MSG                                       | MSG                                           | Prepaid Maestro® Consumer Reloadable Card         | MSO, Maestro Prepaid, Consumer                 |
| MSG                                       | OLR                                           | Prepaid Maestro® Consumer Reloadable Card         | MSG, Prepaid Maestro® Consumer Reloadable Card |
| MSI                                       | MSI                                           | Maestro® Card                                     | MSI, Maestro                                   |
| MSI                                       | MSS                                           | Maestro® Student Card                             | MSI, Maestro                                   |
| MSJ                                       | MSJ                                           | Maestro Prepaid Meal Vouchers                     | MSJ, Maestro Prepaid Meal Vouchers             |
| MSM                                       | MSM                                           | Maestro® Prepaid Consumer Promotion Card          | MSO, Maestro Prepaid, Consumer                 |
| MSO                                       | MSO                                           | Maestro® Prepaid Other Card                       | MSO, Maestro Prepaid, Consumer                 |
| MSP                                       | MSP                                           | Muse Mastercard™                                  | MSP, Muse Mastercard™                          |
| MSW                                       | MSW                                           | Prepaid Maestro® Corporate Card                   | MSW, Maestro Prepaid, Commercial               |
| MTA                                       | MTA                                           | Mastercard® B2B Product 7                         | MTA, Mastercard® B2B Product 7                 |
| MTB                                       | MTB                                           | Mastercard® B2B Product 8                         | MTB, Mastercard® B2B Product 8                 |
| MTC                                       | MTC                                           | Mastercard® B2B Product 9                         | MTC, Mastercard® B2B Product 9                 |
| MTD                                       | MTD                                           | Mastercard® B2B Product 10                        | MTD, Mastercard® B2B Product 10                |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b> | <b>Product Class Override Indicator</b>      |
|-------------------------------------------|-----------------------------------------------|------------------------------------------------|----------------------------------------------|
| MTE                                       | MTE                                           | Mastercard® B2B Product 11                     | MTE, Mastercard® B2B Product 11              |
| MTF                                       | MTF                                           | Mastercard® B2B Product 12                     | MTF, Mastercard® B2B Product 12              |
| MTG                                       | MTG                                           | Mastercard® B2B Product 13                     | MTG, Mastercard® B2B Product 13              |
| MTH                                       | MTH                                           | Mastercard® B2B Product 14                     | MTH, Mastercard® B2B Product 14              |
| MTI                                       | MTI                                           | Mastercard® B2B Product 15                     | MTI, Mastercard® B2B Product 15              |
| MTJ                                       | MTJ                                           | Mastercard® B2B Product 16                     | MTJ, Mastercard® B2B Product 16              |
| MTK                                       | MTK                                           | Mastercard® B2B Product 17                     | MTK, Mastercard® B2B Product 17              |
| MTL                                       | MTL                                           | Mastercard® B2B Product 18                     | MTL, Mastercard® B2B Product 18              |
| MTM                                       | MTM                                           | Mastercard® B2B Product 19                     | MTM, Mastercard® B2B Product 19              |
| MTN                                       | MTN                                           | Mastercard® B2B Product 20                     | MTN, Mastercard® B2B Product 20              |
| MTO                                       | MTO                                           | Mastercard® B2B Product 21                     | MTO, Mastercard® B2B Product 21              |
| MTP                                       | MTP                                           | Mastercard® Platinum Prepaid Travel Card       | MTP, Mastercard Platinum Prepaid Travel Card |
| MTQ                                       | MTQ                                           | Mastercard® B2B Product 22                     | MTQ, Mastercard® B2B Product 22              |
| MTR                                       | MTR                                           | Mastercard® B2B Product 23                     | MTR, Mastercard® B2B Product 23              |
| MTS                                       | MTS                                           | Mastercard® B2B Product 24                     | MTS, Mastercard® B2B Product 24              |
| MTT                                       | MTT                                           | Mastercard® B2B Product 25                     | MTT, Mastercard® B2B Product 25              |
| MTU                                       | MTU                                           | Mastercard® B2B Product 26                     | MTU, Mastercard® B2B Product 26              |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b> | <b>Product Class Override Indicator</b> |
|-------------------------------------------|-----------------------------------------------|------------------------------------------------|-----------------------------------------|
| MTV                                       | MTV                                           | Mastercard® B2B Product 27                     | MTV, Mastercard® B2B Product 27         |
| MVA                                       | MVA                                           | Mastercard® B2B VIP 1                          | MVA, Mastercard® B2B VIP 1              |
| MVB                                       | MVB                                           | Mastercard® B2B VIP 2                          | MVB, Mastercard® B2B VIP 2              |
| MVC                                       | MVC                                           | Mastercard® B2B VIP 3                          | MVC, Mastercard® B2B VIP 3              |
| MVD                                       | MVD                                           | Mastercard® B2B VIP 4                          | MVD, Mastercard® B2B VIP 4              |
| MVE                                       | MVE                                           | Mastercard® B2B VIP 5                          | MVE, Mastercard® B2B VIP 5              |
| MVF                                       | MVF                                           | Mastercard® B2B VIP 6                          | MVF, Mastercard® B2B VIP 6              |
| MVG                                       | MVG                                           | Mastercard® B2B VIP 7                          | MVG, Mastercard® B2B VIP 7              |
| MVH                                       | MVH                                           | Mastercard® B2B VIP 8                          | MVH, Mastercard® B2B VIP 8              |
| MVI                                       | MVI                                           | Mastercard® B2B VIP 9                          | MVI, Mastercard® B2B VIP 9              |
| MVJ                                       | MVJ                                           | Mastercard® B2B VIP 10                         | MVJ, Mastercard® B2B VIP 10             |
| MVK                                       | MVK                                           | Mastercard® B2B VIP 11                         | MVK, Mastercard® B2B VIP 11             |
| MVL                                       | MVL                                           | Mastercard® B2B VIP 12                         | MVL, Mastercard® B2B VIP 12             |
| MVM                                       | MVM                                           | Mastercard® B2B VIP 13                         | MVM, Mastercard® B2B VIP 13             |
| MVN                                       | MVN                                           | Mastercard® B2B VIP 14                         | MVN, Mastercard® B2B VIP 14             |
| MVO                                       | MVO                                           | Mastercard® B2B VIP 15                         | MVO, Mastercard® B2B VIP 15             |
| MVP                                       | MVP                                           | Mastercard® B2B VIP 16                         | MVP, Mastercard® B2B VIP 16             |
| MVQ                                       | MVQ                                           | Mastercard® B2B VIP 17                         | MVQ, Mastercard® B2B VIP 17             |
| MVR                                       | MVR                                           | Mastercard® B2B VIP 18                         | MVR, Mastercard® B2B VIP 18             |
| MVS                                       | MVS                                           | Mastercard® B2B VIP 19                         | MVS, Mastercard® B2B VIP 19             |
| MVT                                       | MVT                                           | Mastercard® B2B VIP 20                         | MVT, Mastercard® B2B VIP 20             |
| MVU                                       | MVU                                           | Mastercard® B2B VIP 21                         | MVU, Mastercard® B2B VIP 21             |
| MVV                                       | MVV                                           | Mastercard® B2B VIP 22                         | MVV, Mastercard® B2B VIP 22             |
| MVW                                       | MVW                                           | Mastercard® B2B VIP 23                         | MVW, Mastercard® B2B VIP 23             |
| MVX                                       | MVX                                           | Mastercard® B2B VIP 24                         | MVX, Mastercard® B2B VIP 24             |
| MVY                                       | MVY                                           | Mastercard® B2B VIP 25                         | MVY, Mastercard® B2B VIP 25             |
| MVZ                                       | MVZ                                           | Mastercard® B2B VIP 26                         | MVZ, Mastercard® B2B VIP 26             |
| MWB                                       | MWB                                           | World Mastercard® for Business Card            | MWB, Business World                     |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b> | <b>Product Class Override Indicator</b>    |
|-------------------------------------------|-----------------------------------------------|------------------------------------------------|--------------------------------------------|
| MWE                                       | MWE                                           | World Elite Mastercard® Card                   | MWE, World Elite Mastercard® Card          |
| MWF                                       | MWF                                           | Mastercard® Humanitarian Prepaid               | MWF, Mastercard® Humanitarian Prepaid      |
| MWJ                                       | MWJ                                           | World Legend Mastercard                        | MWJ, World Legend Mastercard               |
| MWK                                       | MWK                                           | World Legend Exclusive Mastercard              | MWK, World Legend Exclusive Mastercard     |
| MWL                                       | MWL                                           | World Select Mastercard                        | MWL, World Select Mastercard               |
| MWO                                       | MWO                                           | Mastercard® Corporate World Card               | MWO, Corporate World Card                  |
| MWP                                       | MWP                                           | Mastercard World Prepaid                       | MWP, Mastercard World Prepaid              |
| OLB                                       | OLB                                           | Maestro® Small Business, Delayed Debit         | OLB, Maestro Small Business, Delayed Debit |
| OLS                                       | OLS                                           | Maestro®, Delayed Debit                        | OLS, Maestro Delayed Debit                 |
| PMC                                       | PMC                                           | Proprietary Credit Card (Sweden domestic)      | PMC, Proprietary Credit Card               |
| PMD                                       | PMD                                           | Proprietary Debit Card (Sweden domestic)       | PMD, Proprietary Card Debit                |
| PSC                                       | PSC                                           | Common Proprietary Swedish Credit Card         | PSC, Common Proprietary Credit Card        |
| PSD                                       | PSD                                           | Common Proprietary Swedish Debit Card          | PSD, Common Proprietary Debit Card         |
| PVA                                       | PVA                                           | Private Label A                                | PVA, Private Label A                       |
| PVB                                       | PVB                                           | Private Label B                                | PVB, Private Label B                       |
| PVC                                       | PVC                                           | Private Label C                                | PVC, Private Label C                       |
| PVD                                       | PVD                                           | Private Label D                                | PVD, Private Label D                       |
| PVE                                       | PVE                                           | Private Label E                                | PVE, Private Label E                       |
| PVF                                       | PVF                                           | Private Label F                                | PVF, Private Label F                       |
| PVG                                       | PVG                                           | Private Label G                                | PVG, Private Label G                       |
| PVH                                       | PVH                                           | Private Label H                                | PVH, Private Label H                       |
| PVI                                       | PVI                                           | Private Label I                                | PVI, Private Label I                       |
| PVJ                                       | PVJ                                           | Private Label J                                | PVJ, Private Label J                       |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b>            | <b>Product Class Override Indicator</b>           |
|-------------------------------------------|-----------------------------------------------|-----------------------------------------------------------|---------------------------------------------------|
| PVL                                       | PVL                                           | Private Label L                                           | PVL, Private Label L                              |
| SAP                                       | SAP                                           | Platinum Mastercard® Salary–Immediate Debit               | SAP, Platinum Mastercard® Salary, Immediate Debit |
| SAS                                       | SAS                                           | Standard Mastercard® Salary–Immediate Debit               | SAS, Standard Mastercard® Salary, Immediate Debit |
| SBJ                                       | SBJ                                           | Prepaid Installment Payments H                            | SBJ, Prepaid Installment Payments H               |
| SBK                                       | SBK                                           | Prepaid Installment Payments I                            | SBK, Prepaid Installment Payments I               |
| SBP                                       | SBP                                           | Small Business Prepaid                                    | SBP, Small Business Prepaid                       |
| SPP                                       | SPP                                           | Mastercard Installment Payments P                         | SPP, Mastercard Installment Payments P            |
| SPS                                       | SPS                                           | Mastercard Installment Payments S                         | SPS, Mastercard Installment Payments S            |
| SUR                                       | SUR                                           | Prepaid Unembossed Mastercard® Card (Non-U.S.)            | MRG, Mastercard Prepaid, Consumer                 |
| TCB                                       | TCB                                           | Mastercard® Executive Business Card, Immediate Debit      | TCB, Mastercard Corporate, Immediate Debit        |
| TCB                                       | TPC                                           | Mastercard® Professional Card, Immediate Debit            | TCB, Mastercard Corporate, Immediate Debit        |
| TCC                                       | TCC                                           | Mastercard® (mixed BIN), Immediate Debit                  | TCC, Mastercard Consumer, Immediate Debit         |
| TCE                                       | TCE                                           | Mastercard® Electronic™, Immediate Debit                  | TCC, Mastercard Consumer, Immediate Debit         |
| TCE                                       | TIB                                           | Mastercard® Electronic™ Student Card, Immediate Debit     | TCC, Mastercard Consumer, Immediate Debit         |
| TCG                                       | TCG                                           | Gold Mastercard® Card, Immediate Debit                    | TCC, Mastercard Consumer, Immediate Debit         |
| TCO                                       | TCO                                           | Mastercard® Corporate, Immediate Debit                    | TCO, Global Certified Corporate, Immediate Debit  |
| TCO                                       | TLA                                           | Mastercard® Central Travel Solutions Air, Immediate Debit | TCO, Global Certified Corporate, Immediate Debit  |
| TCS                                       | TCS                                           | Mastercard® Standard Card, Immediate Debit                | TCC, Mastercard Consumer, Immediate Debit         |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b>       | <b>Product Class Override Indicator</b>               |
|-------------------------------------------|-----------------------------------------------|------------------------------------------------------|-------------------------------------------------------|
| TCS                                       | TIC                                           | Mastercard® Student Card, Immediate Debit            | TCC, Mastercard Consumer, Immediate Debit             |
| TCS                                       | TIU                                           | Mastercard® Unembossed, Immediate Debit              | TCC, Mastercard Consumer, Immediate Debit             |
| TCW                                       | TCW                                           | World Signia Mastercard® Card, Immediate Debit       | TCW, Mastercard World Signia, Immediate Debit         |
| TEB                                       | TEB                                           | Mastercard® Executive BusinessCard Card              | TEB, Mastercard Corporate, Immediate Debit            |
| TNW                                       | TNW                                           | Mastercard® New World, Immediate Debit               | TNW, Mastercard New World, Immediate Debit            |
| TPB                                       | TPB                                           | Mastercard® Preferred Business Card, Immediate Debit | TCO, Global Certified Corporate, Immediate Debit      |
| TPL                                       | TPL                                           | Platinum Mastercard®, Immediate Debit                | TCC, Mastercard Consumer, Immediate Debit             |
| TPM                                       | TPM                                           | Mastercard Titanium Prepaid                          | TPM, Mastercard Titanium Prepaid                      |
| TWB                                       | TWB                                           | World Mastercard® Black Edition, Immediate Debit     | TWB, World Mastercard® Black Edition, Immediate Debit |
| WAA                                       | WAA                                           | Mastercard® Commercial B2B Product 1                 | WAA, Mastercard® Commercial B2B Product 1             |
| WAB                                       | WAB                                           | Mastercard® Commercial B2B Product 2                 | WAB, Mastercard® Commercial B2B Product 2             |
| WAC                                       | WAC                                           | Mastercard® Commercial B2B Product 3                 | WAC, Mastercard® Commercial B2B Product 3             |
| WAD                                       | WAD                                           | Mastercard® Commercial B2B Product 4                 | WAD, Mastercard® Commercial B2B Product 4             |
| WAE                                       | WAE                                           | Mastercard® Commercial B2B Product 5                 | WAE, Mastercard® Commercial B2B Product 5             |
| WAF                                       | WAF                                           | Mastercard® Commercial B2B Product 6                 | WAF, Mastercard® Commercial B2B Product 6             |
| WAG                                       | WAG                                           | Mastercard® Commercial B2B Product 7                 | WAG, Mastercard® Commercial B2B Product 7             |
| WAH                                       | WAH                                           | Mastercard® Commercial B2B Product 8                 | WAH, Mastercard® Commercial B2B Product 8             |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b> | <b>Product Class Override Indicator</b>    |
|-------------------------------------------|-----------------------------------------------|------------------------------------------------|--------------------------------------------|
| WAI                                       | WAI                                           | Mastercard® Commercial B2B Product 9           | WAI, Mastercard® Commercial B2B Product 9  |
| WAJ                                       | WAJ                                           | Mastercard® Commercial B2B Product 10          | WAJ, Mastercard® Commercial B2B Product 10 |
| WAK                                       | WAK                                           | Mastercard® Commercial B2B Product 11          | WAK, Mastercard® Commercial B2B Product 11 |
| WAL                                       | WAL                                           | Mastercard® Commercial B2B Product 12          | WAL, Mastercard® Commercial B2B Product 12 |
| WAM                                       | WAM                                           | Mastercard® Commercial B2B Product 13          | WAM, Mastercard® Commercial B2B Product 13 |
| WAN                                       | WAN                                           | Mastercard® Commercial B2B Product 14          | WAN, Mastercard® Commercial B2B Product 14 |
| WAO                                       | WAO                                           | Mastercard® Commercial B2B Product 15          | WAO, Mastercard® Commercial B2B Product 15 |
| WAP                                       | WAP                                           | Mastercard® Commercial B2B Product 16          | WAP, Mastercard® Commercial B2B Product 16 |
| WAQ                                       | WAQ                                           | Mastercard® Commercial B2B Product 17          | WAQ, Mastercard® Commercial B2B Product 17 |
| WAT                                       | WAT                                           | Mastercard® Commercial B2B Product 18          | WAT, Mastercard® Commercial B2B Product 18 |
| WAU                                       | WAU                                           | Mastercard® Commercial B2B Product 19          | WAU, Mastercard® Commercial B2B Product 19 |
| WAV                                       | WAV                                           | Mastercard® Commercial B2B Product 20          | WAV, Mastercard® Commercial B2B Product 20 |
| WAW                                       | WAW                                           | Mastercard® Commercial B2B Product 21          | WAW, Mastercard® Commercial B2B Product 21 |
| WAX                                       | WAX                                           | Mastercard® Commercial B2B Product 22          | WAX, Mastercard® Commercial B2B Product 22 |
| WAY                                       | WAY                                           | Mastercard® Commercial B2B Product 23          | WAY, Mastercard® Commercial B2B Product 23 |
| WAZ                                       | WAZ                                           | Mastercard® Commercial B2B Product 24          | WAZ, Mastercard® Commercial B2B Product 24 |
| WBA                                       | WBA                                           | Mastercard® Commercial B2B Product 25          | WBA, Mastercard® Commercial B2B Product 25 |

| <b>GCMS Product Identifier (PDS 0002)</b> | <b>Licensed Product Identifier (PDS 0003)</b> | <b>Licensed Product Identifier Description</b> | <b>Product Class Override Indicator</b>    |
|-------------------------------------------|-----------------------------------------------|------------------------------------------------|--------------------------------------------|
| WBB                                       | WBB                                           | Mastercard® Commercial B2B Product 26          | WBB, Mastercard® Commercial B2B Product 26 |
| WBC                                       | WBC                                           | Mastercard® Commercial B2B Product 27          | WBC, Mastercard® Commercial B2B Product 27 |
| WBD                                       | WBD                                           | Mastercard® Commercial B2B Product 28          | WBD, Mastercard® Commercial B2B Product 28 |
| WBE                                       | WBE                                           | World Mastercard® Black Edition                | WBE, World Mastercard® Black Edition       |
| WBF                                       | WBF                                           | Mastercard® Commercial B2B Product 29          | WBF, Mastercard® Commercial B2B Product 29 |
| WBG                                       | WBG                                           | Mastercard® Commercial B2B Product 30          | WBG, Mastercard® Commercial B2B Product 30 |
| WBH                                       | WBH                                           | Mastercard® Commercial B2B Product 31          | WBH, Mastercard® Commercial B2B Product 31 |
| WBI                                       | WBI                                           | Mastercard® Commercial B2B Product 32          | WBI, Mastercard® Commercial B2B Product 32 |
| WBJ                                       | WBJ                                           | Mastercard® Commercial B2B Product 33          | WBJ, Mastercard® Commercial B2B Product 33 |
| WBK                                       | WBK                                           | Mastercard® Commercial B2B Product 34          | WBK, Mastercard® Commercial B2B Product 34 |
| WBL                                       | WBL                                           | Mastercard® Commercial B2B Product 35          | WBL, Mastercard® Commercial B2B Product 35 |
| WPD                                       | WPD                                           | Mastercard® World Prepaid Debit                | WPD, World Prepaid Debit                   |

## PDS 0003 (Licensed Product Identifier)

PDS 0003 (Licensed Product Identifier) identifies the actual product code assigned by Mastercard when licensing the combination of issuer account range (part of DE 2 [Primary Account Number (PAN)]) and Card Program Identifier.

### Attributes

| <b>Attribute</b>     | <b>Description</b> |
|----------------------|--------------------|
| Data Representation: | ans-3; TAGLLL      |



| Attribute      | Description               |
|----------------|---------------------------|
| Tag Field:     | 0003                      |
| Length Field:  | 3 positions, value = 003  |
| Data Length:   | Fixed length, 3 positions |
| Subfields:     | None                      |
| Justification: | Left                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | •   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | •   | X   | M   |
| Second Presentment/1240                               | •   | X   | M   |
| Retrieval Request/1644                                | •   | X   | M   |
| Retrieval Request Acknowledgment/1644                 | •   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740           | •   | X   | M   |

Issuers that participate in the Mastercard Product Graduation program, should refer to the *Account Level Management Manual* for details on how PDS 0003 will be populated.

For issuers that participate in the Mastercard Product Graduation program, PDS 0003 will be populated based on whether the transactions are qualified or non-qualified.

PDS 0003 contains the product identifier associated with the graduated account number for qualified transactions authorized through the Mastercard Network. Details on the identification of a qualified transaction can be found in the *Account Level Management Manual*. When the transaction is considered non-qualified, PDS 0003 identifies the Licensed Product Identifier according to the licensed product associated with the issuer account range. The *Account Level Management Manual* contains the definition of non-qualified transactions.

For issuers that participate in the Canada Consumer Product Monitoring service, PDS 0003 is populated as follows:

- For qualified transactions authorized using the Mastercard Network, this field reflects the product code of the registered PAN.

- For non-qualified transactions, this field identifies the Licensed Product Identifier according to the licensed product associated with the issuer account range. Refer to the *Account Level Management Manual* for the definitions of non-qualified transactions.
- For Canada Consumer Product Monitoring transactions, the Dual Message Clearing System populates PDS 0003 (Licensed Product Identifier) with the product code registered in ALM for the PAN. This is dependent upon the acquirers providing DE 63 in the clearing message based on what was received in the authorization message. If the clearing message from the acquirer does not contain DE 63, then ALM processes will not be applied and PDS 0003 will be populated based on the product code associated with the account range in IP0040T1 (Issuer Account Range).

## PDS 0004 (Funding Account Information)

PDS 0004 (Funding Account Information) identifies the Funding Source and Account Number of the funding source.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | an...36; TAGLLLVAR              |
| Tag Field           | 0004                            |
| Data Length         | 3 positions, value = 003–036    |
| Data Field          | Variable length, 3–36 positions |
| Subfields           | 2 subfields                     |
| Justification       | N/A                             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

## Requirements

PDS 0004 must be present on Payment Transactions (Processing code = 28) when Transaction Type Identifier (PDS 0043) has a value C67 and the Interchange Rate Designator is a Mastercard Merchant Presented (MPQR) (PDS 0158, subfield 4 is value QR).

## Subfield 1 (Funding Source)

PDS 0004 (Funding Account Information), subfield 1 contains the information representing the transaction funding source.

## Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 01    |
| Subfield Length     | n-2       | 02    |
| Data Representation | n-2       |       |
| Justification       | N/A       |       |

Subfield 1 must be present and contain one of the valid values listed in this table.

## Values

| Values | Description          |
|--------|----------------------|
| 01     | Credit               |
| 02     | Debit                |
| 03     | Prepaid              |
| 04     | Deposit Account      |
| 05     | Mobile Money Account |
| 06     | Cash                 |
| 07     | Other                |

In the Asia/Pacific region, funding sources are limited to Mastercard® cards. In subfield 1, values 04, 05, 06, and 07 are not applicable.

## Subfield 2 (Sender Account Number)

PDS 0004 (Funding Account Information), subfield 2 indicates the account number of the sender.

### Subfield 2 (Sender Account Number)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 02    |
| Subfield Length     |           | 34    |
| Data Representation | an...34   |       |
| Justification       | Left      |       |

Subfield 2 must be present, numeric, cannot contain all zeros, and cannot exceed a length of 20. Subfield 2 is a variable length field with a length value 01 - 34, however, the maximum length will be restricted to 20.

## PDS 0005 (Message Error Indicator)

PDS 0005 (Message Error Indicator) identifies the location, severity, and general description of data element errors in a message.

### Attributes

| Attribute           | Description                                           |
|---------------------|-------------------------------------------------------|
| Data Representation | ans...140; TAGLLLLVAR                                 |
| Tag Field           | 0005                                                  |
| Data Length         | 3 positions, value = 014–140                          |
| Data Field          | Variable length, 14–140 positions in increments of 14 |
| Subfields           | 4 fixed-length subfields for each error occurrence    |
| Occurrences         | 1–10                                                  |
| Justification       | Left or N/A                                           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                     | Org | Sys | Dst |
|---------------------------------------------|-----|-----|-----|
| Retrieval Request/1644                      | .   | X   | C   |
| Retrieval Request Acknowledgment/1644       | .   | X   | C   |
| Message Exception/1644 and File Reject/1644 | .   | X   | M   |

The clearing system provides PDS 0005 in Message Exception/1644 and File Reject/1644 messages to indicate the location of fatal or non-fatal errors in processed messages.

The clearing system may report up to a maximum of 10 exception conditions detected in a message.

### PDS 0005 subfields

The clearing system reports each exception condition using four subfields.

#### PDS 0005 subfields

| Number | Positions | Name                | Attribute | Justification |
|--------|-----------|---------------------|-----------|---------------|
| 1      | 1–5       | Data Element ID     | an-5      | left          |
| 2      | 6–7       | Error Severity Code | n-2       | N/A           |
| 3      | 8–11      | Error Message Code  | an-4      | N/A           |
| 4      | 12–14     | Subfield ID         | n-3       | N/A           |

The clearing system repeats the subfield format from 1 to 10 times in PDS 0005 to report a maximum of 10 error conditions for a single message.

### Subfield 1 (Data Element ID)

Subfield 1 (Data Element ID) identifies the ISO data element or PDS where the error occurred. ISO data elements are identified with the prefix D. This is followed by the data element number right-justified with leading zeros so that the number fills four positions. For example, D0003 indicates DE 3, D0100 indicates DE 100, and so on.

PDSs are identified with the prefix P followed by the four-digit tag ID. For example, P0002 indicates PDS 0002, P0146 indicates PDS 0146, and so on.

This subfield may contain spaces if the error is a general error not related to a specific data element or PDS.

### Subfield 2 (Error Severity Code)

Subfield 2 (Error Severity Code) indicates the severity of the error the clearing system detects. Errors may affect the clearing system or destination processor's ability to process a message successfully (fatal error).

#### Subfield 2 (Error Severity Code)

| Value | Description                                                                                                                 |
|-------|-----------------------------------------------------------------------------------------------------------------------------|
| 00    | Fatal Error; invalid or incomplete data was encountered that prevented the clearing system from processing the transaction. |
| 01–25 | Local domestic reason codes                                                                                                 |

### Subfield 3 (Error Message Code)

Subfield 3 (Error Message Code) is a four-digit value that refers to a specific edit error message to identify the error condition. Refer to [Edits and error messaging](#) for more information.

### Subfield 4 (Subfield ID)

Subfield 4 (Subfield ID) holds the three-position subfield ID of the element in error. This subfield will contain zeros if the element in error is not defined with subfields.

## PDS 0006 (Applied Business Service Arrangement)

PDS 0006 (Applied Business Service Arrangement) identifies, for a rejected message, the card program identifier, and business service arrangement for which the transaction was being evaluated at the time of the rejection.

This PDS is included in a Message Exception/1644 message when a message fails an edit not related to the selection of the acceptance brand and business service arrangement information.

#### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-10; TAGLLL |
| Tag Field           | 0006           |

| Attribute     | Description                 |
|---------------|-----------------------------|
| Data Length   | 3 positions, value = 010    |
| Data Field    | Fixed length, 010 positions |
| Subfields     | 3                           |
| Justification | N/A                         |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| Message Exception/1644 | .   | X   | C   |

## PDS 0006 subfields

This PDS consists of three subfields.

## Subfield attributes and values

| Number | Positions | Name                                   | Attribute | Justification |
|--------|-----------|----------------------------------------|-----------|---------------|
| 1      | 1–3       | Card Program Identifier                | ans-3     | N/A           |
| 2      | 4         | Business Service Arrangement Type Code | ans-1     | N/A           |
| 3      | 5–10      | Business Service ID Code               | ans-6     | N/A           |

## Subfield 1 (Card Program Identifier)

Subfield 1 (Card Program Identifier) is a three-character code that identifies the card program or financial network to which a transaction belongs.

Refer to [PDS 0158 \(Business Activity\)](#) in this chapter for a list of valid values for subfield 1.

## Subfield 2 (Business Service Arrangement Type Code)

Subfield 2 (Business Service Arrangement Type Code) is a one-position numeric value that identifies the interchange relationship between the transaction's participants. These business service arrangement type codes are supported by the clearing system.

### Subfield 2 (Business Service Arrangement Type Code)

| Value | Description      |
|-------|------------------|
| 1     | Interregional    |
| 2     | Intraregional    |
| 3     | Intercountry     |
| 4     | Intracountry     |
| 8     | Member-to-member |

## Subfield 3 (Business Service ID Code)

Subfield 3 (Business Service ID Code) is a six-position value that identifies the business service assigned to the transaction for rulings and reconciliation. See [PDS 0158 \(Business Activity\)](#), subfield 3 for the Business Service ID code format.

## PDS 0010 (Currency Rate Service)

PDS 0010 (Currency Rate Service) identifies transactions eligible for a Currency Rate Service when calculating DE 6 (Amount, Cardholder Billing).

### Attributes

#### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data representation | ans...7; TAGLLLVAR             |
| Tag field           | 0010                           |
| Data Length         | 3 positions, value = 001-007   |
| Data field          | Variable length, 1-7 positions |
| Subfields           | 2                              |



| Attribute     | Description     |
|---------------|-----------------|
| Justification | See "Subfields" |

## Usage

## Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

## Application notes

The Clearing system provides PDS 0010 to the issuer if the account range participates in the Currency Rate service and the transaction qualifies for the service.

## Subfield 1 (Currency Rate Service Applied)

The Clearing system inserts PDS 0010, subfield 01 (Currency Rate Service Applied) if the account range participates in the Currency Rate service and the transaction qualifies for the service.

## Attributes

| Field               | Attribute | Value             |
|---------------------|-----------|-------------------|
| Subfield ID         | n-1       | 1                 |
| Subfield length     | n-1       | 1                 |
| Data representation | a-1       | Y (Yes)<br>N (No) |
| Justification       | N/A       |                   |

## Values

| Value   | Description                                                                                                  |
|---------|--------------------------------------------------------------------------------------------------------------|
| Y (Yes) | The issuer is registered for the currency rate service and Clearing applied the service to this transaction. |

| Value  | Description                                                                                                        |
|--------|--------------------------------------------------------------------------------------------------------------------|
| N (No) | The issuer is registered for the currency rate service but Clearing did not apply the service to this transaction. |

## Subfield 2 (Currency Rate Date)

PDS 0010, subfield 02 (Currency Rate Date) in format YYMMDD provides the FX rate date used to calculate DE 6 (Amount, Cardholder Billing).

Subfield 2 will be present only if subfield 1 equals Y.

### Attributes

| Field               | Attribute | Value  |
|---------------------|-----------|--------|
| Subfield ID         | n-1       | 2      |
| Subfield length     | n-1       | 6      |
| Data representation | n-6       | YYMMDD |
| Justification       | N/A       |        |

### Values

| Value      | Description   |
|------------|---------------|
| Date field | YYMMDD format |

## PDS 0011 (Additional PAN Data)

PDS 0011 (Additional PAN Data) is used to provide issuers with accounts related to the PAN in DE 2 (Primary Account Number [PAN]).

### Attributes

| Attributes          | Description           |
|---------------------|-----------------------|
| Data Representation | ans...714; TAGLLLLVAR |
| Tag Field           | 0011                  |

| Attributes    | Description                                      |
|---------------|--------------------------------------------------|
| Length Field  | 3 positions, value = 021–714 in increments of 21 |
| Data Field    | Variable length, 21–714 positions                |
| Subfields     | 2 subfields for each occurrence                  |
| Occurrences   | 1-34                                             |
| Justification | Left                                             |

### Applicable messages

| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| First Presentment/1240  | .   | X   | C   |
| Second Presentment/1240 | .   | X   | C   |

### Application notes

The Clearing system provides PDS 0011 to the issuer whenever it performs the mapping for an additional PAN that is relevant to the transaction.

## PDS 0011 subfields

### PDS 0011 subfields

This PDS may contain 1 to 34 occurrences of Additional PAN Data. Each occurrence of Additional PAN Data information consists of two subfields as defined in this table.

| Number | Positions | Name                                | Attribute | Justification |
|--------|-----------|-------------------------------------|-----------|---------------|
| 1      | 1-2       | Additional Account Number Indicator | ans-2     | Left          |
| 2      | 3-21      | Additional Account Number           | ans-19    | Left          |

## Subfield 1 (Additional Account Number Indicator)

PDS 0011, subfield 1 (Additional Account Number Indicator) describes the type of account number contained in PDS 0011, subfield 2 (Additional Account Number)

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 01    |
| Subfield Length     | n-2       | 02    |
| Data Representation | ans-2     |       |
| Justification       | Left      |       |

### Values

| Value   | Description                                                                                                                        |
|---------|------------------------------------------------------------------------------------------------------------------------------------|
| 8C      | Subfield 02 contains a Mastercard In Control virtual card number. Mapping was based on a source other than the authorization logs. |
| M Space | Mastercard One Credential Funding PAN                                                                                              |

## Subfield 2 (Additional Account Number)

PDS 0011, subfield 2 (Additional Account Number) contains an account number related to the PAN in DE 2 (Primary Account Number [PAN]), left-justified and right-padded with spaces.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 02    |
| Subfield Length     | n-2       | 19    |
| Data Representation | ans-19    |       |
| Justification       | Left      |       |

When issuers receive PDS 0011, this subfield always contains a virtual card number.

## PDS 0012 (Authorization Matching Data)

PDS 0012 (Authorization Matching Data) contains insights into clearing-to-authorization matching outcomes on select IPM data elements (DEs).

Multiple DEs may be provided in TAGLLLLVAR format if more than one DE does not match between clearing and authorization.

### Attributes

|                      |                                  |
|----------------------|----------------------------------|
| Data Representation: | ans...048; TAGLLLLVAR            |
| Tag Field:           | 0012                             |
| Length Field:        | 3 positions, value = 001-048     |
| Data Field:          | Variable length, 1-048 positions |
| Subfields:           | None                             |
| Justification:       | Left                             |

### Usage

| Message Type Identifier | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| First Presentment/1240  | .   | X   | C   |

PDS 0012 will contain one of the following values based on the outcome of the clearing-to-authorization matching process for the selected data elements.

### Values

| Value | Description                                                                                                                                                                                       |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| N     | Authorization record not found.                                                                                                                                                                   |
| M     | Authorization record found.<br>Transaction amount matched.<br>Approval code matched.<br>Acceptor business code matched.<br>All data elements in scope matched between clearing and authorization. |

| Value                                                                                                                    | Description                                                                                                                                                                                                                                                                      |
|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| P                                                                                                                        | Authorization record found.                                                                                                                                                                                                                                                      |
| DE number, length, and value of DEs from the associated authorization that do not match the clearing in TAGLLVAR format. | One or more data elements in scope not matched between clearing and authorization.<br><br>PDS 0012 will include the values from the associated authorization that do not match to the corresponding DEs in clearing supported by the clearing-to-authorization matching process. |

For example, a matching Authorization Request/0100 message found with DE 4 (Transaction Amount) equal to 000000000123, DE 18 (Acceptor Business Code [MCC]) equal to 4567, and DE 38 (Authorization ID Response) equal to 89ABCD:

### Example

| If...                                                                  | Then PDS 0012 will contain...             |
|------------------------------------------------------------------------|-------------------------------------------|
| Only DE 4 does not match the First Presentment/1240 Message            | P004012000000000123                       |
| DE 4 and DE 18 do not match the First Presentment/1240 Message         | P0040120000000001230180044567             |
| DE 4, DE 18, and DE 38 do not match the First Presentment/1240 Message | P004012000000000123018004456703800689ABCD |

## PDS 0014 (Digital Account Reference Number)

PDS 0014 (Digital Account Reference Number) is provided in a Mastercard Merchant Presented QR (MPQR) payment transaction to allow receiving institutions the ability to initiate a refund to the consumer via the originating institution.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | n...19; TAGLLVAR                |
| Tag Field           | 0014                            |
| Data Length         | 3 positions, value = 006–019    |
| Data Field          | Variable length, 6–19 positions |
| Subfields           | None                            |

| Attribute     | Description |
|---------------|-------------|
| Justification | None        |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | O   | X   | C   |

## PDS 0015 (Clearing Currency Conversion Identifier)

PDS 0015 (Clearing Currency Conversion Identifier) provides the information of the effective date of the Currency Conversion Rate File T057 used for currency conversion by the Mastercard Clearing System.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-7; TAGLLL             |
| Tag Field           | 0015                      |
| Data Length         | 3 positions, value = 007  |
| Data Field          | Fixed length, 7 positions |
| Subfields           | 2                         |
| Justification       | See subfields             |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                             | Org | Sys | Dst |
|---------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                              | •   | X   | M   |
| s1 Currency Conversion Date                                         | •   | X   | M   |
| s2 Currency Conversion Indicator                                    | •   | X   | M   |
| First Chargeback/1442                                               | •   | X   | M   |
| Arbitration Chargeback/1442                                         | •   | X   | M   |
| s1 Currency Conversion Date                                         | •   | X   | M   |
| s2 Currency Conversion Indicator                                    | •   | X   | M   |
| Second Presentment/1240                                             | •   | X   | M   |
| s1 Currency Conversion Date                                         | •   | X   | M   |
| s2 Currency Conversion Indicator                                    | •   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                         | •   | X   | M   |
| s1 Currency Conversion Date                                         | •   | X   | M   |
| s2 Currency Conversion Indicator                                    | •   | X   | M   |
| Fee Collection (Handling Fees)/1740                                 | •   | X   | M   |
| s1 Currency Conversion Date                                         | •   | X   | M   |
| s2 Currency Conversion Indicator                                    | •   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)1740 | •   | X   | M   |
| s1 Currency Conversion Date                                         | •   | X   | M   |
| s2 Currency Conversion Indicator                                    | •   | X   | M   |



## Subfield 1 (Currency Conversion Date)

PDS 0015 (Clearing Currency Conversion Indicator), subfield 1 (Currency Conversion Date) contains the effective date of the Currency Conversion Rate File T057 applied for processing. The value in this subfield is in YYMMDD format.

### Attributes

| Field               | Attribute   | Value |
|---------------------|-------------|-------|
| Subfield ID         | n-2         | 01    |
| Subfield Length     | n-2         | 06    |
| Data Representation | n-6; YYMMDD |       |
| Justification       | Right       |       |

## Subfield 2 (Currency Conversion Indicator)

PDS 0015 (Clearing Currency Conversion Identifier), subfield 2 (Currency Conversion Indicator) indicates whether the Currency Conversion Rate File T057 applicable to the clearing record was effective at the time of authorization or at the time of business processing.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 02    |
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |
| Justification       | N/A       |       |

### Values

| Value | Description                                                                                                                                                                                  |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0     | Transaction not eligible for use of the currency conversion rate effective at the time of authorization processing. GCMS Central site processing date rates applied for currency conversion. |
| 1     | Authorization processing date rates applied for currency conversion rates applied for currency conversion.                                                                                   |

| Value | Description                                                              |
|-------|--------------------------------------------------------------------------|
| 2     | GCMS Central site processing date rates applied for currency conversion. |

## PDS 0016 (Digital Service Provider)

PDS 0016 (Digital Service Provider) provides information about the digital service provider to either the third-party entity that facilitated a tokenized transaction or the entity that authenticated the cardholder in a remote commerce transaction.

### Attributes

| Attribute           | Description                                                                              |
|---------------------|------------------------------------------------------------------------------------------|
| Data Representation | ans...10; TAGLLLLVAR                                                                     |
| Tag Field           | 0016                                                                                     |
| Data Length         | 3 positions, value = 005-010                                                             |
| Data Field          | Variable length, 5-10 positions                                                          |
| Subfields           | Subfield 1 (Digital Service Provider ID 1)<br>Subfield 2 (Digital Service Provider ID 2) |
| Justification       | See "Subfields"                                                                          |

### Usage

Whether the usage is mandatory, conditional, optional, system-provided, or not required is as noted for each applicable message.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

### Application notes

The clearing system populates values in PDS 0016 in First Presentment/1240 messages only when the issuer has opted into the service to receive it.

## Subfield 1 (Digital Service Provider ID 1)

PDS 0016, subfield 1 (Digital Service Provider ID 1) identifies the Digital Service Provider type and entity.

### Attributes

| Attribute           | Value                  |
|---------------------|------------------------|
| Data representation | ans-5                  |
| Data field          | Contents of position 5 |
| Justification       | Left                   |

### Values

| Positions | Description                         | Values                                                                                      |
|-----------|-------------------------------------|---------------------------------------------------------------------------------------------|
| 1         | Digital Service Provider Type       | F: Facilitator<br>A: Authenticator                                                          |
| 2-5       | Digital Service Provider Identifier | A list of available IDs is in the <i>MDES Issuer Implementation Guide</i> available on TRC. |

## Subfield 2 (Digital Service Provider ID 2)

PDS 0016, subfield 2 (Digital Service Provider ID 2) identifies the Digital Service Provider type and entity.

### Attributes

| Attribute           | Value                  |
|---------------------|------------------------|
| Data representation | ans-5                  |
| Data field          | Contents of position 5 |
| Justification       | Left                   |

### Values

| Positions | Description                         | Values                                                                                      |
|-----------|-------------------------------------|---------------------------------------------------------------------------------------------|
| 6         | Digital Service Provider Type       | F: Facilitator<br>A: Authenticator                                                          |
| 7-10      | Digital Service Provider Identifier | A list of available IDs is in the <i>MDES Issuer Implementation Guide</i> available on TRC. |

## PDS 0017 (Interchange Structure Indicator)

PDS 0017 (Interchange Structure Indicator) will be added to clearing messages by the Dual Message Clearing System when an Interchange Structure Indicator value is generated for qualified transactions.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | an-2; TAGLLL              |
| Tag Field           | 0017                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | N/A                       |
| Justification       | Left                      |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | •   | X   | C   |
| First Chargeback/1442  | •   | X   | C   |

| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| Second Presentment/1240 | .   | X   | C   |

## Values

This table describes the classification descriptions and values.

## Values

| Description                         | Value |
|-------------------------------------|-------|
| Small Business Level 1              | B1    |
| Small Business Level 2              | B2    |
| Small Business Level 3              | B3    |
| Small Business Level 4              | B4    |
| Small Business Level 5              | B5    |
| Commercial Business to Business     | BB    |
| Bill Pay                            | BP    |
| Core Value                          | CC    |
| Unregulated Consumer Debit          | CD    |
| Unregulated Consumer Prepaid        | CP    |
| Enhanced Value                      | EV    |
| Commercial Flex Program             | FP    |
| Fleet                               | FT    |
| Humanitarian                        | HM    |
| World High Value                    | HV    |
| Installment Payments                | IP    |
| Large Market                        | LM    |
| Unregulated Commercial Debit        | MD    |
| Unregulated Commercial Prepaid      | MP    |
| Unknown Interchange Structure       | NA    |
| Commercial Payments Account         | PA    |
| Private Label                       | PL    |
| Prepaid Commercial Payments Account | PP    |

| Description                                        | Value |
|----------------------------------------------------|-------|
| Regulated Consumer Debit Base                      | RB    |
| Regulated Commercial Debit Base                    | RC    |
| Regulated Consumer Prepaid with Fraud Adjustment   | RD    |
| Regulated Commercial Prepaid with Fraud Adjustment | RE    |
| Regulated Consumer Debit with Fraud Adjustment     | RF    |
| Regulated Commercial Debit with Fraud Adjustment   | RG    |
| Regulated Consumer Prepaid Base                    | RP    |
| Regulated Commercial Prepaid Base                  | RR    |
| Variable Interchange Programs                      | VP    |
| World Elite                                        | WE    |
| World                                              | WO    |

### Application notes

The Interchange Structure Indicator is sent to acquirers and issuers for U.S. region transactions.

The Interchange Structure Indicator is applicable only to the U.S. region for Purchase, Purchase with Cash Back, Unique Transaction (requires unique MCC), Purchase Return/Refund, and Payment Transaction types.

ATM and cash disbursement transactions are not eligible for the Interchange Structure Indicator.

The Interchange Structure Indicator is not applicable to the U.S. territories of American Samoa, Guam, Northern Mariana Islands, Puerto Rico, and U.S. Virgin Islands, which are located in the Asia/Pacific and Latin America and the Caribbean regions.

## PDS 0018 (Acceptance Data)

PDS 0018 (Acceptance Data) provides information about the form factor of the terminal device used to initiate a transaction.

### Attributes

| Attribute           | Description |
|---------------------|-------------|
| Data Representation | n-1; TAGLLL |

| Attribute     | Description                |
|---------------|----------------------------|
| Tag Field     | 0018                       |
| Data Length   | 3 positions, value = 001   |
| Data Field    | Fixed length, 001 position |
| Subfields     | 1                          |
| Justification | None                       |

## Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | O   | .   | C   |

## Subfield 1 (mPOS Acceptance Device Type)

PDS 0018, subfield 01 (mPOS Acceptance Device Type) identifies the type of device used by the merchant as the terminal for accepting mPOS.

## Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data Representation | n-1                    |
| Data Field          | Contents of subfield 1 |
| Justification       | N/A                    |

## Values

| Values | Description                                                                |
|--------|----------------------------------------------------------------------------|
| 0      | Dedicated mPOS Terminal with PCI complaint Dongle (with or without keypad) |
| 1      | Off the Shelf Mobile Device                                                |

| Values | Description             |
|--------|-------------------------|
| 2-9    | Reserved for Future Use |

## PDS 0020 (Digital Commerce Solutions Indicators)

PDS 0020 (Digital Commerce Solutions Indicators) identifies the domain, program type and optional check-in details of a digital commerce transaction.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data representation | ans...57; LLVAR             |
| Data Length         | 2 positions, value = 57     |
| Data field          | Contents of subfields 01–04 |
| Subfields           | 4                           |
| Justification       | See Subfields               |

### Usage

Whether the usage is mandatory, conditional, optional, system-provided, or not required is as noted for each applicable message.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

### Subfield values

| Subfields | Name                               | Usage                                                                                      |
|-----------|------------------------------------|--------------------------------------------------------------------------------------------|
| 01        | Digital Commerce Domain Identifier | Identifies the entity responsible for populating the Digital Commerce Solutions Indicators |
| 02        | Digital Commerce Program Type      | Identifies the specific digital commerce program                                           |



| Subfields | Name                                           | Usage                                                                           |
|-----------|------------------------------------------------|---------------------------------------------------------------------------------|
| 03        | Digital Commerce Check-In Entity Type and Name | Identifies entity type and entity name                                          |
| 04        | Digital Commerce Check-In Method               | Identifies methods that check-in entity applies to validate cardholder presence |

## Subfield 1 (Digital Commerce Domain Identifier)

PDS 0020, subfield 1 (Digital Commerce Domain Identifier) identifies the entity responsible for populating the digital commerce solutions indicators defined in subfield 2 (Digital Commerce Program Type), subfield 3 (Digital Commerce Check-In Entity Type and Name), and subfield 4 (Digital Commerce Check-In Method).

### Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data representation | ans-1                  |
| Data field          | Contents of position 1 |
| Justification       | N/A                    |

### Values

| Value | Description             |
|-------|-------------------------|
| 0     | Multi-Domain            |
| 1     | Mastercard              |
| 2     | Acquirer                |
| 3     | Issuer                  |
| 4-9   | Reserved for future use |

## Subfield 2 (Digital Commerce Program Type)

PDS 0020, subfield 2 (Digital Commerce Program Type) identifies the specific digital commerce program.

### Attributes

| Attribute           | Description            |
|---------------------|------------------------|
| Data representation | an-1                   |
| Data field          | Contents of position 1 |
| Justification       | Left                   |

### Values

#### Values

| Value | Description                   |
|-------|-------------------------------|
| 0     | Multi-Program                 |
| 1     | SQR                           |
| 2     | Click to Pay                  |
| 3     | Biometrics Checkout Program   |
| 4     | Next Gen Point-of-Interaction |
| 5     | Mastercard QR: Pay by Link    |
| 6     | Mastercard QR: X QR           |
| 7-9   | Reserved for future use       |

### Application notes

Values 5 and 6 are only used when PDS 0020, subfield 1 value = 2 (Acquirer).

## Subfield 3 (Digital Commerce Program Type Details)

PDS 0020, subfield 3 (Digital Commerce Program Type Details) identifies the methods a program type and its subtype apply to validate cardholder presence.

### Attributes

| Attribute           | Description             |
|---------------------|-------------------------|
| Data representation | ans...15                |
| Data field          | Contents of position 15 |
| Justification       | N/A                     |

### Application notes

When a transaction belongs to a single program type, subfield 03 will contain two characters:

- The first character indicates the program type
- The second character indicates the program subtype

A value of zero in the second character indicates the absence of a subtype. For example, a subfield 03 value of 10 indicates the transaction type is Mastercard Merchant Presented QR: SRC (SQR) with no subtype.

For Mastercard QR: X QR and Mastercard QR: Pay by Link program types, two distinct subtypes will be applicable:

- A second character value of 1 will specify the subtype as Merchant Presented
- A second character value of 2 will specify the subtype as Consumer Presented

For example, a subfield 03 value of 61 indicates the transaction type is Mastercard QR: X QR and subtype is Merchant Presented. Similarly, a subfield 03 value of 62 indicates the transaction type is Mastercard QR: X QR and subtype is Consumer Presented.

When a transaction belongs to more than one program type:

- Subfield 02 will have a value of 0 (Multi-Program)
- Subfield 03 will have four characters to indicate each type and subtype the transaction belongs to

For example, a subfield 03 value of 3040 indicates the transaction type is both Biometric with no subtype and Next Gen Point-of-Interaction (POI) with no subtype.

For a full list of digital commerce solution indicators, refer to [MDES Technical Specifications for Dual and Single Message Systems](#).

### Example field values

| Example program                                                                    | PDS 0020 representation                                                                                                                                                                                                                               | Comments                                                                                                                                                                  |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Transaction with SQR                                                               | <ul style="list-style-type: none"> <li>Subfield 1 = 1 (Mastercard)</li> <li>Subfield 2 = 1 (SQR)</li> <li>Subfield 3 = 10 (SQR)</li> <li>Subfield 4 = Not present</li> </ul>                                                                          | Sample values when the transaction belongs to a single program type                                                                                                       |
| Transaction with XQR when the QR is Merchant presented                             | <ul style="list-style-type: none"> <li>Subfield 01 = 2 (Acquirer)</li> <li>Subfield 02 = 6 (XQR)</li> <li>Subfield 03 = 61 (XQR, Merchant Presented)</li> <li>Subfield 04 = Not present</li> </ul>                                                    | Sample values when the transaction belongs to a single program type and sub-type                                                                                          |
| Transaction with Next Gen POI and In-store Biometric                               | <ul style="list-style-type: none"> <li>Subfield 1 = 1 (Mastercard)</li> <li>Subfield 2 = 0 (Multi-Program)</li> <li>Subfield 3 = 3040 (30 = Biometric, 40 = Next Gen POI)</li> <li>Subfield 4 = Next Gen POI Check In details</li> </ul>              | Sample values when the transaction belongs to more than one program type (Multi-Program)                                                                                  |
| Transaction with Click to Pay and Pay By Link QR when the QR is consumer presented | <ul style="list-style-type: none"> <li>Subfield 01 = 0 (Multi-Domain)</li> <li>Subfield 02 = 0 (Multi-Program)</li> <li>Subfield 03 = 2052 (20 = Click to Pay, 52 = Pay By Link QR, Consumer Presented)</li> <li>Subfield 04 = Not Present</li> </ul> | Sample values when multiple program details are collected by multiple sources, like Click to Pay from Mastercard and Pay By Link QR, Consumer presented from the acquirer |

## Subfield 4 (Digital Commerce Check-In Details)

PDS 0020, subfield 04 (Digital Commerce Check-In Details) is an open text field. This field identifies entity type, entity name and the methods a check-in entity applies to validate cardholder presence. All entities eligible for this subfield must be integrated with the Mastercard Next Gen POI API. This field may also include a reference number for tracking and reporting purpose.

### Attributes

| Attribute           | Description             |
|---------------------|-------------------------|
| Data representation | ans...40                |
| Data field          | Contents of position 40 |

| Attribute     | Description |
|---------------|-------------|
| Justification | N/A         |

## PDS 0021 (Transaction Type Indicator)

PDS 0021 (Transaction Type Indicator) provides information about the form factor of the terminal device used to initiate a transaction.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | ans-1; TAGLLL            |
| Tag Field           | 0021                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

## PDS 0022 (Additional Terminal Operating Environments)

PDS 0022 (Additional Terminal Operating Environments) identifies a cardless ATM transaction.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | an-1; TAGLLL             |
| Tag Field           | 0022                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

### Values

Additional terminal operating environment values are listed in this table.

### Values

| Value | Description                                                                                                         |
|-------|---------------------------------------------------------------------------------------------------------------------|
| A     | Transaction has been initiated remotely and completed at a physical terminal on premises of the acceptor facility.  |
| B     | Transaction has been initiated remotely and completed at a physical terminal off premises of the acceptor facility. |

## PDS 0023 (Terminal Type)

PDS 0023 (Terminal Type) identifies the type of terminal used at the point of interaction.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-3; TAGLLL             |
| Tag Field           | 0023                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

PDS 0023 is required in non-reversal First Presentment/1240, First Chargeback/1442, Second Presentment/1240, and Arbitration Chargeback/1442 messages.

Transactions submitted in the U.S. region with the following terminal types may have limitations on the interchange rate programs they can be submitted for:

- CT1, Automated Dispensing Machine, (Cardholder Activated Terminal [CAT] Level 1)
- CT2, Self-Service Terminal (CAT Level 2)
- CT3, Limited Amount Terminal (CAT Level 3)
- CT4, In-Flight Commerce Terminal (CAT Level 4)

Refer to the *Interchange Manual for the U.S. Region* for more information.

## Values

Terminal Type codes for point-of-interaction (POI) terminal devices are listed in this table.

### Values

| Value | Description                                                                                |
|-------|--------------------------------------------------------------------------------------------|
| ATM   | ATM terminal                                                                               |
| CT1   | CAT level 1 (automated dispensing machine)                                                 |
| CT2   | CAT level 2 (self-service terminal)                                                        |
| CT3   | CAT level 3 (limited amount terminal)                                                      |
| CT4   | CAT level 4 (in-flight commerce terminal)                                                  |
| CT6   | CAT level 6 (electronic commerce transaction)                                              |
| CT7   | CAT level 7 (transponders)                                                                 |
| CT8   | Remote terminal                                                                            |
| CT9   | MPOS Acceptance Device                                                                     |
| MAN   | Manual, no terminal                                                                        |
| NA    | Terminal type data unknown or not available (The third position of this value is a space.) |
| POI   | POI terminal                                                                               |

If present, PDS 0023 must be left-justified and cannot contain all low values, all high values, or all spaces.

PDS 0023 must contain a value of CT6 when DE 22, Subfield 7 is populated with a value of S.

### Authorization to clearing data element mapping

The CIS authorization messages currently use the ISO 8583:1987 message format, whereas the IPM clearing messages use the ISO 8583:1993 message format. Therefore, there are some differences for the same data elements between the authorization and clearing messages that customers should consider when mapping between them.

This table details the mapping between the authorization and clearing data elements.



### Authorization to clearing data element mapping

| To map to PDS 0023, Terminal Type value |                                                                                           | Use CIS DE 61, Point of Service (POS) Data, subfield 10 (Cardholder-Activated Terminal Level) |                                                               |
|-----------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|---------------------------------------------------------------|
| Description                             | Description                                                                               |                                                                                               |                                                               |
| N/A                                     | Not a CAT transaction                                                                     | 0                                                                                             | Not a CAT transaction                                         |
| CT1                                     | CAT Level 1: Automated dispensing machine                                                 | 1                                                                                             | Authorized Level 1 CAT: Automated dispensing machine with PIN |
| CT2                                     | CAT Level 2: Self-service terminal                                                        | 2                                                                                             | Authorized Level 2 CAT: Self-service terminal                 |
| CT3                                     | CAT Level 3: Limited amount terminal                                                      | 3                                                                                             | Authorized Level 3 CAT: Limited-amount terminal               |
| CT4                                     | CAT Level 4: In-flight commerce terminal                                                  | 4                                                                                             | Authorized Level 4 CAT: In-flight commerce                    |
| N/A                                     | N/A                                                                                       | 5                                                                                             | Reserved                                                      |
| CT6                                     | CAT Level 6: Electronic commerce transaction                                              | 6                                                                                             | Authorized Level 6 CAT: Electronic commerce                   |
| CT7                                     | CAT Level 7: Transponders                                                                 | 7                                                                                             | Authorized Level 7 CAT: Transponder transaction               |
| CT8                                     | CAT Level 8: Remote terminal                                                              | 8                                                                                             | Authorized Level 8 CAT: Remote terminal                       |
| CT9                                     | MPOS Acceptance Device                                                                    | 9                                                                                             | MPOS Acceptance Device                                        |
| ATM                                     | ATM terminal                                                                              | N/A                                                                                           | N/A                                                           |
| MAN                                     | Manual, no terminal                                                                       | N/A                                                                                           | N/A                                                           |
| NA                                      | Terminal type data unknown or not available (the third position of this value is a space) | N/A                                                                                           | N/A                                                           |
| POI                                     | POI terminal                                                                              | N/A                                                                                           | N/A                                                           |

## PDS 0025 (Message Reversal Indicator)

PDS 0025 (Message Reversal Indicator) identifies a message as a reversal of a previous message.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...7; TAGLLLVAR             |
| Tag Field           | 0025                           |
| Data Length         | 3 positions, value = 001–007   |
| Data Field          | Variable length, 1–7 positions |
| Subfields           | 2                              |
| Justification       | See “Subfields”                |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | •   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | •   | C   |
| s2 Central Site Processing Date of Original Message   | O   | X   | C   |
| Second Presentment/1240                               | C   | X   | C   |
| s2 Central Site Processing Date of Original Message   | O   | X   | C   |
| Retrieval Request/1644                                | C   | X   | C   |
| s2 Central Site Processing Date of Original Message   | O   | •   | C   |
| Retrieval Request Acknowledgment/1644                 | C   | X   | C   |
| s2 Central Site Processing Date of Original Message   | O   | •   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | C   | X   | C   |
| s2 Central Site Processing Date of Original Message   | O   | X   | C   |
| Fee Collection (Handling Fees)/1740                   | C   | X   | C   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| s2 Central Site Processing Date of Original Message                  | O   | X   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | C   | X   | C   |
| s2 Central Site Processing Date of Original Message                  | O   | X   | C   |
| Message Exception/1644 and File Reject/1644                          | .   | X   | C   |

PDS 0025 in an advice or notification message indicates that a previously transmitted message was transmitted in error and should be ignored or reversed.

The value in PDS 0025 in a Message Exception/1644 message is taken from the actual rejected message. This PDS is not provided in a File Reject/1644 message. PDS 0026 is provided in File Reject/1644 message if it was present in the File Header/1644 message of the rejected file.

All other data elements in the message remain unchanged from the original message to provide sufficient information for that message to be nullified or reversed.

**NOTE: An R in subfield 1 reverses the original funds flow.**

## PDS 0025 subfields

PDS 0025 contains two subfields.

This PDS should not be present unless a message is to be reversed.

### PDS 0025 subfields

| Number | Positions | Name                                             | Attribute        | Justification |
|--------|-----------|--------------------------------------------------|------------------|---------------|
| 1      | 1         | Message Reversal Indicator                       | as-1; R or space | N/A           |
| 2      | 2-7       | Central Site Processing Date of Original Message | n-6; YYMMDD      | N/A           |

**NOTE: Chargeback reversals cannot be processed in the same file as the original chargeback.**

### Subfield 1 (Message Reversal Indicator)

If a message is not a reversal, customers/processors should not provide PDS 0025.

If a customer/processor does provide PDS 0025 in a clearing message, subfield 1 (Message Reversal Indicator) is always required and must contain an R or space and cannot contain null values.

The clearing system may provide PDS 0025 in a message if it is part of a "full file reversal" that the original message sender requested. If this is the case, subfield 1 of PDS 0025 contains an R if this message is a reversal of a previous message in which PDS 0025 was not present. Subfield 1 contains a space if this message is a reversal of a previous message in which PDS 0025 subfield 1 contained an R. Refer to [PDS 0026 \(File Reversal Indicator\)](#) for additional information on full file reversals.

## Subfield 2 (Central Site Processing Date of Original Message)

Subfield 2 (Central Site Processing Date of Original Message) is required only when PDS 0025 is present in First Presentment/1240 messages. Subfield 2 must contain a valid date in the format YYMMDD.

Subfield 2, if present, must contain a date that is less than or equal to the clearing system processing date.

When PDS 0025 is present in First Presentment/1240 messages, the clearing system compares that to original first presentment message and if it is within 7 days from the date of original first presentment processing, it applies the foreign exchange rate of original first presentment transaction. In all other instances, the clearing system uses current business processing date for currency conversion.

When PDS 0025 is present in First Chargeback/1442, Second Presentment/1240, or Arbitration Chargeback/1442 messages, the clearing system uses the current business processing date for currency conversion.

## PDS 0026 (File Reversal Indicator)

PDS 0026 (File Reversal Indicator) identifies the entire file as a reversal of a previous file.

### Attributes

| Attribute            | Description                    |
|----------------------|--------------------------------|
| Data Representation: | an...7; TAGLLLVAR              |
| Tag Field:           | 0026                           |
| Length Field:        | 3 positions, value = 001-007   |
| Data Length          | Variable length, 1-7 positions |
| Subfields:           | 2                              |

| Attribute      | Description     |
|----------------|-----------------|
| Justification: | See "Subfields" |

## Usage

This table shows the usage of this PDS (mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                | Org | Sys | Dst |
|----------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644  | C   | .   | .   |
| Message Exception and File Reject/1644 | .   | X   | C   |

The presence of PDS 0026 in a File Header (Customer-generated)/1644 indicates that the clearing system should reverse all messages contained in the logical file. The clearing system manages this process by inserting or revising PDS 0025 (Message Reversal Indicator) in each message.

**NOTE: An R in subfield 1 reverses the original funds flow.**

When PDS 0026 is present in the File Header (Customer-generated)/1644 and the individual transaction message:

- Does not contain PDS 0025, the clearing system builds PDS 0025 using the values submitted in PDS 0026 in the File Header (Customer-generated)/1644.
- Already contains PDS 0025, the value of subfield 1 is changed from R to a space or a space to R.

The value in subfield 2 of PDS 0025 remains unchanged.

## Example 1

| IF...                                                                                                                                                                                                                                                                                                      | THEN the clearing system...                                                                                                                                                                                                                                                                                       |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• PDS 0026 subfield 1 is R and subfield 2 is 991013 in the File Header (Customer-generated)/1644, and</li> <li>• One of the First Presentment/1240 messages within the file contains PDS 0025 with an R in subfield 1 and a date of 991012 in subfield 2</li> </ul> | <ul style="list-style-type: none"> <li>• Changes R to space in PDS 0025 subfield 1 of the First Presentment/1240, and</li> <li>• Retains the value of 991012 in PDS 0025 subfield applies the FX rate of original first presentment when matched. Else apply current business processing date FX rate.</li> </ul> |

## Example 2

| IF...                                                                                                                                                                                                                                                                                                     | THEN the clearing system...                                                                                                                                                                                                                                                                                         |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>PDS 0026 subfield 1 is R and subfield 2 is 991013 in the File Header (Customer-generated)/1644, and</li> <li>One of the First Presentment/1240 messages within the file contains PDS 0025 with a space in subfield 1 and a date of 991011 in subfield 2</li> </ul> | <ul style="list-style-type: none"> <li>Changes space to an R in PDS 0025, subfield 1 of the First Presentment/1240, and</li> <li>Retains the value of 991011 in PDS 0025 subfield 2 applies the FX rate of original first presentment when matched. Else apply current business processing date FX rate.</li> </ul> |

## PDS 0026 subfields

PDS 0026 consists of two subfields.

This PDS should not be present unless the entire file is to be reversed.

### PDS 0026 subfields

| Number | Positions | Name                                          | Attribute   | Justification |
|--------|-----------|-----------------------------------------------|-------------|---------------|
| 1      | 1         | File Reversal Indicator                       | a-1; R      | N/A           |
| 2      | 2-7       | Central Site Processing Date of Original File | n-6; YYMMDD | N/A           |

### Subfield 1 (File Reversal Indicator)

If PDS 0026 is present, subfield 1 (File Reversal Indicator) is always required and must contain a value of R.

### Subfield 2 (Central Site Processing Date of Original File)

If PDS 0026 is present, subfield 2 (Central Site Processing Date of Original File) is always required and must contain a valid date equal to or less than the current business processing date.

## PDS 0027 (Flex Code)

PDS 0027 (Flex Code) is specific to Brazil Flex Card transactions to communicate the product code used for clearing.

### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | ans-3;TAGLLL              |
| Tag Field:           | 0027                      |
| Length Field:        | 3 positions, value = 003  |
| Data Length:         | Fixed length, 3 positions |
| Subfields:           | None                      |
| Justification:       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, or system-provided) in applicable messages.

### Usage

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | X   | C   |
| Second Presentment/1240                               | C   | X   | C   |
| Retrieval Request/1644                                | C   | X   | C   |
| Retrieval Request Acknowledgment/1644                 | C   | X   | C   |
| Fee Collection /1740                                  | O   | X   | C   |

**NOTE: If acquirers or issuers do not submit PDS 0027 for Brazil Flex Cards domestic transactions, the clearing system will not reject the associated messages.**

## PDS 0028 (Mastercard Merchant Presented QR [MPQR] Receiving Account Number)

PDS 0028 (Mastercard Merchant Presented QR [MPQR] Receiving Account Number) provided in a Masterpass QR Funding Transaction contains the receiving account number.

### Attributes

| Attribute            | Description                  |
|----------------------|------------------------------|
| Data Representation: | ans...34; TAGLLLVAR          |
| Tag Field:           | 0028                         |
| Length Field:        | 3 positions, value = 001–034 |
| Data Length:         | Variable length, 001–034     |
| Subfields:           | None                         |
| Justification:       | Left                         |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |

### Mastercard Merchant Presented QR (MPQR) Transactions requirements

Payment transaction usage:

- First Presentment/1240: Not available. Edit if presented. Reject transaction if edit fails. Forward message to destination if edit validates.
- Second Presentment/1240: Not available. Edit if presented. Reject transaction if edit fails. Forward message to destination if edit validates.
- First Chargeback/1442 and Arbitration Chargeback/1442: Not available. Edit if presented. Reject transaction if edit fails. Forward message to destination if edit validates.



Refund payment transaction usage:

- First Presentment/1240: Not available. Edit if presented. Reject transaction if edit fails. Forward message to destination if edit validates.
- Second Presentment/1240: Not available. Edit if presented. Reject transaction if edit fails. Forward message to destination if edit validates.
- First Chargeback/1442 and Arbitration Chargeback/1442: Not available. Edit if presented. Reject transaction if edit fails. Forward message to destination if edit validates.

Funding transaction usage:

- First Presentment/1240: Optional. If present, edit must validate. Forward message to destination if edit validates.
- Second Presentment/1240: Optional. If present, edit must validate. Forward message to destination if edit validates.
- First Chargeback/1442 and Arbitration Chargeback/1442: Optional. If present, edit must validate. Forward message to destination if edit validates.

## PDS 0029 (QR Dynamic Code Data)

PDS 0029 (QR Dynamic Code Data) is a placeholder for regional data with limited Mastercard editing or data validation.

### Attributes

| Attribute            | Description                  |
|----------------------|------------------------------|
| Data Representation: | ans...237; TAGLLLLVAR        |
| Tag Field:           | 0029                         |
| Length Field:        | 3 positions, value = 001–237 |
| Data Length:         | Variable length, 001–237     |
| Subfields:           | None                         |
| Justification:       | Left                         |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |

### Mastercard Merchant Presented QR (MPQR) Transactions requirements

Payment transaction usage:

- First Presentment/1240: Optional. If present, edit must validate. Forward message to destination if edit validates.
- Second Presentment/1240: Optional. If present, edit must validate. Forward message to destination if edit validates.
- First Chargeback/1442 and Arbitration Chargeback/1442: Optional. If present, edit must validate. Forward message to destination if edit validates.

Refund payment transaction usage:

- First Presentment/1240: Not available. Edit if presented. Reject transaction if edit fails. Forward message to destination if edit validates.
- Second Presentment/1240: Not available. Edit if presented. Reject transaction if edit fails. Forward message to destination if edit validates.
- First Chargeback/1442 and Arbitration Chargeback/1442: Not available. Edit if presented. Reject transaction if edit fails. Forward message to destination if edit validates.

Funding transaction usage:

- First Presentment/1240: Optional. If present, edit must validate. Forward message to destination if edit validates.
- Second Presentment/1240: Optional. If present, edit must validate. Forward message to destination if edit validates.
- First Chargeback/1442 and Arbitration Chargeback/1442: Optional. If present, edit must validate. Forward message to destination if edit validates.

## PDS 0030 (QR Initiated Transaction)

PDS 0030 is used to identify QR initiated transactions.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data representation | an-1                     |
| Data field          | Fixed length, 1 position |

### Value

1 = QR Initiated Transaction In Peru

### Usage

Following is the usage of PDS 0030 (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

**NOTE: This PDS is only applicable to the nano merchant IRD NM. If this PDS is submitted by the acquirers for this IRD then it will be passed along to the issuers. If this PDS is submitted by the acquirers for any other IRD then it will be removed prior to going to the issuers.**

## PDS 0042 (Merchant Capability)

PDS 0042 (Merchant Capability) identifies transactions submitted by a registered MasterPass® by Mastercard® merchant.

### Attributes

| Attribute            | Description              |
|----------------------|--------------------------|
| Data Representation: | an-1; TAGLLL             |
| Tag Field:           | 0042                     |
| Length Field:        | 3 positions, value = 001 |
| Data Length:         | Fixed length, 1 position |

| Attribute      | Description |
|----------------|-------------|
| Subfields:     | None        |
| Justification: | N/A         |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |
| First Chargeback/1442  | C   | .   | C   |
| Arbitration Chargeback | C   | .   | C   |
| Second Presentment     | C   | .   | C   |

The acquirer populates PDS 0042 to identify e-commerce transactions that are initiated at a Mastercard merchant, but the cardholder did not use Mastercard to facilitate the transaction.

## Values

This table lists the valid values.

## Values

| Value | Description                 |
|-------|-----------------------------|
| A     | Mastercard Enabled Merchant |

## Requirements

These are requirements for PDS 0042.

- When PDS 0042 is provided, value A is the only character permitted; a space is not allowed.
- PDS 0042 is required for e-commerce transactions submitted for the Mastercard enabled merchant incentive. If the acquirer fails to provide PDS 0042 in the First Presentment message, the transaction will not qualify for the incentive.

## PDS 0043 (Transaction Type Identifier)

PDS 0043 (Transaction Type Identifier) monitors and tracks a participant's activity in special promotion programs.

### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | ans-3; TAGLLL             |
| Tag Field:           | 0043                      |
| Length Field:        | 3 positions, value = 003  |
| Data Length:         | Fixed length, 3 positions |
| Subfields:           | None                      |
| Justification:       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | C   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | C   | .   | C   |

The transaction originator (the merchant or the acquirer) supplies the information in this PDS. The value in PDS 0043 indicates that the acquirer or merchant is certified to participate in a program such as Gaming. It contains the Transaction Type Identifier.

PDS 0043 must be present in First Presentment/1240 transactions submitted for the U.S. region interchange programs, as defined in the *Interchange Manual for the U.S. Region*, unless the transaction is a credit, reversal, or Collection Only transaction.

PDS 0043 is required when:

- All Payment Transactions (DE 3 [Processing Code] subfield 1 = 28).
- All MoneySend™ Funding Transactions (DE 3, subfield 1 = 00 and DE 26 [Acceptor Business Code (MCC)] = 6538, 4829 or 6540).
- All MoneySend Payment Transactions (DE 3, subfield 1 = 28 and DE 26 = 6536 or 6537).
- All MoneySend payment transactions (DE 3, subfield 1 = 28 [Payment Transaction]). PDS 0043 will contain one of the following values.

## Values

PDS 0043 values are established and administered under the authority of brand-specific program and service management and marketing personnel. The values are listed in this table.

### Values

| Value | Description                                                           |
|-------|-----------------------------------------------------------------------|
| C02   | Mastercard rebate                                                     |
| C03   | <i>rePower</i> Load Value                                             |
| C04   | Gaming Re-pay                                                         |
| C06   | Payment of a credit card balance with cash or check                   |
| C07   | General Person-to-Person Transfer                                     |
| C51   | Mastercard Move Transaction Type Identifier (Reserved for Future Use) |
| C52   | General Transfer to Own Account                                       |
| C53   | Agent Cash Out                                                        |
| C54   | Payment of Own Credit Card Bill                                       |
| C55   | Business Disbursement                                                 |
| C56   | Government/Non-profit Disbursement                                    |
| C57   | Rapid Merchant Settlement                                             |
| C58   | Cash in at ATM                                                        |
| C59   | Cash in at Point of Sale                                              |
| C60   | Fast Refund to Original Card                                          |
| C61   | Mastercard Move Transaction Type Identifier (Reserved for Future Use) |
| C62   | Mastercard Move Transaction Type Identifier (Reserved for Future Use) |
| C63   | Mastercard Move Transaction Type Identifier (Reserved for Future Use) |

| Value | Description                                                           |
|-------|-----------------------------------------------------------------------|
| C64   | Mastercard Move Transaction Type Identifier (Reserved for Future Use) |
| C65   | General Business to Business Transfer                                 |
| C66   | Mastercard Move Transaction Type Identifier (Reserved for Future Use) |
| C67   | Mastercard Merchant Presented QR                                      |
| C68   | Mastercard Merchant Presented QR Refund Payment                       |
| C91   | Utility Payments (for Brazil domestic use only)                       |
| C92   | Government Services (for Brazil domestic use only)                    |
| C93   | Mobile phone top-ups (for Brazil domestic use only)                   |
| C94   | Coupon booklet payments (for Brazil domestic use only)                |
| F07   | General Person-to-Person Transfer                                     |
| F08   | Person-to-Person Transfer to Card Account                             |
| F52   | General Transfer to Own Account                                       |
| F53   | Agent Cash Out                                                        |
| F54   | Payment of Own Credit Card Bill                                       |
| F55   | Business Disbursement                                                 |
| F61   | Transfer to Own Staged Digital Wallet Account                         |
| F64   | Transfer to Own Debit or Prepaid Card Account                         |
| F65   | General Business-to-Business Transfer                                 |
| P01   | Mastercard ATM Cash Pick-Up Transaction                               |
| P10   | Purchase repayment                                                    |
| P11   | Business-to-business payment                                          |
| P70   | Cryptocurrency                                                        |
| P71   | High-risk Securities                                                  |

PDS 0043 (Transaction Type Identifier) cannot contain all spaces or all zeros.

The Payment Transaction Types of C03–C07, C52–C59, and C92–C94 are valid for Clearing for specific business service arrangements.

Payment transactions submitted with a Cardholder Transaction Type of 28 (Payment Transaction) require a value of C04, C07, C52, C53, C54, C55, C56, C57, C58, C59, and C65.

Funding transactions submitted with a Cardholder Transaction Type of 00 (Purchase Goods and Services) require a value of C07, C52, C53, C54, C55, C56, C57, C65 for MCC 6538

(MoneySend Funding) and F07, F08, F52, F53, F54, F55, F61, F64, and F65 for MCC 4829 (Money Transfer) or MCC 6540 (POI Funding Transactions).

Funding Refund transactions submitted with a Cardholder Transaction Type of 20 (Purchase Return) require a value of C07, C52, C53, C54, C55, C56, C57, C65 for MCC 6538 (MoneySend Funding) and F07, F08, F52, F53, F54, F55, F61, F64, and F65 for MCC 4829 (Money Transfer) or MCC 6540 (Funding Transactions).

Values C07, C52, C53, C54, C55, C56, C57, C58, C59, and C65 indicate the payment transaction is associated with Mastercard® MoneySend and MCC 6536 (MoneySend Intracountry) or MCC 6537 (MoneySend Intercountry). MoneySend payment transactions require the submission of the Financial Detail Addendum, Payment Transaction Detail/1644.

Values C07, C52, C53, C54, C55, C56, C57, C58, C59, and C65 indicate the Payment Transaction is associated with Mastercard® MoneySend and MCC 6536 or 6537. In the MEA region, the value C04 indicates that the Gaming Payment Transaction is associated with MCC 7995. Values C07, C52, C53, C54, C55, C56, C57, C58, C59, and C65 indicate the Payment Transaction is associated with Mastercard® MoneySend and MCC 6536 or 6537.

MoneySend Payment Transactions and Gaming Payment Transactions require the submission of the Financial Detail Addendum, Payment Transaction Detail/1644.

The value C04 indicates that the Gaming Payment Transaction is associated with:

- In the Europe region, Intra-European and inter-European IRDs 20 and 23, and MCC 7995; or
- In the U.S. region:
  - MCC 7800 (Government Owned Lottery [U.S. Region Only])
  - MCC 7801 (Internet Gambling [U.S. Region Only])
  - MCC 7802 (Government Licensed Horse/Dog Racing [U.S. Region Only])
  - MCC 7994 (Video Game Arcades/Establishments)

### Authorization to clearing data element mapping

The CIS authorization messages currently use the ISO 8583:1987 message format, whereas the IPM clearing messages use the ISO 8583:1993 message format. Therefore, there are some differences for the same data elements between the authorization and clearing messages that customers should consider when mapping between them.

This table details the mapping between the authorization and clearing data elements.



## Clearing to authorization mapping

| To map to PDS 0043, Transaction Type Identifier value |                                                                       | Use CIS DE 48, Additional Data, subelement 77 (Payment Transaction Type Identifier) Description |                                                                       |
|-------------------------------------------------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
|                                                       | Description                                                           |                                                                                                 |                                                                       |
| C02                                                   | Mastercard rebate                                                     | C02                                                                                             | Mastercard rebate                                                     |
| C03                                                   | <i>rePower</i> Load Value                                             | C03                                                                                             | <i>rePower</i> Load value                                             |
| C04                                                   | Gaming Re-pay                                                         | C04                                                                                             | Gaming Re-pay                                                         |
| C06                                                   | Payment of a credit card balance with cash or check                   | C06                                                                                             | Payment of a credit card balance with cash or check                   |
| C07                                                   | General Person-to-Person Transfer                                     | C07                                                                                             | General Person-to-Person Transfer                                     |
| C51                                                   | Mastercard Send Transaction Type Identifier (Reserved for Future Use) | C51                                                                                             | Mastercard Send Transaction Type Identifier (Reserved for Future Use) |
| C52                                                   | General Transfer to Own Account                                       | C52                                                                                             | General Transfer to Own Account                                       |
| C53                                                   | Agent Cash Out                                                        | C53                                                                                             | Agent Cash Out                                                        |
| C54                                                   | Payment of Own Credit Card Bill                                       | C54                                                                                             | Payment of Own Credit Card Bill                                       |
| C55                                                   | Business Disbursement                                                 | C55                                                                                             | Business Disbursement                                                 |
| C56                                                   | Government/Non-profit Disbursement                                    | C56                                                                                             | Government/Non-profit Disbursement                                    |
| C57                                                   | Rapid Merchant Settlement                                             | C57                                                                                             | Rapid Merchant Settlement                                             |
| C58                                                   | Cash in at ATM                                                        | C58                                                                                             | Cash in at ATM                                                        |
| C59                                                   | Cash in at Point of Sale                                              | C59                                                                                             | Cash in at Point of Sale                                              |
| C60                                                   | Fast Refund to Original Card                                          | C60                                                                                             | Fast Refund to Original Card                                          |
| C61                                                   | Mastercard Send Transaction Type Identifier (Reserved for Future Use) | C61                                                                                             | Mastercard Send Transaction Type Identifier (Reserved for Future Use) |
| C62                                                   | Mastercard Send Transaction Type Identifier (Reserved for Future Use) | C62                                                                                             | Mastercard Send Transaction Type Identifier (Reserved for Future Use) |
| C63                                                   | Mastercard Send Transaction Type Identifier (Reserved for Future Use) | C63                                                                                             | Mastercard Send Transaction Type Identifier (Reserved for Future Use) |

| To map to PDS 0043, Transaction Type Identifier value |                                                                       | Use CIS DE 48, Additional Data, subelement 77 (Payment Transaction Type Identifier) Description |                                                                       |
|-------------------------------------------------------|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------|
| C64                                                   | Mastercard Send Transaction Type Identifier (Reserved for Future Use) | C64                                                                                             | Mastercard Send Transaction Type Identifier (Reserved for Future Use) |
| C65                                                   | General Business-to-Business Transfer                                 | C65                                                                                             | General Business-to-Business Transfer                                 |
| C66                                                   | Mastercard Send Transaction Type Identifier (Reserved for Future Use) | C66                                                                                             | Mastercard Send Transaction Type Identifier (Reserved for Future Use) |
| C67                                                   | Mastercard Merchant Presented QR                                      | C67                                                                                             | Mastercard Merchant Presented QR                                      |
| C68                                                   | Mastercard Merchant Presented QR Refund Payment                       | C68                                                                                             | Mastercard Merchant Presented QR Refund Payment                       |
| C91                                                   | Utility Payments (for Brazil domestic use only)                       | C91                                                                                             | Utility Payments (for Brazil domestic use only)                       |
| C92                                                   | Government Services (for Brazil domestic use only)                    | C92                                                                                             | Government Services (for Brazil domestic use only)                    |
| C93                                                   | Mobile phone top-ups (for Brazil domestic use only)                   | C93                                                                                             | Mobile phone top-ups (for Brazil domestic use only)                   |
| C94                                                   | Coupon booklet payments (for Brazil domestic use only)                | C94                                                                                             | Coupon booklet payments (for Brazil domestic use only)                |
| P01                                                   | Mastercard ATM Cash Pick-Up Transaction                               | P01                                                                                             | Mastercard ATM Cash Pick-Up Transaction                               |
| F07                                                   | General Person-to-Person Transfer                                     | F07                                                                                             | General Person-to-Person Transfer                                     |
| F08                                                   | Person-to-Person Transfer to Card Account                             | F08                                                                                             | Person-to-Person Transfer to Card Account                             |
| F52                                                   | General Transfer to Own Account                                       | F52                                                                                             | General Transfer to Own Account                                       |
| F53                                                   | Agent Cash Out                                                        | F53                                                                                             | Agent Cash Out                                                        |
| F54                                                   | Payment of Own Credit Card Bill                                       | F54                                                                                             | Payment of Own Credit Card Bill                                       |
| F55                                                   | Business Disbursement                                                 | F55                                                                                             | Business Disbursement                                                 |
| F61                                                   | Transfer to Own Staged Digital Wallet Account                         | F61                                                                                             | Transfer to Own Staged Digital Wallet Account                         |

| To map to PDS 0043, Transaction Type Identifier value |                                          | Use CIS DE 48, Additional Data, subelement 77 (Payment Transaction Type Identifier) |                                          |
|-------------------------------------------------------|------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------|
|                                                       | Description                              |                                                                                     | Description                              |
| F64                                                   | Transfer to Own Debit or Prepaid Account | F64                                                                                 | Transfer to Own Debit or Prepaid Account |
| F65                                                   | General Business-to-Business Transfer    | F65                                                                                 | General Business-to-Business Transfer    |

## PDS 0044 (Program Participation Indicator)

PDS 0044 (Program Participation Indicator) identifies participation in a program.

### Attributes

| Attribute            | Description                          |
|----------------------|--------------------------------------|
| Data Representation: | ans...20: TAGLLLLVAR                 |
| Tag Field:           | 0044                                 |
| Length Field:        | 3 positions, value=001–020 positions |
| Data Length:         | Variable length, 1–20 positions      |
| Subfields:           | 20 <sup>12</sup>                     |
| Justification:       | See “Subfields”                      |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

<sup>12</sup> Subfields 3–20 are reserved for future use.

| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| Second Presentment/1240 | .   | X   | C   |

## Subfield 1 (CVC 2 Validation Program Indicator)

PDS 0044 (Program Participation Indicator), subfield 1 indicates whether or not the transaction qualifies for the Mastercard® Card Validation Code 2 (CVC 2) Validation Program.

### Attributes

|                      |                        |
|----------------------|------------------------|
| Data Representation: | ans-1                  |
| Data Field:          | Contents of position 1 |
| Justification:       | Left                   |

### Values

This table lists the valid values.

### Values

| Values | Description                                                 |
|--------|-------------------------------------------------------------|
| C      | The transaction qualifies for the CVC 2 Validation Program. |

## Subfield 2 (PayPass Chargeback Eligibility Indicator)

PDS 0044 (Program Participation Indicator), subfield 2 indicates whether or not Mastercard® transaction qualifies for chargeback protection.

### Attributes

|                      |                        |
|----------------------|------------------------|
| Data Representation: | ans-1                  |
| Data Field:          | Contents of position 2 |
| Justification:       | Left                   |

### Values

This table lists the valid values.

### Values

| Values  | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| I       | Value for PayPass transaction is ineligible for chargeback for reason code 4837 based upon the Cardholder Verification Method (CVM) limit in effect on the day of the transaction. The value I indicates that chargeback is not allowed for above mentioned chargeback reason codes if the transaction amount is less than or equal to the CVM limit as defined on IPM MPE IP0058T1. Refer to the <i>Chargeback Guide</i> for details about processing PayPass transactions. |
| (space) | Transaction is eligible for chargeback.                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## PDS 0045 (Mastercard Generated Installment Identifier)

PDS 0045 (Mastercard Generated Installment Identifier) provides information about Mastercard® identified and processed installment transactions.

### Attributes

| Attribute            | Description              |
|----------------------|--------------------------|
| Data Representation: | a-1; TAGLLL              |
| Tag Field:           | 0045                     |
| Length Field:        | 3 positions, value = 001 |
| Data Length:         | Fixed length, 1 position |
| Subfields:           | None                     |
| Justification:       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

Mastercard will populate PDS 0045 to identify and process installment transactions.

### Values

This table lists the valid values.

#### Values

| Value | Description                                                                           |
|-------|---------------------------------------------------------------------------------------|
| A     | Transaction approved for installment processing.                                      |
| C     | Credit transaction to reverse the purchase transaction                                |
| E     | Transaction eligible for Installment Processing                                       |
| M     | Approved for installment processing and Mastercard generated installment payment data |
| P     | Purchase transaction of each split installment transaction                            |
| Y     | Transaction qualifies for the installment processing                                  |

## PDS 0046 (Japan Common Merchant Code)

PDS 0046 (Japan Common Merchant Code) identifies the merchant's category in Japan referred to as the Common Merchant Category Code (CMC). Mastercard® uses this value to identify a link to a corresponding Mastercard Assigned ID.

#### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | ans-4; TAGLLL             |
| Tag Field:           | 0046                      |
| Length Field:        | 4 positions, value = 004  |
| Data Length:         | Fixed length, 4 positions |
| Subfields:           | None                      |
| Justification:       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| First Presentment/1240  | C   | .   | C   |
| First Chargeback/1442   | C   | .   | C   |
| Second Presentment/1240 | C   | .   | C   |

If PDS 0046 is submitted in a First Presentment/1240 message, acquirers must also submit it in the Second Presentment/1240 message. Similarly, issuers that receive the PDS 0046 in first presentment must retain it and provide it in the subsequent First Chargeback/1442 messages.

PDS 0046 is only available for Japan intracountry transactions. Acquirers must submit PDS 0046 in First Presentment/1240 messages.

Mastercard will remove PDS 0046 if present in any Presentment message submitted by a non-Japan acquirer. The message will not be rejected.

## PDS 0052 (Electronic Commerce Security Level Indicator)

PDS 0052 (Electronic Commerce Security Level Indicator) provides information about the Universal Cardholder Authentication Field™ (UCAF) security protocol for international Mastercard® card internet transactions.

### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | n-3; TAGLLL               |
| Tag Field:           | 0052                      |
| Length Field:        | 3 positions               |
| Data Length:         | Fixed length, 3 positions |
| Subfields:           | 3                         |
| Justification:       | See "Subfields"           |

### Usage

PDS 0052 must be present in First Presentment/1240 transactions related to transactions authorized with a static accountholder authentication value assigned by Mastercard®.

All Mastercard® e-commerce/Identity Check acquirers and acquirers supporting MDES transactions are expected to send the Mastercard validated/modified Electronic Commerce

Security Level indicator value from the Authorization Request Response/0110 message in the first presentment for clearing.

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

If the acquirer fails to provide PDS 0052 in the First Presentment of a UCAF transaction, regardless of the IRD submitted, the authorization will not qualify for liability shift.

Mastercard® considers the inclusion of PDS 0052 in these messages to be an electronic commerce (e-commerce) clearing requirement associated with UCAF processing. Adherence to e-commerce clearing requirements is an eligibility requirement for transactions processed under UCAF liability shift rules.

PDS 0052 is required in all e-commerce First Presentment/1240 messages. An e-commerce transaction can be identified by the presence of DE 22, subfield 7, value of S (Electronic Commerce). If PDS 0052 is not present in an e-commerce Presentment message, regardless of the IRD, GCMS will reject the transaction.

When DE22 subfield 7 = "S" (E-commerce) or DE22 subfield 7 = "7" (Credential On file) and DE22 subfield 5 = "5" (Cardholder not present).

Additionally, when the acquirer includes PDS 0052 in a First Presentment/1240 message, DE 22, subfield 7 must contain value S and PDS 0023 (Terminal Type) must contain value CT6 (CAT level 6 [electronic commerce transaction]). If both criteria are not met, then the clearing system will remove PDS 0052 from the message before sending it to the issuer.

### Values

A value of 0 in PDS 0052, subfield 3 (UCAF Collection Indicator) is not edited in the clearing system.

First Presentment/1240 transactions submitted with a value of 24 (Merchant UCAF) in Business Activity/Interchange Rate Designator (PDS 0158 [Business Activity], subfield 4), must include PDS 0052. The value in PDS 0052, subfield 3 (UCAF Collection Indicator) must be a 1.

First Presentment/1240 transactions submitted with a value of PF (Premium Full UCAF) in PDS 0158 subfield 4 (Business Activity/Interchange Rate Designator) must include Electronic Commerce Security Level Indicator (PDS 0052). The value in PDS 0052, subfield 3 (UCAF



Collection Indicator) must be a 2 or 3. If PDS 0052 subfield 3 contains a value 3 (indicating MARP transaction) then PDS 0176 must be submitted.

For details about the static Accountholder Authentication Values (AAVs), refer to *Transaction Processing Rules* for more information.

PDS 0052, if present must be numeric and a fixed length of 3.

### Authorization to clearing data element mapping

The CIS authorization messages currently use the ISO 8583:1987 message format, whereas the IPM clearing messages use the ISO 8583:1993 message format. Therefore, there are some differences for the same data elements between the authorization and clearing messages that customers should consider when mapping between them.

This table details the mapping between the authorization and clearing data elements.

### Mapping from clearing to authorization

| To map to PDS 0052, Electronic Commerce Security Level Indicator, subfield 1 (Security Protocol) value | Description                                               | Use CIS DE 48, Additional Data, subelement 42 (Electronic Commerce Indicators), subfield 1 (Electronic Commerce Security Level Indicator and UCAF Collection Indicator), position 1 (Security Protocol) value | Description                                               |
|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| 0                                                                                                      | Reserved for existing Mastercard® Europe/Visa definitions | 0                                                                                                                                                                                                             | Reserved for existing Mastercard® Europe/Visa definitions |
| 1                                                                                                      | Reserved for future use                                   | 1                                                                                                                                                                                                             | Reserved for future use                                   |
| 2                                                                                                      | Channel                                                   | 2                                                                                                                                                                                                             | Channel                                                   |
| 3–8                                                                                                    | Reserved for future use                                   | 3–8                                                                                                                                                                                                           | Reserved for future use                                   |
| 9                                                                                                      | Reserved for future use                                   | 9                                                                                                                                                                                                             | Reserved for future use                                   |

| <b>To map to PDS 0052, subfield 2 (Cardholder Authentication) value</b> | <b>Description</b>                                                                                 | <b>Use CIS DE 48, subelement 42, subfield 1, position 2 (Cardholder Authentication) value</b> | <b>Description</b>                                                                                                                                                                                                          |
|-------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0                                                                       | Reserved for future use                                                                            | 0                                                                                             | Reserved for future use                                                                                                                                                                                                     |
| 1                                                                       | e-commerce/Identity Check Program                                                                  | 1                                                                                             | e-commerce/Identity Check                                                                                                                                                                                                   |
| 3                                                                       | Reserved for future use                                                                            | 3                                                                                             | Reserved for future use                                                                                                                                                                                                     |
| 4                                                                       | Digital Secure Remote Payment (DSRP) with UCAF data                                                | 4                                                                                             | Tokenized Payment                                                                                                                                                                                                           |
| 5–9                                                                     | Reserved for future use                                                                            | 5–9                                                                                           | Reserved for future use                                                                                                                                                                                                     |
| <b>To map to PDS 0052, subfield 3 (UCAF Collection Indicator) value</b> | <b>Description</b>                                                                                 | <b>Use CIS DE 48, subelement 42, subfield 1, position 3 (UCAF Collection Indicator) value</b> | <b>Description</b>                                                                                                                                                                                                          |
| 0                                                                       | Not supported at the merchant's Web site                                                           | 0                                                                                             | Non-authenticated payment, Identity Check transaction with failed authentication, or tokenized Payment with Dynamic Token Verification Code (DTVC).                                                                         |
| 1                                                                       | UCAF data collection is supported by the merchant, and UCAF data must be present                   | 1                                                                                             | UCAF data collection is supported by the merchant, and UCAF data must be present (DE 48, subelement 43 must be present and contain an attempt AAV for Mastercard e-commerce/Identity Check)                                 |
| 2                                                                       | Both merchant and issuer are UCAF-enabled, as indicated in the Authorization Request/0100 message. | 2                                                                                             | UCAF data collection is supported by the merchant, and UCAF data must be present (DE 48, subelement 43 must contain a fully authenticated AAV, and DSRP cryptogram shall be optionally present for tokenized transactions). |

|     |                                                                                                                                                                                                                                  |     |                                                                                                                                                                                                |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3   | Merchant is UCAF-enabled and the transaction was processed under the Maestro® Utility Payment Program (MUPP) and intracountry recurring payment programs (Europe Region) as indicated in the Authorization Request/0100 message. | 3   | UCAF data collection is supported by the merchant, and UCAF (Mastercard assigned Static Accountholder Authentication Value) data must be present.                                              |
| 4   | Merchant Authentication Data Share                                                                                                                                                                                               | 4   | Merchant has chosen to share authentication data within authorization; UCAF data collection must be present (DE 48, subelement 43 must contain an Insights AAV for Mastercard Identity Check). |
| 5   | Reserved for future use                                                                                                                                                                                                          | 5   | Reserved for future use                                                                                                                                                                        |
| 6   | Merchant risk based decisioning                                                                                                                                                                                                  | 6   | Merchant Risk Based Decisioning                                                                                                                                                                |
| 7   | Merchant-initiated transactions                                                                                                                                                                                                  | 7   | Merchant-initiated transactions                                                                                                                                                                |
| 8–9 | Reserved for future use                                                                                                                                                                                                          | 8–9 | Reserved for future use                                                                                                                                                                        |

## Subfield 1 (Security Protocol)

PDS 0052 (Electronic Commerce Security Level Indicator), subfield 1 indicates the presence and type of security protocol present in the authorization process. Acquirers must populate subfield 1 with the same value received in DE 48, subelement 42, subfield 1, position 1 of the corresponding Authorization Request Response/0110 message.

### Attributes

|                      |                        |
|----------------------|------------------------|
| Data Representation: | n-1                    |
| Data Field:          | Contents of position 1 |
| Justification:       | N/A                    |

### Values

This table lists the valid values.

## Values

| Values | Description                                              |
|--------|----------------------------------------------------------|
| 0      | Reserved for existing Mastercard Europe/Visa definitions |
| 1      | Reserved for future use                                  |
| 2      | Channel                                                  |
| 3–8    | Reserved for future use                                  |
| 9      | Reserved for future use                                  |

## Subfield 2 (Cardholder Authentication)

PDS 0052 (Electronic Commerce Security Level Indicator), subfield 2 indicates the type of cardholder authentication used in the authorization process. Acquirers must populate subfield 2 with the same value received in DE 48, subelement 42, subfield 1, position 2 of the corresponding Authorization Request Response/0110 message.

## Attributes

|                     |                        |
|---------------------|------------------------|
| Data Representation | n-1                    |
| Data Field          | Contents of position 2 |
| Justification       | N/A                    |

## Values

This table lists the valid values.

## Values

| Values | Description                       |
|--------|-----------------------------------|
| 0      | Reserved for future use           |
| 1      | E-commerce/Identity Check Program |
| 3      | Reserved for future use           |
| 4      | Tokenized payment                 |
| 5–9    | Reserved for future use           |

## Subfield 3 (UCAF Collection Indicator)

PDS 0052 (Electronic Commerce Security Level Indicator), subfield 3 identifies the level of UCAF supported in the authorization process. Acquirers must populate subfield 3 with the same value received in DE 48, subelement 42, subfield 1, position 3 of the corresponding Authorization Request Response/0110 message.

### Attributes

|                     |                        |
|---------------------|------------------------|
| Data Representation | n-1                    |
| Data Field          | Contents of position 3 |
| Justification       | N/A                    |

### Values

This table lists the valid values.

### Values

| Values | Description                                                                                                                                                                                                               |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0      | Non-authenticated payment, Identity Check transaction with failed authentication, or Tokenized Payment with Dynamic Token Verification Code (DTVLC).                                                                      |
| 1      | UCAF data collection is supported by the merchant, and UCAF data must be present (DE 48, subelement 43 must be present and contain an attempt AAV for Mastercard® Identity Check).                                        |
| 2      | UCAF data collection is supported by the merchant, and UCAF data must be present (DE 48, subelement 43 must contain a fully authenticated AAV). This includes cardholder-initiated transactions (CIT) for authentication. |

| Values | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3      | <p>UCAF data collection is supported by the merchant, and UCAF (Mastercard assigned Static Accountholder Authentication Value) data must be present.</p> <p><b>NOTE: DE 48, subelements 32 and 43 are required for Static AAV transactions. Identifies participation in one of the following programs:</b></p> <ul style="list-style-type: none"> <li>• Maestro® Recurring Payments Program</li> <li>• Mastercard® Utility Payment Program</li> <li>• Maestro® Low Risk Merchant Program</li> <li>• Maestro® Static AAV for Masterpass</li> </ul> |
| 4      | Merchant Authentication Data Share                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 5      | Reserved for future use                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 6      | Merchant risk based decisioning                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| 7      | Merchant-initiated transactions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

#### Valid Combinations of Position 1, Position 2 and Position 3

| Value | Description                                                                                                                                                                                                                                                                                  |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 210   | Present in unauthenticated transactions, or in transactions where an Identity Check™ merchant has chosen not to undertake Identity Check™, or where Identity Check™ failed authentication and the merchant desires to proceed with the transaction. Also present in transactions with a DTVC |
| 211   | Mastercard® Identity Check™ transaction. UCAF data contains either an Attempts AAV or a Non-Low Risk AAV for Mastercard® Identity Check™                                                                                                                                                     |
| 212   | Mastercard® Identity Check™ transaction. UCAF data contains either a Fully Authenticated AAV or a Low Risk AAV for Mastercard® Identity Check™                                                                                                                                               |
| 214   | Mastercard® Identity Check™ where merchant has chosen to share data to generate insights within the authorization (used in Identity Check™ Insights transactions). Insights provided to the Issuer in DE 48, subelement 56                                                                   |
| 216   | Mastercard® Identity Check™ transaction. Merchant Risk Based Decisioning                                                                                                                                                                                                                     |
| 217   | Mastercard® Identity Check™ Merchant Initiated Transactions                                                                                                                                                                                                                                  |
| 242   | Authenticated tokenized transaction with DSRP cryptogram. Transaction is not eligible for fraud-related chargeback by the issuer                                                                                                                                                             |
| 246   | Tokenized transaction with DSRP cryptogram                                                                                                                                                                                                                                                   |

| Value | Description                              |
|-------|------------------------------------------|
| 247   | Tokenized Merchant Initiated Transaction |

## PDS 0056 (Mastercard Electronic Card Indicator)

PDS 0056 (Mastercard Electronic Card Indicator) is a series of codes that indicate whether the acquirer and merchant participate in the Mastercard Electronic™ program.

### Attributes

| Attribute            | Description              |
|----------------------|--------------------------|
| Data Representation: | a-1; TAGLLL              |
| Tag Field:           | 0056                     |
| Length Field:        | 3 positions, value = 001 |
| Data Length:         | Fixed length, 1 position |
| Subfields:           | None                     |
| Justification:       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

The clearing system populates values in PDS 0056 in First Presentment/1240 messages for all Mastercard Electronic™ products. This value indicates to the issuer whether the acquirer and their merchant participate in the Mastercard Electronic™ program.

### Values

The Mastercard Electronic™ indicator values are listed in this table.

## Values

| Value | Description                                                                                                              |
|-------|--------------------------------------------------------------------------------------------------------------------------|
| C     | Participant in Mastercard® only (considered not a Mastercard Electronic™ participant)                                    |
| E     | Acquirer and its merchants both participate in Mastercard Electronic™ (considered a Mastercard Electronic™ participant). |
| U     | Unidentified acquirer. It is unknown whether the acquirer is a Mastercard Electronic™ participant.                       |

## PDS 0057 (Transaction Category Indicator)

PDS 0057 (Transaction Category Indicator) provides information about the transaction that cannot be determined from other transaction information, such as DE 2 (Primary Account Number) or DE 22 (Point of Service [POS] Entry Mode).

## Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | ans-2; TAGLLL             |
| Tag Field:           | 0057                      |
| Length Field:        | 3 positions, value = 002  |
| Data Length:         | Fixed length, 2 positions |
| Subfields:           | None                      |
| Justification:       | N/A                       |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |



| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| Second Presentment/1240 | C   | .   | C   |

## Values

If present, PDS 0057 must contain a valid value. The values are shown in this table.

## Values

| Value | Description                                                                                                                                                                        |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 01    | The transaction is a Mastercard® commercial card transaction initiated via the Payment Gateway (a Payable Account transaction).                                                    |
| 02    | This transaction is from an acceptor terminal that is exempt from having an IIAS because it has met the IRSs 90 percent qualification rule.                                        |
| 03    | The transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization process. |
| 04    | The transaction is submitted as a healthcare transaction but from a non-IIAS-certified merchant.                                                                                   |

Customers may only submit values of 01, 02, or 03. The value of 04 may only be populated by GCMS.

GCMS updates the value of PDS 0057 from a value of 03 to a value of 04 if one of these occurs:

- A transaction is submitted with PDS 0057 value of 03, but PDS 0176 (Mastercard Assigned ID) is not present.
- GCMS was unable to validate that PDS 0176 was inventory information approval system (IIAS)-certified.

## Authorization to clearing data element mapping

The CIS authorization messages currently use the ISO 8583:1987 message format, whereas the IPM clearing messages use the ISO 8583:1993 message format. Therefore, there are some differences for the same data elements between the authorization and clearing messages that customers should consider when mapping between them.

This table details the mapping between the authorization and clearing data elements.

## Clearing to authorization mapping

| To map to PDS 0057 (Transaction Category Indicator), value |                                                                                                                                                                                | Use CIS DE 48 (Additional Data), subelement 61 (POS Data, Extended Condition Codes), subfield 3 (Real-time Substantiation Indicator), value |                                                                                                                                                                                                                               |
|------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                            | Description                                                                                                                                                                    |                                                                                                                                             | Description                                                                                                                                                                                                                   |
| 01                                                         | Transaction is a Mastercard® commercial card transaction initiated via the Payment Gateway (a Payable Account transaction).                                                    | 0                                                                                                                                           | Merchant terminal did not verify the purchased items against the IIAS.                                                                                                                                                        |
| 03                                                         | Transaction is from an acceptor terminal that verified qualified healthcare expenses against an Inventory Information Approval System (IIAS) during the authorization process. | 01                                                                                                                                          | Merchant terminal verified the purchased items against an IIAS.                                                                                                                                                               |
| 02                                                         | Transaction is from an acceptor terminal that is exempt from having an IIAS because it has met the IRSs 90 percent qualification rule.                                         | 02                                                                                                                                          | Merchant claims exemption from using an IIAS, based on the IRS 90 percent rule.                                                                                                                                               |
| 04                                                         | Transaction is submitted as a Healthcare transaction but from a non-IIAS certified merchant.                                                                                   | 04                                                                                                                                          | Transaction was submitted as real-time substantiated but from a non-IIAS certified merchant. Mastercard® uses this value to notify the issuer that the merchant could not be substantiated. Acquirers may not use this value. |

## PDS 0058 (Token Assurance Level)

PDS 0058 (Token Assurance Level) contains a value that indicates the confidence level of the token to PAN/cardholder binding.

### Attributes

| Attribute            | Description                 |
|----------------------|-----------------------------|
| Data Representation: | n-2; TAGLLL                 |
| Tag Field:           | 0058                        |
| Length Field:        | 3 positions, value=002      |
| Data Length:         | Fixed length, 002 positions |
| Subfields:           | None                        |
| Justification:       | N/A                         |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | X   | C   |
| Second Presentment/1240                               | O   | X   | C   |

## PDS 0059 (Token Requestor ID)

PDS 0059 (Token Requestor ID) contains the ID assigned by the token service provider to the token requestor.

### Attributes

| Attribute            | Description  |
|----------------------|--------------|
| Data Representation: | n-11; TAGLLL |

| Attribute      | Description                 |
|----------------|-----------------------------|
| Tag Field:     | 0059                        |
| Length Field:  | 3 positions, value = 011    |
| Data Length:   | Fixed length, 011 positions |
| Subfields:     | None                        |
| Justification: | N/A                         |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | X   | C   |
| Second Presentment/1240                               | C   | X   | C   |
| Retrieval Request/1644                                | C   | X   | C   |
| Retrieval Request Acknowledgment/1644                 | C   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | C   | X   | C   |

## PDS 0068 (Financial Account Information)

PDS 0068 (Financial Account Information) contains the financial account information associated with the Mastercard® Pay by Account token.

### Attributes

| Attribute            | Description                       |
|----------------------|-----------------------------------|
| Data Representation: | ans...064; TAGLLLLVAR             |
| Tag Field:           | 0068                              |
| Length Field:        | 3 positions, value = 009-064      |
| Data Length:         | Variable length, 09-064 positions |
| Subfields:           | 1                                 |

| Attribute      | Description |
|----------------|-------------|
| Justification: | N/A         |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | •   | X   | C   |
| Second Presentment/1240                                              | •   | X   | C   |
| Retrieval Request Acknowledgment/1644                                | •   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | •   | X   | C   |
| Fee Collection (Handling Fees)/1740                                  | •   | X   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | •   | X   | C   |

## Subfield 1 (Financial Account Identifier)

PDS 0068 (Financial Account Information), subfield 1 (Financial Account Identifier) contains the bank account information or other financial account information associated with the Mastercard® Pay by Account token at the time the transaction occurred.

## Attributes

|                      | Attribute         | Value |
|----------------------|-------------------|-------|
| Subfield ID:         | n-2               | 01    |
| Data Representation: | ans...064; LLLVAR |       |
| Subfield Length:     | n-2               | 02    |
| Data Field:          | n-2               |       |
| Justification        | N/A               |       |

## Values

The financial account identifier value is a minimum of 9 characters and a maximum of 64 characters.

## PDS 0071 (Chip to Magnetic Stripe Conversion Service Indicator)

PDS 0071 (Chip to Magnetic Stripe Conversion Service Indicator) is used to notify the issuer of the conversion.

### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | ans-04; TAGLLL            |
| Tag Field:           | 0071                      |
| Length Field:        | 3 positions, value = 004  |
| Data Length:         | Fixed length, 4 positions |
| Subfields:           | 3                         |
| Justification:       | N/A                       |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

## PDS 0071 subfields

PDS 0071 contains three subfields.

### PDS 0071 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1-2       | On-behalf (OB) Service | an-2      | left          |

| Number | Positions | Name                    | Attribute | Justification |
|--------|-----------|-------------------------|-----------|---------------|
| 2      | 3         | On-behalf (OB) Result 1 | an-1      | N/A           |
| 3      | 4         | On-behalf (OB) Result 2 | ans-1     | N/A           |

### Subfield 1 (On-behalf [OB] Service)

Subfield 1 identifies the service performed on the transaction.

#### Subfield 1 (On-behalf [OB] Service)

| Attributes           |                                                 |
|----------------------|-------------------------------------------------|
| Data Representation: | an-2                                            |
| Data Field:          | Contents of positions 1-2                       |
| Justification:       | Left-justified                                  |
| Values:              | 01 = Chip to Magnetic Stripe Conversion Service |

### Subfield 2 (On-behalf [OB] Result 1)

Subfield 2 indicates the results of the service processing.

#### Subfield 2 (On-behalf [OB] Result 1)

| Attributes           |                                                                                       |
|----------------------|---------------------------------------------------------------------------------------|
| Data Representation: | an-1                                                                                  |
| Data Field:          | Contents of positions 3                                                               |
| Justification:       | N/A                                                                                   |
| Values:              | C= Conversion of the M/Chip transaction to a magnetic stripe transaction was complete |

### Subfield 3 (On-behalf [OB] Result 2)

Subfield 3 is for Mastercard® internal use only.

### Subfield 3 (On-behalf [OB] Result 2)

| Attributes           |                         |
|----------------------|-------------------------|
| Data Representation: | ans-1                   |
| Data Field:          | Contents of positions 4 |
| Justification:       | N/A                     |
| Values:              | Space                   |

## PDS 0072 (Authentication Indicator)

PDS 0072 (Authentication indicator) is populated when a transaction qualifies for an Authentication service.

### Attributes

| Attribute            | Description              |
|----------------------|--------------------------|
| Data Representation: | n-1; TAGLLL              |
| Tag Field:           | 0072                     |
| Length Field:        | 3 positions, value = 001 |
| Data Length:         | Fixed length, 1 position |
| Subfields:           | N/A                      |
| Justification:       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

The transaction is rejected when PDS 0072 is sent by the acquirer.



Mastercard® populates the authentication indicator in PDS 0072 based on the validation of biometric authentication result values in DE 55, subelement 9F10, CVR byte1, bit1 and byte2, bit2.

### Values

This table lists the valid values.

### Values

| Value | Description                                             |
|-------|---------------------------------------------------------|
| 1     | Transaction qualified for Authentication Service Type 1 |
| 2     | Transaction qualified for Authentication Service Type 2 |

## PDS 0073 (Additional Commercial Issuer Data)

PDS 0073 (Additional Commercial Issuer Data) represents additional commercial issuer data for B2B transactions.

### Attributes

| Attribute           | Description                        |
|---------------------|------------------------------------|
| Data representation | ans...63; TAGLLLVAR                |
| Tag field           | 0073                               |
| Length field        | 63 positions                       |
| Data Length:        | Variable length, 003-063 positions |
| Subfields           | 3                                  |
| Occurrences         | 1-3                                |
| Justification       | Left                               |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment 1240 | C   | .   | C   |

### Subfield details

This PDS contains 3 subfields.

### Subfield details

|                                                    | Subfield ID | Subfield length | Data representation | Data field   | Justification |
|----------------------------------------------------|-------------|-----------------|---------------------|--------------|---------------|
| Subfield 1<br>(Taxpayer<br>Country Code)           | n-2, 01     | n-3, 003        | a-3                 | 3 positions  | Left          |
| Subfield 2<br>(Taxpayer<br>Identification<br>Code) | n-2, 02     | n-3, 030        | ans-030             | 30 positions | Left          |
| Subfield 3 (Tax<br>Registration<br>Code)           | n-2, 03     | n-3, 030        | ans-030             | 30 positions | Left          |

## PDS 0080 (Amount, Tax)

PDS 0080 (Amount, Tax) contains the tax associated with a transaction.

### Attributes

| Attribute            | Description                                      |
|----------------------|--------------------------------------------------|
| Data Representation: | an-060: TAGLLLVAR                                |
| Tag Field:           | 0080                                             |
| Length Field:        | 3 positions, value = 020–060 in increments of 20 |
| Data Length          | Variable length, 020–060 positions               |
| Subfields:           | 5 subfields for each value added tax occurrence  |

| Attribute      | Description |
|----------------|-------------|
| Justification: | N/A         |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | C   | X   | C   |
| Second Presentment/1240                                              | C   | X   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | C   | X   | C   |

## Values

If present, PDS 0080 must be alphanumeric and represents the tax amount calculated from the Amount, Transaction (DE 4) or the Amount, Transaction Fee (PDS 0146) on Presentment/1240 and Chargeback/1442 messages, and from the Amount, Transaction (DE 4) on Fee Collection/1740 messages.

For applicable intracountry Mexico transactions, the clearing system supplies the tax amount, except on ATM activity.

For applicable intracountry Mexico 1740 transactions, PDS 0080 should be submitted by customers where the Fee Processing Impact Switch is set to N on IP0097T1 for the message reason code.

The Mastercard® Network supplies the tax amount in PDS 0080, when applicable.

## PDS 0080 subfields

This PDS consists of five subfields.

### Subfields

#### PDS 0080 subfields

| Number | Position(s) | Name                    | Attribute | Justification |
|--------|-------------|-------------------------|-----------|---------------|
| 1      | 1–3         | Rate Type Code          | n-3       | N/A           |
| 2      | 4–15        | Amount, Value Added Tax | n-12      | N/A           |
| 3      | 16–18       | Currency Code           | n-3       | N/A           |
| 4      | 19          | Currency Exponent       | n-1       | N/A           |
| 5      | 20          | Debit/Credit Indicator  | a-1       | N/A           |

### Subfield 1 (Rate Type Code)

Customer processing systems must be able to accommodate new rate types that may be added at any time.

The rate type codes that the clearing system assigns are listed in this table.

#### Subfield 1 (Rate Type Code)

| Value | Description           |
|-------|-----------------------|
| 010   | Value Added Tax (VAT) |

### Subfield 2 (Amount, Tax)

Subfield 2 (Amount, Tax) indicates the tax amount that applies to the purchased goods and services or fees accrued from the purchased goods and services. This subfield must be numeric.

### Subfield 3 (Currency Code)

Subfield 3 (Currency Code) is an ISO-standard currency code that identifies the currency type.

## Subfield 4 (Currency Exponent)

Subfield 4 (Currency Exponent) explicitly identifies the implied decimal position applicable to the ISO standard currency code.

A zero indicates that the decimal point immediately follows the least significant digit of the related amount data.

Values in the range 1–5 indicate that the decimal point is located 1–5 positions to the left of the least significant digit of the related amount data.

Currently, only numeric currency exponents (values 1–5) are supported. Refer to the *Quick Reference Booklet* for a complete list of currency codes and related implied currency exponent values.

## Subfield 5 (Debit/Credit Indicator)

Subfield 5 (Debit/Credit Indicator) identifies if the subfield 2 (Amount, Tax) is a debit or credit position for the message receiver.

## PDS 0105 (File ID)

PDS 0105 (File ID) uniquely identifies a logical data file to be exchanged between a customer or processor and the clearing system.

### Attributes

| Attribute            | Description                |
|----------------------|----------------------------|
| Data Representation: | n-25; TAGLLL               |
| Tag Field:           | 0105                       |
| Length Field:        | 3 positions, value = 025   |
| Data Length:         | Fixed length, 25 positions |
| Subfields:           | 4                          |
| Justification:       | N/A or right               |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                       | Org | Sys | Dst |
|-----------------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644         | M   | .   | .   |
| File Header (Clearing System-generated)/1644  | .   | X   | M   |
| File Trailer (Customer-generated)/1644        | M   | .   | .   |
| File Trailer (Clearing System-generated)/1644 | .   | X   | M   |

This PDS comprises four subfields that indicate the file type, the file processing date, the ID of the customer or processor associated with the file, and a file sequence number to uniquely identify the file and delivery cycle (1–6). The combination of these four subfields must together form a value that uniquely identifies all logical files to or from a customer processing center.

For customer-generated files, the clearing system retains 180 days of file ID history for each customer or processor and uses this information to edit duplicate file IDs. A clearing file rejects in its entirety if it contains a duplicate File ID. A file ID is considered a duplicate if subfields 2, 3, and 4 of PDS 0105 plus subfield 1 of PDS 0026 (File Reversal Indicator) match an entry in the file ID history file.

### PDS 0105 subfields

This PDS consists of four subfields.

#### PDS 0105 subfields

| Number | Positions | Name                 | Attribute | Justification |
|--------|-----------|----------------------|-----------|---------------|
| 1      | 1–3       | File Type            | n-3       | N/A           |
| 2      | 4–9       | File Reference Date  | n-6       | N/A           |
| 3      | 10–20     | Processor ID         | n-11      | right         |
| 4      | 21–25     | File Sequence Number | n-5       | right         |

#### Subfield 1 (File Type)

Subfield 1 (File Type) is a three-digit code that indicates the type of logical data file being transmitted. Values are listed in this table.

### Subfield 1 (File Type)

| Value   | Description                                                 |
|---------|-------------------------------------------------------------|
| 001     | Clearing file: Generated by Mastercard®                     |
| 002     | Clearing file: Member-generated                             |
| 003     | Early Reconciliation file: Generated by Mastercard®         |
| 011     | Clearing file: Generated by LPRUS                           |
| 013     | Early Reconciliation file: Generated by LPRUS               |
| 021     | Clearing file: Generated by NSPK                            |
| 023     | Early Reconciliation file: Generated by NSPK                |
| 031     | Clearing file: Generated by LPIDN                           |
| 033     | Early Reconciliation file: Generated by LPIDN               |
| 901     | Generated by Mastercard®, MasterCom System                  |
| 902     | Generated by Mastercard®, Rewards System                    |
| 903     | Generated by Mastercard®, EPSNet System                     |
| 904     | Generated by Mastercard® Network                            |
| 905     | Clearing file: Generated by Mastercard® SEND                |
| 906     | Clearing file: Generated by Mastercard® CBK                 |
| 907–999 | Clearing file: Generated by Mastercard® on behalf of member |

### Subfield 2 (File Reference Date)

PDS 0105, subfield 2 (File Reference Date) is for customer-generated logical files. The subfield contains the date the transmitting customer or processor submitted or processed the file. The file reference date must be equal to or no more than 30 days before the current Central Site business date. The required date format is YYMMDD.

For logical files that are generated by Mastercard®, this subfield will contain the clearing system's business processing date.

### Subfield 3 (Processor ID)

For customer-generated files, subfield 3 (Processor ID) contains the customer ID of the customer or processor submitting the file.

For files generated by Mastercard® on behalf of the customer, subfield 3 (Processor ID) contains the customer ID of the customer or processor receiving the file.

### Subfield 4 (File Sequence Number)

Subfield 4 (File Sequence Number) is a five-digit value that the customer or processor submitting the file assigns. It must be unique for each Processor ID and File Reference Date combination.

For customer-generated logical files, this subfield must be numeric. Customers that submit clearing files from multiple locations each day may choose to assign specific ranges of sequence numbers to each location to ensure that file IDs are not duplicated.

For logical files that are generated by Mastercard®, this subfield contains the two-position clearing cycle indicator, followed by a one-position delivery cycle and two-position sequential number that is incremented for each processing file, and clearing cycle, throughout a clearing processing day.

The data in this subfield must be right-justified with leading zeros.

#### PDS 0105, subfield 4 in files generated by Mastercard®

| Positions                                                                                                              | Name            | Attribute      | Justification |
|------------------------------------------------------------------------------------------------------------------------|-----------------|----------------|---------------|
| 1–2                                                                                                                    | Clearing Cycle  | n-2            | right         |
| <b>NOTE: This value will be 99 if the customer receives clearing files containing data from two or more clearings.</b> |                 |                |               |
| 3                                                                                                                      | Delivery Cycle  | (Values = 1–6) |               |
| 4–5                                                                                                                    | Sequence Number |                | right         |

### PDS 0106 (Clearing Optimizer Information)

PDS 0106 (Clearing Optimizer Information) contains information from the clearing optimizer software.

This information is included in PDS 0106:

- The release number and release version of the clearing optimizer software used to validate the IPM clearing file.
- The version of the IPM Mastercard Parameter Extract (MPE) file used by the software at the time the IPM clearing file was validated.
- The platform version of the clearing optimizer software used to validate the IPM clearing file.



## Attributes

| Attribute            | Description                |
|----------------------|----------------------------|
| Data Representation: | n-13; TAGLLL               |
| Tag Field:           | 0106                       |
| Length Field:        | 3 positions, value = 013   |
| Data Length:         | Fixed length, 13 positions |
| Subfields:           | 3                          |
| Justification:       | N/A or right               |

## Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                               | Org | Sys | Dst |
|---------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644 | C   | .   | .   |

PDS 0106 is created exclusively by the Mastercard® clearing optimizer software.

Originators of IPM clearing files must not create or include PDS 0106 in any messages they generate. PDS 0106 will automatically be added to the File Header/1644 message of all IPM clearing files processed and accepted by the clearing optimizer software using information generated by the software. PDS 0106 will be present in the accepted IPM clearing files produced by the software and subsequently sent to Mastercard® by the file originator.

Originators of IPM clearing files must not modify or remove PDS 0106 when present in a production clearing file processed by the clearing optimizer software and subsequently sent to Mastercard® for clearing processing; when PDS 0106 is created by the software, it must be sent to Mastercard®.

Mastercard® does not include PDS 0106 in any clearing message within any clearing file sent to a clearing file receiver. File receivers never receive PDS 0106.

PDS 0106 applies only to IPM clearing files processed by the clearing optimizer software. If the software is not used by the file originator, PDS 0106 is not present. Mastercard® accepts clearing files with or without PDS 0106.

## PDS 0106 subfields

This PDS consists of three subfields.

### Subfields

| Number | Positions | Name                       | Attribute | Justification |
|--------|-----------|----------------------------|-----------|---------------|
| 1      | 1–4       | Clearing Optimizer Package | n-4       | N/A           |
| 2      | 5–12      | MPE Version                | n-8       | right         |
| 3      | 13        | Clearing Optimizer Version | n-1       | N/A           |

### Subfield 1 (Clearing Optimizer Package)

PDS 0106 (Clearing Optimizer Information), subfield 1 (Clearing Optimizer Package) identifies the release number and release version of the clearing optimizer software used to validate the IPM clearing message. The first three positions specify the release number, and the fourth position specifies the release version.

### Subfield 2 (MPE Version)

This subfield identifies the version of the IPM MPE file used by the software at the time the IPM clearing file was validated.

### Subfield 3 (Clearing Optimizer Version)

This subfield identifies the platform version of the clearing optimizer software used to validate the IPM clearing file.

### Values

| Values | Description      |
|--------|------------------|
| 1      | Mainframe        |
| 2      | Auto-Edit        |
| 3      | Workstation Plus |

## PDS 0110 (Transmission ID)

PDS 0110 (Transmission ID) uniquely identifies a physical transmission or grouping of logical files to be exchanged between a customer or processor and the clearing system.

Each transmission may contain multiple logical files that PDS 0105 (File ID) identifies.

### Attributes

| Attribute            | Description                |
|----------------------|----------------------------|
| Data Representation: | n-25; TAGLLL               |
| Tag Field:           | 0110                       |
| Length Field:        | 3 positions, value = 025   |
| Data Length:         | Fixed length, 25 positions |
| Subfields:           | 4                          |
| Justification:       | N/A or right               |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                               | Org | Sys | Dst |
|---------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644 | O   | .   | .   |

Customers that stack multiple logical files in a physical transmission may use this optional PDS. Customers may provide it in File Header/1644 messages to tie together all logical files in the physical transmission.

If present, the same PDS 0110 value may be placed into PDS 0110 in each File Header/1644 in the physical transmission.

The clearing system generates reconciliation information that accumulates data at the individual logical file level. Transmission-level totals are not provided.

## PDS 0110 subfields

This PDS consists of four subfields.

### Subfields

| Number | Positions | Name                         | Attribute | Justification |
|--------|-----------|------------------------------|-----------|---------------|
| 1      | 1–3       | Transmission Type            | n-3       | N/A           |
| 2      | 4–9       | Transmission Reference Date  | n-6       | N/A           |
| 3      | 10–20     | Processor ID                 | n-11      | right         |
| 4      | 21–25     | Transmission Sequence Number | n-5       | right         |

The combination of these four subfields must together form a value that uniquely identifies each transmission or grouping of logical files within a business day from a customer processing center.

### Subfield 1 (Transmission Type)

Subfield 1 (Transmission Type) is a three-digit code that indicates the transmission type shown in this table.

#### Subfield 1 (Transmission Type)

| Value | Description                             |
|-------|-----------------------------------------|
| 002   | Clearing transmission: member-generated |

### Subfield 2 (Transmission Reference Date)

Subfield 2 (Transmission Reference Date) is the date that the originating customer or processor processed or submitted the transmission. It must be less than or equal to the clearing system's business processing date. The required date format is YYMMDD.

### Subfield 3 (Processor ID)

For customer-generated transmissions, subfield 3 (Processor ID) contains the customer ID of the customer or processor submitting the transmission.

## Subfield 4 (Transmission Sequence Number)

Subfield 4 (Transmission Sequence Number) is a five-digit number the transmission originator assigns. It should be unique for each combination of transmission type, transmission reference date, and processor ID. GCMS does not edit for duplicate transmission IDs.

## PDS 0122 (Processing Mode)

PDS 0122 (Processing Mode) indicates the type of processing to be performed on transaction messages.

### Attributes

| Attribute            | Description              |
|----------------------|--------------------------|
| Data Representation: | ans-1;TAGLLL             |
| Tag Field:           | 0122                     |
| Length Field:        | 3 positions, value = 001 |
| Data Length:         | Fixed length, 1 position |
| Subfields:           | None                     |
| Justification:       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                                      | Org | Sys | Dst |
|----------------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644        | M   | .   | .   |
| File Header (Clearing System-generated)/1644 | .   | X   | M   |

PDS 0122 indicates the type of processing (such as production or test) to be applied to an entire data file of transaction messages.

### Values

Processing mode values are listed in this table.

### Values

| Value | Description |
|-------|-------------|
| P     | Production  |
| T     | Test        |

## PDS 0137 (Fee Collection Control Number)

PDS 0137 (Fee Collection Control Number) contains a financial control number (reference number) that a fee collection message originator assigns.

### Attributes

| Attribute            | Description                      |
|----------------------|----------------------------------|
| Data Representation: | n...20; TAGLLLVAR                |
| Tag Field:           | 0137                             |
| Length Field:        | 3 positions, value = 017–020     |
| Data Length:         | Variable length, 17–20 positions |
| Subfields:           | None                             |
| Justification:       | Right                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | .   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | .   | M   |

This PDS assists customers in referencing and reconciling various posted miscellaneous fees and billings using the fee collection message.

A customer may assign PDS 0137 as a documentation reference for customer-generated fee collection messages sent to another customer.

Customers must submit a minimum of 17 positions and a maximum of 20 positions for PDS 0137. The information must be numeric, right-justified, and have leading zeros.

The clearing system also uses this PDS to provide control numbers on Fee Collection (Clearing System-generated)/1740 messages.

In all Fee Collection/1740 messages, PDS 0137 is required and must be the same on the initial fee collection and all subsequent returns.

## PDS 0138 (Source Message Number ID)

PDS 0138 (Source Message Number ID) contains the message sequence number from a previously submitted file's message.

### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | n-8; TAGLLL               |
| Tag Field:           | 0138                      |
| Length Field:        | 3 positions, value = 008  |
| Data Length:         | Fixed length, 8 positions |
| Subfields:           | None                      |
| Justification:       | Right                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                     | Org | Sys | Dst |
|---------------------------------------------|-----|-----|-----|
| Message Exception/1644 and File Reject/1644 | .   | X   | C   |

This PDS identifies in Message Exception/1644 messages the message sequence number of a rejected message from a previously transmitted data file. It contains the value from DE 71 (Message Number) from the rejected message.

This PDS is present if the clearing system can parse the rejected message.

## PDS 0140 (Amount, Cardholder Billing Amounts USD)

PDS 0140 (Amount, Cardholder Billing Amounts USD) is provided only for customers that participate in Settlement Service Level 1 (Regional), where the Currency Code is 392 (Yen).

PDS 0140 (Amount, Cardholder Billing Amounts USD) identifies Amount, Cardholder Billing in USD and Amount, Cardholder Currency Conversion Assessment USD on the outbound message to customers for First and Second Presentments/1240, when PDS 0159, subfield 3 (Settlement Service Level Code) is equal to 1 (Regional) and DE 50 (Currency Code, Reconciliation) is equal to 392 (Yen).

**NOTE: Both subfields of PDS 0140 are always USD, Currency Code 840, with a currency exponent of two.**

### Attributes

| Attribute            | Description                        |
|----------------------|------------------------------------|
| Data Representation: | n-24; TAGLLLLVAR                   |
| Tag Field:           | 0140                               |
| Length Field:        | 3 positions, value = 012-024       |
| Data Length:         | variable length, 012-024 positions |
| Subfields:           | 2                                  |
| Justification:       | Right                              |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                           | Org | Sys | Dst |
|-----------------------------------|-----|-----|-----|
| First Presentment/1240            | .   | X   | C   |
| s1 Amount, Cardholder Billing USD | .   | X   | C   |



| Message                                       | Org | Sys | Dst |
|-----------------------------------------------|-----|-----|-----|
| s2 Amount, Currency Conversion Assessment USD | •   | X   | C   |
| Second Presentment/1240                       | •   | X   | C   |
| s1 Amount, Cardholder Billing USD             | •   | X   | C   |
| s2 Amount, Currency Conversion Assessment USD | •   | X   | C   |

## PDS 0140 subfields

This PDS consists of two subfields.

### PDS 0140 subfields

| Number | Positions | Name                                       | Attribute | Justification |
|--------|-----------|--------------------------------------------|-----------|---------------|
| 1      | 1–12      | Amount, Cardholder Billing USD             | n-12      | right         |
| 2      | 13–24     | Amount, Currency Conversion Assessment USD | n-12      | right         |

### Subfield 1 (Amount, Cardholder Billing USD)

This subfield contains the amount in the cardholder billing in USD.

### Subfield 2 (Amount, Currency Conversion Assessment USD)

This subfield contains the calculated currency conversion assessment adjustment amount in USD.

## PDS 0141 (Customer Currency Conversion Revenue Data)

PDS 0141 (Customer Currency Conversion Revenue Data) contains the Customer Currency Conversion Revenue (CCCR) amount and the rate that was used for the calculation.

GCMS sends this data in First Presentment/1240 messages to issuers in Brazil participating in the CCCR service.

### Attributes

| Attribute            | Description  |
|----------------------|--------------|
| Data Representation: | n-25; TAGLLL |

| Attribute      | Description                |
|----------------|----------------------------|
| Tag Field:     | 0141                       |
| Length Field:  | 3 positions, value = 025   |
| Data Length:   | Fixed length, 25 positions |
| Subfields:     | 2                          |
| Justification: | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

## Subfield 1 (Customer Currency Conversion Revenue Rate)

PDS 0141 (Customer Currency Conversion Revenue Data), subfield 1 indicates the customer currency conversion rate applied to transactions processed for cards issued in Brazil in which the transaction currency is reflected in neither Brazilian Reals nor U.S. Dollars.

### Attributes

|                      |                            |
|----------------------|----------------------------|
| Data Representation: | n-13                       |
| Data Field:          | Contents of positions 1–13 |
| Justification:       | Right-justified            |

### Values

The seven left-most digits denote the values that appear to the left of the decimal of the customer currency conversion rate, and the six right-most digits denote the values that appear after the decimal of the customer currency conversion rate. For example, a data value of 0000002350000 indicates a conversion rate of 0000002.350000.

## Subfield 2 (Customer Currency Conversion Revenue Amount)

PDS 0141 (Customer Currency Conversion Revenue Data), subfield 2 indicates the calculated customer currency conversion amount in the reconciliation currency.

This amount is added to the amount in DE 5 (Amount, Reconciliation) for transactions processed for cards issued in Brazil in which the transaction currency is reflected in neither Brazilian Reals nor U.S. Dollars.

### Attributes

|                      |                             |
|----------------------|-----------------------------|
| Data Representation: | n-12                        |
| Data Field:          | Contents of positions 14–25 |
| Justification:       | Right-justified             |

### Values

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a customer currency conversion amount of BRL 212.50 is expressed as 000000021250.

## PDS 0142 (Additional Service Data For Issuers)

PDS 0142 (Additional Service Data For Issuers) contains the European Central Bank (ECB) reference rates and the percentage difference in comparison to the Mastercard Foreign Exchange rate.

### Attributes

| Attribute            | Description                |
|----------------------|----------------------------|
| Data Representation: | ans-15; TAGLLL             |
| Tag Field:           | 0142                       |
| Length Field:        | 3 positions, value = 015   |
| Data Length:         | Fixed length, 15 positions |
| Subfields:           | 3                          |
| Justification:       | See subfields              |

## Usage

The following table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |

## Values

Issuers will receive these subfields if they have opted in for any of the supported services and if those services were performed on the given transaction.

If present, PDS 0142 must be a fixed length of 15 and will represent European Issuer Foreign exchange reference rate and any percentage difference between the Mastercard Foreign Exchange rate.

### PDS 0142 Subfields

| Number | Position(s) | Name                                                  | Attribute | Justification |
|--------|-------------|-------------------------------------------------------|-----------|---------------|
| 01     | 1-8         | Reference Conversion Rate                             | n-8       | N/A           |
| 02     | 9           | Reference Conversion Rate Differential Sign Indicator | ans-1     | N/A           |
| 03     | 10-15       | Reference Conversion Rate Percent Differential        | n-6       | N/A           |

## Subfield 01 (Reference Conversion Rate)

Subfield 01 (Reference Conversion Rate) is numeric and contains the processing day's European Central Bank reference rate and may be all zeros.

PDS 0142 subfield 01 provides the "currency conversion cross-rate" from DE 4 (Amount, Transaction) to DE 6 (Amount, Cardholder Billing).

The first position or the leftmost digit is populated with the number of decimal places and denotes the number of positions that the decimal separator shall be moved from the right.

The left-most digit is in the range 0–9. For example, a data value of 91234567 indicates a conversion rate of 0.001234567.

### Subfield 02 (Reference Conversion Rate Differential Sign Indicator)

Subfield 02 (Reference Conversion Rate Differential Sign Indicator) identifies if the subfield 03 (Reference Conversion Rate Differential) is a debit or credit position for the message receiver.

Subfield 02 has a value of C (for Credit) or value of D (for Debit).

A value of C indicates that DE 10 (Conversion Rate, Cardholder Billing) is larger than or equal to PDS 0142, subfield 01 (Reference Conversion Rate).

A value of D indicates that DE 10 (Conversion Rate, Cardholder Billing) is less than PDS 0142, subfield 01 (Reference Conversion Rate).

### Subfield 03 (Reference Conversion Rate Percent Differential)

Subfield 03 (Reference Conversion Rate Percent Differential) is numeric and contains the percentage difference of DE 10 (Cardholder Billing Conversion Rate) and PDS 0142 subfield 01 (Reference Conversion Rate).

Subfield 03 carries a percentage value with an implied two-position decimal.

For Example:

- A differential of +123.45% is represented with PDS 0142 subfield 02 = C and PDS 0142 subfield 03 = 012345
- A differential of 0.00% is represented with PDS 0142 subfield 02 = C and PDS 0142 subfield 03 = 000000
- A differential of -1.23% is represented with PDS 0142 subfield 02 = D and PDS 0142 subfield 03 = 000123

## PDS 0145 (Amount, Alternate Transaction Fee)

PDS 0145 (Amount, Alternate Transaction Fee) presents an alternative fee amount associated with a transaction. This field is used by Mexico Domestic Business Service 4/484001.

#### Attributes

| Attribute            | Description                |
|----------------------|----------------------------|
| Data Representation: | n-15; TAGLLL               |
| Tag Field:           | 0145                       |
| Length Field:        | 3 positions, value 015     |
| Data Length:         | Fixed length, 15 positions |

| Attribute      | Description |
|----------------|-------------|
| Subfields:     | 2           |
| Justification: | N/A         |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                     | Org | Sys | Dst |
|-----------------------------|-----|-----|-----|
| First Presentment/1240      | C   | X   | C   |
| First Chargeback/1442       | O   | X   | C   |
| Arbitration Chargeback/1442 | O   | X   | C   |

Fees are assessed in an appropriate currency according to card program identifier, program, or service rules. For example, a fee assessed to the customer, such as a variable transaction interchange fee, may be assessed in the transaction currency; a regional clearing system processing fee might be assessed in the preferred currency of the country in which the clearing system is operated.

## Values

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of USD 212.50 is expressed as 000000021250.

## Notes

PDS 0148 (Currency Exponents) must be present with PDS 0145 to identify the transaction's exponent.

## PDS 0145 subfields

PDS 0145 may contain one occurrence of the transaction fee.

### Subfield 1 (Currency Code, Fee)

PDS 0145 (Amount, Alternate Transaction Fee), subfield 1 (Currency Code, Fee) identifies the currency of the fee amount. The fee is defined in the calculated fee currency and may include a

fixed amount, a percentage of the transaction amount, or both. This subfield must contain a valid ISO numeric currency code.

### Subfield 2 (Amount, Fee)

PDS 0145 (Amount, Alternate Transaction Fee), subfield 2 (Amount, Fee) identifies the fee amount in the currency in which the fee is calculated.

## PDS 0146 (Amounts, Transaction Fee)

PDS 0146 (Amounts, Transaction Fee) presents all fee amounts associated with a transaction.

This PDS may accommodate 1 to 12 different fee types.

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | n...432; TAGLLLVAR                               |
| Tag Field           | 0146                                             |
| Data Length         | 3 positions, value = 036–432 in increments of 36 |
| Data Field          | Variable length, 36–432 positions                |
| Subfields           | 7 subfields for each transaction fee occurrence  |
| Occurrences         | 1–12                                             |
| Justification       | N/A                                              |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | X   | C   |
| Second Presentment/1240                               | O   | X   | C   |

For ATM transactions submitted by the Mastercard® Network, this element is mandatory.

For bilaterally settled and collection only transactions, this element is optional.

Fees are assessed in an appropriate currency according to card program identifier, program, or service rules. For example, a fee assessed to the acquirer, such as a variable transaction interchange fee, may be assessed in the transaction currency; a regional clearing system processing fee might be assessed in the preferred currency of the country in which the clearing system is operated.

If the transaction is classified as bilateral settlement (indicated by B in subfield 1 of PDS 0165 [Settlement Indicator]), and the business service assigned to the transaction does not specify that fees should be calculated:

- If the message originator populates PDS 0146 with expected fees, the clearing system passes them to the receiving customer.
- If the message originator does not provide PDS 0146, PDS 0146 will not be present at all in the message sent to the receiving customer.

In all other conditions, the clearing system calculates the fees and provides them to the receiving customer in PDS 0146.

### Related required PDS

PDS 0148 (Currency Exponents) must be present with PDS 0146 to identify the transaction's exponent.

### Values

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of USD 212.50 is expressed as 000000021250.

**NOTE: This field remains unchanged from the original message when processing a reversal of a previous message.**

## PDS 0146 subfields

This PDS may contain 1 to 12 occurrences of transaction fees.

### Subfields

Each transaction fee consists of seven subfields as defined in this table. Each fee requires 36 positions; the length of this PDS must be a multiple of 36, with a maximum length of 432 positions.



### PDS 0146 subfields

| Number | Positions | Name                                                                                                                   | Attribute | Justification |
|--------|-----------|------------------------------------------------------------------------------------------------------------------------|-----------|---------------|
| 1      | 1–2       | Fee Type Code A, code in the range 00–99 to indicate the fee type.                                                     | n-2       | N/A           |
| 2      | 3–4       | Fee Processing Code A, code that indicates the entity to be debited and the entity to be credited for this fee amount. | n-2       | N/A           |
| 3      | 5–6       | Fee Settlement Indicator identifies the PDS location of the settlement service information applicable to this fee.     | n-2       | N/A           |
| 4      | 7–9       | Currency Code, Fee The ISO numeric currency code for the Amount, Fee (subfield 5).                                     | n-3       | N/A           |
| 5      | 10–21     | Amount, Fee The transaction fee amount in the calculated currency of the fee.                                          | n-12      | N/A           |
| 6      | 22–24     | Currency Code, Fee, Reconciliation. The ISO numeric currency code for the Amount, Fee, Reconciliation (subfield 7).    | n-3       | N/A           |
| 7      | 25–36     | Amount, Fee, Reconciliation. Fee amount in the reconciliation currency (payment currency).                             | n-12      | N/A           |

All subfields are present for each fee occurrence. If the fee reconciliation (payment) currency is the same as the fee calculation currency, fee subfields 6 and 7 contain the same values as subfields 4 and 5. When the transaction originator provides PDS 0146, subfield 3 may contain zeros.

### Subfield 1 (Fee Type Code)

Customer processing systems must be able to accommodate new fee types that may be added at any time. The codes assigned by the clearing system are listed in this table.

### Subfield 1 (Fee Type Code)

| Value | Description                                                  |
|-------|--------------------------------------------------------------|
| 00    | Transaction interchange fee (fixed plus variable fee amount) |

### Subfield 2 (Fee Processing Code)

This subfield identifies the entity to be debited and the entity to be credited for the fee amount. The valid values are listed in this table.

### Subfield 2: Fee Processing Code

| Value | Description                                             |
|-------|---------------------------------------------------------|
| 19    | Debit transaction destination                           |
| 29    | Credit transaction destination                          |
| 00    | Not applicable: May be used if member provides PDS 0146 |

### Subfield 3 (Fee Settlement Indicator)

This subfield identifies the settlement service PDS to which the fee is associated for the purpose of financial reconciliation and settlement. The values are listed in this table.

### Subfield 3 (Fee Settlement Indicator)

| Value | Description                                                                                                                                                                                                                           |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00    | Settlement services do not apply to this fee. Fee settlement or fee billing occurs as a separate activity and is not included in this transaction's reconciliation and settlement (usually applies when bilateral settlement occurs). |
| 01    | This settlement service is identified in PDS 0159 (Settlement Data).                                                                                                                                                                  |

### Subfield 4 (Currency Code, Fee)

Subfield 4 (Currency Code, Fee) identifies the currency of the fee amount. This is the currency in which the clearing system calculates the fee. For example, if the fee is listed in Mastercard®

publications as a U.S. Dollar fee, subfields 4 and 5 will contain the fee in U.S. Dollars. The fee is defined in the calculated fee currency and may include a fixed amount, a percentage of the transaction amount, or both. This subfield must contain a valid ISO numeric currency code.

### Subfield 5 (Amount, Fee)

Subfield 5 (Amount, Fee) is the fee amount in the currency in which the fee is calculated by the clearing system. In First Presentment/1240 messages, the total interchange fees assessed must not be greater than the transaction amount.

### Subfield 6 (Currency Code, Fee, Reconciliation)

Subfield 6 (Currency Code, Fee, Reconciliation) identifies this fee's reconciliation (payment) currency. Standard ISO numeric currency codes are used.

### Subfield 7 (Amount, Fee, Reconciliation)

Subfield 7 (Amount, Fee, Reconciliation) is the fee amount converted to the reconciliation (payment) currency for the message recipient.

## PDS 0147 (Extended Precision Amounts)

PDS 0147 (Extended Precision Amounts) is for business service arrangements that are enabled for the extended decimal precision service.

This PDS represents the fee amount associated with a transaction extended to six decimal positions. PDS 0147 may accommodate a total of one to 12 different fee types. Table IP1100T1 will be modified by adding elements to prevent customers from sending in PDS 0147 (Extended Precision Amounts).

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | n...576; TAGLLLVAR                               |
| Tag Field           | 0147                                             |
| Data Length         | 3 positions, value = 048-576 in increments of 48 |
| Data Field          | Variable length, 048-576 positions               |
| Subfields           | 7 subfields for each transaction fee occurrence  |
| Occurrences         | 1-12                                             |
| Justification       | N/A                                              |

## Usage

For all transactions where extended decimal precision is active, the clearing system provides this field. This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | .   | X   | C   |
| Second Presentment/1240                               | .   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | .   | X   | C   |

## Values

All currency amounts are expressed to 6 decimals without a decimal separator in accordance with ISO standards for currency notation. For example, an Interchange Fee amount of USD .000123 is expressed as 000000000000000123.

**NOTE:** This field remains unchanged from the original message when processing a reversal of a previous message.

## PDS 0147 subfields

This PDS may contain one to 12 occurrences of transaction fees.

Each transaction fee consists of seven subfields as defined in this table. Each fee requires 48 positions; the length of this PDS must be a multiple of 48, with a maximum length of 576 positions.

### PDS 0147 subfields

| Number | Positions | Name                                                                                                                   | Attribute | Justification |
|--------|-----------|------------------------------------------------------------------------------------------------------------------------|-----------|---------------|
| 1      | 1–2       | Fee Type Code: A code in the range 00–99 to indicate the fee type.                                                     | n-2       | N/A           |
| 2      | 3–4       | Fee Processing Code: A code that indicates the entity to be debited and the entity to be credited for this fee amount. | n-2       | N/A           |

| Number | Positions | Name                                                                                                                            | Attribute | Justification |
|--------|-----------|---------------------------------------------------------------------------------------------------------------------------------|-----------|---------------|
| 3      | 5–6       | Fee Settlement Indicator:<br>Identifies the PDS location of the settlement service information applicable to this fee.          | n-2       | N/A           |
| 4      | 7–9       | Currency Code, Fee: The ISO numeric currency code for the Interchange Amount, Fee (subfield 5).                                 | n-3       | N/A           |
| 5      | 10–27     | Interchange Amount, Fee: The transaction fee amount to 6 decimals in the calculated currency of the fee.                        | n-18      | N/A           |
| 6      | 28–30     | Currency Code, Fee, Reconciliation: The ISO numeric currency code for the Interchange Amount, Fee, Reconciliation (subfield 7). | n-3       | N/A           |
| 7      | 31–48     | Interchange Amount, Fee, Reconciliation: Fee amount calculated to 6 decimals in the reconciliation currency (payment currency). | n-18      | N/A           |

All subfields are present for each fee occurrence. If the fee reconciliation (payment) currency is the same as the fee calculation currency, fee subfields 6 and 7 contain the same values as subfields 4 and 5.

### Subfield 1 (Fee Type Code)

The code that the clearing system assigns are in this table. Customer processing systems must be able to accommodate new fee types that may be added at any time.

#### Subfield 1 (Fee Type Code)

| Value | Description                                                   |
|-------|---------------------------------------------------------------|
| 00    | Transaction interchange fee (fixed plus variable fee amount). |

## Subfield 2 (Fee Processing Code)

This subfield identifies the entity to be debited and the entity to be credited for the fee amount. The values are listed in this table.

### Subfield 2 (Fee Processing Code)

| Value | Description                     |
|-------|---------------------------------|
| 19    | Debit transaction destination.  |
| 29    | Credit transaction destination. |

## Subfield 3 (Fee Settlement Indicator)

This subfield identifies the settlement service PDS to which the fee is associated for the purpose of financial reconciliation and settlement. The values are listed in this table.

### Subfield 3 (Fee Settlement Indicator)

| Value | Description                                                                                                                                                                                                                            |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00    | Settlement services do not apply to this fee; fee settlement, or fee billing occurs as a separate activity and is not included in this transaction's reconciliation and settlement (usually applies when bilateral settlement occurs). |
| 01    | Settlement Data; this settlement service is identified as PDS 0159 (Settlement Data).                                                                                                                                                  |

## Subfield 4 (Currency Code, Fee)

Subfield 4 (Currency Code, Fee) identifies the currency of the interchange amount fee. This is the currency in which the fee is calculated by the clearing system. For example, if the fee is listed in Mastercard® publications as a U.S. Dollar fee, then subfields 4 and 5 will contain the fee in U.S. Dollars. The fee is defined in the calculated fee currency, and may include a fixed amount, a percentage of the transaction amount, or both. This subfield must contain a valid ISO numeric currency code.

### Subfield 5 (Interchange Amount, Fee)

Subfield 5 (Interchange Amount, Fee) is the interchange fee amount calculated to six decimals in the currency in which the fee is calculated with extended precision by the clearing system. For example, if the fee is listed in Mastercard® publications as a U.S. Dollar fee, then subfields 4 and 5 will contain the fee in U.S. Dollars.

### Subfield 6 (Currency Code, Fee, Reconciliation)

Subfield 6 (Currency Code, Fee, Reconciliation) identifies this fee's reconciliation (payment) currency. Standard ISO numeric currency codes are used.

### Subfield 7 (Interchange Amount, Fee, Reconciliation)

Subfield 7 (Interchange Amount, Fee, Reconciliation) is the Interchange Amount, Fee calculated to six decimals converted to the reconciliation (payment) currency for the message recipient.

## PDS 0148 (Currency Exponents)

PDS 0148 (Currency Exponents) explicitly identifies the implicit decimal point locations associated with each ISO standard currency code used in a message.

### Attributes

| Attribute           | Description                                            |
|---------------------|--------------------------------------------------------|
| Data Representation | ans...60; TAGLLLLVAR                                   |
| Tag Field           | 0148                                                   |
| Data Length         | 3 positions, value = 004–060 in increments of 4        |
| Data Field          | Variable length, 4–60 positions                        |
| Subfield            | 2 subfields for each currency exponent data occurrence |
| Occurrences         | 1–15                                                   |
| Justification       | N/A                                                    |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | M   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | M   | X   | M   |
| Second Presentment/1240                                              | M   | X   | M   |
| File Currency Summary/1644                                           | .   | X   | M   |
| Financial Position Detail/1644                                       | .   | X   | M   |
| Settlement Position Detail/1644                                      | .   | X   | M   |
| Retrieval Request/1644                                               | M   | .   | M   |
| Retrieval Request Acknowledgment/1644                                | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | M   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | X   | M   |

This PDS identifies the decimal point location for all currency amounts in a message.

Message originators must populate PDS 0148 with the currency exponents that apply to any amount and currency code data elements, such as DE 4 (Amount, Transaction), DE 49 (Currency Code, Transaction), and DE 30 (Amounts, Original) provided in a message.

The clearing system populates PDS 0148 with the currency exponents that apply to any clearing system-provided amount and currency code data elements, such as DE 5 (Amount Reconciliation) and DE 50 (Currency Code, Reconciliation); DE 6 (Amount, Cardholder Billing) and DE 51 (Currency Code, Cardholder Billing); or PDS 0146 (Amounts, Transaction Fee).

Each currency code in the message should be presented only once in PDS 0148, along with the corresponding currency exponent.

The clearing system validates the currency exponents in subfield 2 of PDS 0148 to ensure they are valid for the currency codes in subfield 1. If they are not valid, the clearing system rejects the transaction.

For example, assume that a transaction occurs between Canada region customers in U.S. Dollars (currency code 840, exponent 2). The clearing system assesses fees in Canadian Dollars (currency code 124, exponent 2):

- The acquirer submits a First Presentment/1240 in which DE 49 contains 840. PDS 0148 also must be present and must contain a single value of 8402, representing currency code 840 and currency exponent 2.



- The clearing system then calculates fees and presents them in PDS 0146. Because the fees are in a currency that is not yet present in PDS 0148, the clearing system adds a second occurrence to PDS 0148, containing a value of 1242 to indicate currency code 124 and currency exponent 2.
- The clearing system then calculates DE 5 and DE 6 in Canadian dollars (currency code 124) and adds them to the message, along with their related currency codes of DE 50 and DE 51. Because currency code 124 is already present in PDS 0148, the clearing system does not add any more values to PDS 0148.
- The issuer receives the First Presentment/1240 containing all of the amount and currency data elements and PDSs previously described (DE 4 and DE 49; DE 5 and DE 50; DE 6 and DE 51; PDS 0146; and PDS 0148). PDS 0148 contains two data occurrences with values of 8402 and 1242, respectively.

### Values

If present, PDS 0148 cannot contain all low values or all high values.

## PDS 0148 subfields

This PDS may contain from 1 to 15 occurrences of currency exponent information.

Each occurrence consists of two subfields as defined in this table. Each occurrence requires four positions; the length of this PDS must be a multiple of four, with a maximum length of 60 positions.

### PDS 0148 subfields

| Number | Positions | Name              | Attribute | Justification |
|--------|-----------|-------------------|-----------|---------------|
| 1      | 1-3       | Currency Code     | n-3       | N/A           |
| 2      | 4         | Currency Exponent | an-1      | N/A           |

### Subfield 1 (Currency Code)

Subfield 1 (Currency Code) is an ISO-standard currency code that identifies the currency type.

### Subfield 2 (Currency Exponent)

Subfield 2 (Currency Exponent) explicitly identifies the implied decimal position applicable to the ISO standard currency code.

A zero indicates that the decimal point immediately follows the least significant digit of the related amount data.

Currently, only numeric currency exponents (values 1–5) are supported. Values in the range 1–5 indicate that the decimal point is located 1–5 positions to the left of the least significant digit of the related amount data.

Refer to the *Quick Reference Booklet* for a complete list of currency codes and related implied currency exponent values.

## PDS 0149 (Currency Codes, Amounts, Original)

PDS 0149 (Currency Codes, Amounts, Original) defines the DE 30 (Amounts, Original) currencies.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0149                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | 2                         |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | M   | .   | M   |
| Second Presentment/1240                               | M   | .   | M   |
| Retrieval Request/1644                                | M   | .   | M   |
| Retrieval Request Acknowledgment/1644                 | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740           | M   | .   | M   |
| Fee Collection (Handling Fees)/1740                   | C   | .   | C   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Fee Collection (Other than Retrieval Fee Billing/handling Fees)/1740 | C   | .   | C   |

This PDS is required when DE 30 is in the message.

PDS 0148 (Currency Exponents) must also be present in a message when PDS 0149 is present.

### Values

Subfield 1 (Currency Code, Original Transaction Amount) must contain valid ISO numeric currency codes. There must be an occurrence of PDS 0149, subfield 1 (Currency Code, Original Transaction Amount) along with its corresponding currency exponent in PDS 0148.

Subfield 2 (Currency Code, Original Reconciliation Amount) must contain all zeros.

## PDS 0149 subfields

This PDS contains two subfields.

### PDS 0149 subfields

| Number | Positions | Name                                          | Attribute | Justification |
|--------|-----------|-----------------------------------------------|-----------|---------------|
| 1      | 1–3       | Currency Code, Original Transaction Amount    | n-3       | N/A           |
| 2      | 4–6       | Currency Code, Original Reconciliation Amount | n-3       | N/A           |

## PDS 0150 (Additional Recurring Payments Information)

PDS 0150 (Additional Recurring Payments Information) is used in the Clearing System to provide additional data for recurring payments.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data representation | ans-26; TAGLLL             |
| Tag field           | 0150                       |
| Data length         | 3 positions, value = 026   |
| Data field          | Fixed length, 26 positions |

| Attribute     | Description |
|---------------|-------------|
| Subfields     | 7           |
| Justification | Left        |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |

## Values

| Field name/<br>position               | Subfield ID | Data<br>representation | Position | Comment                                                                                                                                                 |
|---------------------------------------|-------------|------------------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| Recurring Payment<br>Mandate Type     | 01          | n-1                    | 1        | Values are <ul style="list-style-type: none"> <li>1 = fixed amount Recurring Payment and</li> <li>2 = Recurring Payment with maximum amount.</li> </ul> |
| Recurring Payment<br>Transaction Type | 02          | n-1                    | 2        | Values are <ul style="list-style-type: none"> <li>1 = registration/ first transaction and</li> <li>2 = subsequent transaction.</li> </ul>               |

Data element and private data subelement definitions and details  
PDS 0150 (Additional Recurring Payments Information)

| Field name/<br>position                 | Subfield ID | Data<br>representation | Position | Comment                                                                                                                                                                                                         |
|-----------------------------------------|-------------|------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Validation Flag                         | 03          | n-1                    | 3        | Values are <ul style="list-style-type: none"> <li>• 0 = not validated and</li> <li>• 1 = validated.</li> </ul>                                                                                                  |
| Maximum<br>Recurring Payment<br>Amount  | 04          | n-10                   | 4-13     | Maximum amount agreed to by the cardholder.<br><br>Amount will be specified in DE 49 (Currency Code, Transaction).<br>Example: 1800.00 as 180000, with leading zeros.                                           |
| Registered<br>Transaction<br>Identifier | 05          | an-10                  | 14-23    | Unique identifier for Recurring Payments mandate.                                                                                                                                                               |
| Number of<br>Recurring<br>Payments      | 06          | n-2                    | 24-25    | Indicates the number of recurring payment debits. With leading zeros.<br><br>Value of 99 means that recurring payments are authorized until canceled or that the Number of Recurring Payments is not indicated. |

| Field name/<br>position        | Subfield ID | Data<br>representation | Position | Comment                                                                                                                                                                                                                                                                                                           |
|--------------------------------|-------------|------------------------|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Recurring Payment<br>Frequency | 07          | n-1                    | 26       | Identifies<br>frequency of the<br>Recurring<br>Payments debit.<br><br>Values are <ul style="list-style-type: none"> <li>• 0: annually</li> <li>• 1: daily</li> <li>• 2: weekly</li> <li>• 3: fortnightly</li> <li>• 4: monthly</li> <li>• 5: quarterly</li> <li>• 6: twice-yearly</li> <li>• 8: ad hoc</li> </ul> |

### Application notes

Mastercard is not enforcing edits to check the presence or content of any data.

## PDS 0157 (Alternate Processor Indicator)

PDS 0157 (Alternate Processor Indicator) distinctly identifies a transaction as an alternate processor transaction.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-4; TAGLLL             |
| Tag Field           | 0157                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

PDS 0157 is allowed only on collection-only transactions.

GCMS will apply the Cross-border Assessment (CBA) transaction qualification process on alternate processor transactions.

### Values

If present, PDS 0157 must contain a valid value of ALTC to indicate Alternate Processor Cross-border transaction.

If PDS 0157 Alternate Processor Indicator is present, PDS 0165 subfield 1 (Settlement Indicator) must contain a value of C.

## PDS 0158 (Business Activity)

PDS 0158 (Business Activity) identifies the business arrangement applied to this transaction.

This PDS includes information about the applicable card program identifier for a transaction, the business relationship between the acquirer and issuer (or the transaction originator and destination customers), the interchange rules governing all participants in the transaction, and the clearing system business date and processing cycle for reconciliation purposes.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...34; TAGLLLLVAR            |
| Tag Field           | 0158                            |
| Data Length         | 3 positions, value = 003–034    |
| Data Field          | Variable length, 3–34 positions |
| Subfields           | 15                              |
| Justification       | See "Subfields"                 |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | X   | M   |
| s1 Card Program Identifier                            | C   | X   | M   |
| s2 Business Service Arrangement Type Code             | C   | X   | M   |
| s3 Business Service ID Code                           | C   | X   | M   |
| s4 Interchange Rate Designator                        | C   | X   | M   |
| s5 Central Site Business Date                         | .   | X   | M   |
| s6 Business Cycle                                     | .   | X   | M   |
| s7 Acceptor Classification Override Indicator         | .   | X   | M   |
| s8 Product Class Override Indicator                   | .   | X   | M   |
| s9 Corporate Incentive Rates Apply Indicator          | .   | X   | M   |
| s10 Special Conditions Indicator                      | .   | X   | M   |
| s11 Mastercard® Assigned ID Override Indicator        | .   | X   | M   |
| s12 Account Level Management Account Category Code    | .   | X   | M   |
| s13 Rate Indicator                                    | .   | X   | M   |
| s14 MasterPass® Incentive Indicator                   | .   | X   | M   |
| s15 Digital Wallet Interchange Override Indicator     | .   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | X   | M   |
| s1 Card Program Identifier                            | C   | X   | M   |
| s2 Business Service Arrangement Type Code             | C   | X   | M   |
| s3 Business Service ID Code                           | C   | X   | M   |
| s4 Interchange Rate Designator                        | C   | X   | M   |
| s5 Central Site Business Date                         | .   | X   | M   |
| s6 Business Cycle                                     | .   | X   | M   |
| s7 Acceptor Classification Override Indicator         | .   | X   | M   |
| s8 Product Class Override Indicator                   | .   | X   | M   |
| s9 Corporate Incentive Rates Apply Indicator          | .   | X   | M   |



| Message                                            | Org | Sys | Dst |
|----------------------------------------------------|-----|-----|-----|
| s10 Special Conditions Indicator                   | •   | X   | M   |
| s11 Mastercard® Assigned ID Override Indicator     | •   | X   | M   |
| s12 Account Level Management Account Category Code | •   | X   | M   |
| s13 Rate Indicator                                 | •   | X   | M   |
| s14 MasterPass® Incentive Indicator                | •   | X   | M   |
| Second Presentment/1240                            | C   | X   | M   |
| s1 Card Program Identifier                         | C   | X   | M   |
| s2 Business Service Arrangement Type Code          | C   | X   | M   |
| s3 Business Service ID Code                        | C   | X   | M   |
| s4 Interchange Rate Designator                     | C   | X   | M   |
| s5 Central Site Business Date                      | •   | X   | M   |
| s6 Business Cycle                                  | •   | X   | M   |
| s7 Acceptor Classification Override Indicator      | •   | X   | M   |
| s8 Product Class Override Indicator                | •   | X   | M   |
| s9 Corporate Incentive Rates Apply Indicator       | •   | X   | M   |
| s10 Special Conditions Indicator                   | •   | X   | M   |
| s11 Mastercard® Assigned ID Override Indicator     | •   | X   | M   |
| s12 Account Level Management Account Category Code | •   | X   | M   |
| s13 Rate Indicator                                 | •   | X   | M   |
| s14 MasterPass® Incentive Indicator                | •   | X   | M   |
| s15 Digital Wallet Interchange Override Indicator  | •   | X   | M   |
| Retrieval Request/1644                             | O   | X   | M   |
| s1 Card Program Identifier                         | C   | X   | M   |
| s2 Business Service Arrangement Type Code          | C   | X   | M   |
| s3 Business Service ID Code                        | C   | X   | M   |
| s4 Interchange Rate Designator                     | C   | X   | M   |
| s5 Central Site Business Date                      | •   | X   | M   |
| s6 Business Cycle                                  | •   | X   | M   |
| s7 Acceptor Classification Override Indicator      | •   | X   | M   |
| s8 Product Class Override Indicator                | •   | X   | M   |
| s9 Corporate Incentive Rates Apply Indicator       | •   | X   | M   |

| Message                                            | Org | Sys | Dst |
|----------------------------------------------------|-----|-----|-----|
| s10 Special Conditions Indicator                   | •   | X   | M   |
| s11 Mastercard® Assigned ID Override Indicator     | •   | X   | M   |
| s12 Account Level Management Account Category Code | •   | X   | M   |
| s13 Rate Indicator                                 | •   | X   | M   |
| s14 MasterPass® Incentive Indicator                | •   | X   | M   |
| s15 Digital Wallet Interchange Override Indicator  | •   | X   | M   |
| Retrieval Request Acknowledgment/1644              | O   | X   | M   |
| s1 Card Program Identifier                         | C   | X   | M   |
| s2 Business Service Arrangement Type Code          | C   | X   | M   |
| s3 Business Service ID Code                        | C   | X   | M   |
| s4 Interchange Rate Designator                     | C   | X   | M   |
| s5 Central Site Business Date                      | •   | X   | M   |
| s6 Business Cycle                                  | •   | X   | M   |
| s7 Acceptor Classification Override Indicator      | •   | X   | M   |
| s8 Product Override Indicator                      | •   | X   | M   |
| s9 Corporate Incentive Rates Apply Indicator       | •   | X   | M   |
| s10 Special Conditions Indicator                   | •   | X   | M   |
| s11 Mastercard® Assigned ID Override Indicator     | •   | X   | M   |
| s12 Account Level Management Account Category Code | •   | X   | M   |
| s13 Rate Indicator                                 | •   | X   | M   |
| s14 MasterPass® Incentive Indicator                | •   | X   | M   |
| s15 Digital Wallet Interchange Override Indicator  | •   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740        | O   | X   | M   |
| s1 Card Program Identifier                         | C   | X   | M   |
| s2 Business Service Arrangement Type Code          | C   | X   | M   |
| s3 Business Service ID Code                        | C   | X   | M   |
| s4 Interchange Rate Designator                     | C   | X   | M   |
| s5 Central Site Business Date                      | •   | X   | M   |
| s6 Business Cycle                                  | •   | X   | M   |
| s7 Acceptor Classification Override Indicator      | •   | X   | M   |
| s8 Product Class Override Indicator                | •   | X   | M   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| s9 Corporate Incentive Rates Apply Indicator                         | •   | X   | M   |
| s10 Special Conditions Indicator                                     | •   | X   | M   |
| s11 Mastercard® Assigned ID Override Indicator                       | •   | X   | M   |
| s12 Account Level Management Account Category Code                   | •   | X   | M   |
| s13 Rate Indicator                                                   | •   | X   | M   |
| s14 MasterPass® Incentive Indicator                                  | •   | X   | M   |
| s15 Digital Wallet Interchange Override Indicator                    | •   | X   | M   |
| Fee Collection (Handling Fees)/1740                                  | O   | X   | M   |
| s1 Card Program Identifier                                           | C   | X   | M   |
| s2 Business Service Arrangement Type Code                            | C   | X   | M   |
| s3 Business Service ID Code                                          | C   | X   | M   |
| s4 Interchange Rate Designator                                       | C   | X   | M   |
| s5 Central Site Business Date                                        | •   | X   | M   |
| s6 Business Cycle                                                    | •   | X   | M   |
| s7 Acceptor Classification Override Indicator                        | •   | X   | M   |
| s8 Product Class Override Indicator                                  | •   | X   | M   |
| s9 Corporate Incentive Rates Apply Indicator                         | •   | X   | M   |
| s10 Special Conditions Indicator                                     | •   | X   | M   |
| s11 Mastercard® Assigned ID Override Indicator                       | •   | X   | M   |
| s12 Account Level Management Account Category Code                   | •   | X   | M   |
| s13 Rate Indicator                                                   | •   | X   | M   |
| s14 MasterPass® Incentive Indicator                                  | •   | X   | M   |
| s15 Digital Wallet Interchange Override Indicator                    | •   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | X   | M   |
| s1 Card Program Identifier                                           | C   | X   | M   |
| s2 Business Service Arrangement Type Code                            | C   | X   | M   |
| s3 Business Service ID Code                                          | C   | X   | M   |
| s4 Interchange Rate Designator                                       | C   | X   | M   |
| s5 Central Site Business Date                                        | •   | X   | M   |
| s6 Business Cycle                                                    | •   | X   | M   |

| Message                                            | Org | Sys | Dst |
|----------------------------------------------------|-----|-----|-----|
| s7 Acceptor Classification Override Indicator      | .   | X   | M   |
| s8 Product Class Override Indicator                | .   | X   | M   |
| s9 Corporate Incentive Rates Apply Indicator       | .   | X   | M   |
| s10 Special Conditions Indicator                   | .   | X   | M   |
| s11 Mastercard® Assigned ID Override Indicator     | .   | X   | M   |
| s12 Account Level Management Account Category Code | .   | X   | M   |
| s13 Rate Indicator                                 | .   | X   | M   |
| s14 MasterPass® Incentive Indicator                | .   | X   | M   |
| s15 Digital Wallet Interchange Override Indicator  | .   | X   | M   |

PDS 0158 must be a length of 003 to 034.

The clearing system determines and/or validates PDS 0158. If the business service requires an interchange rate designator (IRD) for a given message type, the message originator must submit all spaces or valid values in subfields 1, 2, and 3, and a valid interchange rate designator in subfield 4. For example, PDS 0158 is required to be present for all U.S. region transactions that are of Mastercard® brand, except for the following.

- ATM (DE 3, subfield 1 = 01)
- Cash Disbursement (DE 3, subfield 1 = 12)
- Retrieval Requests and Fee Collections

Customers may choose to submit only the IRD and provide spaces in subfields 1–3. In this situation, GCMS derives the corresponding card program identifier and business service information and populates the message with these values. If the system cannot determine the appropriate values for the submitted IRD, the transaction is rejected.

If the customer provides values other than spaces and if the submitted information in subfields 1–3 does not match the information the clearing system assigns, the clearing system rejects the transaction. The clearing system will also reject the transaction if the (non-space) values in subfields 1–3 are invalid for the interchange rate designator provided in subfield 4.

PDS 0158 is important to reconciliation processing because it identifies the card program identifier, the business service, the interchange rate designator, and the business date and processing cycle to which the transaction is assigned for reconciliation purposes.

Refer to the *Technical Resource Center* on Mastercard Connect® for a complete listing of domestic, regional, and interregional interchange programs.

### Business service selection general information

The transaction business relationship (referred to as the business service) is described collectively by the Card Program Identifier, the Business Service Type Code, and the Business

Service ID Code subfields. The business service defines the transaction interchange rule basis together with the interchange rate designator submitted by the originator of the message.

A business service is an arrangement among a defined group of customers (such as acquirers and issuers) that share a common level of interchange participation for a specific card program identifier such as the Mastercard® brand. Business services may involve but are not limited to:

- Two or more customers (member-to-member)
- The country of the merchant
- Customers in a single country (intracountry)
- Customers in two or more countries or regions (intercountry)
- Customers within a business region (intraregional)
- Customers between business regions (interregional)

Each business service may have its own criteria, interchange rates, transaction life cycle procedures, business date calendar, and other features.

When the clearing system receives a business transaction for processing, it evaluates these types of information to determine the applicable card program and business service:

- The country of the acquirer
- The country to which the issuing account range is assigned
- The card programs associated with the acquirer
- The card programs associated with the issuing account range
- DE 3 (Processing Code)
- The business services in which the transaction originator participates, and for which the message qualifies
- The business services in which the transaction receiver participates and for which the message qualifies
- The interchange rate designator submitted in the message

Both the origination and destination customers of a transaction (such as the acquirer and issuer) must be licensed for a selected card program and must participate in a common business service; otherwise, the clearing system rejects the transaction because no business rules govern its completion.

The clearing system selects the appropriate business service from those in common between the issuer and acquirer in this order of priority:

- Member-to-member
- Intracountry
- Intercountry
- Intraregional
- Interregional

After the business service is determined, the clearing system evaluates financial transactions with respect to the interchange criteria defined for the business service and submitted interchange rate designator to determine the correct interchange rate. The clearing system validates any data the message originator submits in PDS 0158, calculates interchange fees,

and forwards the transaction to the receiver. This information is made available to the transaction originating processor through reconciliation processing options.

### Values

If present, PDS 0158 must be a length of three positions and cannot contain all low values or all high values.

## Subfield 1 (Card Program Identifier)

PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) is a three-character code that identifies the card program or financial network to which a transaction belongs.

### Subfield 1 (Card Program Identifier)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 01    |
| Subfield Length     | n-2       | 03    |
| Data Representation | ans-3     |       |
| Justification       | Left      |       |

### Values

Valid card program identifiers for programs and services the clearing system supports are listed in this table.

### Values

| Values | Description           |
|--------|-----------------------|
| CIR    | Cirrus®               |
| DMC    |                       |
| MCC    | Mastercard® Credit    |
| MSI    | Maestro®              |
| PRO    | Sweden domestic brand |
| PVL    | Private label         |

| Values | Description                                                                                                                                                                                                                               |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| spaces | Customers must submit all spaces in this subfield unless specifically directed otherwise by Mastercard®. The clearing system will then determine the correct value and populate this subfield before sending the message to the receiver. |

## Subfield 2 (Business Service Arrangement Type Code)

PDS 0158 (Business Activity), subfield 2 (Business Service Arrangement Type Code) is a one-position numeric value that identifies the business relationship between the transaction's participants.

### Subfield 2 (Business Service Arrangement Type Code)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 02    |
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |
| Justification       | Left      |       |

### Values

When a business service arrangement ID code is submitted in subfield 3, this subfield must contain the business service arrangement type code and cannot contain all spaces. The values are shown in this table.

### Values

| Values | Description      |
|--------|------------------|
| 1      | Interregional    |
| 2      | Intraregional    |
| 3      | Intercountry     |
| 4      | Intracountry     |
| 8      | Member-to-member |

| Values | Description                                                                                                                                                                                                                               |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| spaces | Customers must submit all spaces in this subfield unless specifically directed otherwise by Mastercard®. The clearing system will then determine the correct value and populate this subfield before sending the message to the receiver. |

### Subfield 3 (Business Service ID Code)

PDS 0158 (Business Activity), subfield 3 (Business Service ID Code) is a six-position value that identifies the business service to which the transaction is assigned for reconciliation and rules basis.

When a business service arrangement type code is submitted in subfield 2, this subfield must contain a valid business service ID code and cannot contain all spaces.

#### Subfield 3 (Business Service ID Code)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 03    |
| Subfield Length     | n-2       | 06    |
| Data Representation | ans-6     |       |
| Justification       | Left      |       |

#### Type and ID Codes and Descriptions

| Type code | Type description | ID code | ID code description                                                                                                              |
|-----------|------------------|---------|----------------------------------------------------------------------------------------------------------------------------------|
| 1         | Interregional    | FFTnn   | FF = "from" acquiring region<br>TT = to issuing region<br><br>nn = unique number assigned to each interregional business service |
| 2         | Intraregional    | RRnnnn  | RR = business region<br>nnnn = unique number assigned to each intraregional business service                                     |
| 3         | Intercountry     | nnnnnn  | nnnnnn = unique ID assigned to each intercountry business service                                                                |



| Type code | Type description | ID code | ID code description                                                                                                                                                                                                                      |
|-----------|------------------|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4         | Intracountry     | CCCnnn  | CCC = ISO numeric country code<br>nnn = unique number assigned to each intracountry business service                                                                                                                                     |
| 8         | Member-to-member | Nnnnnn  | Nnnnnn = unique number assigned to each member-to-member business service                                                                                                                                                                |
| spaces    |                  |         | Customers must submit all spaces in this subfield unless specifically directed otherwise by Mastercard. The clearing system will then determine the correct value and populate this subfield before sending the message to the receiver. |

The Mastercard billing and clearing codes, Account Management System (AMS) region codes, and corresponding descriptions are listed in this table. The two-digit billing and clearing codes are used in subfield 3, denoted with FF, TT, and RR.

#### Billing and clearing codes

| Billing or clearing code | AMS region code | Description                     |
|--------------------------|-----------------|---------------------------------|
| 01                       | 1               | United States                   |
| 02                       | A               | Canada                          |
| 03                       | B               | Latin America and the Caribbean |
| 04                       | C               | Asia/Pacific                    |
| 05                       | D               | Europe                          |
| 06                       | E               | Middle East/Africa              |

### Subfield 4 (Interchange Rate Designator)

PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) is a two-position code that indicates the interchange rate and editing rules applied to the transaction.

A valid two-position IRD is required for all U.S. region and international First Presentment/1240 messages and chargeback cycle messages with the Mastercard® brand. It also is required in messages submitted for a business service that requires an IRD to be present in the given message type.

If business need dictates, Mastercard® may introduce new business service arrangements, interchange rate designators, or both outside of the typical release schedule.

#### Subfield 4 (Interchange Rate Designator)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 04    |
| Subfield Length     | n-2       | 02    |
| Data Representation | ans-2     |       |
| Justification       | Left      |       |

#### Subfield 5 (Central Site Business Date)

PDS 0158 (Business Activity), subfield 5 (Central Site Business Date) identifies the official business processing date when the business service reconciles a transaction.

The central site business date format is YYMMDD. For all business transactions, the clearing system determines the central site business date and inserts it into the transaction.

The central site business date is the clearing system's processing date expressed in the local time zone of the clearing system's processing center.

#### Subfield 5 (Central Site Business Date)

|                     | Attribute   | Value |
|---------------------|-------------|-------|
| Subfield ID         | n-2         | 05    |
| Subfield Length     | n-2         | 06    |
| Data Representation | n-6; YYMMDD |       |
| Justification       | Right       |       |

#### Subfield 6 (Business Cycle)

PDS 0158 (Business Activity), subfield 6 (Business Cycle) is a two-digit numeric subfield (such as 01, 02, or 03) that identifies a reconciliation period in a business date.

The business cycle is adjusted at each business service's processing cycle cutover. At cycle cutover time, the business cycle is incremented by one unless the business date is also being cut over to the next period. In this case, the business date is incremented to the next available business day for the business service, and the business cycle is reset to 01.

For all business transactions, the clearing system determines the business cycle and inserts it into the transaction.

### Subfield 6 (Business Cycle)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 06    |
| Subfield Length     | n-2       | 02    |
| Data Representation | n-2       |       |
| Justification       | Right     |       |

### Subfield 7 (Acceptor Classification Override Indicator)

The clearing platform populates PDS 0158 (Business Activity), subfield 7 (Acceptor Classification Override Indicator) with appropriate values to indicate whether Acceptor Business Code (MCC) override rates, Acceptor Business (AB) Type override rates, or neither, were used in the interchange fee amount designated in PDS 0146 (Amount, Transaction Fees).

### Subfield 7 (Acceptor Classification Override Indicator)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 07    |
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |
| Justification       | N/A       |       |

### Values

This table lists the values.

### Values

| Value | Description                                                  |
|-------|--------------------------------------------------------------|
| Space | No acceptor classification override was applied.             |
| 0     | Acceptor Business Code (MCC) Override was applied.           |
| 1     | AB Type "Other" Override was applied.                        |
| A     | AB Type "Passenger Transport: Airline" Override was applied. |
| B     | AB Type "Cruise Line/Steamship" Override was applied.        |

| Value | Description                                                  |
|-------|--------------------------------------------------------------|
| C     | AB Type "Cash Disbursement" Override was applied.            |
| D     | AB Type "Payment Transaction" Override was applied.          |
| F     | AB Type "Restaurant" Override was applied.                   |
| H     | AB Type "Lodging" Override was applied.                      |
| M     | AB Type "Mail Order/Telephone Order" Override was applied.   |
| P     | AB Type "Beauty Salon" Override was applied.                 |
| R     | AB Type "Passenger Transport: Railway" Override was applied. |
| S     | AB Type "Supermarket" Override was applied.                  |
| T     | AB Type "Telephone" Override was applied.                    |
| U     | AB Type "Unique" Override was applied.                       |
| V     | AB Type "Automobile/Vehicle Rental" Override was applied.    |
| W     | AB Type "Warehouse Club" Override was applied.               |
| Z     | AB Type "ATM" Override was applied.                          |

## Subfield 8 (Product Class Override Indicator)

The clearing platform populates PDS 0158 (Business Activity), subfield 8 (Product Class Override Indicator) with a product class value to indicate whether product class override interchange rates were used in the interchange fee amount designated in PDS 0146 (Amount, Transaction Fees).

### Subfield 8 (Product Class Override Indicator)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 08    |
| Subfield Length     | n-2       | 03    |
| Data Representation | ans-3     |       |
| Justification       | N/A       |       |

## Values

**NOTE:** Refer to [PDS 0002 \(GCMS Product Identifier\)](#) for the full value list.

This table shows the values.

## Values

| Value | Description                            | GCMS Product Identifier (PDS 0002) |
|-------|----------------------------------------|------------------------------------|
| Space | No Product Class override was applied. |                                    |

## Subfield 9 (Corporate Incentive Rates Apply Indicator)

The clearing platform populates PDS 0158 (Business Activity), subfield 9 (Corporate Incentive Rates Apply Indicator) with a value that indicates if corporate incentive rates were used in the interchange fee amount designated in PDS 0146 (Amounts, Transaction Fee).

## Subfield 9 (Corporate Incentive Rates Apply Indicator)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 09    |
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |
| Justification       | N/A       |       |

## Values

This table lists the values.

## Values

| Value | Description                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| N     | No corporate incentive interchange was applied.                                                                                                                                                                                                                                                                                                                                                                                                        |
| V     | <p>UK summary VAT level corporate incentive rates were applied, meaning that the UK acquirer:</p> <ul style="list-style-type: none"> <li>Met all non-addendum business requirements for the specified interchange program.</li> <li>Did not provide addendum data required by first-level incentive interchange conditions.</li> <li>Provided the data mandated for UK VAT summary in the relevant Financial Detail Addendum/1644 messages.</li> </ul> |

| Value | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1     | First-level corporate card incentive interchange was applied, meaning that the acquirer: <ul style="list-style-type: none"> <li>Met all non-addendum business requirements for the specified interchange program.</li> <li>Provided the mandated data in the relevant Financial Detail Addendum/1644 messages.</li> </ul>                                                                                                                                                                                                                                                                                                                                                                           |
| 2     | Second-level corporate card incentive interchange was applied, meaning that the acquirer: <ul style="list-style-type: none"> <li>Met all non-addendum business requirements for the specified interchange program.</li> <li>Did not provide addendum data required by first-level incentive interchange conditions OR was a UK acquirer that did not provide the information needed to qualify for the UK summary VAT Level incentive interchange.</li> <li>Provided PDS 0502 (Custom Identifier) in the First Presentment/1240 message with a value that allows Mastercard to match the Mastercard First Presentment/1240 with addendum data obtained from third-party T&amp;E vendors.</li> </ul> |

## Subfield 10 (Special Conditions Indicator)

The clearing platform populates PDS 0158 (Business Activity), subfield 10 (Special Conditions Indicator) with a value to indicate whether an adjustment was included in the fee amount designated in PDS 0146.

### Subfield 10 (Special Conditions Indicator)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 10    |
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |
| Justification       | N/A       |       |

### Values

This table lists the values

### Values

| Value | Description                                           |
|-------|-------------------------------------------------------|
| N     | Neither Late Presentment nor ATM Surcharge adjustment |
| Y     | Late Presentment adjustment only                      |
| 2     | ATM Surcharge adjustment only                         |
| 3     | Both Late Presentment and ATM Surcharge adjustment    |

### Subfield 11 (Mastercard Assigned ID Override Indicator)

The clearing platform populates PDS 0158 (Business Activity), subfield 11 (Mastercard Assigned ID Override Indicator) with a value of Y or N to indicate whether override rates were used in the interchange fee amount designated in PDS 0146 (Amount, Transaction Fees) based on PDS 0176 (Mastercard Assigned ID).

### Subfield 11 (Mastercard Assigned ID Override Indicator)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 11    |
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |
| Justification       | N/A       |       |

### Subfield 12 (Account Level Management Account Category Code)

PDS 0158 (Business Activity), subfield 12 (Account Level Management Account Category Code) contains a one-position code that indicates whether the account associated with the transaction (stored on DE 2 [Primary Account Number]) is participating in one or several account level management programs where an incremental interchange is included in the transaction's interchange amount when using rate type 020 for enhanced value or interchange is calculated based on the graduated product.

### Subfield 12 (Account Level Management Account Category Code)

|             | Attribute | Value |
|-------------|-----------|-------|
| Subfield ID | n-2       | 12    |

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |
| Justification       | N/A       |       |

## Values

PDS 0158, subfield 12 contains a value for account level management when unique IRDs are not defined. Customers in the Europe Region use this subfield. Customers in the U.S. and Canada Regions do not use subfield 12 to identify the transaction processed as account level management.

GCMS populates PDS 0158, subfield 12 when:

- An account in the Europe region associated with the transaction is participating in Enhanced Value where an incremental incentive is included in the transaction's interchange amount.
- An account in the Europe region associated with the transaction is participating in Product Graduation.
- An account in the Europe region associated with the transaction is participating in a both Enhanced Value and Product Graduation where an incremental incentive is included in the transaction's interchange amount.

This subfield will be populated by GCMS as part of the qualification process for account level management transactions.

## Values

| Value       | Description                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| N (default) | For markets that use a rate adjustment for incentive interchange and unique IRDs are not defined for account level management, such as Europe, value N indicates a rate adjustment was not applied. For markets that use unique IRDs for account level management incentive interchange or markets that do not participate in account level management services, value N represents the default value. |
| B           | Enhanced Value                                                                                                                                                                                                                                                                                                                                                                                         |
| M           | Product Graduation and Enhanced Value                                                                                                                                                                                                                                                                                                                                                                  |
| P           | Product Graduation                                                                                                                                                                                                                                                                                                                                                                                     |



## Subfield 13 (Rate Indicator)

PDS 0158 (Business Activity), subfield 13 (Rate Indicator) indicates the rate applied by GCMS to the transaction.

### Subfield 13 (Rate Indicator)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 13    |
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |
| Justification       | N/A       |       |

### Values

This table lists the values.

### Values

| Value | Description                                                                                                                                                                                                                          |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| B     | Base                                                                                                                                                                                                                                 |
| C     | MPP Regulated Rate 1                                                                                                                                                                                                                 |
| E     | The transaction qualified for the Europe Cross Border Acquiring Regulated Rate. The clearing system adjusted the interchange fee since the original interchange fee was greater than the maximum allowed interchange fee.            |
| F     | The transaction qualified for Europe Cross Border Acquiring Regulated Rate. The clearing system did not adjust the interchange fee since the original interchange fee was less than or equal to the maximum allowed interchange fee. |
| P     | MPP Regulated Rate 2                                                                                                                                                                                                                 |
| 1     | Base plus Fraud Adjustment                                                                                                                                                                                                           |
| N     | Non-regulated                                                                                                                                                                                                                        |
| S     | Regulated Small Ticket Base                                                                                                                                                                                                          |
| T     | Regulated Small Ticket Tier 1                                                                                                                                                                                                        |

## Subfield 14 (Masterpass Incentive Indicator)

PDS 0158 (Business Activity), subfield 14 (Masterpass Incentive Indicator) is populated by GCMS and identifies the transaction as having received the merchant incentive from MasterPass®.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 14    |
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |
| Justification       | N/A       |       |

### Values

This table lists the values.

### Values

| Value | Description                                                |
|-------|------------------------------------------------------------|
| Y     | The transaction did receive the incentive interchange.     |
| N     | The transaction did not receive the incentive interchange. |

## Subfield 15 (Digital Wallet Interchange Override Indicator)

PDS 0158 (Business Activity), subfield 15 (Digital Wallet Interchange Override Indicator) is populated by Global Clearing Management System (GCMS) and indicates whether or not the digital wallet interchange override was applied.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 15    |
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |

| Attribute     | Value |
|---------------|-------|
| Justification | N/A   |

## Values

This table lists the values.

## Values

| Value | Description                                          |
|-------|------------------------------------------------------|
| Y     | Digital wallet interchange override was applied.     |
| N     | Digital wallet interchange override was not applied. |

## PDS 0159 (Settlement Data)

PDS 0159 (Settlement Data) provides reconciliation and settlement information for each clearing system transaction that has settlement impact.

## Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...67; TAGLLLLVAR            |
| Tag Field           | 0159                            |
| Data Length         | 3 positions, value = 001-067    |
| Data Field          | Variable length, 1-67 positions |
| Subfields           | 9                               |
| Justification       | See "Subfields"                 |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | C   | X   | C   |
| Second Presentment/1240                                              | C   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | C   | X   | C   |
| Fee Collection (Handling Fees)/1740                                  | C   | X   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | C   | X   | C   |

The clearing system inserts PDS 0159 into all transactions with settlement impact for which the clearing system is responsible for managing funds settlement.

A transaction has settlement impact if it causes funds to be moved between customers or between the customer and Mastercard when the transaction is successfully completed.

Amount, Reconciliation (DE 5) always is assigned to PDS 0159 for reconciliation.

In PDS 0146 (Amounts, Transaction Fee), each occurrence of a transaction fee (subfield 7 [Amount, Fee, Reconciliation]) is assigned to PDS 0159 for reconciliation, as indicated by the Fee Settlement Indicator subfield associated with each fee.

### PDS 0159 subfields

PDS 0159 (Settlement Data) consists of nine subfields.

The subfields are defined in this table.

#### PDS 0159 subfields

| Number | Positions | Name                                        | Attribute | Justification |
|--------|-----------|---------------------------------------------|-----------|---------------|
| 1      | 1–11      | Settlement Service Transfer Agent ID Code   | ans-11    | right         |
| 2      | 12–39     | Settlement Service Transfer Agent Account   | ans-28    | left          |
| 3      | 40        | Settlement Service Level Code               | n-1       | N/A           |
| 4      | 41–50     | Settlement Service ID Code                  | ans-10    | left          |
| 5      | 51        | Settlement Foreign Exchange Rate Class Code | an-1      | N/A           |

| Number | Positions | Name                 | Attribute   | Justification |
|--------|-----------|----------------------|-------------|---------------|
| 6      | 52–57     | Reconciliation Date  | n-6; YYMMDD | N/A           |
| 7      | 58–59     | Reconciliation Cycle | n-2         | N/A           |
| 8      | 60–65     | Settlement Date      | n-6; YYMMDD | N/A           |
| 9      | 66–67     | Settlement Cycle     | n-2         | N/A           |

### Subfield 1 (Settlement Service Transfer Agent ID Code)

Currently, subfield 1 (Settlement Service Transfer Agent ID Code) is space-filled.

The Settlement Service Transfer Agent ID Code identifies the transfer agent ID selected for the receiving customer. The agent established one or more accounts with at least one bank approved to effect settlement with Mastercard. The agent's accounts are used for settling activity with Mastercard for itself, a customer or group of customers, or both.

The clearing system always determines this subfield's data value.

### Subfield 2 (Settlement Service Transfer Agent Account)

Subfield 2 (Settlement Service Transfer Agent Account) contains the agent's bank account number for the receiving customer associated with the settlement service identified in subfield 4.

The clearing system always determines this subfield's value.

### Subfield 3 (Settlement Service Level Code)

Subfield 3 (Settlement Service Level Code) is a one-digit code that identifies the settlement level of the settlement service.

The clearing system always determines this subfield's data value. Supported values are listed in this table.

#### Subfield 3 (Settlement Service Level Code)

| Value | Description   |
|-------|---------------|
| 1     | Regional      |
| 3     | Intracurrency |

### Subfield 4 (Settlement Service ID Code)

Subfield 4 (Settlement Service ID Code) contains a 10-position value that uniquely identifies the settlement service. This subfield is populated according to the settlement service ID selected for the receiving customer.

The clearing system always determines this subfield's data value.

### Subfield 5 (Settlement Foreign Exchange Rate Class Code)

Subfield 5 (Settlement Foreign Exchange Rate Class Code) identifies the classification of foreign exchange rates used to compute payment amounts for this settlement service.

The clearing system always determines this subfield's data value. Supported values are listed in this table.

#### Subfield 5 (Settlement Foreign Exchange Rate Class Code)

| Value | Description                                                                                                            |
|-------|------------------------------------------------------------------------------------------------------------------------|
| F     | Fixed; indicates that a fixed rate class was used to convert from transaction currency to receiver's payment currency. |
| M     | Market; indicates that a market rate was used to convert from base currency to the receiver's payment currency.        |
| N     | Not applicable; no conversion occurred.                                                                                |

### Subfield 6 (Reconciliation Date)

Subfield 6 (Reconciliation Date) is a six-digit subfield in the format YYMMDD that identifies the clearing system's processing date expressed in the local time zone of the clearing system's processing center. Clearing reconciliation cutoffs may occur every day.

The clearing system may process a transaction on a Sunday, but the transaction may not be settled until Monday if the settlement bank is not open on Sundays. If this occurs, the clearing system assigns the Sunday date to subfield 6 and assigns the Monday date to subfield 8 (Settlement Date).

The clearing system always determines this subfield's data value. The clearing system inserts Reconciliation Date into any transaction to which it has assigned a Settlement Service Level Code and Settlement Service ID Code.

This subfield contains the same value as Central Site Business Date (PDS 0158, subfield 5).

## Subfield 7 (Reconciliation Cycle)

Subfield 7 (Reconciliation Cycle) is a two-digit subfield that identifies a reconciliation period in a reconciliation date. The reconciliation cycle is adjusted at each clearing reconciliation cutoff. At cutoff, the reconciliation cycle is incremented by one unless the last cycle in the reconciliation date is being cutoff. In this case, the reconciliation date is incremented to the next available business day for the settlement service, and the reconciliation cycle is 01. The reconciliation cycles in this table are assigned.

### Subfield 7 (Reconciliation Cycle)

| Value | Description |
|-------|-------------|
| 01    | Cycle 1     |
| 02    | Cycle 2     |
| 03    | Cycle 3     |
| 04    | Cycle 4     |
| 05    | Cycle 5     |
| 06    | Cycle 6     |

The clearing system always determines this subfield's data value. The clearing system inserts reconciliation cycle into any transaction to which it assigned a settlement service level code and settlement service ID code.

This subfield contains the same value as PDS 0158, subfield 6 (Business Cycle).

## Subfield 8 (Settlement Date)

Subfield 8 (Settlement Date) is a six-digit subfield in the format YYMMDD that identifies the date that the settlement service initiates settlement for the message, such as the settlement advisement date, which is based on the clearing date, settlement service cutoff cycle, and calendar for the settlement service. Settlement service settlement cutoffs occur only on banking business days the settlement service specifically identifies.

The clearing system may process a transaction on a Sunday but may not settle it until Monday if the settlement bank is not open on Sundays. If this occurs, the clearing system assigns the Sunday date to subfield 6 (Reconciliation Date) and assigns the Monday date to subfield 8 (Settlement Date).

The clearing system always determines this subfield's data value. The clearing system inserts the settlement date in any transaction to which it assigned a settlement service level code and settlement service ID code.

The settlement date is adjusted for each settlement service level and settlement service ID.

The clearing system populates this field with all nines to indicate that a specific installment payment option has been indicated in PDS 0195 (Installment Data), subfield 2 (Payment Option Code) and that the settlement dates and settlement amounts will be assigned in PDS 0160 (Settlement Data, Multiple).

### Subfield 9 (Settlement Cycle)

Subfield 9 (Settlement Cycle) is a two-digit subfield that identifies a settlement period in a settlement date. The settlement cycle is adjusted at each settlement service reconciliation cutoff. The settlement cycle in this table is assigned.

#### Subfield 9 (Settlement Cycle)

| Value | Description |
|-------|-------------|
| 01    | Cycle 1     |

Clearing file activity senders and receivers should anticipate that additional settlement cycle cutoffs will be added over time to support regional and local needs. All customers and processors should be prepared to receive and reconcile against multiple settlement cycles.

## PDS 0160 (Settlement Data, Multiple)

PDS 0160 (Settlement Data, Multiple) provides the settlement date and respective settlement amount for each clearing transaction with an installment payment option.

#### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | n-108; TAGLLL                  |
| Tag Field           | 0160                           |
| Data Length         | 3 positions, value = 018–108   |
| Data Field          | Variable length, 108 positions |
| Subfields           | 2                              |
| Occurrences         | 1–6                            |
| Justification       | See "Subfields"                |



## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | .   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | .   | X   | C   |
| Second Presentment/1240                               | .   | X   | C   |

The clearing system inserts PDS 0160 into all First Presentment messages and subsequent cardholder life cycle transactions with settlement impact for which the clearing system is responsible for managing installment payment funds settlement.

A transaction with a payment option is identified by the presence of PDS 0195 (Installment Data).

If PDS 0195, subfield 2 (Payment Option Code) is present and indicates a specific payment option, PDS 0159 (Settlement Data), subfield 8 (Settlement Date) will contain all nines to alert the customer to look at PDS 0160 for the settlement dates and settlement amounts.

If PDS 0195, subfield 2 contains value 61 (Installments [Twice Pay/Three or More]), and subfield 1 (Total Number of Installments) is value 2, and it is a First Presentment, PDS 0160 will contain two sets of settlement dates as the twice pay payments of a First Presentment will be settled in two parts.

For Japan domestic transactions, if PDS 0195, subfield 2 contains value 61, and subfield 1 is 2 in First Presentment/1240, the clearing system inserts PDS 0160 into the message. However, the clearing system does not insert PDS 0160 into First Chargeback/1442, Arbitration Chargeback/1442, or Second Presentment/1240 even when PDS 0195, subfield 2 contains value 61, and subfield 1 is value 2.

## PDS 0160 subfields

This PDS consists of two subfields.

### PDS 0160 Subfields

| Number | Positions | Name            | Attribute   | Justification |
|--------|-----------|-----------------|-------------|---------------|
| 1      | 1-6       | Settlement Date | n-6; YYMMDD | N/A           |

| Number | Positions | Name              | Attribute | Justification |
|--------|-----------|-------------------|-----------|---------------|
| 2      | 7-18      | Settlement Amount | n-12      | Right         |

### Subfield 1 (Settlement Date)

Subfield 1 (Settlement Date) is a six-digit subfield in the format YYMMDD that identifies the date that the settlement service initiates settlement for the message. An example is the settlement advisement date, which is based on the clearing date, settlement service cutoff cycle, and calendar for the settlement service. Settlement service settlement cutoffs occur only on the banking business days that the settlement service specifically identifies.

The clearing system always determines this subfield's data value if the transaction is identified as having a specific installment payment option in PDS 0195 (Installment Data), subfield 2 (Payment Option Code).

The settlement date is adjusted for each settlement service level and settlement service ID.

### Subfield 2 (Settlement Amount)

Subfield 2 (Settlement Amount) is the amount to be settled with the customer on the date specified in subfield 1 (Settlement Date).

GCMS calculates this amount according to the installment payment option identified in PDS 0195.

## PDS 0164 (Currency Cross Rates)

PDS 0164 (Currency Cross Rates) in Currency Update/1644 messages provides customers with cross-rates between global base currency (currently U.S. Dollars) and other standard currencies.

These rates are expressed as indirect rates. That is, they contain the inverted rates of conversion between a given currency and global base currency (currently U.S. Dollars).

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | ans...230; TAGLLLVAR                             |
| Tag Field           | 0164                                             |
| Data Length         | 3 positions, value = 023-230 in increments of 23 |
| Data Field          | Variable length, 23-230 positions                |
| Subfields           | 5 subfields for each currency data occurrence    |

| Attribute     | Description     |
|---------------|-----------------|
| Occurrences   | 1–10            |
| Justification | See “Subfields” |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message              | Org | Sys | Dst |
|----------------------|-----|-----|-----|
| Currency Update/1644 | .   | X   | M   |

This PDS contains one to 10 occurrences of currency conversion data. The clearing system may provide multiple Currency Update/1644 messages to customers (each with up to 10 rates per message) to provide information on currency conversion rates used in processing Financial messages.

## PDS 0164 subfields

The subfields of PDS 0164 may contain one to 10 occurrences of currency cross rate data.

Each occurrence of currency update information consists of five subfields as defined in this table.

## PDS 0164 subfields

| Number | Positions | Name                     | Attribute   | Justification |
|--------|-----------|--------------------------|-------------|---------------|
| 1      | 1–3       | Currency Code            | n-3         | N/A           |
| 2      | 4–14      | Currency Conversion Rate | n-11        | right         |
| 3      | 15        | Currency Conversion Type | a-1         | N/A           |
| 4      | 16–21     | Business Date            | n-6; YYMMDD | N/A           |
| 5      | 22–23     | Delivery Cycle           | n-2         | right         |

## Subfield 1 (Currency Code)

Subfield 1 (Currency Code) is the ISO numeric currency code of the currency for which conversion rate information is being provided.

## Subfield 2 (Currency Conversion Rate)

Subfield 2 (Currency Conversion Rate) is the conversion rate between DE 50) Currency Code, Reconciliation) and the Currency Code in subfield 1.

This subfield's first position indicates the decimal point position of the conversion rate data.

For example, a subfield value of 90001234567 indicates a conversion rate of 0.001234567.

### Example

Assume that currency XYZ has a direct ratio to U.S. dollars (USD) of 3:1. The indirect rate is 1/3, or 0.33333. The clearing system inserts a 9 in the first position of subfield 2 to indicate the location of the decimal and the resulting value in PDS 0164 subfield 2 is 90333333333. The receiver interprets this as 0.333333333.

The receiver multiplies this rate by the non-U.S. dollar amount to determine the U.S. dollar equivalent or divides the U.S. dollar amount by this rate to determine the non-U.S. dollar amount.

To illustrate this example:

- 100 XYZ \* (multiplied by) 0.333333333 = 33.33 USD
- 100 USD / (divided by) 0.333333333 = 300 XYZ

## Subfield 3 (Currency Conversion Type)

Subfield 3 (Currency Conversion Type) indicates the type of rate represented in subfields 1 and 2. The customer uses three rate types to calculate settlement (buy, mid, or sell). The values for subfield are in this table.

### Subfield 3: Currency Conversion Type

| Value | Description |
|-------|-------------|
| B     | Buy rate    |
| M     | Mid rate    |
| S     | Sell rate   |

## Subfield 4 (Business Date)

Subfield 4 (Business Date) indicates the business date that the currency conversion rates are effective. The format is YYMMDD.

## Subfield 5 (Delivery Cycle)

Subfield 5 (Delivery Cycle) contains the delivery cycle in which the currency conversion rates are being distributed.

## PDS 0165 (Settlement Indicator)

PDS 0165 (Settlement Indicator) indicates the settlement impact of amounts in an IPM message.

### Attributes

| Attribute           | Description                                        |
|---------------------|----------------------------------------------------|
| Data Representation | ans...30; TAGLLLVAR                                |
| Tag Field           | 0165                                               |
| Data Length         | 3 positions, value = 001–030                       |
| Data Field          | Variable length, 1–30 positions                    |
| Subfields           | 2; subfield 1 is mandatory; subfield 2 is optional |
| Justification       | See "Subfields"                                    |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | M   | .   | M   |
| s2 Settlement Agreement Information                   | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | M   | .   | M   |
| s2 Settlement Agreement Information                   | O   | .   | C   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Second Presentment/1240                                              | M   | .   | M   |
| s2 Settlement Agreement Information                                  | O   | .   | C   |
| Financial Position Detail/1644                                       | .   | X   | C   |
| Retrieval Request/1644                                               | M   | .   | M   |
| s2 Settlement Agreement Information                                  | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                | M   | .   | M   |
| s2 Settlement Agreement Information                                  | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | M   | .   | M   |
| s2 Settlement Agreement Information                                  | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                                  | M   | .   | M   |
| s2 Settlement Agreement Information                                  | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | M   | .   | M   |
| s2 Settlement Agreement Information                                  | O   | .   | C   |
| Message Exception/1644 and File Reject/1644                          | .   | X   | C   |

The transaction originator must provide this PDS. It must indicate normal, bilateral, or collection only processing.

### Values

If present, PDS 0165 cannot contain all low values or all high values.

### Application note

Europe region issuers that participate in a meal voucher program must ensure that PDS 0165, subfield 1, contains value B for any transaction the issuer will settle directly with the participating merchant. Issuers that act as meal voucher service providers indicate their intention to settle a transaction directly with a merchant by using the Prepaid Voucher format of Authorization System DE 124 in the Authorization Request Response/0110 message for such transactions. The requirements for this format are defined in the *Mastercard Network Processing Dual Message Authorization System Guide*.

## PDS 0165 subfields

This PDS consists of two subfields

### PDS 0165 Subfields

| Number | Positions | Name                             | Attribute | Justification |
|--------|-----------|----------------------------------|-----------|---------------|
| 1      | 1         | Settlement Indicator             | an-1      | N/A           |
| 2      | 2–30      | Settlement Agreement Information | ans...29  | left          |

### Subfield 1 (Settlement Indicator)

Subfield 1 (Settlement Indicator) identifies the type of clearing and settlement processing to be performed for a transaction. Values are listed in this table.

#### Subfield 1 (Settlement Indicator)

| Value | Description                                                                                                                                                                                                              |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| B     | Bilateral settlement agreement applies; the clearing system clears the transaction but does not settle it.                                                                                                               |
| C     | Collection Only; the transaction is On-Us or intraprocessor and was cleared and settled outside the clearing system; it is submitted to the clearing system according to rules governing "collection-only" transactions. |
| M     | Mastercard® clearing and net settlement; the clearing system should clear and settle the transaction.                                                                                                                    |

### Subfield 2 (Settlement Information)

The message originator may provide Settlement Information. This optional variable-length subfield (up to 29 characters long) may contain additional information related to a bilateral settlement agreement.

The information conveyed is assumed to have proprietary meaning between the participants; therefore, the clearing system does not perform any editing on this subfield.

If a bilateral settlement agreement does not require additional information, this subfield should be omitted, and PDS 0165 should be truncated at the end of the first subfield.

### Subfield 2 (Settlement Information)

| Value | Description                                                                                                                                                                                                                                                                                                                          |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| X     | Settlement is initiated by the Single Message System on behalf of the Clearing Platform. The X value is followed by a unique 25-byte input source reference ID to assist with reconciliation. The reference ID is used in PDS 0300 (Reconciled, File) to create a new logical file for Settlement Position Detail/1644-688 messages. |

**NOTE:** When PDS 0165 has the value X in subfield 2, position 1, the Input Source Reference IDs in position 2 through position 26 will be used as the identifier assigned to PDS 0300 (Reconciled, File) to create a new logical file for 1644/688 Settlement Reconciliation Notification Messages.

## PDS 0170 (Acceptor Inquiry Information)

PDS 0170 (Acceptor Inquiry Information) provides acceptor contact data for cardholder, acquirer, or issuer use if there are questions or disputes concerning a transaction.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...57; TAGLLLVAR              |
| Tag Field           | 0170                             |
| Data Length         | 3 positions, value = 016-057     |
| Data Field          | Variable length, 16-57 positions |
| Subfields           | 3                                |
| Justification       | See "Subfields"                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |



| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| s1 Customer Service Phone Number                      | O   | .   | C   |
| s2 Acceptor Phone Number                              | O   | .   | C   |
| s3 Additional Contact Information                     | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| s3 Additional Contact Information                     | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| s1 Customer Service Phone Number                      | O   | .   | C   |
| s2 Acceptor Phone Number                              | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | C   | .   | C   |
| s1 Customer Service Phone Number                      | O   | .   | C   |
| s2 Acceptor Phone Number                              | O   | .   | C   |
| s3 Additional Contact Information                     | O   | .   | C   |

For U.S. and Canada-acquired First Presentment/1240 transactions, PDS 0170 subfield 1 (Customer Service Phone Number) must be present when DE 22 (Point of Service [POS] Entry Mode), subfield 5 (Cardholder Present Data) is equal to 2 (cardholder not present, mail transaction), 3 (cardholder not present, phone transaction), or 4 (cardholder not present, standing [recurring] transaction).

### Values

If present, PDS 0170 cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0170 subfields

This PDS consists of three subfields

### PDS 0170 subfields

| Number | Positions | Name                                                               | Attribute | Justification |
|--------|-----------|--------------------------------------------------------------------|-----------|---------------|
| 1      | 1-16      | Customer Service Phone Number<br>(Optional subfield for this PDS.) | ans-16    | left          |
| 2      | 17-32     | Acceptor Phone Number<br>(Optional subfield for this PDS.)         | ans-16    | left          |

| Number | Positions | Name                                                               | Attribute | Justification |
|--------|-----------|--------------------------------------------------------------------|-----------|---------------|
| 3      | 33–57     | Additional Contact Information<br>(Optional subfield for this PDS) | ans...25  | left          |

### Subfield 1 (Acceptor Customer Service Phone Number)

PDS 0170, subfield 1 (Acceptor Customer Service Phone Number) contains the phone number of the acceptor that can be used for transaction inquiries.

#### Subfield 1 values

Acceptor Customer Service Phone Number must contain a valid value defined and formatted as per local telecom or the ITU Telecommunication Standardization Sector (ITU-T) standards.

For U.S. region and Canada transactions, if present, Acceptor Customer Service Phone Number must be 10 positions with the beginning three positions numeric.

#### Subfield 1 processing rules

The Acceptor Customer Service Phone Number should be present for all transactions and contain a valid phone number, unless a URL is provided for contact.

For U.S. region and Canada transactions Acceptor Customer Service Phone Number must be present for mail order, phone order, and standing/recurring transactions.

The Acceptor Customer Service Phone Number should be present for all transactions and contain a valid phone number, unless a URL is provided for contact.

For U.S. region and Canada transactions Acceptor Customer Service Phone Number must be present for mail order, phone order, and standing/recurring transactions.

If present, subfield 1 cannot contain all zeros or any of these values:

- 000-000-0000
- (000) 000-0000
- 000 000 0000

For these transactions acquired in the U.S. or Canada regions, the Customer Service Phone Number (PDS 0170, subfield 1), if present, must contain a 10-position phone number and must be left-justified with trailing spaces.

- First Presentment/1240
- Second Presentment/1240
- First Chargeback/1442
- Arbitration Chargebacks/1442
- Retrieval Requests/1644
- Fee Collection (Retrieval Fee Billing)/1740

The first three positions must be numeric.

For U.S. and Canada-acquired First Presentment/1240 transactions, PDS 0170 subfield 1 (Customer Service Phone Number) must be present when DE 22 (Point of Service [POS] Entry Mode), subfield 5 (Cardholder Present Data) is equal to 2 (cardholder not present, mail transaction), 3 (cardholder not present, phone transaction), or 4 (cardholder not present, standing [recurring] transaction), unless the transaction is collection only or a reversal.

### Subfield 1 program rules

Payment facilitator-enabled transactions: The sponsored merchant customer service phone number should be provided.

### Subfield 2 (Acceptor Phone Number)

PDS 0170, subfield 2 (Acceptor Phone Number) contains the business phone number of the acceptor, if different from the acceptor customer service phone number.

If present, subfield 2 cannot contain all zeros or any of these values:

- 000-000-0000
- (000) 000-0000
- 000 000 0000

For these original, non-credit transactions acquired in the U.S. or Canada regions, subfield 2, if present, must contain a 10-position phone number and must be left-justified with trailing spaces.

The first three positions must be numeric.

- First Presentment/1240
- Second Presentment/1240
- First Chargeback/1442
- Arbitration Chargebacks/1442
- Retrieval Requests/1644
- Fee Collection (Retrieval Fee Billing)/1740

### Subfield 2 values

Acceptor Phone Number must contain a valid value defined and formatted as per local telecom or the ITU Telecommunication Standardization Sector (ITU-T) standards.

For U.S region and Canada transactions, if present, Acceptor Phone Number must be 10 positions with the beginning three positions numeric.

### Subfield 2 processing rules

The acceptor phone number can be provided when different from the acceptor customer phone number.

## Subfield 3 (Additional Contact Information)

Subfield 3 (Additional Contact Information) may contain additional acceptor contact information, such as secondary phone numbers, customer service operation hours, and contact name.

If present, PDS 0170 cannot contain all zeros.

## PDS 0171 (Alternate Acceptor Description Data)

PDS 0171 (Alternate Acceptor Description Data) may provide a local language version of the data in DE 43 (Acceptor Name/Location) using a non-standard character set.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...201; TAGLLLLVAR            |
| Tag Field           | 0171                             |
| Data Length         | 3 positions, value = 004–201     |
| Data Field          | Variable length, 4–201 positions |
| Subfields           | 2                                |
| Justification       | See "Subfields"                  |

**NOTE: Subfield 2 includes binary data. Converting this data to other formats may cause data loss.**

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |

| Message                                     | Org | Sys | Dst |
|---------------------------------------------|-----|-----|-----|
| Fee Collection (Retrieval Fee Billing)/1740 | O   | .   | C   |

This PDS is optional in First Presentment/1240 messages and subsequent cardholder life cycle transactions.

### Values

If present, PDS 0171 cannot contain all low values or all high values.

## PDS 0171 subfields

This PDS consists of two subfields.

### Subfield attributes and values

| Number | Positions | Name                      | Attribute | Justification |
|--------|-----------|---------------------------|-----------|---------------|
| 1      | 1–3       | Character Set Indicator   | an-3      | N/A           |
| 2      | 4–201     | Acceptor Description Data | b...198   | left          |

### Subfield 1 (Character Set Indicator)

Subfield 1 (Character Set Indicator) identifies the character set in which the alternate acceptor description is provided. The values are listed in this table.

### Subfield 1 (Character Set Indicator)

| Value | Description           |
|-------|-----------------------|
| ARA   | Arabic                |
| CHS   | Chinese (simplified)  |
| CHT   | Chinese (traditional) |
| CYR   | Cyrillic              |
| GRK   | Greek                 |
| HEB   | Hebrew                |
| HIR   | Hiragana              |
| HAN   | Hangul                |

| Value | Description |
|-------|-------------|
| KAN   | Kanji       |
| KAT   | Katakana    |
| ROM   | Roman       |
| THI   | Thai        |
| VIE   | Vietnamese  |

## Subfield 2 (Acceptor Description Data)

**NOTE: Subfield 2 includes binary data. Converting this data to other formats may cause data loss.**

Subfield 2 (Acceptor Description Data) consists of a free-format text describing the acceptor name or location (or both), provided in the character set as indicated in subfield 1.

This data is variable length, with a maximum length of 198 positions. This subfield is not edited.

## PDS 0172 (Sole Proprietor Name)

PDS 0172 (Sole Proprietor Name) provides the acceptor's proprietor name.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...30; TAGLLLLVAR            |
| Tag Field           | 0172                            |
| Data Length         | 3 positions, value = 001-030    |
| Data Field          | Variable length, 1-30 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |

### Values

This PDS is optional in First Presentment/1240 messages and subsequent cardholder life cycle transactions. If present, it must be left-justified and cannot contain all spaces.

## PDS 0173 (Legal Corporate Name)

PDS 0173 (Legal Corporate Name) provides the acceptor's legal corporation name.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...30; TAGLLLLVAR            |
| Tag Field           | 0173                            |
| Data Length         | 3 positions, value = 001-030    |
| Data Field          | Variable length, 1-30 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |

This PDS is conditional in First Presentment/1240 messages and subsequent cardholder life cycle transactions. If present, it must be left-justified and cannot contain all spaces.

### Values

This PDS must be present in the associated First Presentment/1240 messages submitted with this criteria:

- DE 43 (Acceptor Name/Location), subfield 6 (Acceptor Country Code) equals USA.
- DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type) equals 00 Purchase (Goods and services) or 18 Unique.
- The transaction must be processed with a Mastercard® commercial card.
- The transaction is submitted for a U.S.-acquired Commercial Interchange Rate program.

Transactions submitted for U.S. Commercial Standard, International Commercial Standard, and International Commercial Purchasing Standard interchange are excluded from submitting PDS 0173 in the associated First Presentment/1240 messages, unless PDS 0596 (Acceptor Tax ID), subfield 2 (Acceptor Tax ID Provided Code) equals Y.

## PDS 0174 (Dun & Bradstreet Number)

PDS 0174 (Dun & Bradstreet Number) provides the acceptor's Dun & Bradstreet assigned number.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-15; TAGLLL             |
| Tag Field           | 0174                     |
| Data Length         | 3 positions, value = 015 |



| Attribute     | Description                |
|---------------|----------------------------|
| Data Field    | Fixed length, 15 positions |
| Subfields     | None                       |
| Justification | Left                       |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |

## Values

This PDS is optional in First Presentment/1240 messages and subsequent cardholder life cycle transactions. If present, it must be numeric and cannot contain all zeros.

## PDS 0175 (Acceptor URL Address)

PDS 0175 (Acceptor URL Address) contains the web address of the acceptor.

## Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...255; TAGLLLLVAR            |
| Tag Field           | 0175                             |
| Data Length         | 3 positions, value = 001–255     |
| Data Field          | Variable length, 1–255 positions |

| Attribute     | Description |
|---------------|-------------|
| Subfields     | None        |
| Justification | Left        |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | O   | .   | C   |
| Second Presentment/1240                                              | O   | .   | C   |
| Retrieval Request/1644                                               | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                                  | O   | .   | C   |
| Fee Collection (other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

## Values

If present, PDS 0175 must be left-justified and cannot contain all spaces or all zeros.

## Processing rules

The Acceptor URL Address must be present for all electronic commerce transactions and contain a valid website address. For all other transactions, it must be provided unless a customer service phone is provided for contact.

## Program rules

Payment facilitator-enabled transaction: The sponsored merchant acceptor URL should be provided.

## PDS 0176 (Mastercard Assigned ID)

PDS 0176 (Mastercard Assigned ID) is assigned by Mastercard® for interchange and transaction data integrity purposes. Once an ID is assigned, all transactions that are submitted should contain this ID.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-6; TAGLLL             |
| Tag Field           | 0176                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

If PDS 0176 is present and valid in a First Presentment/1240 message, GCMS will forward it to the issuer. The issuer must retain PDS 0176 and provide it in subsequent First Chargeback/1442 and Arbitration Chargeback/1442 messages. Similarly, acquirers that receive PDS 0176 in a First Chargeback/1442 message must retain it and provide it in subsequent Second Presentment/1240 messages. This is needed for GCMS to apply the same interchange rate to the lifecycle transaction it applied to the First Presentment/1240 transaction.

## Editing rules

PDS 0176 is not a required field for IIAS transactions. It may be sent with IIAS transactions; however, if it is sent, it will be checked for validity. If the ID is not valid, the transaction will be rejected.

If present, PDS 0176 (Mastercard Assigned ID) must be valid and must be used only for transactions that are authorized to use this ID. If received in First Presentments, it must be returned in First Chargebacks, Second Presentments, and Arbitration Chargebacks.

If PDS 0057 (Transaction Category Indicator) has the value 3 (The transaction is from an acceptor terminal that verified qualified healthcare expenses against an inventory information approval system [IIAS] during the authorization process), the Mastercard Assigned ID is required.

For specific interchange programs defined in the U.S. region intracountry BSA 2/010001, GCMS will require and validate PDS 0176 if these conditions have been met:

- The acquirer has submitted PDS 0176 for the transaction,
- DE 3 (Processing Code), subfield 1 is Purchase: Goods and Services (00), Unique Transaction: Requires Unique MCC (18), or Credit: Purchase Return (20).

**NOTE: Refer to the *Interchange Manual for the U.S. Region* for information of specific IRDs.**

If the transaction meets this mentioned criteria, the Mastercard Assigned ID and IRD combination is edited against the valid Mastercard Assigned ID and IRD list.

For the interchange programs defined in the Canada intracountry Business Service Arrangement 4/124001, GCMS will require and validate PDS 0176 (Mastercard Assigned ID) if these conditions have been met:

- The acquirer has submitted PDS 0176 for the transaction.
- DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type) is 00 (Purchase [Goods and Services]), 09 (Purchase [Goods and Services] with Cash Back [only for use with card products]), or 20 (Credit [Purchase Return]).
- The acquirer has submitted the transaction for a tiered interchange program. Refer to the *Interchange Manual Canada Region* for specific IRD requirements.

For the interchange programs defined in the Canada intracountry BSA 4/124001, GCMS will require and validate PDS 0176 if these conditions have been met:

- The acquirer has submitted PDS 0176 for the transaction.
- DE 3 (Processing Code), subfield 1 is Purchase: Goods and Services (00), Unique Transaction: Requires Unique MCC (18), or Credit: Purchase Return (20).

Refer to the *Interchange Manual Canada Region* for specific IRD requirements

If the transaction meets this criteria, the Mastercard Assigned ID and IRD combination is edited against the valid Mastercard Assigned ID and IRD list.

For specific interchange programs defined in intracountry BSAs of Eurozone countries, GCMS will require and validate PDS 0176 if these conditions have been met:

- The acquirer has submitted PDS 0176 for the transaction.
- For IRDs S3 and T2, DE 3 (Processing Code), subfield 1 is 00 (Purchase), 09 (Purchase with Cash Back), or 20 (Credit).
- For IRD P3, DE 3 (Processing Code), subfield 1 is 00 (Purchase).

Refer to the *Interchange and Service Fees Manual: Europe Region* for specific IRD requirements

### Interchange programs

| IRD | Description                         |
|-----|-------------------------------------|
| S3  | Maestro® POS Large Merchant         |
| P3  | Maestro® PayPass® Large Merchant    |
| T2  | Debit Mastercard POS Large Merchant |

If the transaction meets the above criteria, the Mastercard Assigned ID and IRD combination is edited against the valid Mastercard Assigned ID and IRD list maintained at Mastercard®.

### Acquirers impact

Acquirers should note the following:

- For First Presentment/1240 non-collection messages, if the IRD submitted is a specified U.S.-to-U.S. IRD as outlined in criteria in the Interchange Manual for the U.S. Region, then PDS 0176 must be present.
- For First Presentment/1240 non-collection messages, if PDS 0176 is submitted and the IRD submitted is a U.S.-to-U.S. IRD as outlined in criteria in the *Interchange Manual for the U.S. Region*, the message will be subject to the Mastercard Assigned ID interchange edit.
- Acquirers must be able to retain PDS 0176 and provide it in any subsequent transactions.
- For all acceptors that have been issued a Mastercard Assigned ID, all submitted First Presentment transactions should contain the Mastercard Assigned ID in PDS 0176, including credits and reversals.

### Issuers impact

Issuers should note these items:

- Mastercard® will forward PDS 0176 in First Presentment/1240 messages to the issuers when the acquirer submits it, or when Mastercard has inserted it from the corresponding Authorization message for specific product use cases.
- Issuers continue to receive the tiered interchange IRDs in PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) if submitted by the acquirer.
- Issuers must be able to retain PDS 0176 and provide it in any subsequent Chargeback transactions.

## Values

The Mastercard Assigned Merchant ID in this PDS should always be a value assigned by Mastercard®.

## PDS 0177 (Cross-border)

PDS 0177 (Cross-border) identifies for the message receiver whether the transaction is a cross-border transaction.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | a-2; TAGLLL               |
| Tag Field           | 0177                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | X   | M   |
| Second Presentment/1240                               | C   | X   | M   |

The clearing system populates values in PDS 0177. Customer-generated messages should not contain PDS 0177. Transactions processed by the Mastercard® network and then submitted to the clearing system will contain PDS 0177.

## PDS 0177 subfields

This PDS consists of two subfields.

### PDS 0177 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1         | Cross-border Indicator | a-1       | N/A           |
| 2      | 2         | Currency Indicator     | a-1       | N/A           |

### Subfield 1 (Cross-border Indicator)

Subfield 1 (Cross-border Indicator) identifies whether the transaction qualified as a cross-border transaction and could be subject to cross-border transaction pricing guidelines. The values are listed in this table.

#### Subfield 1 (Cross-border Indicator)

| Value | Description                                     |
|-------|-------------------------------------------------|
| Y     | Qualifies as a cross-border transaction.        |
| N     | Does not qualify as a cross-border transaction. |

### Subfield 2 (Currency Indicator)

Subfield 2 (Currency Indicator) identifies whether the transaction was submitted to Mastercard in the local currency of the merchant. The currency indicator is populated only with the values of Y or N if the transaction qualifies as a cross-border transaction. The values are listed in this table.

#### Subfield 2 (Currency Indicator)

| Value | Description                                                      |
|-------|------------------------------------------------------------------|
| Space | Does not qualify as a cross-border transaction.                  |
| Y     | Transaction submitted in the local currency of the merchant.     |
| N     | Transaction not submitted in the local currency of the merchant. |

## PDS 0178 (Alternate Acceptor Description Data 2)

PDS 0178 (Alternate Acceptor Description Data 2) may provide a local language version of the data in DE 43 (Acceptor Name/Location) and PDS 0171 (Alternate Acceptor Description Data) using a non-standard data set.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...201; TAGLLLLVAR            |
| Tag Field           | 0178                             |
| Data Length         | 3 positions, value = 004–201     |
| Data Field          | Variable length, 4–201 positions |
| Subfields           | 2                                |
| Justification       | See "Subfields"                  |

**NOTE: Subfield 2 includes binary data. Converting this data to other formats may cause data loss.**

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                     | Org | Sys | Dst |
|---------------------------------------------|-----|-----|-----|
| First Presentment/1240                      | O   | .   | C   |
| First Chargeback/1442                       | O   | .   | C   |
| Second Presentment/1240                     | O   | .   | C   |
| Retrieval Request/1644                      | O   | .   | C   |
| Retrieval Request Acknowledgment/1644       | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740 | O   | .   | C   |

This PDS is optional in First Presentment/1240 and subsequent cardholder life cycle transactions.



## Values

If present, PDS 0178 cannot contain all low values or all high values.

## PDS 0178 subfields

This PDS consists of two subfields.

### PDS 0178 subfields

| Number | Positions | Name                        | Attribute | Justification |
|--------|-----------|-----------------------------|-----------|---------------|
| 1      | 1-3       | Character Set Indicator 2   | an-3      | N/A           |
| 2      | 4-201     | Acceptor Description Data 2 | b-198     | Left          |

### Subfield 1 (Character Set Indicator 2)

Subfield 1 (Character Set Indicator 2) identifies the character set in which the enhanced acceptor description is provided. The values are listed in this table.

### Subfield 1 (Character Set Indicator 2)

| Value | Description           |
|-------|-----------------------|
| ARA   | Arabic                |
| CHS   | Chinese (simplified)  |
| CHT   | Chinese (traditional) |
| CYR   | Cyrillic              |
| GRK   | Greek                 |
| HEB   | Hebrew                |
| HIR   | Hiragana              |
| HAN   | Hangul                |
| KAN   | Kanji                 |
| KAT   | Katakana              |
| ROM   | Roman                 |
| THI   | Thai                  |
| VIE   | Vietnamese            |

## Subfield 2 (Acceptor Description Data 2)

**NOTE: Subfield 2 includes binary data. Converting this data to other formats may cause data loss.**

Subfield 2 (Acceptor Description Data 2) consists of free-format text describing the acceptor name or location (or both), provided in the character set as indicated in subfield 1.

This data is variable length, with a maximum length of 198 positions. This subfield is not edited.

## PDS 0179 (Long Running Transaction [LRT] Indicator)

PDS 0179 (Long Running Transaction [LRT] Indicator) provides a means to identify an eligible healthcare transaction as a Long Running Transaction (LRT).

### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | ans-2; TAGLLL             |
| Tag Field:           | 0179                      |
| Length Field:        | 3 positions, value = 002  |
| Data Field:          | Fixed length, 2 positions |
| Subfields:           | None                      |
| Justification:       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

### Values

If present, PDS 0179 must contain a valid value. The values are shown in this table.

### Values

| Value | Description                               |
|-------|-------------------------------------------|
| 1     | Healthcare Long Running Transaction (LRT) |

## PDS 0180 (Domestic Acceptor Tax ID)

PDS 0180 (Domestic Acceptor Tax ID) contains the tax ID associated with the transaction.

### Attributes

| Attribute            | Description                        |
|----------------------|------------------------------------|
| Data Representation: | ans...020; TAGLLLLVAR              |
| Tag Field:           | 0180                               |
| Length Field:        | 3 positions, value = 001-020       |
| Data Field:          | Variable length, 001-020 positions |
| Subfields:           | None                               |
| Justification:       | Left                               |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

For transactions qualifying for this business service arrangement, PDS 0180 must be present for first presentment non-cash transactions.

### Business service arrangement

| Business Service Type Code<br>(PDS 0158, subfield 2) | Business Service ID (PDS 0158,<br>subfield 3) | Description         |
|------------------------------------------------------|-----------------------------------------------|---------------------|
| 4                                                    | 484001                                        | Mexico Intracountry |

For customers in Croatia, acquirers in Croatia must support PDS 0180 in First Presentment/1240 messages for installment payment transactions. PDS 0180 must be present in the First Presentment/1240 message containing Processing Code (DE 3, subfield 1), value 00 (Purchase [Good and Services]), 09 (Purchase [Goods and Services] with Cash Back), 18 (Unique Transaction [Requires Unique MCC]), 20 (Credit [Purchase Return]), or 28 (Payment Transaction). Collection Only messages are excluded. For customers in Croatia, acquirers in Croatia must support PDS 0180 in First Presentment/1240 messages for installment payment transactions.

### Values

PDS 0180 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

For non-Mexico domestic transactions, if present, PDS 0180 must be a minimum length of 1 and a maximum length of 20.

For this business service arrangement, if present, PDS 0180 must be a minimum length of 13 and maximum length of 14, unless it is Collection Only.

### Business service arrangement

| Business Service Type Code<br>(PDS 0158, subfield 2) | Business Service ID (PDS 0158,<br>subfield 3) | Description         |
|------------------------------------------------------|-----------------------------------------------|---------------------|
| 4                                                    | 484001                                        | Mexico Intracountry |

## PDS 0181 (Installment Payment Data)

PDS 0181 (Installment Payment Data) is required for installment payment transactions in First and Second Presentment/1240 messages and First and Arbitration Chargeback/1442 messages.

### Attributes

| Attribute            | Description                      |
|----------------------|----------------------------------|
| Data Representation: | ans...68; TAGLLLLVAR             |
| Tag Field:           | 0181                             |
| Length Field:        | 3 positions, value = 050-068     |
| Data Length:         | Variable length, 50-68 positions |
| Subfields:           | 10                               |
| Justification:       | See "Subfields"                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

All of the amount subfields are based on the cardholder billing currency and exponent values found in DE 51 (Currency Code, Cardholder Billing) and PDS 0148 (Currency Exponents).

## Subfield 1 (Type of Installment)

PDS 0181 (Installment Payment Data), subfield 1 contains the type of financing applicable for the installment.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 01    |
| Subfield Length     | n-2       | 02    |
| Data Representation | n-2       |       |
| Justification       | Right     |       |

### Values

**NOTE: Values 20, 21, and 22 are valid for all regions. Only value 21 is valid for the Philippines.**

### Values

| Values | Description                  |
|--------|------------------------------|
| 20     | Issuer-financed              |
| 21     | Merchant-financed            |
| 22     | Acquirer-financed            |
| 23     | Co-branded Merchant Financed |
| 24     | Issuer Merchant Co-Financed  |

## Subfield 2 (Number of Installments)

PDS 0181 (Installment Payment Data), subfield 2 (Number of Installments) contains the total number of installments selected by the cardholder.

The valid values are 02–99 for all regions and 02–24 for the Philippines.

### Subfield 2 (Number of Installments)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 02    |
| Subfield Length     | n-2       | 02    |
| Data Representation | n-2       |       |
| Justification       | Right     |       |

### Subfield 3 (Interest Rate)

PDS 0181 (Installment Payment Data), subfield 3 contains the interest rate (XXX.XX%) that the issuer charges the cardholder for the installment payments. For installment payments, the default is all spaces.

### Subfield 3 (Interest Rate)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 03    |
| Subfield Length     | n-2       | 05    |
| Data Representation | ns-5      |       |
| Justification       | Right     |       |

### Subfield 4 (First Installment Amount)

Acquirers can specify the installment amount in PDS 0181 (Installment Payment Data), subfield 4. If this subfield is not used, it must be present with all spaces.

### Subfield 4 (First Installment Amount)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 04    |
| Subfield Length     | n-2       | 12    |
| Data Representation | ns-12     |       |

|               | Attribute | Value |
|---------------|-----------|-------|
| Justification | Right     |       |

## Subfield 5 (Subsequent Installment Amount)

For single clearing transactions, acquirers must fill in a value of zero in PDS 0181 (Installment Payment Data), subfield 5 unless the first installment amount is different from subsequent installment amounts. For multiple clearing transactions, this subfield is not used, and it must be present with all spaces.

### Subfield 5 (Subsequent Installment Amount)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 05    |
| Subfield Length     | n-2       | 12    |
| Data Representation | ns-12     |       |
| Justification       | Right     |       |

## Subfield 6 (Annual Percentage Rate)

PDS 0181 (Installment Payment Data), subfield 6 contains the annual percentage rate (XXX.XX %) an issuer will charge the cardholder for the installment payments. For installment payments, the default is all spaces.

### Subfield 6 (Annual Percentage Rate)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 06    |
| Subfield Length     | n-2       | 05    |
| Data Representation | ns-5      |       |
| Justification       | Right     |       |



## Subfield 7 (Installment Fee)

PDS 0181 (Installment Payment Data), subfield 7 contains the fee amount an issuer will charge the cardholder for the installment payments in cardholder billing currency. The default is all spaces.

### Subfield 7 (Installment Fee)

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 07    |
| Subfield Length     | n-2       | 12    |
| Data Representation | ns-12     |       |
| Justification       | Right     |       |

## Subfield 8 (Commission Rate)

PDS 0181 (Installment Payment Data), subfield 8 contains the commission rate (XXX.XX%) applicable for the installment. The default is all spaces.

### Subfield 8 (Commission Rate)

|                     | Attribute                | Value |
|---------------------|--------------------------|-------|
| Subfield ID         | n-2                      | 08    |
| Subfield Length     | n-2                      | 05    |
| Data Representation | ns-5                     |       |
| Justification       | Right with leading zeros |       |

## Subfield 9 (Commission Sign)

PDS 0181 (Installment Payment Data), subfield 9 contains the commission sign applicable for the installment. The default value is all spaces.

### Attributes

|             | Attribute | Value |
|-------------|-----------|-------|
| Subfield ID | n-2       | 09    |

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield Length     | n-2       | 01    |
| Data Representation | ans-1     |       |
| Justification       | N/A       |       |

## Values

This table lists the valid values.

## Values

| Values | Description                            |
|--------|----------------------------------------|
| C      | Credit to Issuer and Debit to Acquirer |
| D      | Debit to Issuer and Credit to Acquirer |

## Subfield 10 (Commission Amount)

PDS 0181 (Installment Payment Data), subfield 10 contains the commission amount applicable for the installment. The default value is all spaces.

## Subfield 10 (Commission Amount)

|                     | Attribute                | Value |
|---------------------|--------------------------|-------|
| Subfield ID         | n-2                      | 10    |
| Subfield Length     | n-2                      | 12    |
| Data Representation | ns-12                    |       |
| Justification       | Right with leading zeros |       |

## PDS 0182 (Installment Payment Cardholder Statement Data)

PDS 0182 (Installment Payment Cardholder Statement Data) provides information about the installment payment criteria selected by the cardholder.

### Attributes

| Attribute            | Description                |
|----------------------|----------------------------|
| Data Representation: | ans-87; TAGLLL             |
| Tag Field:           | 0182                       |
| Length Field:        | 3 positions, value = 087   |
| Data Length:         | Fixed length, 87 positions |
| Subfields:           | 11                         |
| Justification:       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | C   | C   |

All the amount subfields are based on the cardholder billing currency and exponent, as provided in DE 51 (Currency Code, Cardholder Billing) and PDS 0148 (Currency Exponents).

### Subfield 1 (Total Number of Installments)

PDS0182 (Installment Payment Cardholder Statement Data), subfield 1 (Total Number of Installments) describes the total number of installments selected by the cardholder. The valid values are 02-99.

### Attributes

|                     |                           |
|---------------------|---------------------------|
| Data Representation | ns-2                      |
| Data Field          | Contents of positions 1-2 |

|               |       |
|---------------|-------|
| Justification | Right |
|---------------|-------|

## Values

This table lists the valid values.

## Values

| Values | Description                                                  |
|--------|--------------------------------------------------------------|
| 02-99  | The total number of installments selected by the cardholder. |

## Subfield 2 (Current Installment Number)

PDS 0182, subfield 2 (Current Installment Number) contains the current installment number of the installment split transaction. The valid values are 01-99.

## Attributes

|                     |                           |
|---------------------|---------------------------|
| Data Representation | ns-2                      |
| Data Field          | Contents of positions 3-4 |
| Justification       | Right                     |

## Values

This table lists the valid values.

## Values

| Values | Description                                                         |
|--------|---------------------------------------------------------------------|
| 01-99  | The current installment number of the installment split transaction |

### Subfield 3 (Original Cardholder Billing Amount)

PDS 0182, subfield 3 (Original Cardholder Billing Amount) contains the original transaction amount in issuer's designated cardholder billing currency.

#### Attributes

|                     |                            |
|---------------------|----------------------------|
| Data Representation | ns-12                      |
| Data Field          | Contents of positions 5-16 |
| Justification       | Right                      |

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of USD 212.50 is expressed as 000000021250.

### Subfield 4 (Installment Amount)

PDS 0182, subfield 4 (Installment Amount) contains the installment amount of the current installment transaction in cardholder billing currency.

#### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | ns-12                       |
| Data Field          | Contents of positions 17-28 |
| Justification       | Right                       |

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of USD 212.50 is expressed as 000000021250.

### Subfield 5 (Principal Amount)

PDS 0182, subfield 5 (Principal Amount) contains the Principal Amount of the current installment transaction in cardholder billing currency.

#### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | ns-12                       |
| Data Field          | Contents of positions 29-40 |

|               |       |
|---------------|-------|
| Justification | Right |
|---------------|-------|

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of USD 212.50 is expressed as 000000021250.

## Subfield 6 (Interest Amount)

PDS 0182, subfield 6 (Interest Amount) contains the interest amount of the current installment transaction in cardholder billing currency.

### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | ns-12                       |
| Data Field          | Contents of positions 41-52 |
| Justification       | Right                       |

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of USD 212.50 is expressed as 000000021250.

## Subfield 7 (Installment Fee)

PDS 0182, subfield 7 (Installment Fee) contains the fee amount that the issuer charges the cardholder for the installment in cardholder billing currency. The default fee is spaces.

### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | ns-12                       |
| Data Field          | Contents of positions 53-64 |
| Justification       | Right                       |

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of USD 212.50 is expressed as 000000021250.

## Subfield 8 (Interest Rate)

PDS 0182, subfield 8 (Interest rate) contains the interest rate (XXX.XX %) that the issuer charges the cardholder for the installment payments. The default rate is spaces.

### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | ns-5                        |
| Data Field          | Contents of positions 65-69 |
| Justification       | Right                       |

## Subfield 9 (APR)

PDS 0182, subfield 9 (APR) contains the annual percentage rate (XXX.XX %) that the issuer charges the cardholder for the installment payments. The default rate is spaces.

### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | ns-5                        |
| Data Field          | Contents of positions 70-74 |
| Justification       | Right                       |

## Subfield 10 (Total Amount Due)

PDS 0182, subfield 10 (Total Amount Due) contains the total amount due of all installments in cardholder billing currency.

### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | ns-12                       |
| Data Field          | Contents of positions 75-86 |
| Justification       | Right                       |

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of USD 212.50 is expressed as 000000021250.

## Subfield 11 (Installment Cancellation Indicator)

PDS 0182, subfield 11 (Installment Cancellation Indicator) contains the indicator to identify canceled installment payments.

### Attributes

|                     |                         |
|---------------------|-------------------------|
| Data Representation | ans-1                   |
| Data Field          | Contents of position 87 |
| Justification       | Right                   |

### Values

This table lists the valid values.

### Values

| Values | Description          |
|--------|----------------------|
| Y      | Canceled Installment |
| N      | Ongoing Installment  |

## PDS 0183 (Brazil Post-Dated Transaction Data)

PDS 0183 (Brazil Post-Dated Transaction Data) contains information to support post-dated clearing transactions.

### Attributes

| Attribute            | Description                |
|----------------------|----------------------------|
| Data Representation: | ans-39; TAGLLL             |
| Tag Field:           | 0183                       |
| Length Field:        | 3 positions, value = 039   |
| Data Length:         | Fixed length, 39 positions |
| Subfields:           | 8                          |
| Justification:       | See "Subfields"            |



## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

## Subfield 1 (Service Code)

PDS 0183 (Brazil Post-Dated Transaction Data), subfield 1 indicates the type of post-dated transaction.

### Attributes

|                     |                           |
|---------------------|---------------------------|
| Data Representation | n-2                       |
| Data Field          | Contents of positions 1–2 |
| Justification       | N/A                       |

## Values

This table lists the valid values.

### Values

| Values | Description                  |
|--------|------------------------------|
| 30     | Post-Dated with Guarantee    |
| 31     | Post-Dated without Guarantee |

If PDS 0183 is present, subfield 1 (Service Code) must be equal to 30 or 31.

## Subfield 2 (Number of Installments)

PDS 0183 (Brazil Post-Dated Transaction Data), subfield 2 indicates the number of post-dated installments.

### Attributes

|                     |                        |
|---------------------|------------------------|
| Data Representation | n-1                    |
| Data Field          | Contents of position 3 |
| Justification       | N/A                    |

If present, the value of subfield 2 will always be 1.

## Subfield 3 (Guarantee)

PDS 0183 (Brazil Post-Dated Transaction Data), subfield 3 indicates whether or not there is a guarantee to be settled for the post-dated transaction.

### Attributes

|                     |                        |
|---------------------|------------------------|
| Data Representation | a-1                    |
| Data Field          | Contents of position 4 |
| Justification       | N/A                    |

### Values

This table lists the valid values.

### Values

| Values | Description |
|--------|-------------|
| Y      | Yes         |
| N      | No          |

## Subfield 4 (Guarantee Amount)

PDS 0183 (Brazil Post-Dated Transaction Data), subfield 4 contains the amount of a guarantee to be settled for a post-dated transaction and is assumed to be a credit to the issuer.

### Attributes

|                     |                            |
|---------------------|----------------------------|
| Data Representation | n-8                        |
| Data Field          | Contents of positions 5–12 |
| Justification       | N/A                        |

If PDS 0183, subfield 1 contains value 31 (Post-Dated without Guarantee), subfield 4 must equal 00000000.

## Subfield 5 (Post Settlement Date)

PDS 0183 (Brazil Post-Dated Transaction Data), subfield 5 contains the proposed settlement date (the expected date for completion message arrival) in the format: MMDDYY.

### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | n-6                         |
| Data Field          | Contents of positions 13–18 |
| Justification       | N/A                         |

## Subfield 6 (Original Authorization Request Date)

PDS 0183 (Brazil Post-Dated Transaction Data), subfield 6 contains the original authorization date of a post-dated transaction in the format: MMDDYY.

### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | n-6                         |
| Data Field          | Contents of positions 19–24 |
| Justification       | N/A                         |

Subfield 6 will contain all zeros on authorization message.

## Subfield 7 (Original Banknet Reference Number)

PDS 0183 (Brazil Post-Dated Transaction Data), subfield 7 contains the original Banknet reference number assigned by Banknet to the original authorization request.

### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | ans-9                       |
| Data Field          | Contents of positions 25–33 |
| Justification       | N/A                         |

## Subfield 8 (Authorization Code)

PDS 0183 (Brazil Post-Dated Transaction Data), subfield 8 contains the online authorization code provided by the issuer on the original authorization response.

### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data Representation | n-6                         |
| Data Field          | Contents of positions 34–39 |
| Justification       | N/A                         |

## PDS 0184 (Directory Server Transaction ID)

PDS 0184 (Directory Server Transaction ID) is generated by the EMV 3DS Mastercard Directory Server during the authentication transaction and passed back to the merchant with the authentication results.

PDS 0184 (Directory Server Transaction ID) allows the acquirer to pass the Directory Server Transaction ID during clearing in order to link the authentication and clearing transaction.

### Attributes

| Attribute            | Description              |
|----------------------|--------------------------|
| Data Representation: | ans-36; TAGLLL           |
| Tag Field:           | 0184                     |
| Length Field:        | 3 positions, value = 036 |

| Attribute      | Description                |
|----------------|----------------------------|
| Data Length:   | Fixed length, 36 positions |
| Subfields:     | None                       |
| Justification: | Left Justified             |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

## Values

If PDS 0184 (Directory Server Transaction ID) is present, it should contain values as in this example. The Directory Server Transaction ID is a unique ID.

Example: f38e6948-5388-41a6-bca4-b49723c19437

## Application notes

This is a conditional field and must be provided by the acquirers part of the First Presentment/1240 messages if they are participating and have previously authenticated using the Mastercard® e-commerce/Identity Check program. This field will not be edited to ensure that the Directory Server Transaction ID was provided on the transaction. If provided by the acquirer or processor, it must meet the specifications defined.

## PDS 0185 (Accountholder Authentication Value)

PDS 0185 (Accountholder Authentication Value) is for acquirers to provide the accountholder authentication value in First Presentment/1240 messages.

## Attributes

| Attribute            | Description         |
|----------------------|---------------------|
| Data Representation: | ans...32; TAGLLLVAR |
| Tag Field:           | 0185                |

| Attribute      | Description                      |
|----------------|----------------------------------|
| Length Field:  | 3 positions, value = 001-032     |
| Data Length:   | Variable length, 01–32 positions |
| Subfields:     | None                             |
| Justification: | Left Justified                   |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

## Values

The Accountholder Authentication Value (AAV) is transaction specific. The AAV is unique to each transaction, but will start with a leading indicator as defined in this table.

## Values

| For SLI | Use EMV 3-D Secure (EMV 3DS, SPA2 AAV leading indicator) |
|---------|----------------------------------------------------------|
| 211     | kE, kF, kL, kM                                           |
| 212     | kA, kB, kC, kD, kG, kH, kJ, kK, kQ, kR, kS, kT           |
| 214     | kX, kY, kZ                                               |
| 216     | kN, kU, kV, kW                                           |
| 217     | kO, kP                                                   |

**NOTE:** Values i, l, m, and n are reserved for future use. Refer to *SPA2 AAV for Mastercard® e-commerce/Identity Check* for more details on Accountholder Authentication Value changes.

## Application notes

This is a conditional field and must be provided by the acquirers part of the First Presentment/1240 messages if they are participating and have previously authenticated using the

Mastercard® e-commerce/Identity Check program. This field will not be edited to ensure that the AAV Value was provided on the transaction. If provided by the acquirer or processor, it must meet the specifications defined.

## PDS 0186 (Program Protocol)

PDS 0186 (Program Protocol) allows acquirers to identify which 3-D Secure authentication protocol was used for e-commerce transactions.

### Attributes

| Attribute            | Description              |
|----------------------|--------------------------|
| Data Representation: | an-1; TAGLLL             |
| Tag Field:           | 0186                     |
| Length Field:        | 3 positions, value = 001 |
| Data Length:         | Fixed Length, 1 position |
| Subfields:           | None                     |
| Justification:       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

### Values

If PDS 0186 (Program Protocol) is present, customers indicate the correct Program Protocol by sending one of these values:

### Values

| Value | Description                |
|-------|----------------------------|
| 1     | EMV 3-D Secure Version 2.1 |

| Value | Description                |
|-------|----------------------------|
| 2     | EMV 3-D Secure Version 2.2 |
| 3     | EMV 3-D Secure Version 2.3 |
| 4     | EMV 3-D Secure Version 2.4 |
| 5     | EMV 3-D Secure Version 2.5 |
| 6     | EMV 3-D Secure Version 2.6 |
| 7     | EMV 3-D Secure Version 2.7 |
| 8     | EMV 3-D Secure Version 2.8 |
| 9     | EMV 3-D Secure Version 2.9 |

#### Application notes

This is a conditional field and must be provided by the acquirers part of the First Presentment/1240 messages if they are participating and have previously authenticated using the Mastercard® e-commerce/Identity Check program. This field will not be edited to ensure that the Program Protocol was provided on the transaction. If provided by the acquirer or processor, it must meet the specifications defined.

## PDS 0188 (Private Data, Proprietary Service Data)

PDS 0188 (Private Data, Proprietary Service Data) contains information for future service enhancements.

#### Attributes

| Attribute            | Description                    |
|----------------------|--------------------------------|
| Data Representation: | ans-987; TAGLLLVAR             |
| Tag Field:           | 0188                           |
| Length Field:        | 3 positions, value = 007-987   |
| Data Length:         | Variable length, 987 positions |
| Subfields            | 3                              |
| Occurrences          | 1-141                          |
| Justification        | See subfields                  |



## Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                 | .   | X   | C   |
| Second Presentment/1240                                | .   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740            | .   | X   | C   |
| Fee Collection (Other than Retrieval Fee Billing)/1740 | .   | .   | C   |
| Fee Collection (Handling Fees)/1740                    | .   | .   | C   |

### Values

| Number | Positions | Name         | Attribute |
|--------|-----------|--------------|-----------|
| 1      | 1-2       | Service Type | an-2      |
| 2      | 3-4       | Score Name   | an-2      |
| 3      | 5-7       | Score Value  | an-3      |

## PDS 0189 (Point-of-Interaction [POI] Phone Data)

PDS 0189 (Point-of-Interaction [POI] Phone Data) identifies the number dialed in a POI phone call transaction.

### Attributes

| Attribute            | Description                |
|----------------------|----------------------------|
| Data Representation: | ans-41; TAGLLL             |
| Tag Field:           | 0189                       |
| Length Field:        | 3 positions, value = 041   |
| Data Length:         | Fixed length, 41 positions |
| Subfields:           | 2                          |

| Attribute      | Description     |
|----------------|-----------------|
| Justification: | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |

This PDS is supplemental to the information in DE 43 (Acceptor Name/Location). It provides call detail record reporting for the cardholder.

## Values

If present, PDS 0189 cannot contain all low values or all high values.

## PDS 0189 subfields

This PDS consists of two subfields.

### Subfields

#### PDS 0189 subfields

| Number | Positions | Name          | Attribute | Justification |
|--------|-----------|---------------|-----------|---------------|
| 1      | 1         | Format Number | an-1      | N/A           |
| 2      | 2-41      | Phone Data    | ans-40    | left          |

## Subfield 1 (Format Number)

Subfield 1 (Format Number) identifies the format of the data in subfield 2, Phone Data. The values are listed in this table.

### Subfield 1 (Format Number)

| Value | Description                                                            |
|-------|------------------------------------------------------------------------|
| 1     | Card-activated phone transactions (U.S. and Canada call detail format) |
| 2     | Card-activated phone transactions (non-U.S. and non-Canada format)     |

## Subfield 2 (Phone Data)

Subfield 2 (Phone Data) provides the phone number dialed, the call duration, and other related information. It is formatted to fit in 40 bytes. This enables the issuer to print this subfield's contents directly on the cardholder's statement.

If present, PDS 0189, subfield 2 (Phone Data) cannot contain all zeros or all spaces.

For these original, non-credit transactions acquired in the U.S. or Canada regions, PDS 0189, subfield 2, if present, must contain a 10-position phone number and must be left-justified with trailing spaces. The first three positions must be numeric.

- First Presentment/1240
- Second Presentment/1240
- First Chargeback/1442
- Arbitration Chargebacks/1442
- Retrieval Requests/1644
- Fee Collection (Retrieval Fee Billing)/1740

**NOTE: These formats are guidelines only. The clearing system does not perform edits to ensure that these layouts are followed.**

### Format 1: Card-Activated Phone Transactions (U.S. and Canadian Call Detail Format)

| Number | Positions | Name              | Attribute | Justification |
|--------|-----------|-------------------|-----------|---------------|
| 1      | 1–3       | Abbreviation TEL  | a-3       | N/A           |
| 2      | 4         | Delimiter (space) | a-1       | N/A           |

Data element and private data subelement definitions and details  
Subfield 2 (Phone Data)

| Number | Positions | Name                                               | Attribute | Justification |
|--------|-----------|----------------------------------------------------|-----------|---------------|
| 3      | 5–7       | Area Code (U.S./Canadian area code.)               | n-3       | N/A           |
| 4      | 8         | Delimiter (space)                                  | a-1       | N/A           |
| 5      | 9–11      | Local Exchange (Phone number; first three digits). | n-3       | N/A           |
| 6      | 12        | Delimiter (space)                                  | a-1       | N/A           |
| 7      | 13–16     | Local Number (Phone number; last four digits).     | n-4       | N/A           |
| 8      | 17        | Delimiter (space)                                  | a-1       | N/A           |
| 9      | 18–20     | Abbreviation MIN                                   | a-3       | N/A           |
| 10     | 21–22     | Call Duration in Minutes                           | an-2      | right         |
| 11     | 23        | Delimiter (space)                                  | a-1       | N/A           |
| 12     | 24–36     | Acceptor City                                      | ans-13    | left          |
| 13     | 37        | Delimiter (space)                                  | a-1       | N/A           |
| 14     | 38–40     | Call Origin State/Country Code <sup>13</sup>       | a-3       | left          |

**Format 2: Card-Activated Phone Transactions (Non-U.S. and Non-Canada Format)**

| Number | Positions | Name                                                                                  | Attribute | Justification |
|--------|-----------|---------------------------------------------------------------------------------------|-----------|---------------|
| 1      | 1–2       | Abbreviation TL                                                                       | a-2       | N/A           |
| 2      | 3–17      | Full Phone Number Dialed (Includes country code, city code, and local number dialed.) | ans-15    | right         |
| 3      | 18–19     | Abbreviation MN                                                                       | a-2       | N/A           |
| 4      | 20–22     | Call Duration in Minutes                                                              | an-3      | right         |
| 5      | 23        | Delimiter (spaces)                                                                    | a-1       | N/A           |
| 6      | 24–36     | Acceptor City                                                                         | ans-13    | left          |
| 7      | 37        | Delimiter (spaces)                                                                    | a-1       | N/A           |
| 8      | 38–40     | Call Origin State/Country Code <sup>14</sup>                                          | a-3       | left          |

<sup>13</sup> May be space-filled; otherwise, may be a three-position alphabetic country code from ISO 3166 table or a two-position U.S. state code if merchant is in the U.S. region. See the *Quick Reference Booklet* for valid state and country codes.

## PDS 0190 (Partner ID Code)

PDS 0190 (Partner ID Code) identifies a specific partnership agreement, generally between specific acceptors and issuers.

### Attributes

| Attribute            | Description                    |
|----------------------|--------------------------------|
| Data Representation: | ans...6; TAGLLLVAR             |
| Tag Field:           | 0190                           |
| Length Field:        | 3 positions, value = 001-006   |
| Data Length:         | Variable length, 1-6 positions |
| Subfields:           | None                           |
| Justification:       | Left                           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |

This PDS may be used for transactions on accounts issued under co-branding agreements when one of the co-branding partners originates the transaction. It also may be used when the agreement is between the acceptor and the clearing system, such as in certain promotional discounts.

<sup>14</sup> May be space-filled; otherwise, may be a three-position alphabetic country code from ISO 3166 table or a two-position U.S. state code if merchant is in the U.S. region. Refer to the *Quick Reference Booklet* for valid state and country codes.

## Values

Acceptors and issuers establish Partner ID Codes. If present, PDS 0190 cannot contain all low values, all high values, all zeros, or all spaces.

## PDS 0191 (Originating Message Format)

PDS 0191 (Originating Message Format) provides the message format in which the clearing system received a message.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-1; TAGLLL              |
| Tag Field           | 0191                     |
| Data Length         | 3 positions, value = 001 |
| Data Length         | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644                                                   | O   | .   | .   |
| File Trailer (Customer-generated)/1644                                                  | O   | .   | .   |
| First Presentment/1240                                                                  | O   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | X   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | O   | X   | M   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | X   | M   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644                         | O   | X   | M   |
| Financial Detail Addendum (Temporary Services)/1644                      | O   | X   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644               | O   | X   | M   |
| Financial Detail Addendum (Payment Transaction Detail)/1644              | O   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644              | O   | X   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644               | O   | X   | M   |
| Financial Detail Addendum (Travel Agency, Detail)/1644                   | O   | X   | M   |
| Financial Detail Addendum (Lodged Account Detail)/1644                   | O   | X   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644   | O   | X   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | X   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | X   | M   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | O   | X   | M   |
| Financial Detail Addendum (Generic Detail)/1644                          | O   | X   | M   |
| Financial Detail Addendum (Healthcare)/1644                              | O   | X   | M   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | X   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | O   | X   | M   |
| First Chargeback/1442 and Arbitration Chargeback/1442                    | O   | X   | M   |
| Second Presentment/1240                                                  | O   | X   | M   |
| Retrieval Request/1644                                                   | O   | X   | M   |
| Retrieval Request Acknowledgment/1644                                    | O   | X   | M   |
| Fee Collection (Retrieval Fee Billing)/1740                              | O   | X   | M   |
| Fee Collection (Handling Fees)/1740                                      | O   | X   | M   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740     | O   | X   | M   |

Originators optionally may provide this PDS. If this information is not present, the clearing system provides this PDS in customer-submitted messages. The information assists the receiving customer in anticipating the presence or absence of various IPM data elements and PDSs in an IPM message.

### Values

The PDS 0191 values are listed in this table.

### Values

| Value | Description                                                         |
|-------|---------------------------------------------------------------------|
| 0     | Clearing system received original message in Mexico Domestic Format |
| 2     | Clearing system received message in the IPM format.                 |
| 6     | Clearing system received message in Japan Domestic Format           |

## PDS 0192 (Payment Transaction Initiator)

PDS 0192 (Payment Transaction Initiator) contains a value to indicate that either Mastercard® or a trusted Mastercard® business partner initiated a payment transaction on behalf of a customer.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-3; TAGLLL             |
| Tag Field           | 0192                      |
| Data Length         | 3 positions               |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.



### Applicable messages

| Message                               | Org | Sys | Dst |
|---------------------------------------|-----|-----|-----|
| First Presentment/1240                | .   | X   | C   |
| Retrieval Request/1644                | C   | .   | C   |
| Retrieval Request Acknowledgment/1644 | C   | .   | C   |

PDS 0192 must be provided under these conditions.

- It was received on the First Presentment/1240 message, with these values present.
- DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type) = 28 (Payment Transactions).
- PDS 0043 (Transaction Type Identifier) = C02 (Rebate).

### Values

The value associated with PDS 0192 is MCW, Mastercard Worldwide.

## PDS 0194 (Remote Payments Program Data)

PDS 0194 (Remote Payments Program Data) identifies the domain in which the service manager (program originator) of the Mobile Remote Payments Program is operating.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-1; TAGLLL             |
| Tag field           | 0194                      |
| Data Length         | 3 positions, value = 001  |
| Data Field          | Fixed length, 1 position. |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

### Values

The PDS 0194 values are listed in this table.

### Values

| Value | Description     |
|-------|-----------------|
| 1     | Issuer domain   |
| 2     | Acquirer domain |

## PDS 0195 (Installment Data)

PDS 0195 (Installment Data) provides information about the installment payment option selected by the cardholder at the point of interaction.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | an...27; TAGLLLVAR              |
| Tag Field           | 0195                            |
| Data Length         | 3 positions, value = 003–027    |
| Data Field          | Variable length, 3–27 positions |
| Subfields           | 8                               |
| Justification       | See "Subfields"                 |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

This PDS is required for specific business service arrangements.

## Subfield 1 (Total Number of Installments)

PDS 0195 (Installment Data), subfield 1 identifies the number of installment payments.

### Attributes

|                      |                           |
|----------------------|---------------------------|
| Data Representation: | n-3                       |
| Data Field:          | Contents of positions 1–3 |
| Justification:       | Left                      |

PDS 0195 is used for installment payment information for markets where installment programs are supported. Any market-specific requirements are listed below.

When PDS 0195 is present, subfield 1 is required for transactions submitted for Japan Intracountry BSA 4/392001:

- Subfield must be numeric.
- Subfield must contain the three position value that identifies the total number of installments.

When PDS 0195, Subfield 2 (Payment Option Code) contains value 61, subfield 1 must contain the number of installments (a value between 002 and 999). If PDS 0195, subfield 2 contains values other than 31, 34, or 61, subfield 1 should be zero-filled.

If PDS 0195, subfield 2 contains 61 and the number of installments is 2, the transaction will be settled following the Twice Pay method:

- 50 percent of the transaction amount will be settled following normal settlement process.
- 50 percent of the transaction amount will be settled following a delay of 30 days from the clearing date.

The actual settlement date will be adjusted following the settlement calendar of selected settlement service.

## Subfield 2 (Payment Option Code)

PDS 0195 (Installment Data), subfield 2 identifies the payment terms of the transaction.

### Attributes

|                      |                           |
|----------------------|---------------------------|
| Data Representation: | n-2                       |
| Data Field:          | Contents of positions 4–5 |
| Justification:       | Left                      |

When PDS 0195 is present, subfield 2 is required for transactions submitted for Japan Intracountry BSA 4/392001.

### Values

This table lists the valid values.

### Values

| Values | Description                                   |
|--------|-----------------------------------------------|
| 10     | Single Payment                                |
| 21     | Bonus Pay                                     |
| 31     | Installment Payment with Bonus Pay Simplified |
| 34     | Installment Payment with Bonus Pay Detailed   |
| 61     | Installments (Twice Pay/Three or More)        |
| 80     | Revolving                                     |

## Subfield 3 (Installment Number)

PDS 0195 (Installment Data) identifies the current transaction installment number as related to the sequence of total number of installments. This subfield must be numeric.

### Attributes

|                      |                           |
|----------------------|---------------------------|
| Data Representation: | n-3                       |
| Data Field:          | Contents of positions 6–8 |
| Justification:       | Left                      |

This subfield is not applicable for Japan. For transactions submitted for Japan Intracountry BSA 4/392001, subfield 3 should be populated with zeros.

As an example, acquirers submitting multiple installment transactions indicate that this is the first of three installment transactions if subfield 1 (Total Number of Installments) contains the value 003 and subfield 3 contains the value 001.

## Subfield 4 (Bonus Code)

PDS 0195 (Installment Data), subfield 4 indicates the manner in which the installment transaction is settled.

### Attributes

|                      |                        |
|----------------------|------------------------|
| Data Representation: | n-1                    |
| Data Field:          | Contents of position 9 |
| Justification:       | Left                   |

For transactions submitted for Japan Intracountry BSA 4/392001, subfield 4 must be provided when subfield 2 (Payment Option Code) contains value 21 (Bonus Pay). This subfield identifies whether a transaction must be settled utilizing the delayed settlement method.

### Values

This table lists the valid values.

### Values

| Values | Description                                                                                                                                                                                                                       |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0      | Settlement will be delayed.<br><br>If the clearing date is 21 July to 20 December, then the settlement date will be 20 December.<br><br>If the clearing date is 21 December to 20 July, then the settlement date will be 20 July. |
| 1      | No settlement delay                                                                                                                                                                                                               |

### Subfield 5 (Bonus Month Code)

The combination of the value in PDS 0195 (Installment Data), subfield 5 and the value in subfield 6 (Number of Bonus Payments per Year) identifies the bonus payment months.

### Attributes

|                      |                         |
|----------------------|-------------------------|
| Data Representation: | ans-1                   |
| Data Field:          | Contents of position 10 |
| Justification:       | Left                    |

For transactions submitted for Japan Intracountry BSA 4/392001, subfield 5 must be provided when subfield 2 (Payment Option Code) is value 34 (Installment Payment with Bonus Pay Detailed). The combination of a code in subfield 5 and a value in subfield 6 (Number of Bonus Payments Per Year) identifies the bonus payment month(s). For specific combination details, refer to the tables included under subfield 6.

**NOTE: When the value <space> is used, it indicates the amount in subfield 7 (Bonus Amount) can be a zero amount even when subfield 2 is value 34 (Installment Payment with Bonus Pay Detailed). The value <space> does not change the presence rule for other subfields.**

### Values

This table lists the valid values.

### Values

| Values  | Description |
|---------|-------------|
| 1       | January     |
| 2       | February    |
| 3       | March       |
| 4       | April       |
| 5       | May         |
| 6       | June        |
| 7       | July        |
| 8       | August      |
| 9       | September   |
| A       | October     |
| B       | November    |
| C       | December    |
| <space> | Undefined   |

### Subfield 6 (Number of Bonus Payments per Year)

PDS 0195 (Installment Data), subfield 6 indicates the number of bonus payments per year.

### Attributes

|                      |                         |
|----------------------|-------------------------|
| Data Representation: | n-1                     |
| Data Field:          | Contents of position 11 |
| Justification:       | Left                    |

For transactions submitted for Japan Intracountry BSA 4/392001, subfield 6 must be provided when subfield 2 (Payment Option Code) contains value 34 (Installment Payment with Bonus Pay Detailed). The combinations of a code in subfield 5 (Bonus Month Code) and a value in subfield 6 identifies the bonus payment month(s).

### Values

This table lists the valid values.

## Values

| Values | Description                                |
|--------|--------------------------------------------|
| 1      | Number of Bonus Payments is once per year  |
| 2      | Number of Bonus Payments is twice per year |

## Once per Year Bonus

This table indicates the bonus month(s) when once per year bonus payments will be settled.

## Once per Year Bonus

Indicates the bonus month(s) when once per year bonus payments will be settled.

| Bonus Month Code (Subfield 5) | Number of Bonus Payments (Subfield 6) | Bonus Month |
|-------------------------------|---------------------------------------|-------------|
| 1                             | 1                                     | January     |
| 2                             | 1                                     | February    |
| 3                             | 1                                     | March       |
| 4                             | 1                                     | April       |
| 5                             | 1                                     | May         |
| 6                             | 1                                     | June        |
| 7                             | 1                                     | July        |
| 8                             | 1                                     | August      |
| 9                             | 1                                     | September   |
| A                             | 1                                     | October     |
| B                             | 1                                     | November    |
| C                             | 1                                     | December    |
| <space>                       | 1                                     | Undefined   |

## Twice per Year Bonus

This table indicates the bonus month(s) when twice per year bonus payments will be settled.



### Twice per Year Bonus

Indicates the bonus month(s) when twice per year bonus payments will be settled.

| Bonus Month Code (Subfield 5) | Number of Bonus Payments (Subfield 6) | Bonus Month            |
|-------------------------------|---------------------------------------|------------------------|
| 1                             | 2                                     | June and December      |
| 2                             | 2                                     | June and January       |
| 3                             | 2                                     | July and December      |
| 4                             | 2                                     | July and January       |
| 5                             | 2                                     | August and December    |
| 6                             | 2                                     | August and January     |
| 7                             | 2                                     | September and December |
| 8                             | 2                                     | September and January  |
| 9                             | 2                                     | June and February      |
| A                             | 2                                     | July and February      |
| B                             | 2                                     | August and February    |
| C                             | 2                                     | September and February |
| <space>                       | 2                                     | Undefined              |

### Subfield 7 (Bonus Amount)

PDS 0195 (Installment Data), subfield 7 identifies the amount of bonus to be paid in each bonus payment.

### Attributes

|                      |                             |
|----------------------|-----------------------------|
| Data Representation: | n-12                        |
| Data Field:          | Contents of positions 12–23 |
| Justification:       | Right                       |

All currency amounts are expressed in the minor unit of currency without a decimal separator, in accordance with ISO standards for currency notation. For example, a bonus amount of USD 4500.29 is expressed as 000000450029.

For transactions submitted for Japan Intracountry BSA 4/392001, subfield 7 must be provided when subfield 2 (Payment Option Code) is value 34 (Installment Payment with Bonus Pay Detailed). When provided, the amount must be greater than zero except when subfield 5 (Bonus Month Code) contains <space>. For example, a bonus amount of JPY 45000 is expressed as 000000045000.

## Subfield 8 (First Month of Bonus Payment)

If present, PDS 0195 (Installment Data), subfield 8 must be in the format YYMM that identifies the first month of bonus payment.

### Attributes

|                      |                             |
|----------------------|-----------------------------|
| Data Representation: | n-4                         |
| Data Field:          | Contents of positions 24–27 |
| Justification:       | Left                        |

For transactions submitted for Japan Intracountry BSA 4/392001, subfield 8 is a four-digit subfield in the format YYMM that identifies the first month of bonus payment. This subfield must be provided when subfield 2 (Payment Option Code) contains value 34 (Installment Payment with Bonus Pay Detailed).

## PDS 0196 (Mobile Phone Reload Data)

PDS 0196 (Mobile Phone Reload Data) is used in mobile phone reload transactions to provide the customer's mobile phone number and service provider.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...47; TAGLLLLVAR            |
| Tag Field           | 0196                            |
| Data Length         | 3 positions, value = 001-047    |
| Data Field          | Variable length, 1-47 positions |
| Subfields           | 2                               |
| Justification       | See "Subfields"                 |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |

## PDS 0196 subfields

This PDS consists of two subfields.

### PDS 0196 subfields

| Number | Positions | Name                               | Attribute | Justification |
|--------|-----------|------------------------------------|-----------|---------------|
| 1      | 1–17      | Mobile Phone Number                | ans-17    | Left          |
| 2      | 18–47     | Mobile Phone Service Provider Name | ans...30  | Left          |

### Subfield 1 (Mobile Phone Number)

Subfield 1 (Mobile Phone Number) contains the phone number of the wireless phone for which the customer is purchasing extra service. It must be left-justified. For more information on the data that is allowed in this subfield, refer to the *Interchange Manual: Europe Region* or the *Interchange Manual: MEA Region*.

### Subfield 2 (Mobile Phone Service Provider Name)

Subfield 2 (Mobile Phone Service Provider Name) contains the name or other identifier of the mobile phone service provider. If present, it must be left-justified and cannot contain all spaces or all zeros.

## PDS 0197 (National Use Tax Data)

PDS 0197 (National Use Tax Data) provides various tax amounts and percentages applicable to intracountry transactions in various markets.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-53; TAGLLL               |
| Tag Field           | 0197                       |
| Data Length         | 3 positions, value = 053   |
| Data Field          | Fixed length, 53 positions |
| Subfields           | 5                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |

This PDS can be used to present tax amounts, a tax percentage, and a tax base amount for intracountry transactions in various markets. The subfield names are very general in nature, to allow different usage definitions for different countries.

### Values

If present, each of the subfields 1, 2, 4, and 5 within PDS 0197 must be right-justified with leading zeros.

## PDS 0197 subfields

This PDS consists of five subfields

### PDS 0197 subfields

| Number | Positions | Name            | Attribute | Justification |
|--------|-----------|-----------------|-----------|---------------|
| 1      | 1–12      | Tax Amount 1    | n-12      | Right         |
| 2      | 13–24     | Tax Amount 2    | n-12      | Right         |
| 3      | 25–29     | Tax Percentage  | n-5       | Right         |
| 4      | 30–41     | Tax Base Amount | n-12      | Right         |
| 5      | 42–53     | Tax Amount 3    | n-12      | Right         |

#### Subfield 1 (Tax Amount 1)

Subfield 1 (Tax Amount 1) identifies a tax or Value Added Tax (VAT) on the transaction.

For intracountry transactions in specific Latin America and Caribbean region markets, this is VAT calculated by the acceptor and entered as input at the point-of-sale (POS) device.

#### Subfield 2 (Tax Amount 2)

Subfield 2 (Tax Amount 2) identifies a second tax or VAT on the transaction.

For intracountry transactions in specific Latin America and Caribbean region markets, this is VAT calculated by the acceptor and entered as input at the POS device.

#### Subfield 3 (Tax Percentage)

Subfield 3 (Tax Percentage) identifies a tax percentage. This subfield consists of five numeric positions. The format is always NNN.NN%, which means that the last two positions represent decimal positions of the tax percentage. For example, a value of 00850 is interpreted as 8.5 percent.

For intracountry transactions in specific Latin America and Caribbean region markets, this is RetelVA (Retention of VAT). It is the percentage of the VAT that the acquirer will not pay to the merchant but to the local tax agency. It is entered as input at the POS device.

#### Subfield 4 (Tax Base Amount)

Subfield 4 (Tax Base Amount) identifies the amount on which the tax was calculated.

For intracountry transactions in specific Latin America and Caribbean region markets, this is the IVA Devolution Base, the amount on which the VAT was originally calculated. It is entered as input at the POS device.

### Subfield 5 (Tax Amount 3)

Subfield 5 (Tax Amount 3) identifies a third tax or VAT on the transaction.

For intracountry transactions in specific Latin America and the Caribbean region markets, this is RetelCA (Industry & Commerce Tax Retention). It is a regional tax that applies only in the districts/provinces of Barranquilla, Bogota, and Zipaquirá. It is entered as input at the POS device.

## PDS 0198 (Device Type)

PDS 0198 (Device Type) provides information about the form factor of the cardholder device used to initiate a transaction.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans...2; TAGLLL           |
| Tag Field           | 0198                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | O   | .   | C   |

## Values

**NOTE:** As removable secure elements may be moved from a mobile phone to a tablet or e-book by the consumer, values 01, 08, 10, and 12 represent the initial intended use of this secure element by the issuer. There is no requirement to change these four values after initial personalization has taken place.

## Values

| Value | Description                                                                                                                                                                          |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 00    | Card                                                                                                                                                                                 |
| 01    | Mobile Phone or Smartphone with Mobile Network Operator (MNO) controlled removable secure element (SIM or UICC) personalized for use with a Mobile Phone or Smartphone <sup>15</sup> |
| 02    | Key Fob                                                                                                                                                                              |
| 03    | Watch using a contactless chip or a fixed (non-removable) secure element not controlled by the MNO                                                                                   |
| 04    | Mobile Tag                                                                                                                                                                           |
| 05    | Wristband                                                                                                                                                                            |
| 06    | Mobile Phone Case or Sleeve                                                                                                                                                          |
| 07    | Mobile phone or smartphone with a fixed (non-removable) secure element controlled by the MNO, for example, code division multiple access (CDMA)                                      |
| 08    | Mobile Phone or Smartphone with removable secure element not controlled by the MNO, for example, SD Card personalized for use with a Mobile Phone or Smartphone <sup>16</sup>        |
| 09    | Mobile phone or smartphone with a fixed (non-removable) secure element not controlled by the MNO                                                                                     |
| 10    | Tablet or e-Reader with an MNO-controlled removable secure element (SIM or UICC) personalized for used with a Tablet or Reader <sup>17</sup>                                         |
| 11    | Tablet or e-book with a fixed (non-removable) secure element controlled by the MNO                                                                                                   |
| 12    | Removable secure element not controlled by the MNO, for example, memory card personalized for use with a tablet or e-book                                                            |

<sup>15</sup> As a removable secure element (SE) may be moved from a mobile phone to a tablet or e-book by the consumer this value represents the initial intended use of this SE only.

<sup>16</sup> As a removable secure element (SE) may be moved from a mobile phone to a tablet or e-book by the consumer this value represents the initial intended use of this SE only.

<sup>17</sup> As a removable secure element (SE) may be moved from a mobile phone to a tablet or e-book by the consumer this value represents the initial intended use of this SE only.

| Value | Description                                                                                  |
|-------|----------------------------------------------------------------------------------------------|
| 13    | Tablet or e-book with fixed (non-removable) secure element not controlled by the MNO         |
| 14    | Mobile Phone or Smartphone with a payment application running in a host processor            |
| 15    | Tablet or e-Reader with a payment application running in a host processor                    |
| 16    | Mobile Phone or Smartphone with a payment application running in the TEE of a host processor |
| 17    | Tablet or E-Book with a payment application running in the TEE of a host processor           |
| 18    | Watch with a payment application running in the TEE of a host processor                      |
| 19    | Watch with a payment application running in a host processor                                 |
| 20    | Card                                                                                         |
| 21    | Phone                                                                                        |
| 22    | Tablet/e-reader                                                                              |
| 23    | Watch/Wristband                                                                              |
| 24    | Sticker                                                                                      |
| 25    | PC                                                                                           |
| 26    | Device Peripheral                                                                            |
| 27    | Tag                                                                                          |
| 28    | Jewelry                                                                                      |
| 29    | Fashion Accessory                                                                            |
| 30    | Garment                                                                                      |
| 31    | Domestic Appliance                                                                           |
| 32    | Vehicle                                                                                      |
| 33    | Media/Gaming Device                                                                          |
| 34–99 | Reserved for Future Use                                                                      |



## PDS 0199 (Funding Transaction Information)

PDS 0199 (Funding Transaction Information) contains information provided by an ATM acquirer that can be printed on the cardholder statement.

PDS 0199 (Funding Transaction Information) may include the information provided by the cardholder at the ATM when paying a bill and relevant information provided by the ATM acquirer.

### Attributes

| Attribute           | Description                        |
|---------------------|------------------------------------|
| Data Representation | ans...199; TAGLLLLVAR              |
| Tag Field           | 0199                               |
| Data Length         | 3 positions, value = 001–199       |
| Data Field          | Variable length, 001–199 positions |
| Subfields           | None                               |
| Justification       | Left                               |

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

### Values

If present, PDS 0199 must contain the information that can be included on the cardholder statement as a result of a domestic funding transaction at an ATM initiated by a cardholder to pay a bill. Specific formatting of PDS 0199 can be found in the *Domestic Processing Guide* for the country provided by the Mastercard® regional office. Specific formatting of PDS 0199 is defined for each country where the funding transaction at an ATM is implemented.

## PDS 0200 (Fraud Notification Date)

PDS 0200 (Fraud Notification Date) contains the additional data necessary to provide acquirers with the date of the second fraud-related chargeback and an accurate count of total fraud-related chargebacks for the account.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n...8; TAGLLL            |
| Tag Field           | 0200                     |
| Data Length         | 3 positions, value = 008 |
| Data Field          | Fixed length 8 positions |
| Subfields           | 2                        |
| Justification       | See "Subfields"          |

PDS 0200 is populated and provided to the acquirer starting with the second fraud-related chargeback for the account, and continues with each successive fraud-related chargeback on the account.

When a first or second chargeback is received from the issuers with the fraud-related chargeback reason codes (4837, 4840, 4849, 4863, 4870, and 4871), Fraud Notification Service (FNS) Blocking is applied on each chargeback that exceeds the FNS criteria (FNS Date and FNS counter) set in the system. Chargeback is blocked if either or both of these condition matches:

- The original transaction settlement date is greater than FNS Date from FNS Service reply (IPM Clearing Format error number error code 2801).
- The FNS Service reply for FNS Count is greater than FNS counter criteria (of 35 counts) in aggregate for the aforementioned qualifying, fraud-related chargeback reason codes (IPM Clearing Format error number error code 2802).

Accepting or rejecting a reversal chargeback depends on the corresponding original chargeback status. If the original chargeback was accepted, then the corresponding reversal chargeback will also be accepted without validating FNS counter and FNS date criteria. If the original chargeback was rejected, then corresponding reversal chargeback will also be rejected without validating FNS counter and FNS date criteria. The FNS date and counter is updated for all transactions regardless of the reject/accept due to the edit.

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442 | •   | X   | C   |

### Values

If present, PDS 0200, subfield 1 (Fraud Notification Service Date) contains the date of the second fraud chargeback on the account.

If present, PDS 0200, subfield 1 (Fraud Notification Service Date) must contain a valid date in the YYMMDD format.

### PDS 0200 subfields

PDS 200 consists of two subfields.

### PDS 0200 subfields

| Number | Positions | Name                                          | Attributes         | Justification |
|--------|-----------|-----------------------------------------------|--------------------|---------------|
| 1      | 1–6       | Fraud Notification Service Date               | n-6; format YYMMDD | N/A           |
| 2      | 7–8       | Fraud Notification Service Chargeback Counter | n-2                | N/A           |

### Subfield 1 (Fraud Notification Service Date)

Subfield 1 (Fraud Notification Service Date) contains the date of the second fraud-related chargeback on the account.

### Subfield 2 (Fraud Notification Service Chargeback Counter)

Subfield 2 (Fraud Notification Service Chargeback Counter) contains the total number of fraud-related chargebacks processed for the account to date (including the current chargeback).

### Application notes

The FNS reply for Fraud Notification Service Chargeback Counter is greater than the Fraud Notification Service Chargeback Counter limit of 35 in aggregate for the previously mentioned, fraud-related chargeback reason codes will result in error number 2802 (INELIGIBLE CHARGEBACK REJECT REASON CODES 'FNS COUNTER EXCEEDED').

## PDS 0202 (Primary Account Number [PAN] Syntax Error)

PDS 0202 (Primary Account Number [PAN] Syntax Error) contains the syntax error resulting from a transaction that contains non-numeric values in DE 2 (Primary Account Number [PAN]) for Mexico domestic transactions.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...19; TAGLLLLVAR            |
| Tag Field           | 0202                            |
| Data Length         | 3 positions, value = 006–019    |
| Data Field          | Variable length, 6–19 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Current processing restrictions

The clearing system accepts a PDS 0202 length of up to 19 positions.

The clearing system expects PDS 0202 to contain the appropriate number of positions for the account number without any filler characters to the left or right. For example, if a 16-digit account number is captured for a given transaction, the length of PDS 0202 must be 16, and exactly 16 digits must be provided beginning in position 1 of PDs 0202.

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |
| Retrieval Request/1644                                | C   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | C   | .   | C   |

## Values

PDS 0202 contains the same structure as DE 2 (Primary Account Number [PAN]), but the value can be alphanumeric.

For more information on the usage and values of PDS 0202, see DE 2.

## PDS 0204 (Amount, Syntax Error)

PDS 0204 (Amount, Syntax Error) contains the syntax error resulting from a transaction that contains non-numeric values in DE 4 (Amount, Transaction) for Mexico domestic transactions.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-12; TAGLLL             |
| Tag Field           | 0204                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | None                       |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

## Values

PDS 0204 contains the same structure as DE 4 (Amount, Transaction), but the value can be alphanumeric.

For more information on the usage and values of PDS 0204, see DE 4 (Amount, Transaction).

## PDS 0205 (Syntax Return, Message Error Indicator)

PDS 0205 (Syntax Return, Message Error Indicator) is included by the originator of a soft syntax error return and contains the element that caused the syntax return.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0205                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 4                          |
| Justification       | See subfields              |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |
| Retrieval Request/1644                                | C   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | C   | .   | C   |

## PDS 0205 subfields

The originator of the syntax error return message identifies the element causing the return using these subfields.

### PDS 0205 subfields

| Number | Positions | Name                | Attribute | Justification |
|--------|-----------|---------------------|-----------|---------------|
| 1      | 1–5       | Data Element ID     | an-5      | left          |
| 2      | 6–7       | Error Severity Code | n-2       | N/A           |
| 3      | 8–11      | Error Message Code  | an-4      | N/A           |
| 4      | 12–14     | Subfield ID         | n-3       | N/A           |

### Subfield 1 (Data Element ID)

Subfield 1 (Data Element ID) identifies the ISO data element or PDS where the error occurred. ISO data elements are identified with the prefix D. This is followed by the data element number right-justified with leading zeros so that the number fills four positions. For example, D0003 indicates DE 3, D0100 indicates DE 100, and so on.

PDSs are identified with the prefix P followed by the four-digit tag ID. For example, P0002 indicates PDS 0002, P0146 indicates PDS 0146, and so on.

This subfield may contain spaces if the error is a general error not related to a specific data element or PDS.

### Subfield 2 (Error Severity Code)

Subfield 2 (Error Severity Code) indicates the local syntax error code of the error the clearing system detects.

The values for this subfield are listed in this table.

### Subfield 2 (Error Severity Code)

| Value | Description                  |
|-------|------------------------------|
| 01–25 | Local domestic reason codes. |

### Subfield 3 (Error Message Code)

Subfield 3 (Error Message Code) is a four-digit value that refers to a specific edit error message that identifies the error condition.

### Subfield 4 (Subfield ID)

Subfield 4 (Subfield ID) holds the three-position subfield ID of the element in error. This subfield contains zeros if the element in error is not defined with subfields.

## PDS 0206 (Late Presentment Indicator)

PDS 0206 (Late Presentment Indicator) is used to indicate that a first presentment was submitted late by the acquirer.

PDS 0206 is only present when the transaction is submitted late according to local processing rules. GCMS determines the late presentment and provides it in the message.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-4; TAGLLL               |
| Tag Field           | 0206                      |
| Data Length Field   | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | 2                         |
| Justification       | See subfields             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | .   | X   | C   |



## PDS 0206 subfields

PDS 206 contains two subfields.

### PDS 0206 subfields

| Number | Positions | Name                                      | Attribute | Justification |
|--------|-----------|-------------------------------------------|-----------|---------------|
| 1      | 1-3       | Number of Days Since Transaction Occurred | n-3       | N/A           |
| 2      | 4         | Late Presentment Tier                     | n-1       | N/A           |

### Subfield 1 (Number of Days Since Transaction Occurred)

Subfield 1 (Number of Days Since Transaction Occurred) contains the number of days between the transaction date (DE 12) and the GCMS processing date.

### Subfield 2 (Late Presentment Tier)

Subfield 2 (Late Presentment Tier) contains the tiers (as identified in the local rules). The valid values are 1, 2, or 3.

### Subfield 2 (Late Presentment Tier)

| Clearing Process                       | BAU (Tier 0) | Tier 1   | Tier 2    | Tier 3 |
|----------------------------------------|--------------|----------|-----------|--------|
| Credit (MCC)                           | 1 – 30       | 31 – 120 | 121 – 320 | > 320  |
| Debit (DMC)                            | 1 – 8        | 9 – 30   | 31 – 120  | > 120  |
| Maestro (MSI)                          | 1 – 8        | > 8      | N/A       | N/A    |
| Returns<br>(DE 3 = 20, for all brands) | 1 – 15       | > 15     | N/A       | N/A    |

## PDS 0207 (Wallet Identifier)

PDS 0207 (Wallet Identifier) provides information about transactions initiated through the use of a digital wallet. PDS 0207 must be present in all presentment and chargeback messages for

transactions initiated through the use of a pass-through digital wallet enabled by MasterPass® or any staged digital wallet.

Two basic digital wallet models exist: the Staged Digital Wallet and the Pass-through Digital Wallet.

Pass-through Digital Wallet functionality by which the Pass-through Digital Wallet Operator stores Mastercard® account data provided by the cardholder to the Digital Wallet Operator (DWO) for purposes of effecting a payment initiated by the cardholder to a merchant or sponsored merchant, and upon the performance of a transaction, transfers the Mastercard® account data to the merchant or sponsored merchant or to its acquirer or the acquirer's service provider.

Staged Digital Wallet functionality by which the Staged Digital Wallet Operator effects a two-stage payment to a retailer to complete a purchase initiated by a consumer as shown here:

- Payment stage: In the payment stage, the Staged DWO (Digital Wallet Operator) pays the retailer by one of these two methods:
  - A transaction conducted using a Mastercard® account or other account data assigned to the consumer by the DWO or by an issuer acting on behalf of the DWO (referred to as a consumer-assigned payment account), or
  - A funds transfer to an account designated by the retailer or held by the staged DWO on behalf of the retailer.
- Funding stage: In the funding stage, the staged DWO uses Mastercard® account or other account data provided to the Staged DWO by the consumer (referred to as the funding account) to perform a transaction that funds or reimburses the Staged Digital Wallet.

## Attributes

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | an-3; TAGLLL              |
| Tag Field           | 0207                      |
| Data Length Field   | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

## Usage for MasterPass® transactions

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

### Application notes

For MasterPass®, Mastercard® passes the Wallet Identifier as sent in by the acquirer or issuer.

The submission of PDS 0207 is always required on MasterPass® Wallet transactions or other Staged/Pass-through wallets. This data is received from the MasterPass® Wallet and can vary from transaction to transaction.

### Usage for MDES transactions

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Usage

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | .   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | .   | X   | C   |
| Second Presentment/1240                                              | .   | X   | C   |
| Retrieval Request Acknowledgment/1644                                | .   | X   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                          | .   | X   | C   |
| Fee Collection (Handling Fees)/1740                                  | .   | X   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | .   | X   | C   |

### Application notes

For MDES, Mastercard® inserts the Wallet Identifier that is in the system, when available.

The submission of PDS 0207 is always required on MasterPass® Wallet transactions or other Staged/Pass-through wallets. This data is received from the MasterPass® Wallet and can vary from transaction to transaction.

### Values for MasterPass® and MDES transactions

While values 101 and 102 were initially introduced, other values may be transmitted by MasterPass® Wallet to the merchant or acquirer. Mastercard® does not publish these values and as such, acquirer and processor systems should pass whatever value is provided by the MasterPass® Wallet unaltered in the transaction record.

#### Values

| Value | Description               |
|-------|---------------------------|
| 101   | Wallet Remote             |
| 102   | Wallet Remote NFC Payment |

PDS 0207 cannot contain all zeros, spaces, or special characters. PDS 0207 has no specific format and may contain any combination of numeric or alphanumeric values.

Mastercard® does not publish the new wallet ID values. The acquirer and processor systems should pass whatever value is provided by MasterPass® Wallet unaltered in the transaction record.

### Values for only MDES transactions

The clearing platform inserts the Wallet Identifier for Mastercard® Digital Enablement Service (MDES) (device and Card on File) transactions when available, which identifies the wallet through which the MDES token was initiated.

These values only apply to MDES transactions.

#### Values

| Value | Description                   |
|-------|-------------------------------|
| 103   | Apple Pay                     |
| 216   | Android Pay                   |
| 217   | Samsung Pay                   |
| 327   | Merchant tokenization program |

PDS 0207 cannot contain all zeros, spaces, or special characters. PDS 0207 has no specific format and may contain any combination of numeric or alphanumeric values.

## PDS 0208 (Additional Merchant Data)

PDS 0208 (Additional Merchant Data) contains the unique ID of the participating payment facilitator in a transaction along with the sponsored merchant ID when applicable.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...26; TAGLLLLVAR             |
| Tag Field           | 0208                             |
| Data Length         | 3 positions, value = 011-026     |
| Data Field          | Variable length, positions 11-26 |
| Subfields           | 2                                |
| Justification       | "See Subfields"                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                     | Org | Sys | Dst |
|-----------------------------|-----|-----|-----|
| First Presentment/1240      | C   | .   | C   |
| First Chargeback/1442       | C   | .   | C   |
| Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240     | C   | .   | C   |

### Subfield 1 (Payment Facilitator ID)

Subfield 1 (Payment Facilitator ID) is the company ID that is assigned during the time of registration of a service provider as payment facilitator.

The Payment Facilitator ID should always be a value assigned by Mastercard® and is the same value in both the authorization and clearing platforms.

### Attributes

|                     |                            |
|---------------------|----------------------------|
| Data Representation | n-11 (for example)         |
| Data Field          | Contents of positions 1–11 |
| Justification       | Right, with leading zeros  |

### Application notes

This value should be provided by the acquirer when a registered payment facilitator is involved in a transaction and should be right justified with leading zeros. For example, if the company ID is 123456, PDS 0208, subfield 1 should be 00000123456.

PDS 0208 (Additional Merchant Data), subfield 1 must match DE 48 (Additional Data, Private Use), subelement 37 (Additional Merchant Data), subfield 1 (Payment Facilitator ID) in authorization.

Subfield 1 (Payment Facilitator ID) must be alphanumeric and must not contain all zeros or all spaces.

### Subfield 2 (Sponsored Merchant ID)

PDS 0208, subfield 2 (Sponsored Merchant ID) contains the identifier assigned by the acquirer or the payment facilitator to the sponsored merchant and its location.

### Attributes

|                     |                             |
|---------------------|-----------------------------|
| Data representation | an-15                       |
| Data field          | Contents of positions 12–26 |
| Justification       | Left with trailing spaces   |

### Processing rules

The sponsored merchant ID must be present for all payment facilitator-acquired transactions and must uniquely identify each sponsored merchant and its location.

### Application notes

This value, which is assigned by the payment facilitator or their acquirer, should be provided by the acquirer whenever the payment facilitator ID is provided in PDS 0208 (Additional Merchant Data), subfield 1 (Payment Facilitator ID).

Subfield 2 (Sponsored Merchant ID) must be alphanumeric and must not contain all zeros or all spaces.

## PDS 0209 (Independent Sales Organization ID)

PDS 0209 (Independent Sales Organization ID) contains the company ID that is assigned by Mastercard® during the time of registration of a service provider as an independent sales organization.

This value should be provided by the acquirer when a registered independent sales organization is involved in a transaction and should be right justified with leading zeros. For example, if the company ID is 123456, PDS 0209 should be 00000123456.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-11; TAGLLL               |
| Tag Field           | 0209                       |
| Data Length         | 3 positions, value = 011   |
| Data Field          | Fixed length, 11 positions |
| Subfields           | None                       |
| Justification       | Right, with leading zeros  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                     | Org | Sys | Dst |
|-----------------------------|-----|-----|-----|
| First Chargeback/1442       | C   | .   | C   |
| Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240     | C   | .   | C   |

### Values

The independent sales organization ID must always be a value assigned by Mastercard® and is the same value in both the authorization and clearing platforms. This ID is the company ID that is assigned during the time of registration via Mastercard Connect® of a service provider as an independent sales organization.

This value must be provided by the acquirer when a registered independent sales organization is involved in a transaction and should be right justified with leading zeros. For example, if the company ID is 123456, PDS 0209 should be 00000123456.

## PDS 0210 (Transit Program)

PDS 0210 (Transit Program) provides data related to the transit transaction type and the transaction mode.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-4; TAGLLL               |
| Tag Field           | 0210                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |

Acquirers should not populate the subfields in this PDS with values other than those defined by Mastercard®. The values should be populated only on transit activity for transactions that have transit-related MCCs and not on transactions with any other MCC.

**NOTE: The values 03 and 04 defined for subfield 1 (Transit Transaction Type Indicator) must only be populated by acquirers working with Transit agencies and supporting Mastercard aggregated transit transaction models.**



Issuers should not reject or limit processing of these transactions solely because acquirers populate the subfields in this PDS with values that are not defined by Mastercard®.

**NOTE: The value of 07 (Debt Recovery) must not be used where the original transit transaction was 01 (Pre-Funded) or 02 (Real-Time Authorized). The value of 07 should only be used where the original transit transactions was 03 (Post-Authorized Aggregated), or 04 (Authorized Aggregated Split Clearing) or 05 (Other) where the transaction model implements a delayed authorization.**

## PDS 0210 subfields

PDS 0210 (Transit Program) consists of two subfields.

### PDS 0210 subfields

| Number | Positions | Name                               | Attributes | Justification |
|--------|-----------|------------------------------------|------------|---------------|
| 1      | 1–2       | Transit Transaction Type Indicator | n-2        | N/A           |
| 2      | 3–4       | Transportation Mode Indicator      | n-2        | N/A           |

### Subfield 1 (Transit Transaction Type Indicator)

PDS 0210 (Transit Program), subfield 1 (Transit Transaction Type Indicator) contains the transit transaction type to uniquely identify different Mastercard® transit transaction types. The valid values for subfield 1 are listed in this table.

This is a mandatory data element for transit transactions (for more information about transit transactions, please refer to the Global Transit Implementation Guide or any regional or country specific variant).

### Subfield 1 (Transit Transaction Type Indicator)

| Value | Description                          |
|-------|--------------------------------------|
| 01    | Pre-Funded                           |
| 02    | Real-time Authorized                 |
| 03    | Post-Authorized Aggregated           |
| 04    | Authorized Aggregated Split Clearing |
| 05    | Other                                |
| 06    | Post-authorized Aggregated Maestro®  |
| 07    | Debt Recovery                        |

| Value | Description             |
|-------|-------------------------|
| 08    | First Ride Risk Claim   |
| 09–99 | Reserved for Future Use |

## Subfield 2 (Transportation Mode Indicator)

PDS 0210 (Transit Program), subfield 2 (Transportation Mode Indicator) contains the type of transportation mode used by the cardholder for that transaction. The valid values for subfield 2 are listed in this table.

### Subfield 2 (Transportation Mode Indicator)

| Value | Description                                       |
|-------|---------------------------------------------------|
| 00    | Unknown                                           |
| 01    | Urban Bus                                         |
| 02    | Interurban Bus                                    |
| 03    | Light Train Mass Transit (Underground Metro, LTR) |
| 04    | Train                                             |
| 05    | Commuter Train                                    |
| 06    | Water Borne Vehicle                               |
| 07    | Toll                                              |
| 08    | Parking                                           |
| 09    | Taxi                                              |
| 10    | High Speed Train                                  |
| 11    | Rural Bus                                         |
| 12    | Express Commuter Train                            |
| 13    | Para Transit                                      |
| 14    | Self Drive Vehicle                                |
| 15    | Coach                                             |
| 16    | Locomotive                                        |
| 17    | Powered Motor Vehicle                             |
| 18    | Trailer                                           |
| 19    | Regional Train                                    |

| Value | Description             |
|-------|-------------------------|
| 20    | Inter City              |
| 21    | Funicular Train         |
| 22    | Cable Car               |
| 23–99 | Reserved for Future Use |

## PDS 0211 (Terminal Compliant Indicator)

PDS 0211 (Terminal Compliant Indicator) contains two subfields.

These subfields identify whether or not a point-of-sale (POS) terminal from which the transaction originated is Terminal Line Encryption (TLE) and Unique Key Per Terminal (UKPT)/Derived Unique Key Per Terminal (DUKPT) compliant. These fields must be present in all card-present POS transactions acquired in India.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-2; TAGLLL               |
| Tag Field           | 0211                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

Acquirers should not populate the subfields in this PDS with values other than those defined by Mastercard®. These values should be populated only on card-present POS transactions acquired in India.

### Subfield 1 (TLE Compliant)

PDS 0211, subfield 1 indicates whether or not the point-of-sale (POS) terminal from which the transaction occurred is certified by Terminal Line Encryption (TLE).

#### Values

| Values | Description   |
|--------|---------------|
| 1      | Not Certified |
| 2      | Certified     |

### Subfield 2 (UKPT/DUKPT Compliant)

PDS 0211, subfield 2 indicates whether or not the point-of-sale (POS) terminal from which the transaction occurred is certified by Unique Key Per Terminal/Derived Unique Key per Terminal (UKPT/DUKPT).

#### Values

| Value | Description   |
|-------|---------------|
| 1     | Not Certified |
| 2     | Certified     |

## PDS 0212 (Merchant Data Services)

PDS 0212 (Merchant Data Services) is populated by Mastercard with a service level indicator which represents the services the issuer has registered for and the response value supplied based on what information was provided in the associated First or Second Presentment/1240 message.

#### Attributes

| Attribute           | Description      |
|---------------------|------------------|
| Data Representation | ans-5; TAGLLLVAR |

| Attribute     | Description     |
|---------------|-----------------|
| Tag Field     | 0212            |
| Data Length   | 005             |
| Data Field    | Fixed length    |
| Subfields     | 2               |
| Justification | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

## Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | .   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | .   | X   | C   |
| Second Presentment/1240                               | .   | X   | C   |

## PDS 0213 (Merchant Country of Origin)

PDS 0213 (Merchant Country of Origin) contains the ISO numeric country code for the home country of the government that owns or controls the merchant that initiated the transaction.

## Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-3                       |
| Length Field        | 3 positions, value=003    |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Right                     |

## Values

If present, PDS 0213 must contain a valid numeric ISO country code. When territories have a defined country code in Chapter 2 of the *Quick Reference Booklet*, that country code must be used.

For example, embassies are physically located in countries that are not their "home country" (that is, the embassy of Mexico may be physically located in Singapore; however, the "home country" is Mexico).

## Requirements

PDS 0213 must contain the location information of the government entity, not the location of the merchant.

When PDS 0213 is provided, this field must contain a valid three byte ISO numeric country code in First Presentment/1240 messages.

The following table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

## Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | O   |

## PDS 0214 (Merchant Data Cleansing Plus)

PDS 0214 (Merchant Data Cleansing Plus) contains Mastercard provided merchant data for customers participating in the Mastercard Merchant Data Cleansing Plus Service.

## Attributes

| Attribute           | Description          |
|---------------------|----------------------|
| Data Representation | ans...354; TAGLLLVAR |
| Tag Field           | 0214                 |
| Data Length         | 354                  |
| Data Field          | Variable length      |
| Subfields           | 5                    |
| Justification       | See "Subfields"      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | .   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | .   | X   | C   |
| Second Presentment/1240                               | .   | X   | C   |

## PDS 0214 subfields

PDS 0214 (Merchant Data Cleansing Plus) consists of five subfields.

### PDS 0214 subfields

| Number | Positions | Name                             | Attributes | Justification |
|--------|-----------|----------------------------------|------------|---------------|
| 1      | 1–90      | Cleansed Legal Corporate Name    | ans-90     | left          |
| 2      | 91–93     | Sales Channel: Percentage Brick  | n-3        | right         |
| 3      | 94–96     | Sales Channel: Percentage Online | n-3        | right         |
| 4      | 97–99     | Sales Channel: Percentage Other  | n-3        | right         |
| 5      | 100–354   | Cleansed Merchant URL            | ans-255    | left          |

### Subfield 1 (Cleansed Legal Corporate Name)

PDS 0214 (Merchant Data Cleansing Plus), subfield 1 (Cleansed Legal Corporate Name) contains the cleansed legal corporate name.

### Subfield 2 (Sales Channel: Percentage Brick)

PDS 0214, subfield 2 (Sales Channel: Percentage Brick) contains the percentage of sales transactions made at the merchant's brick-and-mortar locations.

### Subfield 3 (Sales Channel: Percentage Online)

PDS 0214, subfield 3 (Sales Channel: Percentage Online) contains the percentage of sales transactions made at the merchant's online locations.

### Subfield 4 (Sales Channel: Percentage Other)

PDS 0214, subfield 4 (Sales Channel: Percentage Other) contains the percentage of sales transactions made at the merchant's other locations (for example telephone sales).

### Subfield 5 (Cleansed Merchant URL)

PDS 0214, subfield 5 (Cleansed Merchant URL) contains the Uniform Resource Locator (URL) of the merchant website, when available.

## PDS 0215 (Mastercard Merchant Data Advance)

PDS 0215 (Mastercard Merchant Data Advance) contains Mastercard provided merchant data for customers participating in the Mastercard Merchant Data Advance Service.

### Attributes

| Attribute           | Description        |
|---------------------|--------------------|
| Data Representation | ans-106; TAGLLLVAR |
| Tag Field           | 0215               |
| Data Length         | 106                |
| Data Field          | Fixed length       |
| Subfields           | 8                  |
| Justification       | See "Subfields"    |



## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | .   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | .   | X   | C   |
| Second Presentment/1240                               | .   | X   | C   |

## PDS 0215 subfields

PDS 0215 (Mastercard Merchant Data Advance) consists of eight subfields.

### PDS 0215 subfields

| Number | Positions | Name                         | Attributes | Justification |
|--------|-----------|------------------------------|------------|---------------|
| 1      | 1–5       | Aggregate Merchant ID        | n-5        | right         |
| 2      | 6–80      | Aggregate Merchant Name      | ans-75     | left          |
| 3      | 81–83     | Industry Code                | ans-3      | left          |
| 4      | 84–86     | Super Industry Code          | ans-3      | left          |
| 5      | 87–91     | Key Aggregate Merchant ID    | n-5        | right         |
| 6      | 92        | Channel Distribution ID      | ans-1      | left          |
| 7      | 93–98     | NAICS Code                   | ans-6      | left          |
| 8      | 99–106    | Parent Aggregate Merchant ID | n-8        | right         |

### Subfield 1 (Aggregate Merchant ID)

PDS 0215 (Mastercard Merchant Data Advance), subfield 1 (Aggregate Merchant ID) contains the aggregate merchant identifier assigned in the data warehouse in the aggregate merchant table.

### Subfield 2 (Aggregate Merchant Name)

PDS 0215, subfield 2 (Aggregate Merchant Name) contains the merchant chain, typically for multiple merchant locations, sometimes associated with a brand name.

### Subfield 3 (Industry Code)

PDS 0215, subfield 3 (Industry Code) contains the industry code assigned to the merchant. The values are listed in this table.

#### Subfield 3 values

| Value | Description                          |
|-------|--------------------------------------|
| AAC   | Children's Apparel                   |
| AAF   | Family Apparel                       |
| AAM   | Men's Apparel                        |
| AAW   | Women's Apparel                      |
| AAX   | Miscellaneous Apparel                |
| ACC   | Accommodations                       |
| ACS   | Automotive New and Used Car Sales    |
| ADV   | Advertising Services                 |
| AFH   | Agriculture/Forestry/Fishing/Hunting |
| AFS   | Automotive Fuel                      |
| ALS   | Accounting and Legal Services        |
| ARA   | Amusement, Recreation Activities     |
| ART   | Arts and Craft Stores                |
| AUC   | Automotive Used Only Car Sales       |
| AUT   | Automotive Retail                    |
| BKS   | Book Stores                          |
| BMV   | Music and Videos                     |
| BNM   | Newspapers and Magazines             |

| Value | Description                                        |
|-------|----------------------------------------------------|
| BTN   | Bars/Taverns/Nightclubs                            |
| BWL   | Beer/Wine/Liquor Stores                            |
| CCR   | Consumer Credit reporting                          |
| CEA   | Consumer Electronics/Appliances                    |
| CES   | Cleaning and exterminating Services                |
| CGA   | Casino and Gambling Activities                     |
| CMP   | Computer/Software Stores                           |
| CNS   | Construction Services                              |
| COS   | Cosmetics and Beauty Services                      |
| CPS   | Camera/Photography Supplies                        |
| CSV   | Courier Services                                   |
| CTE   | Communications, Telecommunications Equipment       |
| CTS   | Communications, Telecommunications, Cable Services |
| CUE   | College, University Education                      |
| CUF   | Clothing, Uniform, Costume Rental                  |
| DAS   | Dating Services                                    |
| DCS   | Death Care Services                                |
| DIS   | Discount Department Stores                         |
| DLS   | Dry Cleaning, Laundry Services                     |
| DPT   | Department Stores                                  |
| DSC   | Drug Store Chains                                  |
| DVG   | Variety / General Merchandise Stores               |
| EAP   | Eating Places                                      |
| ECA   | Employment, Consulting Agencies                    |
| EHS   | Elementary, Middle, High Schools                   |
| EQR   | Equipment Rental                                   |
| ETC   | Miscellaneous                                      |
| FLO   | Florists                                           |
| FSV   | Financial Services                                 |
| GHC   | Giftware/Houseware/Card Shops                      |
| GRO   | Grocery Stores                                     |

Data element and private data subelement definitions and details  
Subfield 3 (Industry Code)

| <b>Value</b> | <b>Description</b>                                       |
|--------------|----------------------------------------------------------|
| GSF          | Specialty Food Stores                                    |
| HBM          | Health/Beauty/Medical Supplies                           |
| HCS          | Health Care and Social Assistance                        |
| HFF          | Home Furnishings/Furniture                               |
| HIC          | Home Improvement Centers                                 |
| INS          | Insurance                                                |
| IRS          | Information Retrieval Services                           |
| JGS          | Jewelry and Giftware                                     |
| LEE          | Live Performances, Events, Exhibits                      |
| LLS          | Luggage and Leather Stores                               |
| MAS          | Miscellaneous Administrative and Waste Disposal Services |
| MER          | Miscellaneous Entertainment and Recreation               |
| MES          | Miscellaneous Educational Services                       |
| MFG          | Manufacturing                                            |
| MOS          | Miscellaneous Personal Services                          |
| MOT          | Movie and Other Theatrical                               |
| MPI          | Miscellaneous Publishing Industries                      |
| MPS          | Miscellaneous Professional Services                      |
| MRS          | Maintenance and Repair Services                          |
| MTS          | Miscellaneous Technical Services                         |
| MVS          | Miscellaneous Vehicle Sales                              |
| OBS          | Obsolete                                                 |
| OPT          | Optical                                                  |
| OSC          | Office Supply Chains                                     |
| PET          | Pet Stores                                               |
| PFS          | Photofinishing Services                                  |
| PHS          | Photography Services                                     |
| PST          | Professional Sports Teams                                |
| PUA          | Public Administration                                    |
| RCP          | Religious, Civic and Professional Organizations          |
| RES          | Real Estate Services                                     |

| Value | Description                                               |
|-------|-----------------------------------------------------------|
| SGS   | Sporting Goods/Apparel/Footwear                           |
| SHS   | Shoe Stores                                               |
| SND   | Software Production, Network Services and Data Processing |
| SSS   | Security, Surveillance Services                           |
| TAT   | Travel Agencies and Tour Operators                        |
| TEA   | T+E Airlines                                              |
| TEB   | T+E Bus                                                   |
| TET   | T+E Cruise Lines                                          |
| TEV   | T+E Vehicle Rental                                        |
| TOY   | Toy Stores                                                |
| TRR   | T+E Railroad                                              |
| TSS   | Other Transportation Services                             |
| TTL   | T+E Taxi and Limousine                                    |
| UNK   | Unknown                                                   |
| UTL   | Utilities                                                 |
| VES   | Veterinary Services                                       |
| VGR   | Video and Game Rentals                                    |
| VTB   | Vocation, Trade and Business Schools                      |
| WAH   | Warehouse                                                 |
| WHC   | Wholesale Clubs                                           |
| WHT   | Wholesale Trade                                           |

### Subfield 4 (Super Industry Code)

PDS 0215, subfield 4 (Super Industry Code) contains the super industry code assigned to the merchant. The values are listed in this table.

#### Subfield 4 values

| Value | Description                      |
|-------|----------------------------------|
| AAP   | Apparel and Accessories          |
| ACF   | Accommodations and Food Services |

Data element and private data subelement definitions and details  
Subfield 4 (Super Industry Code)

| Value | Description                                                        |
|-------|--------------------------------------------------------------------|
| AER   | Arts, Entertainment, Recreation                                    |
| AFH   | Agriculture, Forestry/Fishing, Hunting                             |
| AWS   | Administrative Support, Waste Management, and Remediation Services |
| CEC   | Consumer Electronics and Computers                                 |
| CNS   | Construction Services                                              |
| CTE   | Communications, Telecommunications Equipment                       |
| EDS   | Education Services                                                 |
| ETC   | Miscellaneous                                                      |
| FAI   | Finance and Insurance                                              |
| GEN   | General Merchandise Stores                                         |
| GFR   | Grocery and Food Stores                                            |
| HCS   | Health Care and Social Assistance                                  |
| HIC   | Home Improvement Centers                                           |
| HPC   | Health and Personal Care Stores                                    |
| INF   | Information                                                        |
| MFG   | Manufacturing                                                      |
| MOS   | Other Services                                                     |
| MOV   | Motor Vehicles                                                     |
| OBS   | Obsolete                                                           |
| PST   | Professional, Scientific, and Technical Services                   |
| PUA   | Public Administration                                              |
| RLL   | Real Estate, Rental and Leasing                                    |
| SGH   | Sporting Goods and Hobby                                           |
| TWS   | Transportation and Warehousing                                     |
| UNK   | Unknown                                                            |
| UTL   | Utilities                                                          |
| WHT   | Wholesale Trade                                                    |

## Subfield 6 (Channel Distribution ID)

PDS 0215, subfield 6 (Channel Distribution ID) contains the code determined by Mastercard and assigned to aggregate merchants. The values are listed in this table.

### Subfield 6 values

| Value | Description       |
|-------|-------------------|
| B     | Brick-and-mortar  |
| O     | Online (Internet) |
| C     | Catalog           |
| N     | Non-store Mixed   |

## Subfield 7 (NAICS Code)

PDS 0215, subfield 7 (NAICS Code) contains the North American Industry Classification System code. A code similar to the Mastercard defined merchant category code.

## Subfield 8 (Parent Aggregate Merchant ID)

PDS 0215, subfield 8 (Parent Aggregate Merchant ID) contains a unique number used to identify the company that owns the merchant.

## PDS 0216 (Additional Acceptor Data)

PDS 0216 (Additional Acceptor Data) contains subfields representing data related to the acceptor and service location.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans-69; TAGLLL                  |
| Tag field           | 0216                            |
| Length field        | 3 positions, value = 029-069    |
| Data Length         | Fixed length, 029-069 positions |
| Subfields           | 6 subfields                     |
| Justification       | See subfields                   |

## Values

If present, PDS 0216 must be a fixed length of 029 to 069.

## Usage

### Usage

| Message                                                     | Org | Sys | Dst |
|-------------------------------------------------------------|-----|-----|-----|
| First Presentment/<br>1240                                  | C   | .   | C   |
| First Chargeback/1442<br>and Arbitration<br>Chargeback/1442 | C   | .   | C   |
| Second Presentment/<br>1240                                 | C   | .   | C   |

## Subfield 1 (Service Location City Name)

PDS 0216, subfield 1 (Service Location City Name) contains the name of the city where the cardholder received the services, if it is different from the location identified by the acceptor city name.

### Attributes

|                     | Attribute                 | Value |
|---------------------|---------------------------|-------|
| Subfield ID         | n-2                       | 01    |
| Subfield length     | n-2                       | 13    |
| Data representation | ans-13                    |       |
| Justification       | Left with trailing spaces |       |

## Values

Service Location City Name must contain the name of the city, town, or village as defined by country postal standards.

## Processing rules

Service Location City Name must be present for all transactions when different from the location identified in the Acceptor City Name.



For the U.S. region, this field must match the U.S. Postal Service list of acceptable cities and spellings.

## Subfield 2 (Service Location Country Subdivision Code)

PDS 0216, subfield 2 (Service Location Country Subdivision Code) contains the code of the country subdivision where the cardholder received the services, if it is different from the location identified by the acceptor country subdivision code.

### Attributes

|                     | Attribute                 | Value |
|---------------------|---------------------------|-------|
| Subfield ID         | n-2                       | 02    |
| Subfield length     | n-2                       | 03    |
| Data representation | ans-3                     |       |
| Justification       | Left with trailing spaces |       |

### Values

Service Location Country Subdivision Code must contain a valid code as defined in Chapter 2 of the *Quick Reference Booklet*.

### Processing rules

The Service Location Subdivision Code must be present for all transactions when different from the location identified in the Acceptor Subdivision Code.

## Subfield 3 (Service Location Country Code)

PDS 0216, subfield 3 (Service Location Country Code) contains the code of the country where the cardholder received the services, if it is different from the location identified by the acceptor country code.

### Attributes

|             | Attribute | Value |
|-------------|-----------|-------|
| Subfield ID | n-2       | 03    |

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield length     | n-2       | 03    |
| Data representation | ans-3     |       |
| Justification       | Left      |       |

### Values

Acceptor Country Code must contain a valid three-character alphabetic code as defined in Chapter 2 of the *Quick Reference Booklet*. When territories have a defined country code in the *Quick Reference Booklet*, that country code must be used.

### Processing rules

The Service Location Country Code must be present for all transactions when different from the location identified in the Acceptor Country Code.

## Subfield 4 (Service Location Postal Code)

PDS 0216, subfield 4 (Service Location Postal Code) contains the postal code of the country where the cardholder received the services, if it is different from the location identified by the acceptor postal code.

### Attributes

|                     | Attribute                 | Value |
|---------------------|---------------------------|-------|
| Subfield ID         | n-2                       | 04    |
| Subfield length     | n-2                       | 10    |
| Data representation | ans-10                    |       |
| Justification       | Left with trailing spaces |       |

### Values

Service Location Postal Code must contain a valid code as defined by country postal standards.

### Processing rules

The Service Location Postal Code must be present for all transactions when different from the Acceptor Postal Code and contain a valid code for countries that utilize postal codes. This information must be populated and formatted as defined by country postal standards.

## Subfield 5 (Acceptor Geographic Coordinates)

PDS 0216, subfield 05 (Acceptor Geographic Coordinates) contains the latitude and longitude of the acceptor's location.

### Attributes

|                     | Attribute                 | Value |
|---------------------|---------------------------|-------|
| Subfield ID         | n-2                       | 05    |
| Subfield length     | n-2                       | 20    |
| Data representation | ns-20                     |       |
| Justification       | Left with trailing spaces |       |

### Values

Acceptor geographic coordinates, when present, must contain valid latitude and longitude values, comma-separated, represented in decimal degrees to five decimal places in positions 001 through 020 with these format standards:

- Length of geographic coordinates is a range of 15 - 20 positions
- When the geographic coordinate value is less than 20 positions, subfield 05 must be left justified with trailing spaces up to the fixed length of 20 positions
- Subfield should not contain alpha characters
- The subfield contains up to two '-'
- The subfield contains precisely two '.'
- The subfield contains precisely one ','
- At least one numeric position is found before the first '.'
- Five numeric positions are found between the first '.' and ','
- At least one numeric position is found between ',' and the second '.'
- Five numeric positions are found after the second '.'
- Latitude is greater than or equal to -90.00000 and less than or equal to 90.00000
- Longitude is greater than or equal to -180.00000 and less than or equal to 180.00000
- No space character follows the comma separator
- PDS 0216, subfield 05 may contain all spaces

### Latitude and longitude examples

| Location        | Latitude and longitude                         |
|-----------------|------------------------------------------------|
| Anloga, Ghana   | 5.78381,0.72175 (with five trailing spaces)    |
| Lagos, Portugal | 37.11000,-8.67880 (with three trailing spaces) |

| Location                                    | Latitude and longitude                        |
|---------------------------------------------|-----------------------------------------------|
| Anchorage, AK                               | 61.21630,-149.89500 (with one trailing space) |
| Pago Pago, Eastern District, American Samoa | -14.27451,-170.70616                          |

### Processing rules

Acceptor geographic coordinates can optionally be provided for all transactions and contain valid latitude and longitude values representing the acceptor location.

### Subfield 6 (Service Location Geographic Coordinates)

PDS 0216, subfield 06 (Service Location Geographic Coordinates) contains the latitude and longitude where the cardholder received the services, if it is different from the acceptor location.

### Attributes

|                     | Attribute                 | Value |
|---------------------|---------------------------|-------|
| Subfield ID         | n-2                       | 06    |
| Subfield length     | n-2                       | 20    |
| Data representation | ns-20                     |       |
| Justification       | Left with trailing spaces |       |

### Values

Service location geographic coordinates, when present, must contain valid latitude and longitude values, comma-separated, represented in decimal degrees to five decimal places in positions 001 through 020 with these format standards:

- Length of geographic coordinates is a range of 15 - 20 positions
- When the geographic coordinate value is less than 20 positions, PDS 0216, subfield 06 must be left justified with trailing spaces up to the fixed length of 20 positions
- Subfield should not contain alpha characters
- The subfield contains up to two '-'
- The subfield contains precisely two '.'
- The subfield contains precisely one ','
- At least one numeric position is found before the first '.'
- Five numeric positions are found between the first '.' and ','
- At least one numeric position is found between ',' and the second '.'
- Five numeric positions are found after the second '.'
- Latitude is greater than or equal to -90.00000 and less than or equal to 90.00000
- Longitude is greater than or equal to -180.00000 and less than or equal to 180.00000

- No space character follows the comma separator
- PDS 0216, subfield 06 may contain all spaces

### Latitude and longitude examples

| Location                                    | Latitude and longitude                         |
|---------------------------------------------|------------------------------------------------|
| Anloga, Ghana                               | 5.78381,0.72175 (with five trailing spaces)    |
| Lagos, Portugal                             | 37.11000,-8.67880 (with three trailing spaces) |
| Anchorage, AK                               | 61.21630,-149.89500 (with one trailing space)  |
| Pago Pago, Eastern District, American Samoa | -14.27451,-170.70616                           |

### Processing rules

Service location geographic coordinates can optionally be provided instead of, or in addition to, subfields 01 through 04 (Service Location - City Name, Country Subdivision Code, Country Code, Country Postal Code) when those subfields are required.

## PDS 0217 (Special Acceptance Conditions Data)

PDS 0217 (Special Acceptance Conditions Data) allows an acquirer to provide additional information about the transaction, the acceptor, and other information, not elsewhere provided, that is relevant to the way Mastercard processes the transaction.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data representation | ans...999; TAGLLLVAR             |
| Tag field           | 0217                             |
| Length field        | 3 positions, value = 001-999     |
| Data field          | Variable length, 1-999 positions |
| Subfields           | 1 subfield                       |
| Justification       | See subfields                    |

### Usage

Following is the usage of PDS 0217 (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message Type Identifier | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| First Presentment/1240  | C   | X   | C   |

## PDS 0217 subfields

### PDS 0217 subfields

Mastercard will introduce additional PDS 0217 subfields in the future. The subfields will be positional. For example, in the future if six subfields exist and only subfield 05 is relevant for a given transaction, then an acquirer must provide spaces or zeroes in subfields 01 to 04 and provide the relevant data in subfield 05. There would be no need to populate subfield 06 unless it applies to the transaction.

| Number | Positions | Name                                          | Attributes | Justification |
|--------|-----------|-----------------------------------------------|------------|---------------|
| 1      | 1-1       | Mastercard One Credential Exclusion Indicator | ans-1      | N/A           |

### Subfield 01 (Mastercard One Credential Exclusion Indicator)

PDS 0217 (Special Acceptance Conditions Data), subfield 01 (Mastercard One Credential Exclusion Indicator) allows an acquirer to instruct Mastercard to limit the conditions in which the Mastercard One Credential service should apply to the transaction.

### Values

If present, PDS 0217, subfield 01 (Mastercard One Credential Exclusion Indicator) must contain one of the values listed in the table.

| Value | Description                                                                                                                  |
|-------|------------------------------------------------------------------------------------------------------------------------------|
| C     | Do not assign a Mastercard One Credential funding PAN containing the Mastercard Credit Acceptance Brand for this transaction |
| D     | Do not assign a Mastercard One Credential funding PAN containing the Debit Mastercard Acceptance Brand for this transaction  |

| Value | Description                                                                                                        |
|-------|--------------------------------------------------------------------------------------------------------------------|
| M     | Do not assign a Mastercard One Credential funding PAN containing the Maestro Acceptance Brand for this transaction |

### Application notes

The Dual Message Clearing System will create or overlay PDS 0217, subfield 01 (Mastercard One Credential Exclusion Indicator) with the value from DE 48, subelement 02 (Special Acceptance Conditions Data) subfield 01 (Mastercard One Credential Exclusion Indicator) of the matching Authorization message if the clearing to authorization matching process is successful.

The Dual Message Clearing System will remove PDS 0217, subfield 01 (Mastercard One Credential Exclusion Indicator) from the message if the Issuer does not participate in the Mastercard One Credential service.

## PDS 0218 (Cardholder/Merchant Initiated Transaction Indicator)

PDS 0218 (Cardholder/Merchant Initiated Transaction Indicator) contains details that allow acquirers to identify whether the transaction was initiated by the cardholder or the merchant as well as providing more detail as to the type of stored credential being used for the transaction.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | an-4; TAGLLL              |
| Tag Field           | 0218                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | 2                         |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Usage

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | O   | X   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |

## Application notes

GCMS will add PDS 0218 to the First Presentment/1240 message and populate it with the value from DE 48, subelement 22, subfield 5 of the associated Authorization Request/0100 message. This will occur when there is an associated Authorization Request/0100 message with DE 48, subelement 22, subfield 5 present.

## PDS 0218 subfields

PDS 0218 consists of two subfields.

## Attributes

| Number | Positions | Name                      | Attribute | Justification |
|--------|-----------|---------------------------|-----------|---------------|
| 1      | 1-2       | CIT/MIT Category          | an-2      | Right         |
| 2      | 3-4       | CIT/MIT Sub-category Code | n-2       | Right         |

## Subfield 1 (CIT/MIT Category)

Subfield 1 (CIT/MIT Category) contains the CIT and MIT categories.

## Values

| Values     | Description            |
|------------|------------------------|
| C1, M1, M2 | CIT and MIT categories |



## Subfield 2 (CIT/MIT Sub-category)

Subfield 2 (CIT/MIT Sub-category) contains the CIT and MIT sub-categories.

### Values

| Values   | Description                |
|----------|----------------------------|
| 00 to 99 | CIT and MIT sub-categories |

## PDS 0220 (Brazil Merchant Tax ID)

PDS 0220 (Brazil Merchant Tax ID) contains the merchant tax ID provided by the acquirers in Brazil. PDS 0220 contains the personal tax IDs or commercial tax IDs of merchants that can be sent by all acquirers in Brazil.

### Attributes

| Attribute           | Description                                   |
|---------------------|-----------------------------------------------|
| Data Representation | an-14; TAGLLLLVAR                             |
| Tag Field           | 0220                                          |
| Data Length         | 3 positions                                   |
| Data Field          | Variable Length, 11 positions or 14 positions |
| Subfields           | None                                          |
| Occurrences         | N/A                                           |
| Justification       | Left                                          |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | .   | C   |

## PDS 0221 (Domestic Merchant Tax ID)

PDS 0221 (Domestic Merchant Tax ID) contains the merchant and submerchant tax ID provided by the acquirers in domestic transactions. PDS 0221 will contain the personal tax IDs or commercial tax IDs of merchants and submerchants that can be sent by all acquirers in domestic transactions. The Dual Message Clearing System will remove PDS 0221 before sending it to the issuers.

This information is included only in the MasterCom image interface data header and MasterCom notification files.

### Attributes

| Attribute            | Description                                     |
|----------------------|-------------------------------------------------|
| Data Representation: | an...020; TAGLLLLVAR                            |
| Tag Field:           | 0221                                            |
| Length Field:        | 3 positions, value = 001–020                    |
| Data Length:         | Variable length, 001–020 positions              |
| Subfields:           | N/A                                             |
| Occurrences:         | N/A                                             |
| Justification:       | Left                                            |
| Base ID:             | n-11(no dots nor dashes),left filled with zeros |
| Check digit:         | an-1                                            |

### Application notes

This field is required when purchase, purchase with cash back, and refund transactions are submitted by acquirers for merchants in Chile and Paraguay.

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                | Org | Sys | Dst |
|------------------------|-----|-----|-----|
| First Presentment/1240 | C   | X   | .   |

For transactions qualifying for the business service arrangement listed in this table, PDS 0221 must be present for first presentment purchase transactions.

PDS 0221 must be present in the First Presentment/1240 message containing DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code), with a value of 00 (Purchase [Good and Services]), 09 (Purchase [Goods and Services] with Cash Back), 18 (Unique Transaction [Requires Unique MCC]), 20 (Credit [Purchase Return]).

For cross-border, non-domestic transactions, PDS 0221 must not be present. If present, the GCMS will remove this PDS before sending the message to the issuers.

PDS 0221 must be numeric and right justified and must not contain all spaces.

PDS 0158 (Business Activity) refers to Business Service Arrangements (BSA) 4/604001, where PDS 0221 will have the special use.

#### Special use for BSA 4/604001

| Business Service Type Code<br>(PDS 0158, subfield 2) | Business Service ID (PDS 0158,<br>subfield 3) | Description       |
|------------------------------------------------------|-----------------------------------------------|-------------------|
| 4                                                    | 604001                                        | Peru Intracountry |

If present, PDS 0221 will vary in length from 8, 9, or 11 characters for Peru, based on the ID type.

PDS 0158 (Business Activity) refers to Business Service Arrangements (BSA) 4/170001, where PDS 0221 will have the special use.

#### Special use for BSA 4/170001

| Business Service Type Code<br>(PDS 0158, subfield 2) | Business Service ID (PDS 0158,<br>subfield 3) | Description           |
|------------------------------------------------------|-----------------------------------------------|-----------------------|
| 4                                                    | 170001                                        | Colombia intracountry |

If present, PDS 0221 will vary in length from 6 to 16 characters based on the ID type.

## PDS 0222 (Mexico Domestic Dispute Resolution Documentation Image-Related Data)

PDS 0222 (Mexico Domestic Dispute Resolution Documentation Image-Related Data) contains technical details associated with a dispute-related, supporting documentation image file generated by a participant involved in a Mexico domestic transaction.

This PDS and related subfields are used only in Mexico-domestic Mastercard® processing involving use of the Mastercard® domestic dispute resolution system. The format of the data within this PDS is defined by the Mexico-domestic CATB (Contrato de Aceptación de Tarjeta Bancaria) specifications.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | ans-065; TAGLLL          |
| Tag Field           | 0222                     |
| Data Length         | 3 positions, value = 065 |
| Data Field          | Fixed length             |
| Subfields           | 4                        |
| Justification       | See "Subfields"          |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                   | Org | Sys | Dst |
|-------------------------------------------|-----|-----|-----|
| Second Presentment (Full)/1240-205        | C   | •   | C   |
| Second Presentment (Partial)/1240-282     | C   | •   | C   |
| First Chargeback (Full)/1442-450          | C   | •   | C   |
| First Chargeback (Partial)/1442-453       | C   | •   | C   |
| Arbitration Chargeback (Full)/1442-451    | C   | •   | C   |
| Arbitration Chargeback (Partial)/1442-454 | C   | •   | C   |
| Retrieval Request /1644-603               | C   | •   | C   |

| Message                                              | Org | Sys | Dst |
|------------------------------------------------------|-----|-----|-----|
| Retrieval Request Acknowledgment/1644-605            | C   | .   | C   |
| Fee Collection (Customer-generated)/1740-700         | C   | .   | C   |
| Fee Collection Return/1740-780                       | C   | .   | C   |
| Fee Collection Resubmission/1740-781                 | C   | .   | C   |
| Fee Collection Arbitration Return/1740-782           | C   | .   | C   |
| Fee Collection (Clearing System-generated) /1740-783 | C   | .   | C   |
| Fee Collection (Funds Transfer) /1740-790            | C   | .   | C   |
| Fee Collection (Funds Transfer Backout) /1740-791    | C   | .   | C   |

This data is used to associate a clearing message with the corresponding dispute-resolution-related image file that was routed through the Mexico domestic image interchange system and available for review in the Mastercard® domestic dispute resolution system.

## PDS 0222 subfields

Mexico Domestic Dispute Resolution Documentation Image-Related Data consists of four subfields.

### Subfield 1 (Mexico Domestic Data Indicator)

Subfield 1 (Mexico Domestic Data Indicator) contains a value that indicates the PDS content is specifically intended for Mexico-domestic dispute resolution processing.

#### Subfield 1 (Mexico Domestic Data Indicator)

|                      | Attributes                | Value |
|----------------------|---------------------------|-------|
| Subfield ID:         | n-2                       | 01    |
| Subfield Length:     | n-3                       | 004   |
| Data Representation: | ans-4                     |       |
| Data Field:          | Fixed length, 4 positions |       |
| Justification:       | Left                      |       |

A static value of MXDS (Mexico Domestic Switching) in uppercase characters present in this field indicates the PDS content applies specifically to Mexico-domestic dispute resolution processing.

## Subfield 2 (Unique Image Number (Single Issuer Folio Field in CATB Format))

PDS 0222 (Mexico Domestic Dispute Resolution Documentation Image-Related Data), subfield 2 (Unique Image Number [Single Issuer Folio Field in CATB Format]) contains the unique image number assigned to the image by the domestic network participant that created the image file.

### Subfield 2 (Unique Image Number (Single Issuer Folio Field in CATB Format))

|                      | Attributes                 | Value |
|----------------------|----------------------------|-------|
| Subfield ID:         | n-2                        | 02    |
| Subfield Length:     | n-3                        | 013   |
| Data Representation: | ans-013                    |       |
| Data Field:          | Fixed length, 13 positions |       |
| Justification:       | Left                       |       |

This table lists the values.

### Subfield 2 values

| Value    | Description                                                                                               |
|----------|-----------------------------------------------------------------------------------------------------------|
| pos 1-3  | Institution ID number (001 – 999; identifies a specific Mexican network participant)                      |
| pos 4    | Institution Type (A [Acquirer] or E [Issuer])                                                             |
| pos 5-8  | Julian Date (1 position year + Julian day 001-366, for example 17 Jan 2025 = 5017)                        |
| pos 9-13 | Consecutive Sequence Number (00000 – 99999; incremental value that uniquely identifies each image record) |

## Subfield 3 (PDF Image File Name)

Subfield 3 (PDF Image File Name) contains the PDF image file name. This is the actual name of the PDF document file created by the domestic network participant that created final PDF image file.

## Subfield 4 (PDF Image File Hash Value)

PDS 0222 (Mexico Domestic Dispute Resolution Documentation Image-Related Data), subfield 4 (PDF Image File Hash Value) contains the calculated hash value associated with the PDF file containing supporting documentation images.

### Subfield 4 (PDF Image File Hash Value)

|                      | Attributes                 | Value |
|----------------------|----------------------------|-------|
| Subfield ID:         | n-2                        | 04    |
| Subfield Length:     | n-3                        | 032   |
| Data Representation: | ans-32                     |       |
| Data Field:          | Fixed length, 32 positions |       |
| Justification:       | Left                       |       |

The hash value is calculated via 128bit MD5 hashing algorithm which generates a 32-byte character string. For example: "d41d8cd98f00b204e9800998ecf8427e".

## PDS 0225 (Syntax Return, Original Message Reason Code)

PDS 0225 (Syntax Return, Original Message Reason Code) contains the original message reason code value from DE 25 (Message Reason Code) on the transactions that were flagged with a syntax error and are now returned due to a syntax error condition by the receiver.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-4; TAGLLL               |
| Tag Field           | 0225                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | None                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | .   | C   |
| Second Presentment/1240                               | C   | .   | C   |
| Retrieval Request/1644                                | C   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | C   | .   | C   |

## Values

PDS 0225 contains the same structure as DE 25 (Message Reason Code).

For more information on the usage and values of PDS 0225, see [DE 25 \(Message Reason Code\)](#).

## PDS 0228 (Retrieval Document Code)

PDS 0228 (Retrieval Document Code) indicates the document type requested to be provided in a Retrieval Request/1644 and Retrieval Request Acknowledgment/1644.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-1; TAGLLL              |
| Tag Field           | 0228                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.



### Applicable messages

| Message                                     | Org | Sys | Dst |
|---------------------------------------------|-----|-----|-----|
| Retrieval Request/1644                      | M   | .   | M   |
| Retrieval Request Acknowledgment/1644       | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740 | O   | .   | C   |

This PDS is used in Retrieval Request/1644, Retrieval Request Acknowledgment/1644, and Retrieval Fulfillment (presented via a Fee Collection) messages to identify the specific type of retrieval document an issuer or processor requests.

### Values

Data values are listed in this table.

### Values

| Value | Description                                                    |
|-------|----------------------------------------------------------------|
| 1     | Hard copy original document                                    |
| 2     | Copy or image (photocopy, microfilm, fax) of original document |
| 4     | Substitute draft                                               |

## PDS 0230 (Fulfillment Document Code)

PDS 0230 (Fulfillment Document Code) indicates the document type the acquirer provided to the issuer in response to a Retrieval Request/1644 and in Retrieval Request Acknowledgment/1644.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-1; TAGLLL              |
| Tag Field           | 0230                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |

| Attribute     | Description |
|---------------|-------------|
| Justification | Left        |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                     | Org | Sys | Dst |
|---------------------------------------------|-----|-----|-----|
| Fee Collection (Retrieval Fee Billing)/1740 | M   | .   | M   |

This PDS is used in a retrieval fulfillment, which is presented via Fee Collection message. PDS 0230 identifies the specific type of retrieval document that the acquirer was able to supply in response to a previous Retrieval Request/1644 and in Retrieval Request Acknowledgment/1644.

### Values

Data values are listed in this table.

### Values

| Value | Description                 |
|-------|-----------------------------|
| 1     | Hard copy original document |

## PDS 0235 (Mastercard Assigned Incentive Identifier)

PDS 0235 (Mastercard Assigned Incentive Identifier) contains the incentive identifier value approved by Mastercard.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-3; TAGLLL              |
| Tag Field           | 0235                     |
| Data Length         | 3 positions, value = 003 |

| Attribute     | Description               |
|---------------|---------------------------|
| Data Field    | Fixed length, 3 positions |
| Subfields     | None                      |
| Justification | Left                      |

### Usage

Refer to the usage table, which notes if this data element is mandatory, conditional, optional, or system provided in applicable messages.

### Applicable messages

| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| First Presentment/1240  | C   | .   | C   |
| First Chargeback/1442   | C   | .   | C   |
| Second Presentment/1240 | C   | .   | C   |

## PDS 0241 (MasterCom Control Number)

PDS 0241 (MasterCom Control Number) contains the MasterCom PC endpoint number used in routing chargeback and retrieval documentation.

### Attributes

| Attribute           | Description                       |
|---------------------|-----------------------------------|
| Data Representation | ans...7; TAGLLLVAR                |
| Tag Field           | 0241                              |
| Data Length         | 3 positions, value = 002 or 007   |
| Data Field          | Variable length, 2 or 7 positions |
| Subfields           | None                              |
| Justification       | Left                              |

### Current processing restrictions

In First Chargeback/1442, Second Presentment/1240, and Arbitration Chargeback/1442 messages, if PDS 0241 is present, it must be a length of 002 and contain a MasterCom endpoint suffix.

In Retrieval Requests/1644 and Fee Collection (Retrieval Fees)/1740 messages, if PDS 0241 is present, it can contain either a MasterCom endpoint suffix or a full MasterCom endpoint. If it contains a MasterCom endpoint suffix, the length must be 002. If it contains a full MasterCom endpoint, the length must be 007.

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |
| Retrieval Request/1644                                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                 | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |

This PDS contains the MasterCom PC Endpoint Control Number or Suffix to identify the MasterCom PC associated with a retrieval request or response action, or with CSD. It is used to notify the MasterCom system that a retrieval fulfillment or CSD will be provided from a specific MasterCom PC endpoint.

If the originator does not provide the MasterCom PC Endpoint Control Number or Suffix in the clearing message, this PDS is not present in the receiver's message, and the MasterCom system uses the customer's default endpoint number.

### Values

This PDS must contain a seven-digit MasterCom PC Endpoint Number or a two-digit MasterCom PC Endpoint Suffix.

If present, PDS 0241 (MasterCom Control Number) cannot contain all zeros or all spaces.

## PDS 0243 (MasterCom Retrieval Response Data)

The MasterCom processing system provides retrieval request, response, and MasterCom image review information to the clearing system.

New information is provided each day, seven days per week. The clearing system maintains this information for 120 days from the last update in a retrieval history record for each transaction.

Each transaction is identified in history by DE 2 (Primary Account Number) and DE 31 (Acquirer Reference Data). Whenever possible, the clearing system supplements a chargeback message with information from the retrieval history file related to the issuer's Retrieval Request/1644, the acquirer's response Retrieval Request Acknowledgment/1644, and any subsequent decisions by the issuer, the MasterCom system, or both.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...38; TAGLLLLVAR            |
| Tag Field           | 0243                            |
| Data Length         | 3 positions, value = 006–038    |
| Data Field          | Variable length, 6–38 positions |
| Subfields           | 8                               |
| Justification       | See "Subfields"                 |

**NOTE: If the clearing system cannot locate history for the transaction, or more than one occurrence of history is detected, this information is not provided in the message.**

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442 | •   | X   | C   |
| Second Presentment/1240                               | •   | X   | C   |

The clearing system provides this PDS using information from the MasterCom system.

## Values

Only those subfields for which the MasterCom system has stored the information are present. PDS 0243 is truncated after the last available subfield. For example, if the issuer received the acquirer's image but has not yet accepted or rejected it, only subfields 1, 2, and 3 of PDS 0243 are present, with a corresponding length of 13.

## Subfield 1 (MasterCom Issuer Retrieval Request Date)

PDS 0243 (MasterCom Retrieval Response Data), subfield 1 is the clearing system processing date of the issuer's Retrieval Request/1644. This is the date that begins the time frame edits related to the validity of a chargeback for non-receipt of requested documentation.

## Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; YYMMDD               |
| Data Field          | Contents of positions 1–6 |
| Justification       | N/A                       |

The subfield 1 format is YYMMDD.

## Subfield 2 (MasterCom Acquirer Retrieval Response Code)

PDS 0243 (MasterCom Retrieval Response Data), subfield 2 is the code the acquirer returns in response to the issuer's Retrieval Request/1644.

## Attributes

| Attribute           | Description             |
|---------------------|-------------------------|
| Data Representation | ans-1                   |
| Data Field          | Contents of positions 7 |
| Justification       | N/A                     |

## Values

| Values | Description                                                |
|--------|------------------------------------------------------------|
| A      | Retrieval request not fulfilled; invalid reference number. |

| Values | Description                                                                                                                    |
|--------|--------------------------------------------------------------------------------------------------------------------------------|
| B      | Retrieval request not fulfilled; reference number and cardholder account number combination is incompatible.                   |
| C      | Retrieval request not fulfilled; request is for a below qualified limit transaction for which documentation was not available. |
| D      | Retrieval request was fulfilled.                                                                                               |
| E      | Retrieval request was not fulfilled; required or requested documentation is not available.                                     |
| F      | Inventory Information Approval System (IIAS) information cannot be provided because the merchant is exempt from using an IIAS. |
| G      | The retrieval information provided was not complete or was inaccurate.                                                         |
| H      | The retrieval request has been fulfilled.                                                                                      |

### Subfield 3 (MasterCom Acquirer Retrieval Response Sent Date)

PDS 0243 (MasterCom Retrieval Response Data), subfield 3 is the date that the acquirer responded to the issuer's Retrieval Request/1644.

This date determines whether the acquirer responded to the issuer's request in the appropriate time frames; it is also used in retrieval fulfillment fee billing to indicate the number of days that the acquirer took to respond.

#### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-6; YYMMDD                |
| Data Field          | Contents of positions 8–13 |
| Justification       | N/A                        |

The subfield 3 format is YYMMDD.

## Subfield 4 (MasterCom Issuer Response Code)

PDS 0243 (MasterCom Retrieval Response Data), subfield 4 is the code the issuer returns after reviewing the acquirer's response to the Retrieval Request/1644. It indicates whether the issuer accepts or rejects the acquirer's response.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-2                       |
| Data Field          | Contents of positions 14–15 |
| Justification       | N/A                         |

### Values

This table lists the values.

### Values

| Values | Description                                                                                                                                                                                                           |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 01     | Image accepted.                                                                                                                                                                                                       |
| 02     | Image rejected.                                                                                                                                                                                                       |
| 03     | The acquirer responded with "invalid request" (Acquirer's Response Codes A, B, or C); the issuer accepted this response.                                                                                              |
| 04     | The acquirer responded with "invalid request" (Acquirer's Response Codes A, B, or C); the issuer rejected this response.                                                                                              |
| 05     | The acquirer responded with "documentation not available" (Acquirer's Response Code E); the issuer accepted this response.                                                                                            |
| 06     | The acquirer responded with code A, B, C, or D; the issuer neither accepted nor rejected the response in the appropriate time frame; the MasterCom system automatically accepted the response on the issuer's behalf. |
| 07     | The acquirer responded with code E; the issuer neither accepted nor rejected the response in the appropriate time frame; the MasterCom system automatically rejected the response on the issuer's behalf.             |



## Subfield 5 (MasterCom Issuer Response Date)

PDS 0243 (MasterCom Retrieval Response Data), subfield 5 is the date that the issuer response code was provided and determines whether an issuer responded in the time frame allowed.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | n-6                         |
| Data Field          | Contents of positions 16–21 |
| Justification       | N/A                         |

The format of subfield 5 is YYMMDD.

## Subfield 6 (MasterCom Issuer Reject Reasons)

PDS 0243 (MasterCom Retrieval Response Data), subfield 6 contains the reasons that the issuer rejected the acquirer's response.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-10                      |
| Data Field          | Contents of positions 22–31 |
| Justification       | Left                        |

Up to 10 one-position reject codes can be provided. A value of Y in a particular position indicates that the issuer rejected the response for the reason associated with that position. For example, a Y in positions 2 and 4 of this subfield indicates that the issuer rejected the document the acquirer provided because of the transaction date and the expiration date.

### Values

This table lists the valid values.

### Values

| Values | Description                  |
|--------|------------------------------|
| 1      | Reject for cardholder number |

| Values | Description                        |
|--------|------------------------------------|
| 2      | Reject for transaction date        |
| 3      | Reject for transaction amount      |
| 4      | Reject for expiration date         |
| 5      | Reject for acceptor name           |
| 6      | Reject for incorrect documentation |
| 7      | Reject for other reason            |
| 8–10   | Reserved for future use            |

## Subfield 7 (MasterCom Image Review Decision)

PDS 0243 (MasterCom Retrieval Response Data), subfield 7 contains the image review decision.

Whenever an issuer rejects an acquirer's response, the case is referred to image review for a ruling. Issuers are permitted to charge back only for Message Reason Code 4802, requested item illegible or missing, if image review has ruled in their favor.

### Attributes

| Attribute           | Description             |
|---------------------|-------------------------|
| Data Representation | a-1                     |
| Data Field          | Contents of position 32 |
| Justification       | N/A                     |

### Values

This table lists the valid values.

### Values

| Values | Description                                  |
|--------|----------------------------------------------|
| A      | Image Review ruled in favor of the acquirer. |
| I      | Image Review ruled in favor of the issuer.   |

## Subfield 8 (MasterCom Image Review Date)

PDS 0243 (MasterCom Retrieval Response Data), subfield 8 contains the date the image review decision was made. The format is YYMMDD.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | n-6                         |
| Data Field          | Contents of positions 33–38 |
| Justification       | N/A                         |

## PDS 0244 (MasterCom Chargeback Support Documentation Dates)

PDS 0244 (MasterCom Chargeback Support Documentation dates) is the electronic imaging system that provides chargeback support documentation (CSD) information to the clearing system.

New information is provided each day, seven days per week. The clearing system maintains this information for 120 days from the last update in a chargeback history record for each transaction.

Each transaction is identified in history by DE 95 (Card Issuer Reference Data) and the first six digits of DE 2 (Primary Account Number). Whenever possible, the clearing system will supplement the chargeback message with the information from the chargeback history file related to the dates that CSD was sent via the MasterCom system.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...12; TAGLLLLVAR            |
| Tag Field           | 0244                            |
| Length Field        | 3 positions, value = 006–012    |
| Data Field          | Variable length, 6–12 positions |
| Subfields           | 2                               |
| Justification       | See "Subfields"                 |

**NOTE: If the clearing system cannot locate history for the transaction, this information is not provided in the message.**

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message Type Identifier                                                                      | Org | Sys | Dst |
|----------------------------------------------------------------------------------------------|-----|-----|-----|
| Arbitration Chargeback/1442                                                                  | .   | X   | C   |
| Second Presentment/1240                                                                      | .   | X   | C   |
| s2 MasterCom Chargeback Support Documentation<br>Sender Processing Date (Second Presentment) | .   | .   | .   |

The clearing system provides this PDS using information from the MasterCom system. If available, PDS 0244 is included in Second Presentment/1240 and Arbitration Chargeback/1442 messages. It indicates whether customers provided CSD via the MasterCom system in the appropriate time frames.

## Values

Only those subfields for which the MasterCom system has stored the information are present. PDS 0244 is truncated after the last available subfield. For example, if PDS 0244 is present in an Arbitration Chargeback/1442 message, and documentation was sent only for the First Chargeback/1442, PDS 0244 contains only subfield 1, with a corresponding length of 6.

## PDS 0244 subfields

This PDS consists of two subfields.

### PDS 0244 subfields

| Number | Positions | Name                                                                                               | Attribute   | Justification |
|--------|-----------|----------------------------------------------------------------------------------------------------|-------------|---------------|
| 1      | 1–6       | MasterCom Chargeback Support<br>Documentation Sender<br>Processing Date (First<br>Chargeback/1442) | n-6; YYMMDD | N/A           |

| Number | Positions | Name                                                                                        | Attribute   | Justification |
|--------|-----------|---------------------------------------------------------------------------------------------|-------------|---------------|
| 2      | 7-12      | MasterCom Chargeback Support Documentation Sender Processing Date (Second Presentment/1240) | n-6; YYMMDD | N/A           |

### Subfield 1 (MasterCom Chargeback Documentation Sender Processing Date [First Chargeback/1442])

Subfield 1 (MasterCom Chargeback Documentation Sender Processing Date [First Chargeback/1442]) is the date that the issuer provided CSD applicable to the First Chargeback/1442. This date determines whether the issuer provided the documentation in the appropriate time frames.

The subfield 1 format is YYMMDD. This subfield may contain zeros when present in Arbitration Chargeback/1442 messages if the First Chargeback/1442 did not have documentation but the Second Presentment/1240 did.

### Subfield 2 (MasterCom Chargeback Documentation Sender Processing Date [Second Presentment/1240])

Subfield 2 (MasterCom Chargeback Documentation Sender Processing Date [Second Presentment/1240]) is the date that the acquirer provided CSD applicable to the Second Presentment/1240. This date that determines whether the acquirer provided the documentation in the appropriate time frames.

The subfield 2 format is YYMMDD.

## PDS 0245 (MasterCom Arbitration Chargeback Sender Processing Date)

PDS 0245 (MasterCom Arbitration Chargeback Sender Processing Date) contains the date on which the issuer submits supporting documentation for an arbitration chargeback.

This information is included only in the MasterCom notification files.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-6; TAGLLL              |
| Tag Field           | 0245                     |
| Length Field        | 3 positions, value = 006 |

| Attribute     | Description               |
|---------------|---------------------------|
| Data Field    | Fixed length, 6 positions |
| Subfields     | None                      |
| Justification | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Arbitration Chargeback/1442 in the MasterCom notification files | •   | X   | C   |

The MasterCom system provides this PDS in Arbitration Chargeback messages within the MasterCom notification files. It indicates whether customers provided CSD via the MasterCom system in the appropriate time frames.

### Values

This PDS contains a date in the format YYMMDD.

## PDS 0246 (MasterCom Sender Memo)

PDS 0246 (MasterCom Sender Memo) conveys a message from the sender to the receiver.

This information is included only in the MasterCom image interface data header and MasterCom notification files.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...100; TAGLLLLVAR            |
| Tag Field           | 0246                             |
| Length Field        | 3 positions, value = 001–100     |
| Data Field          | Variable length, 1–100 positions |
| Subfields           | None                             |

| Attribute     | Description |
|---------------|-------------|
| Justification | Left        |

### Usage

For First Chargeback/1442 and Arbitration Chargeback/1442 messages, the sender is always the issuer.

For Second Presentment/1240 messages and the fulfillment of Retrieval Request/1644 messages, the sender is always the acquirer.

### Applicable messages

| Message                                                                                                                             | Org | Sys | Dst |
|-------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|
| Second Presentment/1240 in the MasterCom Image Interface data header and MasterCom notification files                               | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 in the MasterCom Image Interface data header and MasterCom notification files | O   | .   | C   |
| Retrieval Request/1644                                                                                                              | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                                                                               | O   | .   | C   |
| Retrieval Request/1644 in the MasterCom Image Interface data header and MasterCom notification files                                | O   | .   | C   |

## PDS 0247 (MasterCom Receiver Memo)

PDS 0247 (MasterCom Receiver Memo) conveys a message from the receiver to the sender or relays a message that the receiver originally sent to the sender.

This information is included only in the MasterCom image interface data header and MasterCom notification files.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...100; TAGLLLLVAR            |
| Tag Field           | 0247                             |
| Length Field        | 3 positions, value = 001–100     |
| Data Field          | Variable length, 1–100 positions |

| Attribute     | Description |
|---------------|-------------|
| Subfields     | None        |
| Justification | Left        |

### Usage

For First Chargeback/1442, and Arbitration Chargeback/1442 message, the receiver is always the acquirer.

For Second Presentment/1240 and the fulfillment of Retrieval Request/1644 messages, the receiver is always the issuer.

### Applicable messages

| Message                                                                                                                             | Org | Sys | Dst |
|-------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|
| Second Presentment/1240 in the MasterCom Image Interface data header and MasterCom notification files                               | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 in the MasterCom Image Interface data header and MasterCom notification files | O   | .   | C   |
| Retrieval Request/1644                                                                                                              | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                                                                               | O   | .   | C   |
| Retrieval Request/1644 in the MasterCom Image Interface data header and MasterCom notification files                                | O   | .   | C   |

## PDS 0248 (MasterCom Image Review Memo)

PDS 0248 (MasterCom Image Review Memo) conveys a message from the image review board to the requester of the review or to all parties.

This information is included only in the MasterCom image interface data header and MasterCom notification files.

### Attributes

| Attribute           | Description                  |
|---------------------|------------------------------|
| Data Representation | ans...100; TAGLLLVAR         |
| Tag Field           | 0248                         |
| Length Field        | 3 positions, value = 001–100 |



| Attribute     | Description                      |
|---------------|----------------------------------|
| Data Field    | Variable length, 1–100 positions |
| Subfields     | None                             |
| Justification | Left                             |

### Usage

PDS 0248 accompanies PDS 0243 (MasterCom Retrieval Response Data), subfield 7 (MasterCom Image Review Decision) and subfield 8 (MasterCom Image Review Date).

### Applicable messages

| Message                                                                                              | Org | Sys | Dst |
|------------------------------------------------------------------------------------------------------|-----|-----|-----|
| Retrieval Request/1644                                                                               | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                                                | O   | .   | C   |
| Retrieval Request/1644 in the MasterCom Image Interface data header and MasterCom notification files | O   | .   | C   |

## PDS 0249 (MasterCom Record ID)

PDS 0249 (MasterCom Record ID) stores a unique identifier that relates the record described in the IPM message to a specific record in the MasterCom database.

This information is included only in the MasterCom image interface data header and MasterCom notification files.

### Attributes

| Attribute            | Description                    |
|----------------------|--------------------------------|
| Data Representation: | ns...10; TAGLLLVAR             |
| Tag Field:           | 0249                           |
| Length Field:        | 3 positions, value = 001–010   |
| Data Field:          | Variable length 1–10 positions |
| Subfields:           | None                           |
| Justification:       | N/A                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                                                             | Org | Sys | Dst |
|-------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|
| Second Presentment/1240 in the MasterCom Image Interface data header and MasterCom notification files                               | O   | •   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 in the MasterCom Image Interface data header and MasterCom notification files | O   | •   | C   |
| Retrieval Request/1644                                                                                                              | O   | •   | C   |
| Retrieval Request Acknowledgment/1644                                                                                               | O   | •   | C   |
| Retrieval Request/1644 in the MasterCom Image Interface data header and MasterCom notification files                                | O   | •   | C   |

## PDS 0250 (MasterCom Endpoints)

PDS 0250 (MasterCom Endpoints) contains two subfields that represent the pair of endpoints used in the MasterCom transaction.

This information is included only in the MasterCom image interface data header and MasterCom notification files.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-14; TAGLLL               |
| Tag Field           | 0250                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 2                          |
| Justification       | N/A                        |

## Current processing restrictions

Both endpoints must appear in their respective subfields; if one is present, the other also must be present.

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                                                                             | Org | Sys | Dst |
|-------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442 in the MasterCom Image Interface data header and MasterCom notification files | O   | .   | C   |
| Second Presentment/1240 in the MasterCom Image Interface data header and MasterCom notification files                               | O   | .   | C   |
| Retrieval Request/1644                                                                                                              | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                                                                               | O   | .   | C   |
| Retrieval Request/1644 in the MasterCom Image Interface data header and MasterCom notification files                                | O   | .   | C   |

This PDS contains the MasterCom Endpoints that are associated with a retrieval request fulfillment or response action, or with CSD files. It is used to identify to the MasterCom system that a retrieval or CSD fulfillment will be provided from and to a specific MasterCom endpoint.

This field is present only in notification files generated by MasterCom and in MasterCom Image Interface data headers.

## Values

This PDS must contain two seven-digit MasterCom Endpoints: sender and receiver, respectively.

## PDS 0250 subfields

This PDS consists of two subfields.

## PDS 0250 subfields

| Number | Positions | Name                             | Attribute | Justification |
|--------|-----------|----------------------------------|-----------|---------------|
| 1      | 1–7       | MasterCom Sender Endpoint Number | n-7       | N/A           |

| Number | Positions | Name                               | Attribute | Justification |
|--------|-----------|------------------------------------|-----------|---------------|
| 2      | 8-14      | MasterCom Receiver Endpoint Number | n-7       | N/A           |

Subfield 1 (MasterCom Sender Endpoint Number) is a number that identifies the endpoint that acts as the sender of a MasterCom transaction (for both chargebacks and retrievals).

Subfield 2 (MasterCom Receiver Endpoint Number) identifies the endpoint that acts as the receiver of the same transaction.

## PDS 0251 (MasterCom Fulfillment Document Code)

PDS 0251 (MasterCom Fulfillment Document Code) indicates the retrieval document type supplied by the MasterCom application.

This field is present only in the notification files generated by MasterCom and in MasterCom image interface data headers.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-1; TAGLLL              |
| Tag Field           | 0251                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

### Usage

This PDS is used in MasterCom ASI/1644 header files to identify the specific type of retrieval document sent by the MasterCom application.

### Values

The values are listed in this table.

### Values

| Value | Description                                   |
|-------|-----------------------------------------------|
| 2     | Image (scanned or faxed) of original document |
| 4     | Substitute draft                              |

## PDS 0252 (MasterCom Image Metadata)

PDS 0252 (MasterCom Image Metadata) provides data specific to an image attached to the same message file.

Currently only one image and one message appear in a single file. This information is included only in the MasterCom image interface fulfillment file.

### Attributes

| Attribute           | Description                       |
|---------------------|-----------------------------------|
| Data Representation | ans...124; TAGLLLVAR              |
| Tag Field           | 0252                              |
| Data Length         | 3 positions, value = 024–124      |
| Data Field          | Variable length, 24–124 positions |
| Subfields           | 4                                 |
| Justification       | See "Subfields"                   |

### Usage

Images used by the MasterCom system are Group 3/Group 4 Tagged Image File Format (TIFF) files, and they may bear multiple pages of images within a single TIFF file. The customers provide this PDS to the MasterCom system when they send an image file with the message. Each of the first three fields is expressed as an eight-position, right-justified hexadecimal number. Leading zeros need to be added where applicable. The fourth field is a variable-length filename.

MasterCom provides this data to the customer within the image interface fulfillment files that are delivered to the customer's imaging system.

### Values

If no image is present, this PDS does appear in the message. If an image is present, all four of these fields are required to have values.

## PDS 0252 subfields

This PDS consists of four subfields.

### PDS 0252 subfields

| Number | Positions | Name                                                        | Attribute  | Justification |
|--------|-----------|-------------------------------------------------------------|------------|---------------|
| 1      | 1–8       | MasterCom TIFF Image Data Length (expressed in hexadecimal) | an-8 (hex) | right         |
| 2      | 9–16      | MasterCom TIFF Image Data Offset (expressed in hexadecimal) | an-8 (hex) | right         |
| 3      | 17–24     | MasterCom TIFF Image CRC-32 (expressed in hexadecimal)      | an-8 (hex) | right         |
| 4      | 25–124    | MasterCom TIFF Image Filename                               | ans-1      | N/A           |

### Subfield 1 (MasterCom TIFF Image Data Length)

Subfield 1 (MasterCom TIFF Image Data Length) contains the four-byte size of the TIFF image file, expressed in hexadecimal and right-justified with leading zeros.

### Subfield 2 (MasterCom TIFF Image Data Offset)

Subfield 2 (MasterCom TIFF Image Data Offset) contains the four-byte value that corresponds to the offset byte within the message file that is the first byte of the TIFF image file. This value is expressed in hexadecimal and is right-justified with leading zeros.

### Subfield 3 (MasterCom TIFF Image CRC32)

Subfield 3 (MasterCom TIFF Image CRC32) contains the 32-bit CRC-32 (cyclic redundancy check) value that verifies the integrity of the transmitted image file. This value is expressed in hexadecimal and is right-justified with leading zeros where necessary.

### Subfield 4 (MasterCom TIFF Image Filename)

Subfield 4 (MasterCom TIFF Image Filename) contains the variable-length filename of the TIFF image. It may have a maximum length of 100 characters, and because it is variable-length, justification is not needed.

## PDS 0253 (MasterCom System Enhanced Data)

PDS 0253 (MasterCom System Enhanced Data) provides proprietary data from the MasterCom system.

This information is included only in the MasterCom image interface files from the Image interface application.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...992; TAGLLLLVAR            |
| Tag Field           | 0253                             |
| Data Length         | 3 positions, value = 001–992     |
| Data Field          | Variable length, 1–992 positions |
| Subfields           | None                             |
| Justification       | N/A                              |

### Usage

**NOTE:** This element is available in MasterCom image interface files, not IPM clearing files.

The Maximum ISO Utility expands this element to 50 positions.

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                               | Org | Sys | Dst |
|---------------------------------------|-----|-----|-----|
| Retrieval Request/1644                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644 | O   | .   | C   |

## PDS 0254 (MasterCom Member Enhanced Data)

PDS 0254 (MasterCom Member Enhanced Data) provides proprietary data from the customer.

This information is included only in the MasterCom image interface files for processing by the MasterCom system.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...992; TAGLLLLVAR            |
| Tag Field           | 0254                             |
| Data Length         | 3 positions, value = 001–992     |
| Data Field          | Variable length, 1–992 positions |
| Subfields           | None                             |
| Justification       | N/A                              |

### Usage

**NOTE:** This element is available in MasterCom image interface files, not IPM Clearing files.

The Maximum ISO Utility expands this element to 50 positions.

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                               | Org | Sys | Dst |
|---------------------------------------|-----|-----|-----|
| Retrieval Request/1644                | O   | .   | C   |
| Retrieval Request Acknowledgment/1644 | O   | .   | C   |

## PDS 0255 (MasterCom Message Type)

PDS 0255 (MasterCom Message Type) identifies records originating from brands other than Mastercard that are processed in the MasterCom system.

This private data subelement is submitted by customers that participate in the program to process, via MasterCom, retrieval and chargeback fulfillments originating from brands other than Mastercard®. MasterCom returns this information only to that customer in its MasterCom image interface data headers and MasterCom notification files. Customers can use this PDS to identify fulfillment record information originating from brands other than Mastercard®. Customers send or receive this information directly to and from the MasterCom system, not within GCMS clearing processing.



## Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...7; TAGLLLLVAR            |
| Tag Field           | 0255                           |
| Data Length         | 3 positions, value = 001–007   |
| Data Field          | Variable length, 1–7 positions |
| Subfields           | None                           |
| Justification       | Left                           |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442 (in MasterCom notification files) | O   | •   | C   |
| Second Presentment/1240 (in MasterCom notification files)                               | O   | •   | C   |
| Retrieval Request/1644 (in MasterCom notification files)                                | O   | •   | C   |
| Retrieval Request Acknowledgment/1644                                                   | O   | •   | C   |

## Values

Customers processing retrieval or CSD transactions of brands other than Mastercard® in the MasterCom system can supply their own codes.

## PDS 0260 (Edit Exclusion Indicator)

PDS 0260 (Edit Exclusion Indicator) requests or grants deactivation of transaction life cycle editing functions the clearing system normally performs for chargebacks.

### Attributes

| Attribute           | Description                       |
|---------------------|-----------------------------------|
| Data Representation | ans...4; TAGLLLVAR                |
| Tag Field           | 0260                              |
| Data Length         | 3 positions, value = 002-004      |
| Data Field          | Variable length, 2-4 positions on |
| Subfields           | 3                                 |
| Justification       | See "Subfields"                   |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442 | C   | X   | C   |
| s1 Exclusion Request Code                             | C   | .   | C   |
| s2 Exclusion Reason Code                              | .   | X   | C   |
| s3 Exclusion Results Code                             | .   | X   | C   |
| Second Presentment/1240                               | C   | X   | C   |
| s1 Exclusion Request Code                             | C   | .   | C   |
| s2 Exclusion Reason Code                              | .   | X   | C   |
| s3 Exclusion Results Code                             | .   | X   | C   |

This PDS may be used in clearing system messages to suspend life cycle editing procedures on First Chargeback/1442, Second Presentment/1240, and Arbitration Chargeback/1442 messages whose life cycle status changed because of an ICA number or BIN transfer or for

other life cycle-related exception conditions that normally cause the clearing system to reject a message.

The transaction originator should present PDS 0260 only if edit exclusion processing is requested for the transaction. The clearing system provides PDS 0260 whenever edit exclusion approval is granted.

### Values

If present, PDS 0260 cannot contain all low values or all high values.

## PDS 0260 subfields

This PDS consists of three subfields.

### PDS 0260 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1–2       | Exclusion Request Code | ans-2     | left          |
| 2      | 3         | Exclusion Reason Code  | an-1      | N/A           |
| 3      | 4         | Exclusion Results Code | an-1      | N/A           |

### Subfield 1 (Exclusion Request Code)

The transaction originator provides the information for subfield 1 (Exclusion Request Code). This subfield identifies the clearing system edits that the originator requests to be bypassed during clearing system processing of the IPM message in which PDS 0260 is present.

Subfield 1 values are listed in this table.

### Subfield 1 (Exclusion Request Code)

| Value | Description                                                                                                                                                                                                                                                                                                                                                                                       |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Y     | Conversion exclusion; exempts all chargeback cycles from timeliness, cycle appropriateness, retrieval, and documentation history edits because a recent ICA number or BIN transfer caused an on-us or intraprocessor transaction to become an intercustomer transaction; conversion is validated against clearing system files; exemptions are permitted for 60 days after the conversion occurs. |

| Value          | Description                                                                                                                                                                                                                                                                                                                                                                                              |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| B0–B9 or BA–BZ | Special conditions exclusion (chargeback and retrieval history); exempts chargebacks from timeliness, cycle appropriateness, retrieval history, and documentation history edits when extenuating circumstances exist; the exclusion request code must match the exemption code Mastercard granted in advance.                                                                                            |
| spaces         | Business service agreement exclusion; exempts chargebacks assigned to a particular business service from timeliness, cycle appropriateness, retrieval history, and documentation history edits; exemption automatically occurs if the exclusion is profiled for the business service.                                                                                                                    |
| spaces         | Hardship variance exclusion; exempts first chargebacks, second presentments, and arbitration chargebacks from time frame edits when an event such as flood or earthquake prevents timely responses; Mastercard must grant hardship variance in advance; this exemption will occur automatically if the hardship variance is in effect.                                                                   |
| spaces         | ATM exclusion; ATM transactions (DE 3 [Processing Code], subfield 1 = 01) are automatically exempted from chargeback timeliness, cycle appropriateness, and documentation history edits.                                                                                                                                                                                                                 |
| spaces         | Bilateral settlement and collection-only exclusion; exempts chargebacks from timeliness, cycle appropriateness, retrieval history, and documentation history edits if subfield 1 of PDS 0165 (Settlement Indicator) contains a B; or if subfield 1 of PDS 0165 (Settlement Indicator) contains a C and a customer has not chosen to have Mastercard perform these edits on collection-only transactions. |

## Subfield 2 (Exclusion Reason Code)

The clearing system provides the information for subfield 2 (Exclusion Reason Code). It contains a code the clearing system assigns to indicate approval of and the reason for the edit exclusion.

Subfield 2 values are listed in this table.

### Subfield 2 (Exclusion Reason Code)

| Value       | Description                                                                                                                                                                                                                                                                                                                                                                          |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| X, Y , or Z | Conversion exclusion; exclusion granted because a recent ICA or BIN transfer caused an On-Us or intraprocessor transaction to become an intercustomer transaction. These are the value descriptions. <ul style="list-style-type: none"> <li>• X = recent issuer conversion</li> <li>• Y = recent acquirer conversion</li> <li>• Z = recent issuer and acquirer conversion</li> </ul> |
| B           | Special conditions exclusion (chargeback and retrieval history); retrieval history and chargeback exclusion granted because of extenuating circumstances.                                                                                                                                                                                                                            |
| A           | Business service agreement exclusion; exclusion requested and granted for chargebacks assigned to the specified business service.                                                                                                                                                                                                                                                    |
| H           | Hardship variance exclusion; exclusion requested and granted because of an event such as flood or earthquake.                                                                                                                                                                                                                                                                        |
| M           | ATM exclusion; ATM transactions (DE 3 [Processing Code], subfield 1 = 01) are automatically exempted from chargeback timeliness, cycle appropriateness, and documentation history edits.                                                                                                                                                                                             |
| S           | Bilateral settlement and collection-only exclusion; exclusion automatically granted if subfield 1 of PDS 0165 (Settlement Indicator) contains a B; or if subfield 1 of PDS 0165 contains a C and a customer has not chosen to have Mastercard® perform these edits on collection-only transactions.                                                                                  |

### Subfield 3 (Exclusion Results Code)

The clearing system provides the information for subfield 3 (Exclusion Results Code). It contains a code the clearing system assigns to indicate the edit sets actually bypassed when this transaction was processed.

Subfield 3 values are listed in this table.

### Subfield 3 (Exclusion Results Code)

| Value | Description                                                                    |
|-------|--------------------------------------------------------------------------------|
| H     | Bypass timeliness edits; allow second presentment for non-receipt chargebacks. |

| Value | Description                                                                            |
|-------|----------------------------------------------------------------------------------------|
| C     | Bypass timeliness edits, cycle appropriateness edits, and documentation history edits. |
| R     | Bypass retrieval history edits.                                                        |

## PDS 0261 (Risk Management Approval Code)

PDS 0261 (Risk Management Approval Code) contains the approval code provided by Mastercard in a rejected First Presentment/1240 message with error code 2202 or error code 2203.

Acquirers must resubmit the First Presentment/1240 message with the approval code once Mastercard® confirms that the approval code has been activated.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-11; TAGLLL               |
| Tag Field           | 0261                       |
| Data Length         | 3 positions, value = 011   |
| Data Field          | Fixed length, 11 positions |
| Subfields           | None                       |
| Justification       | N/A                        |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                           | Org | Sys | Dst |
|-------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240, rejected by Mastercard®                   | C   | X   | .   |
| First Presentment/1240, re-submitted by customer after validation | C   | .   | .   |

## Values

If present, PDS 0261 must be numeric and cannot contain all zeros.

If a First Presentment rejects because the risk parameter limits defined by Mastercard have been exceeded, and no matching authorization is on file, the clearing system provides the PDS back to the acquirer in the First Presentment message that accompanies the Message Exception/1644 message.

If the acquirer resubmits the transaction following Mastercard® activation of the risk management approval code, this PDS must be present. This PDS is not forwarded to the issuer.

## PDS 0262 (Documentation Indicator)

PDS 0262 (Documentation Indicator) indicates whether supporting documentation will be provided for the current chargeback or fee collection cycle.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-1; TAGLLL              |
| Tag Field           | 0262                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442 | M   | .   | M   |
| Second Presentment/1240                               | M   | .   | M   |
| Fee Collection (Retrieval Fee Billing)/1740           | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                   | O   | .   | C   |

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

This PDS indicates in First Chargeback/1442, Second Presentment/1240, Arbitration Chargeback/1442, and Fee Collection/1740 messages whether the message originator will provide supporting documentation.

### Values

The data values are listed in this table.

### Values

| Value | Description                               |
|-------|-------------------------------------------|
| 0     | Supporting documentation is not required. |
| 1     | Supporting documentation will follow.     |

## PDS 0264 (Original Retrieval Reason for Request)

PDS 0264 (Original Retrieval Reason for Request) contains the reason for the request from a previous Retrieval Request/1644.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-4; TAGLLL               |
| Tag Field           | 0264                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.



### Applicable messages

| Message                                     | Org | Sys | Dst |
|---------------------------------------------|-----|-----|-----|
| Fee Collection (Retrieval Fee Billing)/1740 | M   | .   | M   |

This PDS provides in Retrieval Fulfillment (presented as a Fee Collection) messages the reason for request in DE 25 (Message Reason Code) of a related Retrieval Request/1644.

### Values

The data values are listed in this table.

### Values

| Value | Description                                                   |
|-------|---------------------------------------------------------------|
| 6305  | Cardholder does not agree with amount billed.                 |
| 6321  | Cardholder does not recognize transaction.                    |
| 6322  | Request transaction certificate for a chip transaction        |
| 6323  | Cardholder needs information for personal records.            |
| 6341  | Fraud investigation                                           |
| 6342  | Potential chargeback or compliance documentation is required. |

## PDS 0265 (Initial Presentment/Fee Collection Data)

PDS 0265 (Initial Presentment/Fee Collection Data) contains dates, reasons, and other information from a First Presentment/1240 or Fee Collection (Customer-generated)/1740.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...110; TAGLLLLVAR            |
| Tag Field           | 0265                             |
| Data Length         | 3 positions, value = 004–110     |
| Data Field          | Variable length, 4–110 positions |
| Subfields           | 3                                |

| Attribute     | Description     |
|---------------|-----------------|
| Justification | See "Subfields" |

### Current processing restrictions

The PDS 0265 maximum length is 110 positions.

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Fee Collection (Handling Fees)/1740                                  | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

This PDS provides information from the First Presentment/1240 or Fee Collection (Customer-generated)/1740.

This PDS optionally may be provided in Fee Collection Return/1740, Fee Collection Resubmission/1740, and Fee Collection Arbitration Return/1740 messages to give information from the Fee Collection (Customer-generated)/1740.

### Values

PDS 0265 may be truncated after the last subfield. For example, if used in a Fee Collection Return/1740, PDS 0265 may contain only subfields 1 and 2, with a corresponding length of 10.

If present, PDS 0265 cannot contain all low values or all high values.

### PDS 0265 subfields

This PDS consists of three subfields.

### PDS 0265 subfields

| Number | Positions | Name                               | Attribute   | Justification |
|--------|-----------|------------------------------------|-------------|---------------|
| 1      | 1-4       | Initial Message Reason Code        | n-4         | N/A           |
| 2      | 5-10      | Date, Initial Presentment Business | n-6; YYMMDD | N/A           |

| Number | Positions | Name                 | Attribute | Justification |
|--------|-----------|----------------------|-----------|---------------|
| 3      | 11-110    | Data Record, Initial | ans...100 | left          |

### Subfield 1 (Initial Message Reason Code)

Subfield 1 (Initial Message Reason Code) contains the initial transaction's Message Reason Code. It is obtained from DE 25 (Message Reason Code) in the First Presentment/1240 or Fee Collection (Customer-generated)/1740.

Subfield 1 is optional in Fee Collection Return/1740, Fee Collection Resubmission/1740, and Fee Collection Arbitration Return/1740 messages. If present, it may contain either zeros or the DE 25 value of the related Fee Collection (Customer-generated)/1740.

Refer to [DE 25 \(Message Reason Code\)](#) for a list of valid message reason codes.

### Subfield 2 (Date, Initial Presentment Business)

Subfield 2 (Date, Initial Presentment Business) contains the initial transaction's business processing date. It is obtained from the Business Date subfield of PDS 0158 (Business Activity) in the First Presentment/1240 or Fee Collection (Customer-generated)/1740.

Subfield 2 is optional in all messages containing PDS 0265. The subfield should be populated with all zeros if the information is not available.

The subfield 2 format is YYMMDD.

### Subfield 3 (Data Record, Initial)

Subfield 3 (Data Record, Initial) contains the message text data of the initial Fee Collection transaction. It is obtained from DE 72 (Data Record) in the Fee Collection (Customer-generated)/1740.

Subfield 3 is optional in Fee Collection Return/1740, Fee Collection Resubmission/1740, and Fee Collection Arbitration Return/1740 messages. It identifies DE 72 of the related Fee Collection (Customer-generated)/1740.

If present, subfield 3 cannot contain all zeros or all spaces.

## PDS 0266 (First Chargeback/Fee Collection Return Data)

PDS 0266 (First Chargeback/Fee Collection Return Data) contains dates, amounts, reasons, and other information from a First Chargeback/1442 or a Fee Collection Return/1740.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...127; TAGLLLLVAR            |
| Tag Field           | 0266                             |
| Data Length         | 3 positions, value = 004–127     |
| Data Field          | Variable length, 4–127 positions |
| Subfields           | 7                                |
| Justification       | See "Subfields"                  |

### Current processing restrictions

The PDS 0266 maximum length must be 127 positions.

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Arbitration Chargeback/1442                                          | .   | X   | C   |
| Second Presentment/1240                                              | .   | X   | C   |
| Fee Collection (Handling Fees)/1740                                  | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

The clearing system provides this PDS in Second Presentment/1240 and Arbitration Chargeback/1442 messages to supply information from the First Chargeback/1442, if the information is available.

The transaction originator optionally may provide this PDS in Fee Collection Resubmission/1740 and Fee Collection Arbitration Return/1740 messages to supply information from the Fee Collection Return/1740.

## Related required PDS

When PDS 0266 is included in a message, and subfield 6, Currency Code, First Return, is present and contains a valid nonzero ISO currency code, PDS 0148 (Currency Exponents) also is required to identify the currency exponent of the First Chargeback/1442 or Fee Collection Return/1740.

## Values

If present, PDS 0266 cannot contain all low values or all high values.

## PDS 0266 subfields

This PDS consists of seven subfields.

### PDS 0266 subfields

| Number | Positions | Name                        | Attribute   | Justification |
|--------|-----------|-----------------------------|-------------|---------------|
| 1      | 1–4       | Message Reason Code         | n-4         | N/A           |
| 2      | 5–10      | Date, First Return Business | n-6; YYMMDD | N/A           |
| 3      | 11        | Edit Exclusion Reason Code  | an-1        | N/A           |
| 4      | 12        | Edit Exclusion Results Code | an-1        | N/A           |
| 5      | 13–24     | Amount, First Return        | n-12        | right         |
| 6      | 25–27     | Currency Code, First Return | n-3         | N/A           |
| 7      | 28–127    | Data Record, First Return   | ans-1       | left          |

## Subfield 1 (Message Reason Code)

Subfield 1 (Message Reason Code) contains the first return transaction's message reason code. It is obtained from DE 25 (Message Reason Code) in the First Chargeback/1442 or the Fee Collection Return/1740.

The clearing system provides subfield 1 in Second Presentment/1240 and Arbitration Chargeback/1442 messages to identify DE 25 of the related First Chargeback/1442.

Subfield 1 optionally may be presented in Fee Collection Resubmission/1740 and Fee Collection Arbitration Return/1740 messages to identify DE 25 of the related Fee Collection Return/1740. If present, it must contain all zeros or a valid message reason code.

Refer to [DE 25 \(Message Reason Code\)](#) for a list of valid message reason codes.

## Subfield 2 (Date, First Return Business)

Subfield 2 (Date, First Return Business) contains the first return transaction's business processing date. It is obtained from the Business Date subfield of PDS 0158 (Business Activity) in the First Chargeback/1442 or Fee Collection Return/1740.

The clearing system provides subfield 2 with a valid date when used in Second Presentment/1240 and Arbitration Chargeback/1442 messages.

The transaction originator optionally may provide subfield 2 in Fee Collection Resubmission/1740 and Fee Collection Arbitration Return/1740 messages.

The subfield 2 format is YYMMDD.

GCMS does not edit this subfield.

## Subfield 3 (Edit Exclusion Reason Code)

Subfield 3 (Edit Exclusion Reason Code) contains the Edit Exclusion Reason Code, if the clearing system supplies it, for the first return transaction. It is obtained from the Edit Exclusion Reason Code subfield of PDS 0260 (Edit Exclusion Indicator) in the First Chargeback/1442 or Fee Collection Return/1740.

The clearing system provides subfield 3 in Second Presentment/1240 and Arbitration Chargeback/1442 messages. It contains a valid Edit Exclusion Reason Code or a space if no exclusion was granted.

Subfield 3 should contain spaces when used in Fee Collection Resubmission/1740 and Fee Collection Arbitration Return/1740 messages if subfields 5, 6, or 7 are present.

GCMS does not edit this subfield.

## Subfield 4 (Edit Exclusion Results Code)

Subfield 4 (Edit Exclusion Results Code) contains the Edit Exclusion Results Code, if the clearing system supplies it, for the first return transaction. It is obtained from the Edit Exclusion Results Code subfield of PDS 0260 in the First Chargeback/1442 or Fee Collection Return/1740.

The clearing system provides subfield 4 in Second Presentment/1240 and Arbitration Chargeback/1442 messages. It contains a valid Edit Exclusion Results Code or a space if no exclusion was granted.

Subfield 4 should contain spaces when used in Fee Collection Resubmission/1740 and Fee Collection Arbitration Return/1740 messages if subfields 5, 6, or 7 are present.

GCMS does not edit this subfield.

### **Subfield 5 (Amount, First Return)**

Subfield 5 (Amount, First Return) contains the first return transaction's submitted amount. It is obtained from DE 4 (Amount, Transaction) in the First Chargeback/1442 or Fee Collection Return/1740.

The clearing system provides subfield 5 in Second Presentment/1240 and Arbitration Chargeback/1442 messages to identify DE 4 of the related First Chargeback/1442.

The transaction originator optionally may provide subfield 5 in Fee Collection Resubmission/1740 and Fee Collection Arbitration Return/1740 messages to identify DE 4 of the related Fee Collection Return/1740.

GCMS does not edit this subfield.

### **Subfield 6 (Currency Code, First Return)**

Subfield 6 (Currency Code, First Return) contains the first return transaction's submitted currency code. It is obtained from DE 49 (Currency Code, Transaction) in the First Chargeback/1442 or Fee Collection Return/1740.

The clearing system provides subfield 6 in Second Presentment/1240 and Arbitration Chargeback/1442 messages to identify DE 49 of the related First Chargeback/1442.

The transaction originator optionally may provide subfield 6 in Fee Collection Resubmission/1740 and Fee Collection Arbitration Return/1740 messages to identify DE 49 of the related Fee Collection Return/1740.

GCMS does not edit this subfield.

### **Subfield 7 (Data Record, First Return)**

Subfield 7 (Data Record, First Return) contains the first return transaction's message text data. It is obtained from DE 72 (Data Record) in the First Chargeback/1442 or the Fee Collection Return/1740.

The clearing system provides subfield 7 in Second Presentment/1240 and Arbitration Chargeback/1442 messages to identify DE 72 of the related First Chargeback/1442.

The transaction originator optionally may provide subfield 7 in Fee Collection Resubmission/1740 and Fee Collection Arbitration Return/1740 messages to identify DE 72 of the related Fee Collection Return/1740. If present, subfield 7 cannot contain all zeros or all spaces.

## PDS 0267 (Second Presentment/Fee Collection Resubmission Data)

PDS 0267 (Second Presentment/Fee Collection Resubmission Data) contains dates, amounts, reasons, and other information from a Second Presentment/1240 or a Fee Collection Resubmission/1740.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...127; TAGLLLLVAR            |
| Tag Field           | 0267                             |
| Data Length         | 3 positions, value = 004–127     |
| Data Field          | Variable length, 4–127 positions |
| Subfields           | 7                                |
| Justification       | See "Subfields"                  |

### Current processing restrictions

The PDS 0267 maximum length is 127 positions.

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| Arbitration Chargeback/1442                                          | .   | X   | C   |
| Fee Collection (Handling Fees)/1740                                  | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | C   |

The clearing system provides this PDS in Arbitration Chargeback/1442 messages to supply information from the Second Presentment/1240, if available.

The transaction originator optionally may provide this PDS in Fee Collection Arbitration Return/1740 messages to supply information from the Fee Collection Resubmission/1740.



## Related required PDS

When PDS 0267 is in a message and subfield 6, Currency Code, Second Return, is present and contains a valid nonzero ISO currency code, PDS 0148 (Currency Exponents) is also required to identify the currency exponent of the Second Presentment/1240 or Fee Collection Resubmission/1740.

## Values

If present, PDS 0267 cannot contain all low values or all high values.

## PDS 0267 subfields

This PDS consists of seven subfields.

### PDS 0267 subfields

| Number | Positions | Name                         | Attribute   | Justification |
|--------|-----------|------------------------------|-------------|---------------|
| 1      | 1–4       | Message Reason Code          | n-4         | N/A           |
| 2      | 5–10      | Date, Second Return Business | n-6; YYMMDD | N/A           |
| 3      | 11        | Edit Exclusion Reason Code   | an-1        | N/A           |
| 4      | 12        | Edit Exclusion Results Code  | an-1        | N/A           |
| 5      | 13–24     | Amount, Second Return        | n-12        | right         |
| 6      | 25–27     | Currency Code, Second Return | n-3         | N/A           |
| 7      | 28–127    | Data Record, Second Return   | ans-1100    | left          |

## Subfield 1 (Message Reason Code)

Subfield 1 (Message Reason Code) contains the second return transaction's Message Reason Code. It is obtained from DE 25 (Message Reason Code) in the Second Presentment/1240 or Fee Collection Resubmission/1740.

The clearing system provides subfield 1 in Arbitration Chargeback/1442 messages to identify DE 25 of the related Second Presentment/1240.

The transaction originator optionally may provide subfield 1 in Fee Collection Arbitration Return/1740 messages to identify DE 25 of the related Fee Collection Resubmission/1740. If present, it must contain all zeros or a valid message reason code.

Refer to [DE 25 \(Message Reason Code\)](#) for a list of valid message reason codes.

## Subfield 2 (Date, Second Return Business)

Subfield 2 (Date, Second Return Business) contains the second return transaction's business processing date. It is obtained from the Business Date subfield of PDS 0158 (Business Activity) in the Second Presentment/1240 or Fee Collection Resubmission/1740.

The clearing system provides subfield 2 with a valid date when used in Arbitration Chargeback/1442 messages.

The transaction originator optionally may provide subfield 2 in Fee Collection Arbitration Return/1740 messages.

The subfield 2 format is YYMMDD.

GCMS does not edit this subfield.

## Subfield 3 (Edit Exclusion Reason Code)

Subfield 3 (Edit Exclusion Reason Code) contains the Edit Exclusion Reason Code for the second return transaction. It is obtained from the Edit Exclusion Reason Code subfield of PDS 0260 (Edit Exclusion Indicator) in the Second Presentment/1240 or Fee Collection Resubmission/1740.

The clearing system provides subfield 3 in Arbitration Chargeback/1442 messages. It contains a valid Edit Exclusion Reason Code or a space if no exclusion was granted.

Subfield 3 should contain a space when used in Fee Collection Arbitration Return/1740 messages if subfields 5, 6, or 7 are present. GCMS does not edit this subfield.

## Subfield 4 (Edit Exclusion Results Code)

Subfield 4 (Edit Exclusion Results Code) contains the Edit Exclusion Results Code for the second return transaction. It is obtained from the Edit Exclusion Results Code subfield of PDS 0260 (Edit Exclusion Indicator) in the Second Presentment/1240 or Fee Collection Resubmission/1740.

The clearing system provides subfield 4 in Arbitration Chargeback/1442 messages. It contains a valid Edit Exclusion Results Code or a space if no exclusion was granted.

Subfield 4 must contain a space when used in Fee Collection Arbitration Return/1740 messages if subfields 5, 6, or 7 are present. The clearing system currently does not perform life cycle edits on these transactions. GCMS does not edit this subfield.

## Subfield 5 (Amount, Second Return)

Subfield 5 (Amount, Second Return) contains the second return transaction's submitted amount. It is obtained from DE 4 (Amount, Transaction) in the Second Presentment/1240 or Fee Collection Resubmission/1740.

The clearing system provides subfield 5 in Arbitration Chargeback/1442 messages to identify DE 4 of the related Second Presentment/1240.

The transaction originator optionally may provide subfield 5 in Fee Collection Arbitration Return/1740 messages to identify DE 4 of the related Fee Collection Resubmission/1740.

GCMS does not edit this subfield.

### Subfield 6 (Currency Code, Second Return)

Subfield 6 (Currency Code, Second Return) contains the second return transaction's submitted currency code. It is obtained from DE 49 (Currency Code, Transaction) in the Second Presentment/1240 or Fee Collection Resubmission/1740.

The clearing system provides subfield 6 in Arbitration Chargeback/1442 messages to identify DE 49 of the related Second Presentment/1240.

The transaction originator optionally may provide subfield 6 in Fee Collection Arbitration Return/1740 messages to identify DE 49 of the related Fee Collection Resubmission/1740.

GCMS does not edit this subfield.

### Subfield 7 (Data Record, Second Return)

Subfield 7 (Data Record, Second Return) contains the second return transaction's message text data. It is obtained from DE 72 (Data Record) in the Second Presentment/1240 or Fee Collection Resubmission/1740.

The clearing system provides subfield 7 in Arbitration Chargeback/1442 messages to identify DE 72 of the related Second Presentment/1240.

The transaction originator optionally may provide subfield 7 in Fee Collection Arbitration Return/1740 messages to identify DE 72 of the related Fee Collection Resubmission/1740. If present, subfield 7 cannot contain all zeros or all spaces.

## PDS 0268 (Amount, Partial Transaction)

PDS 0268 (Amount, Partial Transaction) provides the partial transaction amount in the First Presentment/1240 currency.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-15; TAGLLL             |
| Tag Field           | 0268                     |
| Data Length         | 3 positions, value = 015 |

| Attribute     | Description                |
|---------------|----------------------------|
| Data Field    | Fixed length, 15 positions |
| Subfields     | 2                          |
| Justification | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |

The transaction originator provides this PDS. It may be provided in partial Chargeback/1442, partial Second Presentment/1240, and partial Arbitration Chargeback/1442 messages to provide the partial amount in the First Presentment/1240 transaction currency. The currency is obtained from DE 49 (Currency Code, Transaction) of the First Presentment/1240.

For example, assume an acquirer submits a First Presentment/1240 for 200 Canadian dollars, which represents two days of lodging at 100 Canadian dollars per day. Assume also that the cardholder disputes one day of lodging and the issuer presents chargebacks in U.S. dollars.

The issuer submits a partial First Chargeback (Partial)/1442 containing a value of 100 Canadian dollars in this PDS and the U.S. dollar equivalent to it in DE 4 (Amount, Transaction).

## Related PDSs

Whenever PDS 0268 is included in a message, PDS 0148 (Currency Exponents) must also be included to identify the currency exponent of subfield 2.

## PDS 0268 subfields

This PDS consists of two subfields

### PDS 0268 subfields

| Number | Positions | Name                        | Attribute | Justification |
|--------|-----------|-----------------------------|-----------|---------------|
| 1      | 1-12      | Amount, Partial Transaction | n-12      | right         |

| Number | Positions | Name                               | Attribute | Justification |
|--------|-----------|------------------------------------|-----------|---------------|
| 2      | 13–15     | Currency Code, Partial Transaction | n-3       | N/A           |

### Subfield 1 (Amount, Partial Transaction)

Subfield 1 (Amount, Partial Transaction) contains the partial transaction amount in the First Presentment/1240 currency.

### Subfield 2 (Currency Code, Partial Transaction)

Subfield 2 (Currency Code, Partial Transaction) contains the currency code associated with subfield 1. It should be the same as the First Presentment/1240 currency code.

## PDS 0270 (Embedded Interchange Data)

PDS 0270 will contain negotiated interchange details. This is applicable for only commercial transactions.

GCMS will populate PDS 0270 from the matching Authorization message and will populate PDS 0270 subfield 1 with an N. For messages which GCMS applies market-specific rates, GCMS will populate PDS 0270 with rates associated to IRD FI and populate PDS 0270 subfield 1 with a D.

Acquirers are not allowed to submit PDS 0270 in First Presentment Transactions. For life cycle transactions, negotiated interchange rates will be submitted by Mastercom.

If a life cycle transaction not originated through Mastercom contains Negotiated Interchange data, GCMS will reject the transaction.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...91; TAGLLLVAR              |
| Tag Field           | 0270                             |
| Data Length         | 3 positions, value = 001–091     |
| Data Field          | Variable length, 32–91 positions |
| Subfields           | 6                                |
| Justification       | See subfield details.            |

## Usage

The following table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages. C (conditional) indicates the field only applies to EFI program transactions.

### Applicable messages

| Message type identifier     | Org | Sys | DST |
|-----------------------------|-----|-----|-----|
| First Presentment/1240      | .   | X   | C   |
| Second Presentment/<br>1240 | C   | X   | C   |
| Chargebacks/1442            | C   | X   | C   |

## PDS 0270 subfields

This PDS consists of six subfields

### Subfield 1 (Negotiate/Default Indicator)

PDS 0270, subfield 1 identifies whether negotiated rates were applied versus market-specific rates to the transaction.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 01    |
| Subfield length     | n-2       | 01    |
| Data representation | ans-1     |       |
| Justification       | N/A       |       |

### Values

| Value | Description                                      |
|-------|--------------------------------------------------|
| N     | Negotiated rates were applied to the transaction |

| Value | Description                                           |
|-------|-------------------------------------------------------|
| D     | Market-specific rates were applied to the transaction |

## Subfield 2 (Interchange Percentage)

PDS 0270, subfield 2 contains the negotiated or market-specific interchange percentage applied to the transaction.

### Attributes

|                     | Attribute                                        | Value |
|---------------------|--------------------------------------------------|-------|
| Subfield ID         | n-2                                              | 02    |
| Subfield length     | n-2                                              | 06    |
| Data representation | ans-6                                            |       |
| Justification       | Right justified with leading zeros, when numeric |       |

### Values

Interchange Percentage will be populated with spaces when interchange percentage is not provided in the negotiated rates or when market-specific interchange percentage was not applied to the transaction. When an interchange percentage is provided, it will be represented as n(3) v n(3). For example, an Interchange Percentage of 1.234% is represented with PDS 0270 subfield 2 value 001234.

## Subfield 3 (Unit Fee Amount)

PDS 0270, subfield 3 contains the negotiated or market-specific unit fee amount, in transaction currency, applied to the transaction.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 03    |
| Subfield length     | n-2       | 12    |
| Data representation | ans-12    |       |

|               | Attribute                                           | Value |
|---------------|-----------------------------------------------------|-------|
| Justification | Right justified with leading zeros,<br>when numeric |       |

### Values

Unit fee amount will be populated with spaces when unit fee amount is not provided in the negotiated rates or when market-specific unit fee amount was not applied to the transaction.

### Subfield 4 (Flat Interchange Amount)

PDS 0270, subfield 4 contains the negotiated or market-specific flat interchange amount, in transaction currency, applied to the transaction.

### Attributes

|                     | Attribute                                           | Value |
|---------------------|-----------------------------------------------------|-------|
| Subfield ID         | n-2                                                 | 04    |
| Subfield length     | n-2                                                 | 12    |
| Data representation | ans-12                                              |       |
| Justification       | Right justified with leading zeros,<br>when numeric |       |

### Values

Flat interchange amount will be populated with spaces when flat interchange amount is not provided in the negotiated rates or when market-specific flat interchange amount was not applied to the transaction.

### Subfield 5 (Payment Party)

PDS 0270, subfield 5 contains Payment Party value submitted with the negotiated interchange rate or amount on the Authorization message.

### Attributes

|                 | Attribute | Value |
|-----------------|-----------|-------|
| Subfield ID     | n-2       | 05    |
| Subfield length | n-2       | 01    |



|                     | Attribute | Value |
|---------------------|-----------|-------|
| Data representation | ans-1     |       |
| Justification       | N/A       |       |

#### Values

| Value | Description                                   |
|-------|-----------------------------------------------|
| A     | Acquirer Pays interchange                     |
| I     | Issuer Pays interchange                       |
| Space | Not provided within the Authorization message |

### Subfield 6 (Supplemental Interchange Data)

PDS 0270, subfield 6 is a free-text field which acquirers can use to send proprietary data to issuers as part of Embedded Flexible Interchange program.

#### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 06    |
| Subfield length     | n-2       | 00-59 |
| Data representation | ans-0     |       |
| Justification       | N/A       |       |

#### Values

Supplemental Interchange Data will only be populated when Supplemental Interchange Data is provided with the negotiated rates on the Authorization message.

### PDS 0275 (Account Level Management [ALM] Service Data)

PDS 0275 (Account Level Management Service Data) supports regional ALM processing.

The processing solution uses ALM Service Data that is managed by the Mastercard ALM Platform to instruct the Mastercard Dual Message Authorization System, the Clearing Platform (Global Clearing Management System) and customers (acquirers and issuers) when a PAN is registered and qualifying for any ALM Service.

Acquirers and issuers can leverage the ALM Service Data provided in authorization messages to know when a PAN is actively registered in any ALM Service or ALM Service Combination as well as utilize the data to determine the ALM interchange fee amount using a Product Class Override Rate, the Rate Type Adjustment parameter setup, or both.

Acquirers and issuers will receive ALM Service Data for all qualifying transactions in these messages:

- First Presentment/1240
- First Chargeback/1442
- Second Presentment/1240

Mastercard may introduce new values in any of subfields within PDS 0275 at any time and customers must be able to accept, and recognize any valid values provided within the clearing messages. In the event new valid values are added, refer to the *Account Level Management Manual*.

### Attributes

| Attribute           | Description                  |
|---------------------|------------------------------|
| Data Representation | ans... 038; TAGLLLVAR        |
| Tag Field           | 0275                         |
| Length Field        | 3 positions, value = 015-038 |
| Data Field          | Variable length, 015-038     |
| Subfields           | 8 subfields                  |
| Justification       | See subfields                |

### Usage

The following table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| First Presentment/1240  | •   | X   | C   |
| First Chargeback/1442   | •   | X   | C   |
| Second Presentment/1240 | •   | X   | C   |

This PDS consists of eight subfields.

## Subfields

| Number | Positions | Name                                                                        | Attribute | Justification |
|--------|-----------|-----------------------------------------------------------------------------|-----------|---------------|
| 1      | 1–5       | ALM Service Code                                                            | an-5      | N/A           |
| 2      | 6–8       | ALM Product Code                                                            | an-3      | N/A           |
| 3      | 9–11      | ALM Product Class                                                           | an-3      | N/A           |
| 4      | 12–14     | ALM Rate Type                                                               | an-3      | N/A           |
| 5      | 15        | ALM Data Source                                                             | n-1       | N/A           |
| 6      | 16–18     | Mastercard One<br>Credential<br>Acceptance Brand                            | an-3      | N/A           |
| 7      | 19        | Mastercard One<br>Credential Static/<br>Dynamic<br>Interchange<br>Indicator | an-1      | N/A           |
| 8      | 20–38     | Mastercard One<br>Credential Issuer<br>Account Range                        | n-19      | Left          |

## Application notes

The following subfields will be populated when applicable to the ALM program and service indicated within Subfield 1 (ALM Service Code). Subfields that are not applicable will be 'XXX' filled. The absence of PDS 0275 for opt-in customers means the PAN account range does not participate in ALM.

- Subfield 2 ALM Product Graduation Plus or Registered Product Code
- Subfield 3 ALM Product Class
- Subfield 4 ALM Rate Type
- Subfield 5 ALM Data Source

The following IPM DE 24 Function Codes apply:

- MTI 1240 Presentment: 200 First Presentment, 205 Second Presentment (Full), 282 Second Presentment (Partial)
- MTI 1442 Chargeback: 450 First Chargeback (Full), and 453 First Chargeback (Partial)

Refer to the *Account Level Management User Manual* for additional information.

## Subfield 1 (ALM Service Code)

PDS 0275, subfield 1 (ALM Service Code) represents the Account Level Management service or combination of ALM services for which the cardholders PAN is actively registered.

When the ALM Service Code is present with one of the following, ALM processing was not applied with Clearing.

- 99726 = ALM Service not processed in Clearing
  - When the Clearing System cannot complete ALM processing for a specific transaction
- 99826 or 99926 = ALM Service Unavailable
  - When the Clearing System can't connect to the Account Level Management Platform for PAN registration validation, the customer will receive an ALM Service Unavailable service code
- 00126 = PAN not registered for ALM, but Issuers Account Range participates, transaction will process business as usual
  - When the Issuers Account Range participates in Account Level Management, identified as having at least one PAN actively registered in ALM for the Account Range of the PAN within the authorization message, but the PAN is not actively registered in ALM

All other values provided will represent an individual ALM Service or ALM Service Combinations based on the PANs active registration

Mastercard reserves the right to add new valid values for ALM Service Code at any time and customers must be able to accept, and process any valid values. In the event new valid values are added, refer to the *Account Level Management Manual*.

### Values

#### Values

| ALM Service Name (ALM strategies which are enabled by the various Account Level Management Services) | PDS 0275, subfield 1: ALM Service Code<br>(Represents the ALM service or combination of ALM services for which the PAN is registered. Usage: Account Registration Results, and ALM Service Data in Authorization and Clearing processing.) |
|------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AFFLUENT SHORTFALL WORLD ELITE MASTERCARD                                                            | 01323                                                                                                                                                                                                                                      |
| AFFLUENT SHORTFALL WORLD ELITE MASTERCARD and PRODUCT GRADUATION PLUS                                | 01425                                                                                                                                                                                                                                      |
| AFFLUENT SHORTFALL WORLD MASTERCARD                                                                  | 01723                                                                                                                                                                                                                                      |
| AFFLUENT SHORTFALL WORLD MASTERCARD and PRODUCT GRADUATION PLUS                                      | 01825                                                                                                                                                                                                                                      |

| <b>ALM Service Name (ALM strategies which are enabled by the various Account Level Management Services)</b> | <b>PDS 0275, subfield 1: ALM Service Code<br/>(Represents the ALM service or combination of ALM services for which the PAN is registered. Usage: Account Registration Results, and ALM Service Data in Authorization and Clearing processing.)</b> |
|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CONSUMER PRODUCT MONITORING SERVICE: MUSE MASTERCARD QUALIFIED                                              | 02217                                                                                                                                                                                                                                              |
| CONSUMER PRODUCT MONITORING SERVICE: NAME FOR GCMS PRODUCT ID MPE QUALIFIED                                 | 02207                                                                                                                                                                                                                                              |
| CONSUMER PRODUCT MONITORING SERVICE: REQUALIFICATION 1 (MUSE MASTERCARD REQUALIFIED)                        | 02301                                                                                                                                                                                                                                              |
| CONSUMER PRODUCT MONITORING SERVICE: REQUALIFICATION 2 (WORLD ELITE REQUALIFIED)                            | 02424                                                                                                                                                                                                                                              |
| CONSUMER PRODUCT MONITORING SERVICE: WORLD ELITE QUALIFIED                                                  | 02210                                                                                                                                                                                                                                              |
| CONSUMER PRODUCT MONITORING SERVICE: WORLD QUALIFIED                                                        | 02205                                                                                                                                                                                                                                              |
| ENHANCED VALUE                                                                                              | 00402                                                                                                                                                                                                                                              |
| ENHANCED VALUE and PRODUCT GRADUATION PLUS                                                                  | 00513                                                                                                                                                                                                                                              |
| PRODUCT GRADUATION PLUS                                                                                     | 00616                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE AND PRODUCT GRADUATION PLUS LEVEL 1                                      | 00804                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE AND PRODUCT GRADUATION PLUS LEVEL 2                                      | 00806                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE AND PRODUCT GRADUATION PLUS LEVEL 3                                      | 00808                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE AND PRODUCT GRADUATION PLUS LEVEL 4                                      | 00811                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE AND PRODUCT GRADUATION PLUS LEVEL 5                                      | 00818                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 1                                                                  | 00703                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 2                                                                  | 00705                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 3                                                                  | 00707                                                                                                                                                                                                                                              |

| <b>ALM Service Name (ALM strategies which are enabled by the various Account Level Management Services)</b> | <b>PDS 0275, subfield 1: ALM Service Code<br/>(Represents the ALM service or combination of ALM services for which the PAN is registered. Usage: Account Registration Results, and ALM Service Data in Authorization and Clearing processing.)</b> |
|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 4                                                                  | 00710                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 5                                                                  | 00717                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 1                                     | 01004                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 2                                     | 01006                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 3                                     | 01008                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 4                                     | 01011                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 5                                     | 01018                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 1                               | 01204                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 2                               | 01206                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 3                               | 01208                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 4                               | 01211                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 5                               | 01218                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 1                                                           | 01103                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 2                                                           | 01105                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 3                                                           | 01107                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 4                                                           | 01110                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 5                                                           | 01117                                                                                                                                                                                                                                              |

| <b>ALM Service Name (ALM strategies which are enabled by the various Account Level Management Services)</b>                  | <b>PDS 0275, subfield 1: ALM Service Code<br/>(Represents the ALM service or combination of ALM services for which the PAN is registered. Usage: Account Registration Results, and ALM Service Data in Authorization and Clearing processing.)</b> |
|------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 1                                                                                  | 00903                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 2                                                                                  | 00905                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 3                                                                                  | 00907                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 4                                                                                  | 00910                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 5                                                                                  | 00917                                                                                                                                                                                                                                              |
| WORLD HIGH VALUE                                                                                                             | 01519                                                                                                                                                                                                                                              |
| WORLD HIGH VALUE and PRODUCT GRADUATION PLUS                                                                                 | 01620                                                                                                                                                                                                                                              |
| PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE                                                              | 00126                                                                                                                                                                                                                                              |
| PAN IS REGISTERED FOR ALM BUT THE TRANSACTION WAS PROCESSED AS DEBIT                                                         | 00127                                                                                                                                                                                                                                              |
| ALM SERVICE NOT PROCESSED IN CLEARING                                                                                        | 99726                                                                                                                                                                                                                                              |
| ALM SERVICE UNAVAILABLE                                                                                                      | 99826                                                                                                                                                                                                                                              |
| ALM SERVICE UNAVAILABLE                                                                                                      | 99926                                                                                                                                                                                                                                              |
| PAN NOT REGISTERED FOR ALM OR MASTERCARD ONE CREDENTIAL, BUT ISSUERS ACCOUNT RANGE IS ACTIVE                                 | 00126                                                                                                                                                                                                                                              |
| MASTERCARD ONE CREDENTIAL                                                                                                    | 50000                                                                                                                                                                                                                                              |
| PAN REGISTERED FOR MASTERCARD ONE CREDENTIAL, BUT NO CONSUMER PREFERENCE MET OR TRANSACTION WAS NOT ELIGIBLE FOR THE SERVICE | 50127                                                                                                                                                                                                                                              |
| ENHANCED VALUE AND MASTERCARD ONE CREDENTIAL                                                                                 | 50402                                                                                                                                                                                                                                              |
| ENHANCED VALUE AND PRODUCT GRADUATION PLUS AND MASTERCARD ONE CREDENTIAL                                                     | 50513                                                                                                                                                                                                                                              |

| <b>ALM Service Name (ALM strategies which are enabled by the various Account Level Management Services)</b> | <b>PDS 0275, subfield 1: ALM Service Code<br/>(Represents the ALM service or combination of ALM services for which the PAN is registered. Usage: Account Registration Results, and ALM Service Data in Authorization and Clearing processing.)</b> |
|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PRODUCT GRADUATION PLUS AND MASTERCARD ONE CREDENTIAL                                                       | 50616                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 1 AND MASTERCARD ONE CREDENTIAL                                    | 50703                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 2 AND MASTERCARD ONE CREDENTIAL                                    | 50705                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 3 AND MASTERCARD ONE CREDENTIAL                                    | 50707                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 4 AND MASTERCARD ONE CREDENTIAL                                    | 50710                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 5 AND MASTERCARD ONE CREDENTIAL                                    | 50717                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 1 AND PRODUCT GRADUATION PLUS AND MASTERCARD ONE CREDENTIAL        | 50804                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 2 AND PRODUCT GRADUATION PLUS AND MASTERCARD ONE CREDENTIAL        | 50806                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 3 AND PRODUCT GRADUATION PLUS AND MASTERCARD ONE CREDENTIAL        | 50808                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 4 AND PRODUCT GRADUATION PLUS AND MASTERCARD ONE CREDENTIAL        | 50811                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT CORE LEVEL 5 AND PRODUCT GRADUATION PLUS AND MASTERCARD ONE CREDENTIAL        | 50818                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 1 AND MASTERCARD ONE CREDENTIAL                                   | 50903                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 2 AND MASTERCARD ONE CREDENTIAL                                   | 50905                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 3 AND MASTERCARD ONE CREDENTIAL                                   | 50907                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 4 AND MASTERCARD ONE CREDENTIAL                                   | 50910                                                                                                                                                                                                                                              |



| <b>ALM Service Name (ALM strategies which are enabled by the various Account Level Management Services)</b> | <b>PDS 0275, subfield 1: ALM Service Code<br/>(Represents the ALM service or combination of ALM services for which the PAN is registered. Usage: Account Registration Results, and ALM Service Data in Authorization and Clearing processing.)</b> |
|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SMALL BUSINESS SPEND - CREDIT WORLD LEVEL 5 AND MASTERCARD ONE CREDENTIAL                                   | 50917                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 1 AND MASTERCARD ONE CREDENTIAL       | 51004                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 2 AND MASTERCARD ONE CREDENTIAL       | 51006                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 3 AND MASTERCARD ONE CREDENTIAL       | 51008                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 4 AND MASTERCARD ONE CREDENTIAL       | 51011                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD AND PRODUCT GRADUATION PLUS LEVEL 5 AND MASTERCARD ONE CREDENTIAL       | 51018                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 1 AND MASTERCARD ONE CREDENTIAL                             | 51103                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 2 AND MASTERCARD ONE CREDENTIAL                             | 51105                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 3 AND MASTERCARD ONE CREDENTIAL                             | 51107                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 4 AND MASTERCARD ONE CREDENTIAL                             | 51110                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE LEVEL 5 AND MASTERCARD ONE CREDENTIAL                             | 51117                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 1 AND MASTERCARD ONE CREDENTIAL | 51204                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 2 AND MASTERCARD ONE CREDENTIAL | 51206                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 3 AND MASTERCARD ONE CREDENTIAL | 51208                                                                                                                                                                                                                                              |

| <b>ALM Service Name (ALM strategies which are enabled by the various Account Level Management Services)</b> | <b>PDS 0275, subfield 1: ALM Service Code<br/>(Represents the ALM service or combination of ALM services for which the PAN is registered. Usage: Account Registration Results, and ALM Service Data in Authorization and Clearing processing.)</b> |
|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 4 AND MASTERCARD ONE CREDENTIAL | 51211                                                                                                                                                                                                                                              |
| SMALL BUSINESS SPEND - CREDIT WORLD ELITE AND PRODUCT GRADUATION PLUS LEVEL 5 AND MASTERCARD ONE CREDENTIAL | 51218                                                                                                                                                                                                                                              |
| WORLD ELITE SHORTFALL AND MASTERCARD ONE CREDENTIAL                                                         | 51323                                                                                                                                                                                                                                              |
| WORLD ELITE SHORTFALL AND PRODUCT GRADUATION AND MASTERCARD ONE CREDENTIAL                                  | 51425                                                                                                                                                                                                                                              |
| WORLD HIGH VALUE AND MASTERCARD ONE CREDENTIAL                                                              | 51519                                                                                                                                                                                                                                              |
| WORLD HIGH VALUE AND PRODUCT GRADUATION AND MASTERCARD ONE CREDENTIAL                                       | 51620                                                                                                                                                                                                                                              |
| WORLD SHORTFALL AND MASTERCARD ONE CREDENTIAL                                                               | 51723                                                                                                                                                                                                                                              |
| WORLD SHORTFALL AND PRODUCT GRADUATION AND MASTERCARD ONE CREDENTIAL                                        | 51825                                                                                                                                                                                                                                              |
| CONSUMER PRODUCT MONITORING SERVICE: WORLD QUALIFIED AND MASTERCARD ONE CREDENTIAL                          | 52205                                                                                                                                                                                                                                              |
| CONSUMER PRODUCT MONITORING SERVICE: NAME FOR GCMS PRODUCT ID MPE QUALIFIED AND MASTERCARD ONE CREDENTIAL   | 52207                                                                                                                                                                                                                                              |
| CONSUMER PRODUCT MONITORING SERVICE: WORLD ELITE QUALIFIED AND MASTERCARD ONE CREDENTIAL                    | 52210                                                                                                                                                                                                                                              |
| CONSUMER PRODUCT MONITORING SERVICE: MUSE MASTERCARD QUALIFIED AND MASTERCARD ONE CREDENTIAL                | 52217                                                                                                                                                                                                                                              |

| <b>ALM Service Name (ALM strategies which are enabled by the various Account Level Management Services)</b>        | <b>PDS 0275, subfield 1: ALM Service Code<br/>(Represents the ALM service or combination of ALM services for which the PAN is registered.<br/>Usage: Account Registration Results, and ALM Service Data in Authorization and Clearing processing.)</b> |
|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CONSUMER PRODUCT MONITORING SERVICE: REQUALIFICATION 1 (MUSE MASTERCARD REQUALIFIED) AND MASTERCARD ONE CREDENTIAL | 52301                                                                                                                                                                                                                                                  |
| CONSUMER PRODUCT MONITORING SERVICE: REQUALIFICATION 2 (WORLD ELITE REQUALIFIED) AND MASTERCARD ONE CREDENTIAL     | 52424                                                                                                                                                                                                                                                  |

## Subfield 2 (ALM Graduated or Registered Product Code)

PDS 0275, subfield 2 (ALM Graduated or Registered Product Code) indicates the graduated or registered Product Code for the applicable ALM service.

Contains the licensed graduated product code or the registered product code for those transactions identified with a PAN registered and qualifying for Product Graduation Plus or Consumer Product Monitoring Service, or a Combination of Account Level Management Services.

If the PAN is not actively registered in ALM Product Graduation Plus or Consumer Product Monitoring Service, the field will be 'XXX' filled.

Mastercard reserves the right to add new valid values for ALM Product Graduation Plus or Consumer Product Monitoring Service (Registered Product Code) at any time customers must be able to accept, and process any valid values. In the event new valid values are added, refer to the *Account Level Management Manual*.

## Values

| Valid Values List | Card Program Description                 | Country of Issuance |         |        |        |         |          |         |    |
|-------------------|------------------------------------------|---------------------|---------|--------|--------|---------|----------|---------|----|
|                   |                                          | Australia           | Belarus | Brazil | Canada | Moldova | Thailand | Ukraine | US |
| ACS               | DIGITAL DEBIT                            |                     |         |        |        |         | X        |         |    |
| BPL               | Mastercard® Business Credit Plus         |                     |         |        |        |         |          |         | X  |
| DBK               | *Digital Mastercard Black                |                     |         | X      |        |         |          |         |    |
| DCG               | *Digital Gold Mastercard Card            |                     |         | X      |        |         |          |         |    |
| DCS               | *Digital Standard Mastercard Card        |                     |         | X      |        |         |          |         |    |
| DPL               | *Digital Platinum Mastercard Card        |                     |         | X      |        |         |          |         |    |
| MAB               | World Elite Mastercard® for BusinessCard |                     |         |        |        |         |          |         | X  |

| ALM Graduated or Registered Product Code: Card Program Identifier: |                                        |                     |         |        |        |         |          |            |
|--------------------------------------------------------------------|----------------------------------------|---------------------|---------|--------|--------|---------|----------|------------|
| Valid Values List                                                  | Card Program Description               | Country of Issuance |         |        |        |         |          |            |
|                                                                    |                                        | Australia           | Belarus | Brazil | Canada | Moldova | Thailand | Ukraine US |
| MAC                                                                | Mastercard World Elite™ Corporate Card |                     |         |        |        |         |          | X          |
| MBK                                                                | Mastercard® Black                      |                     |         | X      |        |         |          |            |
| MCB                                                                | Mastercard BusinessCard® Card          |                     |         |        |        |         |          | X          |
| MCC                                                                | Mixed Mastercard® Card                 | X                   |         | X      |        |         | X        |            |
| MCD                                                                | Debit Mastercard® Card                 |                     |         |        |        |         |          | X          |
| MCG                                                                | Gold Mastercard® Card                  | X                   |         | X      |        | X       | X        | X          |
| MCO                                                                | Mastercard® Corporate Card             |                     |         |        |        |         |          | X          |
| MCS                                                                | Standard Mastercard® Card              | X                   |         | X      |        | X       | X        | X          |
| MCT                                                                | Titanium Mastercard® Card              | X                   |         |        |        |         | X        | X          |
| MCU                                                                | Mastercard® Unembossed                 |                     |         |        |        | X       |          | X          |

| <b>ALM Graduated or Registered Product Code:</b> |                                 | <b>Card Program Identifier:</b> |                |               |               |                |                 |                |           |
|--------------------------------------------------|---------------------------------|---------------------------------|----------------|---------------|---------------|----------------|-----------------|----------------|-----------|
| <b>Valid Values List</b>                         | <b>Card Program Description</b> | <b>Country of Issuance</b>      |                |               |               |                |                 |                |           |
|                                                  |                                 | <b>Australia</b>                | <b>Belarus</b> | <b>Brazil</b> | <b>Canada</b> | <b>Moldova</b> | <b>Thailand</b> | <b>Ukraine</b> | <b>US</b> |
| MCW                                              | World Mastercard® Card          | X                               |                |               | X             | X              | X               | X              | X         |
| MDG                                              | Gold Debit Mastercard® Card     | X                               |                |               |               | X              | X               | X              | X         |
| MDH                                              | WORLD DEBIT EMBOSSSED           | X                               |                |               |               |                | X               |                | X         |
| MDI                                              | Debit Other Unembossed          |                                 |                |               |               |                |                 |                | X         |
| MDJ                                              | Debit Rewards                   |                                 |                |               |               |                |                 |                | X         |
| MDK                                              | Debit Other 2 Unembossed        |                                 |                |               |               |                |                 |                | X         |
| MDO                                              | Debit Other                     |                                 |                |               |               |                |                 |                | X         |
| MDP                                              | Platinum Debit Mastercard® Card | X                               |                |               |               |                | X               |                | X         |
| MDQ                                              | Middle Market Corporate Card    |                                 |                |               |               |                |                 |                | X         |
| MDR                                              | Debit Brokerage                 |                                 |                |               |               |                |                 |                | X         |

| ALM Graduated or Registered Product Code: Card Program Identifier: |                                           | Valid Values List        |                     |         |        |        |         |          |            |
|--------------------------------------------------------------------|-------------------------------------------|--------------------------|---------------------|---------|--------|--------|---------|----------|------------|
|                                                                    |                                           | Card Program Description | Country of Issuance |         |        |        |         |          |            |
|                                                                    |                                           |                          | Australia           | Belarus | Brazil | Canada | Moldova | Thailand | Ukraine US |
| MDS                                                                | Debit Mastercard® Card                    | X                        |                     |         |        |        | X       | X        | X X        |
| MDU                                                                | Debit Unembossed Mastercard® Card         |                          |                     |         |        |        | X       | X        | X X        |
| MEB                                                                | Mastercard Executive BusinessCard® Card   |                          |                     |         |        |        |         |          | X          |
| MEO                                                                | Mastercard Corporate Executive Card® Card |                          |                     |         |        |        |         |          | X          |
| MEP                                                                | Premium Debit Mastercard® Card            |                          |                     |         |        |        |         |          | X          |
| MPC                                                                | Mastercard Professional Card® card        |                          |                     |         |        |        |         |          | X          |
| MPE                                                                | Mastercard® branding to be announced      |                          |                     |         |        | X      |         |          |            |
| MPL                                                                | Platinum Mastercard® Card                 | X                        | X                   | X       |        |        | X       | X        | X X        |

| <b>ALM<br/>Graduated or<br/>Registered Product<br/>Code:<br/>Card<br/>Program<br/>Identifier:<br/>Valid Values List</b> |                                                         |                            |         |        |        |         |          |         |    |
|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------|----------------------------|---------|--------|--------|---------|----------|---------|----|
| <b>Card Program Description</b>                                                                                         |                                                         | <b>Country of Issuance</b> |         |        |        |         |          |         |    |
|                                                                                                                         |                                                         | Australia                  | Belarus | Brazil | Canada | Moldova | Thailand | Ukraine | US |
| MSP                                                                                                                     | Muse Mastercard® Card                                   |                            |         |        | X      |         |          |         |    |
| MUP                                                                                                                     | Premium Debit Unembossed Mastercard® Card               |                            |         |        |        |         |          |         | X  |
| MWB                                                                                                                     | World Mastercard® for Business Corporate Executive Card |                            |         |        |        |         |          |         | X  |
| MWE                                                                                                                     | World Elite™ Mastercard® Card                           | X                          |         |        | X      |         | X        |         | X  |
| MWO                                                                                                                     | Mastercard® Corporate World                             |                            |         |        |        |         |          |         | X  |
| MXO                                                                                                                     | Debit Card Other                                        |                            |         |        |        |         |          |         | X  |
| MXR                                                                                                                     | Debit Card Brokerage                                    |                            |         |        |        |         |          |         | X  |
| MXS                                                                                                                     | Debit Card Standard                                     |                            |         |        |        |         |          |         | X  |



| <b>ALM<br/>Graduated or<br/>Registered Product<br/>Code:<br/>Card<br/>Program<br/>Identifier:<br/>Valid<br/>Values<br/>List</b> |  | <b>Card<br/>Program<br/>Description</b>                                                                         | <b>Country of Issuance</b> |                |               |               |                |                 |                |           |
|---------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------|----------------------------|----------------|---------------|---------------|----------------|-----------------|----------------|-----------|
|                                                                                                                                 |  |                                                                                                                 | <b>Australia</b>           | <b>Belarus</b> | <b>Brazil</b> | <b>Canada</b> | <b>Moldova</b> | <b>Thailand</b> | <b>Ukraine</b> | <b>US</b> |
| SAP                                                                                                                             |  | Platinum<br>Mastercard®<br>Salary–<br>Immediate<br>Debit                                                        |                            | X              |               |               |                |                 |                |           |
| TPL                                                                                                                             |  | Platinum<br>MasterCard–<br>Immediate<br>Debit                                                                   |                            | X              |               |               |                |                 |                |           |
| TWB                                                                                                                             |  | World<br>Mastercard®<br>Black Edition<br>–Immediate<br>Debit                                                    |                            | X              |               |               |                |                 |                |           |
| WBE                                                                                                                             |  | World<br>Mastercard®<br>Black Edition                                                                           |                            | X              |               |               |                |                 |                |           |
| WDR                                                                                                                             |  | World Debit<br>Mastercard®<br>Rewards                                                                           |                            |                |               |               |                |                 |                | X         |
| XXX                                                                                                                             |  | PAN is not<br>registered in<br>Product<br>Graduation<br>Plus or<br>Consumer<br>Product<br>Monitoring<br>Service |                            |                |               |               |                |                 |                |           |

**NOTE: \*Brazil Digital Product Codes were introduced for domestic acquiring and issuing only, and are not supported for global acquirer acceptance ALM Product Graduation Plus will be enhanced in a future release to be compatible with Digital Product Codes.**

## Subfield 3 (ALM Product Class)

PDS 0275, subfield 3 (ALM Product Class) indicates the Product Class override for the applicable ALM service.

Product Class provides the ability to vary interchange rates by product grouping, while maintaining common interchange structures. Only PANs actively registered for Product Graduation Plus will have an associated ALM Product Class. Some ALM Services may combine Product Class Overrides with Rate Types (subfield 4).

Mastercard reserves the right add new valid values for ALM Product Class at any time customers must be able to accept, and process any valid values. In the event new valid values are added, refer to the *Account Level Management Manual*.

### Values

| IF....PDS 0275, subfield 2 is present with one of the following valid values: |                                                                         | THEN....PDS 0275, subfield 3 will be present with one of the following values... |
|-------------------------------------------------------------------------------|-------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| ALM Product Graduation Plus                                                   | Product Class associated with the Product Graduation Plus: Valid Values | Product Class Description                                                        |
| ACS                                                                           | ACS                                                                     | ACH FOR CONSUMER                                                                 |
| BPL                                                                           | BPL                                                                     | MASTERCARD BUSINESS CREDIT PLUS                                                  |
| DBK                                                                           | DBK                                                                     | DIGITAL MASTERCARD BLACK                                                         |
| DCG                                                                           | DCG                                                                     | DIGITAL GOLD                                                                     |
| DCS                                                                           | DCS                                                                     | DIGITAL STANDARD                                                                 |
| DPL                                                                           | DPL                                                                     | DIGITAL PLATINUM                                                                 |
| MAB                                                                           | MAB                                                                     | BUSINESS WORLD ELITE                                                             |
| MAC                                                                           | MAC                                                                     | CORPORATE WORLD ELITE                                                            |
| MBK                                                                           | MBK                                                                     | MASTERCARD BLACK                                                                 |
| MCB                                                                           | MCB                                                                     | CORPORATE                                                                        |
| MCD                                                                           | DMC                                                                     | DEBIT MASTERCARD                                                                 |
| MCG                                                                           | MCG                                                                     | CONSUMER CREDIT GOLD                                                             |

| <b>IF....PDS 0275, subfield 2 is present with one of the following valid values:</b> | <b>THEN....PDS 0275, subfield 3 will be present with one of the following values...</b> |                                     |
|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|-------------------------------------|
| <b>ALM Product Graduation Plus</b>                                                   | <b>Product Class associated with the Product Graduation Plus: Valid Values</b>          | <b>Product Class Description</b>    |
| MCO                                                                                  | MCO                                                                                     | GLOBAL CERTIFIED CORPORATE          |
| MCS                                                                                  | MCC                                                                                     | CONSUMER                            |
| MCT                                                                                  | MCT                                                                                     | TITANIUM MASTERCARD                 |
| MCU                                                                                  | MCC                                                                                     | CONSUMER                            |
| MCW                                                                                  | MCW                                                                                     | WORLD                               |
| MDG                                                                                  | MDG                                                                                     | DEBIT MASTERCARD GOLD               |
| MDH                                                                                  | MDH                                                                                     | DEBIT WORLD                         |
| MDI                                                                                  | MDH                                                                                     | DEBIT WORLD                         |
| MDJ                                                                                  | MDJ                                                                                     | DEBIT MASTERCARD (ENHANCED)         |
| MDK                                                                                  | MDJ                                                                                     | DEBIT MASTERCARD (ENHANCED)         |
| MDO                                                                                  | DMC                                                                                     | DEBIT MASTERCARD                    |
| MDP                                                                                  | MDP                                                                                     | DEBIT MASTERCARD PLATINUM           |
| MDQ                                                                                  | MCO                                                                                     | GLOBAL CERTIFIED CORPORATE          |
| MDR                                                                                  | DMC                                                                                     | DEBIT MASTERCARD                    |
| MDS                                                                                  | DMC                                                                                     | DEBIT MASTERCARD                    |
| MDU                                                                                  | DMC                                                                                     | DEBIT MASTERCARD                    |
| MEB                                                                                  | MEB                                                                                     | MASTERCARD EXECUTIVE BUSINESSCARD   |
| MEO                                                                                  | MEO                                                                                     | MASTERCARD CORPORATE EXECUTIVE CARD |
| MEP                                                                                  | DMC                                                                                     | DEBIT MASTERCARD                    |
| MPC                                                                                  | MCB                                                                                     | CORPORATE                           |
| MPL                                                                                  | MPL                                                                                     | CONSUMER CREDIT PLATINUM            |
| MUP                                                                                  | DMC                                                                                     | DEBIT MASTERCARD                    |
| MWB                                                                                  | MWB                                                                                     | BUSINESS WORLD                      |

| IF....PDS 0275, subfield 2 is present with one of the following valid values: |                                                                            | THEN....PDS 0275, subfield 3 will be present with one of the following values...                                    |
|-------------------------------------------------------------------------------|----------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| ALM Product Graduation Plus                                                   | Product Class associated with the Product Graduation Plus:<br>Valid Values | Product Class Description                                                                                           |
| MWE                                                                           | MWE                                                                        | MASTERCARD WORLD ELITE                                                                                              |
| MWO                                                                           | MWO                                                                        | CORPORATE WORLD                                                                                                     |
| MXO                                                                           | DMC                                                                        | DEBIT MASTERCARD                                                                                                    |
| MXR                                                                           | DMC                                                                        | DEBIT MASTERCARD                                                                                                    |
| MXS                                                                           | DMC                                                                        | DEBIT MASTERCARD                                                                                                    |
| WDR                                                                           | MDH                                                                        | DEBIT WORLD                                                                                                         |
| XXX                                                                           | XXX                                                                        | Product Class Override does not apply, or has not been configured for the ALM Service Code provided in PDS 0275 SF1 |

## Subfield 4 (ALM Rate Type)

PDS 0275, subfield 4 (ALM Rate Type) indicates the Rate Type for the applicable ALM service.

Rate Types provide the ability to vary interchange rates in the event that unique IRDs are not assigned for an applicable business service arrangement. PANs actively registered for ALM Services that do not involve graduated product codes will have an associated ALM Rate Type. Some ALM Services may combine Rate Types with Product Class Overrides (Subfield 3).

Mastercard reserves the right add new valid values for ALM Rate Type at any time customers must be able to accept, and process any valid values. In the event new valid values are added, refer to the *Account Level Management Manual*.

### Values

| RATE TYPE | RATE TYPE DESCRIPTION               |
|-----------|-------------------------------------|
| 801       | Enhanced Value Rate Adjustment      |
| 811       | Core Business to Level 1 Adjustment |
| 812       | Core Business to Level 2 Adjustment |
| 813       | Core Business to Level 3 Adjustment |
| 814       | Core Business to Level 4 Adjustment |
| 815       | Core Business to Level 5 Adjustment |

| RATE TYPE | RATE TYPE DESCRIPTION                                                                                  |
|-----------|--------------------------------------------------------------------------------------------------------|
| 821       | World Business to Level 1 Adjustment                                                                   |
| 822       | World Business to Level 2 Adjustment                                                                   |
| 823       | World Business to Level 3 Adjustment                                                                   |
| 824       | World Business to Level 4 Adjustment                                                                   |
| 825       | World Business to Level 5 Adjustment                                                                   |
| 831       | World Elite Business to Level 1 Adjustment                                                             |
| 832       | World Elite Business to Level 2 Adjustment                                                             |
| 833       | World Elite Business to Level 3 Adjustment                                                             |
| 834       | World Elite Business to Level 4 Adjustment                                                             |
| 835       | World Elite Business to Level 5 Adjustment                                                             |
| 850       | World High Value Adjustment                                                                            |
| 851       | World Consumer Shortfall Adjustment                                                                    |
| 852       | World Elite Consumer Shortfall Adjustment                                                              |
| 881       | Canada World Consumer Adjustment *                                                                     |
| 882       | Canada MPE (Mastercard® branding to be announced) *                                                    |
| 883       | Canada World Elite Adjustment *                                                                        |
| 884       | Canada MUSE Adjustment *                                                                               |
| 885       | Canada MUSE Requalified Down Adjustment *                                                              |
| 886       | Canada World Elite Requalified Down Adjustment *                                                       |
| XXX       | Rate Type does not apply, or has not been configured for the ALM Service Code provided in PDS 0275 SF1 |

**NOTE: \*Consumer Product Monitoring Service, will process using Rate Types associated with a Registered Product Code in Subfield 2 (ALM Product Code).**

## Subfield 5 (ALM Data Source)

PDS 0275, subfield 5 (ALM Data Source) indicates the source of the data in Subfield 1 (ALM Service Code).

The ALM data used to process a transaction is provided from either the matching authorization or during clearing processing. The processing date associated with that source (Authorization or Clearing), will reflect the PAN registration record used for ALM processing.

Mastercard reserves the right add new valid values for ALM Data Source at any time customers must be able to accept, and process any valid values. In the event new valid values are added, refer to the *Account Level Management Manual*.

### Values

| DATA SOURCE | ALM DATA SOURCE DESCRIPTION                                                                                                                            |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1           | ALM data from authorization (used by clearing when matching authorization data found)                                                                  |
| 2           | ALM data from clearing (used by clearing when no authorization match found or for reversals/life cycle)                                                |
| 3           | ALM data from clearing due to ALM service unavailable in authorization (used by clearing when matching authorization ALM data has a SF1 '00000' error) |

## Subfield 6 (Mastercard One Credential Acceptance Brand)

PDS 0275 (Account Level Management [ALM] Service Data), subfield 6 (Mastercard One Credential Acceptance Brand) contains the acceptance brand of the product code present in PDS 0275, subfield 2 (ALM Graduated or Registered Product Code).

### Attributes

| Attribute            | Description            |
|----------------------|------------------------|
| Subfield ID          | 06                     |
| Subfield Data Length | 2 positions            |
| Data Representation  | an-3                   |
| Data Field           | Contents of subfield 6 |
| Justification        | N/A                    |

### Values

| Value | Description      |
|-------|------------------|
| MCC   | Mastercard       |
| DMC   | Debit Mastercard |
| MSI   | Maestro          |

## Subfield 7 (Mastercard One Credential Static/Dynamic Interchange Indicator)

PDS 0275 (Account Level Management [ALM] Service Data), subfield 7 (Mastercard One Credential Static/Dynamic Interchange Indicator) identifies the transaction as being subject to dynamic or static interchange.

### Attributes

| Attribute            | Description            |
|----------------------|------------------------|
| Subfield ID          | 07                     |
| Subfield Data Length | 2 positions            |
| Data Representation  | an-1                   |
| Data Field           | Contents of subfield 7 |
| Justification        | N/A                    |

### Values

| Value | Description                                                                                                                                    |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------|
| D     | Dynamic Interchange: the transaction's interchange will be based on the Mastercard One Credential Funding PAN instead of the DE 2 Primary PAN. |
| S     | Static Interchange: the transaction's interchange will be based on the DE 2 Primary PAN.                                                       |

## Subfield 8 (Mastercard One Credential Issuer Account Range)

PDS 0275 (Account Level Management [ALM] Service Data), subfield 8 (Mastercard One Credential Issuer Account Range) contains the Mastercard One Credential Funding PAN's issuer account range.

### Attributes

| Attribute            | Description |
|----------------------|-------------|
| Subfield ID          | 08          |
| Subfield Data Length | 2 positions |
| Data Representation  | n-19        |

| Attribute     | Description            |
|---------------|------------------------|
| Data Field    | Contents of subfield 8 |
| Justification | Left                   |

## PDS 0276 (Fee Amounts, Additional)

PDS 0276 (Fee Amounts, Additional) supports regional ALM processing.

Fee Amounts, Additional provides the ALM interchange amounts derived for a Product Class Override and/or Rate Type Adjustment. The base, ALM override, and ALM rate type amounts within PDS 0276 are intended to support reconciliation of the net interchange amount applied to transaction in PDS 0146 (Amounts, Transaction Fee).

PDS 0276 will be present any time that PDS 0275 is present within clearing messages and reports. If a PAN is not registered for ALM, but Issuers Account Range participates, PDS 0276 will only reflect the base interchange amount.

PDS 0276 will be provided to customers that have elected to receive PDS 0275 (Account Level Management Service Data). Customers may elect to receive this optional data through customer self-service within Mastercard Connect.

PDS 0276 (Fee Amounts, Additional) provides all fee amounts associated with transactions that have processed for Account Level Management. This PDS may accommodate 1 to 8 fee amount occurrences.

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | an...384; TAGLLLLVAR                             |
| Tag Field           | 0276                                             |
| Data Length         | 3 positions, value = 048–384 in increments of 48 |
| Data Field          | Variable length, 48–384 positions                |
| Subfields           | 9                                                |
| Occurrences         | 1-8                                              |
| Justification       | See "Subfields"                                  |

### Usage

The following table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.



### Applicable messages

| Message                 | Org | Sys | Dst |
|-------------------------|-----|-----|-----|
| First Presentment/1240  | .   | X   | C   |
| First Chargeback/1442   | .   | X   | C   |
| Second Presentment/1240 | .   | X   | C   |

### Related required IPM fields

All PDS 0276 fee amounts will be expressed in the currency of DE 50 Currency Code, Reconciliation. PDS 0148 (Currency Exponents) must be present with PDS 0276 to identify the transaction's exponent. PDS 0275 (ALM Service Data) must be present with PDS 0276 to identify the ALM program that applies.

### Amount values

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. All amounts support the optional Extended Decimal Precision (EDP) service. For example, a transaction amount of USD 212.55 is expressed as 000000000000021255 and 2 decimal positions without the EDP service (see PDS 0147), and will be expressed as 000000000212550000 and 6 decimal positions with EDP (when PDS 0147 is present).

### Application notes

Fee Amount occurrence examples include: Base amount, Override replacement amount, Base + Rate Type adjustment(s), Override + Rate Type adjustment(s).

ALM-processed transactions where no ALM interchange was applied ('PAN not registered' or ALM service errors) will show a Base amount only. PDS 0276 Fee Amount and Direction subfields are shown from the acquirer/receiver view.

**NOTE: This field will remain unchanged from the original message when processing a reversal of a previous message.**

## PDS 0276 subfields

This PDS may contain 1 to 8 occurrences of fee amounts. Each transaction fee consists of 9 subfields as defined in the following table. Each fee requires 48 positions; the length of this PDS must be a multiple of 48, with a maximum length of 384 positions.

### Subfield attributes and values

| Number | Positions | Name                    | Attribute | Justification |
|--------|-----------|-------------------------|-----------|---------------|
| 1      | 1-3       | Rate Type               | n-3       | N/A           |
| 2      | 4-5       | Override Hierarchy      | n-2       | N/A           |
| 3      | 6         | EDP Indicator           | a-1       | N/A           |
| 4      | 7-24      | Variable Fee Amount     | n-18      | N/A           |
| 5      | 25-26     | Variable Fee Direction  | an-2      | N/A           |
| 6      | 27-44     | Fixed Fee Amount        | n-18      | N/A           |
| 7      | 45-46     | Fixed Fee Direction     | an-2      | N/A           |
| 8      | 47        | Min/Max Limit Indicator | a-1       | N/A           |
| 9      | 48        | Tiered Amount Indicator | a-1       | N/A           |

All subfields are present for each fee occurrence. The values to be used for each fee subfield are described in the following text.

### Subfield 1 (Rate Type)

The rate type value. Customer processing systems must be able to accommodate new fee types that may be added at any time.

Valid values:

- 001 = Interchange Fee
- PDS 0275 subfield 4: ALM Rate Type
- IPM MPE Table IP0053T1: Rate Type subfield values

### Subfield 2 (Override Hierarchy)

Valid values:

- If Rate Type = 001 and Override Hierarchy = 00 amount occurrence represents Base amount;
- If Rate Type = 001 and Override Hierarchy = 01-11 amount occurrence represents Override replacement amount

**NOTE: Refer to Global Clearing Management System edits, fee assignments, and fee calculation for the list of Override criteria descriptions and the hierarchical order of selection.**

### **Subfield 3 (EDP Indicator (Extended Decimal Precision))**

Valid values:

- If EDP Ind = N (default), PDS 0276 Variable and Fixed Fee Amount subfields will be right-justified and populated based on decimal precision in PDS 0148;
- If EDP Ind = Y, PDS 0147 is present, and decimal precision Variable and Fixed Fee Amount subfields will be 6 for all PDS 0276 occurrences

### **Subfield 4 (Variable Fee Amount)**

Refer to Amount Values above.

### **Subfield 5 (Variable Fee Direction)**

The direction in which the interchange rate is applied for the Variable Fee Amount.

Valid values:

- CR = amount receiver credit
- DR = amount receiver debit

### **Subfield 6 (Fixed Fee Amount)**

Refer to Amount Values above.

### **Subfield 7 (Fixed Fee Direction)**

The direction in which the interchange unit fee is applied for the Fixed Fee Amount.

Valid values:

- CR = amount receiver credit
- DR = amount receiver debit

### **Subfield 8 (Min/Max Limit Indicator)**

Valid values:

- Min/Max Limit Ind = N is default value;
- If Min/Max Limit Ind = Y, the Min or Max fee amount was applied, and the Variable and Fixed Fee Amounts will match either the Min or the Max Limit Amount setup in the IPM MPE Table IP0053T1

### Subfield 9 (Tiered Amount Indicator)

Valid values:

- Tiered Amount Ind = N is default value;
- If Tiered Amount Ind = Y, tiered amount ranges IPM(MPE Table IP0053T1 Transaction Amount Range Low value > 0) is used to select the Variable Fee Amount rate

## PDS 0280 (Source File ID)

PDS 0280 (Source File ID) provides the file ID of a referenced data file.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-25; TAGLLL               |
| Tag Field           | 0280                       |
| Data Length         | 3 positions, value = 025   |
| Data Field          | Fixed length, 25 positions |
| Subfields           | 4                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of PDS 0280 (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                     | Org | Sys | Dst |
|---------------------------------------------|-----|-----|-----|
| Message Exception/1644 and File Reject/1644 | .   | X   | C   |

This PDS identifies in File Reject/1644 and Message Exception/1644 messages the file that contains errors.

This PDS is comprised of four subfields to indicate the file type, the file processing date, the ID of the customer or processor associated with the file, and a file sequence number to identify the file uniquely. The combination of these four subfields together forms a value that uniquely identifies all files to or from a customer processing facility.

## PDS 0280 subfields

This PDS consists of four subfields

### PDS 0280 subfields

| Number | Positions | Name                 | Attribute | Justification |
|--------|-----------|----------------------|-----------|---------------|
| 1      | 1–3       | File Type            | ans-3     | N/A           |
| 2      | 4–9       | File Reference Date  | n-6       | N/A           |
| 3      | 10–20     | Processor ID         | n-11      | right         |
| 4      | 21–25     | File Sequence Number | n-5       | right         |

Refer to [PDS 0105 \(File ID\)](#) for descriptions of these subfields.

## PDS 0297 (Amount, Mexico Domestic [VAT])

PDS 0297 (Amount, Mexico Domestic [VAT]) contains the VAT amount associated with a domestic transaction.

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | ans...060; TAGLLLLVAR                            |
| Tag Field           | 0297                                             |
| Length Field        | 3 positions, value = 020-060 in increments of 20 |
| Data Field          | Variable length, 020-060 positions               |
| Subfields           | 5                                                |
| Justification       | N/A                                              |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Usage

| Message Type Identifier     | Org | Sys | Dst |
|-----------------------------|-----|-----|-----|
| First Presentment/1240      | .   | X   | C   |
| First Chargeback/1442       | .   | X   | C   |
| Arbitration Chargeback/1442 | .   | X   | C   |
| Second Presentment/1240     | .   | X   | C   |
| Fee Collection/1740         | .   | X   | C   |

## Values

If present, PDS 0297 must be alphanumeric and represents the value added tax amount calculated by the Mastercard Dual Message Clearing System from DE 4 (Transaction, Amount) on Fee Collection/1740 messages, or the value added tax amount calculated from PDS 0298 (Amount, Mexico Domestic Transaction Fee) on First Presentment/1240 messages, Second Presentment/1240 messages, and Chargeback/1442 messages.

For Mexico Domestic RedMX Scheme, transactions with PDS 0191 (Originating Message Format) equal to 0 will not have PDS 0297 present on Chargeback/1442 messages and Second Presentment/1240 messages. PDS 0297 will only be present for First Presentment/1240 messages, including reversals and syntax error return messages.

For Mexico Domestic Mastercard Scheme, transactions with PDS 0191 equal to 2 will have PDS 0297 present on First Presentment/1240 messages, Second Presentment/1240 messages, and Chargeback/1442 messages.

For Mexico Domestic Mastercard Scheme and RedMX Scheme Fee Collection/1740 messages, PDS 0297 will only be present if DE 4 (Transaction, Amount) represents an actual fee.

PDS 0297 does not apply to Mexico Domestic First Presentment/1240 ATM Activity.

The Mastercard Dual Message Clearing System supplies the value added tax amount in PDS 0297, when applicable.

In each occurrence of the value added tax amount of PDS 0297, the settlement data is assigned to PDS 0299 (Mexico Domestic Settlement Data for Fees and VAT) for reconciliation.

## PDS 0297 subfields

PDS 0297 contains five subfields.

### PDS 0297 subfields

| Number | Position(s) | Name                    | Attribute | Justification |
|--------|-------------|-------------------------|-----------|---------------|
| 1      | 1-3         | Rate Type Code          | n-3       | N/A           |
| 2      | 4-15        | Amount, Value Added Tax | n-12      | N/A           |
| 3      | 16-18       | Currency Code           | n-3       | N/A           |
| 4      | 19          | Currency Exponent       | n-1       | N/A           |
| 5      | 20          | Debit/Credit Indicator  | a-1       | N/A           |

### Subfield 1 (Rate Type Code)

Customer processing systems must be able to accommodate new rate types that may be added at any time.

#### Subfield 1 (Rate Type Code)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | n-3                         |
| Data Field:          | Contents of positions 1-3   |
| Justification:       | N/A                         |
| Values:              | 010 = Value Added Tax (VAT) |

### Subfield 2 (Amount, Tax)

Subfield 2 indicates the tax amount that applies to the purchased goods and services or fees accrued from the purchased goods and services. This subfield must be numeric.

Subfield 2 for rate type code value 010 = VAT indicates the tax amount that applies to fees accrued from the purchased good and services.

### Subfield 2 (Amount, Tax)

| Attributes           | Description                |
|----------------------|----------------------------|
| Data Representation: | n-12                       |
| Data Field:          | Contents of positions 4-15 |
| Justification:       | N/A                        |

### Subfield 3 (Currency Code)

ISO-standard currency code that identifies the currency type.

### Subfield 3 (Currency Code)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | n-3                         |
| Data Field:          | Contents of positions 16-18 |
| Justification:       | N/A                         |

### Subfield 4 (Currency Exponent)

Subfield 4 identifies the implied decimal position applicable to the ISO standard currency code.

### Subfield 4 (Currency Exponent)

| Attributes           | Description             |
|----------------------|-------------------------|
| Data Representation: | n-1                     |
| Data Field:          | Contents of position 19 |
| Justification:       | N/A                     |



| Attributes | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Values:    | <p>A zero indicates that the decimal point immediately follows the least significant digit of the related amount data</p> <p>Values in the range 1 to 5 indicate that the decimal point is located 1 to 5 positions to the left of the least significant digit of the related amount data</p> <p>Values in the range A to E indicate that the decimal point is located 1 to 5 positions to the left of the least significant digit of the related amount data (Values A to E are currently not supported)</p> <p><b>NOTE: Only numeric currency exponents (values 1 to 5) are supported. ISO defined values (A to E) are for future use.</b></p> |

### Subfield 5 (Debit/Credit Indicator)

Subfield 5 identifies if subfield 2 is a debit or credit position for the message receiver.

#### Subfield 5 (Debit/Credit Indicator)

| Attributes           | Description             |
|----------------------|-------------------------|
| Data Representation: | a-1                     |
| Data Field:          | Contents of position 20 |
| Justification:       | N/A                     |

## PDS 0298 (Amount, Mexico Domestic Transaction Fee)

PDS 0298 (Amount, Mexico Domestic Transaction Fee) presents all fee amounts associated with a Mexico domestic transaction. This PDS may accommodate 1 to 12 different fee types.

#### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | n...432; TAGLLLVAR                               |
| Tag Field           | 0298                                             |
| Length Field        | 3 positions, value = 036-432 in increments of 36 |
| Data Field          | Variable length, 36-432 positions                |

| Attribute     | Description |
|---------------|-------------|
| Subfields     | 7           |
| Occurrences   | 1-12        |
| Justification | N/A         |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Usage

| Message Type Identifier     | Org | Sys | Dst |
|-----------------------------|-----|-----|-----|
| First Presentment/1240      | .   | X   | C   |
| First Chargeback/1442       | O   | X   | C   |
| Arbitration Chargeback/1442 | O   | X   | C   |
| Second Presentment/1240     | O   | X   | C   |

Fees are assessed in the domestic currency according to card program identifier, program, or service rules.

The Dual Message Clearing System calculates the fees and provides them to the receiving customer in PDS 0298.

For Mexico Domestic RedMX Scheme, transactions with PDS 0191 (Originating Message Format) equal to 0, the Dual Message Clearing System will insert PDS 0298 transaction fee amount equal to zero on Chargebacks/1442 messages and Second Presentments/1240 messages. PDS 0298 can have an amount greater than zero on First Presentments/1240 messages including reversals and syntax error return messages.

For Mexico Domestic Mastercard Scheme, transactions with PDS 0191 equal to 2, the Dual Message Clearing System will calculate and insert PDS 0298 on First Presentments/1240 messages, Second Presentment/1240 messages, and Chargebacks/1442 messages.

## Related Required PDS

PDS 0148 (Currency Exponents) must be present with PDS 0298 to identify the transaction's exponent.

## Values

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of MXN 212.50 is expressed as 000000021250.

**NOTE:** This field remains unchanged from the original message when processing a reversal of a previous message.

## PDS 0298 subfields

PDS 0298 contains three subfields. This PDS may contain one to 12 occurrences of transaction fees.

### PDS 0298 subfields

Each transaction fee consists of seven subfields. Each fee requires 36 positions; the length of this PDS must be a multiple of 36, with a maximum length of 432 positions. All subfields are present for each fee occurrence. If the fee reconciliation (payment) currency is the same as the fee calculation currency, fee subfields 6 and 7 contain the same values as subfields 4 and 5.

| Number | Position(s) | Name                                                                                                                  | Attribute | Justification |
|--------|-------------|-----------------------------------------------------------------------------------------------------------------------|-----------|---------------|
| 1      | 1-2         | Fee Type Code A: code in the range 00-99 to indicate the fee type                                                     | n-2       | N/A           |
| 2      | 3-4         | Fee Processing Code A: code that indicates the entity to be debited and the entity to be credited for this fee amount | n-2       | N/A           |
| 3      | 5-6         | Fee Settlement Indicator: identifies the PDS location of the settlement service information applicable to this fee    | n-2       | N/A           |
| 4      | 7-9         | Currency Code, Fee: the ISO numeric currency code for the Amount, Fee (subfield 5)                                    | n-3       | N/A           |
| 5      | 10-21       | Amount, Fee: the transaction fee amount in the calculated currency of the fee                                         | n-12      | N/A           |
| 6      | 22-24       | Currency Code, Fee, Reconciliation: the ISO numeric currency code for the Amount, Fee, Reconciliation (subfield 7)    | n-3       | N/A           |

| Number | Position(s) | Name                                                                                      | Attribute | Justification |
|--------|-------------|-------------------------------------------------------------------------------------------|-----------|---------------|
| 7      | 25-36       | Amount, Fee, Reconciliation: fee amount in the reconciliation currency (payment currency) | n-12      | N/A           |

### Subfield 1 (Fee Type Code)

Customer processing systems must be able to accommodate new fee types that may be added at any time.

#### Subfield 1 (Fee Type Code)

| Attributes           | Description                                                       |
|----------------------|-------------------------------------------------------------------|
| Data Representation: | n-2                                                               |
| Data Field:          | Contents of positions 1-2                                         |
| Justification:       | N/A                                                               |
| Values:              | 00 = Transaction interchange fee (fixed plus variable fee amount) |

### Subfield 2 (Fee Processing Code)

Subfield 2 identifies the entity to be debited and the entity to be credited for the fee amount.

#### Subfield 2 (Fee Processing Code)

| Attributes           | Description                                                               |
|----------------------|---------------------------------------------------------------------------|
| Data Representation: | n-2                                                                       |
| Data Field:          | Contents of positions 3-4                                                 |
| Justification:       | N/A                                                                       |
| Values:              | 19 = Debit transaction destination<br>29 = Credit transaction destination |

### Subfield 3 (Fee Settlement Indicator)

Subfield 3 identifies the settlement service PDS to which the fee is associated for the purpose of financial reconciliation and settlement.

#### Subfield 3 (Fee Settlement Indicator)

| Attributes           | Description                                                                                                                                                                                                                                                                                              |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Data Representation: | n-2                                                                                                                                                                                                                                                                                                      |
| Data Field:          | Contents of positions 5-6                                                                                                                                                                                                                                                                                |
| Justification:       | N/A                                                                                                                                                                                                                                                                                                      |
| Values:              | 00 = Settlement services do not apply to this fee. Fee settlement or fee billing occurs as a separate activity and is not included in this transaction's reconciliation and settlement.<br><br>01 = This settlement service is identified in PDS 0299 (Mexico Domestic Settlement Data for Fee and VAT). |

### Subfield 4 (Currency Code, Fee)

Subfield 4 identifies the currency of the fee amount. This is the currency in which the Dual Message Clearing System calculates the fee. For example, if the fee is listed in Mastercard publications as a MXN Peso fee, subfields 4 and 5 will contain the fee in MXN Peso. The fee is defined in the calculated fee currency and may include a fixed amount, a percentage of the transaction amount, or both. This subfield must contain a valid ISO numeric currency code.

#### Subfield 4 (Currency Code, Fee)

| Attributes           | Description               |
|----------------------|---------------------------|
| Data Representation: | n-3                       |
| Data Field:          | Contents of positions 7-9 |
| Justification:       | N/A                       |

### Subfield 5 (Amount, Fee)

Subfield 5 is the fee amount in the currency in which the fee is calculated by the Dual Message Clearing System. In First Presentment/1240 messages, the total interchange fees assessed must not be greater than the transaction amount.

### Subfield 5 (Amount, Fee)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | n-12                        |
| Data Field:          | Contents of positions 10-21 |
| Justification:       | N/A                         |

### Subfield 6 (Currency Code, Fee, Reconciliation)

Subfield 6 identifies this fee's reconciliation (payment) currency. Standard ISO numeric currency codes are used.

### Subfield 6 (Currency Code, Fee, Reconciliation)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | n-3                         |
| Data Field:          | Contents of positions 22-24 |
| Justification:       | N/A                         |

### Subfield 7 (Amount, Fee, Reconciliation)

Subfield 7 is the fee amount converted to the reconciliation (payment) currency for the message recipient.

### Subfield 7 (Amount, Fee, Reconciliation)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | n-12                        |
| Data Field:          | Contents of positions 25-36 |
| Justification:       | N/A                         |

## PDS 0299 (Mexico Domestic Settlement Data for Fees and VAT)

PDS 0299 (Mexico Domestic Settlement Data for Fees and VAT) provides reconciliation and settlement information for the PDS 0297 and PDS 0298 amounts in each Mexico Domestic Dual Message Clearing System transaction that has settlement impact.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...67; TAGLLLLVAR            |
| Tag Field           | 0299                            |
| Length Field        | 3 positions, value = 001-067    |
| Data Field          | Variable length, 1-67 positions |
| Subfields           | 9                               |
| Justification       | See subfields                   |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Usage

| Message Type Identifier            | Org | Sys | Dst |
|------------------------------------|-----|-----|-----|
| First Presentment/1240             | .   | X   | C   |
| First Chargeback/1442              | C   | X   | C   |
| Arbitration Chargeback/1442        | C   | X   | C   |
| Second Presentment/1240            | C   | X   | C   |
| Fee Collection/1740 (VAT Eligible) | .   | X   | C   |

For Mexico Domestic Mastercard and RedMX Scheme Fee collection/1740s, the PDS 0299 will only be present if the DE 4 (Transaction, Amount) represents a VAT Eligible fee. For example, PDS 0299 will not be present on a good faith Fee Collection/1740 message because the amount in DE 4 represents a cardholder transaction amount and the settlement data will be present in PDS 0159.

The Dual Message Clearing System inserts PDS 0299 into all transactions with VAT eligible settlement impact for which the Dual Message Clearing System is responsible for managing funds settlement.

A transaction has settlement impact if it causes funds to be moved between customers or between the customer and Mastercard when the transaction is successfully completed.

In PDS 0298 (Amount, Mexico Domestic Transaction Fee), each occurrence of a transaction fee (subfield 7 [Amount, Fee, Reconciliation]), the settlement data is assigned to PDS 0299 for reconciliation, as indicated by the Fee Settlement Indicator subfield associated with each fee.

## PDS 0299 subfields

PDS 0299 consists of nine subfields.

### PDS 0299 subfields

| Number | Position(s) | Name                                        | Attribute   | Justification |
|--------|-------------|---------------------------------------------|-------------|---------------|
| 1      | 1-11        | Settlement Service Transfer Agent ID Code   | ans-11      | Right         |
| 2      | 12-39       | Settlement Service Transfer Agent Account   | ans-28      | Left          |
| 3      | 40          | Settlement Service Level Code               | n-1         | N/A           |
| 4      | 41-50       | Settlement Service ID Code                  | ans-10      | Left          |
| 5      | 51          | Settlement Foreign Exchange Rate Class Code | an-1        | N/A           |
| 6      | 52-57       | Reconciliation Date                         | n-6; YYMMDD | N/A           |
| 7      | 58-59       | Reconciliation Cycle                        | n-2         | N/A           |
| 8      | 60-65       | Settlement Date                             | n-6; YYMMDD | N/A           |
| 9      | 66-67       | Settlement Cycle                            | n-2         | N/A           |

### Subfield 1 (Settlement Service Transfer Agent ID Code)

Subfield 1 is space-filled. The Settlement Service Transfer Agent ID Code identifies the transfer agent ID selected for the receiving customer. The agent established one or more accounts with at least one bank approved to effect settlement with Mastercard. The agent's accounts are used for settling activity with Mastercard for itself, a customer or group of customers, or both. The Dual Message Clearing System always determines this subfield's data value.



### Subfield 1 (Settlement Service Transfer Agent ID Code)

| Attributes           | Description                |
|----------------------|----------------------------|
| Data Representation: | ans-11                     |
| Data Field:          | Contents of positions 1-11 |
| Justification:       | Right                      |

### Subfield 2 (Settlement Service Transfer Agent Account)

Subfield 2 contains the agent's bank account number for the receiving customer associated with the settlement service identified in subfield 4. The Dual Message Clearing System always determines this subfield's value.

### Subfield 2 (Settlement Service Transfer Agent Account)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | ans-28                      |
| Data Field:          | Contents of positions 12-39 |
| Justification:       | Left                        |

### Subfield 3 (Settlement Service Level Code)

Subfield 3 is a one-digit code that identifies the settlement level of the settlement service. The Dual Message Clearing System always determines this subfield's data value.

### Subfield 3 (Settlement Service Level Code)

| Attributes           | Description             |
|----------------------|-------------------------|
| Data Representation: | n-1                     |
| Data Field:          | Contents of position 40 |
| Justification:       | N/A                     |
| Values:              | 3 = Intracurrency       |

## Subfield 4 (Settlement Service ID Code)

Subfield 4 contains a 10-position value that uniquely identifies the settlement service. This subfield is populated according to the settlement service ID selected for the receiving customer. The Dual Message Clearing System always determines this subfield's data value.

### Subfield 4 (Settlement Service ID Code)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | ans-10                      |
| Data Field:          | Contents of positions 41-50 |
| Justification:       | Left                        |

## Subfield 5 (Settlement Foreign Exchange Rate Class Code)

Subfield 5 identifies the classification of foreign exchange rates used to compute payment amounts for this settlement service. The Dual Message Clearing System always determines this subfield's data value.

### Subfield 5 (Settlement Foreign Exchange Rate Class Code)

| Attributes           | Description                                                                                                                                                                                                                                                                                   |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Data Representation: | an-1                                                                                                                                                                                                                                                                                          |
| Data Field:          | Contents of position 51                                                                                                                                                                                                                                                                       |
| Justification:       | N/A                                                                                                                                                                                                                                                                                           |
| Values:              | F = Fixed; indicates that a fixed rate class was used to convert from transaction currency to receiver's payment currency<br>M = Market; indicates that a market rate was used to convert from base currency to the receiver's payment currency<br>N = Not applicable; no conversion occurred |

## Subfield 6 (Reconciliation Data)

Subfield 6 is a six-digit subfield in the format YYMMDD that identifies the Dual Message Clearing System's processing date expressed in the local time zone of the clearing system's processing center.

Clearing reconciliation cutoffs may occur every day. The Dual Message Clearing System may process a transaction on a Sunday, but the transaction may not be settled until Monday if the settlement bank is not open on Sundays. If this occurs, the Dual Message Clearing System assigns the Sunday date to subfield 6 and assigns the Monday date to subfield 8.

The Dual Message Clearing System always determines this subfield's data value. The Dual Message Clearing System inserts the reconciliation date into any transaction to which it has assigned a Settlement Service Level Code and Settlement Service ID Code. This subfield contains the same value as PDS 0158 (Business Activity), subfield 5 (Central Site Business Date).

#### Subfield 6 (Reconciliation Date)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | n-6; YYMMDD                 |
| Data Field:          | Contents of positions 42-57 |
| Justification:       | N/A                         |

#### Subfield 7 (Reconciliation Cycle)

Subfield 7 is a two-digit subfield that identifies a reconciliation period in a reconciliation date.

The reconciliation cycle is adjusted at each clearing reconciliation cutoff. At cutoff, the reconciliation cycle is incremented by one unless the last cycle in the reconciliation date is being cutoff. In this case, the reconciliation date is incremented to the next available business day for the settlement service, and the reconciliation cycle is 01. The reconciliation cycles are assigned.

The Dual Message Clearing System always determines this subfield's data value. The Dual Message Clearing System inserts the reconciliation cycle into any transaction to which it assigned a settlement service level code and settlement service ID code. This subfield contains the same value as PDS 0158 (Business Activity), subfield 6 (Business Cycle).

#### Subfield 7 (Reconciliation Cycle)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | n-2                         |
| Data Field:          | Contents of positions 58-59 |
| Justification:       | N/A                         |

| Attributes | Description                                                                                  |
|------------|----------------------------------------------------------------------------------------------|
| Values:    | 01 = Cycle 1<br>02 = Cycle 2<br>03 = Cycle 3<br>04 = Cycle 4<br>05 = Cycle 5<br>06 = Cycle 6 |

## Subfield 8 (Settlement Date)

Subfield 8 is a six-digit subfield in the format YYMMDD that identifies the date that the settlement service initiates settlement for the message, such as the settlement advisement date, which is based on the clearing date, settlement service cutoff cycle, and calendar for the settlement service. Settlement service cutoffs occur only on banking business days the settlement service specifically identifies.

The Dual Message Clearing System may process a transaction on a Sunday but may not settle it until Monday if the settlement bank is not open on Sundays. If this occurs, the Dual Message Clearing System assigns the Sunday date to subfield 6 and assigns the Monday date to subfield 8.

The Dual Message Clearing System always determines this subfield's data value. The Dual Message Clearing System inserts the settlement date in any transaction to which it assigned a settlement service level code and settlement service ID code.

The settlement date is adjusted for each settlement service level and settlement service ID.

### Subfield 8 (Settlement Date)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | n-6; YYMMDD                 |
| Data Field:          | Contents of positions 60-65 |
| Justification:       | N/A                         |

## Subfield 9 (Settlement Cycle)

Subfield 9 is a two-digit subfield that identifies a settlement period in a settlement date. The settlement cycle is adjusted at each settlement service reconciliation cutoff. The settlement cycle is assigned.

Clearing file activity senders and receivers should anticipate that additional settlement cycle cutoffs will be added over time to support regional and local needs. All customers and processors should be prepared to receive and reconcile against multiple settlement cycles.

### Subfield 9 (Settlement Cycle)

| Attributes           | Description                 |
|----------------------|-----------------------------|
| Data Representation: | n-2                         |
| Data Field:          | Contents of positions 66-67 |
| Justification:       | N/A                         |
| Values:              | 01 = Cycle 1                |

## PDS 0300 (Reconciled, File)

PDS 0300 (Reconciled, File) identifies in Reconciliation messages the logical file to which the reconciliation totals pertain.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-25; TAGLLL               |
| Tag Field           | 0300                       |
| Data Length         | 3 positions, value = 025   |
| Data Field          | Fixed length, 25 positions |
| Subfields           | 4                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                    | Org | Sys | Dst |
|----------------------------|-----|-----|-----|
| File Currency Summary/1644 | .   | X   | M   |

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | .   | X   | C   |
| Settlement Position Detail/1644 | .   | X   | M   |

In reconciliation messages, this PDS contains PDS 0105 (File ID) of the offline clearing logical file to which the reconciliation totals apply.

Multiple logical files may be present in a physical clearing transmission.

## PDS 0300 subfields

This PDS contains four subfields.

For customers requesting the early reconciliation file, this category is always provided.

### PDS 0300 subfields

| Number | Positions | Name                                                                                                                                                                                                                                                                                                                                                      | Attribute | Justification |
|--------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------------|
| 1      | 1-3       | File Type                                                                                                                                                                                                                                                                                                                                                 | n-3       | N/A           |
| 2      | 4-9       | File Reference Date                                                                                                                                                                                                                                                                                                                                       | n-6       | N/A           |
| 3      | 10-20     | Processor ID                                                                                                                                                                                                                                                                                                                                              | n-11      | right         |
| 4      | 21-25     | File Sequence Number<br>For acknowledgments, this field contains the value assigned by the sending customer.<br>For notifications, these Mastercard® formats apply: <ul style="list-style-type: none"> <li>• Clearing Cycle (positions 21-22)</li> <li>• Delivery Cycle (position 23, values 1-6)</li> <li>• Sequence Number (positions 24-25)</li> </ul> | n-5       | right         |

Refer to [PDS 0105 \(File ID\)](#) for descriptions of these subfields.

## PDS 0301 (File Amount, Checksum)

PDS 0301 (File Amount, Checksum) provides a preliminary quick check for the file recipient to indicate or to determine that it received all messages in a file.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-16; TAGLLL               |
| Tag Field           | 0301                       |
| Data Length         | 3 positions, value = 016   |
| Data Field          | Fixed length, 16 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                       | Org | Sys | Dst |
|-----------------------------------------------|-----|-----|-----|
| File Trailer (Customer-generated)/1644        | M   | .   | .   |
| File Trailer (Clearing System-generated)/1644 | .   | X   | C   |

This PDS contains the sum amount of all amounts from each occurrence of DE 4 (Amount, Transaction) in a logical file.

This sum is a hash total only, and ignores the currency code and currency exponent associated with DE 4 in all cases.

This hash total includes only data from DE 4 when present in a message. This PDS is not present in early Reconciliation messages. It does not include any fee amounts.

Originators may provide all zeros in this field. If PDS 0301 contains a value other than all zeros, the clearing system validates PDS 0301 against the sum of all amounts in each occurrence of DE 4 within the logical file. The entire logical file rejects if the values do not match.

## Values

This PDS has no financial value.

The checksum amount is always initialized to zero before processing messages. If no messages in the file contain DE 4, the checksum amount remains all zeros.

## PDS 0302 (Reconciled, Member Activity)

PDS 0302 (Reconciled, Member Activity) indicates in reconciliation messages whether the related reconciliation totals represent acquiring activity, issuing activity, or fee collection activity.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | a-1; TAGLLL              |
| Tag Field           | 0302                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | .   | X   | C   |
| Settlement Position Detail/1644 | .   | X   | C   |

This PDS indicates in reconciliation messages whether the related reconciliation totals represent acquiring activity, issuing activity, or fee collection activity. Refer to [Reconciliation messages](#) for additional information about classifying activity into one of these categories.

For Settlement Position Detail/1644 messages, PDS 0302 is provided automatically if the customer selects the acquirer BIN or issuer account range settlement reconciliation categories.



## Values

The data values are listed in this table.

### Values

| Value | Description             |
|-------|-------------------------|
| A     | Acquiring activity      |
| I     | Issuing activity        |
| F     | Fee collection activity |

## PDS 0306 (File Message Counts)

PDS 0306 (File Message Counts) provides a preliminary quick check for the file recipient to indicate that all records in a file have been received.

PDS 0306 contains the total number of messages in the file.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-8; TAGLLL               |
| Tag Field           | 0306                      |
| Data Length         | 3 positions, value = 008  |
| Data Field          | Fixed length, 8 positions |
| Subfields           | None                      |
| Justification       | Right                     |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                | Org | Sys | Dst |
|----------------------------------------|-----|-----|-----|
| File Trailer (Customer-generated)/1644 | M   | .   | .   |

| Message                                       | Org | Sys | Dst |
|-----------------------------------------------|-----|-----|-----|
| File Trailer (Clearing System-generated)/1644 | .   | X   | M   |

This PDS contains the total count of messages occurring in a logical file, including the File Header (Customer-generated or Clearing System-generated)/1644 and File Trailer (Customer-generated or Clearing System-generated)/1644. This PDS is provided in File Trailer (Customer-generated)/1644 and File Trailer (Clearing System-generated)/1644 messages.

Originators may provide all zeros in this field. If PDS 0306 contains a value other than all zeros, the clearing system validates PDS 0306 against the total of all messages in the logical file, including the File Header/1644 and File Trailer/1644. The entire logical file rejects if the counts do not match.

## PDS 0358 (Reconciled, Business Activity)

PDS 0358 (Reconciled, Business Activity) identifies in reconciliation messages the business activity to which the reconciliation totals pertain.

### Attributes

| Attribute           | Description                        |
|---------------------|------------------------------------|
| Data Representation | ans...34; TAGLLLLVAR               |
| Tag Field           | 0358                               |
| Data Length         | 3 positions, value = 003–031       |
| Data Field          | Variable length, 003–031 positions |
| Subfields           | 15                                 |
| Justification       | See "Subfields"                    |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| Financial Position Detail/1644 | .   | X   | C   |

This PDS reflects in Reconciliation messages, the PDS 0158 (Business Activity) to which the related reconciliation totals apply.

## PDS 0358 subfields

This PDS consists of 15 subfields.

### PDS 0358 subfields

| Number | Positions | Name                                           | Attribute | Justification |
|--------|-----------|------------------------------------------------|-----------|---------------|
| 1      | 1-3       | Card Program Identifier                        | an-3      | N/A           |
| 2      | 4         | Business Service Arrangement Type Code         | n-1       | N/A           |
| 3      | 5-10      | Business Service ID Code                       | an-6      | N/A           |
| 4      | 11-12     | Interchange Rate Designator                    | ans-2     | N/A           |
| 5      | 13-18     | Business Date (YYMMDD)                         | n-6       | N/A           |
| 6      | 19-20     | Business Cycle                                 | n-2       | N/A           |
| 7      | 21        | Acceptor Classification Override Indicator     | ans-1     | N/A           |
| 8      | 22        | Product Class Override Indicator               | ans-3     | N/A           |
| 9      | 25        | Corporate Incentive Rates Apply Indicator      | ans-1     | N/A           |
| 10     | 26        | Special Conditions Indicator                   | ans-1     | N/A           |
| 11     | 27        | Mastercard Assigned ID Override Indicator      | ans-1     | N/A           |
| 12     | 28        | Account Level Management Account Category Code | ans-1     | N/A           |
| 13     | 29        | Rate Indicator                                 | ans-1     | N/A           |
| 14     | 30        | Masterpass Incentive Indicator                 | an...1    | N/A           |
| 15     | 31        | Digital Wallet Interchange Override Indicator  | an...1    | N/A           |

Refer to [PDS 0158 \(Business Activity\)](#) for descriptions of these subfields.

## PDS 0359 (Reconciled, Settlement Activity)

PDS 0359 (Reconciled, Settlement Activity) identifies in reconciliation messages the settlement activity to which the reconciliation totals pertain.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans....67; TAGLLLLVAR           |
| Tag Field           | 0359                            |
| Data Length         | 3 positions, value = 001-067    |
| Data Field          | Variable length, 1-67 positions |
| Subfields           | 9                               |
| Justification       | See "Subfields"                 |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Settlement Position Detail/1644 | .   | X   | C   |

In reconciliation messages, this PDS reflects the settlement activity (PDS 0159 [Settlement Data]) to which the related reconciliation totals apply.

## PDS 0359 subfields

This PDS consists of nine subfields.

### PDS 0359 subfields

| Number | Positions | Name                                      | Attribute | Justification |
|--------|-----------|-------------------------------------------|-----------|---------------|
| 1      | 1-11      | Settlement Service Transfer Agent ID Code | ans-11    | left          |

| Number | Positions | Name                                        | Attribute     | Justification |
|--------|-----------|---------------------------------------------|---------------|---------------|
| 2      | 12–39     | Settlement Service Transfer Agent Account   | ans-28        | left          |
| 3      | 40        | Settlement Service Level Code               | n-1           | right         |
| 4      | 41–50     | Settlement Service ID Code                  | ans-10        | left          |
| 5      | 51        | Settlement Foreign Exchange Rate Class Code | an-1          | N/A           |
| 6      | 52–57     | Reconciliation Date                         | n-6; YYYYMMDD | N/A           |
| 7      | 58–59     | Reconciliation Cycle                        | n-2           | N/A           |
| 8      | 60–65     | Settlement Date                             | n-6; YYYYMMDD | N/A           |
| 9      | 66–67     | Settlement Cycle                            | n-2           | N/A           |

Refer to [PDS 0159 \(Settlement Data\)](#) for descriptions of these subfields.

## PDS 0360 (Reconciled, Transaction Sequence Identifier)

PDS 0360 (Reconciled, Transaction Sequence Identifier) identifies the ordering sequence number pertaining to reconciliation totals.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-10; TAGLLL               |
| Tag Field           | 0360                       |
| Length Field        | 3 positions, value = 010   |
| Data Field          | Fixed length, 10 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

The following table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | .   | X   | C   |
| Settlement Position Detail/1644 | .   | X   | C   |
| File Currency Summary/1644      | .   | X   | C   |

### PDS 0360 subfields

This PDS consists of two subfields.

### Subfield attributes and values

| Number | Positions | Name                           | Attribute | Justification |
|--------|-----------|--------------------------------|-----------|---------------|
| 1      | 1–5       | Current Sequence Number        | n-5       | Right         |
| 2      | 6–10      | Total Number of Message Splits | n-5       | Right         |

**NOTE: PDS 0360 will be present only if a split amount is required.**

PDS 0360 indicates that there has been a split in the reconciliation total reported in reconciliation messages. The subfields indicate the sequence and the total number of message splits.

For example, assume that GCMS calculates a reconciliation amount of 19,999,999,999,999,999 (17 digits).

The current GCMS functionality will truncate (drop) the leftmost digit when placing this amount into PDS 0396 (Amount, Net Total in Reconciliation Currency). The resulting amount of 9,999,999,999,999,999 (16 digits) will present in a single 1644-685 message.

Continuing with the example above, the GCMS functionality will split that single reconciliation amount into multiple amounts (in this case, specifically three amounts) and include each amount in three separate 1644-685 reconciliation messages. The sum total of those three amounts will equal the total reconciliation amount.

Additionally, to simplify customer reconciliation processing, GCMS will insert PDS 0360 into each of those reconciliation messages to provide the sequence number of each related message and the total number of messages pertaining to given split amount, as follows:

1. PDS 0360 subfield 1 = 00001, PDS 0360 subfield 2 = 00003 and PDS 0396 = 9999999999999999 (16 positions)
2. PDS 0360 subfield 1 = 00002, PDS 0360 subfield 2 = 00003 and PDS 0396 = 9999999999999999 (16 positions)
3. PDS 0360 subfield 1 = 00003, PDS 0360 subfield 2 = 00003 and PDS 0396 = 0000000000000001 (16 positions)

The total reconciliation amount can then be calculated as: 9,999,999,999,999,999 + 9,999,999,999,999,999 + 0000000000000001 = 19,999,999,999,999,999

All of the related 1644-685 messages for a given split will always be sent in the proper order and always sent together sequentially. Mastercard will never intermix 1644-685 messages from unrelated splits, nor will Mastercard ever separate the messages belonging to a split with a single message that is not related to any split whatsoever.

## PDS 0367 (Reconciled, Card Program Identifier)

PDS 0367 (Reconciled, Card Program Identifier) in reconciliation messages provides the specific reconciliation totals by card program identifier.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-3; TAGLLL             |
| Tag Field           | 0367                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Settlement Position Detail/1644 | .   | X   | C   |

## Values

Refer to PDS 0158, [Subfield 1 \(Card Program Identifier\)](#) for a list of valid values.

## PDS 0368 (Reconciled, Transaction Function Group Code)

PDS 0368 (Reconciled, Transaction Function Group Code) in reconciliation messages provides the specific transaction function group that pertains to the reconciliation totals.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-2; TAGLLL             |
| Tag Field           | 0368                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | None                      |
| Justification       | Left                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Settlement Position Detail/1644 | .   | X   | C   |

In reconciliation messages, this PDS reflects the specific transaction function group code to which the related reconciliation totals apply. Transaction function group code refers to a combination of MTI and DE 24 (Function Code) that provides a method of uniquely identifying financial transaction categories.

## Values

This table lists the transaction functions that are supported in each transaction function group code.



### Values

| Transaction Function Group Description and MTI | Transaction Function Group Code | IPM DE 24 Function (includes both originals and reversals) |
|------------------------------------------------|---------------------------------|------------------------------------------------------------|
| First Presentment/1240                         | FP                              | 200                                                        |
| Second Presentment/1240                        | SP                              | 205 Full and 282 Partial                                   |
| First Chargeback/1442                          | FC                              | 450 Full and 453 Partial                                   |
| Arbitration Chargeback/1442                    | AC                              | 451 Full and 454 Partial                                   |
| Fee Collections/1740                           | FE                              | 700, 780, 781, 782, and 783                                |

## PDS 0369 (Reconciled, Acquirer's BIN)

PDS 0369 (Reconciled, Acquirer's BIN) in reconciliation messages provides the specific acquirer's BIN that pertains to the reconciliation totals.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0369                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Settlement Position Detail/1644 | .   | X   | C   |

In reconciliation messages, this PDS reflects the specific customer BIN (obtained from DE 31 [Acquirer's Reference Data], positions 2–7) that apply to the related reconciliation totals. Customers selecting this reconciliation category will receive totals only for their own acquiring BINs that have been established at Mastercard.

If the Reconciled, Acquirer's BIN reconciliation category is selected, the Reconciled, Member Activity reconciliation category will be automatically provided to ensure that the customer receives totals by acquiring BIN, issuing activity, and fee collection activity to provide complete reconciliation information.

### Values

PDS 0369 contains the acquirer's BIN from DE 31, positions 2–7.

## PDS 0370 (Reconciled, Account Range)

PDS 0370 (Reconciled, Account Range) identifies in reconciliation messages the specific customer issuing account range to which the reconciliation totals pertain.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | n...38; TAGLLLVAR                |
| Tag Field           | 0370                             |
| Data Length         | 3 positions, value = 019–038     |
| Data Field          | Variable length, 19–38 positions |
| Subfields           | 2                                |
| Justification       | See "Subfields"                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | .   | X   | C   |
| Settlement Position Detail/1644 | .   | X   | C   |

This PDS reflects in reconciliation messages, the specific customer account range (obtained from the account range portion of DE 2 [Primary Account Number {PAN}]) to which the related reconciliation totals apply. Customers selecting this reconciliation category receive totals only for their own issuing account ranges that have been established at Mastercard®.

If the Reconciled, Account Range reconciliation category is selected as a clearing reconciliation category, GCMS automatically will accumulate totals for the Reconciled, Member Activity category. This ensures that the customer also receives totals for their acquiring activity and fee collection activity to provide complete reconciliation information.

### PDS 0370 subfields

This PDS consists of two subfields.

#### PDS 0370 subfields

| Number | Positions | Name                       | Attribute | Justification |
|--------|-----------|----------------------------|-----------|---------------|
| 1      | 1-19      | Beginning Account Range ID | n-19      | N/A           |
| 2      | 20-38     | Ending Account Range ID    | n-19      | N/A           |

Account ranges are profiled for each issuer customer ID.

### PDS 0372 (Reconciled, Transaction Function)

PDS 0372 (Reconciled, Transaction Function) identifies in reconciliation messages the transaction function to which the reconciliation totals pertain.

#### Attributes

| Attribute           | Description |
|---------------------|-------------|
| Data Representation | n-7; TAGLLL |
| Tag Field           | 0372        |

| Attribute     | Description               |
|---------------|---------------------------|
| Data Length   | 3 positions, value = 007  |
| Data Field    | Fixed length, 7 positions |
| Subfields     | 2                         |
| Justification | See "Subfields"           |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| Financial Position Detail/1644 | .   | X   | C   |

This PDS reflects in reconciliation messages, the transaction function to which the related reconciliation totals apply. A transaction function consists of MTI and DE 24 (Function Code).

## Values

Refer to [DE 24 \(Function Code\)](#) for a list of valid transaction function codes.

## PDS 0372 subfields

This PDS consists of two subfields.

## PDS 0372 subfields

| Number | Positions | Name                    | Attribute | Justification |
|--------|-----------|-------------------------|-----------|---------------|
| 1      | 1-4       | Message Type Identifier | n-4       | right         |
| 2      | 5-7       | Function Code           | n-3       | right         |

## PDS 0374 (Reconciled, Processing Code)

PDS 0374 (Reconciled, Processing Code) identifies in reconciliation messages the processing code, or transaction type, to which the reconciliation totals pertain.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-2; TAGLLL               |
| Tag Field           | 0374                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| Financial Position Detail/1644 | .   | X   | C   |

This PDS reflects in reconciliation messages, subfield 1 (Cardholder Transaction Type), of DE 3 (Processing Code) to which the related reconciliation totals apply.

### Values

Refer to [DE 3 \(Processing Code\)](#), subfield 1, for a list of values.

## PDS 0375 (Member Reconciliation Indicator 1)

PDS 0375 (Member Reconciliation Indicator 1) contains a proprietary value a transaction originator defines that may be assigned to its outgoing financial messages.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...50; TAGLLLLVAR            |
| Tag Field           | 0375                            |
| Data Length         | 3 positions, value = 001–050    |
| Data Field          | Variable length, 1–50 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                               | O   | .   | .   |
| First Chargeback/1442 and Arbitration Chargeback/1442                | O   | .   | .   |
| Second Presentment/1240                                              | O   | .   | .   |
| Financial Position Detail/1644                                       | .   | X   | C   |
| Retrieval Request/1644                                               | O   | .   | .   |
| Retrieval Request Acknowledgment/1644                                | O   | .   | .   |
| Fee Collection (Retrieval Fee Billing)/1740                          | O   | .   | .   |
| Fee Collection (Handling Fees)/1740                                  | O   | .   | .   |
| Fee Collection (Other than Retrieval Fee Billing/Handling Fees)/1740 | O   | .   | .   |

Customers can assign a proprietary value to PDS 0375 and include it in any financial message. If an originating customer provides PDS 0375 in financial messages and chooses to receive

Reconciliation messages at this level, the clearing system provides reconciliation totals based on the unique values present. For Business Service Arrangements that qualify for the Extended Precision Decimal Service, acquirers are allowed to submit PDS 0375, however, it will have the value Undefined applied to it. This ensures that the acknowledgment reconciliation provided represents all of the accepted financial activity to the customer for that file.

For any First Presentment/1240, Retrieval Request/1644, Retrieval Request Acknowledgment/1644, or Fee Collection/1740 Messages that do not contain PDS 0375, the clearing system will create an acknowledgment message with a Member Reconciliation indicator 1 value of Undefined. This will ensure that the Acknowledgment reconciliation provided represents 100 percent of the accepted financial activity of the customer for that file. The value in PDS 0300 (Reconciled, File) will also be Undefined.

For example, an acquirer that wants to receive reconciliation totals for a specific acceptor chain could populate this PDS with the chain descriptor. Then the clearing system would accumulate totals based on this value in addition to the other reconciliation options the acquirer selects.

This PDS is available only for Acknowledgment Reconciliation messages.

### Values

The transaction originator assigns PDS 0375 values. If present, PDS 0375 must be left-justified and cannot contain all spaces, all zeros, all low values, or all high values.

## PDS 0378 (Original/Reversal Totals Indicator)

PDS 0378 (Original/Reversal Totals Indicator) indicates in reconciliation messages whether the related reconciliation totals represent original transactions or reversal transactions.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | a-1; TAGLLL              |
| Tag Field           | 0378                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| Financial Position Detail/1644 | .   | X   | C   |

This PDS indicates in reconciliation messages whether the related reconciliation totals represent original activity or reversal activity. Amounts are accumulated as original activity if PDS 0025 (Reversal Indicator) is not present in the message or if the transaction is a re-submission (subfield 1 of PDS 0025 contains a space and subfield 2 contains a date). Amounts are accumulated as reversal activity if PDS 0025 is present in the message and subfield 1 contains an R.

### Values

This table shows the values that may be provided in this PDS.

### Values

| Value | Description              |
|-------|--------------------------|
| O     | Original message amounts |
| R     | Reversal message amounts |

## PDS 0380 (Debits, Transaction Amount In Transaction Currency)

PDS 0380 (Debits, Transaction Amount in Transaction Currency) provides in reconciliation messages the total of transaction amounts that have a debit impact on processing. The total is in the transaction currency.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | an-17; TAGLLL             |
| Tag Field           | 0380                      |
| Data Length         | 3 positions, value = 017  |
| Data Field          | Fixed length, 17 position |
| Subfields           | 2                         |



| Attribute     | Description     |
|---------------|-----------------|
| Justification | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| File Currency Summary/1644     | .   | X   | M   |
| Financial Position Detail/1644 | .   | X   | C   |

This PDS provides, in reconciliation messages, totals in the transaction currency of transaction amounts with a debit impact to processing. The clearing system accumulates DE 4 (Amount, Transaction) values for each message in which DE 3 (Processing Code) indicates a debit impact on processing to the appropriate customer. Refer to [Reconciliation messages](#) for additional information on classifying activity as debit impact versus credit impact.

## Values

This PDS may contain zeros if the processed file contained only non-financial messages and the value of DE 25 (Message Reason Code) = 6861 (Acknowledgment).

## PDS 0380 subfields

This PDS consists of two subfields.

### PDS 0380 subfields

| Number | Positions | Name                   | Attribute           | Justification |
|--------|-----------|------------------------|---------------------|---------------|
| 1      | 1         | Debit/Credit Indicator | a-1; constant,<br>D | N/A           |
| 2      | 2-17      | Amount, Transaction    | n-16                | right         |

## PDS 0381 (Credits, Transaction Amount in Transaction Currency)

PDS 0381 (Credits, Transaction Amount in Transaction Currency) provides in reconciliation messages the total of transaction amounts that have a credit impact on processing. The total is in the transaction currency.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | an-17; TAGLLL             |
| Tag Field           | 0381                      |
| Data Length         | 3 positions, value = 017  |
| Data Field          | Fixed length, 17 position |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| File Currency Summary/1644     | .   | X   | M   |
| Financial Position Detail/1644 | .   | X   | C   |

This PDS provides, in reconciliation messages, totals in the transaction currency of transaction amounts with a credit impact to processing. The clearing system accumulates DE 4 (Amount, Transaction) values for each message in which DE 3 (Processing Code) indicates a credit impact on processing to the appropriate customer. Refer to for additional information on classifying activity as debit impact versus credit impact.

### Values

This PDS may contain zeros if the processed file contained only non-financial messages and DE 25 (Message Reason Code) = 6861 (Acknowledgment).

## PDS 0381 subfields

This PDS consists of two subfields.

### PDS 0381 subfields

| Number | Positions | Name                   | Attribute       | Justification |
|--------|-----------|------------------------|-----------------|---------------|
| 1      | 1         | Debit/Credit Indicator | a-1; constant-C | N/A           |
| 2      | 2–17      | Amount, Transaction    | n-16            | right         |

## PDS 0384 (Amount, Net Transaction in Transaction Currency)

PDS 0384 (Amount, Net Transaction in Transaction Currency) provides in reconciliation messages the net total of transaction amounts that have a debit impact on processing and those that have a credit impact on processing. The net total is in the transaction currency.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | an-17; TAGLLL              |
| Tag Field           | 0384                       |
| Data Length         | 3 positions, value = 017   |
| Data Field          | Fixed length, 17 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                    | Org | Sys | Dst |
|----------------------------|-----|-----|-----|
| File Currency Summary/1644 | .   | X   | M   |

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| Financial Position Detail/1644 | .   | X   | C   |

This PDS provides, in reconciliation messages, net totals in the transaction currency of transaction amounts with a debit impact to settlement and those with a credit impact to settlement.

If the amount in PDS 0380 (Debits, Transaction Amount in Transaction Currency) is greater than the amount in PDS 0381 (Credits, Transaction Amount in Transaction Currency), the clearing system inserts a D in subfield 1 of PDS 0384 and inserts the excess amount in subfield 2 of PDS 0384.

If the amount in PDS 0381 is greater than the amount in PDS 0380, the clearing system inserts a C in subfield 1 of PDS 0384 and inserts the excess amount in subfield 2 of PDS 0384.

### Values

This PDS may contain zeros if the processed file contained only non-financial messages and DE 25 (Message Reason Code) = 6861 (Acknowledgment).

## PDS 0384 subfields

This PDS consists of two subfields.

### PDS 0384 subfields

| Number | Positions | Name                   | Attribute         | Justification |
|--------|-----------|------------------------|-------------------|---------------|
| 1      | 1         | Debit/Credit Indicator | a-1; value D or C | N/A           |
| 2      | 2-17      | Amount, Net            | n-16              | right         |

## PDS 0385 (Debits, Mexico Domestic VAT Amount in Reconciliation Currency)

PDS 0385 (Debits, Mexico Domestic VAT Amount in Reconciliation Currency) provides in reconciliation messages the total of VAT amounts that have a debit impact on processing. The total is in the reconciliation currency.

### Attributes

| Attribute           | Description                                                  |
|---------------------|--------------------------------------------------------------|
| Data Representation | an...57; TAGLLL                                              |
| Tag Field           | 0385                                                         |
| Length Field        | 3 positions; Value = 019 - 057 positions in increments of 19 |
| Data Field          | Variable length, 019 - 057                                   |
| Subfields           | 3                                                            |
| Occurrences         | 1-3                                                          |
| Justification       | See subfields                                                |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Usage

| Message Type Identifier             | Org | Sys | Dst |
|-------------------------------------|-----|-----|-----|
| Financial Position Detail/1644-685  | •   | X   | C   |
| Settlement Position Detail/1644-688 | •   | X   | C   |

This PDS provides, in Reconciliation/1644 messages, totals in the reconciliation currency of VAT amounts with a debit impact to processing. The Dual Message Clearing System accumulates all occurrences of PDS 0297 (Amounts, Mexico Domestic Amount VAT), subfield 2 (Amount, Tax) for each message in which PDS 0297, subfield 5 (Debit/Credit Indicator) indicates a debit impact on processing to the appropriate customer.

Refer to Reconciliation messages for additional information on classifying activity as debit impact versus credit impact. The Financial Position Detail/1644 and the Settlement Position Detail/1644 messages both will contain totals in the receiving customer's reconciliation currency.

## Values

This element contains the sum of PDS 0297 by currency identified in DE 50 (Currency Code, Reconciliation).

## PDS 0385 subfields

PDS 0385 consists of three subfields.

### PDS 0385 subfields

| Number | Position(s) | Name                    | Attribute         | Justification |
|--------|-------------|-------------------------|-------------------|---------------|
| 1      | 1-3         | Rate Type Code          | n-3               | N/A           |
| 2      | 4           | Debit/Credit Indicator  | a-1; Constant - D | N/A           |
| 3      | 5-19        | Amount, Value Added Tax | n-15              | Right         |

## PDS 0386 (Credits, Mexico Domestic VAT Amount in Reconciliation Currency)

PDS 0386 (Credits, Mexico Domestic VAT Amount in Reconciliation Currency) provides in reconciliation messages the total of VAT amounts that have a credit impact on processing. The total is in the reconciliation currency.

### Attributes

| Attribute           | Description                                                  |
|---------------------|--------------------------------------------------------------|
| Data Representation | an...57; TAGLLL                                              |
| Tag Field           | 0386                                                         |
| Length Field        | 3 positions, Value = 019 - 057 positions in increments of 19 |
| Data Field          | Variable length, 019 - 057                                   |
| Subfields           | 3                                                            |
| Occurrences         | 1-3                                                          |
| Justification       | See subfields                                                |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Usage

| Message Type Identifier             | Org | Sys | Dst |
|-------------------------------------|-----|-----|-----|
| Financial Position Detail/1644-685  | •   | X   | C   |
| Settlement Position Detail/1644-688 | •   | X   | C   |

This PDS provides, in Reconciliation/1644 messages, totals in the reconciliation currency of VAT amounts with a credit impact to processing. The Dual Message Clearing System accumulates all occurrences of PDS 0297 (Amounts, Mexico Domestic Amount VAT), subfield 2 (Amount, Tax) for each message in which PDS 0297, subfield 5 (Debit/Credit Indicator) of PDS 0297 indicates a credit impact on processing to the appropriate customer.

Refer to Reconciliation messages for additional information on classifying activity as debit impact versus credit impact. The Financial Position Detail/1644 and the Settlement Position Detail/1644 messages both will contain totals in the receiving customer's reconciliation currency.

## Values

This element contains the sum of PDS 0297 by currency identified in DE 50 (Currency Code, Reconciliation).

## PDS 0386 subfields

PDS 0386 contains three subfields.

### PDS 0386 subfields

| Number | Position(s) | Name                    | Attribute         | Justification |
|--------|-------------|-------------------------|-------------------|---------------|
| 1      | 1-3         | Rate Type Code          | n-3               | N/A           |
| 2      | 4           | Debit/Credit Indicator  | a-1; Constant - C | N/A           |
| 3      | 5-19        | Amount, Value Added Tax | n-15              | Right         |

## PDS 0387 (Amount, Net Mexico Domestic VAT in Reconciliation Currency)

PDS 0387 (Amount, Net Mexico Domestic VAT in Reconciliation Currency) provides in reconciliation messages net total of VAT amounts that have a debit impact on processing and those that have a credit impact on processing. The net total is in the reconciliation currency.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | an-16; TAGLLL               |
| Tag Field           | 0387                        |
| Length Field        | 3 positions, Value = 016    |
| Data Field          | Fixed length, 016 positions |
| Subfields           | 2                           |
| Justification       | See subfields               |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system provided, or not required) in applicable messages.

### Usage

| Message Type Identifier            | Org | Sys | Dst |
|------------------------------------|-----|-----|-----|
| Financial Position Detail/1644-685 | .   | X   | C   |
| Settlement Position/1644-688       | .   | X   | C   |

This PDS provides, in Reconciliation/1644 messages, totals in the reconciliation currency of VAT amounts with a debit impact to processing and those with a credit impact to processing.

If the sum of all amounts in PDS 0385 (Debits, VAT Amounts in Reconciliation Currency) is greater than the sum of all amounts in PDS 0386 (Credits, VAT Amounts in Reconciliation Currency), the Dual Message Clearing System inserts a D in PDS 0387, subfield 1 (Debit/Credit Indicator) and inserts the excess amount in PDS 0387, subfield 2 (Amount, Net Value Added Tax).

If the sum of all amounts in PDS 0386 is greater than the sum of all amounts in PDS 0385, the Dual Message Clearing System inserts a C in PDS 0387, subfield 1 and inserts the excess amount in PDS 0387, subfield 2.



The Financial Position Detail/1644 message and Settlement Position Detail/1644 message will contain totals in the receiving customer's reconciliation currency.

### Values

This element contains the sum of PDS 0297 by currency identified in DE 50 (Currency Code, Reconciliation).

## PDS 0387 subfields

PDS 0387 consists of two subfields.

### PDS 0387 subfields

| Number | Position(s) | Name                        | Attribute         | Justification |
|--------|-------------|-----------------------------|-------------------|---------------|
| 1      | 1           | Debit/Credit Indicator      | a-1; Value D or C | N/A           |
| 2      | 2-16        | Amount, Net Value Added Tax | n-15              | Right         |

## PDS 0390 (Debits, Transaction Amount in Reconciliation Currency)

PDS 0390 (Debits, Transaction Amount in Reconciliation Currency) provides in reconciliation messages the total of transaction amounts that have a debit impact on processing. The total is in the message receiver's reconciliation currency.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | an-17; TAGLLL              |
| Tag Field           | 0390                       |
| Data Length         | 3 positions, value = 017   |
| Data Field          | Fixed length, 17 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | .   | X   | M   |
| Settlement Position Detail/1644 | .   | X   | M   |

This PDS provides, in Reconciliation/1644 messages, totals in the reconciliation currency of transaction amounts with a debit impact to processing. The clearing system accumulates DE 5 (Amount, Reconciliation) for each message in which DE 3 (Processing Code) indicates a debit impact on processing to the appropriate customer. Refer to [Reconciliation messages](#) for additional information on classifying activity as debit impact versus credit impact.

The Financial Position Detail/1644 and the Settlement Position Detail/1644 messages all contain totals in the receiving customer's reconciliation currency.

### Values

This PDS may contain zeros in the acknowledgment reconciliation messages if the processed file contained only non-financial messages and DE 25 (Message Reason Code) = 6861 (Acknowledgment).

This element contains the sum of DE 5 by currency identified in DE 50 (Currency Code, Reconciliation) and other reconciliation options in effect. Reconciliation messages that reflect totals for bilateral and collection only activity will contain zeros in this PDS.

### PDS 0390 subfields

This PDS consists of two subfields

#### PDS 0390 subfields

| Number | Positions | Name                   | Attribute    | Justification |
|--------|-----------|------------------------|--------------|---------------|
| 1      | 1         | Debit/Credit Indicator | a-1; value D | N/A           |
| 2      | 2-17      | Amount, Transaction    | n-16         | right         |

## PDS 0391 (Credits, Transaction Amount in Reconciliation Currency)

PDS 0391 (Credits, Transaction Amount in Reconciliation Currency) provides in reconciliation messages the total of transaction amounts that have a credit impact on processing. The total is in the reconciliation currency.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | an-17; TAGLLL              |
| Tag Field           | 0391                       |
| Data Length         | 3 positions, value = 017   |
| Data Field          | Fixed length, 17 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | .   | X   | M   |
| Settlement Position Detail/1644 | .   | X   | M   |

This PDS provides, in Reconciliation/1644 messages, totals in the reconciliation currency of transaction amounts with a credit impact to processing. The clearing system accumulates DE 5 (Amount, Reconciliation) for each message in which DE 3 (Processing Code) indicates a credit impact on processing to the appropriate customer. Refer to [Reconciliation messages](#) for additional information on classifying activity as debit impact versus credit impact.

The Financial Position Detail/1644 and the Settlement Position Detail/1644 messages both contain totals in the receiving customer's reconciliation currency.

## Values

This PDS may contain zeros in the acknowledgment reconciliation messages if the processed file contained only non-financial messages and DE 25 (Message Reason Code) = 6861 (Acknowledgment).

This element contains the sum of DE 5 by currency identified in DE 50 (Currency Code, Reconciliation) and other reconciliation options in effect. Reconciliation messages that reflect totals for bilateral and collection only activity will contain zeros in this PDS.

## PDS 0391 subfields

This PDS consists of two subfields.

### PDS 0391 subfields

| Number | Positions | Name                   | Attribute       | Justification |
|--------|-----------|------------------------|-----------------|---------------|
| 1      | 1         | Debit/Credit Indicator | a-1; constant-C | N/A           |
| 2      | 2-17      | Amount, Transaction    | n-16            | right         |

## PDS 0392 (Debits, Fee Amounts in Reconciliation Currency)

PDS 0392 (Debits, Fee Amounts in Reconciliation Currency) provides in reconciliation messages the total of fee amounts that have a debit impact on processing. The total is in the reconciliation currency.

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | an...216; TAGLLLLVAR                             |
| Tag Field           | 0392                                             |
| Data Length         | 3 positions, value = 018-216 in increments of 18 |
| Data Field          | Variable length, 18-216 positions                |
| Subfields           | 3                                                |
| Occurrences         | 1-12                                             |
| Justification       | See "Subfields"                                  |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | .   | X   | M   |
| Settlement Position Detail/1644 | .   | X   | M   |

This PDS provides, in Reconciliation/1644 messages, totals in the reconciliation currency of fee amounts with a debit impact to processing. The clearing system accumulates all occurrences of subfield 7, Amount, Fee, Reconciliation, of PDS 0146 (Amounts, Transaction Fee) for each message in which subfield 2, Fee Processing Code, of PDS 0146 indicates a debit impact on processing to the appropriate customer. Refer to [Reconciliation messages](#) for additional information on classifying activity as debit impact versus credit impact.

The Financial Position Detail/1644 and the Settlement Position Detail/1644 messages both will contain totals in the receiving customer's reconciliation currency.

## Values

This PDS may contain zeros in the acknowledgment reconciliation messages if the processed file contained only non-financial messages and DE 25 (Message Reason Code) = 6861 (Acknowledgment).

This element contains the sum of PDS 0146 by currency identified in DE 50 (Currency Code, Reconciliation) and other reconciliation options in effect. Reconciliation messages that reflect totals for bilateral and collection only activity will contain zeros in this PDS.

## PDS 0392 subfields

This PDS consists of three subfields.

### PDS 0392 subfields

| Number | Positions | Name                   | Attribute       | Justification |
|--------|-----------|------------------------|-----------------|---------------|
| 1      | 1-2       | Fee Type Code          | n-2             | N/A           |
| 2      | 3         | Debit/Credit Indicator | a-1; constant-D | N/A           |
| 3      | 4-18      | Amount, Fee            | n-15            | N/A           |

## PDS 0393 (Credits, Fee Amounts in Reconciliation Currency)

PDS 0393 (Credits, Fee Amounts in Reconciliation Currency) provides in reconciliation messages the total of fee amounts that have a credit impact on processing. The total is in the reconciliation currency.

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | an...216; TAGLLLLVAR                             |
| Tag Field           | 0393                                             |
| Data Length         | 3 positions, value = 018–216 in increments of 18 |
| Data Field          | Variable length, 18–216 positions                |
| Subfields           | 3                                                |
| Occurrences         | 1–12                                             |
| Justification       | See "Subfields"                                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | •   | X   | M   |
| Settlement Position Detail/1644 | •   | X   | M   |

This PDS provides, in Reconciliation/1644 messages, totals in the reconciliation currency of fee amounts with a credit impact to processing. The clearing system accumulates all occurrences of subfield 7, Amount, Fee, Reconciliation, of PDS 0146 (Amounts, Transaction Fee) for each message in which subfield 2, Fee Processing Code, of PDS 0146 indicates a credit impact on processing to the appropriate customer. Refer to [Reconciliation messages](#) for additional information on classifying activity as debit impact versus credit impact.

The Financial Position Detail/1644 message and Settlement Position Detail/1644 message will contain totals in the receiving customer's reconciliation currency.

## Values

This PDS may contain zeros in the Acknowledgment Reconciliation messages if the processed file contained only non-financial messages and DE 25 (Message Reason Code) = 6861 (Acknowledgment).

This element contains the sum of PDS 0146 by currency identified in DE 50 (Currency Code, Reconciliation) and other reconciliation options in effect. Reconciliation messages that reflect totals for bilateral and collection only activity will contain zeros in this PDS.

## PDS 0393 subfields

This PDS consists of three subfields.

### PDS 0393 subfields

| Number | Positions | Name                   | Attribute       | Justification |
|--------|-----------|------------------------|-----------------|---------------|
| 1      | 1–2       | Fee Type Code          | n-2             | N/A           |
| 2      | 3         | Debit/Credit Indicator | a-1; constant-C | N/A           |
| 3      | 4–18      | Amount, Fee            | n-15            | N/A           |

## PDS 0394 (Amount, Net Transaction in Reconciliation Currency)

PDS 0394 (Amount, Net Transaction in Reconciliation Currency) provides in reconciliation messages the net total of the transaction amounts that have a debit impact on processing and those that have a credit impact on processing. The net total is in the reconciliation currency.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | an-17; TAGLLL              |
| Tag Field           | 0394                       |
| Data Length         | 3 positions, value = 017   |
| Data Field          | Fixed length, 17 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | .   | X   | M   |
| Settlement Position Detail/1644 | .   | X   | M   |

This PDS provides in Reconciliation/1644 messages, net totals in the reconciliation currency of transaction amounts with a debit impact to processing and those with a credit impact to processing.

If the amount in PDS 0390 (Debits, Transaction Amount in Reconciliation Currency) is greater than the amount in PDS 0391 (Credits, Transaction Amount in Reconciliation Currency), the clearing system inserts a D in subfield 1 of PDS 0394 and inserts the excess amount in subfield 2 of PDS 0394.

If the amount in PDS 0391 is greater than the amount in PDS 0390, the clearing system inserts a C in subfield 1 of PDS 0394 and inserts the excess amount in subfield 2 of PDS 0394.

The Financial Position Detail/1644 message and Settlement Position Detail/1644 message will contain totals in the receiving customer's reconciliation currency.

## Values

This PDS may contain zeros in the Acknowledgment Reconciliation messages if the processed file contained only non-financial messages and DE 25 (Message Reason Code) = 6861 (Acknowledgment).

This element contains the sum of DE 5 (Amount, Reconciliation) by currency identified in DE 50 (Currency Code, Reconciliation) and other reconciliation options in effect. Reconciliation messages that reflect totals for bilateral and collection only activity will contain zeros in this PDS.



## PDS 0394 subfields

This PDS consists of two subfields.

### PDS 0394 subfields

| Number | Positions | Name                   | Attribute         | Justification |
|--------|-----------|------------------------|-------------------|---------------|
| 1      | 1         | Debit/Credit Indicator | a-1; value D or C | N/A           |
| 2      | 2-17      | Amount, Net            | n-16              | right         |

## PDS 0395 (Amount, Net Fee in Reconciliation Currency)

PDS 0395 (Amount, Net Fee in Reconciliation Currency) provides in reconciliation messages the net total of fee amounts that have a debit impact on processing and those that have a credit impact on processing. The net total is in the reconciliation currency.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | an-16; TAGLLL              |
| Tag Field           | 0395                       |
| Data Length         | 3 positions, value = 016   |
| Data Field          | Fixed length, 16 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| Financial Position Detail/1644 | .   | X   | M   |

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Settlement Position Detail/1644 | .   | X   | M   |

This PDS provides, in Reconciliation/1644 messages, net totals in the reconciliation currency of fee amounts with a debit impact to processing and those with a credit impact to processing.

If the sum of all amounts in PDS 0392 (Debits, Fee Amounts in Reconciliation Currency) is greater than the sum of all amounts in PDS 0393 (Credits, Fee Amounts in Reconciliation Currency), the clearing system inserts a D in subfield 1 of PDS 0395 and inserts the excess amount in subfield 2 of PDS 0395.

If the sum of all amounts in PDS 0393 is greater than the sum of all amounts in PDS 0392, the clearing system inserts a C in subfield 1 of PDS 0395 and inserts the excess amount in subfield 2 of PDS 0395.

The Financial Position Detail/1644 message and Settlement Position Detail/1644 message will contain totals in the receiving customer's reconciliation currency.

### Values

This PDS may contain zeros in the Acknowledgment Reconciliation messages if the processed file contained only non-financial messages and DE 25 (Message Reason Code) = 6861 (Acknowledgment).

This element contains the sum of PDS 0146 (Amounts, Transaction Fee) by currency identified in DE 50 (Currency Code, Reconciliation) and other reconciliation options in effect. Reconciliation messages that reflect totals for bilateral and Collection Only activity will contain zeros in this PDS.

### PDS 0395 subfields

This PDS consists of two subfields.

#### PDS 0395 subfields

| Number | Positions | Name                   | Attribute         | Justification |
|--------|-----------|------------------------|-------------------|---------------|
| 1      | 1         | Debit/Credit Indicator | a-1; value D or C | N/A           |
| 2      | 2-16      | Amount, Net Fee        | n-15              | right         |

## PDS 0396 (Amount, Net Total in Reconciliation Currency)

PDS 0396 (Amount, Net Total in Reconciliation Currency) provides in reconciliation messages the net total of transaction and fee amounts. The net total is in the reconciliation currency.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | an-17; TAGLLL              |
| Tag Field           | 0396                       |
| Data Length         | 3 positions, value = 017   |
| Data Field          | Fixed length, 17 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | .   | X   | M   |
| Settlement Position Detail/1644 | .   | X   | M   |

This PDS provides, in Reconciliation/1644 messages, net totals in the reconciliation currency of transaction amounts and fee amounts. The values used in calculating PDS 0396 are from PDS 0394 (Amount, Net Transaction in Reconciliation Currency) and PDS 0395 (Amount, Net Fee in Reconciliation Currency).

If subfield 1, Debit/Credit Indicator, of both PDS 0394 and PDS 0395 contains a D, the system inserts a D in subfield 1 of PDS 0396 and inserts the total of the amount subfields from PDS 0394 and PDS 0395 in subfield 2 of PDS 0396.

If subfield 1, Debit/Credit Indicator, of both PDS 0394 and PDS 0395 contains a C, the clearing system inserts a C in subfield 1 of PDS 0396 and inserts the total of the amount subfields from PDS 0394 and PDS 0395 in subfield 2 of PDS 0396.

If PDS 0394 and PDS 0395 contain two different values in subfield 1, the clearing system selects the Debit/Credit Indicator associated with the larger of the two amount subfields and

inserts it in subfield 1 of PDS 0396. The clearing system then calculates the difference between the two amount subfields and inserts the result in subfield 2 of PDS 0396.

The Financial Position Detail/1644 message and Settlement Position Detail/1644 message will contain totals in the receiving customer's reconciliation currency.

### Values

This PDS may contain zeros in the acknowledgment reconciliation messages if the processed file contained only non-financial messages and DE 25 (Message Reason Code) = 6861 (Acknowledgment). Reconciliation messages that reflect totals for bilateral and collection only activity will contain zeros in this PDS.

### PDS 0396 subfields

This PDS consists of two subfields.

#### PDS 0396 subfields

| Number | Positions | Name                   | Attribute         | Justification |
|--------|-----------|------------------------|-------------------|---------------|
| 1      | 1         | Debit/Credit Indicator | a-1; value D or C | N/A           |
| 2      | 2-17      | Amount, Net Total      | n-16              | right         |

### PDS 0397 (Debits, Extended Precision Amount in Reconciliation Currency)

PDS 0397 (Debits, Extended Precision Amount in Reconciliation Currency) provides in reconciliation messages the total of extended precision fee amounts that have a debit impact on processing. The total is in the reconciliation currency. PDS 0397 is applicable only to transactions that have EDP applied.

#### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | an...252; TAGLLLVAR                              |
| Tag Field           | 0397                                             |
| Data Length         | 3 positions, value = 021-252 in increments of 21 |
| Data Field          | Variable length, 21-252 positions                |
| Subfields           | 3                                                |

| Attribute     | Description     |
|---------------|-----------------|
| Occurrences   | 1–12            |
| Justification | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | •   | X   | C   |
| Settlement Position Detail/1644 | •   | X   | C   |

This PDS provides, in reconciliation messages (1644-685, 1644-688), totals in the reconciliation currency of extended precision amounts with a debit impact to processing. The clearing system accumulates all occurrences of subfield 7 (Interchange Amount, Fee, Reconciliation) of PDS 0147 (Extended Precision Amount) for each message in which subfield 2 (Fee Processing Code) of PDS 0147 indicates a debit impact on processing to the appropriate customer. The Financial Position Detail-1644-685 message and the Settlement Position Detail-1644-688 messages both contain totals in the receiving customer's reconciliation currency.

## Values

All currency amounts are expressed to 6 decimals without a decimal separator in accordance with ISO standards for currency notation. For example, an interchange fee amount of USD .000123 is expressed as 000000000000000123.

## PDS 0397 subfields

This PDS consists of three subfields.

## PDS 0397 subfields

| Number | Positions | Name                   | Attribute           | Justification |
|--------|-----------|------------------------|---------------------|---------------|
| 1      | 1-2       | Fee Type Code          | n-2                 | N/A           |
| 2      | 3         | Debit/Credit Indicator | a-1; constant,<br>D | N/A           |

| Number | Positions | Name        | Attribute | Justification |
|--------|-----------|-------------|-----------|---------------|
| 3      | 4-21      | Amount, Fee | n-18      | N/A           |

## PDS 0398 (Credits, Extended Precision Amount in Reconciliation Currency)

PDS 0398 (Credits, Extended Precision Amount in Reconciliation Currency) provides in reconciliation messages the total of extended precision fee amounts that have a credit impact on processing. The total is in the reconciliation currency. PDS 0398 is applicable only to transactions that have EDP applied.

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | an...252; TAGLLLLVAR                             |
| Tag Field           | 0398                                             |
| Data Length         | 3 positions, value = 021–252 in increments of 21 |
| Data Field          | Variable length, 21–252 positions                |
| Subfields           | 3                                                |
| Occurrences         | 1–12                                             |
| Justification       | See "Subfields"                                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | •   | X   | C   |
| Settlement Position Detail/1644 | •   | X   | C   |

This PDS provides, in reconciliation messages (1644-685, 1644-688), totals in the reconciliation currency of extended precision amounts with a credit impact to processing. The clearing platform accumulates all occurrences of subfield 7, Interchange Amount, Fee, Reconciliation, of

PDS 0147 (Extended Precision Amount) for each message in which subfield 2, Fee Processing Code, of PDS 0147 indicates a credit impact on processing to the appropriate customer.

The Financial Position Detail-1644-685 message and the Settlement Position Detail-1644-688 messages both will contain totals in the receiving customer's reconciliation currency.

### Values

All currency amounts are expressed to six decimals without a decimal separator in accordance with ISO standards for currency notation. For example, an interchange fee amount of USD .000123 is expressed as 000000000000000123.

## PDS 0398 subfields

This PDS consists of three subfields.

### PDS 0398 subfields

| Number | Positions | Name                   | Attribute       | Justification |
|--------|-----------|------------------------|-----------------|---------------|
| 1      | 1-2       | Fee Type Code          | n-2             | N/A           |
| 2      | 3         | Debit/Credit Indicator | a-1; constant-C | N/A           |
| 3      | 4-21      | Amount, Fee            | n-18            | N/A           |

## PDS 0399 (Amount, Net Extended Precision in Reconciliation Currency)

PDS 0399 (Amount, Net Extended Precision in Reconciliation Currency) provides in reconciliation messages the net total of extended precision fee amounts that have a debit impact on processing and those that have a credit impact on processing.

The net total is in the reconciliation currency. PDS 0399 is applicable only to transactions that have EDP applied.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | an-19; TAGLLL              |
| Tag Field           | 0399                       |
| Data Length         | 3 positions, value = 019   |
| Data Field          | Fixed length, 19 positions |

| Attribute     | Description     |
|---------------|-----------------|
| Subfields     | 2               |
| Justification | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                         | Org | Sys | Dst |
|---------------------------------|-----|-----|-----|
| Financial Position Detail/1644  | .   | X   | C   |
| Settlement Position Detail/1644 | .   | X   | C   |

This PDS provides, in reconciliation messages (1644-685, 1644-688), net totals in the reconciliation currency of Extended Precision amounts with a debit impact to processing and those with a credit impact to processing. If the sum of all amounts in PDS 0397 (Debits, Extended Precision Amounts in Reconciliation Currency) is greater than the sum of all amounts in PDS 0398 (Credits, Extended Precision Amounts in Reconciliation Currency), the GCMS inserts a D in PDS 0399, subfield 1 and inserts the excess amount in PDS 0399, subfield 2. If the sum of all amounts in PDS 0397 is greater than the sum of all amounts in PDS 0398, the GCMS inserts a C in subfield 1 of PDS 0399 and inserts the excess amount in PDS 0399, subfield 2. The Financial Position Detail/1644 message and Settlement Position Detail/1644 message will contain totals in the receiving customer's reconciliation currency.

## Values

All currency amounts are expressed to six decimals without a decimal separator in accordance with ISO standards for currency notation. For example, an interchange fee amount of USD .000123 is expressed as 000000000000000123.

## PDS 0399 subfields

This PDS consists of two subfields.

## PDS 0399 subfields

| Number | Positions | Name                   | Attribute         | Justification |
|--------|-----------|------------------------|-------------------|---------------|
| 1      | 1         | Debit/Credit Indicator | a-1; value D or C | N/A           |



| Number | Positions | Name            | Attribute | Justification |
|--------|-----------|-----------------|-----------|---------------|
| 2      | 2-19      | Amount, Net Fee | n-18      | right         |

## PDS 0400 (Debits, Transaction Number)

PDS 0400 (Debits, Transaction Number) provides in reconciliation messages the number of transactions whose transaction amounts have a debit impact on processing.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-10; TAGLLL               |
| Tag Field           | 0400                       |
| Data Length         | 3 positions, value = 010   |
| Data Field          | Fixed length, 10 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| File Currency Summary/1644     | .   | X   | M   |
| Financial Position Detail/1644 | .   | X   | M   |

This PDS provides in Reconciliation/1644 messages the total number of transactions whose transaction amounts have a debit impact to processing. The clearing system accumulates the number of messages for which DE 3 (Processing Code) indicates a debit impact on processing to the appropriate customer. Refer to [Reconciliation messages](#) for additional information on classifying activity as debit impact versus credit impact.

### Values

This PDS may contain zeros if the processed file contained only non-financial messages.

## PDS 0401 (Credits, Transaction Number)

PDS 0401 (Credits, Transaction Number) provides in reconciliation messages the number of transactions whose transaction amounts have a credit impact on processing.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-10; TAGLLL               |
| Tag Field           | 0401                       |
| Data Length         | 3 positions, value = 010   |
| Data Field          | Fixed length, 10 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| File Currency Summary/1644     | .   | X   | M   |
| Financial Position Detail/1644 | .   | X   | M   |

This PDS provides in Reconciliation/1644 messages, the total number of transactions whose transaction amounts have a credit impact to processing. To do this, the clearing system accumulates the number of messages for which DE 3 (Processing Code) indicates a credit impact on processing to the appropriate customer.

### Values

This PDS may contain zeros if the processed file contained only non-financial messages.

This PDS is populated based on final fund direction of the customer. If the customer's net position is a debit then the PDS contains the accumulated counts.

## PDS 0402 (Total, Transaction Number)

PDS 0402 (Total, Transaction Number) provides in reconciliation messages the number of transactions whose transaction amounts have either a debit or a credit impact on processing.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-10; TAGLLL               |
| Tag Field           | 0402                       |
| Data Length         | 3 positions, value = 010   |
| Data Field          | Fixed length, 10 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                        | Org | Sys | Dst |
|--------------------------------|-----|-----|-----|
| File Currency Summary/1644     | .   | X   | M   |
| Financial Position Detail/1644 | .   | X   | M   |

This PDS provides in Reconciliation/1644 messages the total number of transactions whose transaction amounts have either a debit or a credit impact to processing. To do this, the clearing system accumulates PDS 0400 (Debits, Transaction Number) and PDS 0401 (Credits, Transaction Number) and inserts the result in PDS 0402.

### Values

This PDS may contain zeros if the processed file contained only non-financial messages.

This PDS is populated based on the final fund direction of the customer. If the customer's net position is a credit then this PDS contains the accumulated counts.

## PDS 0444 (Resubmission Code)

PDS 0444 (Resubmission Code) will provide a unique value for each rejected potential duplicate clearing transaction. Acquirers must use this value to resubmit First Presentment messages after confirming that the potential duplicate designation was unwarranted. GCMS will not send PDS 0444 to issuers.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-11, TAGLLL               |
| Tag Field           | 0444                       |
| Data Length         | 3 positions, value = 011   |
| Data Field          | Fixed length, 11 positions |
| Subfields           | None                       |
| Justification       | N/A                        |

### Usage

The following table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                          | Org | Sys | Dst |
|------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240: rejected by Mastercard                   | C   | X   | .   |
| First Presentment/1240: resubmitted by customer after validation | C   | .   | .   |

### Values

If present, PDS 0444 must be numeric and cannot contain all zeros.

If a First Presentment message rejects because the transaction has been identified as a potential duplicate by Mastercard, the clearing system provides this PDS to the acquirer in the First Presentment message that accompanies the Message Exception/1644 message.

If the acquirer resubmits the transaction following validation, this PDS must be present and contain the same value received in the Message Exception/1644 message. This PDS is not forwarded to the issuer.

## PDS 0445 (Original Transaction Information)

PDS 0445 (Original Transaction Information) contains one or more data elements (DE) and private data subelements (PDS) echoing the transaction information submitted in inbound processing.

### Attributes

| Attribute           | Description                       |
|---------------------|-----------------------------------|
| Data Representation | ans...992; TAGLLLVAR              |
| Tag Field           | 0445                              |
| Data Length         | 3 positions, value = 011-992      |
| Data Field          | Variable length, 11-992 positions |
| Subfields           | None                              |
| Justification       | Left                              |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                | Org | Sys | Dst |
|----------------------------------------|-----|-----|-----|
| Message Exception/<br>1644-691 message | •   | X   | C   |

### Values

PDS 0445 is a free-form text field in the following format and can accommodate any DE and PDS values that are replaced and substituted from its original value. This position representation illustrates multiple DEs or PDSs being changed during processing:

- Position 1 (Tag type) which can have value of either 2 representing DE or a value of 3 PDS.
- Position 2 (Tag number) which is a format of nnnn (numeric 4 bytes) representing the actual DE or PDS number.
- Position 6 (Tag subfield number) which is a format of nn (numeric 2 bytes) representing the DE or PDS subfield number. It is "00" if the DE or PDS does not have any subfields.

- Position 8 (Tag length) which is a format of nnn (numeric 3 bytes) representing the DE or PDS length.
- Position 11 represents its original DE or PDS value.

### Requirements

PDS 0445 can accommodate any number of DEs and PDSs, up to a maximum of 999 characters in length, with what GCMS replaced it with during the time of processing.

## PDS 0446 (Transaction Fee Amount, Syntax Error)

PDS 0446 (Transaction Fee Amount, Syntax Error) contains the submitted value from PDS 0146 (Amount, Transaction Fee) that was flagged for a soft syntax error. This element is generated by the clearing platform.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-12; TAGLLL             |
| Tag Field           | 0446                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Justification       | None                       |

### Usage

This element is created when PDS 0146, subfield 5 (Amount, Fee) was flagged for a syntax error.

### Values

All currency amounts are expressed in the minor unit of currency without a decimal separator in accordance with ISO standards for currency notation. For example, a transaction amount of USD 212.50 is expressed as 000000021250.

## PDS 0501 (Transaction Description)

PDS 0501 (Transaction Description) contains information describing the type of addendum data that is presented.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-16; TAGLLL               |
| Tag Field           | 0501                       |
| Data Length         | 3 positions, value = 016   |
| Data Field          | Fixed length, 16 positions |
| Subfields           | 4                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | M   | .   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | M   | .   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | M   | .   | M   |
| Financial Detail Addendum (Passenger Transport Detail, Vehicle Rental Detail)/1644      | M   | .   | M   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | M   | .   | M   |
| Financial Detail Addendum (Temporary Services)/1644                                     | M   | .   | M   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | M   | .   | M   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | M   | .   | M   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644    | M   | .   | M   |
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644   | M   | .   | M   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644              | M   | .   | M   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644               | M   | .   | M   |
| Financial Detail Addendum (Travel Agency Data)/1644                      | M   | .   | M   |
| Financial Detail Addendum (Lodged Account Data)/1644                     | M   | .   | M   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | M   | .   | M   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | M   | .   | M   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | M   | .   | M   |
| Financial Detail Addendum (Generic Detail)/1644                          | M   | .   | M   |
| Financial Detail Addendum (Healthcare)/1644                              | M   | .   | M   |
| Financial Detail Addendum (Private Label Common Data)/1644               | M   | .   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | M   | .   | M   |

This PDS provides the information necessary to identify the type of addendum information in a Financial Detail Addendum/1644. The PDS also contains a sequence number to associate the addendum message with the related First Presentment/1240.

## PDS 0501 subfields

PDS 0501 consists of 4 subfields.

### PDS 0501 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1–2       | Usage Code             | n-2       | N/A           |
| 2      | 3–5       | Industry Record Number | n-3       | right         |



| Number | Positions | Name                                | Attribute | Justification |
|--------|-----------|-------------------------------------|-----------|---------------|
| 3      | 6–8       | Occurrence Indicator                | n-3       | right         |
| 4      | 9–16      | Associated First Presentment Number | n-8       | right         |

## Subfield 1 (Usage Code)

Subfield 1 (Usage Code) indicates the type of addendum data to be provided. The codes supporting various industries or programs are in this table.

### Subfield 1 (Usage Code)

| Usage Code | Transaction Detail Description                          | Supported Acceptor Category, Industry, or Programs                                                                    |
|------------|---------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| 01         | Passenger Transport Detail                              | Airline, railway, travel agency                                                                                       |
| 05         | Vehicle Rental Detail                                   | Vehicle rental agencies                                                                                               |
| 06         | Lodging Summary                                         | Hotel, motel, and related lodging facilities                                                                          |
| 07         | Temporary Services                                      | New business opportunities for the temporary services sector                                                          |
| 08         | Shipping/Courier Services                               | New business opportunities for the shipping/courier services sector                                                   |
| 09         | Electronic Invoice, Transaction Data/ Party Information | New business opportunities to enable issuers to supply more transaction information to their corporate clients        |
| 10         | Payment Transaction Detail                              | Payments from money transfer agents or financial institutions                                                         |
| 11         | Telephony Billing, Detail/Summary                       | New business opportunities for companies to pay for telephony services using a Mastercard Corporate Purchasing Card®. |
| 12         | Travel Agency Detail                                    | New business opportunities to enable users to provide travel agency-specific fee information                          |
| 13         | Lodged Account Detail                                   | New business opportunities to enable users to provide stored client information provided by preferred travel agencies |

| Usage Code | Transaction Detail Description | Supported Acceptor Category, Industry, or Programs             |
|------------|--------------------------------|----------------------------------------------------------------|
| 14         | Private Label                  | New business opportunities unique to using private label cards |
| 15         | Healthcare                     | Healthcare                                                     |
| 98         | Commercial Detail              | New business opportunities unique to the corporate environment |
| 99         | Generic Detail                 | Other new business opportunities                               |

New usage codes are added periodically as required to support various industry and acceptor organizations. The clearing system validates the usage code and rejects a message if it contains an invalid usage code.

## Subfield 2 (Industry Record Number)

Subfield 2 (Industry Record Number) and the usage code are used in conjunction to uniquely identify the addendum data format (layout) as shown in this table.

### Subfield 2 (Industry Record Number)

| Usage Code | Industry Record Number | Description                                            |
|------------|------------------------|--------------------------------------------------------|
| 01         | 000                    | Passenger Transport Detail, General Ticket Information |
| 01         | 001                    | Passenger Transport Detail, Trip Leg Data              |
| 01         | 002                    | Passenger Transport Detail, Rail Data                  |
| 05         | 000                    | Vehicle Rental Detail                                  |
| 06         | 000                    | Lodging Summary                                        |
| 07         | 000                    | Temporary Services                                     |
| 08         | 000                    | Shipping/Courier Services                              |
| 09         | 000                    | Electronic Invoice, Transaction Data                   |
| 09         | 001                    | Electronic Invoice, Party Information                  |
| 10         | 000                    | Payment Transaction Detail                             |
| 11         | 000                    | Telephony Billing, Summary                             |
| 11         | 001                    | Telephony Billing, Detail                              |
| 12         | 000                    | Travel Agency Detail                                   |

| Usage Code | Industry Record Number | Description                                               |
|------------|------------------------|-----------------------------------------------------------|
| 13         | 000                    | Lodged Account Detail                                     |
| 14         | 000                    | Private Label Common Data                                 |
| 14         | 001                    | Private Label Line Item Detail                            |
| 15         | 000                    | Healthcare-IIAS Detail                                    |
| 98         | 000                    | Corporate Detail, Corporate Card Common Data Requirements |
| 98         | 002                    | Corporate Detail, Corporate Fleet Transaction Information |
| 98         | 950                    | Corporate Detail, Corporate Line Item Detail              |
| 99         | 000                    | Generic Detail                                            |

New industry record numbers are added periodically as required to support various industry and acceptor organizations. Customers should prepare their systems to accept new industry record numbers. The clearing system does not reject a message containing an unrecognized industry record number if it contains a valid usage code. Instead, the clearing system passes the unedited contents of the addendum data to the receiving customer. This policy allows the timely assignment of new industry record numbers in response to specific needs, without waiting for corresponding updates to the clearing system.

### Subfield 3 (Occurrence Indicator)

Subfield 3 (Occurrence Indicator) identifies the specific occurrence number of each addendum data in a particular usage code. This list details the specific rules for PDS 0501, subfield 3.

- For Financial Detail Addendum (Passenger Transport, General Ticket Information)/1644 messages (PDS 0501, subfield 1 Usage Code 01 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be 001.
- For Financial Detail Addendum (Passenger Transport, Trip Leg Data)/1644 messages (PDS 0501, subfield 1 Usage Code 01 and PDS 0501, subfield 2 Industry Record Number 001), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 002 to 999.
- For Financial Detail addendum (Passenger Transport Detail, Rail Data)/1644 messages (PDS 0501, subfield 1 Usage Code 01 and PDS 0501, subfield 2 Industry Record Number 002), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 001 to 999 or within the range of 002 to 999 when provided in conjunction with the Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 message.
- For Financial Detail Addendum (Vehicle Rental Detail)/1644 messages (PDS 0501, subfield 1 Usage Code 05 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 001 to 999.

- For Financial Detail Addendum (Lodging Summary)/1644 messages (PDS 0501, subfield 1 Usage Code 06 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 001 to 999.
- For Financial Detail Addendum (Temporary Services)/1644 messages (PDS 0501, subfield 1 Usage Code 07 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 001 to 999.
- For Financial Detail Addendum (Shipping/Courier Services)/1644 messages (PDS 0501, subfield 1 Usage Code 08 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 001 to 999.
- For Financial Detail Addendum (Electronic Invoice, Transaction Data) /1644 messages (PDS 0501, subfield 1 Usage Code 09 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 001 to 999.
- For Financial Detail Addendum (Electronic Invoice, Party Information)/1644 messages (PDS 0501, subfield 1 Usage Code 09 and PDS 0501, subfield 2 Industry Record Number 001), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 002 to 999.
- For Financial Detail Addendum (Payment Transaction Detail)/1644 messages (PDS 0501, subfield 1 Usage Code 10 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be 001.
- For Financial Detail Addendum (Telephony Billing, Summary)/1644 messages (PDS 0501, subfield 1 Usage Code 11 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must 001.
- For Financial Detail Addendum (Travel Agency, Detail)/1644 messages (PDS 0501, subfield 1 Usage Code 12 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 001 to 999.
- For Financial Detail Addendum (Lodged Account, Detail)/1644 messages (PDS 0501, subfield 1 Usage Code 13 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 001 to 999.
- For Financial Detail Addendum (Telephony Billing, Detail)/1644 messages (PDS 0501, subfield 1 Usage Code 11 and PDS 0501, subfield 2 Industry Record Number 001), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 002 to 999.
- For Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 messages (PDS 0501, subfield 1 Usage Code 98 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be 001.
- For Financial Detail Addendum (Corporate Fleet Transaction Information) /1644 messages (PDS 0501, subfield 1 Usage Code 98 and PDS 0501, subfield 2 Industry Record Number 002), the value of PDS 0501, subfield 3 Occurrence Indicator must be between 001 and 003.
- For Financial Detail Addendum (Corporate Line Item Detail)/1644 messages (PDS 0501, subfield 1 Usage Code 98 and PDS 0501, subfield 2 Industry Record Number 950), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 002 to 999.
- For Financial Detail Addendum (Generic Detail)/1644 messages (PDS 0501, subfield 1 Usage Code 99 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 001 to 999.

- For Financial Detail Addendum (Healthcare)/1644 messages (PDS 0501, subfield 1 Usage Code 15 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 001–999.
- For Financial Detail Addendum (Private Label Common Data)/1644 messages (PDS 0501, subfield 1 Usage Code 14 and PDS 0501, subfield 2 Industry Record Number 000), the value of PDS 0501, subfield 3 Occurrence Indicator must be the value of 001.
- For Financial Detail Addendum (Private Label Line Item Detail)/1644 messages (PDS 0501, subfield 1 Usage Code 14 and PDS 0501, subfield 2 Industry Record Number 001), the value of PDS 0501, subfield 3 Occurrence Indicator must be within the range of 002 to 999.

### Subfield 4 (Associated First Presentment Number)

The number in subfield 4 (Associated First Presentment Number) is copied from DE 71 of the associated First Presentment/1240. The associated first presentment number is placed in this subfield to tie the addendum message back to the related First Presentment/1240.

## PDS 0502 (Custom Identifier)

PDS 0502 (Custom Identifier) enables customers to provide custom information pertinent to the transaction.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...82; TAGLLLLVAR             |
| Tag Field           | 0502                             |
| Data Length         | 3 positions, value = 006–082     |
| Data Field          | Variable length, 06–82 positions |
| Subfields           | 2                                |
| Justification       | See “Subfields”                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Usage

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                 | C   | .   | C   |
| Financial Detail Addendum (Travel Agency, Detail)/1644 | C   | X   | C   |
| Financial Detail Addendum (Lodged Account Detail)/1644 | C   | X   | C   |

This PDS is required in First Presentment/1240, Financial Detail Addendum (Travel Agency, Detail)/1644, or Financial Detail Addendum (Lodged Account Detail)/1644 messages for transactions submitted for the interchange rate programs with Brand Product MEF in this table.

## IRDs for Brand Product MEF

| IRD | Description                |
|-----|----------------------------|
| 67  | Commercial Data Rate II    |
| 82  | Electronic Payment Account |

## Values

If PDS 0502 is present, both subfield 1 and subfield 2 must be present.

PDS 0502 is required in First Presentment/1240 messages to qualify for corporate incentives within some intra-European and inter-European interchange programs.

For Mastercard In Control™ First Presentment/1240 messages:

- If PDS 0502 is present in the message then the values will be overlaid with the value OTHER1 in subfield 1 (Custom Identifier Type) and the Virtual Account Number in subfield 2 (Custom Identifier Detail).
- If PDS 0502 is not present in the First Presentment/1240 then PDS 0502 is added to the message and sent to the issuer. The values are OTHER1 in subfield 1 (Custom Identifier Type) and the Virtual Account Number in subfield 2 (Custom Identifier Detail).

PDS 0502 (Custom Identifier), subfield 1 (Custom Identifier Type) is required and must contain the value PMTREF along with the data in subfield 2 (Customer Identifier Detail) for U.S. region (2/010001) transactions submitted for IRD 67 (Commercial Data Rate II) when the account number represents the MEF product.

PDS 0502 (Custom Identifier), subfield 1 (Custom Identifier Type) is required and must contain the value PMTREF along with the data in subfield 2 (Customer Identifier Detail) for U.S. region (2/010001) transactions submitted for IRD 82 (Commercial Electronic Payment Account).

## PDS 0502 subfields

This PDS consists of two subfields.

### PDS 0502 subfields

| Number | Positions | Name                     | Attribute | Justification |
|--------|-----------|--------------------------|-----------|---------------|
| 1      | 1-6       | Custom Identifier Type   | ans-06    | N/A           |
| 2      | 7-82      | Custom Identifier Detail | ans-1     | left          |

### Subfield 1 (Custom Identifier Type)

Subfield 1 identifies the type of custom information that is contained in subfield 2 as free-form text. The valid values for subfield 1 are listed in this table.

### Subfield 1 (Custom Identifier Type)

| Value  | Description                                 |
|--------|---------------------------------------------|
| CUSORD | Customer Order                              |
| CUSTPO | Customer Purchase Order                     |
| FOLNUM | Folio Number                                |
| INVACT | Invoice or Account Number for Bill Payments |
| OTHER1 | Other                                       |
| PMTREF | Payment Reference Number                    |
| PRCHID | Purchase Identification                     |
| RECLOC | Record Locator                              |
| RESNUM | Reservation Number                          |
| RNTAGR | Rental Agreement                            |
| SUPINV | Supplier Invoice                            |
| SUPORD | Supplier Order                              |
| TKTNUM | Ticket Number                               |
| TRANID | Transaction Identification                  |
| TRKNUM | Tracking Number                             |

## Subfield 2 (Custom Identifier Detail)

Subfield 2 is a free-form text field for custom information that is related the transaction. The information provided should relate to the value provided in subfield 1.

If present, subfield 2 must be left-justified and cannot be all zeros, all spaces, all high values, or all low values.

## PDS 0503 (Travel Agency Sequence Number)

PDS 0503 (Travel Agency Sequence Number) contains a sequence number indicating the sequence of this travel agency fee for this transaction.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-4 TAGLLL              |
| Tag Field           | 0503                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Travel Agency, Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified and cannot contain all zeros, all spaces, all high values, or all low values.



## PDS 0504 (Travel Agency Fee)

PDS 0504 (Travel Agency Fee) contains descriptive information regarding the fee charged by the travel agency.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...42; TAGLLLLVAR             |
| Tag Field           | 0504                             |
| Data Length         | 3 positions, value = 014-042     |
| Data Field          | Variable length, 14-42 positions |
| Subfields           | 5                                |
| Justification       | See "Subfields"                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Travel Agency, Detail)/1644 | O   | .   | C   |

## PDS 0504 subfields

This PDS consists of five subfields.

### PDS 0504 subfields

| Number | Positions | Name                              | Attribute | Justification |
|--------|-----------|-----------------------------------|-----------|---------------|
| 1      | 1-12      | Travel Agency Fee Amount          | n-12      | right         |
| 2      | 13        | Travel Agency Fee Amount Exponent | n-1       | N/A           |
| 3      | 14        | Travel Agency Fee Amount Sign     | a-1       | N/A           |

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 4      | 15–26     | Travel Agency Fee Amount Rate | n-12      | right         |
| 5      | 27–42     | Travel Agency Fee Description | ans-16    | left          |

### Subfield 1 (Travel Agency Fee Amount)

If PDS 0504 is present, subfield 1 must be numeric and greater than zero.

### Subfield 2 (Travel Agency Fee Amount Exponent)

Subfield 2 (Travel Agency Fee Amount Exponent) indicates the decimal location for the Travel Agency Fee Amount subfield.

If PDS 0504 is present, subfield 2 must be numeric and contain a value in the range 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Travel Agency Fee Amount Sign)

If PDS 0504 is present, subfield 3 must be a value D or C. This subfield identifies whether PDS 0504 is a debit or a credit transaction from the perspective of the cardholder.

| Value | Description                           |
|-------|---------------------------------------|
| D     | Travel Agency Fee Amount is a debit.  |
| C     | Travel Agency Fee Amount is a credit. |

### Subfield 4 (Travel Agency Fee Amount Rate)

If subfield 4 is present, it must be numeric.

### Subfield 5 (Travel Agency Fee Description)

If subfield 5 is present, it must be left-justified and cannot be all zeros, all spaces, all high values, or all low values.

## PDS 0505 (Passenger Name)

PDS 0505 (Passenger Name) contains the name of the passenger to whom the ticket was issued.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...29; TAGLLLVAR             |
| Tag Field           | 0505                            |
| Data Length         | 3 positions, value = 001-029    |
| Data Field          | Variable length, 1-29 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains an airline acceptor business code (MCC) or railway MCC and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description      |
|-----|------------------|
| 10  | Merit III Tier 1 |
| 11  | Merit III Tier 2 |

| IRD        | Description                   |
|------------|-------------------------------|
| 12         | Merit III Tier 3              |
| 24         | Merchant UCAF                 |
| 69         | Commercial T&E Rate II        |
| 70, 80     | Merit III Base                |
| 76, 86     | Commercial T&E Rate I         |
| 78, 88, 98 | Merit I                       |
| 79         | Full UCAF                     |
| 89         | Commercial T&E Rate III       |
| 93         | Passenger Transport           |
| 96         | World T&E                     |
| RA         | Enhanced Merit III Base       |
| RB         | Enhanced Merit III Tier 1     |
| RC         | Enhanced Merit III Tier 2     |
| RD         | Enhanced Merit III Tier 3     |
| RN         | Enhanced Merchant UCAF        |
| RO         | Enhanced Full UCAF            |
| RR         | Enhanced Passenger Transport  |
| SL         | Business Level 2 T&E Rate I   |
| SN         | Business Level 2 T&E Rate II  |
| SO         | Business Level 2 T&E Rate III |
| 3L         | Business Level 3 T&E Rate I   |
| 3N         | Business Level 3 T&E Rate II  |
| 3O         | Business Level 3 T&E Rate III |
| 4L         | Business Level 4 T&E Rate I   |
| 4N         | Business Level 4 T&E Rate II  |
| 4O         | Business Level 4 T&E Rate III |

This PDS is required if a Passenger Transport Detail, Rail Data Addendum message is submitted and the associated First Presentment/1240 contains a Rail or Travel Agency MCC and is submitted for one of the interchange programs listed in this table.

### IRDs and descriptions

| IRD   | Description                           |
|-------|---------------------------------------|
| 10    | Merit III Tier I                      |
| 11    | Merit III Tier 2                      |
| 12    | Merit III Tier 3                      |
| 22    | Public Sector                         |
| 24    | Merchant UCAF                         |
| 29    | Emerging Markets, Consumer Core Value |
| 56    | World Public Sector                   |
| 69    | Commercial T&E Rate II                |
| 70/80 | Merit III Base                        |
| 79    | Full UCAF                             |
| 89    | Commercial T&E Rate III               |
| 93    | Passenger Transport                   |
| 96    | World T&E                             |
| HP    | World High Value Public Sector        |
| RA    | Enhanced Merit III Base               |
| RB    | Enhanced Merit III Tier 1             |
| RC    | Enhanced Merit III Tier 2             |
| RD    | Enhanced Merit III Tier 3             |
| RK    | Enhanced Public Sector                |
| RN    | Enhanced Merchant UCAF                |
| RO    | Enhanced Full UCAF                    |
| RP    | Enhanced Merit I                      |
| RR    | Enhanced Passenger Transport          |
| SL    | Business Level 2 T&E Rate I           |
| SN    | Business Level 2 T&E Rate II          |
| SO    | Business Level 2 T&E Rate III         |
| WP    | World Elite Public Sector             |
| WZ    | World Elite T&E Large Ticket          |

| IRD | Description                   |
|-----|-------------------------------|
| 3L  | Business Level 3 T&E Rate I   |
| 3N  | Business Level 3 T&E Rate II  |
| 3O  | Business Level 3 T&E Rate III |
| 4L  | Business Level 4 T&E Rate I   |
| 4N  | Business Level 4 T&E Rate II  |
| 4O  | Business Level 4 T&E Rate III |

This PDS optionally may be provided for airline, railway, or travel agency transactions submitted for any other interchange program.

### Values

If present, PDS 0505 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0506 (Ticket Number)

PDS 0506 (Ticket Number) contains the number on the ticket.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-15; TAGLLL             |
| Tag Field           | 0506                       |
| Data Length         | 3 positions, value = 015   |
| Data Field          | Fixed length, 15 positions |
| Subfields           | None                       |
| Justification       | Left                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | •   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | C   | •   | C   |

This PDS is required if the associated First Presentment/1240 contains an airline acceptor business code (MCC) or railway MCC and is submitted for the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD      | Description                           |
|----------|---------------------------------------|
| 10       | Merit III Tier 1                      |
| 11       | Merit III Tier 2                      |
| 12       | Merit III Tier 3                      |
| 22       | Public Sector                         |
| 24       | Merchant UCAF                         |
| 29       | Emerging Markets: Consumer Core Value |
| 56       | World Public Sector                   |
| 69       | Commercial T&E Rate II                |
| 70/80    | Merit III Base                        |
| 76/86    | Commercial T&E Rate I                 |
| 78/88/98 | Merit I                               |
| 79       | Full UCAF                             |
| 89       | Commercial T&E Rate III               |
| 93       | Passenger Transport                   |
| 96       | World T&E                             |
| HP       | World High Value Public Sector        |
| RA       | Enhanced Merit III Base               |
| RB       | Enhanced Merit III Tier 1             |

| IRD | Description                   |
|-----|-------------------------------|
| RC  | Enhanced Merit III Tier 2     |
| RD  | Enhanced Merit III Tier 3     |
| RK  | Enhanced Public Sector        |
| RN  | Enhanced Merchant UCAF        |
| RR  | Enhanced Passenger Transport  |
| SL  | Business Level 2 T&E Rate I   |
| SN  | Business Level 2 T&E Rate II  |
| SO  | Business Level 2 T&E Rate III |
| WP  | World Elite Public Sector     |
| 3L  | Business Level 3 T&E Rate I   |
| 3N  | Business Level 3 T&E Rate II  |
| 3O  | Business Level 3 T&E Rate III |
| 4L  | Business Level 4 T&E Rate I   |
| 4N  | Business Level 4 T&E Rate II  |
| 4O  | Business Level 4 T&E Rate III |

This PDS is required if a Passenger Transport Detail, Rail Data Addendum message is submitted and the associated First Presentment/1240 contains a rail or travel agency MCC and is submitted for IRD 89, Commercial T&E Rate III.

This PDS optionally may be provided for airline, railway, or travel agency transactions submitted for any other interchange program.

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 or Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0506 (Ticket Number) and cannot contain null values.

### Values

If present, PDS 0506 must contain the ticket number and be left-justified and cannot contain all low values, all high values, all spaces, or all zeros. If multiple tickets are purchased using a single transaction, the primary ticket number should be provided.



## PDS 0507 (Issuing Carrier)

PDS 0507 (Issuing Carrier) contains the standard abbreviation for the airline or railway carrier issuing the ticket.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-4; TAGLLL             |
| Tag Field           | 0507                      |
| Data Length         | 3 positions, value = 04   |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains an airline acceptor business code (MCC) or railway MCC and is submitted for the following U.S. region incentive interchange rate programs.

### IRDs and descriptions

| IRD | Description      |
|-----|------------------|
| 10  | Merit III Tier 1 |
| 11  | Merit III Tier 2 |
| 12  | Merit III Tier 3 |
| 22  | Public Sector    |

| IRD      | Description                           |
|----------|---------------------------------------|
| 24       | Merchant UCAF                         |
| 29       | Emerging Markets, Consumer Core Value |
| 56       | World Public Sector                   |
| 69       | Commercial T&E Rate II                |
| 70/80    | Merit III Base                        |
| 76/86    | Commercial T&E Rate I                 |
| 78/88/98 | Merit I                               |
| 79       | Full UCAF                             |
| 89       | Commercial T&E Rate III               |
| 93       | Passenger Transport                   |
| 96       | World T&E                             |
| HP       | World High Value Public Sector        |
| RA       | Enhanced Merit III Base               |
| RB       | Enhanced Merit III Tier 1             |
| RC       | Enhanced Merit III Tier 2             |
| RD       | Enhanced Merit III Tier 3             |
| RK       | Enhanced Public Sector                |
| RN       | Enhanced Merchant UCAF                |
| RO       | Enhanced Full UCAF                    |
| RR       | Enhanced Passenger Transport          |
| SL       | Business Level 2 T&E Rate I           |
| SN       | Business Level 2 T&E Rate II          |
| SO       | Business Level 2 T&E Rate III         |
| WP       | World Elite Public Sector             |
| 3L       | Business Level 3 T&E Rate I           |
| 3N       | Business Level 3 T&E Rate II          |
| 3O       | Business Level 3 T&E Rate III         |
| 4L       | Business Level 4 T&E Rate I           |
| 4N       | Business Level 4 T&E Rate II          |
| 4O       | Business Level 4 T&E Rate III         |

This PDS optionally may be provided for airline or railway transactions submitted for any other interchange program.

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0507 (Issuing Carrier) and cannot contain null values.

### Values

If present, PDS 0507 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

PDS 0507 must contain a valid International Air Transport Association (IATA) two character Airline code.

## PDS 0508 (Customer Code)

PDS 0508 (Customer Code) contains the code that the cardholder supplied to the acceptor.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...25; TAGLLLVAR             |
| Tag Field           | 0508                            |
| Data Length         | 3 positions, value = 001–025    |
| Data Field          | Variable length, 1–25 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | •   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | C   | •   | C   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644               | C   | •   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | C   | •   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | O   | •   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | •   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | O   | •   | C   |

This PDS is required in Financial Detail Addendum (Shipping/Courier) and Financial Detail Addendum (Temporary Services) messages for transactions submitted for the interchange rate programs listed in this table, if provided by the customer.

#### IRDs for Financial Detail Addendum

| IRD | Description                                      |
|-----|--------------------------------------------------|
| 60  | Commercial Face-to-Face                          |
| 62  | Commercial Large Ticket I                        |
| 66  | Commercial Data Rate III                         |
| 67  | Interregional Commercial Purchasing Data Rate II |
| 67  | Commercial Data Rate II                          |
| 94  | Commercial Large Ticket II                       |
| 99  | Commercial Large Ticket III                      |
| E1  | Commercial Large Ticket Rate 1 MPG               |
| E2  | Commercial Large Ticket Rate 2 MPG               |
| E3  | Commercial Large Ticket Rate 3 MPG               |

This PDS is required in Financial Detail Addendum (Corporate Card Common Data Requirements) messages for transactions submitted with interchange rate program GCMS Product Code MEF 82 (Commercial Electronic Payment Account).

PDS 0508 must be present in a Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 when all of these conditions exist:

- The product code is MCP or MCF at a non-fuel location.
- The Business Service is equal to one of the values in this table.

#### PDS 0158 codes

| Business Service Type Code (PDS 0158, subfield 2) | Business Service ID (PDS 0158, subfield 3) | Description          |
|---------------------------------------------------|--------------------------------------------|----------------------|
| 2                                                 | 050001                                     | Europe Intraregional |
| 3                                                 | 050012                                     | Europe Intercountry  |
| 3                                                 | 050021                                     | Europe Intercountry  |
| 3                                                 | 050031                                     | Europe Intercountry  |

**NOTE: This applies to additional domestic arrangements.**

The IRD submitted in the associated First Presentment/1240 is one of the values listed in this table.

#### IRD descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| 26  | Purchasing Large Ticket Level 1 Interchange |
| 27  | Purchasing Large Ticket Level 2 Interchange |

If the customer provides the customer code, this PDS must be submitted to qualify the transaction for the U.S. region and international incentive interchange rate programs listed in this table.

#### IRD descriptions

| IRD | Description                                       |
|-----|---------------------------------------------------|
| 60  | Commercial Face-to-Face                           |
| 62  | Commercial Large Ticket I                         |
| 66  | Commercial Data Rate III                          |
| 67  | Commercial Data Rate II                           |
| 67  | Inter-regional Commercial Purchasing Data Rate II |

| IRD | Description                    |
|-----|--------------------------------|
| 94  | Commercial Large Ticket II     |
| 99  | Commercial Large Ticket III    |
| F1  | Commercial Fleet Data Rate I   |
| F2  | Commercial Fleet Data Rate II  |
| F3  | Commercial Fleet Data Rate III |
| FL  | Commercial Fleet Large Ticket  |

If the customer provides the customer code, PDS 0508 must be submitted to qualify the transaction for these Canada incentive interchange rate programs:

- BQ: Canada Intracountry Commercial Data Rate I (only for transactions at non-fuel and non-maintenance locations)
- BR: Canada Intracountry Commercial Data Rate II
- BS: Canada Intracountry Commercial Large Ticket

#### Values

If present, PDS 0508 must be left-justified and cannot contain all spaces.

## PDS 0509 (Issue Date)

PDS 0509 (Issue Date) is the date the ticket was issued to the customer.

#### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0509                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0509 (Issue Date) and cannot contain null values.

### Values

If present, PDS 0509 must contain a valid date in the format YYMMDD.

## PDS 0510 (Travel Agency Code)

PDS 0510 (Travel Agency Code) is a code assigned to the travel agency.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-8; TAGLLL             |
| Tag Field           | 0510                      |
| Data Length         | 3 positions, value = 008  |
| Data Field          | Fixed length, 8 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644                  | O   | .   | C   |

### Values

If present, PDS 0510 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0511 (Travel Agency Name)

PDS 0511 (Travel Agency Name) is the name of the travel agency that issued the ticket.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...25; TAGLLLLVAR            |
| Tag Field           | 0511                            |
| Data Length         | 3 positions, value = 001–025    |
| Data Field          | Variable length, 1–25 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |



| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

### Values

If present, PDS 0511 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0512 (Total Fare)

PDS 0512 (Total Fare) contains the total amount of the ticket and should equal the total amount of the transaction.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0512                       |
| Data Length         | 3 positions, value = 012   |
| Data Length         | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | .   | C   |

Information on the IRDs which require the PDS, refer to the Interchange Manuals.

This PDS optionally may be provided for airline or railway transactions submitted for any other interchange program.

## Values

If present, PDS 0512 can contain all zeros. It cannot contain all spaces.

## PDS 0513 (Total Fees)

PDS 0513 (Total Fees) is the amount of the fees associated with the ticket.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0513                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |

## Values

If present, PDS 0513 can contain all zeros.

## PDS 0514 (Total Taxes)

PDS 0514 (Total Taxes) is the amount of all the taxes associated with the ticket.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0514                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |

### Values

If present, PDS 0514 can contain all zeros.

## PDS 0515 (Additional Acceptor Information)

PDS 0515 (Additional Acceptor Information) contains information pertaining to the acceptor.

### Attributes

| Attribute           | Description         |
|---------------------|---------------------|
| Data Representation | ans...40; TAGLLLVAR |
| Tag Field           | 0515                |

| Attribute     | Description                        |
|---------------|------------------------------------|
| Data Length   | 3 positions, value = 001–040       |
| Data Field    | Variable length, 001–040 positions |
| Subfields     | None                               |
| Justification | Left                               |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | .   | C   |

### Values

If present, PDS 0515 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0516 (Austin-Tetra Number)

PDS 0516 (Austin-Tetra Number) contains the Austin-Tetra number assigned to the acceptor.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-15; TAGLLL              |
| Tag Field           | 0516                        |
| Data Length         | 3 positions, value = 015    |
| Data Field          | Fixed length, 015 positions |
| Subfields           | None                        |

| Attribute     | Description |
|---------------|-------------|
| Justification | Left        |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

### Values

If present, PDS 0516 cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0517 (NAICS Code)

PDS 0517 (NAICS Code) contains the North American Industry Classification System (NAICS) code assigned to the acceptor.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-15; TAGLLL              |
| Tag Field           | 0517                        |
| Data Length         | 3 positions, value = 015    |
| Data Field          | Fixed length, 015 positions |
| Subfields           | None                        |
| Justification       | Left                        |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

### Values

If present, PDS 0517 cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0518 (Line Item Date)

PDS 0518 (Line Item Date) contains the purchase date of the line item referenced in the associated Corporate Card Line Item Detail.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | n-6; TAGLLL                 |
| Tag Field           | 0518                        |
| Data Length         | 3 positions, value = 006    |
| Data Field          | Fixed length, 006 positions |
| Subfields           | None                        |
| Justification       | N/A                         |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                     | Org | Sys | Dst |
|-------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644 | C   | .   | C   |

## Values

If present, PDS 0518 must contain a valid date in the format YYMMDD. This field is required to be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message when a Financial Detail Addendum (Lodging Summary)/1644 message is presented with the transaction.

## PDS 0519 (Additional Fuel Location Information)

PDS 0519 (Additional Fuel Location Information) contains additional information about the fuel location, such as hours of operation and interstate access/exit number.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | an-14; TAGLLL               |
| Tag Field           | 0519                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 14                          |
| Justification       | See "Subfields"             |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |

## Values

If present, PDS 0519 must be a fixed length of 14, and each of the 14 subfields must contain a value of Y or N. If unknown, a value of N should be provided.

## PDS 0519 subfields

This PDS consists of fourteen subfields.

### PDS 0519 subfields

| Number | Positions | Name                                                    | Attribute | Justification |
|--------|-----------|---------------------------------------------------------|-----------|---------------|
| 1      | 1         | Hours of Operation/24 Hours Available                   | a-1       | N/A           |
| 2      | 2         | 18 Wheeler Access Available                             | a-1       | N/A           |
| 3      | 3         | Diesel Sites Available                                  | a-1       | N/A           |
| 4      | 4         | Interstate Access/Exit Number with Directions Available | a-1       | N/A           |
| 5      | 5         | Convenience Store Available                             | a-1       | N/A           |
| 6      | 6         | Truck Stop Restaurant Available                         | a-1       | N/A           |
| 7      | 7         | Truck Stop Hotel Available                              | a-1       | N/A           |
| 8      | 8         | Truck Stop with Showers Available                       | a-1       | N/A           |
| 9      | 9         | Vehicle Maintenance/Repair Bays Available               | a-1       | N/A           |
| 10     | 10        | Car Wash Available                                      | a-1       | N/A           |
| 11     | 11        | Aviation Locations Available                            | a-1       | N/A           |
| 12     | 12        | Marina Locations Available                              | a-1       | N/A           |
| 13     | 13        | Alternative Fuel Locations Available                    | a-1       | N/A           |
| 14     | 14        | Pay-At-Pump Available                                   | a-1       | N/A           |

### Values

Each subfield must have a valid value of Y or N. If the information is unknown, a value of N should be provided.



## PDS 0520 (Travel Date)

PDS 0520 (Travel Date) is the effective ticket date, previously referred to as departure date.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0520                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | C   | •   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644     | C   | •   | C   |

This PDS is required if the associated First Presentment/1240 contains an airline acceptor business code (MCC) or railway MCC and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description      |
|-----|------------------|
| 10  | Merit III Tier 1 |
| 11  | Merit III Tier 2 |
| 12  | Merit III Tier 3 |

| IRD   | Description                           |
|-------|---------------------------------------|
| 22    | Public Sector                         |
| 24    | Merchant UCAF                         |
| 29    | Emerging Markets, Consumer Core Value |
| 56    | World Public Sector                   |
| 69    | Commercial T&E Rate II                |
| 70/80 | Merit III Base                        |
| 79    | Full UCAF                             |
| 89    | Commercial T&E Rate III               |
| 93    | Passenger Transport                   |
| 96    | World T&E                             |
| HP    | World High Value Public Sector        |
| RA    | Enhanced Merit III Base               |
| RB    | Enhanced Merit III Tier 1             |
| RC    | Enhanced Merit III Tier 2             |
| RD    | Enhanced Merit III Tier 3             |
| RK    | Enhanced Public Sector                |
| RN    | Enhanced Merchant UCAF                |
| RO    | Enhanced Full UCAF                    |
| RR    | Enhanced Passenger Transport          |
| WP    | World Elite Public Sector             |

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 or Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0520 (Travel Date) and cannot contain null values.

### Values

If present, PDS 0520 must be a valid date in the format YYMMDD. Customers must use the ticket purchase date for open tickets.

## PDS 0521 (Carrier Code)

PDS 0521 (Carrier Code) is the standard abbreviation for the airline or railway carrier providing the service.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-2; TAGLLL             |
| Tag Field           | 0521                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | C   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                           | O   | .   | C   |

This PDS is required for these conditions:

- The associated First Presentment/1240 contains an airline acceptor business code and is submitted for one of the interchange rate programs listed in this table.
- The associated First Presentment/1240 contains a rail acceptor business code, the transaction is submitted for one of the interchange rate programs listed in this table, and the acquirer submits the Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 instead of the Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 message.

### IRDs and descriptions

| IRD   | Description                           |
|-------|---------------------------------------|
| 10    | Merit III Tier 1                      |
| 11    | Merit III Tier 2                      |
| 12    | Merit III Tier 3                      |
| 22    | Public Sector                         |
| 24    | Merchant UCAF                         |
| 29    | Emerging Markets, Consumer Core Value |
| 56    | World Public Sector                   |
| 69    | Commercial T&E Rate II                |
| 70/80 | Merit III Base                        |
| 79    | Full UCAF                             |
| 89    | Commercial T&E Rate III               |
| 93    | Passenger Transport                   |
| 96    | World T&E                             |
| HP    | World High Value Public Sector        |
| RA    | Enhanced Merit III Base               |
| RB    | Enhanced Merit III Tier 1             |
| RC    | Enhanced Merit III Tier 2             |
| RD    | Enhanced Merit III Tier 3             |
| RK    | Enhanced Public Sector                |
| RN    | Enhanced Merchant UCAF                |
| RO    | Enhanced Full UCAF                    |
| RR    | Enhanced Passenger Transport          |
| WP    | World Elite Public Sector             |

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0521 (Carrier Code) and cannot contain null values.

## Values

PDS 0521 must contain a valid International Air Transport Association (IATA) two character Airline code.

If present, it must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0522 (Service Class Code)

PDS 0522 (Service Class Code) is the service type (such as coach or first class).

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-2; TAGLLL             |
| Tag Field           | 0522                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields:          | None                      |
| Justification:      | Left                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | C   | .   | C   |

This PDS is required for these conditions:

- The associated First Presentment/1240 contains an airline acceptor business code and is submitted for one of the interchange rate programs listed in this table.
- The associated First Presentment/1240 contains a rail acceptor business code, the transaction is submitted for one of the interchange rate programs listed in this table, and the acquirer submits the Financial Detail Addendum (Passenger Transport Detail, Trip Leg

Data)/1644 instead of the Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 message.

### IRDs and descriptions

| IRD    | Description                           |
|--------|---------------------------------------|
| 10     | Merit III Tier 1                      |
| 11     | Merit III Tier 2                      |
| 12     | Merit III Tier 3                      |
| 22     | Public Sector                         |
| 29     | Emerging Markets, Consumer Core Value |
| 56     | World Public Sector                   |
| 69     | Commercial T&E Rate II                |
| 70, 80 | Merit III Base                        |
| 89     | Commercial T&E Rate III               |
| 93     | Passenger Transport                   |
| 96     | World T&E                             |
| HP     | World High Value Public Sector        |
| RA     | Enhanced Merit III Base               |
| RB     | Enhanced Merit III Tier 1             |
| RC     | Enhanced Merit III Tier 2             |
| RD     | Enhanced Merit III Tier 3             |
| RK     | Enhanced Public Sector                |
| RN     | Enhanced Merchant UCAF                |
| RO     | Enhanced Full UCAF                    |
| RR     | Enhanced Passenger Transport          |
| WP     | World Elite Public Sector             |

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0522 (Service Class Code) and cannot contain null values.

### Values

PDS 0522 is the service class code obtained from the IATA or its equivalent. If present, it must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0523 (City of Origin Airport Code)

PDS 0523 (City of Origin Airport Code) is the originating airport or railway name standard abbreviation.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-5; TAGLLL             |
| Tag Field           | 0523                      |
| Data Length         | 3 positions, value = 005  |
| Data Field          | Fixed length, 5 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | C   | .   | C   |

This PDS is required for these conditions:

- The associated First Presentment/1240 contains an airline acceptor business code and is submitted for one of the interchange rate programs listed in this table.
- The associated First Presentment/1240 contains a rail acceptor business code, the transaction is submitted for one of the interchange rate programs in this table, and the acquirer submits the Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 instead of the Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 message.

### IRDs and descriptions

| IRD   | Description                           |
|-------|---------------------------------------|
| 10    | Merit III Tier 1                      |
| 11    | Merit III Tier 2                      |
| 12    | Merit III Tier 3                      |
| 22    | Public Sector                         |
| 24    | Merchant UCAF                         |
| 29    | Emerging Markets, Consumer Core Value |
| 56    | World Public Sector                   |
| 69    | Commercial T&E Rate II                |
| 70/80 | Merit III Base                        |
| 79    | Full UCAF                             |
| 89    | Commercial T&E Rate III               |
| 93    | Passenger Transport                   |
| 96    | World T&E                             |
| HP    | World High Value Public Sector        |
| RA    | Enhanced Merit III Base               |
| RB    | Enhanced Merit III Tier 1             |
| RC    | Enhanced Merit III Tier 2             |
| RD    | Enhanced Merit III Tier 3             |
| RK    | Enhanced Public Sector                |
| RN    | Enhanced Merchant UCAF                |
| RO    | Enhanced Full UCAF                    |
| RR    | Enhanced Passenger Transport          |
| WP    | World Elite Public Sector             |

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0523 (City of Origin/Airport Code) and cannot contain null values.



## Values

PDS 0523 must contain a valid International Air Transport Association (IATA) three letter Location Identifier (Airport Code) or Mastercard defined non-travel code.

### Mastercard Defined Non-Travel Codes

| Code | Description          |
|------|----------------------|
| XUP  | Upgrade              |
| XAF  | Club fee             |
| XCA  | Cargo                |
| XOT  | Tour order           |
| XDF  | Duty free            |
| XAE  | Baggage charge       |
| XAO  | Prepaid ticket       |
| XAA  | Miscellaneous charge |
| XTD  | Delivery             |
| XPC  | Pet carrier          |
| XPE  | Ticket reissue       |

If present, this PDS must be left-justified and cannot contain these values or formats:

- Low values
- High values
- All spaces
- All zeros, or
- Only one character.

## PDS 0524 (City of Destination Airport Code)

PDS 0524 (City of Destination Airport Code) is the destination airport or railway name standard abbreviation.

### Attributes

| Attribute           | Description   |
|---------------------|---------------|
| Data Representation | ans-5; TAGLLL |
| Tag Field           | 0524          |

| Attribute     | Description               |
|---------------|---------------------------|
| Data Length   | 3 positions, value = 005  |
| Data Field    | Fixed length, 5 positions |
| Subfields     | None                      |
| Justification | Left                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | C   | .   | C   |

This PDS is required for these conditions:

- The associated First Presentment/1240 contains an airline acceptor business code and is submitted for one of the interchange rate programs listed in this table.
- The associated First Presentment/1240 contains a rail acceptor business code, the transaction is submitted for one of the interchange rate programs listed in this table, and the acquirer submits the Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 instead of the Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 message.

## IRDs and descriptions

| IRD | Description                           |
|-----|---------------------------------------|
| 10  | Merit III Tier 1                      |
| 11  | Merit III Tier 2                      |
| 12  | Merit III Tier 3                      |
| 22  | Public Sector                         |
| 24  | Merchant UCAF                         |
| 29  | Emerging Markets, Consumer Core Value |
| 56  | World Public Sector                   |

| IRD    | Description                    |
|--------|--------------------------------|
| 69     | Commercial T&E Rate II         |
| 70, 80 | Merit III Base                 |
| 79     | Full UCAF                      |
| 89     | Commercial T&E Rate III        |
| 93     | Passenger Transport            |
| 96     | World T&E                      |
| HP     | World High Value Public Sector |
| RK     | Enhanced Public Sector         |
| WP     | World Elite Public Sector      |

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0524 (City of Destination/Airport Code) and cannot contain null values.

### Values

PDS 0524 must contain a valid International Air Transport Association (IATA) three letter Location Identifier (Airport Code) or Mastercard defined non-travel code.

### Mastercard Defined Non-Travel Codes

| Code | Description          |
|------|----------------------|
| XUP  | Upgrade              |
| XAF  | Club fee             |
| XCA  | Cargo                |
| XOT  | Tour order           |
| XDF  | Duty free            |
| XAE  | Baggage charge       |
| XAO  | Prepaid ticket       |
| XAA  | Miscellaneous charge |
| XTD  | Delivery             |
| XPC  | Pet carrier          |
| XPE  | Ticket reissue       |

If present, this PDS must be left-justified and cannot contain these values or formats:

- Low values
- High values
- All spaces
- All zeros, or
- Only one character.

## PDS 0525 (Stop Over Code)

PDS 0525 (Stop Over Code) contains a code indicating whether there was a direct or a non-direct flight or route on the same ticket number.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | ans-1; TAGLLL            |
| Tag Field           | 0525                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | C   | •   | C   |

This PDS is required if the associated First Presentment/1240 contains an airline acceptor business code (MCC) or railway MCC and is submitted for the U.S. region Commercial T&E III (IRD 89) incentive interchange rate program and the acquirer submits a Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 message.

This PDS optionally may be provided for airline or railway transactions submitted for any other interchange program.

### Values

PDS 0525 is the stop over code obtained from the IATA or its equivalent. If present, PDS 0525 may contain a space but cannot contain all low values or all high values. If present, a value of a space indicates a direct flight (that is, no stopover). A value other than a space indicates a non-direct flight (includes stopover). Valid values for PDS 0525 are 0–9, A–Z, or space.

## PDS 0526 (Conjunction Ticket)

PDS 0526 (Conjunction Ticket) is the ticket that contains additional coupons on an itinerary that is more than four segments.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-15; TAGLLL             |
| Tag Field           | 0526                       |
| Data Length         | 3 positions, value = 015   |
| Data Field          | Fixed length, 15 positions |
| Subfields           | None                       |
| Justification       | Left                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | O   | .   | C   |

### Values

If present, PDS 0526 must be left-justified and cannot contain all spaces, all zeros, all low values, or all high values.

## PDS 0527 (Exchange Ticket)

PDS 0527 (Exchange Ticket) is the original ticket number replaced by a new ticket number.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-15; TAGLLL             |
| Tag Field           | 0527                       |
| Data Length         | 3 positions, value = 015   |
| Data Field          | Fixed length, 15 positions |
| Subfields           | None                       |
| Justification       | Left                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | O   | .   | C   |

### Values

If present, PDS 0527 must be left-justified and cannot contain all spaces, all zeros, all low values, or all high values.

## PDS 0528 (Coupon Number)

PDS 0528 (Coupon Number) contains information for each leg of travel for a purchased ticket.

A ticket can contain several legs of travel and each leg of travel requires a separate coupon within the series identified by a coupon number.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | ans-1; TAGLLL            |
| Tag Field           | 0528                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | O   | .   | C   |

### Values

If present, PDS 0528 can not contain a space, low value, high value, zero.

## PDS 0529 (Fare Basis Code)

PDS 0529 (Fare Basis Code) contains a code that carriers assign to a particular ticket type, such as business class or discounted/nonrefundable.

### Attributes

| Attribute           | Description                  |
|---------------------|------------------------------|
| Data Representation | ans...15; TAGLLLVAR          |
| Tag Field           | 0529                         |
| Data Length         | 3 positions, value = 001–015 |

| Attribute     | Description                     |
|---------------|---------------------------------|
| Data Field    | Variable length, 1–15 positions |
| Subfields     | None                            |
| Justification | N/A                             |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | C   | •   | C   |

This PDS is required if the associated First Presentment/1240 contains an airline acceptor business code (MCC) or railway MCC and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program and the acquirer submits a Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 message.

This PDS optionally may be provided for airline or railway transactions submitted for any other interchange program.

## Values

If present, PDS 0529 cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0530 (Flight Number)

PDS 0530 (Flight Number) is the number that the operating or marketing carrier assigned.

## Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-5; TAGLLL             |
| Tag Field           | 0530                      |
| Data Length         | 3 positions, value = 005  |
| Data Field          | Fixed length, 5 positions |



| Attribute     | Description |
|---------------|-------------|
| Subfields     | None        |
| Justification | Left        |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | C   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                           | O   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains an airline acceptor business code (MCC) or railway MCC, the transaction is submitted for the U.S. region Commercial T&E III (IRD 89) incentive interchange rate program, and the acquirer submits a Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 message.

This PDS optionally may be provided for airline or railway transactions submitted for any other interchange program.

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0530 (Flight Number) and cannot contain null values.

## Values

PDS 0530 must contain the numerical operating or marketing carrier assigned flight number. It should not include the leading IATA two character carrier code.

It must also not be all spaces or all zeros.

## PDS 0531 (Departure Time)

PDS 0531 (Departure Time) is the time of departure provided by the airline or railway, per trip leg.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-5; TAGLLL             |
| Tag Field           | 0531                      |
| Data Length         | 3 positions, value = 005  |
| Data Field          | Fixed length, 5 positions |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains an airline acceptor business code (MCC) or railway MCC, the transaction is submitted for the U.S. region Commercial T&E III (IRD 89) incentive interchange rate program and the acquirer submits a Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 message.

This PDS optionally may be provided for airline or railway transactions submitted for any other interchange program.

## PDS 0531 subfields

This PDS consists of two subfields.

### PDS 0531 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1–4       | Departure Time         | n-4       | right         |
| 2      | 5         | Departure Time Segment | ans-1     | N/A           |

### Subfield 1 (Departure Time)

Subfield 1 (Departure Time) consists of hours and minutes (hhmm), with an implied colon. The hours (hh) must be 00–23 and the minutes (mm) must be 00–59.

**NOTE: Midnight is provided as 0000.**

### Subfield 2 (Departure Time Segment)

Subfield 2 (Departure Time Segment) must contain one of the values in this table.

### Values and descriptions

| Value | Description               |
|-------|---------------------------|
| A     | 00:00 (midnight) to 11:59 |
| P     | 12:00 (noon) to 23:59     |
| space | Unknown or not available  |

## PDS 0532 (Total Charges)

PDS 0532 (Total Charges) contains the total amount of the room charges.

### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-14; TAGLLL |

| Attribute     | Description                 |
|---------------|-----------------------------|
| Tag Field     | 0532                        |
| Data Length   | 3 positions, value = 014    |
| Data Field    | Fixed length, 014 positions |
| Subfields     | 3                           |
| Justification | See "Subfields"             |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

PDS 0532 (Total Charges) must be a fixed length of 14.

## PDS 0532 subfields

This PDS consists of three subfields.

## PDS 0532 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1-12      | Total Charges Amount   | n-12      | Right         |
| 2      | 13        | Total Charges Exponent | n-1       | N/A           |
| 3      | 14        | Total Charges Sign     | a-1       | N/A           |

## Subfield 1 (Total Charges Amount)

If PDS 0532 is present, subfield 1 (Total Charges Amount) must contain the amount of the charges and may be all zeros.

## Subfield 2 (Total Charges Exponent)

If PDS 0532 is present, subfield 2 (Total Charges Exponent) must contain a value.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 3 (Total Charges Sign)

If PDS 0532 is present, subfield 3 (Total Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0532 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                       |
|-------|-----------------------------------|
| D     | Total charges amount is a debit.  |
| C     | Total charges amount is a credit. |

## PDS 0533 (Arrival Time)

PDS 0533 (Arrival Time) is the arrival time provided by the airline or railway, per trip leg.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-5; TAGLLL             |
| Tag Field           | 0533                      |
| Data Length         | 3 positions, value = 005  |
| Data Field          | Fixed length, 5 positions |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | O   | .   | C   |

## PDS 0533 subfields

This PDS consists of two subfields.

### PDS 0533 subfields

| Number | Positions | Name                 | Attribute | Justification |
|--------|-----------|----------------------|-----------|---------------|
| 1      | 1-4       | Arrival Time         | n-4       | right         |
| 2      | 5         | Arrival Time Segment | ans-1     | N/A           |

### Subfield 1 (Arrival Time)

Subfield 1 (Arrival Time) consists of hours and minutes (hhmm), with an implied colon. The hours (hh) must be 00–23, and the minutes (mm) must be 00–59.

**NOTE: Midnight is provided as 0000.**

### Subfield 2 (Arrival Time Segment)

Subfield 2 (Arrival Time Segment) must contain one of the values in this table.

### Values and descriptions

| Value | Description               |
|-------|---------------------------|
| A     | 00:00 (midnight) to 11:59 |
| P     | 12:00 (noon) to 11:59     |
| space | Unknown or not available  |

## PDS 0534 (Total Non-Room Charges)

PDS 0534 (Total Non-Room Charges) contains the total amount of the non-room charges.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0534                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

PDS 0534 must be a fixed length of 14.

## PDS 0534 subfields

This PDS consists of three subfields.

### PDS 0534 subfields

| Number | Positions | Name                            | Attribute | Justification |
|--------|-----------|---------------------------------|-----------|---------------|
| 1      | 1-12      | Total Non-Room Charges Amount   | n-12      | Right         |
| 2      | 13        | Total Non-Room Charges Exponent | n-1       | N/A           |

| Number | Positions | Name                        | Attribute | Justification |
|--------|-----------|-----------------------------|-----------|---------------|
| 3      | 14        | Total Non-Room Charges Sign | a-1       | N/A           |

### Subfield 1 (Total Non-Room Charges Amount)

If PDS 0534 is present, subfield 1 (Total Non-Room Charges Amount) must contain the amount of the non-room charges and may be all zeros.

### Subfield 2 (Total Non-Room Charges Exponent)

If PDS 0534 is present, subfield 2 (Total Non-Room Charges Exponent) must contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Total Non-Room Charges Sign)

If PDS 0534 is present, subfield 3 (Total Non-Room Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0534 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                                |
|-------|--------------------------------------------|
| D     | Total non-room charges amount is a debit.  |
| C     | Total non-room charges amount is a credit. |

## PDS 0535 (Fare)

PDS 0535 (Fare) is the total amount of the trip leg ticket.

### Attributes

| Attribute           | Description  |
|---------------------|--------------|
| Data Representation | n-12; TAGLLL |



| Attribute     | Description                |
|---------------|----------------------------|
| Tag Field     | 0535                       |
| Data Length   | 3 positions, value = 012   |
| Data Field    | Fixed length, 12 positions |
| Subfields     | None                       |
| Justification | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | O   | .   | C   |

### Values

If present, PDS 0535 can contain all zeros.

## PDS 0536 (Fee)

PDS 0536 (Fee) is the total fee amount, per trip leg, associated with the ticket.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0536                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | O   | .   | C   |

## Values

If present, PDS 0536 can contain all zeros.

## PDS 0537 (Taxes)

PDS 0537 (Taxes) is the amount of the total taxes, per trip leg, associated with the ticket.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0537                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | O   | .   | C   |

### Values

If present, PDS 0537 can contain all zeros.

## PDS 0538 (Endorsements/Restrictions)

PDS 0538 (Endorsements/Restrictions) can be agency-added notations and, in some cases, mandatory government-required notations, such as VAT. Restrictions are limitations set on a ticket according to the type of fare, such as nonrefundable or three-day minimum stay.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...20; TAGLLLLVAR            |
| Tag Field           | 0537                            |
| Data Length         | 3 positions, value = 001–020    |
| Data Field          | Variable length, 1–20 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | O   | .   | C   |

## Values

If present, PDS 0538 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0539 (Total Amount Charged on Card)

PDS 0539 (Total Amount Charged on Card) contains the total amount of the room charges, charged to this account.

## Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0539                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

PDS 0539 must be a fixed length of 14.

## PDS 0539 subfields

This PDS consists of three subfields.

### PDS 0539 subfields

| Number | Positions | Name                                  | Attribute | Justification |
|--------|-----------|---------------------------------------|-----------|---------------|
| 1      | 1–12      | Total Amount Charged on Card Amount   | n-12      | Right         |
| 2      | 13        | Total Amount Charged on Card Exponent | n-1       | N/A           |
| 3      | 14        | Total Amount Charged on Card Sign     | a-1       | N/A           |

### Subfield 1 (Total Amount Charged on Card Amount)

If PDS 0539 is present, subfield 1 (Total Amount Charged on Card Amount) must be numeric and contain the amount charged on this account, and it may be all zeros.

### Subfield 2 (Total Amount Charged on Card Exponent)

If PDS 0539 is present, subfield 2 (Total Amount Charged on Card Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Total Amount Charged on Card Sign)

If PDS 0539 is present, subfield 3 (Total Amount Charged on Card Sign) must contain a value of D or C. This subfield identifies whether PDS 0539 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                                      |
|-------|--------------------------------------------------|
| D     | Total amount charged on this account is a debit. |

| Value | Description                                       |
|-------|---------------------------------------------------|
| C     | Total amount charged on this account is a credit. |

## PDS 0540 (Room Service Charges)

PDS 0540 (Room Service Charges) contains the amount of the room service charges.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0540                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

PDS 0540 must be a fixed length of 14.

## PDS 0540 subfields

This PDS consists of three subfields.

### PDS 0540 subfields

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 1      | 1–12      | Room Service Charges Amount   | n-12      | Right         |
| 2      | 13        | Room Service Charges Exponent | n-1       | N/A           |
| 3      | 14        | Room Service Charges Sign     | a-1       | N/A           |

### Subfield 1 (Room Services Charges Amount)

If PDS 0540 is present, subfield 1 (Room Services Charges Amount) must be numeric and contain the amount of the room service charges, and it may be all zeros.

### Subfield 2 (Room Service Charges Exponent)

If PDS 0540 is present, subfield 2 (Room Service Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Room Services Charges Sign)

If PDS 0540 is present, subfield 3 (Room Services Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0540 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                              |
|-------|------------------------------------------|
| D     | Room service charges amount is a debit.  |
| C     | Room service charges amount is a credit. |

## PDS 0541 (Lounge/Bar Charges)

PDS 0541 (Lounge/Bar Charges) contains the amount of the lounge or bar charges.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0541                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

PDS 0541 must be a fixed length of 14.

## PDS 0541 subfields

This PDS consists of three subfields.

### PDS 0541 subfields

| Number | Positions | Name                        | Attribute | Justification |
|--------|-----------|-----------------------------|-----------|---------------|
| 1      | 1-12      | Lounge/Bar Charges Amount   | n-12      | right         |
| 2      | 13        | Lounge/Bar Charges Exponent | n-1       | N/A           |



| Number | Positions | Name                    | Attribute | Justification |
|--------|-----------|-------------------------|-----------|---------------|
| 3      | 14        | Lounge/Bar Charges Sign | a-1       | N/A           |

### Subfield 1 (Lounge/Bar Charges Amount)

If PDS 0541 is present, subfield 1 (Lounge/Bar Charges Amount) must be numeric and contain the amount of the lounge or bar charges, and it may be all zeros.

### Subfield 2 (Lounge/Bar Charges Exponent)

If PDS 0541 is present, subfield 2 (Lounge/Bar Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Lounge/Bar Charges Sign)

If PDS 0541 is present, subfield 3 (Lounge/Bar Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0541 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                            |
|-------|----------------------------------------|
| D     | Lounge/Bar charges amount is a debit.  |
| C     | Lounge/Bar charges amount is a credit. |

## PDS 0542 (Transportation Charges)

PDS 0542 (Transportation Charges) contains the amount of the transportation charges.

### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-14; TAGLLL |

| Attribute     | Description                 |
|---------------|-----------------------------|
| Tag Field     | 0542                        |
| Data Length   | 3 positions, value = 014    |
| Data Field    | Fixed length, 014 positions |
| Subfields     | 3                           |
| Justification | See "Subfields"             |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

PDS 0542 must be a fixed length of 14.

## PDS 0542 subfields

This PDS consists of three subfields.

## PDS 0542 subfields

| Number | Positions | Name                            | Attribute | Justification |
|--------|-----------|---------------------------------|-----------|---------------|
| 1      | 1-12      | Transportation Charges Amount   | n-12      | Right         |
| 2      | 13        | Transportation Charges Exponent | n-1       | N/A           |
| 3      | 14        | Transportation Charges Sign     | a-1       | N/A           |

## Subfield 1 (Transportation Charges Amount)

If PDS 0542 is present, subfield 1 (Transportation Charges Amount) must be numeric and contain the amount of the transportation charges, and it may be all zeros.

## Subfield 2 (Transportation Charges Exponent)

If PDS 0542 is present, subfield 2 (Transportation Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 3 (Transportation Charges Sign)

If PDS 0542 is present, subfield 3 (Transportation Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0542 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                                |
|-------|--------------------------------------------|
| D     | Transportation charges amount is a debit.  |
| C     | Transportation charges amount is a credit. |

## PDS 0543 (Gratuity Charges)

PDS 0543 (Gratuity Charges) contains the amount of the gratuity charges.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0543                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

PDS 0543 must be a fixed length of 14.

## PDS 0543 subfields

This PDS consists of three subfields.

### PDS 0543 subfields

| Number | Positions | Name                      | Attribute | Justification |
|--------|-----------|---------------------------|-----------|---------------|
| 1      | 1-12      | Gratuity Charges Amount   | n-12      | Right         |
| 2      | 13        | Gratuity Charges Exponent | n-1       | N/A           |
| 3      | 14        | Gratuity Charges Sign     | a-1       | N/A           |

### Subfield 1 (Gratuity Charges Amount)

If PDS 0543 is present, subfield 1 (Gratuity Charges Amount) must be numeric and may be all zeros.

### Subfield 2 (Gratuity Charges Exponent)

If PDS 0543 is present, subfield 2 (Gratuity Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Gratuity Charges Sign)

If PDS 0543 is present, subfield 3 (Gratuity Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0543 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                          |
|-------|--------------------------------------|
| D     | Gratuity charges amount is a debit.  |
| C     | Gratuity charges amount is a credit. |

### PDS 0544 (Rental Agreement Number)

PDS 0544 (Rental Agreement Number) contains the original vehicle rental agreement invoice number.

#### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-9; TAGLLL             |
| Tag Field           | 0544                      |
| Data Length         | 3 positions, value = 009  |
| Data Field          | Fixed length, 9 positions |
| Subfields           | None                      |
| Justification       | Left                      |

#### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

#### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description                      |
|-----|----------------------------------|
| 24  | Merchant UCAF                    |
| 69  | Commercial T&E Rate II           |
| 79  | Full UCAF                        |
| 89  | Commercial T&E Rate III          |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0544 (Rental Agreement Number) and cannot contain null values.

### Values

If the actual rental agreement number contains more than nine digits, customers should populate PDS 0544 with the agreement number's right-most nine digits. If present, PDS 0544 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0545 (Renter Name)

PDS 0545 (Renter Name) is the name of the individual making the vehicle rental agreement.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...40; TAGLLLVAR             |
| Tag Field           | 0545                            |
| Data Length         | 3 positions, value = 001-040    |
| Data Field          | Variable length, 1-40 positions |
| Subfields           | None                            |

| Attribute     | Description |
|---------------|-------------|
| Justification | Left        |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

## IRDs and descriptions

| IRD | Description                      |
|-----|----------------------------------|
| 24  | Merchant UCAF                    |
| 69  | Commercial T&E Rate II           |
| 79  | Full UCAF                        |
| 89  | Commercial T&E Rate III          |
| 96  | World T&E                        |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0545 (Renter Name) and cannot contain null values.

## Values

PDS 0545 must be a length of 1-040.

If present, PDS 0545 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0546 (Rental Return City)

PDS 0546 (Rental Return City) is the city where the vehicle was returned to the rental agency.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...25; TAGLLLLVAR            |
| Tag Field           | 0546                            |
| Data Length         | 3 positions, value = 001–025    |
| Data Field          | Variable length, 1–25 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description            |
|-----|------------------------|
| 24  | Merchant UCAF          |
| 69  | Commercial T&E Rate II |
| 79  | Full UCAF              |



| IRD | Description                      |
|-----|----------------------------------|
| 89  | Commercial T&E Rate III          |
| 96  | World T&E                        |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0546 (Rental Return City) and cannot contain null values.

### Values

PDS 0546 must be a length of 001–025.

If present, PDS 0546 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0547 (Rental Return State/Province)

PDS 0547 (Rental Return State/Province) is the state or province where the vehicle was returned to the rental agency.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-3; TAGLLL             |
| Tag Field           | 0547                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description                      |
|-----|----------------------------------|
| 24  | Merchant UCAF                    |
| 69  | Commercial T&E Rate II           |
| 79  | Full UCAF                        |
| 89  | Commercial T&E Rate III          |
| 96  | World T&E                        |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0547 (Rental Return State/Province) and cannot contain null values.

### Values

If present, PDS 0547 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros. It must contain a valid U.S. state code when PDS 0548 (Rental Return Country) contains USA.

If the rental return occurs in a U.S. territory (Guam, Puerto Rico, or Virgin Islands), customers should provide the three-position country code (GUM, PRI, or VIR) in both PDS 0547 and PDS 0548.

If rental return occurs outside the U.S. region, this field is not edited.

## PDS 0548 (Rental Return Country)

PDS 0548 (Rental Return Country) is the country where the vehicle was returned to the rental agency.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-3; TAGLLL             |
| Tag Field           | 0548                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description             |
|-----|-------------------------|
| 24  | Merchant UCAF           |
| 69  | Commercial T&E Rate II  |
| 79  | Full UCAF               |
| 89  | Commercial T&E Rate III |

| IRD | Description                      |
|-----|----------------------------------|
| 96  | World T&E                        |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0548 (Rental Return Country) and cannot contain null values.

### Values

If present, PDS 0548 must be left-justified and contain a valid alphabetic ISO country code. It cannot contain all spaces.

When territories have a defined country code in Chapter 2 of the *Quick Reference Booklet*, that country code must be used.

## PDS 0549 (Rental Return Location ID)

PDS 0549 (Rental Return Location ID) contains the agency code, phone number, or address abbreviation used to identify the vehicle rental return location.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-10; TAGLLL             |
| Tag Field           | 0549                       |
| Data Length         | 3 positions, value = 010   |
| Data Field          | Fixed length, 10 positions |
| Subfields           | None                       |
| Justification       | Left                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description                      |
|-----|----------------------------------|
| 24  | Merchant UCAF                    |
| 69  | Commercial T&E Rate II           |
| 79  | Full UCAF                        |
| 89  | Commercial T&E Rate III          |
| 97  | Lodging and Auto Rentals         |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0549 (Rental Return Location ID) and cannot contain null values.

### Values

If present, PDS 0549 must be left-justified and cannot contain all spaces.

## PDS 0550 (Rental Return Date)

PDS 0550 (Rental Return Date) indicates the date when the vehicle was returned to the rental agency.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0550                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0550 (Rental Return Date) and cannot contain null values.

### IRDs and descriptions

| IRD | Description            |
|-----|------------------------|
| 24  | Merchant UCAF          |
| 69  | Commercial T&E Rate II |

| IRD | Description                      |
|-----|----------------------------------|
| 79  | Full UCAF                        |
| 89  | Commercial T&E Rate III          |
| 96  | World T&E                        |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0550 (Rental Return Date) and cannot contain null values.

### Values

If present, PDS 0550 must contain a valid date in the format YYMMDD.

## PDS 0551 (Rental Check-Out Date)

PDS 0551 (Rental Check-Out Date) is the date when the vehicle was originally rented.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0551                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description                      |
|-----|----------------------------------|
| 24  | Merchant UCAF                    |
| 69  | Commercial T&E Rate II           |
| 79  | Full UCAF                        |
| 89  | Commercial T&E Rate III          |
| 96  | World T&E                        |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0551 (Rental Checkout Date) and cannot contain null values.

### Values

If present, PDS 0551 must contain a valid date in the format YYMMDD.



## PDS 0552 (Customer Service Toll-Free [800] Number)

PDS 0552 (Customer Service Toll-Free [800] Number) contains the customer service phone number used to resolve cardholder questions and disputes.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-17; TAGLLL             |
| Tag Field           | 0552                       |
| Data Length         | 3 positions, value = 017   |
| Data Field          | Fixed length, 17 positions |
| Subfields           | None                       |
| Justification       | Left                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644       | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a lodging acceptor business code (MCC) and is submitted for the U.S. region Lodging and Auto Rental (IRD 97) incentive interchange rate program.

This PDS is required if the associated First Presentment/1240 contains a vehicle rental MCC and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description   |
|-----|---------------|
| 24  | Merchant UCAF |

| IRD | Description                      |
|-----|----------------------------------|
| 69  | Commercial T&E Rate II           |
| 79  | Full UCAF                        |
| 89  | Commercial T&E Rate III          |
| 96  | World T&E                        |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

This PDS is required if the associated First Presentment/1240 contains a lodging MCC and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

#### IRDs and descriptions

| IRD | Description             |
|-----|-------------------------|
| 69  | Commercial T&E Rate II  |
| 89  | Commercial T&E Rate III |
| 96  | World T&E               |

For transactions acquired in the U.S. region or Canada region, PDS 0552, if present, must contain a 10-position phone number and be left-justified with trailing spaces. The first three positions must be numeric.

#### Values

If present, PDS 0552 cannot contain all zeros, all spaces, all low values, or all high values.

## PDS 0553 (Rental Rate)

PDS 0553 (Rental Rate) contains the rental rate charged for the vehicle and indicates whether it is a daily, weekly, or monthly rate.

#### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-13; TAGLLL |

| Attribute     | Description                |
|---------------|----------------------------|
| Tag Field     | 0553                       |
| Data Length   | 3 positions, value = 013   |
| Data Field    | Fixed length, 13 positions |
| Subfields     | 2                          |
| Justification | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0553 (Rental Rate) and cannot contain null values.

## Requirements

This PDS is required if the associated First Presentment/1240 contains a fleet card MCC and is submitted for U.S. region incentive interchange rate program 66 (Commercial Data Rate III).

## PDS 0553 subfields

This PDS consists of two subfields.

## PDS 0553 subfields

| Number | Positions | Name                  | Attribute | Justification |
|--------|-----------|-----------------------|-----------|---------------|
| 1      | 1         | Rental Rate Indicator | as-1      | N/A           |
| 2      | 2-13      | Rental Rate           | n-12      | right         |

## Subfield 1 (Rental Rate Indicator)

If PDS 0553 is present, subfield 1 (Rental Rate Indicator) must contain one of the values listed in this table.

### Values and descriptions

| Value | Description           |
|-------|-----------------------|
| D     | Daily rate            |
| W     | Weekly rate           |
| M     | Monthly rate          |
| space | Unknown or unreported |

## Subfield 2 (Rental Rate)

If PDS 0553 is present, subfield 2 (Rental Rate) must be numeric and may contain all zeros.

## PDS 0554 (Conference Room Charges)

PDS 0554 (Conference Room Charges) contains the amount of the charges associated with conference room use.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0554                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

PDS 0554 must be a fixed length of 14.

### PDS 0554 subfields

This PDS consists of three subfields

#### PDS 0554 subfields

| Number | Positions | Name                             | Attribute | Justification |
|--------|-----------|----------------------------------|-----------|---------------|
| 1      | 1–12      | Conference Room Charges Amount   | n-12      | Right         |
| 2      | 13        | Conference Room Charges Exponent | n-1       | N/A           |
| 3      | 14        | Conference Room Charges Sign     | a1        | N/A           |

#### Subfield 1 (Conference Room Charges Amount)

If PDS 0554 is present, subfield 1 (Conference Room Charges Amount) must be numeric and may be all zeros.

#### Subfield 2 (Conference Room Charges Exponent)

If PDS 0554 is present, subfield 2 (Conference Room Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Conference Room Charges Sign)

If PDS 0554 is present, subfield 3 (Conference Room Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0554 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                                 |
|-------|---------------------------------------------|
| D     | Conference room charges amount is a debit.  |
| C     | Conference room charges amount is a credit. |

### PDS 0555 (Rate Per Mile [or Per Kilometer])

PDS 0555 (Rate Per Mile [or Per Kilometer]) contains the rate charged for each mile or kilometer. It may be a daily, weekly, or monthly rate.

#### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0555                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

#### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, PDS 0555 must be numeric and may contain all zeros.

## PDS 0556 (Total Miles [or Kilometers])

PDS 0556 (Total Miles [or Kilometers]) contains the total miles or kilometers that the customer drove.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-4; TAGLLL               |
| Tag Field           | 0556                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, PDS 0556 must be numeric and cannot contain all zeros.

## PDS 0557 (Maximum Free Miles [or Kilometers])

PDS 0557 (Maximum Free Miles [or Kilometers]) contains the free miles or kilometers allowed to a customer for the duration of the vehicle rental agreement.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-4; TAGLLL               |
| Tag Field           | 0557                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, PDS 0557 must be numeric and may contain all zeros.

## PDS 0558 (Miles/Kilometers Indicator)

PDS 0558 (Miles/Kilometers Indicator) shows whether the miles fields are expressed in miles or kilometers.

### Attributes

| Attribute           | Description  |
|---------------------|--------------|
| Data Representation | as-1; TAGLLL |



| Attribute     | Description              |
|---------------|--------------------------|
| Tag Field     | 0558                     |
| Data Length   | 3 positions, value = 001 |
| Data Field    | Fixed length, 1 position |
| Subfields     | None                     |
| Justification | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, PDS 0558 must contain one of the values listed in this table.

### Values and descriptions

| Value | Description           |
|-------|-----------------------|
| K     | Kilometers            |
| M     | Miles                 |
| space | Unknown or unreported |

## PDS 0559 (Vehicle Insurance)

PDS 0559 (Vehicle Insurance) contains an indicator of whether the customer purchased insurance and of the insurance amount.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-13; TAGLLL             |
| Tag Field           | 0559                       |
| Data Length         | 3 positions, value = 013   |
| Data Field          | Fixed length, 13 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

## PDS 0559 subfields

This PDS consists of two subfields.

### PDS 0559 subfields

| Number | Positions | Name                | Attribute | Justification |
|--------|-----------|---------------------|-----------|---------------|
| 1      | 1         | Insurance Indicator | as-1      | N/A           |
| 2      | 2-13      | Insurance Charges   | n-12      | right         |

## Subfield 1: Insurance Indicator

If PDS 0559 is present, subfield 1 (Insurance Indicator) must contain one of the values listed in this table.

### Values and descriptions

| Value  | Description                      |
|--------|----------------------------------|
| Y      | Yes (insurance was purchased)    |
| N      | No (insurance was not purchased) |
| spaces | Unknown or unreported            |

## Subfield 2 (Insurance Charges)

If PDS 0559, subfield 1 is Y, PDS 0559, subfield 2 (Insurance Charges) cannot contain all spaces or all zeros.

## PDS 0560 (Audio Visual Charges)

PDS 0560 (Audio Visual Charges) contains the amount of the audiovisual equipment charges.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0560                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

PDS 0560 must be a fixed length of 14.

### PDS 0560 subfields

This PDS consists of three subfields.

#### PDS 0560 subfields

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 1      | 1–12      | Audio Visual Charges Amount   | n-12      | Right         |
| 2      | 13        | Audio Visual Charges Exponent | n-1       | N/A           |
| 3      | 14        | Audio Visual Charges Sign     | a-1       | N/A           |

#### Subfield 1 (Audio Visual Charges Amount)

If PDS 0560 is present, subfield 1 (Audio Visual Charges Amount) must be numeric and contain the amount of the audiovisual equipment charges, and it may be all zeros.

#### Subfield 2 (Audio Visual Charges Exponent)

If PDS 0560 is present, subfield 2 (Audio Visual Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

#### Subfield 3 (Audio Visual Charges Sign)

If PDS 0560 is present, subfield 3 (Audio Visual Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0560 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                              |
|-------|------------------------------------------|
| D     | Audio visual charges amount is a debit.  |
| C     | Audio visual charges amount is a credit. |

## PDS 0561 (Adjusted Amount)

PDS 0561 (Adjusted Amount) indicates whether any miscellaneous charges were incurred after the vehicle was returned.

PDS 0561 should be provided only when additional charges have been identified.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-13; TAGLLL             |
| Tag Field           | 0561                       |
| Data Length         | 3 positions, value = 013   |
| Data Field          | Fixed length, 13 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

## PDS 0561 subfields

This PDS consists of two subfields.

### PDS 0561 subfields

| Number | Positions | Name                      | Attribute | Justification |
|--------|-----------|---------------------------|-----------|---------------|
| 1      | 1         | Adjusted Amount Indicator | as-1      | N/A           |
| 2      | 2–13      | Adjusted Amount           | n-12      | right         |

### Subfield 1 (Adjusted Amount Indicator)

If PDS 0561 is present, subfield 1 (Adjusted Amount Indicator) must contain one of the values listed in this table.

### Values and descriptions

| Value | Description                         |
|-------|-------------------------------------|
| A     | Drop-off charges                    |
| B     | Delivery charges                    |
| C     | Parking expenses                    |
| D     | Extra hours                         |
| E     | Violations                          |
| X     | Multiple charges of the above types |
| space | Unknown or no additional charges    |

### Subfield 2 (Adjusted Amount)

If subfield 1 does not contain a space, subfield 2 (Adjusted Amount) must be numeric and greater than zero.

## PDS 0562 (Banquet Charges)

PDS 0562 (Banquet Charges) contains the amount of the banquet charges.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0562                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

PDS 0562 must be a fixed length of 14.

## PDS 0562 subfields

This PDS consists of three subfields.

### PDS 0562 subfields

| Number | Positions | Name                     | Attribute | Justification |
|--------|-----------|--------------------------|-----------|---------------|
| 1      | 1-12      | Banquet Charges Amount   | n-12      | right         |
| 2      | 13        | Banquet Charges Exponent | n-1       | N/A           |

| Number | Positions | Name                 | Attribute | Justification |
|--------|-----------|----------------------|-----------|---------------|
| 3      | 14        | Banquet Charges Sign | a-1       | N/A           |

### Subfield 1 (Banquet Charges Amount)

If PDS 0562 is present, subfield 1 (Banquet Charges Amount) must be numeric and contain the amount of the banquet charges, and it may be all zeros.

### Subfield 2 (Banquet Charges Exponent)

If PDS 0562 is present, subfield 2 (Banquet Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Banquet Charges Sign)

If PDS 0562 is present, subfield 3 (Banquet Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0562 is a debit or credit from the perspective of the cardholder.

#### Values and description

| Value | Description                         |
|-------|-------------------------------------|
| D     | Banquet charges amount is a debit.  |
| C     | Banquet charges amount is a credit. |

## PDS 0563 (Program Code)

PDS 0563 (Program Code) identifies special circumstances, such as frequent renter.

#### Attributes

| Attribute           | Description   |
|---------------------|---------------|
| Data Representation | ans-2; TAGLLL |
| Tag Field           | 0563          |



| Attribute     | Description               |
|---------------|---------------------------|
| Data Length   | 3 positions, value = 002  |
| Data Field    | Fixed length, 2 positions |
| Subfields     | None                      |
| Justification | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, PDS 0563 must be left-justified and cannot be all low values, all high values, all spaces, or all zeros.

## PDS 0564 (Rental Location City)

PDS 0564 (Rental Location City) indicates where the vehicle was rented.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...25; TAGLLLLVAR            |
| Tag Field           | 0564                            |
| Data Length         | 3 positions, value = 001-025    |
| Data Field          | Variable length, 1-25 positions |
| Subfields           | None                            |
| Justification       | Left                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program.

## Values

PDS 0564, Rental Location City must be a length of 001–025.

If present, PDS 0564 must be left-justified and cannot be all low values, all high values, all spaces, or all zeros.

## PDS 0565 (Rental Location State/Province)

PDS 0565 (Rental Location State/Province) indicates the state or province where the vehicle was rented.

## Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-3; TAGLLL             |
| Tag Field           | 0565                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Left                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program.

### Values

If present, PDS 0565 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros. It must contain a valid U.S. state code if PDS 0566 (Rental Location Country) contains USA.

If the rental location occurs in a U.S. territory (Guam, Puerto Rico, or Virgin Islands), customers should provide the three-position country code (GUM, PRI, or VIR) in both PDS 0565 and PDS 0566 (Rental Location Country).

## PDS 0566 (Rental Location Country)

PDS 0566 (Rental Location Country) indicates the country where the vehicle was rented.

### Attributes

| Attribute            | Description               |
|----------------------|---------------------------|
| Data Representation: | as-3; TAGLLL              |
| Tag Field:           | 0566                      |
| Data Length          | 3 positions, value = 003  |
| Data Field           | Fixed length, 3 positions |
| Subfields            | None                      |
| Justification        | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program.

### Values

If present, PDS 0566 must be left-justified and be a valid alphabetic ISO country code. It cannot contain all spaces.

When territories have a defined country code in Chapter 2 of the *Quick Reference Booklet*, that country code must be used.

## PDS 0567 (Rental Location ID)

PDS 0567 (Rental Location ID) contains the agency code, phone number, or address abbreviation used to identify the rental location.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-10; TAGLLL             |
| Tag Field           | 0567                       |
| Data Length         | 3 positions, value = 010   |
| Data Field          | Fixed length, 10 positions |
| Subfields           | None                       |
| Justification       | Left                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values)

If present, PDS 0567 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0568 (Rental Class ID)

PDS 0568 (Rental Class ID) contains the classification, such as midsize or luxury, of the vehicle rented.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-4; TAGLLL             |
| Tag Field           | 0568                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program.

## Values

If present, PDS 0568 must be left-justified and cannot contain all low values, high values, all spaces, or all zeros. Otherwise, the clearing system does not edit PDS 0568. Suggested values are listed in this table.

### Values and descriptions

| Value | Description      |
|-------|------------------|
| 0001  | Mini             |
| 0002  | Subcompact       |
| 0003  | Economy          |
| 0004  | Compact          |
| 0005  | Midsize          |
| 0006  | Intermediate     |
| 0007  | Standard         |
| 0008  | Full size        |
| 0009  | Luxury           |
| 0010  | Premium          |
| 0011  | Minivan          |
| 0012  | 12-passenger van |
| 0013  | Moving van       |
| 0014  | 15-passenger van |
| 0015  | Cargo van        |
| 0016  | 12-foot truck    |
| 0017  | 20-foot truck    |
| 0018  | 24-foot truck    |
| 0019  | 26-foot truck    |
| 0020  | Moped            |
| 0021  | Stretch          |
| 0022  | Regular          |

| Value | Description        |
|-------|--------------------|
| 0023  | Unique             |
| 0024  | Exotic             |
| 0025  | Small/medium truck |
| 0026  | Large truck        |
| 0027  | Small SUV          |
| 0028  | Medium SUV         |
| 0029  | Large SUV          |
| 0030  | Exotic SUV         |
| 9999  | Miscellaneous      |

## PDS 0569 (Internet Access Charges)

PDS 0569 (Internet Access Charges) contains the amount of the internet access charges.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0569                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

PDS 0569 must be a fixed length of 14.

## PDS 0569 subfields

This PDS consists of three subfields.

### PDS 0569 subfields

| Number | Positions | Name                             | Attribute | Justification |
|--------|-----------|----------------------------------|-----------|---------------|
| 1      | 1–12      | Internet Access Charges Amount   | n-12      | right         |
| 2      | 13        | Internet Access Charges Exponent | n-1       | N/A           |
| 3      | 14        | Internet Access Charges Sign     | a-1       | N/A           |

### Subfield 1 (Internet Access Charges Amount)

If PDS 0569 is present, subfield 1 (Internet Access Charges Amount) must be numeric, contain the amount of the Internet access charges, and may be all zeros.

### Subfield 2 (Internet Access Charges Exponent)

If PDS 0569 is present, subfield 2 (Internet Access Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Internet Access Charges Sign)

If PDS 0569 is present, subfield 3 (Internet Access Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0569 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                                |
|-------|--------------------------------------------|
| D     | Internet Access Charges amount is a debit. |



| Value | Description                                 |
|-------|---------------------------------------------|
| C     | Internet Access Charges amount is a credit. |

## PDS 0570 (Early Departure Charges)

PDS 0570 (Early Departure Charges) contains the amount charged because of early departure.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0570                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

PDS 0570 must be a fixed length of 14.

## PDS 0570 subfields

This PDS consists of three subfields.

### PDS 0570 subfields

| Number | Positions | Name                             | Attribute | Justification |
|--------|-----------|----------------------------------|-----------|---------------|
| 1      | 1–12      | Early Departure Charges Amount   | n-12      | right         |
| 2      | 13        | Early Departure Charges Exponent | n-1       | N/A           |
| 3      | 14        | Early Departure Charges Sign     | a-1       | N/A           |

### Subfield 1 (Early Departure Charges Amount)

If PDS 0570 is present, subfield 1 (Early Departure Charges Amount) must be numeric, contain the amount of the early departure charges, and may be all zeros.

### Subfield 2 (Early Departure Charges Exponent)

If PDS 0570 is present, subfield 2 (Early Departure Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Early Departure Charges Sign)

If PDS 0570 is present, subfield 3 (Early Departure Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0570 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                                 |
|-------|---------------------------------------------|
| D     | Early departure charges amount is a debit.  |
| C     | Early departure charges amount is a credit. |

## PDS 0571 (Guest Name)

PDS 0571 (Guest Name) contains the name of the lodging patron.

### Attributes

| Attribute           | Description                        |
|---------------------|------------------------------------|
| Data Representation | ans...40; TAGLLLVAR                |
| Tag Field           | 0571                               |
| Data Length         | 3 positions, value = 001–040       |
| Data Field          | Variable length, 001–040 positions |
| Subfields           | None                               |
| Justification       | Left                               |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

PDS 0571 must be a length of 001–040. If present, PDS 0571 must be left-justified and cannot contain all low values, high values, all spaces, or all zeros.

## PDS 0572 (Guest Number)

PDS 0572 (Guest Number) contains the number assigned to the lodging patron.

### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-25; TAGLLL |
| Tag Field           | 0572           |

| Attribute     | Description                 |
|---------------|-----------------------------|
| Data Length   | 3 positions, value = 025    |
| Data Field    | Fixed length, 025 positions |
| Subfields     | None                        |
| Justification | Left                        |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

PDS 0572 must be a fixed length of 025. If present, PDS 0572 must be left-justified and cannot contain all low values, high values, all spaces, or all zeros.

## PDS 0573 (Invoice Number)

PDS 0573 (Invoice Number) contains the number of the electronic invoice.

### Attributes

| Attribute           | Description                        |
|---------------------|------------------------------------|
| Data Representation | ans...25; TAGLLLLVAR               |
| Tag Field           | 0573                               |
| Data Length         | 3 positions, value = 001–025       |
| Data Field          | Variable length, 001–025 positions |
| Subfields           | None                               |
| Justification       | Left                               |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                               | Org | Sys | Dst |
|-----------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644 | C   | •   | C   |

PDS 0573 must be present in a Financial Addendum (Electronic Invoice, Transaction Data)/1644 when the transaction is for one of these Mastercard Payment Gateway Interchange Programs:

- E1 Commercial Large Ticket Rate 1 MPG
- E2 Commercial Large Ticket Rate 2 MPG, or
- E3 Commercial Large Ticket Rate 3 MPG.

## Values

PDS 0573 must be a length of 001–025. If present, PDS 0573 must be left-justified and cannot contain all low values, high values, all spaces, or all zeros.

## PDS 0574 (Arrival Date)

PDS 0574 (Arrival Date) contains the cardholder check-in date.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0574                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a lodging acceptor business code (MCC) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description                      |
|-----|----------------------------------|
| 24  | Merchant UCAF                    |
| 69  | Commercial T&E Rate II           |
| 79  | Full UCAF                        |
| 89  | Commercial T&E Rate III          |
| 96  | World T&E                        |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Lodging Summary)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0574 (Arrival Date) and cannot contain null values.

## Values

If present, PDS 0574 must contain a valid date in the format YYMMDD.

## PDS 0575 (Departure Date)

PDS 0575 (Departure Date) contains the cardholder checkout date.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0575                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a lodging acceptor business code (MCC) and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

When an occurrence of the Financial Detail Addendum (Lodging Summary)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0575 (Departure Date) and cannot contain null values.

### IRDs and descriptions

| IRD | Description            |
|-----|------------------------|
| 24  | Merchant UCAF          |
| 69  | Commercial T&E Rate II |

| IRD | Description                      |
|-----|----------------------------------|
| 79  | Full UCAF                        |
| 89  | Commercial T&E Rate III          |
| 96  | World T&E                        |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Lodging Summary)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0575 (Departure Date) and cannot contain null values.

### Values

If present, PDS 0575 must contain a valid date in the format YYMMDD.

## PDS 0576 (Folio Number)

PDS 0576 (Folio Number) contains the acceptor's internal invoice or billing ID reference number.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...25; TAGLLLLVAR            |
| Tag Field           | 0576                            |
| Data Length         | 3 positions, value = 001-025    |
| Data Field          | Variable length, 1-25 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.



### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a lodging acceptor business code (MCC) and is submitted for one of the following U.S. region incentive interchange rate programs.

### IRDs and descriptions

| IRD | Description                      |
|-----|----------------------------------|
| 24  | Merchant UCAF                    |
| 69  | Commercial T&E Rate II           |
| 79  | Full UCAF                        |
| 89  | Commercial T&E Rate III          |
| 96  | World T&E                        |
| 97  | Lodging and Auto Rental          |
| RN  | Enhanced Merchant UCAF           |
| RO  | Enhanced Full UCAF               |
| RS  | Enhanced Lodging and Auto Rental |

When an occurrence of the Financial Detail Addendum (Lodging Summary)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0576 (Folio Number) and cannot contain null values.

### Values

PDS 0576, Folio Number must be a length of 001–025.

If present, PDS 0576 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0577 (Property Phone Number)

PDS 0577 (Property Phone Number) identifies specific lodging property location by its local phone number.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-17; TAGLLL             |
| Tag Field           | 0577                       |
| Data Length         | 3 positions, value = 017   |
| Data Field          | Fixed length, 17 positions |
| Subfields           | None                       |
| Justification       | Left                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a lodging acceptor business code (MCC) and is submitted for the U.S. region Lodging and Auto Rental (IRD 97) incentive interchange rate program.

Either this PDS or PDS 0552 (Customer Service Toll-Free [800] Number) is required if the associated First Presentment/1240 contains a lodging MCC and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD | Description            |
|-----|------------------------|
| 24  | Merchant UCAF          |
| 69  | Commercial T&E Rate II |

| IRD | Description             |
|-----|-------------------------|
| 79  | Full UCAF               |
| 89  | Commercial T&E Rate III |
| 96  | World T&E               |
| RN  | Enhanced Merchant UCAF  |
| RO  | Enhanced Full UCAF      |

For transactions acquired in the U.S. or Canada region, PDS 0577, if present, must contain a 10-position phone number, left-justified with trailing spaces. The first three positions must be numeric.

### Values

If present, PDS 0577 cannot contain all low values, all high values, all zeros, or all spaces.

## PDS 0578 (Billing Adjustment)

PDS 0578 (Billing Adjustment) indicates whether any additional charges were incurred after the cardholder's departure.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-15; TAGLLL             |
| Tag Field           | 0578                       |
| Data Length         | 3 positions, value = 015   |
| Data Field          | Fixed length, 15 positions |
| Subfields           | 4                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## PDS 0578 subfields

This PDS consists of two subfields.

### PDS 0578 subfields

| Number | Positions | Name                         | Attribute | Justification |
|--------|-----------|------------------------------|-----------|---------------|
| 1      | 1         | Billing Adjustment Indicator | as-1      | N/A           |
| 2      | 2–13      | Billing Adjustment Amount    | n-12      | right         |
| 3      | 14        | Billing Adjustment Exponent  | n-1       | N/A           |
| 4      | 15        | Billing Adjustment Sign      | a-1       | N/A           |

### Subfield 1 (Billing Adjustment Indicator)

If PDS 0578 is present, subfield 1 (Billing Adjustment Indicator) should contain one of the values listed in this table.

### Values and descriptions

| Value | Description                           |
|-------|---------------------------------------|
| Y     | Yes (additional charges were added)   |
| N     | No (no additional charges were added) |
| space | No additional charges or unknown      |

### Subfield 2 (Billing Adjustment Amount)

Subfield 2 (Billing Adjustment Amount) contains the total amount of the charges added after the departure. If subfield 1 contains a Y, subfield 2 must be numeric and greater than zero.

### Subfield 3 (Billing Adjustment Exponent)

Subfield 3 (Billing Adjustment Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 4 (Billing Adjustment Sign)

If PDS 0578 is present, subfield 4 (Billing Adjustment Sign) must contain a value of D or C. This subfield identifies whether PDS 0578 is a debit or credit from the perspective of the cardholder. The values are listed in this table.

#### Values and descriptions

| Value | Description                            |
|-------|----------------------------------------|
| D     | Billing Adjustment amount is a debit.  |
| C     | Billing Adjustment amount is a credit. |

## PDS 0579 (Invoice Date)

PDS 0579 (Invoice Date) contains the date of the electronic invoice.

#### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0579                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

#### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                               | Org | Sys | Dst |
|-----------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644 | O   | .   | C   |

### Values

PDS 0579 must be numeric and must be a fixed length of 006. If present, PDS 0579 must contain a valid date in the format YYMMDD.

## PDS 0580 (Room Rate)

PDS 0580 (Room Rate) contains the daily room charges exclusive of taxes and fees.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-13; TAGLLL             |
| Tag Field           | 0580                       |
| Data Length         | 3 positions, value = 013   |
| Data Field          | Fixed length, 13 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a lodging acceptor business code (MCC) and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program.

When an occurrence of the Financial Detail Addendum (Lodging Summary)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0580 (Room Rate) and cannot contain null values.

### Values

If various room rates apply for the same stay (folio), the room rate for the majority of number of days should be listed.

If present, PDS 0580 must be a fixed length of 13 and may contain all zeros.

## PDS 0580 subfields

This PDS consists of two subfields.

### PDS 0580 subfields

| Number | Positions | Name               | Attribute | Justification |
|--------|-----------|--------------------|-----------|---------------|
| 1      | 1-12      | Room Rate Amount   | n-12      | right         |
| 2      | 13        | Room Rate Exponent | n-1       | N/A           |

### Subfield 1 (Room Rate Amount)

Subfield 1 (Room Rate Amount) contains the daily room charges exclusive of taxes and fees. If PDS 0580 is present, subfield 1 must be numeric.

### Subfield 2 (Room Rate Exponent)

Subfield 2 (Room Rate Exponent) must be numeric and contain a value of 0 to 5.

## PDS 0581 (Total Room Tax)

PDS 0581 (Total Room Tax) contains tax amount information such as the daily room tax, occupancy tax, energy tax, and tourist tax amounts.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0581                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a lodging acceptor business code (MCC) and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program.

### Values

If present, must be a fixed length of 14.



## PDS 0581 subfields

This PDS consists of three subfields.

### PDS 0581 subfields

| Number | Positions | Name                    | Attribute | Justification |
|--------|-----------|-------------------------|-----------|---------------|
| 1      | 1–12      | Total Room Tax Amount   | n–12      | right         |
| 2      | 13        | Total Room Tax Exponent | n–1       | N/A           |
| 3      | 14        | Total Room Tax Sign     | a–1       | N/A           |

### Subfield 1 (Total Room Tax Amount)

Subfield 1 (Total Room Tax Amount) contains the total amount of the charges for Total Room Tax. If PDS 0581 is present, subfield 1 must be numeric.

### Subfield 2 (Total Room Tax Exponent)

If PDS 0581 is present, subfield 2 (Total Room Tax Exponent) must be numeric and contain a value of 0 to 5.

#### NOTE:

**Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Total Room Tax Sign)

If PDS 0581 is present, subfield 3 (Total Room Tax Sign) must contain a value of D or C. This subfield identifies whether PDS 0581 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                        |
|-------|------------------------------------|
| D     | Total room tax amount is a debit.  |
| C     | Total room tax amount is a credit. |

## PDS 0582 (Program Code)

PDS 0582 (Program Code) indicates special circumstances such as no-show situations.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-2; TAGLLL             |
| Tag Field           | 0582                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

If present, PDS 0582 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0583 (Phone Charges)

PDS 0583 (Phone Charges) contains the total amount of charges for all phone calls.

### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-14; TAGLLL |
| Tag Field           | 0583           |

| Attribute     | Description                |
|---------------|----------------------------|
| Data Length   | 3 positions, value = 014   |
| Data Field    | Fixed length, 14 positions |
| Subfields     | 3                          |
| Justification | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

If present, PDS 0583 must be a fixed length of 14.

## PDS 0583 subfields

This PDS consists of three subfields.

## PDS 0583 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1-12      | Phone Charges Amount   | n-12      | right         |
| 2      | 13        | Phone Charges Exponent | n-1       | N/A           |
| 3      | 14        | Phone Charges Sign     | a-1       | N/A           |

## Subfield 1 (Phone Charges Amount)

Subfield 1 (Phone Charges Amount) contains the total amount of charges for all phone calls. If PDS 0583 is present, subfield 1 must be numeric.

## Subfield 2 (Phone Charges Exponent)

If PDS 0583 is present, subfield 2 (Phone Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 3 (Phone Charges Sign)

If PDS 0583 is present, subfield 3 (Phone Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0583 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                       |
|-------|-----------------------------------|
| D     | Phone charges amount is a debit.  |
| C     | Phone charges amount is a credit. |

## PDS 0584 (Restaurant Charges)

PDS 0584 (Restaurant Charges) contains the total amount of all restaurant charges.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0584                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

If present, PDS 0584 must be a fixed length of 14.

### PDS 0584 subfields

This PDS consists of three subfields.

#### PDS 0584 subfields

| Number | Positions | Name                        | Attribute | Justification |
|--------|-----------|-----------------------------|-----------|---------------|
| 1      | 1–12      | Restaurant Charges Amount   | n–12      | right         |
| 2      | 13        | Restaurant Charges Exponent | n–1       | N/A           |
| 3      | 14        | Restaurant Charges Sign     | a–1       | N/A           |

#### Subfield 1 (Restaurant Charges Amount)

If PDS 0584 is present, subfield 1 (Restaurant Charges Amount) must be numeric and contain the restaurant charges amount.

#### Subfield 2 (Restaurant Charges Exponent)

If PDS 0584 is present, subfield 2 (Restaurant Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

#### Subfield 3 (Restaurant Charges Sign)

If PDS 0584 is present, subfield 3 (Restaurant Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0584 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                            |
|-------|----------------------------------------|
| D     | Restaurant charges amount is a debit.  |
| C     | Restaurant charges amount is a credit. |

## PDS 0585 (Mini-Bar Charges)

PDS 0585 (Mini-Bar Charges) contains the total amount of in-room mini-bar service charges.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0585                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

If present, PDS 0585 must be a fixed length of 14.

## PDS 0585 subfields

This PDS consists of three subfields.

### PDS 0585 subfields

| Number | Positions | Name                      | Attribute | Justification |
|--------|-----------|---------------------------|-----------|---------------|
| 1      | 1–12      | Mini-Bar Charges Amount   | n–12      | right         |
| 2      | 13        | Mini-Bar Charges Exponent | n–1       | N/A           |
| 3      | 14        | Mini-Bar Charges Sign     | a–1       | N/A           |

### Subfield 1 (Mini-Bar Charges Amount)

If PDS 0585 is present, subfield 1 (Mini-Bar Charges Amount) must be numeric and contain the mini-bar charges amount.

### Subfield 2 (Mini-Bar Charges Exponent)

If PDS 0585 is present, subfield 2 (Mini-Bar Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Mini-Bar Charges Sign)

If PDS 0585 is present, subfield 3 (Mini-Bar Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0585 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                          |
|-------|--------------------------------------|
| D     | Mini-Bar charges amount is a debit.  |
| C     | Mini-Bar charges amount is a credit. |

## PDS 0586 (Gift Shop Charges)

PDS 0586 (Gift Shop Charges) contains the total amount of all gift shop and specialty shop charges.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0586                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

If present, PDS 0586 must be a fixed length of 14.

## PDS 0586 subfields

This PDS consists of three subfields.

### PDS 0586 subfields

| Number | Positions | Name                       | Attribute | Justification |
|--------|-----------|----------------------------|-----------|---------------|
| 1      | 1-12      | Gift Shop Charges Amount   | n-12      | right         |
| 2      | 13        | Gift Shop Charges Exponent | n-1       | N/A           |



| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 3      | 14        | Gift Shop Charges Sign | a-1       | N/A           |

### Subfield 1 (Gift Shop Charges Amount)

Subfield 1 (Gift Shop Charges Amount) contains the total amount of all gift shop and specialty shop charges. If PDS 0586 is present, subfield 1 must be numeric.

### Subfield 2 (Gift Shop Charges Exponent)

If PDS 0586 is present, subfield 2 (Gift Shop Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Gift Shop Charges Sign)

If PDS 0586 is present, subfield 3 (Gift Shop Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0586 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                           |
|-------|---------------------------------------|
| D     | Gift Shop charges amount is a debit.  |
| C     | Gift Shop charges amount is a credit. |

## PDS 0587 (Laundry and Dry Cleaning Charges)

PDS 0587 (Laundry and Dry Cleaning Charges) contains the total amount of cleaning charges.

#### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-14; TAGLLL |
| Tag Field           | 0587           |

| Attribute     | Description                |
|---------------|----------------------------|
| Data Length   | 3 positions, value = 014   |
| Data Field    | Fixed length, 14 positions |
| Subfields     | 3                          |
| Justification | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

If present, PDS 0587 must be a fixed length of 14.

## PDS 0587 subfields

This PDS consists of three subfields.

## PDS 0587 subfields

| Number | Positions | Name                                      | Attribute | Justification |
|--------|-----------|-------------------------------------------|-----------|---------------|
| 1      | 1-12      | Laundry and Dry Cleaning Charges Amount   | n-12      | right         |
| 2      | 13        | Laundry and Dry Cleaning Charges Exponent | n-1       | N/A           |
| 3      | 14        | Laundry and Dry Cleaning Charges Sign     | a-1       | N/A           |

## Subfield 1 (Laundry and Dry Cleaning Charges Amount)

Subfield 1 (Laundry and Dry Cleaning Charges Amount) contains the total amount of all laundry and dry cleaning charges. If PDS 0587 is present, subfield 1 must be numeric.

## Subfield 2 (Laundry and Dry Cleaning Charges Exponent)

If PDS 0587 is present, subfield 2 (Laundry and Dry Cleaning Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 3 (Laundry and Dry Cleaning Charges Sign)

If PDS 0587 is present, subfield 3 (Laundry and Dry Cleaning Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0587 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                                          |
|-------|------------------------------------------------------|
| D     | Laundry and Dry Cleaning charges amount is a debit.  |
| C     | Laundry and Dry Cleaning charges amount is a credit. |

## PDS 0588 (Other Services)

PDS 0588 (Other Services) contains the total amount of other service charges, not elsewhere classified.

### Attributes

| Attribute           | Description                       |
|---------------------|-----------------------------------|
| Data Representation | ans-102; TAGLLLVAR                |
| Tag Field           | 0588                              |
| Data Length         | 3 positions, value = 017–102      |
| Data Field          | Variable length, 17–102 positions |
| Subfields           | 4                                 |
| Occurrences         | 1–6                               |
| Justification       | See "Subfields"                   |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

PDS 0588 must be a length of 017–102, and it must be divisible by a minimum occurrence length of 017.

## PDS 0588 subfields

This PDS consists of four subfields.

### PDS 0588 subfields

| Number | Positions | Name                    | Attribute | Justification |
|--------|-----------|-------------------------|-----------|---------------|
| 1      | 1–3       | Other Services Code     | ans-3     | left          |
| 2      | 4–15      | Other Services Amount   | n-12      | right         |
| 3      | 16        | Other Services Exponent | n-1       | N/A           |
| 4      | 17        | Other Services Sign     | a-1       | N/A           |

### Subfield 1 (Other Services Code)

Subfield 1 (Other Services Code) contains the code indicating the type of services provided. If present, subfield 1 must be left-justified and cannot be all low values, all high values, all spaces, or all zeros.

### Subfield 2 (Other Services Amount)

Subfield 2 (Other Services Amount) must be numeric.

### Subfield 3 (Other Services Exponent)

If PDS 0588 is present, subfield 3 (Other Services Exponent) must be numeric and must contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 4 (Other Services Sign)

If PDS 0588 is present, subfield 4 (Other Services Sign) must contain a value of D or C. This subfield identifies whether PDS 0588 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                                |
|-------|--------------------------------------------|
| D     | Other Services charges amount is a debit.  |
| C     | Other Services charges amount is a credit. |

## PDS 0589 (Invoice Creation Date/Time)

PDS 0589 (Invoice Creation Date/Time) contains the date and time the electronic invoice was created.

#### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0589                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                               | Org | Sys | Dst |
|-----------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644 | O   | .   | C   |

## Values

PDS 0589 must be a fixed length of 12.

## PDS 0589 subfields

This PDS consists of two subfields.

### PDS 0589 subfields

| Number | Positions | Name                  | Attribute | Justification |
|--------|-----------|-----------------------|-----------|---------------|
| 1      | 1–6       | Invoice Creation Date | n-6       | right         |
| 2      | 7–12      | Invoice Creation Time | n-6       | right         |

### Subfield 1 (Invoice Creation Date)

If PDS 0589 is present, subfield 1 (Invoice Creation Date) must be numeric and must contain a valid date in the format YYMMDD.

### Subfield 2 (Invoice Creation Time)

If PDS 0589 is present, subfield 2 (Invoice Creation Time) must be numeric and must contain a valid time in the format HHMMSS.

## PDS 0590 (Party Identification)

PDS 0590 (Party Identification) contains a code that identifies the various parties on an invoice.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | an-2; TAGLLL              |
| Tag Field           | 0590                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644 | O   | .   | C   |

### Values

If present, PDS 0590 must be a fixed length of 02 and contain one of the values listed in this table.

### Values and descriptions

| Value | Description                                                  |
|-------|--------------------------------------------------------------|
| BY    | Buyer or company buying the goods or services (Corporate)    |
| SU    | Supplier or the provider of the goods or services (Merchant) |
| IV    | The party to whom the invoice is addressed                   |
| PE    | Payee or the party that will receive payment                 |

| Value | Description                                                                     |
|-------|---------------------------------------------------------------------------------|
| DP    | Delivery party or the party that will receive the goods                         |
| SF    | Ship from party or the company from which the goods or services will be shipped |

## PDS 0591 (Party Name)

PDS 0591 (Party Name) contains name of the party identified on the invoice.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...120; TAGLLLLVAR          |
| Tag Field           | 0591                           |
| Data Length         | 3 positions, value = 040–120   |
| Data Field          | Variable length, 120 positions |
| Subfields           | 1                              |
| Occurrences         | 1–3                            |
| Justification       | Left                           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644 | O   | .   | C   |

## PDS 0591 subfields

This PDS contains from one to three occurrences of party name information.

Each occurrence requires 40 positions. The length of this PDS must be a multiple of 40, with a maximum length of 120 positions.



### PDS 0591 subfields

| Number | Positions | Name       | Attribute | Justification |
|--------|-----------|------------|-----------|---------------|
| 1      | 1-40      | Party Name | ans-40    | left          |

### Subfield 1 (Party Name)

If present, PDS 0591, subfield 1 (Party Name) must be left-justified and cannot contain all low values, high values, spaces, or zeros.

## PDS 0592 (Party Address)

PDS 0592 (Party Address) contains the address of the party identified on the invoice.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...240; TAGLLLLVAR          |
| Tag Field           | 0592                           |
| Data Length         | 3 positions, value = 040-240   |
| Data Field          | Variable length, 240 positions |
| Subfields           | 1                              |
| Occurrences         | 1-6                            |
| Justification       | Left                           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644 | O   | .   | C   |

## Values

PDS 0592 contains from one to six occurrences of party address information. The PDS must be a length of 040–240 and must be divisible by minimum occurrence length of 040.

## PDS 0592 subfields

This PDS contains from one to six occurrences of party address information.

Each occurrence requires 40 positions. The length of this PDS must be a multiple of 40, with a maximum length of 240 positions.

### PDS 0592 subfields

| Number | Positions | Name               | Attribute | Justification |
|--------|-----------|--------------------|-----------|---------------|
| 1      | 1–40      | Party Address Line | ans-40    | left          |

## Subfield 1 (Party Address Line)

If present, PDS 0592 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0593 (Party Postal Information)

PDS 0593 (Party Postal Information) contains the city, state/province, country code, and postal code of the party identified on the invoice.

### Attributes

| Attribute           | Description                   |
|---------------------|-------------------------------|
| Data Representation | ans...46; TAGLLLLVAR          |
| Tag Field           | 0593                          |
| Data Length         | 3 positions, value = 025–046  |
| Data Field          | Variable length, 46 positions |
| Subfields           | 4                             |
| Justification       | See "Subfields"               |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644 | O   | .   | C   |

## Values

PDS 0593 must be a length of 025–046.

## PDS 0593 subfields

PDS 0593 consists of four subfields.

### PDS 0593 subfields

| Number | Positions | Name                | Attribute | Justification |
|--------|-----------|---------------------|-----------|---------------|
| 1      | 1–25      | City                | ans-25    | left          |
| 2      | 26–28     | State/Province Code | ans-3     | left          |
| 3      | 29–31     | Country Code        | ans-3     | left          |
| 4      | 32–46     | Postal Code         | ans-15    | left          |

### Subfield 1 (City)

When PDS 0593 is present, subfield 1 (City) is required to be present, must be 25 positions, and must contain the city of the party identified on the invoice. This subfield must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 2 (State/Province Code)

Subfield 2 (State/Province Code) contains the state or province code of the party identified on the invoice. This subfield must be a fixed length of 003 and must be left-justified. It cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 3 (Country Code)

Subfield 3 (Country Code) contains the country code of the party identified on the invoice. This subfield must be a fixed length of 003 and must be left-justified. It cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 4 (Postal Code)

Subfield 4 (Postal Code) contains the postal code of the party identified on the invoice. This subfield must be a fixed length of 015 and must be left-justified. It cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0594 (Party Contact)

PDS 0594 (Party Contact) contains a contact descriptor and party information for the party identified on the invoice.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...305; TAGLLLLVAR          |
| Tag Field           | 0594                           |
| Data Length         | 3 positions, value = 061–305   |
| Data Field          | Variable length, 305 positions |
| Subfields           | 2                              |
| Occurrences         | 5                              |
| Justification       | See "Subfields"                |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644 | O   | .   | C   |

## Values

PDS 0594 must be a length of 061–305 and must be divisible by minimum occurrence length of 061.

## PDS 0594 subfields

PDS 0594 consists of two subfields.

### PDS 0594 subfields

| Number | Positions | Name                      | Attribute | Justification |
|--------|-----------|---------------------------|-----------|---------------|
| 1      | 1         | Party Contact Descriptor  | n-1       | N/A           |
| 2      | 2–61      | Party Contact Information | ans-60    | left          |

### Subfield 1 (Party Contact Descriptor)

Subfield 1 (Party Contact Descriptor) contains a code that identifies the type of party information being provided. If present, this subfield must be numeric and must be left-justified. It cannot contain all low values, all high values, all spaces, or all zeros, and it must contain one of the values listed in this table.

### Values and descriptions

| Value | Description    |
|-------|----------------|
| 1     | Name           |
| 2     | Title          |
| 3     | Telephone      |
| 4     | E-mail address |
| 5     | Function       |

### Subfield 2 (Party Contact Information)

Subfield 2 (Party Contact Information) contains the contact information of the party. This subfield must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0595 (Acceptor Type)

PDS 0595 (Acceptor Type) contains various classifications of business ownership characteristics.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-8; TAGLLL             |
| Tag Field           | 0595                      |
| Data Length         | 3 positions, value = 008  |
| Data Field          | Fixed length, 8 positions |
| Subfields           | 8                         |
| Justification       | See "Subfields"           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | C   | •   | C   |

This PDS must be present in the associated Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message for First Presentment/1240 transactions submitted with this criteria:

- DE 43 (Acceptor Name/Location), subfield 6 (Acceptor Country Code) equals USA.
- DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type) equals 00 (Purchase [Goods and Services]) or 18 (Unique).
- The GCMS Product ID associated with DE 2 (Primary Account Number) is a corporate product.

### Requirements

This requirement applies to corporate card transactions conducted with a U.S.-based merchant or acceptor.

PDS 0595, subfield 5, value of R (Acceptor refused to provide business type), is only valid with transactions submitted for the interchange programs listed in this table.

### IRDs and descriptions

| IRD                                         | Description                                                          |
|---------------------------------------------|----------------------------------------------------------------------|
| Interregional Interchange Programs          |                                                                      |
| 61                                          | Interregional Commercial Standard                                    |
| 63                                          | Interregional Commercial Purchasing Standard                         |
| IP                                          | Interregional Commercial Premium Standard                            |
| LD                                          | Interregional Regulated POS Debit                                    |
| LF                                          | Interregional Regulated POS Debit with Fraud Adjustment              |
| LS                                          | Interregional Regulated POS Debit Small Ticket                       |
| LT                                          | Interregional Regulated POS Debit Small Ticket with Fraud Adjustment |
| U.S. region Consumer Interchange Programs   |                                                                      |
| LD                                          | Regulated POS Debit                                                  |
| LF                                          | Regulated POS Debit with Fraud Adjustment                            |
| LS                                          | Regulated POS Debit Small Ticket                                     |
| LT                                          | Regulated POS Debit Small Ticket with Fraud Adjustment               |
| U.S. region Commercial Interchange Programs |                                                                      |
| 65                                          | Commercial Standard                                                  |
| SK                                          | Business Level 2 Standard                                            |
| 3K                                          | Business Level 3 Standard                                            |
| 4K                                          | Business Level 4 Standard                                            |

### Values

If present, PDS 0595 must be a fixed length of 8.

Value of 2 (Not known), in Subfield 1 is not permitted for commercial card transactions conducted with a U.S.-based acceptor, unless submitted for a Standard interchange program.

Value R (Acceptor refused to provide business type) is permitted in Subfield 5 for commercial card transactions conducted with a U.S.-based acceptor, only when submitted for a Standard interchange program.

If Subfield 5 contains the value R (Acceptor refused to provide business type), Subfield 1 must contain the value 2 (Not known) for commercial card transactions conducted with a U.S.-based acceptor, when submitted for a standard interchange program.

## PDS 0595 subfields

PDS 0595 consists of eight subfields.

### PDS 0595 subfields

| Number | Positions | Name                                      | Attribute | Justification |
|--------|-----------|-------------------------------------------|-----------|---------------|
| 1      | 1         | Business Type                             | ans-1     | N/A           |
| 2      | 2         | Business Owner Type                       | ans-1     | N/A           |
| 3      | 3         | Business Certification Type               | ans-1     | N/A           |
| 4      | 4         | Business Racial/Ethnic Type               | ans-1     | N/A           |
| 5      | 5         | Business Type Provided Code               | ans-1     | N/A           |
| 6      | 6         | Business Owner Type Provided Code         | ans-1     | N/A           |
| 7      | 7         | Business Certification Type Provided Code | ans-1     | N/A           |
| 8      | 8         | Business Racial/Ethnic Type Provided Code | ans-1     | N/A           |

## Subfield 1 (Business Type)

If PDS 0595 is present, subfield 1 (Business Type) contains a code to identify the specific classification or type of business. PDS 0595 subfield 1 cannot contain all low values or all high values. The values in this table must be used in this subfield.

### Values and descriptions

| Value | Description                    |
|-------|--------------------------------|
| 1     | Corporation                    |
| 2     | Not known                      |
| 3     | Individual/Sole Proprietorship |
| 4     | Partnership                    |



| Value | Description                     |
|-------|---------------------------------|
| 5     | Association/Estate/Trust        |
| 6     | Tax Exempt Organizations (501C) |
| 7     | International Organization      |
| 8     | Limited Liability Company (LLC) |
| 9     | Government Agency               |

### Subfield 2 (Business Owner Type)

Subfield 2 (Business Owner Type) contains a code to identify specific characteristics about the business owner. Subfield 2 cannot contain all low values or all high values. The valid values are listed in this table.

#### Values and descriptions

| Value | Description                                  |
|-------|----------------------------------------------|
| 1     | No application classification                |
| 2     | Female business owner                        |
| 3     | Physically handicapped female business owner |
| 4     | Physically handicapped male business owner   |
| 0     | Unknown                                      |

### Subfield 3 (Business Certification Type)

Subfield 3 (Business Certification Type) contains a code to identify specific characteristics about the business certification type, such as small business, disadvantaged, or other certification type. This subfield cannot contain all low values or all high values. The valid values are listed in this table.

#### Values and descriptions

| Value | Description                                                      |
|-------|------------------------------------------------------------------|
| 1     | Not certified                                                    |
| 2     | Small Business Administration (SBA) certification small business |

| Value | Description                                                                                               |
|-------|-----------------------------------------------------------------------------------------------------------|
| 3     | SBA certification as small disadvantaged business                                                         |
| 4     | Other government or agency-recognized certification (such as Minority Supplier Development Council)       |
| 5     | Self-certified small business                                                                             |
| 6     | SBA certification as small and other government or agency-recognized certification                        |
| 7     | SBA certification as small disadvantaged business and other government or agency-recognized certification |
| 8     | Other government or agency-recognized certification and self-certified small business                     |
| A     | SBA certification as 8(a)                                                                                 |
| B     | Self-certified small disadvantaged business (SDB)                                                         |
| C     | SBA certification as HUBZone                                                                              |
| 0     | Unknown                                                                                                   |

#### Subfield 4 (Business Racial/Ethnic Type)

Subfield 4 (Business Racial/Ethnic Type) contains a code identifying the racial or ethnic type of the majority owner of the business. This subfield cannot contain all low values or all high values. The valid values are listed in this table.

#### Values and descriptions

| Value | Description                 |
|-------|-----------------------------|
| 1     | African American            |
| 2     | Asian Pacific American      |
| 3     | Subcontinent Asian American |
| 4     | Hispanic American           |
| 5     | Native American Indian      |
| 6     | Native Hawaiian             |
| 7     | Native Alaskan              |
| 8     | Caucasian                   |
| 9     | Other                       |

| Value | Description |
|-------|-------------|
| 0     | Unknown     |

### Subfield 5 (Business Type Provided Code)

The valid values for subfield 5 (Business Type Provided Code) are listed in this table.

#### Values and descriptions

| Value | Description                                |
|-------|--------------------------------------------|
| Y     | Business type is provided.                 |
| N     | Business type was not provided.            |
| R     | Acceptor refused to provide business type. |

### Subfield 6 (Business Owner Type Provided Code)

The valid values for subfield 6 (Business Owner Type Provided Code) are listed in this table.

#### Values and descriptions

| Value | Description                                |
|-------|--------------------------------------------|
| Y     | Business owner type is provided.           |
| N     | Business owner type was not provided.      |
| R     | Acceptor refused to provide business type. |

### Subfield 7 (Business Certification Type Provided Code)

The valid values for subfield 7 (Business Certification Type Provided Code) are listed in this table.

#### Values and descriptions

| Value | Description                              |
|-------|------------------------------------------|
| Y     | Business certification type is provided. |

| Value | Description                                   |
|-------|-----------------------------------------------|
| N     | Business certification type was not provided. |
| R     | Acceptor refused to provide business type.    |

### Subfield 8 (Business Racial/Ethnic Type Provided Code)

The valid values for subfield 8 (Business Racial/Ethnic Type Provided Code) are listed in this table.

#### Values and descriptions

| Value | Description                                              |
|-------|----------------------------------------------------------|
| Y     | Business racial/ethnic type is provided.                 |
| N     | Business racial/ethnic type was not provided.            |
| R     | Acceptor refused to provide business racial/ethnic type. |

## PDS 0596 (Acceptor Tax ID)

PDS 0596 (Acceptor Tax ID) contains the identifier of the Acceptor issued by a taxation authority, including U.S. federal tax ID, value added tax (VAT) ID or other national, state or local taxation authority ID.

#### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-21;TAGLLL              |
| Tag Field           | 0596                       |
| Data Length         | 3 positions, value = 021   |
| Data Field          | Fixed length, 21 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                   | C   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | C   | .   | C   |

PDS 0596 must be present in a Financial Detail Addendum (Corporate Common Card Data)/1644 when all of these conditions exist.

- The product code is any corporate product code.
- The Acceptor Country Code (DE 43 subfield 6) equals USA.
- Financial Detail Addendum (Corporate Card Common Data) the Processing Code (DE 3, subfield 1) is equal to 00 (Purchase [Goods and Services]), 09 (Purchase [Goods and Services]) with Cash Back, or 18 (Unique), 09 (Purchase [Goods and Services]) with Cash Back, or 18 (Unique Transaction). Transaction).
- The transaction is not a reversal.

For transactions acquired outside the U.S. region, PDS 0596 must be present if the associated First Presentment/1240 is submitted for IRD 67: Interregional Commercial Purchasing Data Rate II.

PDS 0596 must be present in a Financial Detail Addendum (Corporate Common Card Data)/1644 when all these conditions exist.

- The product code is MCP or MCF at a non-fuel location.
- The business service is equal to one of the values in this table.

### Business services and descriptions

| Business Service Type Code (PDS 0158, subfield 2) | Business Service ID (PDS 0158, subfield 3) | Description          |
|---------------------------------------------------|--------------------------------------------|----------------------|
| 2                                                 | 050001                                     | Europe Intraregional |
| 3                                                 | 050012                                     | Europe Intercountry  |
| 3                                                 | 050021                                     | Europe Intercountry  |
| 3                                                 | 050031                                     | Europe Intercountry  |

**NOTE: This applies to additional European domestic arrangements.**

- The IRD submitted in the associated First Presentment/1240 is one of the values in this table.

#### IRDs and descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| 26  | Purchasing Large Ticket Level 1 Interchange |
| 27  | Purchasing Large Ticket Level 2 Interchange |

#### Values

If present, PDS 0596 must be a fixed length of 21.

#### PDS 0596 subfields

This PDS consists of two subfields.

#### PDS 0596 subfields

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 1      | 1–20      | Acceptor Tax ID               | ans-20    | N/A           |
| 2      | 21        | Acceptor Tax ID Provided Code | ans-1     | right         |

#### Subfield 1 (Acceptor Tax ID)

##### Subfield 1 (Acceptor Tax ID)

If present, subfield 1 (Acceptor Tax ID) cannot contain a known invalid Tax ID.

Acceptor Tax ID must be populated and formatted as defined by taxation authority standards.

If PDS 0596, subfield 1 is present on both the First Presentment/1240 message and any subsequent associated addendum messages, the values must be identical.

For transactions where the merchant is U.S. region, if present, subfield 1 must contain nine numeric characters and be left-justified with trailing spaces.

When present, and PDS 0596, subfield 2 is equal to Y, GCMS edits the field to ensure it is not considered a known invalid value or format, including:

- Low values

- High values
- All spaces
- These ranges:
  - 000000000–000000009
  - 111111110–111111119
  - 123456780–123456789
  - 222222220–222222229
  - 333333330–333333339
  - 444444440–444444449
  - 555555550–555555559
  - 666666660–666666669
  - 777777770–777777779
  - 888888880–888888889
  - 999999990–999999999

PDS 0596, subfield 1 can be spaces when one of these conditions exist.

- The transaction is submitted for the U.S. region Commercial or Interregional Commercial standard interchange programs and PDS 0596, subfield 2 is equal to R (Refused to Provide Acceptor Tax ID).
- PDS 0596, subfield 2 is equal to N or R.

For First Presentment/1240 messages, PDS 0596, subfield 1 must be present and cannot contain all zeros, all nines, all spaces, all low values, or all high values for Commercial Card transactions in and between participating countries where value-added tax (VAT) applies. The edit validates that DE 43, subfield 6 (Acceptor Country Code) and the country code associated with the issuer account range in DE 2 (Primary Account Number) are on the list of participating countries. Participating VAT countries will be announced via the Operations Bulletin and identified via the VAT Indicator in Table IP0028T1 (Country Codes) of the Mastercard Parameter Extract (MPE).

### Program rules

Payment facilitator-enabled transactions: The Sponsored Merchant Tax ID must be provided.

### Subfield 2 (Acceptor Tax ID Provided Code)

If PDS 0596 is present, subfield 2 (Acceptor Tax ID Provided Code) must contain one of the values listed in this table.

#### Subfield 2 (Acceptor Tax ID Provided Code)

| Value | Description              |
|-------|--------------------------|
| Y     | Acceptor Tax ID provided |

| Value | Description                        |
|-------|------------------------------------|
| N     | Acceptor Tax ID not provided       |
| R     | Refused to provide Acceptor Tax ID |

PDS 0596, subfield 2 must contain a value of Y when all of these conditions exist.

- The product code is any corporate product code.
- The Acceptor Country Code (DE 43 subfield 6) equals USA.
- The transaction is not a reversal.
- The transaction is not submitted for the U.S. region Commercial or Interregional Commercial standard interchange programs.

Acceptor Tax ID Provided Code must contain the value of Y or R and not the value of N for transactions submitted for one of the interchange programs listed in this table.

### Interregional interchange programs

| IRD | Description                                                          |
|-----|----------------------------------------------------------------------|
| 61  | Interregional Commercial Standard                                    |
| 63  | Interregional Commercial Purchasing Standard                         |
| IP  | Interregional Commercial Premium Standard                            |
| LD  | Interregional Regulated POS Debit                                    |
| LF  | Interregional Regulated POS Debit with Fraud Adjustment              |
| LS  | Interregional Regulated POS Debit Small Ticket                       |
| LT  | Interregional Regulated POS Debit Small Ticket with Fraud Adjustment |

### U.S. region consumer interchange programs

| IRD | Description                                            |
|-----|--------------------------------------------------------|
| LD  | Regulated POS Debit                                    |
| LF  | Regulated POS Debit with Fraud Adjustment              |
| LS  | Regulated POS Debit Small Ticket                       |
| LT  | Regulated POS Debit Small Ticket with Fraud Adjustment |



### U.S. region commercial interchange programs

| IRD | Description                     |
|-----|---------------------------------|
| 65  | U.S. region Commercial Standard |
| SK  | Business Level 2 Standard       |
| 3K  | Business Level 3 Standard       |
| 4K  | Business Level 4 Standard       |

For First Presentment/1240 messages, PDS 0596, subfield 2 must be present for Commercial Card transactions in and between participating countries where value-added tax (VAT) applies. The edit validates that DE 43, subfield 6 (Acceptor Country Code) and the country code associated with the issuer account range in DE 2 (Primary Account Number) are on the list of participating countries. Participating VAT countries will be announced via the Operations Bulletin and identified via the VAT Indicator in Table IP0028T1 (Country Codes) of the MPE.

## PDS 0597 (Total Tax Amount)

PDS 0597 (Total Tax Amount) contains the total amount of sales tax or value added tax (VAT) on the total purchase amount.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0597                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240 (Allowed for Maestro (MSI) transactions only)                    | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | C   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | C   | .   | C   |
| Financial Detail Addendum (Corporate Card Fleet Transaction Information)/1644           | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644                         | O   | .   | C   |

This PDS is allowed on First Presentment messages for Maestro® (MSI) transactions only. This field will not be submitted to the transaction receiver if provided on a First Presentment/1240 for transactions other than Maestro.

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 when the following occurs.

- The transaction is submitted for Commercial Data Rate III (IRD66), Commercial Large Ticket I (IRD 62), Commercial Large Ticket II (IRD 94), or Commercial Large Ticket III (IRD 99).
- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]).

- 4214 Motor Freight Carriers, Trucking-Local/Long Distance, Moving and Storage Companies, Local Delivery
- 4215 Courier Services: Air and Ground, Freight Forwards.
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.

This PDS is required in a Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message if the associated First Presentment/1240 message is other than a Mastercard Corporate Fleet Card® transaction at a fuel location and is submitted for one of the following incentive interchange rate programs.

#### Canada region incentive interchange rate programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BQ  | Canada Intracountry Commercial Data Rate I  |
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

#### U.S. region incentive interchange rate programs

| IRD | Description                                      |
|-----|--------------------------------------------------|
| 3B  | Business Level 3 Data Rate II                    |
| 3D  | Business Level 3 Face-to-face                    |
| 4B  | Business Level 4 Data Rate II                    |
| 4D  | Business Level 4 Face-to-face                    |
| 60  | Commercial Face-to-Face                          |
| 62  | Commercial Large Ticket I                        |
| 66  | Commercial Data Rate III                         |
| 67  | Commercial Data Rate II                          |
| 67  | Interregional Commercial Purchasing Data Rate II |
| 82  | Electronic Payment Account                       |
| 94  | Commercial Large Ticket II                       |
| 99  | Commercial Large Ticket III                      |
| E1  | Commercial Large Ticket Rate 1 MPG               |
| E2  | Commercial Large Ticket Rate 2 MPG               |
| E3  | Commercial Large Ticket Rate 3 MPG               |

| IRD | Description                    |
|-----|--------------------------------|
| F2  | Commercial Fleet Data Rate II  |
| F3  | Commercial Fleet Data Rate III |
| FL  | Commercial Fleet Large Ticket  |
| SB  | Business Level 2 Data Rate II  |
| SD  | Business Level 2 Face-to-face  |

PDS 0597 must be present in a Financial Detail Addendum (Corporate Common Card Data)/1644 when all the following conditions exist:

- The product code is MCP or MCF at a non-fuel location.
- The Business Service is equal to one of the values in this table.

### Business services

| Business Service Type Code (PDS 0158, subfield 2) | Business Service ID (PDS 0158, subfield 3) | Description          |
|---------------------------------------------------|--------------------------------------------|----------------------|
| 2                                                 | 050001                                     | Europe Intraregional |
| 3                                                 | 050012                                     | Europe Intercountry  |
| 3                                                 | 050021                                     | Europe Intercountry  |
| 3                                                 | 050031                                     | Europe Intercountry  |

**NOTE: This applies to additional European domestic arrangements.**

The IRD submitted in the associated First Presentment/1240 is one of the values in this table.

### IRDs in First Presentment/1240

| IRD | Description                                 |
|-----|---------------------------------------------|
| 26  | Purchasing Large Ticket Level 1 Interchange |
| 27  | Purchasing Large Ticket Level 2 Interchange |

Indicators in subfield 1 of these PDSs are used to reflect the collection of the individual tax amounts that are summarized in PDS 0597:

- PDS 0682 (Detail Tax Amount 1)

- PDS 0683 (Detail Tax Amount 2)
- PDS 0684 (Detail Tax Amount 3)
- PDS 0751 (Detail Tax Amount 4)
- PDS 0752 (Detail Tax Amount 5)
- PDS 0753 (Detail Tax Amount 6)

PDS 0682, PDS 0683, PDS 0684, PDS 0751, PDS 0752, and PDS 0753 are used to categorize the individual tax amounts such as state, local, and municipal taxes that are summarized in PDS 0597.

PDS 0597 is submitted when PDS 0682, PDS 0683, PDS 0684, PDS 0751, PDS 0752, or PDS 0753 are submitted in the transaction.

### Values

If present, PDS 0597 must be a fixed length of 014.

If present, Total Tax Amount must contain the total amount of all taxes applicable to the transaction exactly as shown on the Transaction Information Document (Transaction receipt) or buyer invoice. If no taxes were collected, Total Tax Amount must be zero.

### PDS 0597 subfields

This PDS consists of three subfields.

#### PDS 0597 subfields

| Number | Positions | Name               | Attribute | Justification |
|--------|-----------|--------------------|-----------|---------------|
| 1      | 1–12      | Total Tax Amount   | n-12      | right         |
| 2      | 13        | Total Tax Exponent | n-1       | N/A           |
| 3      | 14        | Total Tax Sign     | a-1       | N/A           |

### Subfield 1 (Total Tax Amount)

If PDS 0597 is present, subfield 1:

- Must be numeric and contain the total tax amount.
- May contain all zeros, except for the U.S. region Incentive Interchange Rate Programs when it cannot contain all zeros unless:
  - The GCMS Product Identifier is MCF, MGF, MNF, or MRK.
  - The value is 0.1 percent to 30 percent of the value in DE 4 (Amount, Transaction) unless PDS 0686 (Tax Exempt Indicator) is present or the transaction is a commercial card at fuel locations (MCC 4468, 5499, 5541, 5542, and 5983).

### IRDs and descriptions

| IRD | Description                         |
|-----|-------------------------------------|
| 3B  | Business Level 3 Data Rate II       |
| 3D  | Business Level 3 Face-to-face       |
| 4B  | Business Level 4 Data Rate II       |
| 4D  | Business Level 4 Face-to-face       |
| 60  | U.S. region Commercial Face-to-Face |
| 67  | U.S. region Commercial Data Rate II |
| F2  | Commercial Fleet Data Rate II       |
| SB  | Business Level 2 Data Rate II       |
| SD  | Business Level 2 Face-to-face       |

- For the interchange programs listed in this table, the value must be 0.1 percent to 30 percent of the value in DE 4 unless PDS 0686 is present.

### IRDs and descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| BQ  | Canada Intracountry Commercial Data Rate I  |
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

## Subfield 2 (Total Tax Exponent)

If PDS 0597 is present, subfield 2 (Total Tax Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 3 (Total Tax Sign)

If PDS 0597 is present, subfield 3 (Total Tax Sign) must contain a value of D or C. This subfield identifies whether PDS 0597 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                   |
|-------|-------------------------------|
| D     | Total tax amount is a debit.  |
| C     | Total tax amount is a credit. |

## PDS 0598 (Total Tax Collected Indicator)

PDS 0598 (Total Tax Collected Indicator) reflects total sales tax capture and reporting information such as whether sales tax was included in the purchase amount or if goods and services were not taxable.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | ans-1; TAGLLL            |
| Tag Field           | 0598                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | .   | C   |

| Message                                                                       | Org | Sys | Dst |
|-------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                           | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                    | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                   | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644      | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Fleet Transaction Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                   | O   | .   | C   |

## Values

If present, this PDS cannot contain all low values or high values. It must contain one of the values listed in this table.

## Values and descriptions

| Value     | Description                                                                              |
|-----------|------------------------------------------------------------------------------------------|
| Y         | Sales tax is included in the total purchase amount.                                      |
| N or zero | The acceptor has the ability to provide tax amount, but goods/services were not taxable. |
| space     | The information is unknown.                                                              |

## PDS 0599 (Corporation VAT Number)

PDS 0599 (Corporation VAT Number) contains a corporation's value added tax (VAT) number.

## Attributes

| Attribute           | Description          |
|---------------------|----------------------|
| Data Representation | ans...20; TAGLLLLVAR |
| Tag Field           | 0599                 |



| Attribute     | Description                    |
|---------------|--------------------------------|
| Data Length   | 3 positions, value = 001-020   |
| Data Field    | Variable length, 1-20 position |
| Subfields     | None                           |
| Justification | Left                           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

### Values

If present, PDS 0599 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros. It must be a length of 001-020.

## PDS 0600 (Acceptor Reference Number)

PDS 0600 (Acceptor Reference Number) contains a code that facilitates acceptor/corporation communication and record keeping.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...25; TAGLLLVAR             |
| Tag Field           | 0600                            |
| Data Length         | 3 positions, value = 001-025    |
| Data Field          | Variable length, 1-25 positions |
| Subfields           | None                            |
| Justification       | N/A                             |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | C   | •   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | •   | C   |

PDS 0600 must be present in a Financial Detail Addendum (Corporate Common Card Data)/1644 when all these conditions exist.

- The product code is MCP or MCF at a non-fuel location.
- The Business Service is equal to one of the values in this table.

### Business services and descriptions

| Business Service Type Code(PDS 0158, subfield 2) | Business Service ID (PDS 0158, subfield 3) | Description          |
|--------------------------------------------------|--------------------------------------------|----------------------|
| 2                                                | 050001                                     | Europe Intraregional |
| 3                                                | 050012                                     | Europe Intercountry  |
| 3                                                | 050021                                     | Europe Intercountry  |
| 3                                                | 050031                                     | Europe Intercountry  |

**NOTE: This applies to additional European domestic arrangements.**

The IRD submitted in the associated First Presentment/1240 is one of the values in this table.

### IRDs and descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| 26  | Purchasing Large Ticket Level 1 Interchange |
| 27  | Purchasing Large Ticket Level 2 Interchange |

## Values

If present, PDS 0600 must be left-justified and cannot contain all low values, high values, all spaces, or all zeros.

## PDS 0601 (Party Nature of Filing)

PDS 0601 (Party Nature of Filing) contains a code that identifies the disposition of the electronic invoice.

## Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | a-1; TAGLLL              |
| Tag Field           | 0601                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

## Usage

This table shows the usage of PDS 0601 (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644 | O   | .   | C   |

## Values

If present, PDS 0601 must be a fixed length of 001 and contain one of the values listed in this table.

### Values and descriptions

| Value | Description                                                                                 |
|-------|---------------------------------------------------------------------------------------------|
| P     | Invoice printed and given to purchaser and then used for tax reclaim                        |
| S     | Invoice printed but treated as supplemental because electronic copy is used for tax reclaim |
| E     | Printed invoice suppressed because electronic master version is used for tax reclaim        |
| N     | Not applicable to Party Identification                                                      |

## PDS 0602 (Party Supplemental Data 1)

PDS 0602 (Party Supplemental Data 1) contains information about the invoice party.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...672; TAGLLLLVAR          |
| Tag Field           | 0602                           |
| Data Length         | 3 positions, value = 084–672   |
| Data Field          | Variable length, 672 positions |
| Subfields           | 3                              |
| Occurrences         | 1–8                            |
| Justification       | See "Subfields"                |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644 | O   | .   | C   |

### Values

PDS 0602 must be a length of 084–672 and must be divisible by minimum occurrence length of 084.

### PDS 0602 subfields

PDS 0602 consists of three subfields.

### PDS 0602 subfields

| Number | Positions | Name                                  | Attribute | Justification |
|--------|-----------|---------------------------------------|-----------|---------------|
| 1      | 1–40      | Party Supplemental Data Description 1 | ans-40    | left          |
| 2      | 41–80     | Party Supplemental Data 1             | ans-40    | left          |
| 3      | 81–84     | Party Supplemental Data Code 1        | ans-4     | left          |

### Subfield 1 (Party Supplemental Data Description 1)

Subfield 1 (Party Supplemental Data Description 1) must be left-justified and cannot contain all low values, high values, all spaces, or all zeros.

### Subfield 2 (Party Supplemental Data 1)

Subfield 2 (Party Supplemental Data 1) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 3 (Party Supplemental Data Code 1)

Subfield 3 (Party Supplemental Data Code 1) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0603 (Party Supplemental Data 2)

PDS 0603 (Party Supplemental Data 2) contains information about the invoice party.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...672; TAGLLLLVAR          |
| Tag Field           | 0603                           |
| Data Length         | 3 positions, value = 084–672   |
| Data Field          | Variable length, 672 positions |
| Subfields           | 3                              |
| Occurrences         | 1–8                            |
| Justification       | See “Subfields”                |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644 | O   | .   | C   |

### Values

PDS 0603 must be a length of 084–672 and must be divisible by minimum occurrence length of 084.

### PDS 0603 subfields

This PDS may contain from one to eight occurrences of party supplemental data.

Each occurrence requires 84 positions; the length of this PDS must be a multiple of 84, with a maximum length of 672 positions. Each occurrence consists of three subfields as defined in this table.

### PDS 0603 subfields

| Number | Positions | Name                                  | Attribute | Justification |
|--------|-----------|---------------------------------------|-----------|---------------|
| 1      | 1–40      | Party Supplemental Data Description 2 | ans-40    | left          |
| 2      | 41–80     | Party Supplemental Data 2             | ans-40    | left          |
| 3      | 81–84     | Party Supplemental Data Code 2        | ans-4     | left          |

#### Subfield 1 (Party Supplemental Data Description 2)

Subfield 1 (Party Supplemental Data Description 2) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

#### Subfield 2 (Party Supplemental Data 2)

Subfield 2 (Party Supplemental Data 2) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

#### Subfield 3 (Party Supplemental Data Code 2)

Subfield 3 (Party Supplemental Data Code 2) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### PDS 0604 (Transaction Supplemental Data 1)

PDS 0604 (Transaction Supplemental Data 1) contains information about the transaction.

#### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...672; TAGLLLVAR           |
| Tag Field           | 0604                           |
| Data Length         | 3 positions, value = 084–672   |
| Data Field          | Variable length, 672 positions |
| Subfields           | 3                              |
| Occurrences         | 1–8                            |

| Attribute     | Description     |
|---------------|-----------------|
| Justification | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                      | Org | Sys | Dst |
|------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Transaction Information)/1644 | O   | .   | C   |

## Values

PDS 0604 may contain from one to eight occurrences of Transaction Supplemental Data. Each occurrence consists of three subfields. Each occurrence must be a length of 084–672 and must be divisible by minimum occurrence length of 084.

## PDS 0604 subfields

This PDS may contain from one to eight occurrences of transaction supplemental data.

Each occurrence requires 84 positions; the length of this PDS must be a multiple of 84, with a maximum length of 672 positions. Each occurrence consists of three subfields as defined in this table.

## PDS 0604 subfields

| Number | Positions | Name                                        | Attribute | Justification |
|--------|-----------|---------------------------------------------|-----------|---------------|
| 1      | 1–40      | Transaction Supplemental Data Description 1 | ans-40    | left          |
| 2      | 41–80     | Transaction Supplemental Data 1             | ans-40    | left          |
| 3      | 81–84     | Transaction Supplemental Data Code 1        | ans-4     | left          |



### Subfield 1 (Transaction Supplemental Data Description 1)

Subfield 1 (Transaction Supplemental Data Description 1) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 2 (Transaction Supplemental Data 1)

Subfield 2 (Transaction Supplemental Data 1) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 3 (Transaction Supplemental Data Code 1)

Subfield 3 (Transaction Supplemental Data Code 1) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0605 (Transaction Supplemental Data 2)

PDS 0605 (Transaction Supplemental Data 2) contains information about the transaction.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...672; TAGLLLLVAR          |
| Tag Field           | 0605                           |
| Data Length         | 3 positions, value = 084–672   |
| Data Field          | Variable length, 672 positions |
| Subfields           | 3                              |
| Occurrences         | 1–8                            |
| Justification       | See "Subfields"                |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                      | Org | Sys | Dst |
|------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Transaction Information)/1644 | O   | .   | C   |

## PDS 0605 subfields

PDS 0605 may contain from one to eight occurrences of transaction supplemental data.

Each occurrence must be a length of 084–672 and must be divisible by minimum occurrence length of 084. Each occurrence consists of three subfields as defined in this table.

### PDS 0605 subfields

| Number | Positions | Name                                        | Attribute | Justification |
|--------|-----------|---------------------------------------------|-----------|---------------|
| 1      | 1–40      | Transaction Supplemental Data Description 2 | ans-40    | left          |
| 2      | 41–80     | Transaction Supplemental Data 2             | ans-40    | left          |
| 3      | 81–84     | Transaction Supplemental Data Code 2        | ans-4     | left          |

### Subfield 1 (Transaction Supplemental Data Description 2)

Subfield 1 (Transaction Supplemental Data Description 2) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 2 (Transaction Supplemental Data 2)

Subfield 2 (Transaction Supplemental Data 2) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 3 (Transaction Supplemental Data Code 2)

Subfield 3 (Transaction Supplemental Data Code 2) must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0606 (Freight Amount)

PDS 0606 (Freight Amount) contains the freight charges on total purchases.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0606                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

## PDS 0606 subfields

This PDS consists of three subfields.

### PDS 0606 subfields

| Number | Positions | Name                    | Attribute | Justification |
|--------|-----------|-------------------------|-----------|---------------|
| 1      | 1-12      | Freight Amount          | n-12      | right         |
| 2      | 13        | Freight Amount Exponent | n-1       | N/A           |
| 3      | 14        | Freight Amount Sign     | a-1       | N/A           |

### Subfield 1 (Freight Amount)

Subfield 1 (Freight Amount) contains the freight charges on the total purchase. If present, subfield 1 must be numeric and may contain all zeros.

### Subfield 2 (Freight Amount Exponent)

If present, subfield 2 (Freight Amount Exponent) must be numeric and contain a value of 0 to 5.

### Subfield 3 (Freight Amount Sign)

If PDS 0606 is present, subfield 3 (Freight Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0606 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                 |
|-------|-----------------------------|
| D     | Freight amount is a debit.  |
| C     | Freight amount is a credit. |

## PDS 0607 (Duty Amount)

PDS 0607 (Duty Amount) is the duty on the total purchase amount.

#### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0607                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

## Values

If present, PDS 0607 must be a fixed length of 014.

## PDS 0607 subfields

This PDS consists of three subfields.

### PDS 0607 subfields

| Number | Positions | Name                 | Attribute | Justification |
|--------|-----------|----------------------|-----------|---------------|
| 1      | 1-12      | Duty Amount          | n-12      | right         |
| 2      | 13        | Duty Amount Exponent | n-1       | N/A           |
| 3      | 14        | Duty Amount Sign     | a-1       | N/A           |

### Subfield 1 (Duty Amount)

Subfield 1 (Duty Amount) contains the duty amount on the total charges. If present, subfield 1 must be numeric and may contain all zeros.

### Subfield 2 (Duty Amount Exponent)

If present, subfield 2 (Duty Amount Exponent) must be numeric and contain a value of 0 to 5.

### Subfield 3 (Duty Amount Sign)

If PDS 0607 is present, subfield 3 (Duty Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0607 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description              |
|-------|--------------------------|
| D     | Duty amount is a debit.  |
| C     | Duty amount is a credit. |

## PDS 0608 (Destination Postal Code)

PDS 0608 (Destination Postal Code) contains the ZIP code or other postal code where the purchased goods will be delivered.

This applies to additional domestic arrangements.

For transactions acquired in the U.S. region, PDS 0608, if present, must contain either five numeric characters, left-justified and spaced filled, or the ZIP+four nine numeric characters with a hyphen between the fifth and sixth numeric character.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-10; TAGLLL             |
| Tag Field           | 0608                       |
| Data Length         | 3 positions, value = 010   |
| Data Field          | Fixed length, 10 positions |
| Subfields           | None                       |
| Justification       | Left                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

PDS 0608 should be provided by U.S. acceptors for all commercial card transactions in which goods were shipped. All goods in a transaction must be shipped to one location.

### Values

If present, PDS 0608 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0609 (Destination State/Province Code)

PDS 0609 (Destination State/Province Code) indicates the state or province of the country where the purchased goods will be delivered.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-3; TAGLLL             |
| Tag Field           | 0609                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

This PDS should be provided by U.S. acceptors for all commercial card transactions in which goods were shipped. When this PDS is used, all goods in a transaction must be shipped to one location.

### Values

If present, PDS 0609 must contain a valid U.S. state code if PDS 0610 (Destination Country Code) contains USA.

If the destination is a U.S. territory (Guam, Puerto Rico, or Virgin Islands), customers should provide the three-position country code (GUM, PRI, or VIR) in both PDS 0609 and PDS 0610.

If present, PDS 0609 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0610 (Destination Country Code)

PDS 0610 (Destination Country Code) contains the code of the country where the purchased goods will be delivered.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-3; TAGLLL             |
| Tag Field           | 0610                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.



### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

This PDS should be provided by U.S. acceptors for all commercial card transactions in which goods were shipped. When this PDS is used, all goods in a transaction must be shipped to one location.

### Values

If present, PDS 0610 must contain a valid alphabetic ISO country code.

When territories have a defined country code in Chapter 2 of the *Quick Reference Booklet*, that country code must be used.

## PDS 0611 (Sequence Number)

PDS 0611 (Sequence Number) a sequence number indicating the sequence that this rail segment falls within the trip.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-3; TAGLLL             |
| Tag Field           | 0611                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified and cannot contain all zeros, all spaces, all high values, or all low values.

## PDS 0612 (Ship Date)

PDS 0612 (Ship Date) contains the date the merchandise was shipped to the destination.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0612                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                     | Org | Sys | Dst |
|-------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644 | O   | .   | C   |

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

### Values

If present, PDS 0612 must be a valid date in the format YYMMDD. PDS 0612 must be numeric and be a fixed length of 006.

## PDS 0613 (Ship-From Postal Code)

PDS 0613 (Ship-From Postal Code) contains the ZIP code or other postal code from which items were shipped.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-10; TAGLLL             |
| Tag Field           | 0613                       |
| Data Length         | 3 positions, value = 010   |
| Data Field          | Fixed length, 10 positions |
| Subfields           | None                       |
| Justification       | Left                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

For transactions acquired in the U.S. region, PDS 0613, if present, must contain either five numeric characters and be left-justified and spaced filled, or the ZIP+four nine numeric characters with a hyphen between the fifth and sixth numeric character.

This PDS should be provided by U.S. acceptors for all commercial card transactions in which goods were shipped. When this PDS is used, all goods in a transaction must be shipped from one location.

### Values

If present, PDS 0613 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0614 (Order Date)

PDS 0614 (Order Date) contains the date the item was ordered.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0614                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | O   | .   | C   |

## Values

If present, PDS 0614 must contain a valid date in the format YYMMDD.

## PDS 0615 (Medical Services Ship to Health Industry Number)

PDS 0615 (Medical Services Ship to Health Industry Number) contains the health industry number to which the medical services are being shipped.

## Attributes

| Attribute           | Description                   |
|---------------------|-------------------------------|
| Data Representation | ans...40; TAGLLLLVAR          |
| Tag Field           | 0615                          |
| Data Length         | 3 positions, value = 001–040  |
| Data Field          | Variable length, 40 positions |
| Subfields           | None                          |
| Justification       | N/A                           |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/<br>1644 | O   | .   | C   |

## Values

PDS 0615 must be a length of 001–040. If present, PDS 0615 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0616 (Contract Number)

PDS 0616 (Contract Number) contains the corporate contract number.

### Attributes

| Attribute           | Description                   |
|---------------------|-------------------------------|
| Data Representation | ans...40; TAGLLLLVAR          |
| Tag Field           | 0616                          |
| Data Length         | 3 positions, value = 001–040  |
| Data Field          | Variable length, 40 positions |
| Subfields           | None                          |
| Justification       | Left                          |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/<br>1644 | O   | •   | C   |

### Values

PDS 0616 must be a length of 001–040. If present, PDS 0616 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0617 (Medical Services Price Adjustment)

PDS 0617 (Medical Services Price Adjustment) contains a code that identifies the type of price adjustment related to the medical services provided.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | a-1; TAGLLL              |
| Tag Field           | 0617                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | Left                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/<br>1644 | O   | .   | C   |

### Values

If present, PDS 0617 must be a fixed length of 001 and contain one of the values listed in this table.

### Values

| Value | Description      |
|-------|------------------|
| A     | Price Adjustment |
| B     | Original         |
| C     | Credit           |

| Value | Description |
|-------|-------------|
| D     | Rebill      |

## PDS 0618 (Medical Services Product Number Qualifier)

PDS 0618 (Medical Services Product Number Qualifier) contains a code that identifies the product number qualifier of the medical services.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | an-2; TAGLLL              |
| Tag Field           | 0618                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/<br>1644 | O   | .   | C   |

### Values

If present, PDS 0618 must be a fixed length of 002 and contain one of the values listed in this table.



### Values

| Value | Description                                            |
|-------|--------------------------------------------------------|
| 01    | HIBCC (Health Industry Business Communication Council) |
| 02    | UCC (Uniform Code Council)                             |
| 03    | Other                                                  |

## PDS 0619 (User Name)

PDS 0619 (User Name) contains the user name related to the telephony billing information.

### Attributes

| Attribute           | Description                   |
|---------------------|-------------------------------|
| Data Representation | ans...40; TAGLLLLVAR          |
| Tag Field           | 0619                          |
| Data Length         | 3 positions, value = 001-040  |
| Data Field          | Variable length, 40 positions |
| Subfields           | None                          |
| Justification       | Left                          |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Summary)/<br>1644 | O   | .   | C   |

### Values

PDS 0619 must be a length of 001-040. If present, PDS 0619 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0620 (Oil Company Brand Name)

PDS 0620 (Oil Company Brand Name) contains a four-digit code that indicates the acceptor oil company brand name.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-4; TAGLLL               |
| Tag Field           | 0620                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a fuel location and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I, or one of the following incentive interchange rate programs.

### U.S. region Incentive Interchange Rate Programs

| IRD | Description               |
|-----|---------------------------|
| 16  | Warehouse Tier I          |
| 62  | Commercial Large Ticket I |
| 67  | Commercial Data Rate II   |

| IRD | Description                   |
|-----|-------------------------------|
| 68  | Commercial Data Rate I        |
| 91  | Warehouse Base                |
| 94  | Commercial Large Ticket II    |
| 99  | Commercial Large Ticket III   |
| F1  | Commercial Fleet Data Rate I  |
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

### Values

If present, PDS 0620 must contain a valid value.

Oil company brand name codes are added periodically in support of the Mastercard Corporate Fleet Card® program. New oil company brand name codes are announced and listed in a *Global Operations Bulletin*. All oil company brand name codes are documented in the *Fleet Implementation Guide*.

If the AB Code (MCC) is 5552 (Electric Vehicle Charging) then acquirers should populate PDS 0620 with 9999 (Unbranded/Unassigned) unless there is a valid Oil Company Brand Name that can be associated with the transaction.

## PDS 0621 (Purchase Time)

PDS 0621 (Purchase Time) contains the time of day the purchase was made.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-4; TAGLLL               |
| Tag Field           | 0621                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 is a Mastercard Corporate Fleet Card<sup>®</sup> transaction at a fuel location and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I or one of the following incentive interchange rate programs

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                   |
|-----|-------------------------------|
| 16  | Warehouse Tier I              |
| 62  | Commercial Large Ticket I     |
| 67  | Commercial Data Rate II       |
| 68  | Commercial Data Rate I        |
| 91  | Warehouse Base                |
| 94  | Commercial Large Ticket II    |
| 99  | Commercial Large Ticket III   |
| F1  | Commercial Fleet Data Rate I  |
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

## Values

If present, PDS 0621 should be in the format hhmm, with hours in the range 00–23 and minutes in the range 00–59.

**NOTE: Midnight is provided as 0000.**

## PDS 0622 (Motor Fuel Service Type)

PDS 0622 (Motor Fuel Service Type) contains the type of service received at the acceptor site.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | ans-1; TAGLLL            |
| Tag Field           | 0622                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | .   | C   |

The motor fuel service type must be present and contain a valid value in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message when it is a Mastercard Corporate Fleet Card® (MCF, MNF, MGF) when these transactions are submitted with a fuel MCC (4468, 5541, 5499, 5552 or 5983) for any U.S.-acquired commercial interchange rate program.

### IRDs and descriptions

| IRD | Description               |
|-----|---------------------------|
| 16  | Warehouse Tier I          |
| 62  | Commercial Large Ticket I |
| 67  | Commercial Data Rate II   |

| IRD | Description                   |
|-----|-------------------------------|
| 68  | Commercial Data Rate I        |
| 91  | Warehouse Base                |
| 94  | Commercial Large Ticket II    |
| 99  | Commercial Large Ticket III   |
| F1  | Commercial Fleet Data Rate I  |
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

If the Motor Fuel Service (PDS 0622) type equals 3 (only non-fuel items being purchased) on the Fleet Transaction Information Addendum, these PDSs are required on the Financial Detail Addendum (Corporate Line Item Detail)/1644 messages when the purchase is with a Mastercard Corporate Fleet Card® (MCF, MPK, MGF, MNF) at fuel locations (MCC 4468, 5541, 5499, and 5983) and the transaction is submitted with one of the following U.S. region incentive interchange rate programs.

- PDS 0641 (Product Code)
- PDS 0642 (Item Description)
- PDS 0643 (Item Quantity)
- PDS 0645 (Item Unit of Measure)
- PDS 0647 (Extended Item Amount)
- PDS 0654 (Debit or Credit Indicator)

#### IRDs and descriptions

| IRD | Description                 |
|-----|-----------------------------|
| 16  | Warehouse Tier I            |
| 62  | Commercial Large Ticket I   |
| 67  | Commercial Data Rate II     |
| 68  | Commercial Data Rate I      |
| 91  | Warehouse Base              |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

If PDS 0622 (Motor Fuel Service Type) equals 3 (only non-fuel items being purchased) on the Fleet Transaction Information Addendum, these PDSs are required on the Financial Detail Addendum (Corporate Line Item Detail)/1644 messages when the purchase is with a

Mastercard Corporate Fleet Card (MCF and MGF) at fuel locations (MCC 4468, 5541, 5499, 5552, and 5983) and the transaction is submitted with one of the following U.S. region incentive interchange rate programs.

- PDS 0783 (Fleet Product Code)
- PDS 0784 (Fleet Item Description)
- PDS 0785 (Fleet Item Quantity)
- PDS 0786 (Fleet Item Unit of Measure)
- PDS 0787 (Fleet Extended Item Amount)

### IRDs and descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F1  | Commercial Fleet Data Rate I  |
| F2  | Commercial Fleet Data Rate II |
| FI  | Commercial Fleet Large Ticket |

PDS 0622 is required if the associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a fuel location and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I. When the value is 3 (only non-fuel products being purchased), these PDSs are required in Financial Detail Addendum (Corporate Line Item Detail)/1644 messages:

- PDS 0641 (Product Code)
- PDS 0642 (Item Description)
- PDS 0643 (Item Quantity)
- PDS 0645 (Item Unit of Measure)
- PDS 0646 (Unit Price)
- PDS 0647 (Extended Item Amount)
- PDS 0654 (Debit or Credit Indicator)

### Values

GCMS does not edit this subfield. If present, this PDS must contain a value listed in this table.

### Values and descriptions

| Value      | Description  |
|------------|--------------|
| 0 or space | Undefined    |
| 1          | Self-service |
| 2          | Full service |

| Value | Description                            |
|-------|----------------------------------------|
| 3     | Only non-fuel products being purchased |

PDS 622 must contain a value of 1 or 2 when submitted with fleet card transactions submitted with an acceptor business code (MCC) equal to 5542.

## PDS 0623 (Motor Fuel Information)

PDS 0623 (Motor Fuel Information) contains the acquirer's motor fuel product code translated from the information the attendant entered.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ns-35; TAGLLL              |
| Tag Field           | 0623                       |
| Data Length         | 3 positions, value = 035   |
| Data Field          | Fixed length, 35 positions |
| Subfield            | 6                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240 (Allowed for Mastercard Credit [MCC], Maestro [MSI], and Private Label [PVL] transactions only) | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                                               | C   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644                                                             | O   | .   | C   |

This PDS is required if these conditions occur:



- PDS 0622 (Motor Fuel Service Type) is present and contains a value other than 3.
- The associated First Presentment/1240 is a Mastercard Corporate Fleet Card® transaction at a fuel location and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                 |
|-----|-----------------------------|
| 16  | Warehouse Tier I            |
| 62  | Commercial Large Ticket I   |
| 67  | Commercial Data Rate II     |
| 68  | Commercial Data Rate I      |
| 91  | Warehouse Base              |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

### Values

If present, PDS 0623 Motor Fuel Information must be a fixed length of 35.

### Requirements

These are the requirements regulating the use of PDS 0623:

- PDS 0623 (Motor Fuel Information) must be present when these conditions are met:
  - DE 2 Primary Account Number in the associated First Presentment/1240 message contains a Fleet account range.
  - DE 26 Acceptor Business Code (MCC) in the associated First Presentment/1240 is 5541 or 5542.
  - PDS 0622 Motor Fuel Service Type is present and contains a value of 1 (Self-service) or 2 (Full service).
  - PDS 0158s4 Interchange Rate Designator is applicable.
- PDS 0623 (Motor Fuel Information) is allowed on First Presentment/1240 messages for Mastercard Credit (MCC), Maestro® (MSI) and Private Label (PVL) transactions only. This field will not be submitted to the transaction receiver if provided on a First Presentment/1240 for transactions other than Mastercard Credit, Maestro® or Private Label.
- For Mastercard Corporate Fleet Card® transactions, PDS 0623, subfield 6 (Motor Fuel Sale Amount) must equal the product of the value of PDS 0623, subfield 2 (Motor Fuel Unit Price) multiplied by the value in PDS 0623, subfield 4 (Motor Fuel Quantity). A tolerance of five percent is permitted to address rounding issues. The tolerance is applied on PDS 0623, subfield 6 (Sale Amount) and not on the calculated value (PDS 0623, subfield 2 multiplied by PDS 0623, subfield 4). Also, this edit does not round the calculated amount and low/high

tolerance amounts to the transaction currency exponent, and keeps six decimal positions on these values.

## PDS 0623 subfields

PDS 0623 contains six subfields.

### PDS 0623 subfields

| Number | Positions | Name                         | Attribute | Justification |
|--------|-----------|------------------------------|-----------|---------------|
| 1      | 1–3       | Motor Fuel Product Code      | n-3       | right         |
| 2      | 4–15      | Motor Fuel Unit Price        | n-12      | right         |
| 3      | 16        | Motor Fuel Unit of Measure   | ns-1      | N/A           |
| 4      | 17–22     | Motor Fuel Quantity          | n-6       | right         |
| 5      | 23        | Motor Fuel Quantity Exponent | n-1       | N/A           |
| 6      | 24–35     | Motor Fuel Sale Amount       | n-12      | right         |

### Subfield 1 (Motor Fuel Product Code)

Collection only, First Presentment/1240 transactions are excluded.

If PDS 0623 is present, subfield 1 must be one of the values listed in this table.

### Values and descriptions

| Value | Description                                   |
|-------|-----------------------------------------------|
| 001   | Unleaded Regular (86 or 87 octane)            |
| 002   | Unleaded Mid Grade (88 or 89 octane)          |
| 003   | Unleaded Premium (90 or 91 octane)            |
| 004   | Unleaded Super (92–94 octane)                 |
| 005   | Methanol Unleaded Regular (86 or 87 octane)   |
| 006   | Methanol Unleaded Mid Grade (88 or 89 octane) |
| 007   | Methanol Unleaded Premium (90 or 91 octane)   |
| 008   | Methanol Unleaded Super (92–94 octane)        |
| 009   | Methanol Regular Leaded                       |

Data element and private data subelement definitions and details  
Subfield 1 (Motor Fuel Product Code)

| Value | Description                                       |
|-------|---------------------------------------------------|
| 011   | Regular Leaded Gasoline                           |
| 012   | Diesel                                            |
| 013   | Diesel Premium                                    |
| 014   | Kerosene                                          |
| 015   | LPG                                               |
| 016   | Compressed Natural Gas                            |
| 017   | M85 (Methanol 85 percent)                         |
| 018   | E85 (Ethanol 85 percent)                          |
| 019   | Ethanol Unleaded Regular (86 or 87 octane)        |
| 020   | Ethanol Unleaded Mid Grade (88 or 89 octane)      |
| 021   | Ethanol Unleaded Premium (90 or 91 octane)        |
| 022   | Ethanol Unleaded Super (92–94 octane)             |
| 023   | Ethanol Regular Leaded                            |
| 024   | Unleaded Reformulated (86 or 87 octane)           |
| 025   | Unleaded Mid Grade Reformulated (88 or 89 octane) |
| 026   | Dyed Diesel                                       |
| 027   | Gasohol                                           |
| 028   | Biodiesel                                         |
| 029   | Ultra Low Sulfur Diesel (ULSD)                    |
| 100   | Aviation 100 Octane                               |
| 101   | Jet Fuel                                          |
| 102   | Aviation Fuel                                     |
| 150   | Marine Fuel                                       |
| 200   | Miscellaneous Fuel                                |
| 201   | Liquid Natural Gas                                |
| 202   | White Gas                                         |
| 203   | Racing Fuel                                       |
| 204   | Electric Vehicle Charge Level 1: 110v             |
| 205   | Electric Vehicle Charge Level 2: 240v             |
| 206   | Electric Vehicle Charge Level 3: 480v             |
| 207   | Biodiesel (Non-Taxable)                           |

| Value | Description                     |
|-------|---------------------------------|
| 208   | Diesel (Non-Taxable)            |
| 209   | Diesel Exhaust Fluid: Dispensed |

### Subfield 2 (Motor Fuel Unit Price)

If PDS 0623 is present, subfield 2 must be right-justified and numeric.

The motor fuel unit price must be right-justified with three positions to the right of the decimal.

### Subfield 3 (Motor Fuel Unit of Measure)

If PDS 0623 is present, Motor Fuel Unit of Measure must be a space or in the range 1–5 as in this table.

Collection only, First Presentment/1240 transactions are excluded.

#### Values and descriptions

| Value | Description      |
|-------|------------------|
| 1     | Gallons          |
| 2     | Liters           |
| 3     | Pounds           |
| 4     | Kilos            |
| 5     | Imperial gallons |
| 6     | Kilowatt hour    |
| 7     | Minutes          |
| 8     | Hours            |
| space | Not applicable   |

### Subfield 4 (Motor Fuel Quantity)

If PDS 0623 is present, motor fuel quantity must be numeric and greater than zero.

Collection only, First Presentment/1240 transactions are excluded.

### Subfield 5 (Motor Fuel Quantity Exponent)

If PDS 0623 is present, motor fuel quantity exponent must be in the range 0–5.

Collection only, First Presentment/1240 transactions are excluded.

PDS 0623, subfield 5 (Motor Fuel Quantity Exponent) is assumed to be three positions.

### Subfield 6 (Motor Fuel Sale Amount)

If PDS 0623 is present, motor Fuel Sale Amount must be numeric and greater than zero and in the same currency as the First Presentment/1240.

Collection only, First Presentment/1240 transactions will be excluded.

The currency exponent for PDS 0623, subfield 6 (Motor Fuel Sale Amount) is based on the exponent associated with the DE 49 (Currency Code, Transaction) from the associated First Presentment/1240 message.

## PDS 0624 (User Account Number)

PDS 0624 (User Account Number) contains the user's account number related to the telephony billing information.

### Attributes

| Attribute           | Description                   |
|---------------------|-------------------------------|
| Data Representation | ans...40; TAGLLLLVAR          |
| Tag Field           | 0624                          |
| Data Length         | 3 positions, value = 001–040  |
| Data Field          | Variable length, 40 positions |
| Subfields           | None                          |
| Justification       | Left                          |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Summary)/<br>1644 | O   | .   | C   |

### Values

PDS 0624 must be a length of 001–040. If present, PDS 0624 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0625 (User Telephone Number)

PDS 0625 (User Telephone Number) contains the user's telephone number related to the telephony billing information.

### Attributes

| Attribute           | Description                   |
|---------------------|-------------------------------|
| Data Representation | ans...25; TAGLLLLVAR          |
| Tag Field           | 0625                          |
| Data Length         | 3 positions, value = 001–025  |
| Data Field          | Variable length, 25 positions |
| Subfields           | None                          |
| Justification       | Left                          |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Summary)/<br>1644 | O   | .   | C   |

## Values

PDS 0625 must be a length of 001–025. If present, PDS 0625 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0626 (Billing Statement Period)

PDS 0626 (Billing Statement Period) contains the billing start and end dates.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0626                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Summary)/<br>1644 | O   | .   | C   |

## Values

PDS 0626 must be a fixed length of 012.

## PDS 0626 subfields

This PDS consists of two subfields.

### PDS 0626 subfields

| Number | Positions | Name                 | Attribute | Justification |
|--------|-----------|----------------------|-----------|---------------|
| 1      | 1–6       | Statement Start Date | n-6       | N/A           |
| 2      | 7–12      | Statement End Date   | n-6       | N/A           |

### Subfield 1 (Statement Start Date)

If present, subfield 1 (Statement Start Date) must be numeric and must be a valid date in the format YYMMDD.

### Subfield 2 (Statement End Date)

If present, subfield 2 (Statement End Date) must be numeric and must be a valid date in the format YYMMDD.

## PDS 0627 (Billing Event 1)

PDS 0627 (Billing Event 1) contains information pertaining to the telephony billing event.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...540; TAGLLLVAR           |
| Tag Field           | 0627                           |
| Data Length         | 3 positions, value = 054–540   |
| Data Field          | Variable length, 540 positions |
| Subfields           | 4                              |
| Occurrences         | 1–10                           |
| Justification       | See “Subfields”                |



## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Summary)/<br>1644 | O   | .   | C   |

## Values

PDS 0627 must be a length of 54–540, and it must be divisible by a minimum occurrence length of 54.

## PDS 0627 subfields

This PDS consists of four subfields.

### PDS 0627 subfields

| Number | Positions | Name                      | Attribute | Justification |
|--------|-----------|---------------------------|-----------|---------------|
| 1      | 1–12      | Billing Event Amount 1    | n-12      | right         |
| 2      | 13        | Billing Event Exponent 1  | n-1       | N/A           |
| 3      | 14        | Billing Event Sign 1      | a-1       | N/A           |
| 4      | 15–54     | Billing Event Description | ans-40    | left          |

### Subfield 1 (Billing Event Amount 1)

If PDS 0627 is present, subfield 1 (Billing Event Amount 1) must be numeric and contain the amount of the billing event, and it may be all zeros.

### Subfield 2 (Billing Event Exponent 1)

Subfield 2 (Billing Event Exponent 1) must be numeric and must be a value within the range of 0 to 5.

### Subfield 3 (Billing Event Sign 1)

If PDS 0627 is present, subfield 3 (Billing Event Sign 1) must contain a value of D or C. This subfield identifies whether PDS 0627 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                         |
|-------|-------------------------------------|
| D     | Billing Event amount 2 is a debit.  |
| C     | Billing Event amount 2 is a credit. |

### Subfield 4 (Billing Event Description 1)

If PDS 0627 is present, subfield 4 (Billing Event Description 1) contains the description of the billing event. It must be a fixed length of 40 positions, be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0628 (Billing Event 2)

PDS 0628 (Billing Event 2) contains information pertaining to the telephony billing event.

#### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...540; TAGLLLLVAR          |
| Tag Field           | 0628                           |
| Data Length         | 3 positions, value = 054–540   |
| Data Field          | Variable length, 540 positions |
| Subfields           | 4                              |
| Occurrences         | 1–10                           |
| Justification       | See "Subfields"                |

#### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Summary)/<br>1644 | O   | .   | C   |

### Values

PDS 0628 must be a length of 54–540, and it must be divisible by a minimum occurrence length of 54.

### PDS 0628 subfields

This PDS consists of four subfields.

### PDS 0628 subfields

| Number | Positions | Name                        | Attribute | Justification |
|--------|-----------|-----------------------------|-----------|---------------|
| 1      | 1–12      | Billing Event Amount 2      | n-12      | right         |
| 2      | 13        | Billing Event Exponent 2    | n-1       | N/A           |
| 3      | 14        | Billing Event Sign 2        | a-1       | N/A           |
| 4      | 15–54     | Billing Event Description 2 | ans-40    | left          |

### Subfield 1 (Billing Event Amount 2)

If PDS 0628 is present, subfield 1 (Billing Event Amount 2) must be numeric and contain the amount of the billing event, and it may be all zeros.

### Subfield 2 (Billing Event Exponent 2)

PDS 0628, subfield 2 (Billing Event Exponent 2) must be numeric and must be a value within the range of 0 to 5.

### Subfield 3 (Billing Event Sign 2)

If PDS 0628 is present, subfield 3 (Billing Event Sign 2) must contain a value of D or C. This subfield identifies whether PDS 0628 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                         |
|-------|-------------------------------------|
| D     | Billing event amount 2 is a debit.  |
| C     | Billing event amount 2 is a credit. |

### Subfield 4 (Billing Event Description 2)

If PDS 0628 is present, subfield 4 (Billing Event Description 2) contains the description of the billing event. It must be a fixed length of 40 positions, left-justified, and it cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0629 (Odometer Reading)

PDS 0629 (Odometer Reading) contains the vehicle odometer reading the purchaser entered.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...7; TAGLLLLVAR            |
| Tag Field           | 0629                           |
| Data Length         | 3 positions, value = 001–007   |
| Data Field          | Variable length, 1–7 positions |
| Subfields           | None                           |
| Justification       | Left                           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                              | Org | Sys | Dst |
|----------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240 (Allowed for Maestro [MSI] transactions only) | O   | .   | C   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | C   | .   | C   |

This PDS is allowed on First Presentment messages for Maestro® (MSI) transactions only. This field will not be submitted to the transaction receiver if provided on a First Presentment/1240 for transactions other than Maestro®.

This PDS is required if these conditions occur:

- PDS 0632 (Product Type Code) contains a value in the range 1–4.
- The associated First Presentment/1240 is a Mastercard Corporate Fleet Card® transaction at a fuel location and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                 |
|-----|-----------------------------|
| 16  | Warehouse Tier I            |
| 62  | Commercial Large Ticket 1   |
| 67  | Commercial Data Rate II     |
| 91  | Warehouse Base              |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

### Values

If present, PDS 0629 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0630 (Vehicle Number)

PDS 0630 (Vehicle Number) is the number assigned to the vehicle by the business using the Mastercard Corporate Fleet Card® and entered by the cardholder at the point of interaction.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...17; TAGLLLLVAR            |
| Tag Field           | 0630                            |
| Data Length         | 3 positions, value = 001-017    |
| Data Field          | Variable length, 1-17 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | .   | C   |

This PDS is required if these conditions occur:

- No data is present in Driver Number/ID Number (PDS 0631).
- PDS 0632 (Product Type Code) contains a value of 2.
- The associated First Presentment/1240 is a Mastercard Corporate Fleet Card® transaction at a fuel location and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.

### U.S. region Incentive Interchange Rate Programs

| IRD | Description               |
|-----|---------------------------|
| 16  | Warehouse Tier I          |
| 62  | Commercial Large Ticket 1 |

| IRD | Description                 |
|-----|-----------------------------|
| 67  | Commercial Data Rate II     |
| 91  | Warehouse Base              |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

When the transaction is a Mastercard Corporate Fleet Card® (MCF, MPK, MNF, or MGF) transaction at a fuel location MCC (4468, 5541, 5542, 5499, or 5983), and was submitted for one of the above interchange programs (BQ, 16, 62, 67, 91, 94, and 99), PDS 0632 (Product Type Code) is present and contains one of these values:

- 1 (Prompts for ID number and odometer reading)
- 2 (Prompts for vehicle number and odometer reading), or
- 3 (Prompts for driver number and odometer reading).

The data in the Authorization Request/0100 message matches this data in the Corporate Fleet Transaction Information Addendum/1644:

- Driver ID: CIS DE 48 (Additional Data, Private Use), subelement 98 (Mastercard Corporate Fleet Card ID/ Driver Number) and IPM PDS 0631 (Driver Number/ID Number)
- Driver Number: CIS DE 48, subelement 98 (Mastercard Corporate Fleet Card ID/Driver Number) and IPM PDS 0631 (Driver Number/ID Number)
- Vehicle Number: CIS DE 48, subelement 99 (Mastercard Corporate Fleet Card Vehicle Number) and IPM PDS 0630 (Vehicle Number).

When the data requirements are not met, the transaction is downgraded to IRD 68 (Business Core Value Data Rate 1) through Mastercard® Interchange Compliance.

### Values

If present, PDS 0630 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0631 (Driver Number/ID Number)

PDS 0631 (Driver Number/ID Number) contains the number assigned to the driver by the business using the Mastercard Corporate Fleet Card and entered by the cardholder at the point of interaction.

### Attributes

| Attribute            | Description          |
|----------------------|----------------------|
| Data Representation: | ans...17; TAGLLLLVAR |

| Attribute     | Description                     |
|---------------|---------------------------------|
| Tag Field     | 0631                            |
| Data Length   | 3 positions, value = 001–017    |
| Data Field    | Variable length, 1–17 positions |
| Subfields     | None                            |
| Justification | Left                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | •   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | •   | C   |

This PDS is required if these conditions occur:

- Product Type Code (PDS 0632) contains a value of 1 or 3.
- The associated First Presentment/1240 is a Mastercard Corporate Fleet Card transaction at a fuel location and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.

## U.S. region Incentive Interchange Rate Programs

| IRD | Description                 |
|-----|-----------------------------|
| 16  | Warehouse Tier I            |
| 62  | Commercial Large Ticket 1   |
| 67  | Commercial Data Rate II     |
| 91  | Warehouse Base              |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

When the transaction is a Mastercard Corporate Fleet Card



(MCF, MPK, MNF, or MGF) transaction at a fuel location MCC (4468, 5541, 5542, 5499, or 5983), and was submitted for one of the above interchange programs (BQ, 16, 62, 67, 91, 94, and 99), PDS 0632 (Product Type Code) is present and contains one of these values.

- 1 (Prompts for ID number and odometer reading)
- 2 (Prompts for vehicle number and odometer reading)
- 3 (Prompts for driver number and odometer reading)

The data in the Authorization Request/0100 message matches the data in the Corporate Fleet Transaction Information Addendum/1644 message as follows.

- Driver ID: CIS DE 48 (Additional Data, Private Use), subelement 98 (Mastercard Corporate Fleet Card ID/ Driver Number) and IPM PDS 0631 (Driver Number/ID Number)
- Driver Number: CIS DE 48, subelement 98 (Mastercard Corporate Fleet Card ID/Driver Number) and IPM PDS 0631 (Driver Number/ID Number)
- Vehicle Number: CIS DE 48, subelement 99 (Mastercard Corporate Fleet Card Vehicle Number) and IPM PDS 0630 (Vehicle Number).

When the data requirements are not met, the transaction will be downgraded to IRD 68 (Business Core Value Data Rate 1) through Mastercard Corporate Fleet Card Interchange Compliance.

### Values

If present, PDS 0631 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros. In addition, the first position of PDS 0631 must contain a numeric value.

## PDS 0632 (Product Type Code)

PDS 0632 (Product Type Code) contains a code read from a card magnetic stripe that indicates prompts that occur at the point of interaction.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-1; TAGLLL              |
| Tag Field           | 0632                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | •   | C   |

This PDS is required if the associated First Presentment/1240 is a Mastercard Corporate Fleet Card® transaction at a fuel location and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                     |
|-----|---------------------------------|
| 16  | World Small Ticket Card Present |
| 62  | Commercial Large Ticket I       |
| 67  | Commercial Data Rate II         |
| 91  | Warehouse Base                  |
| 94  | Commercial Large Ticket II      |
| 99  | Commercial Large Ticket III     |

When the transaction is a Mastercard Corporate Fleet Card® (MCF, MPK, MNF, or MGF) transaction at a fuel location MCC (4468, 5541, 5542, 5499, or 5983), and was submitted for one of the above interchange programs (BQ, 16, 62, 67, 91, 94, and 99), PDS 0632 (Product Type Code) is present and contains one of these values:

- 1 (Prompts for ID number and odometer reading)
- 2 (Prompts for vehicle number and odometer reading), or
- 3 (Prompts for driver number and odometer reading).

The data in the Authorization Request/0100 message matches the data in the Corporate Fleet Transaction Information Addendum/1644 message as follows.

- Driver ID: CIS DE 48 (Additional Data, Private Use), subelement 98 (Mastercard Corporate Fleet Card ID/ Driver Number) and IPM PDS 0631 (Driver Number/ID Number)

- Driver Number: CIS DE 48, subelement 98 (Mastercard Corporate Fleet Card ID/Driver Number) and IPM PDS 0631 (Driver Number/ID Number)
- Vehicle Number: CIS DE 48, subelement 99 (Mastercard Corporate Fleet Card Vehicle Number) and IPM PDS 0630 (Vehicle Number).

When the data requirements are not met, the transaction will be downgraded to IRD 68 (Business Core Value Data Rate 1) through Mastercard® Interchange Compliance.

## Values

If present, PDS 0632 must contain a value in the range 1–5 as shown in this table.

### Values

| Value | Description                                     |
|-------|-------------------------------------------------|
| 1     | Prompts for ID number and odometer reading      |
| 2     | Prompts for vehicle number and odometer reading |
| 3     | Prompts for driver number and odometer reading  |
| 4     | Prompts for odometer reading only               |
| 5     | No prompts issued                               |

Values 1–4 are used in the editing process for Mastercard Corporate Fleet Card® transactions conducted at fuel locations that are submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                     |
|-----|---------------------------------|
| 16  | World Small Ticket Card Present |
| 62  | Commercial Large Ticket I       |
| 67  | Commercial Data Rate II         |
| 91  | Warehouse Base                  |
| 94  | Commercial Large Ticket II      |
| 99  | Commercial Large Ticket III     |

## Required related PDSs

These PDSs are required to be present when PDS 0632 is present, depending on the value submitted.

### Related required PDS information

| If PDS 0632 contains a... | Then these PDSs are required                                       |
|---------------------------|--------------------------------------------------------------------|
| 1                         | PDS 0631 (Driver Number/ID Number) and PDS 0629 (Odometer Reading) |
| 2                         | PDS 0630 (Vehicle Number) and PDS 0629 (Odometer Reading)          |
| 3                         | PDS 0631 (Driver Number/ID Number) and PDS 0629 (Odometer Reading) |
| 4                         | PDS 0629 (Odometer Reading)                                        |

## PDS 0633 (Coupon/Discount Amount)

PDS 0633 (Coupon/Discount Amount) contains the coupon or discount dollar amount.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0633                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |

## Values

If present, PDS 0633 must contain a numeric value.

## PDS 0634 (Tax Amount 1)

PDS 0634 (Tax Amount 1) contains the tax amount for tax-exempt fleets.

### Attributes

| Attribute           | Description                        |
|---------------------|------------------------------------|
| Data Representation | n...12; TAGLLLVAR                  |
| Tag Field           | 0634                               |
| Data Length         | 3 positions, value = 006-012       |
| Data Field          | Variable length, 006-012 positions |
| Subfields           | None                               |
| Justification       | N/A                                |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                   | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | O   | .   | C   |

## Values

If present, PDS 0634 must be numeric and may contain all zeros.

## PDS 0635 (Tax Amount 2)

PDS 0635 (Tax Amount 2) contains the tax amount for tax-exempt transactions.

### Attributes

| Attribute           | Description                        |
|---------------------|------------------------------------|
| Data Representation | n...12; TAGLLLVAR                  |
| Tag Field           | 0635                               |
| Data Length         | 3 positions, value = 006-012       |
| Data Field          | Variable length, 006-012 positions |
| Subfields           | None                               |
| Justification       | N/A                                |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                   | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | O   | .   | C   |

### Values

If present, PDS 0635 must be numeric and may contain all zeros.

## PDS 0636 (Call Date)

PDS 0636 (Call Date) contains the date of the call related to the telephony billing detail.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0636                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                   | Org | Sys | Dst |
|-----------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Detail)/1644 | O   | .   | C   |

### Values

PDS 0636 must be a fixed length of 006. If present, PDS 0636 must be numeric and a valid date in the format YYMMDD.

## PDS 0637 (Call Time)

PDS 0637 (Call Time) contains the time of the call related to the telephony billing detail.

### Attributes

| Attribute           | Description |
|---------------------|-------------|
| Data Representation | n-6; TAGLLL |
| Tag Field           | 0637        |

| Attribute     | Description               |
|---------------|---------------------------|
| Data Length   | 3 positions, value = 006  |
| Data Field    | Fixed length, 6 positions |
| Subfields     | None                      |
| Justification | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                   | Org | Sys | Dst |
|-----------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Detail)/1644 | O   | .   | C   |

### Values

PDS 0637 must be a fixed length of 006. If present, PDS 0637 must be numeric and a valid time in the format HHMMSS.

## PDS 0638 (Call To Information)

PDS 0638 (Call To Information) contains the call location information and the phone number called pertaining to the telephony billing event.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-146; TAGLLL             |
| Tag Field           | 0638                        |
| Data Length         | 3 positions, value = 146    |
| Data Field          | Fixed length, 146 positions |
| Subfields           | 5                           |
| Justification       | See "Subfields"             |



## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Summary)/<br>1644 | O   | .   | C   |

## Values

PDS 0638 must be a fixed length of 146.

## PDS 0638 subfields

This PDS consists of five subfields.

### PDS 0638 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1-40      | Call To City           | ans-40    | left          |
| 2      | 41-80     | Call To State/Province | ans-40    | left          |
| 3      | 81-120    | Call To Country        | ans-40    | left          |
| 4      | 121-145   | Call To Number         | ans-25    | left          |
| 5      | 146       | Call To Type           | an-1      | N/A           |

### Subfield 1 (Call To City)

If PDS 0638 is present, subfield 1 (Call To City) must contain the city to which the call was made. It must be left-justified with trailing spaces and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 2 (Call To State/Province)

If PDS 0638 is present, subfield 2 (Call To State/Province) must contain the state/province to which the call was made. It must be left-justified with trailing spaces and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 3 (Call To Country)

If PDS 0638 is present, subfield 3 (Call To Country) must contain the country to which the call was made. It must be left-justified with trailing spaces and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 4 (Call To Number)

If PDS 0638 is present, subfield 4 (Call To Number) must contain the phone number called. It must be left-justified with trailing spaces and cannot contain all low values, all high values, all spaces, or all zeros.

For transactions acquired in the U.S. or Canada region, subfield 4 must contain a 10-position phone number, left-justified with trailing spaces. The first three positions must be numeric.

### Subfield 5 (Call To Type)

If PDS 0638 is present, subfield 5 (Call To Type) must contain one of the values listed in this table.

#### Values and descriptions

| Value | Description    |
|-------|----------------|
| C     | Outgoing Call  |
| I     | Incoming Call  |
| V     | Voice Mail     |
| P     | Page           |
| O     | Other          |
| F     | Toll-Free Call |

## PDS 0639 (Call Duration)

PDS 0639 (Call Duration) contains the duration of the call related to the telephony billing detail.

#### Attributes

| Attribute           | Description |
|---------------------|-------------|
| Data Representation | n-6; TAGLLL |

| Attribute     | Description               |
|---------------|---------------------------|
| Tag Field     | 0639                      |
| Data Length   | 3 positions, value = 006  |
| Data Field    | Fixed length, 6 positions |
| Subfields     | None                      |
| Justification | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                   | Org | Sys | Dst |
|-----------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Detail)/1644 | O   | .   | C   |

### Values

PDS 0639 must be a fixed length of 006. If present, PDS 0639 must be numeric and should be in the format HHMMSS.

## PDS 0640 (Call Time Period)

PDS 0640 (Call Time Period) describes the period (such as peak or off-peak) of the call related to the telephony billing detail.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | an-2; TAGLLL              |
| Tag Field           | 0640                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                                                   | Org | Sys | Dst |
|-----------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Detail)/1644 | O   | .   | C   |

## Values

If present, PDS 0640 must contain one of the values listed in this table.

### Values

| Value | Description     |
|-------|-----------------|
| PP    | Peak Period     |
| OP    | Off-Peak Period |
| MP    | Multiple Period |
| OT    | Other           |

PDS 0640 must be a fixed length of 002.

## PDS 0641 (Product Code)

PDS 0641 (Product Code) contains the industry or Acceptor defined product code of the individual item purchased or the Mastercard assigned product code in transactions that meet defined conditions.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...15; TAGLLLVAR             |
| Tag Field           | 0641                            |
| Data Length         | 3 positions, value = 001-015    |
| Data Field          | Variable length, 1-15 positions |

| Attribute     | Description |
|---------------|-------------|
| Subfields     | None        |
| Justification | Left        |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644     | C   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

PDS 0641 (Product Code) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message when one of these conditions occur:

- PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.
- The associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a fuel location MCC and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I and PDS0622 contains value 3.
- The associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a maintenance location MCC and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.
- The associated First Presentment/1240 message is a not Shipping/Courier MCC or Temporary Services MCC and is submitted for IRD BR: Canada Intracountry Commercial Data Rate II or IRD BS: Canada Intracountry Commercial Large Ticket.

The business service arrangement is U.S.-to-U.S. where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.

Associated First Presentment/1240 messages should contain a fuel MCC in DE 26 (Acceptor Business). The applicable IRDs for the First Presentment/1240 messages are listed in this table.

### IRD and descriptions

| IRD | Description                       |
|-----|-----------------------------------|
| 16  | Commercial Warehouse Tier I       |
| 62  | Commercial Large Ticket I         |
| 67  | Commercial Data Rate II           |
| 68  | Commercial Data Rate I            |
| 91  | Commercial Warehouse Base         |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

PDS 0641 must be present in a Financial Detail Addendum (Corporate Line Item Detail)/1644 message when PDS 0642 (Item Description) is not present and when all of these conditions exist:

The business service is equal to one of the values listed in this table.

## Business service

| Business Service Type Code (PDS 0158, subfield 2) | Business Service ID (PDS 0158, subfield 3) | Description          |
|---------------------------------------------------|--------------------------------------------|----------------------|
| 2                                                 | 050001                                     | Europe Intraregional |
| 3                                                 | 050012                                     | Europe Intercountry  |
| 3                                                 | 050021                                     | Europe Intercountry  |
| 3                                                 | 050031                                     | Europe Intercountry  |

**NOTE: This applies to additional European domestic arrangements.**

The Product Code should be provided for Mastercard Corporate Fleet Card® transactions occurring at fuel locations, when PDS 0622 (Motor Fuel Service Type) is 3 and the transactions are submitted for any U.S.-acquired Commercial interchange rate program for which Fleet transactions at fuel locations are valid.

PDS 0641 must be present when these conditions exist:

- The Business Service is U.S.-to-U.S. (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001).
- The associated First Presentment/1240 contains a shipping/courier MCC in DE 26 (Acceptor Business Code [MCC]), and a Financial Detail Addendum (Shipping/Courier Services)/1644 message is not provided
- The associated First Presentment/1240 does not contain a temporary services MCC in DE 26.
- The IRD submitted in the associated First Presentment/1240 is one of the values in this table.

## IRD and descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| 26  | Purchasing Large Ticket Level 1 Interchange |
| 27  | Purchasing Large Ticket Level 2 Interchange |
| 62  | Commercial Large Ticket I                   |
| 66  | Commercial Data Rate III                    |
| 94  | Commercial Large Ticket II                  |
| 99  | Commercial Large Ticket III                 |

If the transaction submitted:

- Is for a U.S. to U.S. Business Service Arrangement (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001)
- Requires a Financial Detail Addendum (Corporate Line Item Detail)/1644 message
- And is not submitted for one of the U.S. region corporate interchange programs listed in this table.

### IRD and descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| 26  | Purchasing Large Ticket Level 1 Interchange |
| 27  | Purchasing Large Ticket Level 2 Interchange |
| 62  | Commercial Large Ticket I                   |
| 66  | Commercial Data Rate III                    |
| 94  | Commercial Large Ticket II                  |
| 99  | Commercial Large Ticket III                 |
| SC  | Business Level 2 Data Rate III              |
| SE  | Business Level 2 Large Ticket I             |
| SF  | Business Level 2 Large Ticket II            |
| SG  | Business Level 2 Large Ticket III           |
| 3C  | Business Level 3 Data Rate III              |
| 3E  | Business Level 3 Large Ticket I             |
| 3F  | Business Level 3 Large Ticket II            |
| 3G  | Business Level 3 Large Ticket III           |
| 4C  | Business Level 4 Data Rate III              |
| 4E  | Business Level 4 Large Ticket I             |
| 4F  | Business Level 4 Large Ticket II            |
| 4G  | Business Level 4 Large Ticket III           |

Then one of the values in this table must be present.



### Field and descriptions

| Field    | Description               |
|----------|---------------------------|
| PDS 0641 | Product Code              |
| PDS 0642 | Item Description          |
| PDS 0643 | Item Quantity             |
| PDS 0645 | Item Unit of Measure      |
| PDS 0647 | Extended Item Amount      |
| PDS 0654 | Debit or Credit Indicator |

### Values

PDS 0641 (Product Code) must contain a code for the individual item purchased based on one of the following industry standards:

### Data representation per industry standard

| Industry standard                 | Data representation      |
|-----------------------------------|--------------------------|
| European Article Number 13 (EA13) | n-13                     |
| European Article Number 8 (EAN8)  | n-8                      |
| Global Trade Item Number (GTIN)   | n-8, n-12, n-13, or n-14 |
| Price Look Up Codes (PLUP)        | n-4 or n-5               |
| Reduce Space Symbology 14 (RS14)  | n-14                     |
| Uniform Product Code A (UPCA)     | n-12                     |
| Uniform Product Code E (UPCE)     | n-6                      |
| Other                             | an...15                  |

If no standards apply to the product or service, then a merchant defined inventory tracking code should be used.

PDS 0641 (Product Code) must not contain descriptors. For example, the following must not be used:

- Service
- Bill Payment
- Default
- Postage

- Misc
- Tip

PDS 0641 (Product Code) must not contain a Mastercard Product Identifier or Card Program Identifier. For example:

- DMC
- MCF
- MCP
- MCO

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with non-fuel purchases conducted with a Mastercard Corporate Fleet Card® at a fuel location, PDS 0641 should be provided and must contain a three-position non-fuel product code in the range 030–099 or 300–999.

### Values

| Value | Description                        |
|-------|------------------------------------|
| 030   | Motor Oil                          |
| 031   | Oil Change                         |
| 032   | Engine Service                     |
| 033   | Transmission Service               |
| 034   | Brake Service                      |
| 035   | Solvent                            |
| 036   | Brake Fluid                        |
| 037   | Miscellaneous Parts                |
| 038   | Miscellaneous Labor                |
| 039   | Miscellaneous Repairs              |
| 040   | TBA (tire, batteries, accessories) |
| 041   | Tires                              |
| 042   | Batteries                          |
| 043   | Automotive Accessories             |
| 044   | Automotive Glass                   |
| 045   | Car Wash                           |
| 046   | Towing                             |
| 047   | Diesel Exhaust Fluid               |

| <b>Value</b> | <b>Description</b>           |
|--------------|------------------------------|
| 070          | Cigarettes/Tobacco           |
| 078          | Health/Beauty Aid            |
| 079          | Miscellaneous Food/Grocery   |
| 080          | Soda                         |
| 081          | Beer/Wine                    |
| 082          | Milk/Juice                   |
| 083          | Restaurant                   |
| 089          | Miscellaneous Beverage       |
| 099          | Miscellaneous Other          |
| 300          | Aviation Maintenance         |
| 301          | De-icing                     |
| 302          | APU or Aircraft Jump Start   |
| 303          | Aviation Catering            |
| 304          | Tiedown or Hangar            |
| 305          | Landing Fee                  |
| 306          | Ramp Fee                     |
| 307          | Call Out Fee                 |
| 308          | Plane Rental                 |
| 309          | Instruction Fee              |
| 310          | Miscellaneous Aviation       |
| 311          | Flight Planning/Weather Fees |
| 312          | Charter Fees                 |
| 313          | Ground Handling              |
| 314          | Communications Fees          |
| 315          | Aircraft Cleaning            |
| 316          | Cargo Handling               |
| 317          | Aviation Accessories         |
| 350          | Boat Service                 |

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Temporary Services)/1644 message, PDS 0641 should contain a value of Temporary-01.

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Shipping/Courier Services)/1644 message, PDS 0641 should contain a value of Shipping-01.

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 message is submitted in conjunction with a lodging MCC, PDS 0641 (Product Code) must be one of the values in this table.

### Product codes

| Value  | Description             |
|--------|-------------------------|
| L-1000 | Room Rate               |
| L-1020 | Room Tax                |
| L-1021 | Non-Room Tax            |
| L-1100 | Room Service Charges    |
| L-1101 | Restaurant Charges      |
| L-1102 | Tray Charges            |
| L-1103 | Gratuities              |
| L-1104 | Prepaid Expenses        |
| L-1105 | Telephone Charges       |
| L-1106 | Movie Charges           |
| L-1107 | Dry Cleaning Charges    |
| L-1108 | Laundry Charges         |
| L-1109 | Health Club Charges     |
| L-1110 | Valet Charges           |
| L-1111 | Gift Shop Charges       |
| L-1112 | Cash Disbursements      |
| L-1113 | Business Center Charges |
| L-1114 | Lounge Charges          |
| L-1115 | Bar Charges             |
| L-1116 | Mini-Bar Charges        |
| L-1117 | Audiovisual Charges     |
| L-1118 | Banquet Charges         |
| L-1119 | Conference Room Charges |

| Value  | Description             |
|--------|-------------------------|
| L-1120 | Early Departure Charges |
| L-1121 | Transportation Charges  |
| L-1122 | Internet Access Charges |
| L-9999 | Miscellaneous Charges   |

In all other situations, PDS 0641 must be left-justified and cannot contain all zeros or all spaces.

### Processing rules

When an occurrence of the Financial Detail Addendum (Corporate Line Item Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0641 (Product Code) and PDS 0641 must contain a valid value, unless it is a qualifying Mastercard Fleet Card transaction with a fleet card product code of MCF or MGF that requires the presence of PDS 0783 (Fleet Product Code).

## PDS 0642 (Item Description)

PDS 0642 (Item Description) contains the description of the individual item purchased.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...35; TAGLLLVAR             |
| Tag Field           | 0642                            |
| Data Length         | 3 positions, value = 001-035    |
| Data Field          | Variable length, 1-35 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644     | C   | .   | C   |
| Financial Detail Addendum (Healthcare)/1644                     | M   | .   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

PDS 0642 (Item Description) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message when one of these conditions occur:

- PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.
- The associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a fuel location MCC and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I and PDS0622 contains value 3.
- The associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a maintenance location MCC and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.
- The associated First Presentment/1240 message is a not Shipping/Courier MCC or Temporary Services MCC and is submitted for IRD BR: Canada Intracountry Commercial Data Rate II or IRD BS: Canada Intracountry Commercial Large Ticket.

The business service arrangement is U.S.-to-U.S. where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.

Associated First Presentment/1240 messages should contain a fuel MCC in DE 26 (Acceptor Business). The applicable IRDs for the First Presentment/1240 messages are listed in this table.

### IRDs and descriptions

| IRD | Description                 |
|-----|-----------------------------|
| 16  | Commercial Warehouse Tier I |
| 62  | Commercial Large Ticket I   |
| 67  | Commercial Data Rate II     |
| 68  | Commercial Data Rate I      |
| 91  | Commercial Warehouse Base   |
| 94  | Commercial Large Ticket II  |

| IRD | Description                       |
|-----|-----------------------------------|
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Temporary Services)/1644 message, PDS 0642 should contain Temporary Services.

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Shipping/Courier Services)/1644 message, PDS 0642 should contain Shipping Services.

PDS 0642 must be present in a Financial Detail Addendum (Corporate Line Item Detail)/1644 message when all these conditions exist.

- The product code is MCP or MCF at a non-fuel location.
- When PDS 0641 (Product Code) is not present.
- The Business Service is equal to one of the values listed in this table.

### Business services and descriptions

| Business Service Type<br>Code (PDS 0158,<br>subfield 2) | Business Service ID<br>(PDS 0158, subfield 3) | Description          |
|---------------------------------------------------------|-----------------------------------------------|----------------------|
| 2                                                       | 050001                                        | Europe Intraregional |
| 3                                                       | 050012                                        | Europe Intercountry  |
| 3                                                       | 050021                                        | Europe Intercountry  |

| <b>Business Service Type Code (PDS 0158, subfield 2)</b> | <b>Business Service ID (PDS 0158, subfield 3)</b> | <b>Description</b>  |
|----------------------------------------------------------|---------------------------------------------------|---------------------|
| 3                                                        | 050031                                            | Europe Intercountry |

**NOTE: This applies to additional European domestic arrangements.**

The IRD submitted in the associated First Presentment/1240 is one of the values listed in this table.

### IRDs and descriptions

| <b>IRD</b> | <b>Description</b>                          |
|------------|---------------------------------------------|
| 26         | Purchasing Large Ticket Level 1 Interchange |
| 27         | Purchasing Large Ticket Level 2 Interchange |

PDS 0642 must be present when these conditions exist.

- The Business Service is U.S.-to-U.S. (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001).
- The associated First Presentment/1240 contains a shipping/courier MCC in DE 26 (Acceptor Business Code [MCC]), and a Financial Detail Addendum (Shipping/Courier Services)/1644 message is not provided The associated First Presentment/1240 does not contain a temporary services MCC in DE 26.
- The IRD submitted in the associated First Presentment/1240 is one of the values in this table.

### IRDs and descriptions

| <b>IRD</b> | <b>Description</b>          |
|------------|-----------------------------|
| 62         | Commercial Large Ticket I   |
| 66         | Commercial Data Rate III    |
| 94         | Commercial Large Ticket II  |
| 99         | Commercial Large Ticket III |

If the transaction that is submitted:

- Is for a U.S. to U.S. Business Service Arrangement (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001)



- Requires a Financial Detail Addendum (Corporate Line Item Detail)/1644 message, and
- Is not submitted for one of the U.S. region corporate interchange programs listed in this table.

### IRDs and descriptions

| IRD | Description                 |
|-----|-----------------------------|
| 62  | Commercial Large Ticket I   |
| 66  | Commercial Data Rate III    |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

Then one of the fields listed in this table must be present.

### Fields and descriptions

| Field    | Description               |
|----------|---------------------------|
| PDS 0641 | Product Code              |
| PDS 0642 | Item Description          |
| PDS 0643 | Item Quantity             |
| PDS 0645 | Item Unit of Measure      |
| PDS 0647 | Extended Item Amount      |
| PDS 0654 | Debit or Credit Indicator |

### Values

If present, PDS 0642 must be left-justified and cannot contain all spaces, all zeros, all low values, or all high values.

Item Description must contain the description of the individual item purchased exactly as shown on the Transaction Information Document (Transaction receipt) or buyer invoice.

Item Description must not contain repetitive characters, strings of numbers or special characters, or generic descriptors. For example, the following values must not be used:

- Food/Grocery
- General Merchandise/Merchandise
- Government Services
- Insurance

- Invoice/Invoice Charges
- Label
- Miscellaneous/Misc
- Other
- Parts
- Payment On Account
- Product
- Services
- Utility Bill/Bill/Bill Payment

### Processing rules

When an occurrence of the Financial Detail Addendum (Corporate Line Item Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0642 (Item Description) and PDS 0642 must contain a meaningful description for the good or service purchased, unless it is a qualifying Mastercard Fleet Card transaction with a fleet card product code of MCF or MGF that requires the presence of PDS 0784 (Fleet Item Description).

## PDS 0643 (Item Quantity)

PDS 0643 (Item Quantity) indicates the quantity of the item purchased and the associated decimal point location.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-13; TAGLLL               |
| Tag Field           | 0643                       |
| Data Length         | 3 positions, value = 013   |
| Data Field          | Fixed length, 13 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644     | C   | .   | C   |
| Financial Detail Addendum (Healthcare)/1644                     | M   | .   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

PDS 0643 (Item Quantity) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message when one of these conditions occur:

- PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.
- The associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a fuel location MCC and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I and PDS0622 contains value 3.
- The associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a maintenance location MCC and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.
- The associated First Presentment/1240 message is a not Shipping/Courier MCC or Temporary Services MCC and is submitted for IRD BR: Canada Intracountry Commercial Data Rate II or IRD BS: Canada Intracountry Commercial Large Ticket.

The business service arrangement is U.S.-to-U.S. where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.

Associated First Presentment/1240 messages should contain a fuel MCC in DE 26 (Acceptor Business Code). The applicable IRDs for the First Presentment/1240 messages are listed in this table.

### IRDs and descriptions

| IRD | Description                 |
|-----|-----------------------------|
| 16  | Commercial Warehouse Tier I |
| 62  | Commercial Large Ticket I   |
| 67  | Commercial Data Rate II     |
| 68  | Commercial Data Rate I      |
| 91  | Commercial Warehouse Base   |

| IRD | Description                       |
|-----|-----------------------------------|
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

PDS 0643 must be present in a Financial Detail Addendum (Corporate Line Item Detail)/1644 message when all these conditions exist:

- The product code is MCP or MCF at a non-fuel location.
- The business service is equal to one of the values listed in this table.

### Business services and descriptions

| Business Service Type<br>Code (PDS 0158,<br>subfield 2) | Business Service ID<br>(PDS 0158, subfield 3) | Description          |
|---------------------------------------------------------|-----------------------------------------------|----------------------|
| 2                                                       | 050001                                        | Europe Intraregional |
| 3                                                       | 050012                                        | Europe Intercountry  |
| 3                                                       | 050021                                        | Europe Intercountry  |
| 3                                                       | 050031                                        | Europe Intercountry  |

**NOTE: This applies to additional European domestic arrangements.**

The IRD submitted in the associated First Presentment/1240 is one of the values listed in this table.

### IRDs and descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| 26  | Purchasing Large Ticket Level 1 Interchange |
| 27  | Purchasing Large Ticket Level 2 Interchange |

PDS 0643 must be present when these conditions exist:

- The Business Service is U.S.-to-U.S. (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001).
- The associated First Presentment/1240 contains a shipping/courier MCC in DE 26 (Acceptor Business Code [MCC]), and a Financial Detail Addendum (Shipping/Courier Services)/1644 message is not provided The associated First Presentment/1240 does not contain a temporary services MCC in DE 26.
- The IRD submitted in the associated First Presentment/1240 is one of the values listed in this table.

### IRDs and descriptions

| IRD | Description                 |
|-----|-----------------------------|
| 62  | Commercial Large Ticket I   |
| 66  | Commercial Data Rate III    |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

If the transaction that is submitted:

- Is for a U.S. to U.S. Business Service Arrangement (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001)
- Requires a Financial Detail Addendum (Corporate Line Item Detail)/1644 message
- And is not submitted for one of the U.S. region corporate interchange programs listed in this table.

### IRDs and descriptions

| IRD | Description               |
|-----|---------------------------|
| 62  | Commercial Large Ticket I |
| 66  | Commercial Data Rate III  |

| IRD | Description                 |
|-----|-----------------------------|
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

Then one of the fields listed in this table must be present.

### Fields and descriptions

| Field    | Description               |
|----------|---------------------------|
| PDS 0641 | Product Code              |
| PDS 0642 | Item Description          |
| PDS 0643 | Item Quantity             |
| PDS 0645 | Item Unit of Measure      |
| PDS 0647 | Extended Item Amount      |
| PDS 0654 | Debit or Credit Indicator |

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Temporary Services)/1644 message, PDS 0643 should contain a value of 1.

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Shipping/Courier Services)/1644 message, PDS 0643 should contain a value of 1.

### PDS 0643 subfields

PDS 0643 consists of two subfields.

PDS 0643 subfields are listed in this table.

### PDS 0643 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1-12      | Item Quantity          | n-12      | right         |
| 2      | 13        | Item Quantity Exponent | n-1       | N/A           |

### Subfield 1 (Item Quantity)

If present, subfield 1 (Item Quantity) must be numeric and greater than zero.

### Subfield 2 (Item Quantity Exponent)

Subfield 2 (Item Quantity Exponent) indicates the decimal location for the Item Quantity subfield. If PDS 0643 is present, subfield 2 must be numeric and contain a value of 0 to 5.

## PDS 0644 (Call From Information)

PDS 0644 (Call From Information) contains the location description for the originator of the telephone call and the number from which the call was made.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-145; TAGLLL             |
| Tag Field           | 0644                        |
| Data Length         | 3 positions, value = 145    |
| Data Field          | Fixed length, 145 positions |
| Subfields           | 4                           |
| Justification       | See "Subfields"             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                   | Org | Sys | Dst |
|-----------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Detail)/1644 | O   | .   | C   |

### Values

PDS 0644 must be a fixed length of 145.

## PDS 0644 subfields

This PDS consists of four subfields.

### PDS 0644 subfields

| Number | Positions | Name                     | Attribute | Justification |
|--------|-----------|--------------------------|-----------|---------------|
| 1      | 1–40      | Call From City           | ans-40    | left          |
| 2      | 41–80     | Call From State/Province | ans-40    | left          |
| 3      | 81–120    | Call From Country        | ans-40    | left          |
| 4      | 121–145   | Call From Number         | ans-25    | left          |

### Subfield 1 (Call From City)

If PDS 0644 is present, subfield 1 (Call From City) must contain the city from which the call originated. It must be left-justified with trailing spaces and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 2 (Call From State/Province)

Subfield 2 (Call From State/Province) must contain the state/province from which the call originated. It must be left-justified with trailing spaces and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 3 (Call From Country)

Subfield 3 (Call From Country) must contain the country from which the call originated. It must be left-justified with trailing spaces and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 4 (Call From Number)

Subfield 4 (Call From Number) must contain the phone number from which the call was originated. It must be left-justified with trailing spaces, and cannot contain all low values, all high values, all spaces, or all zeros.

For transactions acquired in the U.S. or Canada region, subfield 4 must contain a 10-position phone number, left-justified with trailing spaces. The first three positions must be numeric.



## PDS 0645 (Item Unit of Measure)

PDS 0645 (Item Unit of Measure) contains the unit of measure for the individual item purchased.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...12; TAGLLLLVAR            |
| Tag Field           | 0645                            |
| Data Length         | 3 positions, value = 001-012    |
| Data Field          | Variable length, 1-12 positions |
| Subfields           | None                            |
| Justification       | N/A                             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644     | C   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

PDS 0645 (Item Unit of Measure) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message when one of these conditions occur:

- PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.
- The associated First Presentment/1240 message is a Mastercard Corporate Fleet Card<sup>®</sup> transaction at a fuel location MCC and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I and PDS0622 contains value 3.

- The associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a maintenance location MCC and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.
- The associated First Presentment/1240 message is a not Shipping/Courier MCC or Temporary Services MCC and is submitted for IRD BR: Canada Intracountry Commercial Data Rate II or IRD BS: Canada Intracountry Commercial Large Ticket.

The business service arrangement is U.S.-to-U.S. where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.

Associated First Presentment/1240 messages should contain a fuel MCC in DE 26 (Acceptor Business). The applicable IRDs for the First Presentment/1240 messages are listed in this table.

### IRDs and descriptions

| IRD | Description                       |
|-----|-----------------------------------|
| 16  | Commercial Warehouse Tier I       |
| 62  | Commercial Large Ticket I         |
| 67  | Commercial Data Rate II           |
| 68  | Commercial Data Rate I            |
| 91  | Commercial Warehouse Base         |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Temporary Services)/1644 message, PDS 0645 should contain a value of Unit.

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Shipping/Courier Services)/1644 message, PDS 0645 should contain a value of Unit.

PDS 0645 must be present when these conditions exist:

- The Business Service is U.S.-to-U.S. (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001).
- The IRD submitted in the associated First Presentment/1240 is one of the values listed in this table.

### IRDs and descriptions

| IRD | Description                 |
|-----|-----------------------------|
| 62  | Commercial Large Ticket I   |
| 66  | Commercial Data Rate III    |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

If the transaction that is submitted

- Is for a U.S. to U.S. Business Service Arrangement (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001)
- Requires a Financial Detail Addendum (Corporate Line Item Detail)/1644 message
- And is not submitted for one of the U.S. region corporate interchange programs listed in this table.

### IRDs and descriptions

| IRD | Description                 |
|-----|-----------------------------|
| 62  | Commercial Large Ticket I   |
| 66  | Commercial Data Rate III    |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

Then one of the fields in this table must be present.

## Fields and descriptions

| Field    | Description               |
|----------|---------------------------|
| PDS 0641 | Product Code              |
| PDS 0642 | Item Description          |
| PDS 0643 | Item Quantity             |
| PDS 0645 | Item Unit of Measure      |
| PDS 0647 | Extended Item Amount      |
| PDS 0654 | Debit or Credit Indicator |

## Values

If present, PDS 0645 cannot contain all low values, all high values, all zeros, or all spaces.

Item Unit of Measure must contain a valid four character unit of measure code as defined in the Item Unit of Measure Table.

## Item Unit of Measure

| Measure code | Name       | Definition                                                 |
|--------------|------------|------------------------------------------------------------|
| ACRE         | Acre       | Unit of measure equal to 4840 square yards.                |
| ARES         | Are        | Unit of measure equal to 100 square meters.                |
| CELI         | Centiliter | Unit of volume that is equal to one hundredth of a liter.  |
| CMET         | Centimeter | Unit of measure that is equal to one hundredth of a meter. |
| EACH         | Each       | One of two or more distinct items.                         |
| FOOT         | Foot       | Unit of length equal to 1/3 yard.                          |
| GBGA         | GBGallon   | Unit of volume that is equal to 8 pints.                   |
| GBOU         | GBOunce    | Unit of weight equal to one sixteenth of a pound.          |
| GBPI         | GBPint     | Unit of volume that is equal to 568 cubic centimeters.     |

| Measure code | Name             | Definition                                                                         |
|--------------|------------------|------------------------------------------------------------------------------------|
| GBQA         | GBQuart          | Unit of volume that is equal to 2 pints.                                           |
| GRAM         | Gram             | Unit of measure that is equal to one 1,000th of a kilo.                            |
| HECT         | Hectare          | Unit of measure that is equal to 10,000 square meters.                             |
| INCH         | Inch             | Measure of length equal to 2.54 cm.                                                |
| KILO         | Kilogram         | Basic unit of mass in the International System of Units (SI) equal to 1000 grams.  |
| KMET         | Kilometer        | Unit of measure that is equal to 1000 meters.                                      |
| LITR         | Liter            | Unit of volume that is equal to one thousand cubic centimeters.                    |
| METR         | Meter            | Unit of length in the metric system equal to 39.37 inches.                         |
| MILE         | Mile             | Unit of length equal to 1760 yards.                                                |
| MILI         | MilliLiter       | Unit of volume that is equal to one thousandth of a liter.                         |
| MMET         | Millimeter       | Unit of measure that is equal to one thousandth of one meter.                      |
| PIEC         | Piece            | Standard length of cloth, wallpaper, as an item for sale or amount of a substance. |
| PUND         | Pound            | Unit of weight equal to 0.454 kilograms.                                           |
| SCMT         | SquareCentimeter | Measure of a surface one centimeter by one centimeter.                             |
| SMET         | SquareMeter      | Measure of a surface one meter by one meter.                                       |
| SMIL         | SquareMillimeter | Measure of a surface one millimeter by one millimeter.                             |
| SQFO         | SquareFoot       | Measure of a surface one foot by one foot.                                         |
| SQIN         | SquareInch       | Measure of a surface one inch by one inch.                                         |

| Measure code | Name            | Definition                                                                        |
|--------------|-----------------|-----------------------------------------------------------------------------------|
| SQKI         | SquareKilometer | Measure of a surface one kilometer by one kilometer.                              |
| SQMI         | SquareMile      | Measure of a surface one mile by one mile.                                        |
| SQYA         | SquareYard      | Measure of a surface one yard by one yard.                                        |
| TONS         | Ton             | Measure of weight, in Britain 2240lb (long ton) and in the US 2000lb (short ton). |
| USGA         | USGallon        | Unit of volume that is equal to 8 pints.                                          |
| USOU         | USOunce         | Unit of weight equal to one sixteenth of a pound.                                 |
| USPI         | USPint          | Unit of volume that is equal to 473 cubic centimeters.                            |
| USQA         | USQuart         | Unit of volume that is equal to 2 pints.                                          |
| YARD         | Yard            | Unit of length equal to 3 feet or 0.9144 meter.                                   |

### Processing rules

When an occurrence of the Financial Detail Addendum (Corporate Line Item Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0645 (Item Unit of Measure) and PDS 0645 must contain a valid unit of measurement as defined in the Item Unit of Measure Table, unless it is a qualifying Mastercard Fleet Card transaction with a fleet card product code of MCF or MGF that requires the presence of PDS 0786 (Fleet Item Unit of Measure).

## PDS 0646 (Unit Price)

PDS 0646 (Unit Price) is the price for one unit of the product.

### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-13; TAGLLL |
| Tag Field           | 0646           |

| Attribute     | Description                |
|---------------|----------------------------|
| Data Length   | 3 positions, value = 013   |
| Data Field    | Fixed length, 13 positions |
| Subfields     | 2                          |
| Justification | Left                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644     | C   | .   | C   |
| Financial Detail Addendum (Healthcare)/1644                     | M   | .   | M   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

This PDS is part of the line item detail when a Mastercard Corporate Purchasing Card® or Mastercard Corporate Fleet Card® is used in a business-to-business purchase.

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Temporary Services)/1644 message, PDS 0646 should contain a value of 1.

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Shipping/Courier Services)/1644 message, PDS 0646 should contain a value of 1.

PDS 0646 must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message when one of these conditions occur:

- The associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a fuel location MCC and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I and PDS0622 contains value 3.
- The associated First Presentment/1240 message is a Mastercard Corporate Fleet Card® transaction at a maintenance location MCC and is submitted for IRD BQ: Canada Intracountry Commercial Data Rate I.

- The associated First Presentment/1240 message is a not Shipping/Courier MCC or Temporary Services MCC and is submitted for IRD BR: Canada Intracountry Commercial Data Rate II or IRD BS: Canada Intracountry Commercial Large Ticket.
- The product code is MCP or MCF at a non-fuel location.
- The Business Service is equal to one of the values in this table.

### Business services and descriptions

| Business Service Type Code (PDS 0158, subfield 2) | Business Service ID (PDS 0158, subfield 3) | Description          |
|---------------------------------------------------|--------------------------------------------|----------------------|
| 2                                                 | 050001                                     | Europe Intraregional |
| 3                                                 | 050012                                     | Europe Intercountry  |
| 3                                                 | 050021                                     | Europe Intercountry  |
| 3                                                 | 050031                                     | Europe Intercountry  |

**NOTE: This applies to additional European domestic arrangements.**

The IRD submitted in the associated First Presentment/1240 is one of the values listed in this table.

### IRDs and descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| 26  | Purchasing Large Ticket Level 1 Interchange |
| 27  | Purchasing Large Ticket Level 2 Interchange |

### Values

If present, subfield 1 must be numeric. Subfield 2 must contain a value in the range 0–5.

### PDS 0646 subfields

PDS 0646 consists of two subfields.

PDS 0646 subfields are listed in this table.



### PDS 0646 subfields

| Number | Positions | Name                | Attribute | Justification |
|--------|-----------|---------------------|-----------|---------------|
| 1      | 1–12      | Unit Price          | n-12      | right         |
| 2      | 13        | Unit Price Exponent | n-1       | N/A           |

### Subfield 1 (Unit Price)

Subfield 1 (Unit Price) must be numeric.

### Subfield 2 (Unit Price Exponent)

Subfield 2 (Unit Price Exponent) must be between 0 and 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## PDS 0647 (Extended Item Amount)

PDS 0647 (Extended Item Amount) contains the individual item amount that is normally calculated as price multiplied by quantity.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0647                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644     | C   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

PDS 0647 must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message when PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.

The business service arrangement is U.S.-to-U.S. where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.

Associated First Presentment/1240 messages should contain a fuel MCC in DE 26 (Acceptor Business). The applicable IRDs for the First Presentment/1240 messages are listed in this table.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BQ  | Canada Intracountry Commercial Data Rate I  |
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                 |
|-----|-----------------------------|
| 16  | Commercial Warehouse Tier I |
| 62  | Commercial Large Ticket I   |
| 67  | Commercial Data Rate II     |
| 68  | Commercial Data Rate I      |
| 91  | Commercial Warehouse Base   |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

| IRD | Description                       |
|-----|-----------------------------------|
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Temporary Services)/1644 message, PDS 0647 should equal the Transaction Amount.

When a Financial Detail Addendum (Corporate Line Item Detail)/1644 is submitted in conjunction with a Financial Detail Addendum (Shipping/Courier Services)/1644 message, PDS 0647 should equal the Transaction Amount.

PDS 0647 must be present when these conditions exist:

- The Business Service is U.S.-to-U.S. (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001).
- The associated First Presentment/1240 contains a shipping/courier MCC in DE 26 (Acceptor Business Code [MCC]), and a Financial Detail Addendum (Shipping/Courier Services)/1644 message is not provided The associated First Presentment/1240 does not contain a temporary services MCC in DE 26.
- The IRD submitted in the associated First Presentment/1240 is one of the values listed in this table.

#### IRDs in First Presentment/1240

| IRD | Description               |
|-----|---------------------------|
| 62  | Commercial Large Ticket I |
| 66  | Commercial Data Rate III  |

| IRD | Description                 |
|-----|-----------------------------|
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

If the transaction that is submitted:

- Is for a U.S. to U.S. Business Service Arrangement (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001)
- Requires a Financial Detail Addendum (Corporate Line Item Detail)/1644 message
- And is not submitted for one of the U.S. region corporate interchange programs listed in this table.

### U.S. region Corporate Interchange Programs

| IRD | Description                 |
|-----|-----------------------------|
| 62  | Commercial Large Ticket I   |
| 66  | Commercial Data Rate III    |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

Then one of the fields listed in this table must be present.

### Required fields

| Field    | Description               |
|----------|---------------------------|
| PDS 0641 | Product Code              |
| PDS 0642 | Item Description          |
| PDS 0643 | Item Quantity             |
| PDS 0645 | Item Unit of Measure      |
| PDS 0647 | Extended Item Amount      |
| PDS 0654 | Debit or Credit Indicator |

### Values

If present, PDS 0647 must be a fixed length of 014.

To allow for situations in which the item is zero cost to the customer, PDS 0650 (Zero Cost to Customer) must also be present in the Corporate Card Line Item Detail Addendum message, and equal to Y. PDS 0647, subfield 1 may contain zero in this circumstance.

## PDS 0647 subfields

This PDS consists of three subfields.

### PDS 0647 subfields

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 1      | 1-12      | Extended Item Amount          | n-12      | right         |
| 2      | 13        | Extended Item Amount Exponent | n-1       | N/A           |
| 3      | 14        | Extended Item Amount Sign     | a-1       | N/A           |

### Subfield 1 (Extended Item Amount)

If PDS 0647 is present, subfield 1 (Extended Item Amount) must contain the amount and be numeric and greater than zero, unless PDS 0650 (Zero Cost to Customer) is present and equal to Y.

### Subfield 2 (Extended Item Amount Exponent)

If PDS 0647 is present, subfield 2 (Extended Item Amount Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Extended Item Amount Sign)

If PDS 0647 is present, subfield 3 (Extended Item Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0647 is a debit or credit from the perspective of the cardholder.

### Values and Descriptions

| Value | Description                       |
|-------|-----------------------------------|
| D     | Extended item amount is a debit.  |
| C     | Extended item amount is a credit. |

## PDS 0648 (Item Discount)

PDS 0648 (Item Discount) contains the item discount indicator and amount.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-20; TAGLLL             |
| Tag Field           | 0648                       |
| Data Length         | 3 positions, value = 020   |
| Data Field          | Fixed length, 20 positions |
| Subfields           | 5                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/<br>1644 | C   | .   | C   |

This PDS is part of the line item detail when a Mastercard Corporate Purchasing Card<sup>®</sup> or Mastercard Corporate Fleet Card<sup>®</sup> is used in a business-to-business purchase.

If subfields 1 and 2 are provided, the customer must also provide subfields 3, 4, and 5.

PDS 0648 must be present in a Financial Detail Addendum (Corporate Line Item Detail)/1644 message when all these conditions exist:

- The product code is MCP or MCF at a non-fuel location.
- The business service is equal to one of the values in this table.

### Business services and descriptions

| Business Service Type Code (PDS 0158, subfield 2) | Business Service ID (PDS 0158, subfield 3) | Description          |
|---------------------------------------------------|--------------------------------------------|----------------------|
| 2                                                 | 050001                                     | Europe Intraregional |
| 3                                                 | 050012                                     | Europe Intercountry  |
| 3                                                 | 050021                                     | Europe Intercountry  |
| 3                                                 | 050031                                     | Europe Intercountry  |

**NOTE: This applies to additional European domestic arrangements.**

The IRD submitted in the associated First Presentment/1240 is one of the values in this table.

### IRDs and descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| 26  | Purchasing Large Ticket Level 1 Interchange |
| 27  | Purchasing Large Ticket Level 2 Interchange |

### Values

PDS 0648 must be a fixed length of 20.

### PDS 0648 subfields

This PDS consists of five subfields.

### PDS 0648 subfields

| Number | Positions | Name               | Attribute | Justification |
|--------|-----------|--------------------|-----------|---------------|
| 1      | 1         | Discount Indicator | as-1      | N/A           |

| Number | Positions | Name                        | Attribute | Justification |
|--------|-----------|-----------------------------|-----------|---------------|
| 2      | 2–13      | Discount Amount             | n-12      | right         |
| 3      | 14–18     | Item Discount Rate          | n-5       | right         |
| 4      | 19        | Item Discount Rate Exponent | n-1       | N/A           |
| 5      | 20        | Item Discount Amount Sign   | a-1       | N/A           |

### Subfield 1 (Discount Indicator)

If PDS 0648 is present, subfield 1 (Discount Indicator) must contain one of the values listed in this table.

#### Values and descriptions

| Value | Description               |
|-------|---------------------------|
| Y     | Amount is discounted.     |
| N     | Amount is not discounted. |
| space | Not supported             |

### Subfield 2 (Discount Amount)

If PDS 0648 is present, subfield 2 (Discount Amount) must be numeric and cannot be all zeros if subfield 1 is Y.

### Subfield 3 (Item Discount Rate)

Subfield 3 (Item Discount Rate) is the discount rate applicable to the amount. If PDS 0648 is present, subfield 3 must contain a five-digit numeric value.

### Subfield 4 (Item Discount Rate Exponent)

If PDS 0648 is present, subfield 4 (Item Discount Rate Exponent) must contain a value in the range 0–5.



## Subfield 5 (Item Discount Amount Sign)

If PDS 0648 is present, subfield 5 (Item Discount Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0648 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                       |
|-------|-----------------------------------|
| C     | Item discount amount is a credit. |
| D     | Item discount amount is a debit.  |

## PDS 0649 (Call Usage Amount)

PDS 0649 (Call Usage Amount) contains the call usage amount information pertaining to the telephony billing event.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0649                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                   | Org | Sys | Dst |
|-----------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Detail)/1644 | O   | .   | C   |

### Values

PDS 0649 must be a fixed length of 14.

### PDS 0649 subfields

This PDS consists of three subfields as defined in this table.

#### PDS 0649 subfields

| Number | Positions | Name                       | Attribute | Justification |
|--------|-----------|----------------------------|-----------|---------------|
| 1      | 1–12      | Call Usage Amount          | n-12      | right         |
| 2      | 13        | Call Usage Amount Exponent | n-1       | N/A           |
| 3      | 14        | Call Usage Amount Sign     | a-1       | N/A           |

#### Subfield 1 (Call Usage Amount)

If PDS 0649 is present, subfield 1 (Call Usage Amount) must be numeric and contain the usage amount of the call, and it may be all zeros.

#### Subfield 2 (Call Usage Amount Exponent)

If PDS 0649 is present, subfield 2 (Call Usage Amount Exponent) must be numeric and contain a value of 0 to 5.

#### Subfield 3 (Call Usage Amount Sign)

If PDS 0649 is present, subfield 3 (Call Usage Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0649 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                    |
|-------|--------------------------------|
| D     | Call Usage Amount is a debit.  |
| C     | Call Usage Amount is a credit. |

## PDS 0650 (Zero Cost to Customer Indicator)

PDS 0650 (Zero Cost to Customer Indicator) if supplied, indicates whether the item is free to the customer.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | a-1; TAGLLL              |
| Tag Field           | 0650                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/<br>1644 | O   | .   | C   |

### Values

PDS 0650 must contain one of the values listed in this table.

### Values and descriptions

| Value | Description                                                                                                                                    |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------|
| Y     | The line item is at zero cost to the customer. PDS 0647 (Extended Item Amount) and PDS 0787 (Fleet Extended Item Amount) may be equal to zero. |
| N     | The line item is not at zero cost to the customer.                                                                                             |

## PDS 0651 (Procedure ID)

PDS 0651 (Procedure ID) contains identification of the rail server procedure or the order in which service was booked or cancellation was done.

The ID is a two-digit abbreviation followed by a dash (example: AN-3N7ZPX or RS-23IVTY). The order number (abbreviation AN-) is always given in an internet application.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-9; TAGLLL             |
| Tag Field           | 0651                      |
| Data Length         | 3 positions, value = 009  |
| Data Field          | Fixed length, 9 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

## Values

If present, this PDS must be left-justified and cannot contain all zeros, all spaces, all high values, or all low values.

## PDS 0652 (Service Type)

PDS 0652 (Service Type) contains two subfields with codes defined that indicate the type of service and the nature of the service provided.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-4; TAGLLL             |
| Tag Field           | 0652                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | C   | .   | C   |

## Values

If present, PDS 0652 must not contain all high values or all low values.

## Subfield 1 (Service Type)

This subfield is required if a Passenger Transport Detail, Rail Data Addendum is submitted, and the associated First Presentment/1240 contains a rail or travel agency MCC and is submitted for IRD 89: U.S. Commercial T&E Rate III.

The service type must contain a two-position value to indicate the type of service provided. Examples of possible values are 01 Ticket and 02 Baggage.

If present, subfield 1 must be left-justified and cannot be all zeros, all spaces, all high values, or all low values.

## Subfield 2 (Service Nature)

Service Nature contains a two-position value that indicates the nature of the service provided. Examples of possible values are 01 Seat and 02 Couchette.

If present, subfield 2 must be left-justified and cannot be all zeros or all spaces, all high values, or all low values.

## PDS 0653 (Service Amount)

PDS 0653 (Service Amount) contains three subfields that describe the amount charged for the service.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0653                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

## PDS 0653 subfields

This PDS consists of three subfields.

### PDS 0653 subfields

| Number | Positions | Name                    | Attribute | Justification |
|--------|-----------|-------------------------|-----------|---------------|
| 1      | 1–12      | Service Amount          | n-12      | right         |
| 2      | 13        | Service Amount Exponent | n-1       | N/A           |
| 3      | 14        | Service Amount Sign     | a-1       | N/A           |

### Subfield 1 (Service Amount)

If PDS 0653 is present, subfield 1 must be numeric.

### Subfield 2 (Service Amount Exponent)

Subfield 2 (Service Amount Exponent) indicates the decimal location for the Service Amount subfield. If PDS 0653 is present, subfield 2 must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Service Amount Sign)

If PDS 0653 is present, subfield 3 (Service Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0653 is a debit or a credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description            |
|-------|------------------------|
| D     | Fee Amount is a debit  |
| C     | Fee Amount is a credit |

## PDS 0654 (Debit or Credit Indicator)

PDS 0654 (Debit or Credit Indicator) indicates whether the net of extended item amount, net of discount, taxes, and price, is a debit or credit.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | as-1; TAGLLL             |
| Tag Field           | 0654                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                     | Org | Sys | Dst |
|-------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644 | C   | .   | C   |

If the Financial Detail Addendum (Corporate Line Item Detail)/1644 message is provided, PDS 0654 is mandatory.



PDS 0654 must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message when PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.

The business service arrangement is U.S.-to-U.S. where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.

Associated First Presentment/1240 messages should contain a fuel MCC in DE 26 (Acceptor Business). The applicable IRDs for the First Presentment/1240 messages are listed in this table.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BQ  | Canada Intracountry Commercial Data Rate I  |
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 16  | Commercial Warehouse Tier I       |
| 62  | Commercial Large Ticket I         |
| 67  | Commercial Data Rate II           |
| 68  | Commercial Data Rate I            |
| 91  | Commercial Warehouse Base         |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |

| IRD | Description                       |
|-----|-----------------------------------|
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

PDS 0654 must contain one of the values listed in this table.

### Values

| Value | Description                       |
|-------|-----------------------------------|
| D     | Extended item amount is a debit.  |
| C     | Extended item amount is a credit. |

PDS 0654 must be present when these conditions exist:

- The Business Service is U.S.-to-U.S. (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001).
- The associated First Presentment/1240 contains a shipping/courier MCC in DE 26 (Acceptor Business Code [MCC]), and a Financial Detail Addendum (Shipping/Courier Services)/1644 message is not provided. The associated First Presentment/1240 does not contain a temporary services MCC in DE 26.
- The IRD submitted in the associated First Presentment/1240 is one of the values listed in this table.

### IRDs in First Presentment/1240

| IRD | Description                 |
|-----|-----------------------------|
| 62  | Commercial Large Ticket I   |
| 66  | Commercial Data Rate III    |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

If the transaction that is submitted:

- Is for a U.S. to U.S. Business Service Arrangement (PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001)
- Requires a Financial Detail Addendum (Corporate Line Item Detail)/1644 message, and
- Is not submitted for one of the U.S. region corporate interchange programs listed in this table.

### U.S. region Corporate Interchange Programs

| IRD | Description                 |
|-----|-----------------------------|
| 62  | Commercial Large Ticket I   |
| 66  | Commercial Data Rate III    |
| 94  | Commercial Large Ticket II  |
| 99  | Commercial Large Ticket III |

Then one of the fields in this table must be present.

### Required fields

| Field    | Description               |
|----------|---------------------------|
| PDS 0641 | Product Code              |
| PDS 0642 | Item Description          |
| PDS 0643 | Item Quantity             |
| PDS 0645 | Item Unit of Measure      |
| PDS 0647 | Extended Item Amount      |
| PDS 0654 | Debit or Credit Indicator |

## PDS 0655 (Call Long Distance Amount)

PDS 0655 (Call Long Distance Amount) contains the long distance amount information pertaining to the telephony billing event.

### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-14; TAGLLL |

| Attribute     | Description                |
|---------------|----------------------------|
| Tag Field     | 0655                       |
| Data Length   | 3 positions, value = 014   |
| Data Field    | Fixed length, 14 positions |
| Subfields     | 3                          |
| Justification | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                   | Org | Sys | Dst |
|-----------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Detail)/1644 | O   | .   | C   |

## Values

PDS 0655 must be a fixed length of 14.

## PDS 0655 subfields

This PDS consists of three subfields.

## PDS 0655 subfields

| Number | Positions | Name                               | Attribute | Justification |
|--------|-----------|------------------------------------|-----------|---------------|
| 1      | 1-12      | Call Long Distance Amount          | n-12      | right         |
| 2      | 13        | Call Long Distance Amount Exponent | n-1       | N/A           |
| 3      | 14        | Call Long Distance Amount Sign     | a-1       | N/A           |

## Subfield 1 (Call Long Distance Amount)

If PDS 0655 is present, subfield 1 (Call Long Distance Amount) must be numeric and contain the long distance amount of the call and may be all zeros.

## Subfield 2 (Call Long Distance Amount Exponent)

If PDS 0655 is present, subfield 2 (Call Long Distance Amount Exponent) must be numeric and contain a value of 0 to 5.

## Subfield 3 (Call Long Distance Amount Sign)

If PDS 0655 is present, subfield 3 (Call Long Distance Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0655 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                            |
|-------|----------------------------------------|
| D     | Call long distance amount is a debit.  |
| C     | Call long distance amount is a credit. |

## PDS 0656 (Full VAT Amounts)

PDS 0656 (Full VAT Amounts) contains the gross amount from which the VAT was calculated and a value added tax at the full tax rate.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans-28; TAGLLLVAR                |
| Tag Field           | 0656                             |
| Data Length         | 3 positions, value = 014–028     |
| Data Field          | Variable length, 14–28 positions |
| Subfields           | 6                                |
| Justification       | See "Subfields"                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

## PDS 0656 subfields

This PDS consists of six subfields.

### PDS 0656 subfields

| Number | Positions | Name                           | Attribute | Justification |
|--------|-----------|--------------------------------|-----------|---------------|
| 1      | 1-12      | Full VAT Gross Amount          | n-12      | right         |
| 2      | 13        | Full VAT Gross Amount Exponent | n-1       | N/A           |
| 3      | 14        | Full VAT Gross Amount Sign     | a-1       | N/A           |
| 4      | 15-26     | Full VAT Tax Amount            | n-12      | right         |
| 5      | 27        | Full VAT Tax Amount Exponent   | n-1       | N/A           |
| 6      | 28        | Full VAT Tax Amount Sign       | a-1       | N/A           |

### Subfield 1 (Full VAT Gross Amount)

If PDS 0656 is present, subfield 1 must be numeric and greater than zero.

### Subfield 2 (Full VAT Gross Amount Exponent)

Subfield 2 (Full VAT Gross Amount Exponent) indicates the decimal location for the Full VAT Gross Amount subfield. If PDS 0656 is present, subfield 2 must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Full VAT Gross Amount Sign)

If PDS 0656 is present, subfield 3 (Full VAT Gross Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0605 subfield 1 is a debit or a credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                        |
|-------|------------------------------------|
| D     | Full VAT Gross Amount is a debit.  |
| C     | Full VAT Gross Amount is a credit. |

### Subfield 4 (Full VAT Tax Amount)

If PDS 0656 is present, subfield 4 must be numeric.

### Subfield 5 (Full VAT Tax Amount Exponent)

Subfield 5 (Full VAT Tax Amount Exponent) indicates the decimal location for the Full VAT Tax Amount subfield. If PDS 0656 is present, subfield 5 must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 6 (Full VAT Tax Amount Sign)

If PDS 0656 is present, subfield 6 (Full VAT Tax Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0605 subfield 4 is a debit or a credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                      |
|-------|----------------------------------|
| D     | Full VAT Tax Amount is a debit.  |
| C     | Full VAT Tax Amount is a credit. |

## PDS 0657 (Half VAT Amounts)

PDS 0657 (Half VAT Amounts) contains the gross amount from which the VAT was calculated and a value-added tax at the half tax rate.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...28; TAGLLLLVAR             |
| Tag Field           | 0657                             |
| Data Length         | 3 positions, value = 014-028     |
| Data Field          | Variable length, 14-28 positions |
| Subfields           | 6                                |
| Justification       | See "Subfields"                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

## PDS 0657 subfields

This PDS consists of six subfields.

### PDS 0657 subfields

| Number | Positions | Name                           | Attribute | Justification |
|--------|-----------|--------------------------------|-----------|---------------|
| 1      | 1-12      | Half VAT Gross Amount          | n-12      | right         |
| 2      | 13        | Half VAT Gross Amount Exponent | n-1       | N/A           |
| 3      | 14        | Half VAT Gross Amount Sign     | a-1       | N/A           |



| Number | Positions | Name                         | Attribute | Justification |
|--------|-----------|------------------------------|-----------|---------------|
| 4      | 15–26     | Half VAT Tax Amount          | n-12      | right         |
| 5      | 27        | Half VAT Tax Amount Exponent | n-1       | N/A           |
| 6      | 28        | Half VAT Tax Amount Sign     | a-1       | N/A           |

### Subfield 1 (Half VAT Gross Amount)

If PDS 0657 is present, subfield 1 must be numeric and greater than zero.

### Subfield 2 (Half VAT Gross Amount Exponent)

Subfield 2 (Half VAT Gross Amount Exponent) indicates the decimal location for the Half VAT Gross Amount subfield. If PDS 0657 is present, subfield 2 must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Half VAT Gross Amount Sign)

If PDS 0657 is present, subfield 3 (Half VAT Gross Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0657 subfield 1 is a debit or a credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                        |
|-------|------------------------------------|
| D     | Half VAT Gross Amount is a debit.  |
| C     | Half VAT Gross Amount is a credit. |

### Subfield 4 (Half VAT Tax Amount)

If PDS 0657 is present, subfield 4 must be numeric.

## Subfield 5 (Half VAT Tax Amount Exponent)

Subfield 5 (Half VAT Tax Amount Exponent) indicates the decimal location for the Half VAT Tax Amount subfield. If PDS 0657 is present, subfield 5 must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 6 (Half VAT Tax Amount Sign)

If PDS 0657 is present, subfield 6 must contain a value of D or C. This subfield identifies whether PDS 0657 subfield 4 is a debit or a credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                      |
|-------|----------------------------------|
| D     | Half VAT Tax Amount is a debit.  |
| C     | Half VAT Tax Amount is a credit. |

## PDS 0658 (Call Connect Amount)

PDS 0658 (Call Connect Amount) contains the call connect amount information pertaining to the telephony billing event.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0658                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                   | Org | Sys | Dst |
|-----------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Detail)/1644 | O   | .   | C   |

## Values

PDS 0658 must be a fixed length of 14.

## PDS 0658 subfields

This PDS consists of three subfields.

### PDS 0658 subfields

| Number | Positions | Name                         | Attribute | Justification |
|--------|-----------|------------------------------|-----------|---------------|
| 1      | 1-12      | Call Connect Amount          | n-12      | right         |
| 2      | 13        | Call Connect Amount Exponent | n-1       | N/A           |
| 3      | 14        | Call Connect Amount Sign     | a-1       | N/A           |

### Subfield 1 (Call Connect Amount)

If PDS 0658 is present, subfield 1 (Call Connect Amount) must be numeric and contain the connect amount of the call, and it may be all zeros.

### Subfield 2 (Call Connect Amount Exponent)

If PDS 0658 is present, subfield 2 (Call Connect Amount Exponent) must be numeric and contain a value of 0 to 5.

### Subfield 3 (Call Connect Amount Sign)

If PDS 0658 is present, subfield 3 (Call Connect Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0658 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                      |
|-------|----------------------------------|
| D     | Call connect amount is a debit.  |
| C     | Call connect amount is a credit. |

## PDS 0659 (Other Description)

PDS 0659 (Other Description) contains additional descriptive information related to the telephony billing information.

### Attributes

| Attribute           | Description                   |
|---------------------|-------------------------------|
| Data Representation | ans...60; TAGLLLVAR           |
| Tag Field           | 0659                          |
| Data Length         | 3 positions, value = 001–060  |
| Data Field          | Variable length, 60 positions |
| Subfields           | None                          |
| Justification       | N/A                           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                   | Org | Sys | Dst |
|-----------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing Detail)/1644 | O   | .   | C   |

### Values

If present, PDS 0659 must be a length of 001–060. PDS 0659 must be left-justified, and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0660 (Customer Reference)

PDS 0660 (Customer Reference) contains two subfields that can occur 10 times.

This PDS indicates the customer reference values provided for this transaction and used for various reference processing at the customer site. These values represent information most prevalently provided by travel agencies for transactions booked against a lodged account or central travel account.

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | ans-190; TAGLLLVAR                               |
| Tag Field           | 0660                                             |
| Data Length         | 3 positions, value = 019–190 in increments of 19 |
| Data Field          | Variable length, 19–190 positions                |
| Subfields           | 2 fixed-length subfields for each occurrence     |
| Occurrences         | 1–10                                             |
| Justification       | See “Subfields”                                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodged Account Detail)/1644 | O   | .   | C   |

## PDS 0660 subfields

PDS 0660 may contain from one to ten occurrences of customer reference information.

Each occurrence consists of two subfields as defined in this table. Each occurrence requires 19 positions. The length of the PDS must be a multiple of 19, with a maximum length of 190 positions.

### PDS 0660 subfields

| Number | Positions | Name                            | Attribute | Justification |
|--------|-----------|---------------------------------|-----------|---------------|
| 1      | 1–2       | Customer Reference Value ID     | n-2       | N/A           |
| 2      | 3–19      | Customer Reference Value Detail | ans-17    | left          |

### Subfield 1 (Customer Reference Value ID)

This subfield contains the value from 01 to 10 that defines what information is reflected in the Customer Reference Value Detail (subfield 2).

### Subfield 2 (Customer Reference Value Detail)

This subfield is a free-form text field that is used to provide customer reference value information about the transaction. If present, this subfield must be left-justified and cannot be all zeros, all spaces, all high values, or all low values.

## PDS 0661 (Traffic Code)

PDS 0661 (Traffic Code) contains a code of the service provider.

This PDS is provided only when the Service Nature (PDS 0652) contains a value that indicates domestic ticket, Ne/See ticket, or foreign ticket.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-3; TAGLLL               |
| Tag Field           | 0661                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

### Values

If present, this PDS must be numeric.

## PDS 0662 (Sample Number)

PDS 0662 (Sample Number) contains a type of service reservation.

This PDS is provided only when PDS 0652 (Service Type) equates to Cancellation Ticket or Cancellation Reservation, and the sample number of the cancelled ticket is provided. This PDS is not provided with external cancellations. However, internet business transactions do not provide for this case.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-4; TAGLLL               |
| Tag Field           | 0662                      |
| Data Length         | 3 positions, value = 004  |
| Data Field          | Fixed length, 4 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

### Values

If present, this PDS must be numeric and cannot be all zeros.

## PDS 0663 (Free-Form Description)

PDS 0663 (Free-Form Description) is free-form description information Mastercard® assigns as needed.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...992; TAGLLLVAR             |
| Tag Field           | 0663                             |
| Data Length         | 3 positions, value = 001–992     |
| Data Field          | Variable length, 1–992 positions |
| Subfields           | None                             |
| Justification       | Left                             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                         | Org | Sys | Dst |
|-------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Generic Detail)/1644 | M   | .   | M   |

PDS 0663 supports data related to new programs and services the corporation introduces that involve corporate cards and require the presence of data not available in the First Presentment/



1240 message. This PDS can also be used to exchange data for transactions involving consumer cards.

Acquirers of Brazil intracountry transactions must ensure that required installment payment data is provided in PDS 0663 of Financial Detail Addendum/1644 messages for installment transactions. For more information, refer to the *Interchange Manual: Latin America and the Caribbean Region*.

### Values

If present, PDS 0663 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0664 (Start Station)

PDS 0664 (Start Station) contains name of the railway start station.

This PDS is needed only when PDS 0652 (Service Type) contains a value that indicates ticket or reservation.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...30; TAGLLLLVAR            |
| Tag Field           | 0664                            |
| Data Length         | 3 positions, value = 003–030    |
| Data Field          | Variable length, 3–30 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a railway MCC and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD   | Description                           |
|-------|---------------------------------------|
| 10    | Merit III Tier 1                      |
| 11    | Merit III Tier 2                      |
| 12    | Merit III Tier 3                      |
| 22    | Public Sector                         |
| 24    | Merchant UCAF                         |
| 29    | Emerging Markets: Consumer Core Value |
| 56    | World Public Sector                   |
| 69    | Commercial T&E Rate II                |
| 70/80 | Merit III Base                        |
| 79    | Full UCAF                             |
| 89    | Commercial T&E Rate III               |
| 93    | Passenger Transport                   |
| 96    | World T&E                             |
| HP    | World High Value Public Sector        |
| RA    | Enhanced Merit III Base               |
| RB    | Enhanced Merit III Tier 1             |
| RC    | Enhanced Merit III Tier 2             |
| RD    | Enhanced Merit III Tier 3             |
| RK    | Enhanced Public Sector                |
| RN    | Enhanced Merchant UCAF                |
| RO    | Enhanced Full UCAF                    |
| RR    | Enhanced Passenger Transport          |
| SO    | Business Level 2 T&E Rate III         |
| WP    | World Elite Public Sector             |
| 3O    | Business Level 3 T&E Rate III         |
| 4O    | Business Level 4 T&E Rate III         |

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0664 (Start Station) and cannot contain null values.

### Values

If present, this PDS must be left-justified and cannot contain all zeros, all spaces, all high values, or all low values.

## PDS 0665 (Destination Station)

PDS 0665 (Destination Station) contains the name of the railway destination station.

This PDS is needed only when PDS 0652 (Service Type) contains a value that indicates ticket or reservation.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...30; TAGLLLLVAR            |
| Tag Field           | 0665                            |
| Data Length         | 3 positions, value = 003–030    |
| Data Field          | Variable length, 3–30 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | C   | •   | C   |

This PDS is required if the associated First Presentment/1240 contains a railway MCC and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD   | Description                           |
|-------|---------------------------------------|
| 10    | Merit III Tier 1                      |
| 11    | Merit III Tier 2                      |
| 12    | Merit III Tier 3                      |
| 22    | Public Sector                         |
| 24    | Merchant UCAF                         |
| 29    | Emerging Markets: Consumer Core Value |
| 56    | World Public Sector                   |
| 69    | Commercial T&E Rate II                |
| 70/80 | Merit III Base                        |
| 79    | Full UCAF                             |
| 89    | Commercial T&E Rate III               |
| 93    | Passenger Transport                   |
| 96    | World T&E                             |
| HP    | World High Value Public Sector        |
| RA    | Enhanced Merit III Base               |
| RB    | Enhanced Merit III Tier 1             |
| RC    | Enhanced Merit III Tier 2             |
| RD    | Enhanced Merit III Tier 3             |
| RK    | Enhanced Public Sector                |
| RN    | Enhanced Merchant UCAF                |
| RO    | Enhanced Full UCAF                    |
| RR    | Enhanced Passenger Transport          |
| SO    | Business Level 2 T&E Rate III         |
| WP    | World Elite Public Sector             |
| 30    | Business Level 3 T&E Rate III         |
| 40    | Business Level 4 T&E Rate III         |

When an occurrence of the Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0665 (Destination Station) and cannot contain null values.

### Values

If present, this PDS must be left-justified and cannot contain all zeros, all spaces, all high values, or all low values.

## PDS 0667 (Generic Data)

PDS 0667 (Generic Data) contains four subfields regarding general information about the rail service.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-46; TAGLLL             |
| Tag Field           | 0667                       |
| Data Length         | 3 positions, value = 046   |
| Data Field          | Fixed length, 46 positions |
| Subfields           | 4                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

## PDS 0667 subfields

This PDS consists of four subfields.

### PDS 0667 subfields

| Number | Positions | Name                 | Attribute | Justification |
|--------|-----------|----------------------|-----------|---------------|
| 1      | 1-3       | Generic Code         | n-3       | right         |
| 2      | 4-23      | Generic Number       | ans-20    | left          |
| 3      | 24-26     | Generic Other Code   | n-3       | right         |
| 4      | 27-46     | Generic Other Number | ans-20    | left          |

### Subfield 1 (Generic Code)

If PDS 0667 is present, subfield 1 must be numeric and greater than zero.

### Subfield 2 (Generic Number)

If PDS 0667 is present, subfield 2 must be left-justified and cannot be all zeros, all spaces, all low values, or all high values.

### Subfield 3 (Generic Other Code)

If PDS 0667 is present, subfield 3 must be numeric and greater than zero.

### Subfield 4 (Generic Other Number)

If PDS 0667 is present, subfield 4 must be left-justified and cannot be all zeros, all spaces, all low values, or all high values.

## PDS 0668 (Reduction Data)

PDS 0668 (Reduction Data) contains four subfields that contain information about the rail service.

### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-26; TAGLLL |

| Attribute     | Description                |
|---------------|----------------------------|
| Tag Field     | 0668                       |
| Data Length   | 3 positions, value = 026   |
| Data Field    | Fixed length, 26 positions |
| Subfields     | 4                          |
| Justification | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

## PDS 0668 subfields

This PDS consists of four subfields.

## PDS 0668 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1-3       | Reduction Code         | n-3       | right         |
| 2      | 4-13      | Reduction Number       | ans-10    | left          |
| 3      | 14-16     | Reduction Other Code   | n-3       | right         |
| 4      | 17-26     | Reduction Other Number | ans-10    | left          |

## Subfield 1 (Reduction Code)

If PDS 0668 is present, subfield 1 must be numeric and greater than zero.

### Subfield 2 (Reduction Number)

If PDS 0668 is present, subfield 2 must be left-justified and cannot be all zeros, all spaces, all low values, or all high values.

### Subfield 3 (Reduction Other Code)

If PDS 0668 is present, subfield 3 must be numeric and greater than zero.

### Subfield 4 (Reduction Other Number)

If PDS 0668 is present, subfield 4 must be left-justified and cannot be all zeros, all spaces, all low values, or all high values.

## PDS 0669 (Transportation Other Code)

PDS 0669 (Transportation Other Code) contains a code of the service provider.

This PDS is provided only when PDS 0652 (Service Nature) contains a value that indicates Domestic ticket, Ne/See ticket, or Foreign ticket.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-3; TAGLLL               |
| Tag Field           | 0669                      |
| Data Length         | 3 positions, value = 003  |
| Data Field          | Fixed length, 3 positions |
| Subfields           | None                      |
| Justification       | N/A                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.



### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

### Values

If present, this PDS must be numeric.

## PDS 0670 (Payer/User Information)

PDS 0670 (Payer/User Information) provides the full name and address information of the payer associated with a payment transaction.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...104; TAGLLLVAR             |
| Tag Field           | 0670                             |
| Data Length         | 3 positions, value = 001–104     |
| Data Field          | Variable length, 1–104 positions |
| Subfields           | 7                                |
| Justification       | See "Subfields"                  |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                     | Org | Sys | Dst |
|-------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Payment Transaction Detail)/1644 | C   | .   | C   |

PDS 0670 must be present in a Financial Detail Addendum (Payment Transaction Detail)/1644 message when Payment Transactions (identified by DE 3 [Processing Code], subfield 1 [Cardholder Transaction Type] value of 28) contains PDS 0043 (Transaction Type Identifier) with a value of C04, C06, C07, C52, C53, C54, C55, C56, C57, C58, C59, and C65.

### Values

If present, each PDS 0670 subfield must be left-justified and cannot contain all low values or all high values. Subfields 1, 2, 3, 5, and 6 cannot contain all spaces or all zeros. Subfield 7 is an optional field.

PDS 0670, subfields 1, 2, 3, 4, and 5 must be present when DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type) contains value 28 and PDS 0043 (Transaction Type Identifier) contains value C04, C07, C52, C53, C54, C55, C56, C57, C58, C59, and C65.

## PDS 0670 subfields

This PDS consists of seven subfields.

### PDS 0670 subfields

| Number | Positions | Name                      | Attribute | Justification |
|--------|-----------|---------------------------|-----------|---------------|
| 1      | 1–25      | Payer Name/User ID        | ans-25    | left          |
| 2      | 26–55     | Payer Address             | ans-30    | left          |
| 3      | 56–80     | Payer City                | ans-25    | left          |
| 4      | 81–83     | Payer State/Province Code | ans-3     | left          |
| 5      | 84–86     | Payer Country Code        | ans-3     | left          |
| 6      | 87–96     | Payer Postal Code         | ans-10    | left          |
| 7      | 97–104    | Payer Date of Birth       | ans-8     | left          |

### Subfield 1 (Payer Name/User ID)

Subfield 1 (Payer Name/User ID) contains the payer's full name or user ID.

This subfield must be provided in Payment Transactions (identified by DE 3 [Processing Code], subfield 1 [Cardholder Transaction Type], value 28) when the Payment Transaction contains PDS 0043 (Transaction Type Identifier) with a value of C06 (Payment of a credit card balance via cash or check).

### Subfield 2 (Payer Address)

Subfield 2 (Payer Address) contains the payer's street address.

### Subfield 3 (Payer City)

Subfield 3 (Payer City) contains the payer's city.

### Subfield 4 (Payer State/Province Code)

Subfield 4 (Payer State/Province Code) contains the payer's State/Province Code. If subfield 5 (Payer Country Code) is USA, subfield 4 must contain a valid U.S. state code. Otherwise, this subfield may contain all spaces.

### Subfield 5 (Payer Country Code)

Subfield 5 (Payer Country Code) must contain a valid three-character alphabetic code as defined in Chapter 2 of the *Quick Reference Booklet*. When territories have a defined country code in the *Quick Reference Booklet*, that country code must be used.

### Subfield 6 (Payer Postal Code)

Subfield 6 (Payer Postal Code) contains the payer's Postal (ZIP) Code.

### Subfield 7 (Payer Date of Birth)

Subfield 7 (Payer Date of Birth) contains the payer's date of birth, MMDDYYYY.

## PDS 0671 (Date of Funds Requested)

PDS 0671 (Date of Funds Requested) provides the date the recipient (seller of goods) requested receipt of funds.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0671                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |

| Attribute     | Description |
|---------------|-------------|
| Subfields     | None        |
| Justification | N/A         |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                     | Org | Sys | Dst |
|-------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Payment Transaction Detail)/1644 | C   | .   | C   |

PDS 0671 must be present in a Financial Detail Addendum (Payment Transaction Detail)/1644 message when Payment Transactions (identified by DE 3 [Processing Code], subfield 1 [Cardholder Transaction Type] value of 28) contains PDS 0043 (Transaction Type Identifier) with a value of C07, C52, C53, C54, C55, C56, C57, C58, C59, or C65.

### NOTE:

**For a Mastercard® MoneySend™ payment transaction, this is the date the sender requested the payment or transfer of funds to the recipient.**

### Values

If present, PDS 0671 must contain a valid date in the format YYMMDD.

## PDS 0673 (Date of Anticipated Receipt of Funds)

PDS 0673 (Date of Anticipated Receipt of Funds) provides the date of the anticipated receipt of funds by the recipient (seller).

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-6; TAGLLL              |
| Tag Field           | 0673                     |
| Data Length         | 3 positions, value = 006 |

| Attribute     | Description               |
|---------------|---------------------------|
| Data Field    | Fixed length, 6 positions |
| Subfields     | None                      |
| Justification | N/A                       |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Payment Transaction Detail)/<br>1644 | O   | .   | C   |

## Values

If present, PDS 0673 must contain a valid date in the format YYMMDD.

## PDS 0674 (Additional Trace/Reference Number Used by Acceptor)

PDS 0674 (Additional Trace/Reference Number Used by Acceptor) provides additional trace or reference number information, or both, supplied by the acceptor (merchant).

## Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...19; TAGLLLLVAR            |
| Tag Field           | 0674                            |
| Data Length         | 3 positions, value = 001-019    |
| Data Field          | Variable length, 1-19 positions |
| Subfields           | None                            |
| Justification       | Left                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                | C   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442 | O   | .   | C   |
| Second Presentment/1240                               | O   | .   | C   |

**NOTE: For a Mastercard MoneySend payment transaction and a Mastercard Merchant Presented (MPQR) funding transaction, the acceptor is the originating institution.**

### Merchant Presented QR (MPQR) transaction requirements

Payment transaction usage:

- First Presentment/1240 (Optional). If present, edit must validate. Forward message to destination if edit validates.
- Second Presentment/1240 (Optional). If present, edit must validate. Forward message to destination if edit validates.
- First Chargeback/1442 and Arbitration Chargeback/1442 (Optional). If present, edit must validate. Forward message to destination if edit validates.

Refund transaction usage:

- First Presentment/1240 (Optional). If present, edit must validate. Forward message to destination if edit validates.
- Second Presentment/1240 (Optional). If present, edit must validate. Forward message to destination if edit validates.
- First Chargeback/1442 and Arbitration Chargeback/1442 (Optional). If present, edit must validate. Forward message to destination if edit validates.

Funding transaction usage:

- First Presentment/1240 (Mandatory). Edit must validate. Forward message to destination.
- Second Presentment/1240 (Optional). If present, edit must validate. Forward message to destination if edit validates.
- First Chargeback/1442 and Arbitration Chargeback/1442 (Optional). If present, edit must validate. Forward message to destination if edit validates.

## PDS 0675 (Additional Transaction Description Data)

PDS 0675 (Additional Transaction Description Data) provides additional data that the acceptor might want to provide.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...15; TAGLLLLVAR            |
| Tag Fie             | 0675                            |
| Data Length         | 3 positions, value = 001-015    |
| Data Field          | Variable length, 1-15 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Payment Transaction Detail)/<br>1644 | O   | .   | C   |

### Values

If present, PDS 0675 must be left-justified and cannot contain all spaces.

## PDS 0676 (Acceptor VAT Number)

PDS 0676 (Acceptor VAT Number) provides the value-added tax (VAT) number for the acceptor location used to identify the acceptor when collecting and reporting taxes.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...20; TAGLLLLVAR            |
| Tag Field           | 0676                            |
| Data Length         | 3 positions, value = 001–020    |
| Data Field          | Variable length, 1–20 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

### Values

If present, PDS 0676 must be left-justified and cannot contain all spaces.



## PDS 0677 (Customer VAT Number)

PDS 0677 (Customer VAT Number) provides the value-added tax (VAT) number for the customer used to identify the customer when purchasing goods and services from an acceptor.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...20; TAGLLLLVAR            |
| Tag Field           | 0677                            |
| Data Length         | 3 positions, value = 001–020    |
| Data Field          | Variable length, 1–20 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

### Values

If present, PDS 0677 must be left-justified and cannot contain all spaces.

## PDS 0678 (Unique Invoice Number)

PDS 0678 (Unique Invoice Number) provides the unique number associated with the individual transaction provided by the acceptor.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...17; TAGLLLLVAR            |
| Tag Field           | 0678                            |
| Data Length         | 3 positions, value = 001-017    |
| Data Field          | Variable length, 1-17 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | C   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | .   | C   |

This PDS is required in Financial Detail Addendum (Corporate Common Card Data) messages for transactions submitted for the interchange rate programs listed in this table with Brand Product MEF.

### IRDs and descriptions

| IRD | Description             |
|-----|-------------------------|
| 67  | Commercial Data Rate II |

| IRD | Description                |
|-----|----------------------------|
| 82  | Electronic Payment Account |

### Values

If present, PDS 0678 must be left-justified and cannot contain all spaces.

## PDS 0679 (Commodity Code)

PDS 0679 (Commodity Code) provides the identifier assigned by the acceptor that best categorizes the items being purchased in a standardized commodity group.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...15; TAGLLLLVAR            |
| Tag Field           | 0679                            |
| Data Length         | 3 positions, value = 001–015    |
| Data Field          | Variable length, 1–15 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | O   | .   | C   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | O   | .   | C   |

## Values

If present, PDS 0679 must be left-justified and cannot contain all spaces.

## PDS 0680 (Authorized Contact Name)

PDS 0680 (Authorized Contact Name) provides the name of an individual or company contacted for company authorized purchases.

## Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...36; TAGLLLLVAR            |
| Tag Field           | 0680                            |
| Data Length         | 3 positions, value = 001-036    |
| Data Field          | Variable length, 1-36 positions |
| Subfields           | None                            |
| Justification       | Left                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

| Message                                                    | Org | Sys | Dst |
|------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Common Data)/1644 | O   | .   | C   |

### Values

If present, PDS 0680 must be left-justified and cannot contain all spaces.

## PDS 0681 (Authorized Contact Phone)

PDS 0681 (Authorized Contact Phone) provides the phone number of an individual or company contacted for company authorized purchases.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...17; TAGLLLLVAR            |
| Tag Field           | 0681                            |
| Data Length         | 3 positions, value = 001-017    |
| Data Field          | Variable length, 1-17 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |

### Values

If present, PDS 0681 must be left-justified and cannot contain all spaces.

## PDS 0682 (Detail Tax Amount 1)

PDS 0682 (Detail Tax Amount 1) provides additional tax information such as tax rate, tax amounts, and tax type.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...46; TAGLLLLVAR            |
| Tag Field           | 0682                            |
| Data Length         | 3 positions, value = 001–046    |
| Data Field          | Variable length, 1–46 positions |
| Subfields           | 8                               |
| Justification       | See "Subfields"                 |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | O   | .   | C   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | C   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | O   | .   | C   |

PDS 0682 must be present in a Financial Detail Addendum (Corporate Line Item Detail)/1644 message when all these conditions exist:

- The product code is MCP or MCF at a non-fuel location.
- The business service is equal to one of the values listed in this table.

#### Business services and descriptions

| Business Service Type Code (PDS 0158, subfield 2) | Business Service ID (PDS 0158, subfield 3) | Description          |
|---------------------------------------------------|--------------------------------------------|----------------------|
| 2                                                 | 050001                                     | Europe Intraregional |
| 3                                                 | 050012                                     | Europe Intercountry  |
| 3                                                 | 050021                                     | Europe Intercountry  |
| 3                                                 | 050031                                     | Europe Intercountry  |

**NOTE: This applies to additional European domestic arrangements.**

The IRD submitted in the associated First Presentment/1240 is one of the values in this table.

#### IRDs and descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| 26  | Purchasing Large Ticket Level 1 Interchange |
| 27  | Purchasing Large Ticket Level 2 Interchange |

### IRDs and descriptions

| IRD | Description                                                                                                                                                                                                                                                                                                                                                                 |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BQ  | Canada Intracountry Commercial Data Rate IPDS 0682 (including all subfields) must be present in a Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message, except when PDS 0686 (Tax Exempt Indicator) is present, for transactions with the associated First Presentment/1240 submitted for one of the interchange programs listed in this table. |
| BR  | PDS 0682 (including all subfields) must be present in a Financial Canada Intracountry Commercial Data Rate II                                                                                                                                                                                                                                                               |
| BS  | Canada Intracountry Commercial Large Ticket                                                                                                                                                                                                                                                                                                                                 |

### PDS 0682 subfields

This PDS consists of eight subfields.

#### PDS 0682 subfields

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 1      | 1         | Detail Tax Amount Indicator 1 | ans-1     | N/A           |
| 2      | 2–13      | Detail Tax Amount 1           | n-12      | right         |
| 3      | 14–18     | Detail Tax Rate 1             | n-5       | right         |
| 4      | 19        | Detail Tax Rate Exponent 1    | n-1       | N/A           |
| 5      | 20–23     | Detail Tax Type Applied 1     | ans-4     | left          |
| 6      | 24–25     | Detail Tax Type Identifier 1  | ans-2     | left          |
| 7      | 26–45     | Acceptor Tax ID 1             | ans-20    | left          |
| 8      | 46        | Detail Tax Amount Sign 1      | a-1       | N/A           |

#### Subfield 1 (Detail Tax Amount Indicator 1)

Subfield 1 (Detail Tax Amount Indicator 1) is the indicator used to reflect additional tax capture and reporting. It must be one of the values in this table.



### Values and descriptions

| Value  | Description                               |
|--------|-------------------------------------------|
| Y      | Tax included in total purchase amount     |
| N      | Tax not included in total purchase amount |
| spaces | Not supported                             |

### Subfield 2 (Detail Tax Amount 1)

Subfield 2 (Detail Tax Amount 1) indicates the detailed tax amount on the purchased goods or services. This subfield must be numeric and may contain all zeros.

### Subfield 3 (Detail Tax Rate 1)

Subfield 3 (Detail Tax Rate 1) indicates the detailed tax rate applied in relationship to a specific tax amount. This subfield must be numeric. This subfield must not contain all zeros for transactions qualifying for the United Kingdom Intracountry Summary VAT Incentive.

### Subfield 4 (Detail Tax Rate Exponent 1)

Subfield 4 (Detail Tax Rate Exponent 1) indicates the decimal location for the Detail Tax Rate 1 subfield. It must contain a value in the range of 0 to 5.

For a tax rate less than 100 percent, the exponent must indicate that the value is less than 1. Consider the example in this table.

### Subfield 4 example

| Subfield 3 Tax Rate | Subfield 4 Tax Rate Exponent | Interpretation               |
|---------------------|------------------------------|------------------------------|
| 09000               | 5                            | 0.09000 (9 percent tax rate) |
| 00009               | 2                            | 0.09 (9 percent tax rate)    |
| 09000               | 3                            | 9.000 (900 percent tax rate) |
| 00009               | 1                            | 0.9 (90 percent tax rate)    |
| 00009               | 3                            | 0.009 (0.9 percent tax rate) |

## Subfield 5 (Detail Tax Type Applied 1)

Subfield 5 (Detail Tax Type Applied 1) provides an indicator that is used to further define tax categories applicable to specific domestic processing arrangements in certain locations.

This subfield may contain all spaces for transactions submitted for Canada intracountry IRDs BQ, BR, and BS.

## Subfield 6 (Detail Tax Type Identifier 1)

Subfield 6 (Detail Tax Type Identifier 1) indicates the type of tax collected in relationship to a specific tax amount. It must be one of the values listed in this table.

### Values and descriptions

| Value | Description                  |
|-------|------------------------------|
| 00    | Unknown                      |
| 01    | Federal/National Sales Tax   |
| 02    | State Sales Tax              |
| 03    | City Sales Tax               |
| 04    | Local Sales Tax              |
| 05    | Municipal Sales Tax          |
| 06    | Other Tax                    |
| 10    | Value Added Tax (VAT)        |
| 11    | Goods and Services Tax (GST) |
| 12    | Provincial Sales Tax (PST)   |
| 13    | Harmonized Sales Tax (HST)   |
| 14    | Quebec Sales Tax (QST)       |
| 20    | Room Tax                     |
| 21    | Occupancy Tax                |
| 22    | Energy Tax                   |
| space | Not supported                |

## Subfield 7 (Acceptor Tax ID 1)

Subfield 7 (Acceptor Tax ID 1) provides an identification number used by the acceptor with the tax authority in relationship to a specific tax amount.

If present, this subfield must be 20 positions, left-justified, and must not contain all low values, all high values, or all spaces. In addition, if this subfield is present and the related First Presentment is a U.S. acquired transaction, this subfield must consist of 9 numeric characters followed by 11 spaces.

This subfield cannot contain all zeros for transactions submitted for Canada intracountry IRDs BQ, BR, and BS.

## Subfield 8 (Detail Tax Amount Sign 1)

If PDS 0682 is present, subfield 8 (Detail Tax Amount Sign 1) must contain a value of D or C. This subfield identifies whether PDS 0682 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                    |
|-------|--------------------------------|
| D     | Detail tax amount is a debit.  |
| C     | Detail tax amount is a credit. |

## PDS 0683 (Detail Tax Amount 2)

PDS 0683 (Detail Tax Amount 2) provides additional tax information such as tax rate, tax amounts, and tax type.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...46; TAGLLLVAR             |
| Tag Field           | 0683                            |
| Data Length         | 3 positions, value = 001-046    |
| Data Field          | Variable length, 1-46 positions |
| Subfields           | 8                               |

| Attribute     | Description     |
|---------------|-----------------|
| Justification | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | C   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644                         | O   | .   | C   |

When a second Canada provincial tax is applicable, PDS 0683 (including all subfields) must be present in a Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 message, except when PDS 0686 (Tax Exempt Indicator) is present, for transactions with the

associated First Presentment/1240 submitted for one the interchange programs listed in this table.

### IRDs and descriptions

| IRD | Description                                 |
|-----|---------------------------------------------|
| BQ  | Canada Intracountry Commercial Data Rate I  |
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

## PDS 0683 subfields

PDS 0683 consists of eight subfields.

### PDS 0683 subfields

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 1      | 1         | Detail Tax Amount Indicator 2 | ans-1     | N/A           |
| 2      | 2–13      | Detail Tax Amount 2           | n-12      | right         |
| 3      | 14–18     | Detail Tax Rate 2             | n-5       | right         |
| 4      | 19        | Detail Tax Rate Exponent 2    | n-1       | N/A           |
| 5      | 20–23     | Detail Tax Type Applied 2     | ans-4     | left          |
| 6      | 24–25     | Detail Tax Type Identifier 2  | ans-2     | left          |
| 7      | 26–45     | Acceptor Tax ID 2             | ans-20    | left          |
| 8      | 46        | Detail Tax Amount Sign 2      | a-1       | N/A           |

### Subfield 1 (Detail Tax Amount Indicator 2)

Subfield 1 (Detail Tax Amount Indicator 2) is the indicator used to reflect additional tax capture and reporting. This subfield must be one of the values listed in this table.

### Values and descriptions

| Value | Description                               |
|-------|-------------------------------------------|
| Y     | Tax included in total purchase amount     |
| N     | Tax not included in total purchase amount |
| space | Not supported                             |

### Subfield 2 (Detail Tax Amount 2)

Subfield 2 (Detail Tax Amount 2) indicates the detailed tax amount on the purchased goods or services. This subfield must be numeric and may contain all zeros.

### Subfield 3 (Detail Tax Rate 2)

Subfield 3 (Detail Tax Rate 2) indicates the tax rate applied in relationship to a specific tax amount. This subfield must be numeric and may contain all zeros.

### Subfield 4 (Detail Tax Rate Exponent 2)

Subfield 4 (Detail Tax Rate Exponent 2) indicates the decimal location for the Detail Tax Rate 2 subfield. It must contain a value in the range of 0 to 5.

For a tax rate less than 100 percent, the exponent must indicate that the value is less than 1. Consider this example.

### Subfields and interpretations

| Subfield 3 Tax Rate | Subfield 4 Tax Rate Exponent | Interpretation               |
|---------------------|------------------------------|------------------------------|
| 09000               | 5                            | 0.09000 (9 percent tax rate) |
| 00009               | 2                            | 0.09 (9 percent tax rate)    |
| 09000               | 3                            | 9.000 (900 percent tax rate) |
| 00009               | 1                            | 0.9 (90 percent tax rate)    |
| 00009               | 3                            | 0.009 (0.9 percent tax rate) |

## Subfield 5 (Detail Tax Type Applied 2)

Subfield 5 (Detail Tax Type Applied 2) provides an indicator that is used to further define tax categories applicable to specific domestic processing arrangements in certain locations.

This subfield may contain all spaces for transactions submitted for Canada intracountry IRDs BQ, BR, and BS.

## Subfield 6 (Detail Tax Type Identifier 2)

Subfield 6 (Detail Tax Type Identifier 2) indicates the type of tax collected in relationship to a specific tax amount. It must be one of the values listed in this table.

### Values and descriptions

| Value | Description                  |
|-------|------------------------------|
| 00    | Unknown                      |
| 01    | Federal/National Sales Tax   |
| 02    | State Sales Tax              |
| 03    | City Sales Tax               |
| 04    | Local Sales Tax              |
| 05    | Municipal Sales Tax          |
| 06    | Other Tax                    |
| 10    | Value Added Tax (VAT)        |
| 11    | Goods and Services Tax (GST) |
| 12    | Provincial Sales Tax (PST)   |
| 13    | Harmonized Sales Tax (HST)   |
| 14    | Quebec Sales Tax (QST)       |
| 20    | Room Tax                     |
| 21    | Occupancy Tax                |
| 22    | Energy Tax                   |
| space | Not supported                |

## Subfield 7 (Acceptor Tax ID 2)

Subfield 7 (Acceptor Tax ID 2) provides an identification number used by the acceptor with the tax authority in relationship to a specific tax amount.

If present, subfield 7 must be 20 positions, left-justified, and it cannot contain all low values, all high values, or all spaces.

This subfield cannot contain all zeros for transactions submitted for Canada intracountry IRDs BQ, BR, and BS.

In addition, if this subfield is present and the related First Presentment is a U.S. acquired transaction, this subfield must consist of 9 numeric characters followed by 11 spaces.

## Subfield 8 (Detail Tax Amount Sign 2)

If PDS 0683 is present, subfield 8 (Detail Tax Amount Sign 2) must contain a value of D or C. This subfield identifies whether PDS 0683 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                         |
|-------|-------------------------------------|
| D     | Detail tax amount sign is a debit.  |
| C     | Detail tax amount sign is a credit. |

## PDS 0684 (Detail Tax Amount 3)

PDS 0684 (Detail Tax Amount 3) provides additional tax information such as tax rate, tax amounts, and tax type.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...46; TAGLLLVAR             |
| Tag Field           | 0684                            |
| Data Length         | 3 positions, value = 001–046    |
| Data Field          | Variable length, 1–46 positions |
| Subfields           | 8                               |



| Attribute     | Description     |
|---------------|-----------------|
| Justification | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644                         | O   | .   | C   |

## PDS 0684 subfields

This PDS consists of eight subfields.

### PDS 0684 subfields

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 1      | 1         | Detail Tax Amount Indicator 3 | ans-1     | N/A           |
| 2      | 2–13      | Detail Tax Amount 3           | n-12      | right         |
| 3      | 14–18     | Detail Tax Rate 3             | n-5       | right         |
| 4      | 19        | Detail Tax Rate Exponent 3    | n-1       | N/A           |
| 5      | 20–23     | Detail Tax Type Applied 3     | ans-4     | left          |
| 6      | 24–25     | Detail Tax Type Identifier 3  | ans-2     | left          |
| 7      | 26–45     | Acceptor Tax ID 3             | ans-20    | left          |
| 8      | 46        | Detail Tax Amount Sign 3      | a-1       | N/A           |

### Subfield 1 (Detail Tax Amount Indicator 3)

Subfield 1 (Detail Tax Amount Indicator 3) is the indicator used to reflect additional tax capture and reporting. It must be one of the values listed in this table.

### Values and descriptions

| Value  | Description                               |
|--------|-------------------------------------------|
| Y      | Tax included in total purchase amount     |
| N      | Tax not included in total purchase amount |
| spaces | Not supported                             |

### Subfield 2 (Detail Tax Amount 3)

Subfield 2 (Detail Tax Amount 3) indicates the tax amount on the purchased goods or services. This subfield must be numeric and may contain all zeros.

### Subfield 3 (Detail Tax Rate 3)

Subfield 3 (Detail Tax Rate 3) indicates the tax rate applied in relationship to a specific tax amount. This subfield must be numeric and may contain all zeros.

### Subfield 4 (Detail Tax Rate Exponent 3)

Subfield 4 (Detail Tax Rate Exponent 3) indicates the decimal location for the Detail Tax Rate 3 subfield. It must contain a value in the range of 0 to 5.

For a tax rate less than 100 percent, the exponent must indicate that the value is less than 1. Consider this example.

#### Subfields and Interpretations

| Subfield 3 Tax Rate | Subfield 4 Tax Rate Exponent | Interpretation               |
|---------------------|------------------------------|------------------------------|
| 09000               | 5                            | 0.09000 (9 percent tax rate) |
| 00009               | 2                            | 0.09 (9 percent tax rate)    |
| 09000               | 3                            | 9.000 (900 percent tax rate) |
| 00009               | 1                            | 0.9 (90 percent tax rate)    |
| 00009               | 3                            | 0.009 (0.9 percent tax rate) |

### Subfield 5 (Detail Tax Type Applied 3)

Subfield 5 (Detail Tax Type Applied 3) provides an indicator that is used to further define tax categories applicable to specific domestic processing arrangements in certain locations.

### Subfield 6 (Detail Tax Type Identifier 3)

Subfield 6 (Detail Tax Type Identifier 3) indicates the type of tax collected in relationship to a specific tax amount. It must be one of the values listed in this table.

#### Values and descriptions

| Value | Description                |
|-------|----------------------------|
| 00    | Unknown                    |
| 01    | Federal/National Sales Tax |

| Value | Description                  |
|-------|------------------------------|
| 02    | State Sales Tax              |
| 03    | City Sales Tax               |
| 04    | Local Sales Tax              |
| 05    | Municipal Sales Tax          |
| 06    | Other Tax                    |
| 10    | Value Added Tax (VAT)        |
| 11    | Goods and Services Tax (GST) |
| 12    | Provincial Sales Tax (PST)   |
| 13    | Harmonized Sales Tax (HST)   |
| 14    | Quebec Sales Tax (QST)       |
| 20    | Room Tax                     |
| 21    | Occupancy Tax                |
| 22    | Energy Tax                   |
| space | Not supported                |

### Subfield 7 (Acceptor Tax ID 3)

Subfield 7 (Acceptor Tax ID 3) provides an identification number used by the acceptor with the tax authority in relationship to a specific tax amount.

If present, subfield 7 must be 20 positions, left-justified, and it cannot contain all low values, all high values, or all spaces.

In addition, if this subfield is present and the related First Presentment is a U.S. acquired transaction, this subfield must consist of 9 numeric characters followed by 11 spaces.

### Subfield 8 (Detail Tax Amount Sign 3)

If PDS 0684 is present, subfield 8 (Detail Tax Amount Sign 3) must contain a value of D or C. This subfield identifies whether PDS 0684 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                          |
|-------|--------------------------------------|
| D     | Detail tax amount sign 3 is a debit. |

| Value | Description                           |
|-------|---------------------------------------|
| C     | Detail tax amount sign 3 is a credit. |

## PDS 0685 (Type of Supply)

PDS 0685 (Type of Supply) provides the indicator noting whether the purchase is categorized as goods or services.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | an-2; TAGLLL              |
| Tag Field           | 0685                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/<br>1644 | O   | .   | C   |

If present, this PDS must be one of the values listed in this table.

### Values

| Value | Description |
|-------|-------------|
| 00    | Goods       |

| Value | Description |
|-------|-------------|
| 01    | Services    |

## PDS 0686 (Tax Exempt Indicator)

PDS 0686 (Tax Exempt Indicator) provides the indicator noting whether the goods or services were tax-exempt or tax was not collected.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | an-1; TAGLLL             |
| Tag Field           | 0686                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | None                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | C   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | O   | .   | C   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | O   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program.

If present, this PDS must be one of the values listed in this table.

### Values

| Value | Description      |
|-------|------------------|
| 0     | No Tax Collected |
| 1     | Tax Exempt       |

## PDS 0687 (Unique VAT Invoice Reference Number)

PDS 0687 (Unique VAT Invoice Reference Number) provides an additional subelement that is used to identify the value-added tax (VAT) invoice or tax receipt.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...17; TAGLLLLVAR            |
| Tag Field           | 0687                            |
| Data Length         | 3 positions, value = 001-017    |
| Data Field          | Variable length, 1-17 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                     | Org | Sys | Dst |
|-------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified and cannot contain all spaces.

## PDS 0688 (Acceptor Contact E-mail Address)

PDS 0688 (Acceptor Contact E-mail Address) provides the acceptor's official headquarters e-mail address contact information for electronic correspondence with the acceptor.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...60; TAGLLLVAR             |
| Tag Field           | 0688                            |
| Data Length         | 3 positions, value = 006-060    |
| Data Field          | Variable length, 6-60 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages:

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |



## Values

If present, PDS 0688 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros. It must be a length of 006–060.

## PDS 0689 (Corporate Identifier)

PDS 0689 (Corporate Identifier) provides the unique identifier of the corporation or entity renting the vehicle.

## Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...12; TAGLLLVAR             |
| Tag Field           | 0689                            |
| Data Length         | 3 positions, value = 001–012    |
| Data Field          | Variable length, 1–12 positions |
| Subfields           | None                            |
| Justification       | Left                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

## PDS 0690 (No Show Indicator)

PDS 0690 (No Show Indicator) provides an indicator noting that the individual did not show up after making a reservation for a vehicle or lodging.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | an-1; TAGLLL             |
| Tag Field           | 0690                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | None                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644       | O   | .   | C   |

If present, this PDS must contain one of the values listed in this table.

### Values

| Value | Description                    |
|-------|--------------------------------|
| 0     | Not applicable                 |
| 1     | No-Show transaction amount due |

## PDS 0691 (Days Rented)

PDS 0691 (Days Rented) provides the number of days that the vehicle was rented.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-4; TAGLLL              |
| Tag Field           | 0691                     |
| Data Length         | 3 positions, value = 004 |
| Data Field          | Fixed length, 4 position |
| Subfields           | None                     |
| Justification       | Right                    |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a vehicle rental acceptor business code (MCC) and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program.

When an occurrence of the Financial Detail Addendum (Vehicle Rental Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0691 (Days Rented) and cannot contain null values.

### Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0692 (Weekly Rental Amount)

PDS 0692 (Weekly Rental Amount) provides the amount charged for a seven-day rental period.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0692                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0693 (Total Authorized Amount)

PDS 0693 (Total Authorized Amount) provides the amount reserved on a credit card to cover the anticipated charges associated with the rental of a vehicle or lodging stay.

### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-14; TAGLLL |
| Tag Field           | 0693           |

| Attribute     | Description                |
|---------------|----------------------------|
| Data Length   | 3 positions, value = 014   |
| Data Field    | Fixed length, 14 positions |
| Subfields     | 3                          |
| Justification | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644       | O   | .   | C   |

## Values

If present, PDS 0693 must be a fixed length of 014.

## PDS 0693 subfields

This PDS consists of three subfields.

## PDS 0693 subfields

| Number | Positions | Name                             | Attribute | Justification |
|--------|-----------|----------------------------------|-----------|---------------|
| 1      | 1-12      | Total Authorized Amount          | n-12      | right         |
| 2      | 13        | Total Authorized Amount Exponent | n-1       | N/A           |
| 3      | 14        | Total Authorized Amount Sign     | a-1       | N/A           |

## Subfield 1 (Total Authorized Amount)

If PDS 0693 is present, subfield 1 (Total Authorized Amount) must be numeric and contain the total authorized amount reserved on the card. It may contain all zeros.

## Subfield 2 (Total Authorized Amount Exponent)

If PDS 0693 is present, subfield 2 (Total Authorized Amount Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 3 (Total Authorized Amount Sign)

If PDS 0693 is present, subfield 3 (Total Authorized Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0693 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                               |
|-------|-------------------------------------------|
| D     | Total authorized amount is a debit.       |
| C     | Total authorized amount sign is a credit. |

## PDS 0694 (One Way Drop Off Charge)

PDS 0694 (One Way Drop Off Charge) provides a charge associated with not returning a vehicle to the original rental location.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0694                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

## Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0695 (Regular Mileage Charge)

PDS 0695 (Regular Mileage Charge) provides the amount charged for regular miles traveled during vehicle rental.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0695                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0696 (Extra Mileage Charge)

PDS 0696 (Extra Mileage Charge) provides the amount charged for miles exceeding maximum allowed miles traveled during vehicle rental.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0696                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be numeric and may contain all zeros.



## PDS 0697 (Late Charge)

PDS 0697 (Late Charge) provides the amount charged for returning a vehicle after its anticipated date of return.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0697                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0698 (Fuel Charge)

PDS 0698 (Fuel Charge) provides the amount charged for fuel used during vehicle rental.

### Attributes

| Attribute           | Description  |
|---------------------|--------------|
| Data Representation | n-12; TAGLLL |
| Tag Field           | 0698         |

| Attribute     | Description                |
|---------------|----------------------------|
| Data Length   | 3 positions, value = 012   |
| Data Field    | Fixed length, 12 positions |
| Subfields     | None                       |
| Justification | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0699 (Lodging Total Tax Amount)

PDS 0699 (Lodging Total Tax Amount) provides the total taxes paid during a lodging stay.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0699                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

If present, PDS 0699 must be a fixed length of 014.

## PDS 0699 subfields

This PDS consists of three subfields.

### PDS 0699 subfields

| Number | Positions | Name                              | Attribute | Justification |
|--------|-----------|-----------------------------------|-----------|---------------|
| 1      | 1-12      | Lodging Total Tax Amount          | n-12      | right         |
| 2      | 13        | Lodging Total Tax Amount Exponent | n-1       | N/A           |
| 3      | 14        | Lodging Total Tax Amount Sign     | a-1       | N/A           |

### Subfield 1 (Lodging Total Tax Amount)

If PDS 0699 is present, subfield 1 (Lodging Total Tax Amount) must be numeric and contain the total amount of taxes related to the lodging stay. It may contain all zeros.

### Subfield 2 (Lodging Total Tax Amount Exponent)

If PDS 0699 is present, subfield 2 (Lodging Total Tax Amount Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Lodging Total Tax Amount Sign)

If PDS 0699 is present, subfield 3 (Lodging Total Tax Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0699 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                           |
|-------|---------------------------------------|
| D     | Lodging total tax amount is a debit.  |
| C     | Lodging total tax amount is a credit. |

### PDS 0700 (Towing Charges)

PDS 0700 (Towing Charges) provides the amount charged to tow the rental vehicle.

#### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0700                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

#### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

#### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

## Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0701 (Extra Charges)

PDS 0701 (Extra Charges) provides the extra charges associated with the vehicle rental.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0701                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

## Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0702 (Other Charges)

PDS 0702 (Other Charges) provides the other charges associated with the vehicle rental.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0702                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Vehicle Rental Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0703 (Total Room Nights)

PDS 0703 (Total Room Nights) provides the total number of nights for which a room was contracted during a lodging stay.

### Attributes

| Attribute           | Description |
|---------------------|-------------|
| Data Representation | n-4; TAGLLL |
| Tag Field           | 0703        |

| Attribute     | Description               |
|---------------|---------------------------|
| Data Length   | 3 positions, value = 004  |
| Data Field    | Fixed length, 4 positions |
| Subfields     | None                      |
| Justification | Right                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a lodging acceptor business code (MCC) and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program.

When an occurrence of the Financial Detail Addendum (Lodging Summary)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0703 (Total Room Nights) and cannot contain null values.

### Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0704 (Prepaid Expenses)

PDS 0704 (Prepaid Expenses) provides the amount of deposit or other prepaid amounts for the lodging stay.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0704                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |

| Attribute     | Description     |
|---------------|-----------------|
| Subfields     | 3               |
| Justification | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

If present, PDS 0704 must be a fixed length of 014.

## PDS 0704 subfields

This PDS consists of three subfields.

### PDS 0704 subfields

| Number | Positions | Name                             | Attribute | Justification |
|--------|-----------|----------------------------------|-----------|---------------|
| 1      | 1–12      | Prepaid Expenses Amount          | n-12      | right         |
| 2      | 13        | Prepaid Expenses Amount Exponent | n-1       | N/A           |
| 3      | 14        | Prepaid Expenses Amount Sign     | a-1       | N/A           |

### Subfield 1 (Prepaid Expenses Amount)

If PDS 0704 is present, subfield 1 (Prepaid Expenses Amount) must be numeric and contain the total amount of the deposit or other prepaid expenses. It may contain all zeros.



## Subfield 2 (Prepaid Expenses Amount Exponent)

If PDS 0704 is present, subfield 2 (Prepaid Expenses Amount Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 3 (Prepaid Expenses Amount Sign)

If PDS 0704 is present, subfield 3 (Prepaid Expenses Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0704 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                          |
|-------|--------------------------------------|
| D     | Prepaid expenses amount is a debit.  |
| C     | Prepaid expenses amount is a credit. |

## PDS 0705 (Total Non-Room Tax Amount)

PDS 0705 (Total Non-Room Tax Amount) provides the total amount of taxes for all items not specifically associated with the room rental during the lodging stay.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0705                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

## Values

If present, PDS 0705 must be a fixed length of 014.

## PDS 0705 subfields

This PDS consists of three subfields.

### PDS 0705 subfields

| Number | Positions | Name                               | Attribute | Justification |
|--------|-----------|------------------------------------|-----------|---------------|
| 1      | 1-12      | Total Non-Room Tax Amount          | n-12      | right         |
| 2      | 13        | Total Non-Room Tax Amount Exponent | n-1       | N/A           |
| 3      | 14        | Total Non-Room Tax Amount Sign     | a-1       | N/A           |

### Subfield 1 (Total Non-Room Tax Amount)

If PDS 0705 is present, subfield 1 (Total Non-Room Tax Amount) must be numeric and contain the total charges for total non-room tax. This subfield may contain all zeros.

### Subfield 2 (Total Non-Room Tax Amount Exponent)

If PDS 0705 is present, subfield 2 (Total Non-Room Tax Amount Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 3 (Total Non-Room Tax Amount Sign)

If PDS 0705 is present, subfield 3 (Total Non-Room Tax Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0705 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                            |
|-------|----------------------------------------|
| D     | Total non-room tax amount is a debit.  |
| C     | Total non-room tax amount is a credit. |

## PDS 0706 (Cash Advances)

PDS 0706 (Cash Advances) provides the amount of cash received during the lodging stay.

**NOTE: Mastercard® merchants are prohibited from performing cash advances. For transactions in which the Cardholder Transaction Type (DE 3, subfield 1) is purchase with cash back (value 09), the acquirer must provide the amount of cash back in DE 54.**

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0706                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

If present, PDS 0706 must be a fixed length of 014.

Mastercard® merchants are prohibited from performing cash advances. For transactions in which the Cardholder Transaction Type (DE 3, subfield 1) is purchase with cash back (value 09), the acquirer must provide the amount of cash back in DE 54. For more information on cash advances, refer to the Mastercard Manual Cash Disbursement Transactions section of the *Transaction Processing Rules* manual.

### PDS 0706 subfields

This PDS consists of three subfields.

#### PDS 0706 subfields

| Number | Positions | Name                  | Attribute | Justification |
|--------|-----------|-----------------------|-----------|---------------|
| 1      | 1–12      | Cash Advance Amount   | n-12      | right         |
| 2      | 13        | Cash Advance Exponent | n-1       | N/A           |
| 3      | 14        | Cash Advance Sign     | a-1       | N/A           |

#### Subfield 1 (Cash Advance Amount)

If PDS 0706 is present, subfield 1 (Cash Advance Amount) must be numeric and contain the total amount of the cash advance. This subfield may contain all zeros.

#### Subfield 2 (Cash Advance Exponent)

If PDS 0706 is present, subfield 2 (Cash Advance Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 3 (Cash Advance Sign)

If PDS 0706 is present, subfield 3 (Cash Advance Sign) must contain a value of D or C. This subfield identifies whether PDS 0706 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                      |
|-------|----------------------------------|
| D     | Cash advance amount is a debit.  |
| C     | Cash advance amount is a credit. |

## PDS 0707 (Valet Charges)

PDS 0707 (Valet Charges) provides the charges associated with the use of valet services.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0707                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | •   | C   |

## Values

If present, PDS 0707 must be a fixed length of 014.

## PDS 0707 subfields

This PDS consists of three subfields.

### PDS 0707 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1-12      | Valet Charges Amount   | n-12      | right         |
| 2      | 13        | Valet Charges Exponent | n-1       | N/A           |
| 3      | 14        | Valet Charges Sign     | a-1       | N/A           |

### Subfield 1 (Valet Charges Amount)

If PDS 0707 is present, subfield 1 (Valet Charges Amount) must be numeric and contain the total amount of the valet charges. This subfield may contain all zeros.

### Subfield 2 (Valet Charges Exponent)

If PDS 0707 is present, subfield 2 (Valet Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Valet Charges Sign)

If PDS 0707 is present, subfield 3 (Valet Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0707 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                      |
|-------|----------------------------------|
| D     | Valet charges amount is a debit. |

| Value | Description                       |
|-------|-----------------------------------|
| C     | Valet charges amount is a credit. |

## PDS 0708 (Movie Charges)

PDS 0708 (Movie Charges) provides the amount charged for in-room movies.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0708                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Usage

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

If present, PDS 0708 must be a fixed length of 014.

## PDS 0708 subfields

This PDS consists of three subfields.

### PDS 0708 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1–12      | Movie Charges Amount   | n-12      | right         |
| 2      | 13        | Movie Charges Exponent | n-1       | N/A           |
| 3      | 14        | Movie Charges Sign     | a-1       | N/A           |

### Subfield 1 (Movie Charges Amount)

If PDS 0708 is present, subfield 1 (Movie Charges Amount) must be numeric and contain the total amount of the movie charges. This subfield may contain all zeros.

### Subfield 2 (Movie Charges Exponent)

If PDS 0708 is present, subfield 2 (Movie Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Movie Charges Sign)

If PDS 0708 is present, subfield 3 (Movie Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0708 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                       |
|-------|-----------------------------------|
| D     | Movie charges amount is a debit.  |
| C     | Movie charges amount is a credit. |



## PDS 0709 (Business Center Charges)

PDS 0709 (Business Center Charges) provides the amount charged for business center use and supplies.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0709                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

If present, PDS 0709 must be a fixed length of 014.

## PDS 0709 subfields

This PDS consists of three subfields.

### PDS 0709 subfields

| Number | Positions | Name                           | Attribute | Justification |
|--------|-----------|--------------------------------|-----------|---------------|
| 1      | 1-12      | Business Center Charges Amount | n-12      | right         |

| Number | Positions | Name                             | Attribute | Justification |
|--------|-----------|----------------------------------|-----------|---------------|
| 2      | 13        | Business Center Charges Exponent | n-1       | N/A           |
| 3      | 14        | Business Center Charges Sign     | a-1       | N/A           |

### Subfield 1 (Business Center Charges Amount)

If PDS 0709 is present, subfield 1 (Business Center Charges Amount) must be numeric and contain the total amount of the business center charges. This subfield may contain all zeros.

### Subfield 2 (Business Center Charges Exponent)

If PDS 0709 is present, subfield 2 (Business Center Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Business Center Charges Sign)

If PDS 0709 is present, subfield 3 (Business Center Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0709 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                                 |
|-------|---------------------------------------------|
| D     | Business center charges amount is a debit.  |
| C     | Business center charges amount is a credit. |

## PDS 0710 (Health Club Charges)

PDS 0710 (Health Club Charges) provides the amount charged for health club use and supplies.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0710                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | O   | .   | C   |

### Values

If present, PDS 0710 must be a fixed length of 014.

## PDS 0710 subfields

This PDS consists of three subfields.

### PDS 0710 subfields

| Number | Positions | Name                         | Attribute | Justification |
|--------|-----------|------------------------------|-----------|---------------|
| 1      | 1-12      | Health Club Charges Amount   | n-12      | right         |
| 2      | 13        | Health Club Charges Exponent | n-1       | N/A           |

| Number | Positions | Name                     | Attribute | Justification |
|--------|-----------|--------------------------|-----------|---------------|
| 3      | 14        | Health Club Charges Sign | a-1       | N/A           |

### Subfield 1 (Health Club Charges Amount)

If PDS 0710 is present, subfield 1 (Health Club Charges Amount) must be numeric and contain the total amount of the health club charges. This subfield may contain all zeros.

### Subfield 2 (Health Club Charges Exponent)

If PDS 0710 is present, subfield 2 (Health Club Charges Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Health Club Charges Sign)

If PDS 0710 is present, subfield 3 (Health Club Charges Sign) must contain a value of D or C. This subfield identifies whether PDS 0710 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                             |
|-------|-----------------------------------------|
| D     | Health club charges amount is a debit.  |
| C     | Health club charges amount is a credit. |

## PDS 0711 (Fire Safety Act Indicator)

PDS 0711 (Fire Safety Act Indicator) identifies that the facility complies with the Hotel and Motel Fire Safety Act of 1990 (PL101-391) or similar legislation.

### Attributes

| Attribute           | Description  |
|---------------------|--------------|
| Data Representation | an-1; TAGLLL |

| Attribute     | Description              |
|---------------|--------------------------|
| Tag Field     | 0711                     |
| Data Length   | 3 positions, value = 001 |
| Data Field    | Fixed length, 1 position |
| Subfields     | None                     |
| Justification | None                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                          | Org | Sys | Dst |
|--------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodging Summary)/1644 | C   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains a lodging acceptor business code (MCC) and is submitted for the U.S. region Commercial T&E Rate III (IRD 89) incentive interchange rate program.

### Values

If present, this PDS must contain one of the values listed in this table.

### Values and descriptions

| Value | Description                            |
|-------|----------------------------------------|
| Y     | In compliance with Fire Safety Act     |
| N     | Not in compliance with Fire Safety Act |

## PDS 0712 (Net Fuel Price)

PDS 0712 (Net Fuel Price) indicates the price of fuel net of any taxes.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-13; TAGLLL               |
| Tag Field           | 0712                       |
| Data Length         | 3 positions, value = 013   |
| Data Field          | Fixed length, 13 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |

## PDS 0712 subfields

This PDS consists of two subfields.

### PDS 0712 subfields

| Number | Positions | Name                    | Attribute | Justification |
|--------|-----------|-------------------------|-----------|---------------|
| 1      | 1-12      | Net Fuel Price          | n-12      | right         |
| 2      | 13        | Net Fuel Price Exponent | n-1       | N/A           |

### Subfield 1 (Net Fuel Price)

Subfield 1 (Net Fuel Price) provides the price of fuel net of any taxes. This subfield may contain all zeros.

If PDS 0712 is present, the net fuel price must be numeric.

### Subfield 2 (Net Fuel Price Exponent)

Subfield 2 (Net Fuel Price Exponent) indicates the decimal location for the net fuel price subfield. The net fuel price exponent must be a value in the range of 0 to 5.

## PDS 0713 (Restricted Ticket Indicator)

PDS 0713 (Restricted Ticket Indicator) provides the identifier noting that the ticket purchased has some restriction associated with its use.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | an-1; TAGLLL             |
| Tag Field           | 0713                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | None                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |

If present, this PDS must contain one of the values listed in this table.

### Values and descriptions

| Value | Description                        |
|-------|------------------------------------|
| 0     | No restriction                     |
| 1     | Restricted ticket (non-refundable) |

## PDS 0714 (Exchange Ticket Amount)

PDS 0714 (Exchange Ticket Amount) provides the amount of the new ticket purchase on an exchanged ticket.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-12; TAGLLL               |
| Tag Field           | 0714                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |

### Values

If present, this PDS must be numeric and may contain all zeros.



## PDS 0715 (Ancillary Service Charges)

PDS 0715 (Ancillary Service Charges) contains the ancillary fee code and fee amount of the non-ticket related service charges applicable in the passenger transport industry.

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | an...084; TAGLLLLVAR                             |
| Tag Field           | 0715                                             |
| Data Length         | 3 positions, value = 014-084 in increments of 14 |
| Data Field          | Variable length, 014-084 positions               |
| Subfields           | 2 fixed-length subfields for each occurrence     |
| Occurrences         | 1-6                                              |
| Justification       | See Subfields                                    |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | C   | .   | C   |

PDS 0715 must be present in a Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 message when the ancillary service charge data is provided by the acceptor with an MCC of Airline, Railway, or Travel Agency.

When the ancillary service charge data is present for transactions with an MCC of Airline, Railway, or Travel Agency then the issuer must disclose the description of the ancillary service charges by making it visible in cardholder billing statements, online account tools, mobile apps, or other methods designed to inform cardholders of their purchases.

### Values

If present, PDS 0715 must be a length of 14-84, and divisible by a minimum occurrence length of 14.

## PDS 0715 subfields

This PDS may contain 1 to 6 occurrences of ancillary service charge information.

Each Ancillary Service Charge consists of two subfields as defined in this table. Each occurrence requires 14 positions; the length of this PDS must be a multiple of 14, with a maximum length of 84 positions.

### PDS 0715 subfields

| Number | Positions | Name                 | Attribute | Justification |
|--------|-----------|----------------------|-----------|---------------|
| 1      | 1-2       | Ancillary Fee Code   | a-2       | N/A           |
| 2      | 3-14      | Ancillary Fee Amount | n-12      | Right         |

### Subfield 1 (Ancillary Fee Code)

Subfield 1 (Ancillary Fee Code) contains the ancillary fee code of the non-ticket related service charge. The valid values for subfield 1 are listed in this table.

### Values and descriptions

| Value | Description             |
|-------|-------------------------|
| BF    | Bundled Service         |
| BG    | Baggage Fee             |
| CF    | Change Fee              |
| CG    | Cargo                   |
| CO    | Carbon Offset           |
| FF    | Frequent Flyer          |
| GF    | Gift Card               |
| GT    | Ground Transport        |
| IE    | In-Flight Entertainment |
| LG    | Lounge                  |
| MD    | Medical                 |
| ML    | Meal/Beverage           |
| OT    | Other                   |

| Value | Description          |
|-------|----------------------|
| PA    | Passenger Assist Fee |
| PT    | Pets                 |
| SA    | Seat Fees            |
| SB    | Standby              |
| SF    | Service Fee          |
| ST    | Store                |
| TS    | Travel Service       |
| UN    | Unaccompanied Travel |
| UP    | Upgrades             |
| WI    | Wi-Fi                |

## Subfield 2 (Ancillary Fee Amount)

Subfield 2 (Ancillary Fee Amount) contains the amount associated with the value provided in subfield 1.

If present, subfield 2 must be numeric and contain the same transaction currency information as in DE 49 (Currency Code, Transaction) within the First Presentment/1240 message.

All currency amounts are expressed in the minor unit of currency without a decimal separator, in accordance with ISO standards for currency notation. For example, an ancillary fee amount of USD 212.50 is expressed as 000000021250.

## PDS 0716 (Travel Authorization Code)

PDS 0716 (Travel Authorization Code) indicates the code provided by the company to a travel agent authorizing ticket issuance.

This code is identified as Customer File Reference Number in Airline Reporting Corporation (ARC) specifications.

### Attributes

| Attribute           | Description                  |
|---------------------|------------------------------|
| Data Representation | ans...64; TAGLLLVAR          |
| Tag Field           | 0716                         |
| Data Length         | 3 positions, value = 001-064 |

| Attribute     | Description                     |
|---------------|---------------------------------|
| Data Field    | Variable length, 1–64 positions |
| Subfields     | None                            |
| Justification | Left                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |

## Values

If present, this PDS must be left-justified and cannot contain all spaces.

## PDS 0717 (IATA Client Code)

PDS 0717 (IATA Client Code) provides the International Air Transport Association (IATA) code identifying the company that purchased the ticket.

## Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...17; TAGLLLLVAR            |
| Tag Field           | 0717                            |
| Data Length         | 3 positions, value = 001–017    |
| Data Field          | Variable length, 1–17 positions |
| Subfields           | None                            |
| Justification       | Left                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | •   | C   |

## Values

If present, this PDS must be left-justified and cannot contain all spaces.

## PDS 0718 (Employee/Temp Name/ID)

PDS 0718 (Employee/Temp Name/ID) provides the name or ID associated with the individual working in a temporary capacity.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...40; TAGLLLLVAR            |
| Tag Field           | 0718                            |
| Data Length         | 3 positions, value = 001-040    |
| Data Field          | Variable length, 1-40 positions |
| Subfields           | None                            |
| Justification       | Left                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | C   | .   | C   |

PDS 0718 is required for the Financial Detail Addendum (Temporary Services)/1644 message when both of these conditions apply:

- DE 26 (Acceptor Business Code [MCC]) contains a value of 7361 (Employment Agencies, Temporary Services)
- The associated First Presentment/1240 message is submitted for one of the interchange programs listed in this table.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                     |
|-----|---------------------------------|
| 62  | Commercial Large Ticket 1       |
| 66  | Commercial Data Rate III        |
| 94  | Commercial Large Ticket II      |
| 99  | Commercial Large Ticket III     |
| SC  | Business Level 2 Data Rate III  |
| SE  | Business Level 2 Large Ticket I |
| 3C  | Business Level 3 Data Rate III  |
| 4C  | Business Level 4 Data Rate III  |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0719 (Employee Social Security Number or ID)

PDS 0719 (Employee Social Security Number or ID) contains the identifier associated with the individual working in a temporary capacity.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...30; TAGLLLLVAR            |
| Tag Field           | 0719                            |
| Data Length         | 3 positions, value = 001–030    |
| Data Field          | Variable length, 1–30 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0720 (Job Description)

PDS 0720 (Job Description) contains the description of the job or task of the individual working in a temporary capacity.

### Attributes

| Attribute           | Description          |
|---------------------|----------------------|
| Data Representation | ans...40; TAGLLLLVAR |

| Attribute     | Description                     |
|---------------|---------------------------------|
| Tag Field     | 0720                            |
| Data Length   | 3 positions, value = 001–040    |
| Data Field    | Variable length, 1–40 positions |
| Subfields     | None                            |
| Justification | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                    | Org | Sys | Dst |
|------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644        | C   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644 | O   | .   | C   |

PDS 0720 is required for the Financial Detail Addendum (Temporary Services)/1644 message when both of these conditions apply:

- DE 26 (Acceptor Business Code [MCC]) contains a value of 7361 (Employment Agencies, Temporary Services).
- The associated First Presentment/1240 message is submitted for one of the interchange programs listed in this table.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |



### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0721 (Job Code)

PDS 0721 (Job Code) contains an indicator identifying the job or task of the individual working in a temporary capacity.

### Attributes

| Attribute           | Description         |
|---------------------|---------------------|
| Data Representation | ans...20; TAGLLLVAR |
| Tag Field           | 0721                |

| Attribute     | Description                     |
|---------------|---------------------------------|
| Data Length   | 3 positions, value = 001-020    |
| Data Field    | Variable length, 1-20 positions |
| Subfields     | None                            |
| Justification | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0722 (Flat Rate Indicator)

PDS 0722 (Flat Rate Indicator) contains an indicator noting that the fee for the individual working in a temporary capacity is a flat rate.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | ans-1; TAGLLL            |
| Tag Field           | 0722                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | N/A                      |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | O   | .   | C   |

## Values

If present, this PDS shows whether the flat rate is applied. The valid value is Y or N.

## PDS 0723 (Regular Hours Worked)

PDS 0723 (Regular Hours Worked) contains the amount of time worked during a normal operation for the task or job.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-7; TAGLLL               |
| Tag Field           | 0723                      |
| Data Length         | 3 positions, value = 007  |
| Data Field          | Fixed length, 7 positions |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | C   | .   | C   |

At least one of these fields is required for the Financial Detail Addendum (Temporary Services)/1644 message when the transaction is submitted for any of the interchange programs listed in this table and the MCC in DE 26 (Acceptor Business Code [MCC]) contains MCC 7361:

Employment Agencies, Temporary Services:

- PDS 0723 (Regular Hours Worked)
- PDS 0725 (Overtime Hours Worked)
- PDS 0734 (Miscellaneous Expenses)

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |

| IRD | Description                       |
|-----|-----------------------------------|
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be numeric and may contain all zeros.

### PDS 0723 subfields

This PDS consists of two subfields.

#### PDS 0723 subfields

| Number | Positions | Name                          | Attribute | Justification           |
|--------|-----------|-------------------------------|-----------|-------------------------|
| 1      | 1-6       | Regular Hours Worked          | n-6       | right                   |
| 2      | 7         | Regular Hours Worked Exponent | n-1       | right, valid values 0-5 |

### Subfield 1 (Regular Hours Worked)

Subfield 1 (Regular Hours Worked) provides the number of regular hours worked.

### Subfield 2 (Regular Hours Worked Exponent)

Subfield 2 (Regular Hours Worked Exponent) indicates the decimal location for the regular hours worked subfield. The regular hours worked exponent must be a value in the range of 0 to 5.

## PDS 0724 (Regular Hours Rate)

PDS 0724 (Regular Hours Rate) contains the amount paid per regular hours worked.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-7; TAGLLL               |
| Tag Field           | 0724                      |
| Data Length         | 3 positions, value = 007  |
| Data Field          | Fixed length, 7 positions |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | C   | .   | C   |

PDS 0724 is mandatory for the Financial Detail Addendum (Temporary Services)/1644 message when all of these conditions apply:

- MCC is 7361: Employment Agencies and Temporary Services is in DE 26 (Acceptor Business Code [MCC]).

- PDS 0723 (Regular Hours Worked) is present.
- The associated First Presentment/1240 message is submitted for any of the interchange programs listed in these tables.

#### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |
| 4F  | Business Level 4 Large Ticket II            |
| 4G  | Business Level 4 Large Ticket III           |

#### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

## Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0724 subfields

This PDS consists of two subfields.

### PDS 0724 subfields

| Number | Positions | Name                        | Attribute | Justification           |
|--------|-----------|-----------------------------|-----------|-------------------------|
| 1      | 1–6       | Regular Hours Rate          | n-6       | right                   |
| 2      | 7         | Regular Hours Rate Exponent | n-1       | right, valid values 0–5 |

### Subfield 1 (Regular Hours Rate)

Subfield 1 (Regular Hours Rate) provides the rate for the regular hours worked.

### Subfield 2 (Regular Hours Rate Exponent)

Subfield 2 (Regular Hours Rate Exponent) indicates the decimal location for the Regular Hours Rate subfield. The Regular Hours Rate Exponent must be a value in the range of 0 to 5.

## PDS 0725 (Overtime Hours Worked)

PDS 0725 (Overtime Hours Worked) contains the number of hours worked in excess of regular hours.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-7; TAGLLL               |
| Tag Field           | 0725                      |
| Data Length         | 3 positions, value = 007  |
| Data Field          | Fixed length, 7 positions |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |



## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | C   | .   | C   |

At least one of these fields is required for the Financial Detail Addendum (Temporary Services)/1644 message when the transaction is submitted for any of the interchange programs listed in these table and the MCC in DE 26 (Acceptor Business Code [MCC]) contains MCC 7361: Employment Agencies, Temporary Services:

- PDS 0723 (Regular Hours Worked)
- PDS 0725 (Overtime Hours Worked)
- PDS 0734 (Miscellaneous Expenses)

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |

| IRD | Description                       |
|-----|-----------------------------------|
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be numeric and may contain all zeros.

### PDS 0725 subfields

This PDS consists of two subfields.

#### PDS 0725 subfields

| Number | Positions | Name                              | Attribute | Justification              |
|--------|-----------|-----------------------------------|-----------|----------------------------|
| 1      | 1-6       | Overtime Hours Worked             | n-6       | right                      |
| 2      | 7         | Overtime Hours Worked<br>Exponent | n-1       | right, valid<br>values 0-5 |

### Subfield 1 (Overtime Hours Worked)

Subfield 1 (Overtime Hours Worked) provides the number of overtime hours worked.

### Subfield 2 (Overtime Hours Worked Exponent)

Subfield 2 (Overtime Hours Worked Exponent) indicates the decimal location for the Overtime Hours Worked subfield. The Overtime Hours Worked Exponent must be a value in the range of 0 to 5.

## PDS 0726 (Overtime Hours Rate)

PDS 0726 (Overtime Hours Rate) contains the amount paid per overtime hour worked.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-7; TAGLLL               |
| Tag Field           | 0726                      |
| Data Length         | 3 positions, value = 007  |
| Data Field          | Fixed length, 7 positions |
| Subfields           | 2                         |
| Justification       | See "Subfields"           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | C   | .   | C   |

This PDS is mandatory for the Financial Detail Addendum (Temporary Services)/1644 message when all of these conditions apply:

- The associated First Presentment/1240 message is submitted for any of the interchange programs listed in these tables.

- MCC is 7361: Employment Agencies and Temporary Services in DE 26 (Acceptor Business Code [MCC]).
- PDS 0725 (Overtime Hours Worked) is present.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                     |
|-----|---------------------------------|
| 62  | Commercial Large Ticket 1       |
| 66  | Commercial Data Rate III        |
| 94  | Commercial Large Ticket II      |
| 99  | Commercial Large Ticket III     |
| SC  | Business Level 2 Data Rate III  |
| SE  | Business Level 2 Large Ticket I |
| 3C  | Business Level 3 Data Rate III  |
| 4C  | Business Level 4 Data Rate III  |

### Values

If present, this PDS must be numeric and may contain all zeros.

### PDS 0726 subfields

This PDS consists of two subfields.

### PDS 0726 subfields

| Number | Positions | Name                | Attribute | Justification |
|--------|-----------|---------------------|-----------|---------------|
| 1      | 1–6       | Overtime Hours Rate | n-6       | right         |

| Number | Positions | Name                         | Attribute | Justification           |
|--------|-----------|------------------------------|-----------|-------------------------|
| 2      | 7         | Overtime Hours Rate Exponent | n-1       | right, valid values 0–5 |

### Subfield 1 (Overtime Hours Rate)

Subfield 1 (Overtime Hours Rate) provides the rate for the overtime hours worked.

### Subfield 2 (Overtime Hours Rate Exponent)

Subfield 2 (Overtime Hours Rate Exponent) indicates the decimal location for the Overtime Hours Rate subfield. The Overtime Hours Rate Exponent must be a value in the range of 0 to 5.

## PDS 0727 (Temp Start Date)

PDS 0727 (Temp Start Date) contains the date for the beginning of the pay period.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0727                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | C   | .   | C   |

PDS 0727 is required for the Financial Detail Addendum (Temporary Services)/1644 message when both of these conditions apply:

- DE 26 (Acceptor Business Code [MCC]) contains a value of 7361 (Employment Agencies, Temporary Services).
- The associated First Presentment/1240 message is submitted for one of the interchange programs in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

## Values

If present, this PDS must be a valid date in the format YYMMDD.

## PDS 0728 (Temp Week Ending)

PDS 0728 (Temp Week Ending) contains the date of the end of the billing cycle.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0728                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | Right                     |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | C   | .   | C   |

PDS 0728 is required for the Financial Detail Addendum (Temporary Services)/1644 message when both of these conditions apply:

- DE 26 (Acceptor Business Code [MCC]) contains a value of 7361 (Employment Agencies, Temporary Services).
- The associated First Presentment/1240 message is submitted for one of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                     |
|-----|---------------------------------|
| 62  | Commercial Large Ticket 1       |
| 66  | Commercial Data Rate III        |
| 94  | Commercial Large Ticket II      |
| 99  | Commercial Large Ticket III     |
| SC  | Business Level 2 Data Rate III  |
| SE  | Business Level 2 Large Ticket I |
| 3C  | Business Level 3 Data Rate III  |
| 4C  | Business Level 4 Data Rate III  |

### Values

If present, this PDS must contain a valid date in the format YYMMDD.

## PDS 0729 (Requestor Name or ID)

PDS 0729 (Requestor Name or ID) contains the name of the individual requesting temporary services.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...40; TAGLLLVAR             |
| Tag Field           | 0729                            |
| Data Length         | 3 positions, value = 001–040    |
| Data Field          | Variable length, 1–40 positions |



| Attribute     | Description |
|---------------|-------------|
| Subfields     | None        |
| Justification | Left        |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | C   | .   | C   |

This PDS is required for the Financial Detail Addendum (Temporary Services)/1644 message when both of these conditions apply:

- DE 26 (Acceptor Business Code [MCC]) contains a value of 7361 (Employment Agencies, Temporary Services).
- The associated First Presentment/1240 message is submitted for one of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                    |
|-----|--------------------------------|
| 62  | Commercial Large Ticket 1      |
| 66  | Commercial Data Rate III       |
| 94  | Commercial Large Ticket II     |
| 99  | Commercial Large Ticket III    |
| SC  | Business Level 2 Data Rate III |

| IRD | Description                       |
|-----|-----------------------------------|
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0730 (Supervisor/Reports to)

PDS 0730 (Supervisor/Reports to) contains the name of the individual supervising the temporary staff.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...40; TAGLLLLVAR            |
| Tag Field           | 0730                            |
| Data Length         | 3 positions, value = 001–040    |
| Data Field          | Variable length, 1–40 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0731 (Time Sheet Number)

PDS 0731 (Time Sheet Number) contains the identification of the time sheet.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...20; TAGLLLVAR             |
| Tag Field           | 0731                            |
| Data Length         | 3 positions, value = 001-020    |
| Data Field          | Variable length, 1-20 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0732 (Discount Amount)

PDS 0732 (Discount Amount) contains the amount and type of discount.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-18; TAGLLL             |
| Tag Field           | 0732                       |
| Data Length         | 3 positions, value = 018   |
| Data Field          | Fixed length, 18 positions |
| Subfields           | 4                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | •   | C   |
| Financial Detail Addendum (Temporary Services)/1644                      | O   | •   | C   |

### Values

If present, PDS 0732 must be a fixed length of 018.

## PDS 0732 subfields

This PDS consists of four subfields.

### PDS 0732 subfields

| Number | Positions | Name            | Attribute | Justification |
|--------|-----------|-----------------|-----------|---------------|
| 1      | 1-12      | Discount Amount | n-12      | right         |

| Number | Positions | Name                     | Attribute | Justification |
|--------|-----------|--------------------------|-----------|---------------|
| 2      | 13        | Discount Amount Exponent | n-1       | N/A           |
| 3      | 14        | Discount Amount Sign     | a-1       | N/A           |
| 4      | 15-18     | Discount Type            | ans-4     | left          |

### Subfield 1 (Discount Amount)

If PDS 0732 is present, subfield 1 (Discount Amount) must be numeric and contain the discount amount. This subfield may contain all zeros.

### Subfield 2 (Discount Amount Exponent)

If PDS 0732 is present, subfield 2 (Discount Amount Exponent) must be numeric and contain a value of 0 to 5.

### Subfield 3 (Discount Amount Sign)

If PDS 0732 is present, subfield 3 (Discount Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0732 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                  |
|-------|------------------------------|
| D     | Discount amount is a debit.  |
| C     | Discount amount is a credit. |

### Subfield 4 (Discount Type)

If PDS 0732 is present, subfield 4 (Discount Type) contains the type of discount. If present, it must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0733 (Subtotal Amount)

PDS 0733 (Subtotal Amount) provides a subtotal of amounts associated with the services.

### Attributes

| Attribute           | Description    |
|---------------------|----------------|
| Data Representation | ans-14; TAGLLL |

| Attribute     | Description                |
|---------------|----------------------------|
| Tag Field     | 0733                       |
| Data Length   | 3 positions, value = 014   |
| Data Field    | Fixed length, 14 positions |
| Subfields     | 3                          |
| Justification | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                             | Org | Sys | Dst |
|-----------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644 | O   | .   | C   |

### Values

If present, PDS 0733 must be a fixed length of 014.

### PDS 0733 subfields

This PDS consists of three subfields.

### PDS 0733 subfields

| Number | Positions | Name                     | Attribute | Justification |
|--------|-----------|--------------------------|-----------|---------------|
| 1      | 1-12      | Subtotal Amount          | n-12      | right         |
| 2      | 13        | Subtotal Amount Exponent | n-1       | N/A           |
| 3      | 14        | Subtotal Amount Sign     | a-1       | N/A           |

### Subfield 1 (Subtotal Amount)

If PDS 0733 is present, subfield 1 (Subtotal Amount) must be numeric and may contain all zeros.

### Subfield 2 (Subtotal Amount Exponent)

If PDS 0733 is present, subfield 2 (Subtotal Amount Exponent) must be numeric and contain a value of 0 to 5.

### Subfield 3 (Subtotal Amount Sign)

If PDS 0733 is present, subfield 3 (Subtotal Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0733 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                  |
|-------|------------------------------|
| D     | Subtotal amount is a debit.  |
| C     | Subtotal amount is a credit. |

## PDS 0734 (Miscellaneous Expenses)

PDS 0734 (Miscellaneous Expenses) provides a description and an amount for miscellaneous expenses.

#### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | ans...216; TAGLLLVAR                             |
| Tag Field           | 0734                                             |
| Length Field        | 3 positions, value = 054–216 in increments of 54 |
| Data Field          | Variable length, 54–216 positions                |
| Subfields           | 4 subfields for each Miscellaneous Expenses      |
| Occurrences         | 1–4                                              |
| Justification       | See "Subfields"                                  |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                    | Org | Sys | Dst |
|------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Temporary Services)/1644        | C   | •   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644 | O   | •   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644 | O   | •   | C   |

This PDS enables the sender to provide 1–4 different miscellaneous expenses. For each different miscellaneous expense provided, subfields 1 and 2 must be present. These subfields provide the description and amount of each miscellaneous expense.

At least one of these fields is required for the Financial Detail Addendum (Temporary Services)/1644 message when the transaction is submitted for any of the interchange programs listed in these tables and the MCC in DE 26 (Acceptor Business Code [MCC]) is 7361: Employment Agencies, Temporary Services:

- PDS 0723 (Regular Hours Worked)
- PDS 0725 (Overtime Hours Worked)
- PDS 0734 (Miscellaneous Expenses)

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                |
|-----|----------------------------|
| 62  | Commercial Large Ticket 1  |
| 66  | Commercial Data Rate III   |
| 94  | Commercial Large Ticket II |



| IRD | Description                 |
|-----|-----------------------------|
| 99  | Commercial Large Ticket III |

### Values

If present, PDS 0734 must be within a minimum length of 054–216 and must be divisible by a minimum occurrence length of 054.

### PDS 0734 subfields

This PDS may contain from one to four occurrences of miscellaneous expense data.

Each occurrence consists of four subfields as defined in this table. Each occurrence requires 54 positions; the length of this PDS must be a multiple of 54, with a maximum length of 216 positions.

#### PDS 0734 subfields

| Number | Positions | Name                                   | Attribute | Justification |
|--------|-----------|----------------------------------------|-----------|---------------|
| 1      | 1–40      | Miscellaneous Expense Description      | ans-40    | left          |
| 2      | 41–52     | Miscellaneous Expense Amount           | n-12      | right         |
| 3      | 53        | Miscellaneous Expenses Amount Exponent | n-1       | N/A           |
| 4      | 54        | Miscellaneous Expenses Amount Sign     | a-1       | N/A           |

### Subfield 1 (Miscellaneous Expense Description)

Subfield 1 (Miscellaneous Expense Description) provides the description for any miscellaneous expenses. If present, this PDS must be 40 positions, left-justified with trailing spaces, and it cannot contain all spaces or all zeros.

### Subfield 2 (Miscellaneous Expense Amount)

Subfield 2 (Miscellaneous Expense Amount) indicates the amount of any miscellaneous expenses. If present, it must contain numeric data. This subfield may contain all zeros.

### Subfield 3 (Miscellaneous Expense Amount Exponent)

If present, subfield 3 (Miscellaneous Expense Amount Exponent) must be numeric and contain a value of 0 to 5.

### Subfield 4 (Miscellaneous Expense Amount Sign)

If PDS 0734 is present, subfield 4 (Miscellaneous Expense Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0734 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                               |
|-------|-------------------------------------------|
| D     | Miscellaneous expense amount is a debit.  |
| C     | Miscellaneous expense amount is a credit. |

## PDS 0735 (Service Descriptor Codes)

PDS 0735 (Service Descriptor Codes) contains an acceptor designated code for the shipping service provided.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...40; TAGLLLVAR             |
| Tag Field           | 0735                            |
| Data Length         | 3 positions, value = 001–040    |
| Data Field          | Variable length, 1–40 positions |

| Attribute     | Description |
|---------------|-------------|
| Subfields     | None        |
| Justification | Left        |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                    | Org | Sys | Dst |
|------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644 | C   | .   | C   |

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for the any of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                |
|-----|----------------------------|
| 62  | Commercial Large Ticket 1  |
| 66  | Commercial Data Rate III   |
| 94  | Commercial Large Ticket II |

| IRD | Description                       |
|-----|-----------------------------------|
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0736 (Tracking Number or Pickup Number)

PDS 0736 (Tracking Number or Pickup Number) contains the identification number for the packages being shipped, for tracking and billing purposes.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...40; TAGLLLVAR             |
| Tag Field           | 0736                            |
| Data Length         | 3 positions, value = 001–040    |
| Data Field          | Variable length, 1–40 positions |
| Subfields           | None                            |
| Justification       | Left                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                    | Org | Sys | Dst |
|------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644 | C   | .   | C   |

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of the following MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                      |
|-----|----------------------------------|
| 62  | Commercial Large Ticket 1        |
| 66  | Commercial Data Rate III         |
| 94  | Commercial Large Ticket II       |
| 99  | Commercial Large Ticket III      |
| SC  | Business Level 2 Data Rate III   |
| SE  | Business Level 2 Large Ticket I  |
| SF  | Business Level 2 Large Ticket II |

| IRD | Description                       |
|-----|-----------------------------------|
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0737 (Shipping Net Amount)

PDS 0737 (Shipping Net Amount) provides the net amount of the shipping costs.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0737                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644      | C   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |

| IRD | Description                       |
|-----|-----------------------------------|
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, PDS 0737 must be a fixed length of 014.

### PDS 0737 subfields

This PDS consists of three subfields.

#### PDS 0737 subfields

| Number | Positions | Name                         | Attribute | Justification |
|--------|-----------|------------------------------|-----------|---------------|
| 1      | 1-12      | Shipping Net Amount          | n-12      | right         |
| 2      | 13        | Shipping Net Amount Exponent | n-1       | N/A           |
| 3      | 14        | Shipping Net Amount Sign     | a-1       | N/A           |



### Subfield 1 (Shipping Net Amount)

If PDS 0737 is present, subfield 1 (Shipping Net Amount) must be numeric and contains the total shipping net amount. This subfield may contain all zeros.

### Subfield 2 (Shipping Net Amount Exponent)

If PDS 0737 is present, subfield 2 (Shipping Net Amount Exponent) must be numeric and contain a value of 0 to 5.

### Subfield 3 (Shipping Net Amount Sign)

If PDS 0737 is present, subfield 3 (Shipping Net Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0737 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                      |
|-------|----------------------------------|
| D     | Shipping net amount is a debit.  |
| C     | Shipping net amount is a credit. |

## PDS 0738 (Incentive Amount)

PDS 0738 (Incentive Amount) provides the amount of the incentive.

#### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0738                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                    | Org | Sys | Dst |
|------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644 | O   | .   | C   |

## Values

If present, PDS 0738 must be a fixed length of 014.

## PDS 0738 subfields

This PDS consists of three subfields.

### PDS 0738 subfields

| Number | Positions | Name                      | Attribute | Justification |
|--------|-----------|---------------------------|-----------|---------------|
| 1      | 1-12      | Incentive Amount          | n-12      | right         |
| 2      | 13        | Incentive Amount Exponent | n-1       | N/A           |
| 3      | 14        | Incentive Amount Sign     | a-1       | N/A           |

### Subfield 1 (Incentive Amount)

If PDS 0738 is present, subfield 1 (Incentive Amount) must be numeric and contains the total incentive amount. This subfield may contain all zeros.

### Subfield 2 (Incentive Amount Exponent)

If PDS 0738 is present, subfield 2 (Incentive Amount Exponent) must be numeric and contain a value of 0 to 5.

### Subfield 3 (Incentive Amount Sign)

If PDS 0738 is present, subfield 3 (Incentive Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0738 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                   |
|-------|-------------------------------|
| D     | Incentive amount is a debit.  |
| C     | Incentive amount is a credit. |

### PDS 0739 (Pickup Date)

PDS 0739 (Pickup Date) contains the date the package being shipped or sent by courier is picked up.

#### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0739                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | Right                     |

#### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

#### Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/<br>1644 | C   | •   | C   |

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for the interchange programs listed in these tables.

#### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

#### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |

| IRD | Description                       |
|-----|-----------------------------------|
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be a valid date in the format YYMMDD.

## PDS 0740 (Delivery Date)

PDS 0740 (Delivery Date) contains the date of delivery for the packages being shipped or sent by courier.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0740                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/<br>1644 | O   | .   | C   |

### Values

If present, this PDS must be a valid date in the format YYMMDD.

## PDS 0741 (Number of Packages)

PDS 0741 (Number of Packages) contains the total number of packages being shipped or sent by courier.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | n-6; TAGLLL               |
| Tag Field           | 0741                      |
| Data Length         | 3 positions, value = 006  |
| Data Field          | Fixed length, 6 positions |
| Subfields           | None                      |
| Justification       | Right                     |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644      | C   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when:

- One of these MCCs is present in DE 26, Acceptor Business Code (MCC),
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for one of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be numeric and may contain all zeros.

## PDS 0742 (Package Weight)

PDS 0742 (Package Weight) contains the weight of each package being shipped or sent by courier.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-12; TAGLLL             |
| Tag Field           | 0742                       |
| Data Length         | 3 positions, value = 012   |
| Data Field          | Fixed length, 12 positions |
| Subfields           | None                       |
| Justification       | Right                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644      | C   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.



### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be left-justified and cannot contain all spaces, all low values, or all high values.

## PDS 0743 (Unit of Measure)

PDS 0743 (Unit of Measure) contains the identification associated with the type of item being shipped.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...3; TAGLLLLVAR            |
| Tag Field           | 0743                           |
| Data Length         | 3 positions, value = 001-003   |
| Data Field          | Variable length, 1-3 positions |
| Subfields           | None                           |
| Justification       | Left                           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644      | C   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of the following MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0744 (Shipping Party Information)

PDS 0744 (Shipping Party Information) contains all of the address information associated with the shipping party.

### Attributes

| Attribute           | Description                                               |
|---------------------|-----------------------------------------------------------|
| Data Representation | ans...150; TAGLLLLVAR                                     |
| Tag Field           | 0744                                                      |
| Data Length         | 3 positions, value = 050–150 in increments of 50          |
| Data Field          | Variable length, 50–150 positions                         |
| Subfields           | 1 subfield for each shipping party information occurrence |
| Occurrences         | 1–3                                                       |
| Justification       | See “Subfields”                                           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                    | Org | Sys | Dst |
|------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644 | C   | .   | C   |

This PDS enables the sender to provide 1–3 different shipping party names.

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0744 subfields

This PDS consists of one subfield.

### PDS 0744 subfields

| Number | Positions | Name                | Attribute | Justification |
|--------|-----------|---------------------|-----------|---------------|
| 1      | 1–50      | Shipping Party Name | ans-50    | left          |

### Subfield 1 (Shipping Party Name)

Subfield 1 (Shipping Party Name) provides the name of the shipping party.

## PDS 0745 (Shipping Party Address)

PDS 0745 (Shipping Party Address) contains the address of the location from where the package is being shipped or sent by courier.

### Attributes

| Attribute           | Description                                           |
|---------------------|-------------------------------------------------------|
| Data Representation | ans...300; TAGLLLVAR                                  |
| Tag Field           | 0745                                                  |
| Data Length         | 3 positions, value = 050–300 in increments of 50      |
| Data Field          | Variable length, 50–300 positions                     |
| Subfields           | 1 subfield for each shipping party address occurrence |
| Occurrence          | 1–6                                                   |
| Justification       | See "Subfields"                                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

This PDS enables the sender to provide 1–6 different shipping party address lines.

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |

| IRD | Description                       |
|-----|-----------------------------------|
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

### PDS 0745 subfields

This PDS consists of one subfield.

#### PDS 0745 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1-50      | Shipping Party Address | ans-50    | left          |

### Subfield 1 (Shipping Party Address)

Subfield 1 (Shipping Party Address) provides the address of the shipping party.

## PDS 0746 (Shipping Party Postal Information)

PDS 0746 (Shipping Party Postal Information) contains the postal information of the party shipping or sending the package by courier.

#### Attributes

| Attribute           | Description         |
|---------------------|---------------------|
| Data Representation | ans...41; TAGLLLVAR |
| Tag Field           | 0746                |



| Attribute     | Description                      |
|---------------|----------------------------------|
| Data Length   | 3 positions, value = 025-041     |
| Data Field    | Variable length, 25-41 positions |
| Subfields     | 4                                |
| Justification | See "Subfields"                  |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                    | Org | Sys | Dst |
|------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644 | C   | .   | C   |

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

## Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

## U.S. region Incentive Interchange Rate Programs

| IRD | Description               |
|-----|---------------------------|
| 62  | Commercial Large Ticket 1 |

| IRD | Description                       |
|-----|-----------------------------------|
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

## Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0746 subfields

This PDS consists of four subfields.

### PDS 0746 subfields

| Number | Positions | Name                               | Attribute | Justification |
|--------|-----------|------------------------------------|-----------|---------------|
| 1      | 1–25      | Shipping Party City                | ans-25    | left          |
| 2      | 26–28     | Shipping Party State/Province Code | ans-3     | left          |
| 3      | 29–31     | Shipping Party Country Code        | ans-3     | left          |
| 4      | 32–41     | Shipping Party Postal Code         | ans-10    | left          |

### Subfield 1 (Shipping Party City)

Subfield 1 (Shipping Party City) identifies the city from which the package is shipped or sent by courier. If present, this subfield must be left-justified and cannot contain all spaces or all zeros.

### Subfield 2 (Shipping Party State/Province Code)

Subfield 2 (Shipping Party State/Province Code) identifies the state or province from which the package is shipped or sent by courier. If present, this subfield must be left-justified and cannot contain all spaces or all zeros.

### Subfield 3 (Shipping Party Country Code)

Subfield 3 (Shipping Party Country Code) identifies the country from which the package is shipped or sent by courier. If present, this subfield must be left-justified and cannot contain all spaces or all zeros.

### Subfield 4 (Shipping Party Postal Code)

Subfield 4 (Shipping Party Postal Code) contains the postal code from which the package is shipped or sent by courier. If present, this subfield must be left-justified and cannot contain all spaces or all zeros.

For transactions acquired in the U.S. region, subfield 4 must contain either five numeric characters, left-justified and space filled, or the ZIP+four nine numeric characters with a hyphen between the fifth and sixth numeric characters.

## PDS 0747 (Shipping Party Contact)

PDS 0747 (Shipping Party Contact) provides information about the individual (or individuals) identified as the shipping party and typically does not contain address information.

### Attributes

| Attribute           | Description                                            |
|---------------------|--------------------------------------------------------|
| Data Representation | ans...305; TAGLLLLVAR                                  |
| Tag Field           | 0747                                                   |
| Data Length         | 3 positions, value = 061–305 in increments of 61       |
| Data Field          | Variable length, 61–305 positions                      |
| Subfields           | 2 subfields for each shipping party contact occurrence |

| Attribute     | Description     |
|---------------|-----------------|
| Occurrence    | 1–5             |
| Justification | See “Subfields” |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644      | C   | •   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | •   | C   |

This PDS enables the sender to provide 1–5 different pieces of information related to the shipping party contact. For each different piece of shipping contact information provided, subfields 1 and 2 must be present. These subfields describe the type of information and the actual data.

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

## Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, PDS 0747 must be a minimum length of 061 (one occurrence) or a maximum length of 305 (five occurrences) and be divisible by the minimum occurrence length of 61.

### PDS 0747 subfields

This PDS consists of two subfields.

#### PDS 0747 subfields

| Number | Positions | Name                      | Attribute | Justification |
|--------|-----------|---------------------------|-----------|---------------|
| 1      | 1         | Shipping Party Descriptor | ans-1     | N/A           |

| Number | Positions | Name                               | Attribute | Justification |
|--------|-----------|------------------------------------|-----------|---------------|
| 2      | 2–61      | Shipping Party Contact Information | ans-60    | left          |

### Subfield 1 (Shipping Party Descriptor)

Subfield 1 (Shipping Party Descriptor) can occur 1–5 times and contains the valid values listed in this table.

#### Values and descriptions

| Value | Description    |
|-------|----------------|
| 1     | Name           |
| 2     | Title          |
| 3     | Telephone      |
| 4     | E-mail address |
| 5     | Function       |

### Subfield 2 (Shipping Party Contact Information)

Subfield 2 (Shipping Party Contact Information) can occur 1–5 times and contains the contact information about the party shipping or sending a package by courier. It must be left-justified and cannot contain all spaces or all zeros.

## PDS 0748 (Delivery Party Information)

PDS 0748 (Delivery Party Information) provides information about the party receiving the package.

#### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | ans...150; TAGLLLVAR                             |
| Tag Field           | 0748                                             |
| Data Length         | 3 positions, value = 050–150 in increments of 50 |
| Data Field          | Variable length 50–150 positions                 |

| Attribute     | Description                                               |
|---------------|-----------------------------------------------------------|
| Subfields     | 1 subfield for each delivery party information occurrence |
| Occurrences   | 1–3                                                       |
| Justification | See “Subfields”                                           |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644      | C   | •   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | •   | C   |

This PDS allows the sender to provide 1–3 different delivery party names.

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

## Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

### PDS 0748 subfields

This PDS consists of one subfield.

### PDS 0748 subfields

| Number | Positions | Name                | Attribute | Justification |
|--------|-----------|---------------------|-----------|---------------|
| 1      | 1–50      | Delivery Party Name | ans-50    | left          |



## Subfield 1 (Delivery Party Name)

Subfield 1 (Delivery Party Name) can occur 1–3 times. If subfield 1 is present, it must be left-justified and cannot contain all spaces or all zeros.

## PDS 0749 (Delivery Party Address Information)

PDS 0749 (Delivery Party Address Information) contains the address of the location to which the package is being shipped or sent by courier.

### Attributes

| Attribute           | Description                                           |
|---------------------|-------------------------------------------------------|
| Data Representation | ans...300; TAGLLLLVAR                                 |
| Tag Field           | 0749                                                  |
| Data Length         | 3 positions, value = 050–300 in increments of 50      |
| Data Field          | Variable length 50–300 positions                      |
| Subfields           | 1 subfield for each Delivery Party Address occurrence |
| Occurrences         | 1–6                                                   |
| Justification       | See "Subfields"                                       |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644      | C   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

This PDS enables the sender to provide 1–6 different delivery party address lines.

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

## Values

If present, this PDS must be left-justified and cannot contain all spaces or all zeros.

## PDS 0749 subfields

This PDS consists of one subfield.

### PDS 0749 subfields

| Number | Positions | Name                   | Attribute | Justification |
|--------|-----------|------------------------|-----------|---------------|
| 1      | 1–50      | Delivery Party Address | ans-50    | left          |

### Subfield 1 (Delivery Party Address)

Subfield 1 (Delivery Party Address) can occur 1–6 times. If present, this subfield must be left-justified and cannot contain all spaces or all zeros.

## PDS 0750 (Delivery Party Postal Information)

PDS 0750 (Delivery Party Postal Information) contains specific postal information about the delivery destination.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...41; TAGLLLLVAR             |
| Tag Field           | 0750                             |
| Data Length         | 3 positions, value = 025–041     |
| Data Field          | Variable length, 25–41 positions |
| Subfields           | 4                                |
| Justification       | See "Subfields"                  |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644      | C   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when these conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                       |
|-----|-----------------------------------|
| 62  | Commercial Large Ticket 1         |
| 66  | Commercial Data Rate III          |
| 94  | Commercial Large Ticket II        |
| 99  | Commercial Large Ticket III       |
| SC  | Business Level 2 Data Rate III    |
| SE  | Business Level 2 Large Ticket I   |
| SF  | Business Level 2 Large Ticket II  |
| SG  | Business Level 2 Large Ticket III |

| IRD | Description                       |
|-----|-----------------------------------|
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, this PDS and each of its four subfields must be left-justified and cannot contain all spaces or all zeros.

### PDS 0750 subfields

This PDS consists of four subfields.

#### PDS 0750 subfields

| Number | Positions | Name                               | Attribute | Justification |
|--------|-----------|------------------------------------|-----------|---------------|
| 1      | 1–25      | Delivery Party City                | ans-25    | left          |
| 2      | 26–28     | Delivery Party State/Province Code | ans-3     | left          |
| 3      | 29–31     | Delivery Party Country Code        | ans-3     | Left          |
| 4      | 32–41     | Delivery Party Postal Code         | ans-10    | left          |

#### Subfield 1 (Delivery Party City)

Subfield 1 (Delivery Party City) identifies the city where the package is to be delivered.

#### Subfield 2 (Delivery Party State/Province Code)

Subfield 2 (Delivery Party State/Province Code) identifies the state or province where the package is being delivered.

### Subfield 3 (Delivery Party Country Code)

Subfield 3 (Delivery Party Country Code) must contain a valid three-character alphabetic code as defined in Chapter 2 of the *Quick Reference Booklet*. When territories have a defined country code in the *Quick Reference Booklet*, that country code must be used.

### Subfield 4 (Delivery Party Postal Code)

Subfield 4 (Delivery Party Postal Code) contains the postal code where the package is being delivered.

For transactions acquired in the U.S. region, subfield 4 must contain either five numeric characters, left-justified and space filled, or the ZIP+four 9 numeric characters with a hyphen between the fifth and sixth numeric characters.

## PDS 0751 (Detail Tax Amount 4)

PDS 0751 (Detail Tax Amount 4) contains the tax amount, tax rate, tax type applied, and acceptor tax ID.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...46; TAGLLLLVAR            |
| Tag Field           | 0751                            |
| Data Length         | 3 positions, value = 001–046    |
| Data Field          | Variable length, 1–46 positions |
| Subfields           | 8                               |
| Justification       | See "Subfields"                 |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |

| Message                                                                    | Org | Sys | Dst |
|----------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644 | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                     | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                           | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                        | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                 | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                 | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644   | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644   | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644                 | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644            | O   | .   | C   |

## PDS 0751 subfields

PDS 0751 consists of eight subfields.

### PDS 0751 subfields

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 1      | 1         | Detail Tax Amount Indicator 4 | ans-1     | N/A           |
| 2      | 2–13      | Detail Tax Amount 4           | n-12      | right         |
| 3      | 14–18     | Detail Tax Rate 4             | n-5       | right         |
| 4      | 19        | Detail Tax Rate Exponent 4    | n-1       | N/A           |
| 5      | 20–23     | Detail Tax Type Applied 4     | ans-4     | left          |
| 6      | 24–25     | Detail Tax Type Identifier 4  | ans-2     | left          |

| Number | Positions | Name                     | Attribute | Justification |
|--------|-----------|--------------------------|-----------|---------------|
| 7      | 26-45     | Acceptor Tax ID 4        | ans-20    | left          |
| 8      | 46        | Detail Tax Amount Sign 4 | a-1       | N/A           |

### Subfield 1 (Detail Tax Amount Indicator 4)

Subfield 1 (Detail Tax Amount Indicator 4) must contain one of the values listed in this table.

#### Values and descriptions

| Value | Description                               |
|-------|-------------------------------------------|
| Y     | Tax included in total purchase amount     |
| N     | Tax not included in total purchase amount |
| Space | Not supported                             |

### Subfield 2 (Detail Tax Amount 4)

Subfield 2 (Detail Tax Amount 4) indicates the detailed amount on the purchased goods or services. This subfield must be numeric and may contain all zeros.

### Subfield 3 (Detail Tax Rate 4)

Subfield 3 (Detail Tax Rate 4) indicates the detailed tax rate applied in relationship to a specific tax amount. This subfield must be numeric and may contain all zeros.

### Subfield 4 (Detail Tax Rate Exponent 4)

Subfield 4 (Detail Tax Rate Exponent 4) indicates the decimal location for the Detail Tax Rate 4 subfield. It must contain a value in the range of 0 to 5.

For a tax rate less than 100 percent, the exponent must indicate that the value is less than 1. Consider the example in this table.

#### Subfields and interpretations

| Subfield 3 Tax Rate | Subfield 4 Tax Rate Exponent | Interpretation               |
|---------------------|------------------------------|------------------------------|
| 09000               | 5                            | 0.09000 (9 percent tax rate) |



| Subfield 3 Tax Rate | Subfield 4 Tax Rate Exponent | Interpretation               |
|---------------------|------------------------------|------------------------------|
| 00009               | 2                            | 0.09 (9 percent tax rate)    |
| 09000               | 3                            | 9.000 (900 percent tax rate) |
| 00009               | 1                            | 0.9 (90 percent tax rate)    |
| 00009               | 3                            | 0.009 (0.9 percent tax rate) |

### Subfield 5 (Detail Tax Type Applied 4)

Subfield 5 (Detail Tax Type Applied 4) provides an indicator that is used to further define tax categories applicable to specific domestic processing arrangements in certain locations.

### Subfield 6 (Detail Tax Type Identifier 4)

Subfield 6 (Detail Tax Type Identifier 4) indicates the type of tax collected in relationship to a specific tax amount. It must be one of the values listed in this table.

#### Values and descriptions

| Value | Description                |
|-------|----------------------------|
| 00    | Unknown                    |
| 01    | Federal/National Sales Tax |
| 02    | State Sales Tax            |
| 03    | City Sales Tax             |
| 04    | Local Sales Tax            |
| 05    | Municipal Sales Tax        |
| 06    | Other Tax                  |
| 10    | Value Added Tax (VAT)      |
| 11    | Goods and Services (GST)   |
| 12    | Provincial Sales Tax (PST) |
| 13    | Harmonized Sales Tax (HST) |
| 14    | Quebec Sales Tax (QST)     |
| 20    | Room Tax                   |
| 21    | Occupancy Tax              |
| 22    | Energy Tax                 |

| Value | Description   |
|-------|---------------|
| Space | Not supported |

### Subfield 7 (Acceptor Tax ID 4)

Subfield 7 (Acceptor Tax ID 4) provides an identification number used by the with the tax authority in relationship to a specific tax amount.

If present, subfield 7 must be a fixed length of 20. It must be left-justified and cannot contain all low values, all high values, or all spaces.

In addition, if this subfield is present and the related First Presentment is a U.S. acquired transaction, this subfield must consist of 9 numeric characters followed by 11 spaces.

### Subfield 8 (Detail Tax Amount Sign 4)

If PDS 0751 is present, subfield 8 (Detail Tax Amount Sign 4) must contain a value of D or C. This subfield identifies whether PDS 0751 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                    |
|-------|--------------------------------|
| D     | Detail tax amount is a debit.  |
| C     | Detail tax amount is a credit. |

## PDS 0752 (Detail Tax Amount 5)

PDS 0752 (Detail Tax Amount 5) contains the tax amount, tax rate, tax type applied, and acceptor tax ID.

#### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...46; TAGLLLLVAR            |
| Tag Field           | 0752                            |
| Data Length         | 3 positions, value = 001–046    |
| Data Field          | Variable length, 1–46 positions |
| Subfields           | 8                               |

| Attribute     | Description     |
|---------------|-----------------|
| Justification | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644                         | O   | .   | C   |

## PDS 0752 subfields

This PDS consists of eight subfields.

### PDS 0752 subfields

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 1      | 1         | Detail Tax Amount Indicator 5 | ans-1     | N/A           |
| 2      | 2–13      | Detail Tax Amount 5           | n-12      | right         |
| 3      | 14–18     | Detail Tax Rate 5             | n-5       | right         |
| 4      | 19        | Detail Tax Rate Exponent 5    | n-1       | N/A           |
| 5      | 20–23     | Detail Tax Type Applied 5     | ans-4     | left          |
| 6      | 24–25     | Detail Tax Type Identifier 5  | ans-2     | left          |
| 7      | 26–45     | Acceptor Tax ID 5             | ans-20    | left          |
| 8      | 46        | Detail Tax Amount Sign 5      | a-1       | N/A           |

### Subfield 1 (Detail Tax Amount Indicator 5)

Subfield 1 (Detail Tax Amount Indicator 5) is the indicator used to reflect additional tax capture and reporting. This subfield must be one of the values listed in this table.

### Values and descriptions

| Value | Description                               |
|-------|-------------------------------------------|
| Y     | Tax included in total purchase amount     |
| N     | Tax not included in total purchase amount |
| Space | Not supported                             |

### Subfield 2 (Detail Tax Amount 5)

Subfield 2 (Detail Tax Amount 5) indicates the detailed tax amount on the purchased goods or services. This subfield must be numeric and may contain all zeros.

### Subfield 3 (Detail Tax Rate 5)

Subfield 3 (Detail Tax Rate 5) indicates the tax rate applied in relationship to a specific tax amount. This subfield must be numeric and may contain all zeros.

#### Subfield 4 (Detail Tax Rate Exponent 5)

Subfield 5 (Detail Tax Rate Exponent 5) indicates the decimal location for the Detail Tax Rate 5 subfield. It must contain a value in the range of 0 to 5.

For a tax rate less than 100 percent, the exponent must indicate that the value is less than 1. Consider the example in this table.

#### Subfields and interpretations

| Subfield 3 Tax Rate | Subfield 4 Tax Rate Exponent | Interpretation               |
|---------------------|------------------------------|------------------------------|
| 09000               | 5                            | 0.09000 (9 percent tax rate) |
| 00009               | 2                            | 0.09 (9 percent tax rate)    |
| 09000               | 3                            | 9.000 (900 percent tax rate) |
| 00009               | 1                            | 0.9 (90 percent tax rate)    |
| 00009               | 3                            | 0.009 (0.9 percent tax rate) |

#### Subfield 5 (Detail Tax Type Applied 5)

Subfield 5 (Detail Tax Type Applied 5) provides an indicator that is used to further define tax categories applicable to specific domestic processing arrangements in certain locations.

#### Subfield 6 (Detail Tax Type Identifier 5)

Subfield 6 (Detail Tax Type Identifier 5) indicates the type of tax collected in relationship to a specific tax amount. It must be one of the values listed in this table.

#### Values and descriptions

| Value | Description                |
|-------|----------------------------|
| 00    | Unknown                    |
| 01    | Federal/National Sales Tax |
| 02    | State Sales Tax            |
| 03    | City Sales Tax             |
| 04    | Local Sales Tax            |
| 05    | Municipal Sales Tax        |
| 06    | Other Tax                  |
| 10    | Value Added Tax (VAT)      |

| Value | Description                |
|-------|----------------------------|
| 11    | Goods and Services (GST)   |
| 12    | Provincial Sales Tax (PST) |
| 13    | Harmonized Sales Tax (HST) |
| 14    | Quebec Sales Tax (QST)     |
| 20    | Room Tax                   |
| 21    | Occupancy Tax              |
| 22    | Energy Tax                 |
| Space | Not supported              |

### Subfield 7 (Acceptor Tax ID 5)

Subfield 7 (Acceptor Tax ID 5) provides an identification number used by the with the tax authority in relationship to a specific tax amount.

If present, subfield 7 must be a fixed length of 20. It must be left-justified and cannot contain all low values, all high values, or all spaces.

In addition, if this subfield is present and the related First Presentment is a U.S. acquired transaction, this subfield must consist of 9 numeric characters followed by 11 spaces.

### Subfield 8 (Detail Tax Amount Sign 5)

If PDS 0752 is present, subfield 8 (Detail Tax Amount Sign 5) must contain a valid value of D or C. This subfield identifies whether PDS 0752 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                    |
|-------|--------------------------------|
| D     | Detail tax amount is a debit.  |
| C     | Detail tax amount is a credit. |

## PDS 0753 (Detail Tax Amount 6)

PDS 0753 (Detail Tax Amount 6) contains the tax amount, tax rate, tax type applied, and acceptor tax ID.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...46; TAGLLLLVAR            |
| Tag Field           | 0753                            |
| Data Length         | 3 positions, value = 001–046    |
| Data Field          | Variable length, 1–46 positions |
| Subfields           | 8                               |
| Justification       | See "Subfields"                 |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | O   | .   | C   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644               | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644          | O   | .   | C   |

## PDS 0753 subfields

This PDS consists of eight subfields.

### PDS 0753 subfields

| Number | Positions | Name                          | Attribute | Justification |
|--------|-----------|-------------------------------|-----------|---------------|
| 1      | 1         | Detail Tax Amount Indicator 6 | ans-1     | N/A           |
| 2      | 2–13      | Detail Tax Amount 6           | n-12      | right         |
| 3      | 14–18     | Detail Tax Rate 6             | n-5       | right         |
| 4      | 19        | Detail Tax Rate Exponent 6    | n-1       | N/A           |
| 5      | 20–23     | Detail Tax Type Applied 6     | ans-4     | left          |
| 6      | 24–25     | Detail Tax Type Identifier 6  | ans-2     | left          |
| 7      | 26–45     | Acceptor Tax ID 6             | ans-20    | left          |
| 8      | 46        | Detail Tax Amount Sign 6      | a-1       | N/A           |

### Subfield 1 (Detail Tax Amount Indicator 6)

Subfield 1 (Detail Tax Amount Indicator 6) is the indicator used to reflect additional tax capture and reporting. This subfield must be one of the values listed in this table.



### Values and descriptions

| Value | Description                               |
|-------|-------------------------------------------|
| Y     | Tax included in total purchase amount     |
| N     | Tax not included in total purchase amount |
| Space | Not supported                             |

### Subfield 2 (Detail Tax Amount 6)

Subfield 2 (Detail Tax Amount 6) indicates the tax amount on the purchased goods or services. This subfield must be numeric and may contain all zeros.

### Subfield 3 (Detail Tax Rate 6)

Subfield 3 (Detail Tax Rate 6) indicates the tax rate applied in relationship to a specific tax amount. This subfield must be numeric and may contain all zeros.

### Subfield 4 (Detail Tax Rate Exponent 6)

Subfield 4 (Detail Tax Rate Exponent 6) indicates the decimal location for the Detail Tax Rate 6 subfield. It must contain a value in the range of 0 to 5.

For a tax rate less than 100 percent, the exponent must indicate that the value is less than 1. Consider the example in this table.

### Subfields and interpretations

| Subfield 3 Tax Rate | Subfield 4 Tax Rate Exponent | Interpretation               |
|---------------------|------------------------------|------------------------------|
| 09000               | 5                            | 0.09000 (9 percent tax rate) |
| 00009               | 2                            | 0.09 (9 percent tax rate)    |
| 09000               | 3                            | 9.000 (900 percent tax rate) |
| 00009               | 1                            | 0.9 (90 percent tax rate)    |
| 00009               | 3                            | 0.009 (0.9 percent tax rate) |

### Subfield 5 (Detail Tax Type Applied 6)

Subfield 5 (Detail Tax Type Applied 6) provides an indicator that is used to further define tax categories applicable to specific domestic processing arrangements in certain locations.

### Subfield 6 (Detail Tax Type Identifier 6)

Subfield 6 (Detail Tax Type Identifier 6) indicates the type of tax collected in relationship to a specific tax amount. This subfield must be one of the values listed in this table.

#### Values and descriptions

| Value | Description                |
|-------|----------------------------|
| 00    | Unknown                    |
| 01    | Federal/National Sales Tax |
| 02    | State Sales Tax            |
| 03    | City Sales Tax             |
| 04    | Local Sales Tax            |
| 05    | Municipal Sales Tax        |
| 06    | Other Tax                  |
| 10    | Value Added Tax (VAT)      |
| 11    | Goods and Services (GST)   |
| 12    | Provincial Sales Tax (PST) |
| 13    | Harmonized Sales Tax (HST) |
| 14    | Quebec Sales Tax (QST)     |
| 20    | Room Tax                   |
| 21    | Occupancy Tax              |
| 22    | Energy Tax                 |
| Space | Not supported              |

### Subfield 7 (Acceptor Tax ID 6)

Subfield 7 (Acceptor Tax ID 6) provides an identification number used by the acceptor with the tax authority in relationship to a specific tax amount.

If present, this subfield must be 20 positions, left-justified, and it cannot contain all low values, all high values, or all spaces. In addition, if this subfield is present and the related First Presentment is a U.S. acquired transaction, this subfield must consist of 9 numeric characters followed by 11 spaces.

### Subfield 8 (Detail Tax Amount Sign 6)

If PDS 0753 is present, subfield 8 (Detail Tax Amount Sign 6) must contain a value of D or C. This subfield identifies whether PDS 0753 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                    |
|-------|--------------------------------|
| D     | Detail tax amount is a debit.  |
| C     | Detail tax amount is a credit. |

## PDS 0754 (Delivery Party Contact)

PDS 0754 (Delivery Party Contact) contains information about the individual (or individuals) identified as the delivery party. This information is typically not address information.

#### Attributes

| Attribute           | Description                                            |
|---------------------|--------------------------------------------------------|
| Data Representation | ans...305; TAGLLLLVAR                                  |
| Tag Field           | 0754                                                   |
| Data Length         | 3 positions, value = 061–305 in increments of 61       |
| Data Field          | Variable length, 61–305 positions                      |
| Subfields           | 2 subfields for each Delivery Party Contact occurrence |
| Occurrences         | 1–5                                                    |
| Justification       | See "Subfields"                                        |

#### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                    | Org | Sys | Dst |
|------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Shipping/Courier Services)/1644 | C   | .   | C   |

This PDS enables the sender to provide 1–5 different pieces of information related to the delivery party contact. For each different piece of delivery information provided, subfields 1 and 2 must be present. These subfields describe the type of information and the actual data.

This PDS is required for the Financial Detail Addendum (Shipping/Courier Services)/1644 message when the conditions apply:

- One of these MCCs is present in DE 26 (Acceptor Business Code [MCC]):
  - 4214: Motor Freight Carriers, Trucking; Local/Long Distance, Moving and Storage Companies, Local Delivery
  - 4215: Courier Services; Air and Ground, Freight Forwards
- The Financial Detail Addendum (Corporate Line Item Detail)/1644 message is not present.
- The transaction is submitted for any of the interchange programs listed in these tables.

### Canada Region Incentive Interchange Rate Programs

| IRD | Description                                 |
|-----|---------------------------------------------|
| BR  | Canada Intracountry Commercial Data Rate II |
| BS  | Canada Intracountry Commercial Large Ticket |

### U.S. region Incentive Interchange Rate Programs

| IRD | Description                      |
|-----|----------------------------------|
| 62  | Commercial Large Ticket 1        |
| 66  | Commercial Data Rate III         |
| 94  | Commercial Large Ticket II       |
| 99  | Commercial Large Ticket III      |
| SC  | Business Level 2 Data Rate III   |
| SE  | Business Level 2 Large Ticket I  |
| SF  | Business Level 2 Large Ticket II |

| IRD | Description                       |
|-----|-----------------------------------|
| SG  | Business Level 2 Large Ticket III |
| 3C  | Business Level 3 Data Rate III    |
| 3E  | Business Level 3 Large Ticket I   |
| 3F  | Business Level 3 Large Ticket II  |
| 3G  | Business Level 3 Large Ticket III |
| 4C  | Business Level 4 Data Rate III    |
| 4E  | Business Level 4 Large Ticket I   |
| 4F  | Business Level 4 Large Ticket II  |
| 4G  | Business Level 4 Large Ticket III |

### Values

If present, PDS 0754 must be a minimum length of 061 (one occurrence) or a maximum length of 305 (five occurrences) and be divisible by the minimum occurrence length of 61.

### PDS 0754 subfields

This PDS consists of two subfields.

#### PDS 0754 subfields

| Number | Positions | Name                               | Attribute | Justification |
|--------|-----------|------------------------------------|-----------|---------------|
| 1      | 1         | Delivery Party Descriptor          | ans-1     | N/A           |
| 2      | 2-61      | Delivery Party Contact Information | ans-60    | left          |

#### Subfield 1 (Delivery Party Descriptor)

Subfield 1 (Delivery Party Descriptor) can occur 1–5 times and contains the valid values listed in this table.

#### Values and descriptions

| Value | Description |
|-------|-------------|
| 1     | Name        |
| 2     | Title       |

| Value | Description    |
|-------|----------------|
| 3     | Telephone      |
| 4     | E-mail address |
| 5     | Function       |

### Subfield 2 (Delivery Party Contact Information)

Subfield 2 (Delivery Party Descriptor) can occur 1–5 times and contains the contact information about the party delivering the package. It must be left-justified and cannot contain all spaces or all zeros.

## PDS 0755 (Line Item Total Amount)

PDS 0755 (Line Item Total Amount) provides the total amount presented in the line item detail message.

### Attributes

| Attribute           | Description                 |
|---------------------|-----------------------------|
| Data Representation | ans-14; TAGLLL              |
| Tag Field           | 0755                        |
| Data Length         | 3 positions, value = 014    |
| Data Field          | Fixed length, 014 positions |
| Subfields           | 3                           |
| Justification       | See "Subfields"             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Telephony Billing, Summary)/<br>1644 | O   | •   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/<br>1644  | O   | •   | C   |

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/<br>1644 | O   | .   | C   |

## Values

When used in a Corporate Line Item Detail addendum message, PDS 0755 represents the sum of PDS 0647 (Extended Item Amount) and PDS 0597 (Total Tax Amount).

When used in a Telephony Billing Summary message, PDS 0755 represents the sum of these subfields:

- PDS 0627 (Billing Event 1), subfield 1 (Billing Event Amount) (occurs 1 to 10 times)
- PDS 0628 (Billing Event 2), subfield 1 (Billing Event Amount 2) (occurs 1 to 10 times), and
- PDS 0597 (Total Tax Amount), subfield 1 (Total Tax Amount) (which is the sum of all six of the tax-related PDSs).

When used in a Telephony Billing Detail addendum message, PDS 0755 represents the sum of these subfields:

- PDS 0649 (Call Usage Amount), subfield 1 (Call Usage Amount)
- PDS 0655 (Call Long Distance Amount), subfield 1 (Call Long Distance Amount)
- PDS 0658 (Call Connect Amount), subfield 1 (Call Collect Amount)
- PDS 0734 (Miscellaneous Expenses), subfield 2 (Miscellaneous Expense Amount), and
- PDS 0597 (Total Tax Amount), subfield 1 (Total Tax Amount) (which is the sum of all six of the tax-related PDSs).

## PDS 0755 subfields

This PDS consists of three subfields.

### PDS 0755 subfields

| Number | Positions | Name                            | Attribute | Justification |
|--------|-----------|---------------------------------|-----------|---------------|
| 1      | 1-12      | Line Item Total Amount          | n-12      | right         |
| 2      | 13        | Line Item Total Amount Exponent | n-1       | N/A           |
| 3      | 14        | Line Item Total Amount Sign     | a-1       | N/A           |

### Subfield 1 (Line Item Total Amount)

If PDS 0755 is present, subfield 1 (Line Item Total Amount) must be numeric, cannot contain all zeros, and contains the line item total amount.

### Subfield 2 (Line Item Total Amount Exponent)

If PDS 0755 is present, subfield 2 (Line Item Total Amount Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amount exponents should utilize the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

### Subfield 3 (Line Item Total Amount Sign)

If PDS 0755 is present, subfield 3 (Line Item Total Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0755 is a debit or credit from the perspective of the cardholder.

#### Values and descriptions

| Value | Description                         |
|-------|-------------------------------------|
| D     | Line item total amount is a debit.  |
| C     | Line item total amount is a credit. |

## PDS 0756 (Passenger Description)

PDS 0756 (Passenger Description) contains three subfields to indicate the number of adults, the number of children, and the class of the ticket.

This PDS is used only when PDS 0652 (Service Type), subfield 1 (Service Type) equates to Ticket and PDS 0652, subfield 2 (Service Nature) equates to Domestic Tickets, Ne/See Ticket, Foreign Ticket, or TCV Series, or when PDS 0652 equates to Reservation and Service Nature equates to Seat, Couchette, or Bed.

#### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-5; TAGLLL             |
| Tag Field           | 0756                      |
| Data Length         | 3 positions, value = 005  |
| Data Field          | Fixed length, 5 positions |
| Subfields           | 3                         |



| Attribute     | Description     |
|---------------|-----------------|
| Justification | See "Subfields" |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | C   | .   | C   |
| s1 Number of Adults                                                    | O   | .   | C   |
| s2 Number of Children                                                  | O   | .   | C   |

This PDS is required if the associated First Presentment/1240 contains an airline acceptor business code (MCC) or railway MCC and is submitted for the U.S. region incentive interchange rate programs listed in this table.

## IRDs and descriptions

| IRD | Description                           |
|-----|---------------------------------------|
| 22  | Public Sector                         |
| 29  | Emerging Markets, Consumer Core Value |
| 56  | World Public Sector                   |
| HP  | World High Value Public Sector        |
| RK  | Enhanced Public Sector                |
| WP  | World Elite Public Sector             |

## PDS 0756 subfields

This PDS consists of three subfields.

### PDS 0756 subfields

| Number | Positions | Name               | Attribute | Justification |
|--------|-----------|--------------------|-----------|---------------|
| 1      | 1–2       | Number of Adults   | n-2       | right         |
| 2      | 3–4       | Number of Children | n-2       | right         |
| 3      | 5         | Class              | ans-1     | N/A           |

### Subfield 1 (Number of Adults)

If PDS 0756 is present, subfield 1 must be numeric.

### Subfield 2 (Number of Children)

If PDS 0756 is present, subfield 2 must be numeric.

### Subfield 3 (Class)

If PDS 0756 is present, subfield 3 must be provided. This PDS is required if the associated First Presentment/1240 contains a railway MCC and is submitted for one of the U.S. region incentive interchange rate programs listed in this table.

### IRDs and descriptions

| IRD   | Description             |
|-------|-------------------------|
| 10    | Merit III Tier 1        |
| 11    | Merit III Tier 2        |
| 12    | Merit III Tier 3        |
| 24    | Merchant UCAF           |
| 69    | Commercial T&E Rate II  |
| 70/80 | Merit III Base          |
| 79    | Full UCAF               |
| 89    | Commercial T&E Rate III |
| 93    | Passenger Transport     |

| IRD | Description                   |
|-----|-------------------------------|
| 96  | World T&E                     |
| RA  | Enhanced Merit III Base       |
| RB  | Enhanced Merit III Tier 1     |
| RC  | Enhanced Merit III Tier 2     |
| RD  | Enhanced Merit III Tier 3     |
| RN  | Enhanced Merchant UCAF        |
| RO  | Enhanced Full UCAF            |
| RR  | Enhanced Passenger Transport  |
| SO  | Business Level 2 T&E Rate III |
| 3O  | Business Level 3 T&E Rate III |
| 4O  | Business Level 4 T&E Rate III |

If present, this PDS cannot contain all high values or all low values.

## PDS 0757 (Transportation Service Provider)

PDS 0757 (Transportation Service Provider) contains the name of the service provider.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...40; TAGLLLLVAR            |
| Tag Field           | 0757                            |
| Data Length         | 3 positions, value = 001–040    |
| Data Field          | Variable length, 1–40 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified and cannot contain all zeros, all spaces, all high values, or all low values.

## PDS 0758 (Transportation Services Offered)

PDS 0758 (Transportation Services Offered) contains the services that were offered by the transportation company.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...40; TAGLLLLVAR            |
| Tag Field           | 0758                            |
| Data Length         | 3 positions, value = 001–040    |
| Data Field          | Variable length, 1–40 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                | Org | Sys | Dst |
|------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Passenger Transport Detail, Rail Data)/1644 | O   | .   | C   |

## Values

If present, this PDS must be left-justified and cannot contain all zeros, all spaces, all high values, or all low values.

## PDS 0759 (Delivery Order Number)

PDS 0759 (Delivery Order Number) contains a customer invoice number for a rail sale to a corporate account.

## Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...15; TAGLLLVAR             |
| Tag Field           | 0759                            |
| Data Length         | 3 positions, value = 001-015    |
| Data Field          | Variable length, 1-15 positions |
| Subfields           | None                            |
| Justification       | Left                            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodged Account Detail)/1644 | O   | .   | C   |

## Values

If present, this PDS must be left-justified and cannot contain all zeros, all spaces, all high values, or all low values.

## PDS 0760 (Credit Card Slip Number)

PDS 0760 (Credit Card Slip Number) contains a slip number from the credit card slip.

### Attributes

| Attribute           | Description                    |
|---------------------|--------------------------------|
| Data Representation | ans...8; TAGLLLLVAR            |
| Tag Field           | 0760                           |
| Data Length         | 3 positions, value = 001–008   |
| Data Field          | Variable length, 1–8 positions |
| Subfields           | None                           |
| Justification       | Left                           |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodged Account Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified and cannot contain all zeros, all spaces, all high values, or all low values.

## PDS 0761 (Travel Agency ID)

PDS 0761 (Travel Agency ID) contains a numeric code assigned to each approved location where an agent is authorized to issue Standard Traffic Documents (STDs) on behalf of ticketing airlines.

The ID is imprinted on each validly issued STD. This is usually referred to as the ticketing agency ARC (Airline Reporting Corporation) or IATA (International Air Transport Association) number.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...15; TAGLLLVAR             |
| Tag Field           | 0761                            |
| Data Length         | 3 positions, value = 001-015    |
| Data Field          | Variable length, 1-15 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodged Account Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified and cannot contain all zeros, all spaces, all high values, or all low values.

## PDS 0762 (Data Source)

PDS 0762 (Data Source) indicates the source of enhanced data that has been matched to this transaction.

### Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-2; TAGLLL              |
| Tag Field           | 0762                     |
| Data Length         | 3 positions, value = 002 |

| Attribute     | Description               |
|---------------|---------------------------|
| Data Field    | Fixed length, 2 positions |
| Subfields     | None                      |
| Justification | N/A                       |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodged Account Detail)/1644 | O   | .   | C   |

## Values

If present, this PDS must contain one of the valid values listed in this table.

## Valid Values

| Data source code valid values | Customer ID type                                                                                                   |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------|
| 00                            | Not Applicable to this transaction                                                                                 |
| 10                            | START BSP (Billing and Settlement Plan) (Global Distribution Systems Fares) (57 record, CCZ)                       |
| 11                            | START non-BSP (Billing and Settlement Plan) (56, 57 records)                                                       |
| 12                            | Deutsche Bahn Online from Deutsche Bahn                                                                            |
| 14                            | BSP (Billing and Settlement Plan) from DER                                                                         |
| 15                            | Non-BSP (Billing and Settlement Plan) from DER                                                                     |
| 16                            | Manual Matching for Exceptional Customers (customers of a specific program in Germany that is no longer supported) |
| 18                            | Deutsche Bahn-Online from DER                                                                                      |
| 19                            | Acquirer Addenda (only Financials)                                                                                 |



## PDS 0763 (VAT Suppression Indicator)

PDS 0763 (VAT Suppression Indicator) contains a code indicating that the Value Added Tax was suppressed.

### Attributes

| Attribute           | Description               |
|---------------------|---------------------------|
| Data Representation | ans-2; TAGLLL             |
| Tag Field           | 0763                      |
| Data Length         | 3 positions, value = 002  |
| Data Field          | Fixed length, 2 positions |
| Subfields           | None                      |
| Justification       | Left                      |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                | Org | Sys | Dst |
|--------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Lodged Account Detail)/1644 | O   | .   | C   |

### Values

If present, this PDS must be left-justified, cannot contain all zeros, all spaces, all high values, or all low values. The common values are DR (Deutsches Reisebüro) or ST (ST Art Amadeus).

## PDS 0764 (Healthcare Eligible Status Indicator)

PDS 0764 (Healthcare Eligible Status Indicator) identifies whether the specific item described in this addendum message represents a qualified healthcare items (qualified in accordance with the IIAS Industry Standard list).

This flag indicates which transmitted items are qualified healthcare items and which transmitted items are not.

## Attributes

| Attribute           | Description              |
|---------------------|--------------------------|
| Data Representation | n-1; TAGLLL              |
| Tag Field           | 0764                     |
| Data Length         | 3 positions, value = 001 |
| Data Field          | Fixed length, 1 position |
| Subfields           | None                     |
| Justification       | None                     |

## Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                     | Org | Sys | Dst |
|---------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Healthcare)/1644 | M   | .   | M   |

## Values

This PDS must contain a valid value listed in this table.

## Values

| Value | Description                   |
|-------|-------------------------------|
| 0     | Non-qualified healthcare item |
| 1     | Qualified healthcare item     |

## PDS 0765 (MoneySend Receiver Data)

PDS 0765 (MoneySend Receiver Data) provides the full name and address information of the payee associated with a payment transaction.

### Attributes

| Attribute           | Description                  |
|---------------------|------------------------------|
| Data Representation | ans...169; TAGLLLLVAR        |
| Tag Field           | 0765                         |
| Data Length         | 3 positions, value = 070–169 |
| Data Field          | Variable length, 1–169       |
| Subfields           | 9                            |
| Justification       | See "Subfields"              |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                     | Org | Sys | Dst |
|-------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Payment Transaction Detail)/1644 | C   | .   | C   |

PDS 0765 subfields 01 and 02 must be present in a Financial Detail Addendum (Payment Transaction Detail)/1644 message when Payment Transactions (identified by DE 3 [Processing Code], subfield 01 [Cardholder Transaction Type] value of 28) contains PDS 0043 (Program Registration ID) with a value of C04, C07, C52, C53, C54, C55, C56, C57 C58, C59, or C65 and the transaction qualifies as a cross-border MoneySend payment transaction.

### Values

If present, each PDS 0765 subfield must be left-justified and cannot contain all low values or all high values. Subfields 01 and 02 cannot contain all spaces or all zeros. Subfield 3, 4, 5, 6, 7, 8, and 9 are optional fields.

## Subfield 1 (Payee First Name)

PDS 0765 (MoneySend Receiver Data), subfield 1 (Payee First Name) contains the first name of the payee.

This subfield must be provided in payment transactions (identified by DE 3 [Processing Code], subfield 1 [Cardholder Transaction Type], value 28) when the payment transaction contains PDS 0043 (Transaction Type Identifier) with a value of C04, C07, C52, C53, C54, C55, C56, C57, C58, C59, or C65 and the transaction qualifies as a cross-border MoneySend payment transaction.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 01    |
| Subfield Length     | n-2       | 35    |
| Data Representation | ans-35    |       |
| Justification       | Left      |       |

## Subfield 2 (Payee Last Name)

PDS 0765 (MoneySend Receiver Data), subfield 2 (Payee Last Name) contains the last name of the payee.

This subfield must be provided in payment transactions (identified by DE 3 [Processing Code], subfield 1 [Cardholder Transaction Type], value 28) when the Payment Transaction contains PDS 0043 (Transaction Type Identifier) with a value of C04, C07, C52, C53, C54, C55, C56, C57, C58, C59, or C65 and the transaction qualifies as a cross-border MoneySend payment transaction.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 02    |
| Subfield Length     | n-2       | 35    |
| Data Representation | ans-35    |       |
| Justification       | Left      |       |

### Subfield 3 (Payee Address)

PDS 0765 (MoneySend Receiver Data), subfield 3 (Payee Address) contains the street address of the payee.

#### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 03    |
| Subfield Length     | n-2       | 30    |
| Data Representation | ans-30    |       |
| Justification       | Left      |       |

### Subfield 4 (Payee City)

PDS 0765 (MoneySend Receiver Data), subfield 4 (Payee City) contains the city of the payee.

#### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 04    |
| Subfield Length     | n-2       | 25    |
| Data Representation | ans-25    |       |
| Justification       | Left      |       |

### Subfield 5 (Payee State/Province Code)

PDS 0765 (MoneySend Receiver Data), subfield 5 (Payee State/Province Code) contains the state/province code of the payee.

#### Attributes

|                 | Attribute | Value |
|-----------------|-----------|-------|
| Subfield ID     | n-2       | 05    |
| Subfield Length | n-2       | 03    |

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Data Representation | ans-3     |       |
| Justification       | Left      |       |

## Subfield 6 (Payee Country Code)

PDS 0765 (MoneySend Receiver Data), subfield 6 (Payee Country Code) must contain a valid three-character alphabetic code as defined in Chapter 2 of the *Quick Reference Booklet*. When territories have a defined country code in the *Quick Reference Booklet*, that country code must be used.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 06    |
| Subfield Length     | n-2       | 03    |
| Data Representation | ans-3     |       |
| Justification       | Left      |       |

## Subfield 7 (Payee Postal Code)

PDS 0765 (MoneySend Receiver Data), subfield 7 (Payee Postal Code) contains the postal code of the payee.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 07    |
| Subfield Length     | n-2       | 10    |
| Data Representation | ans-10    |       |
| Justification       | Left      |       |

## Subfield 8 (Payee Date of Birth)

PDS 0765 (MoneySend Receiver Data), subfield 8 (Payee Date of Birth) contains the date of birth of the payee in the format: MMDDYYYY.

### Attributes

|                     | Attribute | Value |
|---------------------|-----------|-------|
| Subfield ID         | n-2       | 08    |
| Subfield Length     | n-2       | 08    |
| Data Representation | n-8       |       |
| Justification       | Left      |       |

## Subfield 9 (Payee Phone Number)

PDS 0765 (MoneySend Receiver Data), subfield 9 (Payee Phone Number) contains the phone number of the payee.

### Attributes

|                      | Attribute | Value |
|----------------------|-----------|-------|
| Subfield ID:         | n-2       | 09    |
| Subfield Length:     | n-2       | 20    |
| Data Representation: | ans-20    |       |
| Justification:       | Left      |       |

## PDS 0770 (Additional Acceptor Inquiry Information)

PDS 0770 (Additional Acceptor Inquiry Information) provides additional acceptor contact data for cardholder, acquirer, or issuer use if there are questions or disputes concerning a transaction.

### Attributes

| Attribute           | Description          |
|---------------------|----------------------|
| Data Representation | ans...73; TAGLLLLVAR |
| Tag Field           | 0770                 |

| Attribute     | Description                      |
|---------------|----------------------------------|
| Data Length   | 3 positions, value = 025-073     |
| Data Field    | Variable length, 25-73 positions |
| Subfields     | 4                                |
| Justification | See "Subfields"                  |

## Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Common Data)/<br>1644 | O   | .   | C   |

## Values

If present, PDS 0770 cannot contain all low values, all high values, all spaces, or all zeros and must be a length of 025-073.

## PDS 0770 subfields

This PDS consists of four subfields.

## PDS 0770 subfields

| Number | Positions | Name                           | Attribute | Justification |
|--------|-----------|--------------------------------|-----------|---------------|
| 1      | 1-25      | Sales Rep Name                 | ans-25    | left          |
| 2      | 26-41     | Sales Rep Phone Number         | ans-16    | left          |
| 3      | 42-57     | Sales Rep Fax Number           | ans-16    | left          |
| 4      | 58-73     | Technical Support Phone Number | ans-16    | left          |



### **Subfield 1 (Sales Rep Name)**

Subfield 1 (Sales Rep Name) contains the name of the acceptor sales representative. If present, subfield 1 must be left-justified and cannot contain all spaces.

### **Subfield 2 (Sales Rep Phone Number)**

Subfield 2 (Sales Rep Phone Number) contains the primary phone number that the cardholder may use to contact the acceptor sales representative.

If present, this subfield cannot contain all zeros or any of these values:

- 000-000-0000
- (000) 000-0000, or
- 000 000 0000.

For transactions from U.S. or Canadian acceptors (identified by DE 43 [Acceptor Name Location], subfield 6 [Acceptor Country Code] containing a value of USA or CAN), subfield 2 (Sales Rep Phone Number), if present, must contain a 10-position phone number and must be left-justified with trailing spaces, and the first three positions must be numeric.

### **Subfield 3 (Sales Rep Fax Number)**

Subfield 3 (Sales Rep Fax Number) contains the fax number that the cardholder may use to contact the acceptor sales representative.

For transactions from U.S. or Canadian acceptors (identified by DE 43 [Acceptor Name Location], subfield 6 [Acceptor Country Code] containing a value of USA or CAN), subfield 3 (Sales Rep Fax Number), if present, must contain a 10-position phone number and must be left-justified with trailing spaces, and the first three positions must be numeric.

### **Subfield 4 (Technical Support Phone Number)**

Subfield 4 (Technical Support Phone Number) contains the phone number that the cardholder may use to contact the acceptor for technical assistance.

For transactions from U.S. or Canadian acceptors (identified by DE 43 [Acceptor Name Location], subfield 6 [Acceptor Country Code] containing a value of USA or CAN), subfield 4 (Technical Support Phone Number), if present, must contain a 10-position phone number and must be left-justified with trailing spaces and the first three positions must be numeric.

## PDS 0771 (Cost Center Information)

PDS 0771 (Cost Center Information) provides information to identify the acceptor business unit that is financially affected by the transaction.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...36; TAGLLLLVAR             |
| Tag Field           | 0771                             |
| Data Length         | 3 positions, value = 018-036     |
| Data Field          | Variable length, 18-36 positions |
| Subfields           | 2                                |
| Justification       | See "Subfields"                  |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Common Data)/1644      | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

### Values

If present, PDS 0771 must be a length of 18-36.

### PDS 0771 subfields

This PDS consists of two subfields as defined in this table.

### PDS 0771 subfields

| Number | Positions | Name                    | Attribute | Justification |
|--------|-----------|-------------------------|-----------|---------------|
| 1      | 1-18      | Cost Center Number      | ans-18    | left          |
| 2      | 19-36     | Cost Center Description | ans-18    | left          |

#### Subfield 1 (Cost Center Number)

Subfield 1 (Cost Center Number) is used to identify the acceptor business unit which is financially impacted by the transaction.

If present, subfield 1 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

#### Subfield 2 (Cost Center Description)

Subfield 2 (Cost Center Description) contains a free-form text description of the information provided in subfield 1.

If present, subfield 2 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### PDS 0772 (Driver License/State Issued ID Information)

PDS 0772 (Driver License/State Issued ID Information) contains the cardholder's driver license or state-issued ID number and the state, province, or region code by which it was issued, and is used for cardholder identity validation.

#### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...18; TAGLLLLVAR            |
| Tag Field           | 0772                            |
| Data Length         | 3 positions, value = 015-018    |
| Data Field          | Variable length, 15-18 position |
| Subfields           | 2                               |
| Justification       | See "Subfields"                 |

## Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                        | Org | Sys | Dst |
|----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Common Data)/<br>1644 | O   | •   | C   |

## Values

If present, PDS 0772 must be a length of 15–18.

## PDS 0772 subfields

This PDS consists of two subfields.

### PDS 0772 subfields

| Number | Positions | Name                                                              | Attribute | Justification |
|--------|-----------|-------------------------------------------------------------------|-----------|---------------|
| 1      | 1–15      | Driver License/State Issued ID<br>Number                          | ans-15    | left          |
| 2      | 16–18     | Driver License/State Issued ID<br>State, Province, or Region Code | ans-3     | left          |

### Subfield 1 (Driver License/State Issued ID Number)

Subfield 1 (Driver License/State Issued ID Number) contains the driver license or state-issued ID number of the cardholder.

If present, subfield 1 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### Subfield 2 (Driver License/State Issued ID State, Province, or Region Code)

Subfield 2 (Driver License/State Issued ID State, Province, or Region Code) contains the state, province, or region code by which the cardholder's driver license or state issued ID is issued.

If present, subfield 2 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0773 (Payment Method Information)

PDS 0773 (Payment Method Information) provides a means to identify one or multiple payment methods and associated amounts for the transaction.

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | an...140; TAGLLLLVAR                             |
| Tag Field           | 0773                                             |
| Data Length         | 3 positions, value = 014–140 in increments of 14 |
| Data Field          | Variable length, 014–140 positions               |
| Subfields           | 2 fixed-length subfields for each occurrence     |
| Occurrences         | 1–10                                             |
| Justification       | See “Subfields”                                  |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                               | Org | Sys | Dst |
|-------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Common Data) | O   | .   | C   |

### Values

If present, PDS 0772 must be a length of 14–140, and divisible by a minimum occurrence length of 14.

### PDS 0773 subfields

This PDS may contain 1 to 10 occurrences of payment method information.

Each payment method consists of two subfields as defined in this table. Each occurrence requires 14 positions; the length of this PDS must be a multiple of 14, with a maximum length of 140 positions.

### PDS 0773 subfields

| Number | Positions | Name            | Attribute | Justification |
|--------|-----------|-----------------|-----------|---------------|
| 1      | 1-2       | Payment Method  | an-2      | n/a           |
| 2      | 3-14      | Amount, Payment | n-12      | right         |

### Subfield 1 (Payment Method)

Subfield 1 (Payment Method) contains the payment method used by the cardholder. The valid values for subfield 1 are listed in this table.

### Values and descriptions

| Value | Description |
|-------|-------------|
| 01    | Credit Card |
| 02    | Debit Card  |
| 03    | Gift Card   |
| 04    | Cash        |
| 05    | Check       |
| 06    | Coupon      |
| 07    | Other       |

### Subfield 2 (Amount, Payment)

Subfield 2 (Amount, Payment) contains the amount associated with the value provided in subfield 1.

If present, subfield 2 must be numeric and greater than zero and in the same currency as the First Presentment/1240 Transaction Currency.

All currency amounts are expressed in the minor unit of currency without a decimal separator, in accordance with ISO standards for currency notation. For example, a payment amount of USD 212.50 is expressed as 000000021250.

## PDS 0774 (Stock Keeping Unit (SKU) Description)

PDS 0774 (Stock Keeping Unit [SKU] Description) provides the item description for the associated SKU number.

### Attributes

| Attribute           | Description                        |
|---------------------|------------------------------------|
| Data Representation | ans...200; TAGLLLLVAR              |
| Tag Field           | 0774                               |
| Data Length         | 3 positions, value = 001–200       |
| Data Field          | Variable length, 001–200 positions |
| Subfields           | None                               |
| Justification       | Left                               |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

### Values

If present, PDS 0774 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros and must be a length of 1–200.

## PDS 0775 (Department Code)

PDS 0775 (Department Code) provides a means to identify the acceptor department from which the goods or services were obtained.

### Attributes

| Attribute           | Description                        |
|---------------------|------------------------------------|
| Data Representation | ans...8; TAGLLLLVAR                |
| Tag Field           | 0775                               |
| Data Length         | 3 positions, value = 001–008       |
| Data Field          | Variable length, 001–008 positions |
| Subfields           | None                               |
| Justification       | Left                               |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Common Data)/1644      | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

### Values

If present, PDS 0775 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros and must be a length of 1–8.



## PDS 0776 (Alternate Custom Identifier)

PDS 0776 (Alternate Custom Identifier) enables customers to provide custom information pertinent to the transaction.

### Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | ans...410; TAGLLLLVAR                            |
| Tag Field           | 0776                                             |
| Data Length         | 3 positions, value = 082–410 in increments of 82 |
| Data Field          | Variable length, 082–410 positions               |
| Subfields           | 2 fixed-length subfields for each occurrence     |
| Occurrences         | 1-5                                              |
| Justification       | See "Subfields"                                  |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Common Data)/1644      | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

### Values

If PDS 0776 is present, both subfield 1 and subfield 2 must be present in each occurrence of Alternate Custom Identifier, and the PDS must be a length of 82–410 and divisible by a minimum occurrence length of 82.

## PDS 0776 subfields

This PDS may contain 1 to 5 occurrences of alternate custom identifier information.

Each occurrence requires 82 positions; the length of this PDS must be a multiple of 82, with a maximum length of 410 positions. Each alternate custom identifier consists of two subfields as defined in this table.

### PDS 0776 subfields

| Number | Positions | Name                               | Attribute | Justification |
|--------|-----------|------------------------------------|-----------|---------------|
| 1      | 1-6       | Alternate Custom Identifier Type   | ans-06    | n/a           |
| 2      | 7-82      | Alternate Custom Identifier Detail | ans-76    | left          |

### Subfield 1 (Alternate Custom Identifier Type)

Subfield 1 (Alternate Custom Identifier Type) identifies the type of custom information that is contained in subfield 2 as free-form text. The valid values for subfield 1 are listed in this table.

### Values and descriptions

| Value  | Description                |
|--------|----------------------------|
| CUSORD | Customer Order             |
| CUSTPO | Customer Purchase Order    |
| FOLNUM | Folio Number               |
| INVACT | Invoice or Account Number  |
| OTHER1 | Other                      |
| OTHER2 | Other                      |
| PRCHID | Purchase Identification    |
| RECLOC | Record Locator             |
| RESNUM | Reservation Number         |
| RNTAGR | Rental Agreement           |
| SUPINV | Supplier Invoice           |
| SUPORD | Supplier Order             |
| TKTNUM | Ticket Number              |
| TRANID | Transaction Identification |

| Value  | Description     |
|--------|-----------------|
| TRKNUM | Tracking Number |

## Subfield 2 (Alternate Custom Identifier Detail)

Subfield 2 (Alternate Custom Identifier Detail) is a free-form text field for certain information pertinent to the transaction. The information provided should relate to the value provided in subfield 1.

If present, subfield 2 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

## PDS 0777 (Promotion Code)

PDS 0777 provides a means to identify the promotion code associated with the goods or services being purchased.

### Attributes

| Attribute           | Description                        |
|---------------------|------------------------------------|
| Data Representation | ans...6; TAGLLLVAR                 |
| Tag Field           | 0777                               |
| Data Length         | 3 positions, value = 001–006       |
| Data Field          | Variable length, 001–006 positions |
| Subfields           | None                               |
| Justification       | Left                               |

### Usage

This table shows the usage of this data element (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Private Label Line Item Detail)/1644 | O   | .   | C   |

## Values

If present, PDS 0777 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros and must be a length of 1–6.

## Values

| Values | Description                                                                                                                     |
|--------|---------------------------------------------------------------------------------------------------------------------------------|
| ARGCTA | Installment payment transaction within Argentina                                                                                |
| AGROF1 | Mastercard Agro Card                                                                                                            |
| BNDES1 | Brazil intracountry transactions using the Mastercard BNDES Card                                                                |
| COLCTA | Installment payment transaction within Colombia                                                                                 |
| GREECE | Installment payment transaction within Greece                                                                                   |
| HGMINS | Installment payment transaction for Croatia, Czech Republic, Georgia, Hungary, Romania, Serbia, Slovakia, Slovenia, and Ukraine |
| MCGARS | Identifies Global Automated Service (GARS) Stand-In activity                                                                    |
| MCINST | Mastercard Installment Payment                                                                                                  |
| MEXCTA | Installment payment transaction within Mexico                                                                                   |
| PARCEL | Installment payment transaction within Brazil                                                                                   |
| PERCTA | Installment payment transaction within Peru                                                                                     |
| PHINST | Installment payment transaction within Philippines                                                                              |
| PRYCTA | Installment payment transaction within Paraguay                                                                                 |
| URYCTA | Installment payment transaction within Uruguay                                                                                  |

## PDS 0781 (Fleet Spend Control Enforced)

PDS 0781 (Fleet Spend Control Enforced) contains the information, on a transaction basis, that merchants use to determine what products or group of products may be purchased using EMV compliant technology.

## Attributes

| Attribute           | Description   |
|---------------------|---------------|
| Data Representation | an-16; TAGLLL |
| Tag Field           | 0781          |

| Attribute     | Description                |
|---------------|----------------------------|
| Data Length   | 3 positions, value = 016   |
| Data Field    | Fixed length, 16 positions |
| Subfields     | None                       |
| Justification | N/A                        |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                           | Org | Sys | Dst |
|-----------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail<br>Addendum (Corporate<br>Fleet Transaction<br>Information)/1644 | O   | .   | C   |

PDS 0781 is used to inform issuers of the purchase restrictions enforced by the merchant point of sale. PDS 0781 should contain the Connexus Purchase Restriction Tag information value found in tag DF32 read from the EMV chip.

Usage of PDS 0781 is required only for EMV chip cards personalized using the IFSF/Connexus specification for retrieving supplemental data from acceptors and cardholders.

### Alternate flow

In scenarios where the merchant supports the Dual Message Authorization field DE 106, subelement 02 Merchant Fleet Spend Control Override Capability and the issuer provides a response value in Dual Message Authorization field DE 106, subelement 3 (Fleet Spend Control Override Items) in the Authorization Request Response/0110 message, which is enforced by the merchant at the point of sale, then that spend control data will be populated in PDS 0781.

PDS 0781 should be formatted as read from the EMV chip or provided in authorization in DE 106, subelement 03 (Fleet Spend Control Override Items) which is formatted according to Connexus standards.

### Values

If present, PDS 0781 must be a fixed length of 16 and cannot contain all zeros or all spaces.

## PDS 0782 (Fleet Fuel Information)

PDS 0782 (Fleet Fuel Information) contains the acquirer's Fleet fuel product code translated from the information the attendant entered.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-35; TAGLLL               |
| Tag Field           | 0782                       |
| Data Length         | 3 positions, value = 035   |
| Data Field          | Fixed length, 35 positions |
| Subfields           | 6                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | C   | .   | C   |

Usage of PDS 0782 is required only for EMV chip cards personalized using the IFSF/Conexxus specification for retrieving supplemental data from acceptors and cardholders.

This PDS must be present in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message when PDS 0622 (Motor Fuel Service Type) is present and contains a value other than 3 for the following U.S.-acquired commercial interchange rate programs.

### IRDs and descriptions

| IRD | Description                  |
|-----|------------------------------|
| F1  | Commercial Fleet Data Rate I |

| IRD | Description                   |
|-----|-------------------------------|
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

## Values

If present, PDS 0782 Fleet Fuel Information must be a fixed length of 35.

## Requirements

These are the requirements regulating the use of PDS 0782.

For Mastercard Corporate Fleet Card or Mastercard Government Commercial Card transactions, PDS 0782, subfield 6 (Fleet Fuel Sale Amount) must equal the product of the value of PDS 0782, subfield 2 (Fleet Fuel Unit Price) multiplied by the value in PDS 0782, subfield 4 (Fleet Fuel Quantity). A tolerance of five percent is permitted to address rounding issues. The tolerance is applied on PDS 0782, subfield 6 (Sale Amount) and not on the calculated value (PDS 0782, subfield 2 multiplied by PDS 0782, subfield 4). Also, this edit does not round the calculated amount and low/high tolerance amounts to the transaction currency exponent, and keeps six decimal positions on these values.

## Subfields

PDS 0782 contains six subfields.

### Subfield attributes and values

| Number | Position | Name                         | Attribute | Justification |
|--------|----------|------------------------------|-----------|---------------|
| 1      | 1-3      | Fleet Fuel Product Code      | n-3       | right         |
| 2      | 4-15     | Fleet Fuel Unit Price        | n-12      | right         |
| 3      | 16       | Fleet Fuel Unit of Measure   | ns-1      | N/A           |
| 4      | 17-22    | Fleet Fuel Quantity          | n-6       | right         |
| 5      | 23       | Fleet Fuel Quantity Exponent | n-1       | N/A           |
| 6      | 24-35    | Fleet Fuel Sale Amount       | n-12      | right         |

## Subfield 1 (Fleet Fuel Product Code)

If PDS 0782 is present, subfield 1 must be one of the values listed in this table.

The following list of product code values is based on the Conexus Payment System Product Codes version 4.1.

### Values and descriptions

| Value | Description                                                    |
|-------|----------------------------------------------------------------|
| 001   | Regular                                                        |
| 002   | Mid/Plus                                                       |
| 003   | Premium/Super                                                  |
| 004   | Mid/Plus 2                                                     |
| 005   | Premium/Super 2                                                |
| 011   | <Deprecated> Ethanol (5.7% blend)                              |
| 012   | <Deprecated> Mid/Plus Ethanol (5.7% blend)                     |
| 013   | <Deprecated> Premium/Super Ethanol (5.7% blend)                |
| 014   | <Deprecated> Ethanol (7.7% blend)                              |
| 015   | <Deprecated> Mid/Plus Ethanol (7.7% blend)                     |
| 016   | Green Gasoline Regular (Plant based not petroleum based)       |
| 017   | Green Gasoline Mid/Plus (Plant based not petroleum based)      |
| 018   | Green Gasoline Premium/Super (Plant based not petroleum based) |
| 019   | Regular Diesel #2                                              |
| 020   | Premium Diesel #2                                              |
| 021   | Regular Diesel #1                                              |
| 022   | Compressed Natural Gas                                         |
| 023   | Liquid Propane Gas                                             |
| 024   | Liquid Natural Gas                                             |
| 026   | E-85                                                           |
| 027   | Reformulated 1                                                 |
| 028   | Reformulated 2                                                 |



Data element and private data subelement definitions and details  
Subfield 1 (Fleet Fuel Product Code)

| Value | Description                                                         |
|-------|---------------------------------------------------------------------|
| 029   | Reformulated 3                                                      |
| 030   | Reformulated 4                                                      |
| 031   | Reformulated 5                                                      |
| 032   | Diesel Off-Road (#1 and #2 Non-Taxable)                             |
| 033   | Diesel Off-Road (Non-Taxable)                                       |
| 034   | Biodiesel Blend Off-Road (Non-Taxable)                              |
| 035   | Undefined Fuel - Reserved for Conexxus Future                       |
| 036   | Racing Fuel                                                         |
| 037   | Mid/Plus 2 (10% Blend)                                              |
| 038   | Premium/Super 2 (10% Blend)                                         |
| 039   | Mid/Plus Ethanol 2 (15% Blend)                                      |
| 040   | Premium/Super Ethanol 2 (15% Blend)                                 |
| 041   | <Deprecated> Premium/Super Ethanol (7.7% Blend)                     |
| 042   | Regular Ethanol (10% Blend)                                         |
| 043   | Mid/Plus Ethanol (10% Blend)                                        |
| 044   | Premium/Super Ethanol (10% Blend)                                   |
| 045   | B2 Diesel Blend 2% Biodiesel                                        |
| 046   | B5 Diesel Blend 5% Biodiesel                                        |
| 047   | B10 Diesel Blend 10% Biodiesel                                      |
| 048   | B11 Diesel Blend 11% Biodiesel                                      |
| 049   | B15 Diesel Blend 15% Biodiesel                                      |
| 050   | B20 Diesel Blend 20% Biodiesel                                      |
| 051   | B100 Diesel Blend 100% Biodiesel                                    |
| 052   | B1 Diesel Blend 1% Biodiesel                                        |
| 053   | Additized Diesel #2                                                 |
| 054   | Additized Diesel #3                                                 |
| 060   | Renewable Diesel (>=R95) (meets ASTM D975 in US / EN 590 in Europe) |
| 061   | Renewable Diesel (Biodiesel 6%-20%) (meets ASTM D7467 in US)        |
| 062   | DEF (Diesel Exhaust Fluid)                                          |

Data element and private data subelement definitions and details  
Subfield 1 (Fleet Fuel Product Code)

| Value | Description                           |
|-------|---------------------------------------|
| 063   | Premium Diesel #1                     |
| 064   | Regular Ethanol (15% Blend)           |
| 065   | Mid/Plus Ethanol (15% Blend)          |
| 066   | Premium/Super Ethanol (15% Blend)     |
| 067   | Premium Diesel Blend <20% Biodiesel   |
| 068   | Premium Diesel Blend >= 20% Biodiesel |
| 069   | B75 Diesel Blend 75% Biodiesel        |
| 070   | B99 Diesel Blend 99% Biodiesel        |
| 099   | Miscellaneous Fuel                    |
| 150   | Jet Fuel                              |
| 151   | Aviation Fuel Regular                 |
| 152   | Aviation Fuel Premium                 |
| 153   | Aviation Fuel JP8                     |
| 154   | Aviation Fuel 4                       |
| 155   | Aviation Fuel 5                       |
| 156   | Biojet (Diesel)                       |
| 157   | Aviation Biofuel (Gasoline)           |
| 174   | Miscellaneous Aviation Fuel           |
| 225   | Marine Fuel 1                         |
| 226   | Marine Fuel 2                         |
| 227   | Marine Fuel 3                         |
| 228   | Marine Fuel 4                         |
| 229   | Marine Fuel 5                         |
| 230   | Marine - Other                        |
| 231   | Marine Diesel                         |
| 249   | Miscellaneous Marine Fuel             |
| 300   | Kerosene – Low Sulfur                 |
| 301   | White Gas                             |
| 302   | Heating Oil                           |
| 304   | Other Fuel (Non-Taxable)              |
| 305   | Kerosene – Ultra Low Sulfur           |

Data element and private data subelement definitions and details  
Subfield 1 (Fleet Fuel Product Code)

| Value | Description                                                                                   |
|-------|-----------------------------------------------------------------------------------------------|
| 306   | Kerosene – Low Sulfur (Non-Taxable)                                                           |
| 307   | Kerosene – Ultra Low Sulfur (Non-Taxable)                                                     |
| 308   | EVC-1 – Level 1 charge = 110v 15 amp                                                          |
| 309   | EVC-2 – Level 2 charge = 240v 15-40 amp                                                       |
| 310   | EVC-3 – Level 3 charge = 480v 3 phase charge                                                  |
| 311   | Biodiesel Blend 2% Off-Road (Non-Taxable)                                                     |
| 312   | Biodiesel Blend 5% Off-Road (Non-Taxable)                                                     |
| 313   | Biodiesel Blend 10% Off-Road (Non-Taxable)                                                    |
| 314   | Biodiesel Blend 11% Off-Road (Non-Taxable)                                                    |
| 315   | Biodiesel Blend 15% Off-Road (Non-Taxable)                                                    |
| 316   | Biodiesel Blend 20% Off-Road (Non-Taxable)                                                    |
| 317   | Diesel #1 Off-Road (Non-Taxable)                                                              |
| 318   | Diesel #2 Off-Road (Non-Taxable)                                                              |
| 319   | Diesel #1 Premium Off-Road (Non-Taxable)                                                      |
| 320   | Diesel #2 Premium Off-Road (Non-Taxable)                                                      |
| 321   | Additive Dosage                                                                               |
| 322   | Ethanol Blends E16-E84                                                                        |
| 323   | Low Octane UNL                                                                                |
| 324   | Blended Diesel (#1 and #2)                                                                    |
| 325   | Off-Road Regular (Non-Taxable)                                                                |
| 326   | Off-Road Mid/Plus (Non-Taxable)                                                               |
| 327   | Off-Road Premium/Super (Non-Taxable)                                                          |
| 328   | Off-Road Mid/Plus 2 (Non-Taxable)                                                             |
| 329   | Off-Road Premium/Super 2 (Non-Taxable)                                                        |
| 330   | Recreational Fuel (90 Octane)                                                                 |
| 331   | Hydrogen H35                                                                                  |
| 332   | Hydrogen H70                                                                                  |
| 333   | Renewable Diesel (>=R95) Off-Road (Non-Taxable)<br>(meets ASTM D975 in US / EN 590 in Europe) |
| 334   | Biodiesel Blend 1% Off-Road (Non-Taxable)                                                     |
| 335   | Biodiesel Blend 75% Off-Road (Non-Taxable)                                                    |

| Value | Description                                                                         |
|-------|-------------------------------------------------------------------------------------|
| 336   | Biodiesel Blend 99% Off-Road (Non-Taxable)                                          |
| 337   | Biodiesel Blend 100% Off-Road (Non-Taxable)                                         |
| 338   | Renewable Diesel (Biodiesel 6%-20%) Off-Road (Non-taxable) (meets ASTM D7467 in US) |
| 399   | Miscellaneous Other Fuel                                                            |

### Subfield 2 (Fleet Fuel Unit Price)

If PDS 0782 is present, subfield 2 must be right-justified and numeric.

The fleet fuel unit price must be right justified with three positions to the right of the decimal.

### Subfield 3 (Fleet Fuel Unit of Measure)

If PDS 0782 is present, Fleet Fuel Unit of Measure must be a space or in the range 1–8 as in this table.

#### Values and descriptions

| Value | Description      |
|-------|------------------|
| 1     | Gallons          |
| 2     | Liters           |
| 3     | Pounds           |
| 4     | Kilos            |
| 5     | Imperial gallons |
| 6     | Kilowatt hour    |
| 7     | Minutes          |
| 8     | Hours            |
| Space | Not Applicable   |

### Subfield 4 (Fleet Fuel Quantity)

If PDS 0782 is present, fleet fuel quantity must be numeric and greater than zero.

## Subfield 5 (Fleet Fuel Quantity Exponent)

If PDS 0782 is present, fleet fuel quantity exponent must be in the range 0–5. PDS 0782, subfield 5 (Fleet Fuel Quantity Exponent) is assumed to be three positions.

## Subfield 6 (Fleet Fuel Sale Amount)

If PDS 0782 is present, Fleet Fuel Sale Amount must be numeric and greater than zero and in the same currency as the First Presentment/1240.

The currency exponent for PDS 0782, subfield 6 (Fleet Fuel Sale Amount) is based on the exponent associated with the DE 49 (Currency Code, Transaction) from the associated First Presentment/1240 message.

## PDS 0783 (Fleet Product Code)

PDS 0783 (Fleet Product Code) contains the non-fuel related product code of the individual item purchased.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | n-3; TAGLLLLVAR                 |
| Tag Field           | 0783                            |
| Data Length         | 3 positions, value = 001–015    |
| Data Field          | Variable length, 1–15 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                         | Org | Sys | Dst |
|-----------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/<br>1644 | C   | •   | C   |

The Fleet Product Code should be provided for Fleet card transactions occurring at fuel locations, when PDS 0622 (Motor Fuel Service Type) is a value of 3.

Usage of PDS 0783 is required only for EMV chip cards personalized using the IFSF/Conexus specification for retrieving supplemental data from acceptors and cardholders.

PDS 0783 (Fleet Product Code) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet non-fuel maintenance location MCCs: 5013, 5511, 5531, 5532, 5533, 5599, 7531, 7534, 7535, 7538, 7542, 7549, 7692, or 7699
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

#### IRDs and descriptions

| IRD | Description                    |
|-----|--------------------------------|
| F3  | Commercial Fleet Data Rate III |
| FL  | Commercial Fleet Large Ticket  |

PDS 0783 (Fleet Product Code) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur:

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet fuel location MCCs: 4468, 5499, 5541, 5552, or 5983
- PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

#### IRDs and descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F1  | Commercial Fleet Data Rate I  |
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

## Values

When a Financial Detail Addendum (Corporate Line-Item Detail)/1644 is submitted in conjunction with non-fuel purchases conducted with a Mastercard Corporate Fleet Card or Mastercard Government Commercial Card at a non-fuel location, PDS 0783 should be provided and must contain a three-position non-fuel product code listed in this table.

The following list of product code values is based on the Conexus Payment System Product Codes version 4.1.

## Values

| Value | Description                    |
|-------|--------------------------------|
| 100   | General Automotive Merchandise |
| 101   | Motor Oil                      |
| 102   | Car Wash                       |
| 103   | Oil Change                     |
| 104   | Oil Filter                     |
| 105   | Work Order                     |
| 106   | Anti-Freeze                    |
| 107   | Washer Fluid                   |
| 108   | Brake Fluid                    |
| 109   | Tires                          |
| 110   | Federal Excise Tax (Tires)     |
| 111   | Tire Rotation                  |
| 112   | Batteries                      |
| 113   | Lube                           |
| 114   | Inspection                     |
| 115   | Labor                          |
| 116   | Towing                         |
| 117   | Road Service                   |
| 118   | Vehicle Accessories            |
| 119   | Vehicle Parts                  |
| 120   | Preventative Maintenance       |
| 121   | Air Conditioning Service       |

| Value | Description                                 |
|-------|---------------------------------------------|
| 122   | Engine Service                              |
| 123   | Transmission Service                        |
| 124   | Brake Service                               |
| 125   | Exhaust Service                             |
| 126   | Body Work                                   |
| 127   | Vehicle Glass                               |
| 128   | Synthetic Oil                               |
| 129   | Lamps                                       |
| 130   | Wipers                                      |
| 131   | Hoses                                       |
| 132   | Tire-related (Wheel Balance, Valve Stem)    |
| 133   | Repairs                                     |
| 134   | Service Package                             |
| 135   | Vehicle Parking                             |
| 136   | Truck Tank Cleaning                         |
| 137   | Other Lubricants                            |
| 138   | Vehicle Fuel Additives/Treatment (Injected) |
| 139   | Vehicle Rental                              |
| 140   | Air Filter                                  |
| 141   | Vehicle Prep                                |
| 142   | Fuel System                                 |
| 149   | Miscellaneous Vehicle Products / Services   |
| 175   | Storage                                     |
| 176   | Aircraft Ground Handling                    |
| 177   | Aircraft Ground Power Unit                  |
| 178   | Aircraft Labor                              |
| 179   | Aircraft Work Order                         |
| 180   | Aircraft Maintenance                        |
| 181   | Aircraft Service                            |
| 182   | Transportation                              |
| 183   | De-icing                                    |



| Value | Description                              |
|-------|------------------------------------------|
| 184   | Ramp Fees                                |
| 185   | Catering                                 |
| 186   | Hangar Fee                               |
| 187   | Landing Fee                              |
| 188   | Call Out Fee                             |
| 189   | Aircraft Rental                          |
| 190   | Instruction Fee                          |
| 191   | Flight Plans / Weather Brief             |
| 192   | Charter Fee                              |
| 193   | Communication Fee                        |
| 194   | Aircraft Cleaning                        |
| 195   | Cargo Handling                           |
| 196   | Aircraft Accessories                     |
| 197   | Pilot Supplies                           |
| 198   | Aircraft Parking Fees                    |
| 199   | Aircraft Tie Down Fees                   |
| 200   | Aircraft Sanitation Fees                 |
| 201   | Aircraft Fuel Additive                   |
| 202   | AC Parts                                 |
| 203   | Oxygen                                   |
| 204   | De-fuel                                  |
| 205   | Re-service                               |
| 206   | Static Dissipater Additive               |
| 207   | Corrosion Inhibitor                      |
| 208   | Airport Fees                             |
| 209   | Overtime Fees                            |
| 210   | IT/Bladder                               |
| 211   | Ground Equipment Service Fees            |
| 212   | Secure Fees                              |
| 213   | Flow Fee                                 |
| 224   | Miscellaneous Aviation Products/Services |

| Value | Description                        |
|-------|------------------------------------|
| 250   | Marine Service                     |
| 251   | Marine Labor                       |
| 252   | Marine Work Order                  |
| 253   | Launch Fee                         |
| 254   | Slip Rental                        |
| 400   | General Merchandise                |
| 401   | General Ice                        |
| 410   | General Tobacco                    |
| 411   | Cigarettes                         |
| 412   | Tobacco - Other                    |
| 420   | General Packaged Beverage          |
| 421   | Packaged Beverages (non-alcoholic) |
| 422   | Packaged Juice                     |
| 423   | Other Packaged Beverages           |
| 430   | General Dispensed Beverage         |
| 431   | Hot Dispensed Beverages            |
| 432   | Cold Dispensed Beverages           |
| 433   | Frozen Dispensed Beverages         |
| 434   | Other Dispensed Beverages          |
| 440   | General Snacks                     |
| 441   | Salty Snacks                       |
| 442   | Alternative Snacks                 |
| 443   | Sweet Snacks - Packaged            |
| 450   | General Candy                      |
| 460   | General Dairy                      |
| 461   | Fluid Milk Products                |
| 462   | Packaged Ice Cream/Novelties       |
| 463   | Other Dairy                        |
| 470   | General Grocery                    |
| 471   | Groceries - Edible                 |
| 472   | Groceries - Non-Edible             |

| <b>Value</b> | <b>Description</b>                  |
|--------------|-------------------------------------|
| 473          | Groceries - Perishable              |
| 474          | Bread - Packaged                    |
| 475          | Frozen Foods                        |
| 480          | General Alcohol                     |
| 481          | Beer - Alcoholic                    |
| 482          | Beer - Non-Alcoholic                |
| 483          | Wine                                |
| 484          | Liquor                              |
| 490          | General Deli                        |
| 491          | Packaged Sandwiches/Deli Products   |
| 492          | Prepared Foods                      |
| 493          | Deli Items                          |
| 500          | General Food service                |
| 510          | General Lottery                     |
| 511          | Lottery - Instant                   |
| 512          | Lottery - Online                    |
| 513          | Lottery - Other                     |
| 520          | General Money Order                 |
| 521          | Money Order - Vendor Payment        |
| 522          | Money Order - Payroll Check         |
| 523          | Money Order - Gift Certificate      |
| 524          | Money Order - Refund Check          |
| 525          | Money Order - Official Check        |
| 526          | Money Order - Rebate Check          |
| 527          | Money Order - Dividend Check        |
| 528          | Money Order - Utility Check         |
| 530          | General Store Service               |
| 531          | Home Delivery                       |
| 532          | Prepaid Cards - Purchase            |
| 533          | Prepaid Cards - Activation/Recharge |
| 534          | Membership/Loyalty                  |

| Value | Description                         |
|-------|-------------------------------------|
| 540   | General Health & Beauty Care        |
| 550   | General Publications                |
| 560   | PIN Activate Prepaid Card           |
| 561   | PIN Return Prepaid Card             |
| 562   | Enable Device/Handset Unlock        |
| 563   | Disable Device/Handset Lock         |
| 564   | 3rd Party Prepaid Card Activate     |
| 565   | 3rd Party Prepaid Card Reload       |
| 566   | Financial Prepaid Card Activate     |
| 567   | Financial Prepaid Card Reload       |
| 568   | Proprietary Prepaid Card Activate   |
| 569   | Proprietary Prepaid Card Reload     |
| 570   | General Purpose Activate            |
| 571   | General Purpose Reload              |
| 572   | Real Time Recharge                  |
| 573   | Wireless Real Time Recharge         |
| 574   | Single Payee Bill Pay               |
| 575   | Multiple Payee Bill Pay             |
| 600   | Packaged DEF (Diesel Exhaust Fluid) |
| 601   | Packaged B99                        |
| 602   | Packaged B100                       |
| 603   | Packaged Additive                   |
| 604   | Packaged Kerosene                   |
| 605   | Packaged Propane                    |
| 624   | Miscellaneous Packaged Fuels        |
| 650   | Scales                              |
| 651   | Shower                              |
| 652   | Tire Repair                         |
| 653   | Lodging                             |
| 654   | Wash Out                            |
| 655   | Trailer Wash                        |

| Value | Description                           |
|-------|---------------------------------------|
| 656   | RV Dump Fee                           |
| 657   | EV Charging Fee                       |
| 658   | EV Battery Exchanges                  |
| 659   | Toll Payments                         |
| 700   | Cannabidiol (CBD)                     |
| 900   | Discount 1                            |
| 901   | Discount 2                            |
| 902   | Discount 3                            |
| 903   | Discount 4                            |
| 904   | Discount 5                            |
| 905   | Coupon 1                              |
| 906   | Coupon 2                              |
| 907   | Coupon 3                              |
| 908   | Coupon 4                              |
| 909   | Coupon 5                              |
| 910   | Lottery Pay Out - Instant             |
| 911   | Lottery Pay Out - Online              |
| 912   | Lottery Pay Out - Other               |
| 913   | Split Tender                          |
| 914   | Tax Discount/Forgiven                 |
| 915   | Local Discount 1                      |
| 916   | Local Discount 2                      |
| 917   | Local Discount 3                      |
| 918   | Local Discount 4                      |
| 919   | Local Discount 5                      |
| 920   | POS/Loyalty Reserved Discount 1       |
| 921   | POS/Loyalty Reserved Discount 2       |
| 922   | POS/Loyalty Reserved Discount 3       |
| 923   | POS/Loyalty Reserved Discount 4       |
| 924   | POS/Loyalty Reserved Discount 5       |
| 949   | Miscellaneous Negative Administrative |

| Value | Description                  |
|-------|------------------------------|
| 950   | Tax 1                        |
| 951   | Tax 2                        |
| 952   | Tax 3                        |
| 953   | Tax 4                        |
| 954   | Tax 5                        |
| 955   | Cash Back                    |
| 956   | Cash Back Fee                |
| 957   | Fee 1                        |
| 958   | Fee 2                        |
| 959   | Fee 3                        |
| 960   | Fee 4                        |
| 961   | Fee 5                        |
| 962   | Miscellaneous Aviation Tax   |
| 963   | GST/HST (Canadian)/VAT 1     |
| 964   | PST/QST (Canadian) VAT 2     |
| 965   | SWT Rate (Canadian)          |
| 966   | Tax 6                        |
| 967   | Tax 7                        |
| 968   | Tax 8                        |
| 969   | Jet Federal Excise Tax       |
| 970   | AvGas Federal Excise Tax     |
| 971   | Charity                      |
| 972   | Gratuity                     |
| 999   | Miscellaneous Administrative |

### Processing rules

When an occurrence of the Financial Detail Addendum (Corporate Line Item Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0641 (Product Code), unless it is a qualifying Mastercard Fleet Card transaction with a fleet card product code of MCF or MGF that requires the presence of PDS 0783 (Fleet Product Code) and PDS 0783 must contain a valid value.

## PDS 0784 (Fleet Item Description)

PDS 0784 (Fleet Item Description) contains the description of the non-fuel item being purchased.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...35; TAGLLLLVAR            |
| Tag Field           | 0784                            |
| Data Length         | 3 positions, value = 001–035    |
| Data Field          | Variable length, 1–35 positions |
| Subfields           | None                            |
| Justification       | Left                            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                            | Org | Sys | Dst |
|--------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum<br>(Corporate Line Item Detail)/<br>1644 | C   | .   | C   |

PDS 0784 (Fleet Item Description) should be present in the Financial Detail Addendum (Corporate Line-Item Detail)/1644 message when PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.

Usage of PDS 0784 is required only for EMV chip cards personalized using the IFSF/Conexus specification for retrieving supplemental data from acceptors and cardholders.

PDS 0784 (Fleet Item Description) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet non-fuel maintenance location MCCs: 5013, 5511, 5531, 5532, 5533, 5599, 7531, 7534, 7535, 7538, 7542, 7549, 7692, or 7699
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

#### IRDs and descriptions

| IRD | Description                    |
|-----|--------------------------------|
| F3  | Commercial Fleet Data Rate III |
| FL  | Commercial Fleet Large Ticket  |

PDS 0784 (Fleet Item Description) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet fuel location MCCs: 4468, 5499, 5541, 5552, or 5983.
- PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

#### IRDs and descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F1  | Commercial Fleet Data Rate I  |
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

#### Values

PDS 0784 must be left justified, cannot contain all spaces, and a minimum length of 1 and a maximum length of 35.

Fleet Item Description must contain the description of the individual item purchased exactly as shown on the Transaction Information Document (Transaction receipt) or buyer invoice.



Fleet Item Description must not contain repetitive characters, strings of numbers or special characters, or generic descriptors. For example, the following values must not be used:

- Food/Grocery
- General Merchandise/Merchandise
- Government Services
- Insurance
- Invoice/Invoice Charges
- Label
- Miscellaneous/Misc
- Other
- Parts
- Payment On Account
- Product
- Services
- Utility Bill/Bill/Bill Payment

### Processing rules

When an occurrence of the Financial Detail Addendum (Corporate Line Item Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0642 (Item Description), unless it is a qualifying Mastercard Fleet Card transaction with a fleet card product code of MCF or MGF that requires the presence of PDS 0784 (Fleet Item Description) and PDS 0784 must contain a meaningful description for the good or service purchased.

## PDS 0785 (Fleet Item Quantity)

PDS 0785 (Fleet Item Quantity) indicates the quantity of the item purchased and the associated decimal point location.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | n-13; TAGLLL               |
| Tag Field           | 0785                       |
| Data Length         | 3 positions, value = 013   |
| Data Field          | Fixed length, 13 positions |
| Subfields           | 2                          |
| Justification       | See "Subfields"            |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                     | Org | Sys | Dst |
|-------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644 | C   | .   | C   |

PDS 0785 (Fleet Item Quantity) should be present in the Financial Detail Addendum (Corporate Line-Item Detail)/1644 message when PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.

Usage of PDS 0785 is required only for EMV chip cards personalized using the IFSF/Conexus specification for retrieving supplemental data from acceptors and cardholders.

PDS 0785 (Fleet Item Quantity) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet non-fuel maintenance location MCCs: 5013, 5511, 5531, 5532, 5533, 5599, 7531, 7534, 7535, 7538, 7542, 7549, 7692, or 7699.
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

### IRDs and descriptions

| IRD | Description                    |
|-----|--------------------------------|
| F3  | Commercial Fleet Data Rate III |
| FL  | Commercial Fleet Large Ticket  |

PDS 0785 (Fleet Item Quantity) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet fuel location MCCs: 4468, 5499, 5541, 5552, or 5983.

- PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

### IRDs and descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F1  | Commercial Fleet Data Rate I  |
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

### Values

PDS 0785 must be a fixed length of 13.

### Subfields

PDS 0785 consists of two subfields. PDS 0785 subfields are listed in this table.

### Subfield attributes and values

| Number | Position | Name                         | Attribute | Justification |
|--------|----------|------------------------------|-----------|---------------|
| 1      | 1-12     | Fleet Item Quantity          | n-12      | right         |
| 2      | 13       | Fleet Item Quantity Exponent | n-1       | N/A           |

### Subfield 1 (Fleet Item Quantity)

If present, subfield 1 (Fleet Item Quantity) must be numeric and greater than zero.

### Subfield 2 (Fleet Item Quantity Exponent)

Subfield 2 (Fleet Item Quantity Exponent) indicates the decimal location for the Item Quantity subfield.

If PDS 0785 is present, subfield 2 must be numeric and contain a value of 0 to 5.

## PDS 0786 (Fleet Item Unit of Measure)

PDS 0786 (Fleet Item Unit of Measure) contains the line-item unit of measurement code.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...12; TAGLLLLVAR            |
| Tag Field           | 0786                            |
| Data Length         | 3 positions, value = 001–012    |
| Data Field          | Variable length, 1–12 positions |
| Subfields           | None                            |
| Justification       | N/A                             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                     | Org | Sys | Dst |
|-------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Corporate Line Item Detail)/1644 | C   | .   | C   |

PDS 0786 (Fleet Item Unit of Measure) should be present in the Financial Detail Addendum (Corporate Line-Item Detail)/1644 message when PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.

Usage of PDS 0786 is required only for EMV chip cards personalized using the IFSF/Conexus specification for retrieving supplemental data from acceptors and cardholders.

PDS 0786 (Fleet Item Unit of Measure) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet non-fuel maintenance location MCCs: 5013, 5511, 5531, 5532, 5533, 5599, 7531, 7534, 7535, 7538, 7542, 7549, 7692, or 7699.

- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

#### IRDs and descriptions

| IRD | Description                    |
|-----|--------------------------------|
| F3  | Commercial Fleet Data Rate III |
| FL  | Commercial Fleet Large Ticket  |

PDS 0786 (Fleet Item Unit of Measure) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet fuel location MCCs: 4468, 5499, 5541, 5552, or 5983.
- PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

#### IRDs and descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F1  | Commercial Fleet Data Rate I  |
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

#### Values

If present, PDS 0786 cannot contain all zeros or all spaces.

Fleet Item Unit of Measure must contain a valid four character unit of measure code as defined in the Fleet Item Unit of Measure Table.

### Fleet Item Unit of Measure

| Measure Code | Name       | Definition                                                                        |
|--------------|------------|-----------------------------------------------------------------------------------|
| ACRE         | Acre       | Unit of measure equal to 4840 square yards.                                       |
| ARES         | Are        | Unit of measure equal to 100 square meters                                        |
| CELI         | Centiliter | Unit of volume that is equal to one hundredth of a liter.                         |
| CMET         | Centimeter | Unit of measure that is equal to one hundredth of a meter.                        |
| EACH         | Each       | One of two or more distinct items.                                                |
| FOOT         | Foot       | Unit of length equal to 1/3 yard.                                                 |
| GBGA         | GBGallon   | Unit of volume that is equal to 8 pints.                                          |
| GBOU         | GBOunce    | Unit of weight equal to one sixteenth of a pound.                                 |
| GBPI         | GBPint     | Unit of volume that is equal to 568 cubic centimeters.                            |
| GBQA         | GBQuart    | Unit of volume that is equal to 2 pints.                                          |
| GRAM         | Gram       | Unit of measure that is equal to one 1,000th of a kilo.                           |
| HECT         | Hectare    | Unit of measure that is equal to 10,000 square meters.                            |
| INCH         | Inch       | Measure of length equal to 2.54 cm.                                               |
| KILO         | Kilogram   | Basic unit of mass in the International System of Units (SI) equal to 1000 grams. |
| KMET         | Kilometer  | Unit of measure that is equal to 1000 meters.                                     |
| LITR         | Liter      | Unit of volume that is equal to one thousand cubic centimeters.                   |
| METR         | Meter      | Unit of length in the metric system equal to 39.37 inches.                        |

| Measure Code | Name             | Definition                                                                         |
|--------------|------------------|------------------------------------------------------------------------------------|
| MILE         | Mile             | Unit of length equal to 1760 yards.                                                |
| MILI         | MilliLiter       | Unit of volume that is equal to one thousandth of a liter.                         |
| MMET         | Millimeter       | Unit of measure that is equal to one thousandth of one meter.                      |
| PIEC         | Piece            | Standard length of cloth, wallpaper, as an item for sale or amount of a substance. |
| PUND         | Pound            | Unit of weight equal to 0.454 kilograms.                                           |
| SCMT         | SquareCentimeter | Measure of a surface one centimeter by one centimeter.                             |
| SMET         | SquareMeter      | Measure of a surface one meter by one meter.                                       |
| SMIL         | SquareMillimeter | Measure of a surface one millimeter by one millimeter.                             |
| SQFO         | SquareFoot       | Measure of a surface one foot by one foot.                                         |
| SQIN         | SquareInch       | Measure of a surface one inch by one inch.                                         |
| SQKI         | SquareKilometer  | Measure of a surface one kilometer by one kilometer.                               |
| SQMI         | SquareMile       | Measure of a surface one mile by one mile.                                         |
| SQYA         | SquareYard       | Measure of a surface one yard by one yard.                                         |
| TONS         | Ton              | Measure of weight, in Britain 2240lb (long ton) and in the US 2000lb (short ton).  |
| USGA         | USGallon         | Unit of volume that is equal to 8 pints.                                           |
| USOU         | USOunce          | Unit of weight equal to one sixteenth of a pound.                                  |
| USPI         | USPint           | Unit of volume that is equal to 473 cubic centimeters.                             |
| USQA         | USQuart          | Unit of volume that is equal to 2 pints.                                           |

| Measure Code | Name | Definition                                      |
|--------------|------|-------------------------------------------------|
| YARD         | Yard | Unit of length equal to 3 feet or 0.9144 meter. |

### Processing rules

When an occurrence of the Financial Detail Addendum (Corporate Line Item Detail)/1644 addendum message is submitted in association with a First Presentment/1240 message, it must include PDS 0645 (Item Unit of Measure), unless it is a qualifying Mastercard Fleet Card transaction with a fleet card product code of MCF or MGF that requires the presence of PDS 0786 (Fleet Item Unit of Measure) and PDS 0786 must contain a valid unit of measurement as defined in the Fleet Item Unit of Measure Table.

## PDS 0787 (Fleet Extended Item Amount)

PDS 0787(Fleet Extended Item Amount) contains the individual item amount that is normally calculated as price multiplied by quantity.

### Attributes

| Attribute           | Description                |
|---------------------|----------------------------|
| Data Representation | ans-14; TAGLLL             |
| Tag Field           | 0787                       |
| Data Length         | 3 positions, value = 014   |
| Data Field          | Fixed length, 14 positions |
| Subfields           | 3                          |
| Justification       | See "Subfields"            |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.



### Applicable messages

| Message                                                            | Org | Sys | Dst |
|--------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum<br>(Corporate Line Item Detail)/<br>1644 | C   | .   | C   |

PDS 0787 (Fleet Item Quantity) should be present in the Financial Detail Addendum (Corporate Line-Item Detail)/1644 message when PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.

Usage of PDS 0787 is required only for EMV chip cards personalized using the IFSF/Conexus specification for retrieving supplemental data from acceptors and cardholders.

PDS 0787 (Fleet Extended Item Amount) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet non-fuel maintenance location MCCs: 5013, 5511, 5531, 5532, 5533, 5599, 7531, 7534, 7535, 7538, 7542, 7549, 7692, or 7699.
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

### IRDs and descriptions

| IRD | Description                    |
|-----|--------------------------------|
| F3  | Commercial Fleet Data Rate III |
| FL  | Commercial Fleet Large Ticket  |

PDS 0787 (Fleet Extended Item Amount) must be present in the Financial Detail Addendum (Corporate Line Item Detail)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet fuel location MCCs: 4468, 5499, 5541, 5552, or 5983.
- PDS 0622 (Motor Fuel Service Type) is present with a value of 3 (Only non-fuel items being purchased) in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message.

- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

### IRDs and descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F1  | Commercial Fleet Data Rate I  |
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

### Values

If present, PDS 0787 must be a fixed length of 014.

To allow for situations in which the item is zero cost to the customer, PDS 0650 (Zero Cost to Customer) must also be present in the Corporate Line Item Detail Addendum message, and equal to Y. PDS 0787 subfield 1 may contain zero in this circumstance.

### Subfields

PDS 0787 consists of three subfields. PDS 0787 subfields are listed in this table.

### Subfield attributes and values

| Number | Position | Name                                | Attribute | Justification |
|--------|----------|-------------------------------------|-----------|---------------|
| 1      | 1-12     | Fleet Extended Item Amount          | n-12      | right         |
| 2      | 13       | Fleet Extended Item Amount Exponent | n-1       | N/A           |
| 3      | 14       | Fleet Extended Item Amount Sign     | a-1       | N/A           |

### Subfield 1 (Fleet Extended Item Amount)

If PDS 0787 is present, subfield 1 (Fleet Extended Item Amount) must contain the amount and be numeric and greater than zero, unless PDS 0650 (Zero Cost to Customer) is present and equal to Y.

## Subfield 2 (Fleet Extended Item Amount Exponent)

If PDS 0787 is present, subfield 2 (Fleet Extended Item Amount Exponent) must be numeric and contain a value of 0 to 5.

**NOTE: Financial Detail Addendum/1644 messages that contain amounts and amounts exponents should use the same currency and exponent of the Amount, Transaction in the associated First Presentment/1240 message.**

## Subfield 3 (Fleet Extended Item Amount Sign)

If PDS 0787 is present, subfield 3 (Fleet Extended Item Amount Sign) must contain a value of D or C. This subfield identifies whether PDS 0787 is a debit or credit from the perspective of the cardholder.

### Values and descriptions

| Value | Description                       |
|-------|-----------------------------------|
| D     | Extended item amount is a debit.  |
| C     | Extended item amount is a credit. |

## PDS 0790 (Fleet Prompted Data 1)

PDS 0790 (Fleet Prompted Data 1) contains the Prompt Code read from a card chip that indicates prompts that occur at the point of interaction and the data entered in response by the cardholder into the point-of-sale device.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...38; TAGLLLLVAR            |
| Tag Field           | 0790                            |
| Data Length         | 3 positions, value = 004-038    |
| Data Field          | Variable length, 4-38 positions |
| Subfields           | 2                               |
| Justification       | See Subfields                   |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                        | Org | Sys | Dst |
|--------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum<br>(Corporate Fleet Transaction<br>Information)/1644 | C   | .   | C   |

Usage of PDS 0790 is required only for EMV chip cards personalized using the IFSF/Conexus specification for retrieving supplemental data from acceptors and cardholders.

PDS 0790 (Fleet Prompted Data 1) must be present in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet fuel location MCCs: 4468, 5499, 5541, 5542, or 5983.
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

### IRDs and descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

## Values

If present, PDS 0790 must be variable length of 4-38 positions.

## Subfields

PDS 0790 consists of two subfields. PDS 0790 subfields are listed in this table.

### Subfield attributes and values

| Number | Position | Name                  | Attribute | Justification |
|--------|----------|-----------------------|-----------|---------------|
| 1      | 1-3      | Prompt Code 1         | n-3       | Right         |
| 2      | 4-38     | Driver Related Data 1 | ans-1     | Left          |

### Subfield 1 (Prompt Code 1)

Prompt Code contains a code that specifies the information requested to be provided by the cardholder at the POI.

### Values and descriptions

If present, PDS 0790 subfield 1 (Prompt Code 1) must contain one of the values listed in this table.

### Values

| Value | Description              |
|-------|--------------------------|
| 001   | User ID                  |
| 002   | Vehicle Number           |
| 003   | Vehicle Tag              |
| 004   | Driver ID                |
| 005   | Odometer                 |
| 009   | Work Order / P.O. Number |
| 010   | Invoice Number           |
| 011   | Trip Number              |
| 012   | Unit Number              |
| 013   | Reefer Hours             |
| 015   | ZIP Code / Postal Code   |
| 016   | Replacement Car          |
| 017   | Entered Data Num         |
| 018   | Web Portal Data          |
| 019   | Entered Data Alpha       |

Data element and private data subelement definitions and details  
Subfield 1 (Prompt Code 1)

| Value | Description             |
|-------|-------------------------|
| 021   | Job Number              |
| 022   | Maintenance ID          |
| 023   | Department Number       |
| 024   | Trailer Number          |
| 025   | Delivery Ticket Number  |
| 026   | Hubometer               |
| 033   | Sub Fleet Number        |
| 035   | Transaction Number      |
| 036   | Control Number          |
| 038   | Reefer Temperature      |
| 040   | Driver or Vehicle Card  |
| 041   | Customer Number         |
| 042   | Additional Card Data    |
| 043   | Additional Vehicle Data |
| 044   | Engine Hours            |
| 045   | Tank Level Start        |
| 046   | Fuel Gauge Level        |
| 047   | Battery Voltage         |
| 048   | Coolant Temperature     |
| 049   | Check Engine Status     |
| 050   | Fuel Economy            |
| 051   | Engine RPM              |
| 052   | Engine Load             |
| 053   | Engine Oil Temperature  |
| 054   | Engine Time Total       |
| 055   | Hard Breaking           |
| 056   | Hard Acceleration       |
| 058   | Idle Time               |
| 065   | Total Idle Time         |
| 067   | Engine Oil Pressure     |
| 068   | Engine Oil Life         |

| Value | Description       |
|-------|-------------------|
| 069   | Billing ID        |
| 999   | No prompts issued |

## Subfield 2 (Driver Related Data 1)

Driver Related Data contains the data entered in response to the Prompt Code obtained at the POS.

If present, PDS 0790, subfield 2 (Driver Related Data 1) must be left justified and cannot contain all spaces.

Acquirers must populate the Driver Related Data 1 field with the value of 999 when the Prompt Code 1 field contains the value of 999.

## PDS 0791 (Fleet Prompted Data 2)

PDS 0791 (Fleet Prompted Data 2) contains the Prompt Code read from a card chip that indicates prompts that occur at the point of interaction and the data entered in response by the cardholder into the point-of-sale device.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...38; TAGLLLVAR             |
| Tag Field           | 0791                            |
| Data Length         | 3 positions, value = 004-038    |
| Data Field          | Variable length, 4-38 positions |
| Subfields           | 2                               |
| Justification       | See Subfields                   |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                        | Org | Sys | Dst |
|--------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum<br>(Corporate Fleet Transaction<br>Information)/1644 | C   | .   | C   |

Usage of PDS 0791 is required only for EMV chip cards personalized using the IFSF/Conexus specification for retrieving supplemental data from acceptors and cardholders.

If PDS 0791 (Fleet Prompted Data 2) is present in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur, then PDS 0790 (Fleet Prompted Data 1) must also be present.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet fuel location MCCs: 4468, 5499, 5541, 5542, or 5983.
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

### IRDs and descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

### Values

If present, PDS 0791 must be variable length of 4-38 positions.

### Subfields

PDS 0791 consists of two subfields. PDS 0791 subfields are listed in this table.

### Subfield attributes and values

| Number | Position | Name          | Attribute | Justification |
|--------|----------|---------------|-----------|---------------|
| 1      | 1-3      | Prompt Code 2 | n-3       | Right         |



| Number | Position | Name                  | Attribute | Justification |
|--------|----------|-----------------------|-----------|---------------|
| 2      | 4-38     | Driver Related Data 2 | ans-1     | Left          |

## Subfield 1 (Prompt Code 2)

Prompt Code contains a code that specifies the information requested to be provided by the cardholder at the POI.

### Values and descriptions

If present, PDS 0791 subfield 1 (Prompt Code 2) must contain one of the values listed in this table.

#### Values

| Value | Description              |
|-------|--------------------------|
| 001   | User ID                  |
| 002   | Vehicle Number           |
| 003   | Vehicle Tag              |
| 004   | Driver ID                |
| 005   | Odometer                 |
| 009   | Work Order / P.O. Number |
| 010   | Invoice Number           |
| 011   | Trip Number              |
| 012   | Unit Number              |
| 013   | Reefer Hours             |
| 015   | ZIP Code / Postal Code   |
| 016   | Replacement Car          |
| 017   | Entered Data Num         |
| 018   | Web Portal Data          |
| 019   | Entered Data Alpha       |
| 021   | Job Number               |
| 022   | Maintenance ID           |
| 023   | Department Number        |

Data element and private data subelement definitions and details  
Subfield 1 (Prompt Code 2)

| Value | Description             |
|-------|-------------------------|
| 024   | Trailer Number          |
| 025   | Delivery Ticket Number  |
| 026   | Hubometer               |
| 033   | Sub Fleet Number        |
| 035   | Transaction Number      |
| 036   | Control Number          |
| 038   | Reefer Temperature      |
| 040   | Driver or Vehicle Card  |
| 041   | Customer Number         |
| 042   | Additional Card Data    |
| 043   | Additional Vehicle Data |
| 044   | Engine Hours            |
| 045   | Tank Level Start        |
| 046   | Fuel Gauge Level        |
| 047   | Battery Voltage         |
| 048   | Coolant Temperature     |
| 049   | Check Engine Status     |
| 050   | Fuel Economy            |
| 051   | Engine RPM              |
| 052   | Engine Load             |
| 053   | Engine Oil Temperature  |
| 054   | Engine Time Total       |
| 055   | Hard Breaking           |
| 056   | Hard Acceleration       |
| 058   | Idle Time               |
| 065   | Total Idle Time         |
| 067   | Engine Oil Pressure     |
| 068   | Engine Oil Life         |
| 069   | Billing ID              |
| 999   | No prompts issued       |

## Subfield 2 (Driver Related Data 2)

Driver Related Data contains the data entered in response to the Prompt Code obtained at the POS.

If present, PDS 0791, subfield 2 (Driver Related Data 2) must be left justified and cannot contain all spaces.

Acquirers must populate the Driver Related Data 2 field with the value of 999 when the Prompt Code 2 field contains the value of 999.

## PDS 0792 (Fleet Prompted Data 3)

PDS 0792 (Fleet Prompted Data 3) contains the Prompt Code read from a card chip that indicates prompts that occur at the point of interaction and the data entered in response by the cardholder into the point-of-sale device.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...38; TAGLLLVAR             |
| Tag Field           | 0792                            |
| Data Length         | 3 positions, value = 004-038    |
| Data Field          | Variable length, 4-38 positions |
| Subfields           | 2                               |
| Justification       | See Subfields                   |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                        | Org | Sys | Dst |
|--------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum<br>(Corporate Fleet Transaction<br>Information)/1644 | C   | .   | C   |

Usage of PDS 0792 is required only for EMV chip cards personalized using the IFSF/Conexxus specification for retrieving supplemental data from acceptors and cardholders.

If PDS 0792 (Fleet Prompted Data 3) is present in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur, then PDS 0790 (Fleet Prompted Data 1) and PDS 0791 (Fleet Prompted Data 2) must also be present.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet fuel location MCCs: 4468, 5499, 5541, 5542, or 5983.
- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

### IRDs and descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

### Values

If present, PDS 0792 must be variable length of 4-38 positions.

### Subfields

PDS 0792 consists of two subfields. PDS 0792 subfields are listed in this table.

| Number | Position | Name                  | Attribute | Justification |
|--------|----------|-----------------------|-----------|---------------|
| 1      | 1-3      | Prompt Code 3         | n-3       | Right         |
| 2      | 4-38     | Driver Related Data 3 | ans-1     | Left          |

### Subfield 1 (Prompt Code 3)

Prompt Code contains a code that specifies the information requested to be provided by the cardholder at the POI.

### Values and descriptions

If present, PDS 0792 subfield 1 (Prompt Code 3) must contain one of the values listed in this table.

### Value descriptions

| Values | Description              |
|--------|--------------------------|
| 001    | User ID                  |
| 002    | Vehicle Number           |
| 003    | Vehicle Tag              |
| 004    | Driver ID                |
| 005    | Odometer                 |
| 009    | Work Order / P.O. Number |
| 010    | Invoice Number           |
| 011    | Trip Number              |
| 012    | Unit Number              |
| 013    | Reefer Hours             |
| 015    | ZIP Code / Postal Code   |
| 016    | Replacement Car          |
| 017    | Entered Data Num         |
| 018    | Web Portal Data          |
| 019    | Entered Data Alpha       |
| 021    | Job Number               |
| 022    | Maintenance ID           |
| 023    | Department Number        |
| 024    | Trailer Number           |
| 025    | Delivery Ticket Number   |
| 026    | Hubometer                |
| 033    | Sub Fleet Number         |
| 035    | Transaction Number       |
| 036    | Control Number           |
| 038    | Reefer Temperature       |
| 040    | Driver or Vehicle Card   |
| 041    | Customer Number          |
| 042    | Additional Card Data     |

| Values | Description             |
|--------|-------------------------|
| 043    | Additional Vehicle Data |
| 044    | Engine Hours            |
| 045    | Tank Level Start        |
| 046    | Fuel Gauge Level        |
| 047    | Battery Voltage         |
| 048    | Coolant Temperature     |
| 049    | Check Engine Status     |
| 050    | Fuel Economy            |
| 051    | Engine RPM              |
| 052    | Engine Load             |
| 053    | Engine Oil Temperature  |
| 054    | Engine Time Total       |
| 055    | Hard Breaking           |
| 056    | Hard Acceleration       |
| 058    | Idle Time               |
| 065    | Total Idle Time         |
| 067    | Engine Oil Pressure     |
| 068    | Engine Oil Life         |
| 069    | Billing ID              |
| 999    | No prompts issued       |

## Subfield 2 (Driver Related Data 3)

Driver Related Data contains the data entered in response to the Prompt Code obtained at the POS.

If present, PDS 0792, subfield 2 (Driver Related Data 3) must be left justified and cannot contain all spaces.

Acquirers must populate the Driver Related Data 3 field with the value of 999 when the Prompt Code 2 field contains the value of 999.

## PDS 0793 (Fleet Prompted Data 4)

PDS 0793 (Fleet Prompted Data 4) contains the Prompt Code read from a card chip that indicates prompts that occur at the point of interaction and the data entered in response by the cardholder into the point-of-sale device.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...38; TAGLLLLVAR            |
| Tag Field           | 0793                            |
| Data Length         | 3 positions, value = 004-038    |
| Data Field          | Variable length, 4-38 positions |
| Subfields           | 2                               |
| Justification       | See Subfields                   |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                        | Org | Sys | Dst |
|--------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum<br>(Corporate Fleet Transaction<br>Information)/1644 | C   | .   | C   |

Usage of PDS 0793 is required only for EMV chip cards personalized using the IFSF/Conexxus specification for retrieving supplemental data from acceptors and cardholders.

If PDS 0793 (Fleet Prompted Data 4) is present in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur, then PDS 0790 (Fleet Prompted Data 1), PDS 0791 (Fleet Prompted Data 2), and PDS 0792 (Fleet Prompted Data 3) must also be present.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet fuel location MCCs: 4468, 5499, 5541, 5542, or 5983.

- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

### IRDs and descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

### Values

If present, PDS 0793 must be variable length of 4-38 positions.

### Subfields

PDS 0793 consists of two subfields. PDS 0793 subfields are listed in this table.

### Subfield attributes and values

| Number | Position | Name                  | Attribute | Justification |
|--------|----------|-----------------------|-----------|---------------|
| 1      | 1-3      | Prompt Code 4         | n-3       | Right         |
| 2      | 4-38     | Driver Related Data 4 | ans-1     | Left          |

## Subfield 1 (Prompt Code 4)

Prompt Code contains a code that specifies the information requested to be provided by the cardholder at the POI.

### Values and descriptions

If present, PDS 0793 subfield 1 (Prompt Code 4) must contain one of the values listed in this table.

### Values

| Value | Description |
|-------|-------------|
| 001   | User ID     |



Data element and private data subelement definitions and details  
Subfield 1 (Prompt Code 4)

| Value | Description              |
|-------|--------------------------|
| 002   | Vehicle Number           |
| 003   | Vehicle Tag              |
| 004   | Driver ID                |
| 005   | Odometer                 |
| 009   | Work Order / P.O. Number |
| 010   | Invoice Number           |
| 011   | Trip Number              |
| 012   | Unit Number              |
| 013   | Reefer Hours             |
| 015   | ZIP Code / Postal Code   |
| 016   | Replacement Car          |
| 017   | Entered Data Num         |
| 018   | Web Portal Data          |
| 019   | Entered Data Alpha       |
| 021   | Job Number               |
| 022   | Maintenance ID           |
| 023   | Department Number        |
| 024   | Trailer Number           |
| 025   | Delivery Ticket Number   |
| 026   | Hubometer                |
| 033   | Sub Fleet Number         |
| 035   | Transaction Number       |
| 036   | Control Number           |
| 038   | Reefer Temperature       |
| 040   | Driver or Vehicle Card   |
| 041   | Customer Number          |
| 042   | Additional Card Data     |
| 043   | Additional Vehicle Data  |
| 044   | Engine Hours             |
| 045   | Tank Level Start         |
| 046   | Fuel Gauge Level         |

| Value | Description            |
|-------|------------------------|
| 047   | Battery Voltage        |
| 048   | Coolant Temperature    |
| 049   | Check Engine Status    |
| 050   | Fuel Economy           |
| 051   | Engine RPM             |
| 052   | Engine Load            |
| 053   | Engine Oil Temperature |
| 054   | Engine Time Total      |
| 055   | Hard Breaking          |
| 056   | Hard Acceleration      |
| 058   | Idle Time              |
| 065   | Total Idle Time        |
| 067   | Engine Oil Pressure    |
| 068   | Engine Oil Life        |
| 069   | Billing ID             |
| 999   | No prompts issued      |

## Subfield 2 (Driver Related Data 4)

Driver Related Data contains the data entered in response to the Prompt Code obtained at the POS

If present, PDS 0793, subfield 2 (Driver Related Data 4) must be left justified and cannot contain all spaces.

Acquirers must populate the Driver Related Data 4 field with the value of 999 when the Prompt Code 4 field contains the value of 999.

## PDS 0794 (Fleet Prompted Data 5)

PDS 0794 (Fleet Prompted Data 5) contains the Prompt Code read from a card chip that indicates prompts that occur at the point of interaction and the data entered in response by the cardholder into the point-of-sale device.

### Attributes

| Attribute           | Description                     |
|---------------------|---------------------------------|
| Data Representation | ans...38; TAGLLLLVAR            |
| Tag Field           | 0794                            |
| Data Length         | 3 positions, value = 004-038    |
| Data Field          | Variable length, 4-38 positions |
| Subfields           | 2                               |
| Justification       | See "Subfields"                 |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                        | Org | Sys | Dst |
|--------------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum<br>(Corporate Fleet Transaction<br>Information)/1644 | C   | .   | C   |

Usage of PDS 0794 is required only for EMV chip cards personalized using the IFSF/Conexxus specification for retrieving supplemental data from acceptors and cardholders.

If PDS 0794 (Fleet Prompted Data 5) is present in the Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 message for Fleet Card product MCF and MGF transactions when all these conditions occur, then PDS 0790 (Fleet Prompted Data 1), PDS 0791 (Fleet Prompted Data 2), PDS 0792 (Fleet Prompted Data 3), and PDS 0793 (Fleet Prompted Data 4) must also be present.

- DE 26 (Acceptor Business Code [MCC]) contains one of the following Fleet fuel location MCCs: 4468, 5499, 5541, 5542, or 5983.

- Transaction qualifies for the U.S. Region business service arrangement 2/010001 where PDS 0158, subfield 2 is equal to 2 and PDS 0158, subfield 3 is equal to 010001.
- First Presentment/1240 is submitted with one of the IRDs listed in this table.

### IRD descriptions

| IRD | Description                   |
|-----|-------------------------------|
| F2  | Commercial Fleet Data Rate II |
| FL  | Commercial Fleet Large Ticket |

### Values

If present, PDS 0794 must be variable length of 4-38 positions.

### Subfields

PDS 0794 consists of two subfields. PDS 0794 subfields are listed in this table.

### Subfield attributes and values

| Number | Position | Name                  | Attribute | Justification |
|--------|----------|-----------------------|-----------|---------------|
| 1      | 1-3      | Prompt Code 5         | n-3       | Right         |
| 2      | 4-38     | Driver Related Data 5 | ans-1     | Left          |

## Subfield 1 (Prompt Code 5)

Prompt Code contains a code that specifies the information requested to be provided by the cardholder at the POI.

### Values and descriptions

If present, PDS 0794 subfield 1 (Prompt Code 5) must contain one of the values listed in this table.

### Values

| Value | Description |
|-------|-------------|
| 001   | User ID     |

Data element and private data subelement definitions and details  
Subfield 1 (Prompt Code 5)

| Value | Description              |
|-------|--------------------------|
| 002   | Vehicle Number           |
| 003   | Vehicle Tag              |
| 004   | Driver ID                |
| 005   | Odometer                 |
| 009   | Work Order / P.O. Number |
| 010   | Invoice Number           |
| 011   | Trip Number              |
| 012   | Unit Number              |
| 013   | Reefer Hours             |
| 015   | ZIP Code / Postal Code   |
| 016   | Replacement Car          |
| 017   | Entered Data Num         |
| 018   | Web Portal Data          |
| 019   | Entered Data Alpha       |
| 021   | Job Number               |
| 022   | Maintenance ID           |
| 023   | Department Number        |
| 024   | Trailer Number           |
| 025   | Delivery Ticket Number   |
| 026   | Hubometer                |
| 033   | Sub Fleet Number         |
| 035   | Transaction Number       |
| 036   | Control Number           |
| 038   | Reefer Temperature       |
| 040   | Driver or Vehicle Card   |
| 041   | Customer Number          |
| 042   | Additional Card Data     |
| 043   | Additional Vehicle Data  |
| 044   | Engine Hours             |
| 045   | Tank Level Start         |
| 046   | Fuel Gauge Level         |

| Value | Description            |
|-------|------------------------|
| 047   | Battery Voltage        |
| 048   | Coolant Temperature    |
| 049   | Check Engine Status    |
| 050   | Fuel Economy           |
| 051   | Engine RPM             |
| 052   | Engine Load            |
| 053   | Engine Oil Temperature |
| 054   | Engine Time Total      |
| 055   | Hard Breaking          |
| 056   | Hard Acceleration      |
| 058   | Idle Time              |
| 065   | Total Idle Time        |
| 067   | Engine Oil Pressure    |
| 068   | Engine Oil Life        |
| 069   | Billing ID             |
| 999   | No prompts issued      |

## Subfield 2 (Driver Related Data 5)

Driver Related Data contains the data entered in response to the Prompt Code obtained at the POS.

If present, PDS 0794, subfield 2 (Driver Related Data 5) must be left justified and cannot contain all spaces.

Acquirers must populate the Driver Related Data 5 field with the value of 999 when the Prompt Code 5 field contains the value of 999.

## PDS 0799 (Test Case Traceability Identifiers)

PDS 0799 (Test Case Traceability Identifiers) provides an audit trail for various messages within a specified test transaction.

This PDS is used for Mastercard internal testing and customer testing.

## Attributes

| Attribute           | Description                                      |
|---------------------|--------------------------------------------------|
| Data Representation | ans...165; TAGLLLVAR                             |
| Tag Field           | 0799                                             |
| Data Length         | 3 positions, value = 033–165 in increments of 33 |
| Data Field          | Variable length, 33–165 positions                |
| Subfields           | 2 subfields for each Test Case occurrence        |
| Occurrences         | 1–5                                              |

## Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

## Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| File Header (Customer-generated)/1644                                                   | O   | •   | •   |
| File Trailer (Customer-generated)/1644                                                  | O   | •   | •   |
| First Presentment/1240                                                                  | O   | •   | C   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | •   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | •   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | •   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | •   | C   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | O   | •   | C   |
| Financial Detail Addendum (Telephony Billing, Summary)/1644                             | O   | •   | C   |
| Financial Detail Addendum (Telephony Billing, Detail)/1644                              | O   | •   | C   |
| Financial Detail Addendum (Electronic Invoice, Transaction Data)/1644                   | O   | •   | C   |

| Message                                                                  | Org | Sys | Dst |
|--------------------------------------------------------------------------|-----|-----|-----|
| Financial Detail Addendum (Electronic Invoice, Party Information)/1644   | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644              | O   | .   | C   |
| Financial Detail Addendum (Generic Detail)/1644                          | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                    | O   | .   | C   |
| Second Presentment/1240                                                  | O   | .   | C   |
| Retrieval Request/1644                                                   | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                    | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                              | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing)/1740                   | O   | .   | C   |

This PDS contains 1–5 test case numbers. The transaction originator optionally may provide it. Its purpose is to trace the associated message to 1 to 5 internal Mastercard® or customer test cases. This may assist the transaction originator in evaluating test results. The IPM Pre-edit application retains this PDS throughout its processing. GCMS removes this PDS from the message before sending the message to the receiving customer.

### Values

The transaction originator assigns PDS 0799 values.

If present, PDS 0799 must be left-justified and cannot contain all low values, all high values, all spaces, or all zeros.

### PDS 0799 subfields

This PDS may contain one to five test case traceability identifiers.

Each traceability identifier requires 33 positions; the maximum length of this PDS is 165 positions. None of these subfields is optional; that is, all 33 positions must be provided for each occurrence. Each traceability identifier consists of two subfields as defined in this table.



### PDS 0799 subfields

| Number | Positions | Name                                                                                   | Attribute | Justification |
|--------|-----------|----------------------------------------------------------------------------------------|-----------|---------------|
| 1      | 1–8       | Auxiliary Field 1 - An identifier for internal Mastercard® testing or customer testing | ans-8     | left          |
| 2      | 9–33      | Auxiliary Field 2 - An identifier for internal Mastercard® testing or customer testing | ans-25    | left          |

## PDS 1000–1099 (Member-to-Member Proprietary Data)

PDS 10XX (Member-to-Member Proprietary Data) contains 100 private data subelements (1000–1099) used exclusively for reporting member-to-member proprietary data.

Customers can use these PDSs to exchange with other participating customers information that is not defined and captured in other elements.

These PDSs are reserved for member-to-member proprietary data. Customers that want to exchange data that is not defined in another data element or PDS may agree to define the data between themselves and present it in one or multiple PDSs in the 1000–1099 range.

### Attributes

| Attribute           | Description                      |
|---------------------|----------------------------------|
| Data Representation | ans...992; TAGLLLVAR             |
| Tag Field           | 10XX (1000-1099)                 |
| Data Length         | 3 positions, value = 001–992     |
| Data Field          | Variable length, 1–992 positions |
| Subfields           | None                             |
| Justification       | None                             |

### Usage

This table shows the usage of this PDS (whether it is mandatory, conditional, optional, system-provided, or not required) in applicable messages.

### Applicable messages

| Message                                                                                 | Org | Sys | Dst |
|-----------------------------------------------------------------------------------------|-----|-----|-----|
| First Presentment/1240                                                                  | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, General Ticket Information)/1644 | O   | .   | C   |
| Financial Detail Addendum (Passenger Transport Detail, Trip Leg Data)/1644              | O   | .   | C   |
| Financial Detail Addendum (Vehicle Rental Detail)/1644                                  | O   | .   | C   |
| Financial Detail Addendum (Lodging Summary)/1644                                        | O   | .   | C   |
| Financial Detail Addendum (Temporary Services)/1644                                     | O   | .   | C   |
| Financial Detail Addendum (Shipping/Courier Services)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Payment Transaction Detail)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Generic Detail)/1644                                         | O   | .   | C   |
| Financial Detail Addendum (Corporate Card Common Data Requirements)/1644                | O   | .   | C   |
| Financial Detail Addendum (Corporate Fleet Transaction Information)/1644                | O   | .   | C   |
| Financial Detail Addendum (Corporate Line Item Detail)/1644                             | O   | .   | C   |
| Financial Detail Addendum (Healthcare)/1644                                             | O   | .   | C   |
| Financial Detail Addendum (Private Label Common Data)/1644                              | O   | .   | C   |
| Financial Detail Addendum (Private Label Line Item Detail)/1644                         | O   | .   | C   |
| First Chargeback/1442 and Arbitration Chargeback/1442                                   | O   | .   | C   |
| Second Presentment/1240                                                                 | O   | .   | C   |
| Retrieval Request/1644                                                                  | O   | .   | C   |
| Retrieval Request Acknowledgment/1644                                                   | O   | .   | C   |
| Fee Collection (Retrieval Fee Billing)/1740                                             | O   | .   | C   |
| Fee Collection (Other than Retrieval Fee Billing)/1740                                  | O   | .   | C   |
| Fee Collection (Handling Fees)/1740                                                     | O   | .   | C   |

## Values

Customers may choose one of two options in presenting member-to-member proprietary data in their messages.

- Customers that want to send or receive proprietary data, but would rather use their own parsing routines to parse their data, may opt to use a single PDS within the range of 1000 to 1099 and provide one string of up to 992 characters of data. With this option, customers would provide a single PDS tag (ID) and one length definition, followed by the data string. The clearing system parsers will leave this customer data intact.
- Customers that want to send or receive proprietary data, but would like Mastercard to parse the data, may opt to use up to 100 individual PDSs within the range of 1000 to 1099 to define their data. Under this option, customers will need to use the normal tag-length-data PDS encoding structure to define as many PDSs as they choose to use. This will provide the clearing system parsers with the appropriate information to parse the data for inbound and outbound messages. Customers may provide up to an overall total of 999 positions (including tags, lengths, and data for all PDSs assigned within the range) per message.

Member-to-Member data in PDSs 1000 through 1099 may be presented in all messages originated by customers and may be included in any of the Additional Data data elements (DE 48, DE 62, DE 123, DE 124, and DE 125).

The contents of a single or of multiple PDSs in the 1000–1099 range must be in display format. The clearing system does not accommodate binary data in these subelements.

PDS 1000–1099 Member-to-Member Proprietary Data cannot be all low values or all high values.

PDS 1000 (Member-to-Member Proprietary Data) designates new commercial product type MLF issued in Brazil only. The values listed in this table are used with the Brazil Agro Program.

## Values

| Field Name/Positions                 | Type    | Size | Comments                                                                                                            |
|--------------------------------------|---------|------|---------------------------------------------------------------------------------------------------------------------|
| Financing Type (Positions 1–20)      | Alpha   | 20   | Type of loan operation, agreed between Merchant and issuer. Examples: AGRO-CUSTEIO, AGRO-INVEST, FINAME, CBN.       |
| Buyer ID Type (Position 21)          | Alpha   | 1    | Possible values: F or J.                                                                                            |
| Buyer ID (Positions 22–35)           | Numeric | 14   | Merchant to fill in with cardholder's CPF or company's CNPJ number or issuers to supply with company's CNPJ number. |
| Buyer Phone Number (Positions 36–46) | Numeric | 11   | Merchant to fill in with buyer phone number.                                                                        |

| Field Name/Positions                          | Type         | Size                     | Comments                                                                                                                                        |
|-----------------------------------------------|--------------|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| Purchase Identification (Positions 47–66)     | Alphanumeric | 20                       | Invoice Data or Purchase Request Data, depending on the agreement between the merchant and issuer.                                              |
| Installments Cycle (Positions 67–68)          | Numeric      | 2                        | Different amortization types than monthly. For future use, it does not affect transaction clearing and settlement.                              |
| Interest Rate (Positions 69–86)               | Numeric      | 18 (12.6 <sup>18</sup> ) | Interest rate on loan. For future use.                                                                                                          |
| Grace Period (Positions 87–89)                | Numeric      | 3                        | Number of amortization cycles to wait before charging the installments. For future use, it does not affect transaction clearing and settlement. |
| Grace Period Cycle (Positions 90–92)          | Numeric      | 3                        | Allow different grace period types than monthly. For future use, it does not affect transaction clearing and settlement.                        |
| Grace Period Interest Rate (Positions 93–110) | Numeric      | 18 (12.6 <sup>19</sup> ) | Interest rate on grace period. For future use, it does not affect transaction clearing and settlement.                                          |
| Reference Field 1 (Positions 111–130)         | Alpha        | 20                       | Acquirer to populate with merchant's CNPJ number.                                                                                               |
| Reference Field 2 (Positions 131–150)         | Alpha        | 20                       | Data exchange between merchant and issuer, to identify the transaction.                                                                         |
| Reference Field 3 (Positions 151–170)         | Alpha        | 20                       | Data exchange between merchant and issuer, to identify the transaction.                                                                         |
| Filler Data (Positions 171–227)               | Alphanumeric | 56                       | Reserved for future Brazil domestic enhancements.                                                                                               |

<sup>18</sup> For 12.6, the 12 represents numeric values in front of the decimal point and the 6 represents values behind the decimal point.

<sup>19</sup> For 12.6, the 12 represents numeric values in front of the decimal point and the 6 represents values behind the decimal point.

## Chapter 6 Transaction Message Validation

*System edits, or validation checks, ensure data accuracy, completeness, and consistency by flagging errors or invalid data.*

---

|                                                                             |      |
|-----------------------------------------------------------------------------|------|
| Error notification.....                                                     | 1411 |
| Edit errors best practices.....                                             | 1412 |
| Common errors and best practices.....                                       | 1413 |
| Error numbers and messages.....                                             | 1425 |
| Edits and error messaging.....                                              | 1425 |
| Error message overview.....                                                 | 1426 |
| Error numbers 0000–9600.....                                                | 1426 |
| Syntax error numbers.....                                                   | 1543 |
| File Header/1644-697 messages.....                                          | 1545 |
| File Header/1644-697.....                                                   | 1545 |
| First Presentment/1240–200 messages.....                                    | 1548 |
| First Presentment/1240-200.....                                             | 1548 |
| Financial Detail Addendum/1644-696 messages.....                            | 1598 |
| Financial Detail Addendum/1644-696.....                                     | 1598 |
| Retrieval Request/1644-603 messages.....                                    | 1676 |
| Retrieval Request/1644-603.....                                             | 1676 |
| Retrieval Request Acknowledgment/1644–605 messages.....                     | 1689 |
| Retrieval Request Acknowledgment/1644–605.....                              | 1689 |
| Fee Collection (Retrieval Fee Billing)/1740-700 messages.....               | 1702 |
| Fee Collection (Retrieval Fee Billing)/1740-700.....                        | 1702 |
| First Chargebacks (Full)/1442-450 and (Partial)/1442-453 messages.....      | 1716 |
| First Chargebacks (Full)/1442-450 and (Partial)/1442-453.....               | 1716 |
| Arbitration Chargeback (Full)/1442-451 and (Partial)/1442-454 messages..... | 1754 |
| Arbitration Chargeback (Full)/1442-451 and (Partial)/1442-454.....          | 1754 |
| Second Presentment (Full)/1240-205, and (Partial)/1240-282 messages.....    | 1789 |
| Second Presentment (Full)/1240-205, and (Partial)/1240-282.....             | 1789 |
| Fee Collection (Other)/1740-700, 780, 781, and 782 messages.....            | 1827 |
| Fee Collection (Other)/1740-700, 780, 781, and 782.....                     | 1827 |
| Fee Collection (Funds Transfer)/1740-790 messages.....                      | 1841 |
| Fee Collection (Funds Transfer)/1740-790.....                               | 1841 |
| File Trailer/1644-695 messages.....                                         | 1848 |
| File Trailer/1644-695.....                                                  | 1848 |
| Syntax error messages.....                                                  | 1850 |

|                                                                                              |      |
|----------------------------------------------------------------------------------------------|------|
| Syntax errors.....                                                                           | 1850 |
| Duplicate Dual Message Clearing System files, postings, and potential duplicate rejects..... | 1851 |
| Dual Message Clearing System editing for duplicate files.....                                | 1851 |
| Reasons for duplicate Dual Message Clearing System files or postings.....                    | 1852 |
| Identification of duplicate Dual Message Clearing System postings.....                       | 1852 |
| Potential duplicate clearing transaction rejections.....                                     | 1852 |
| Full File Reversal Utility.....                                                              | 1853 |
| Having Mastercard reverse files.....                                                         | 1854 |
| Editing reversal messages.....                                                               | 1854 |
| Reporting reversal rejects.....                                                              | 1854 |

## Overview of system validation or editing

Mastercard performs data editing on submitted messages to enhance accuracy and data quality. An edit focuses on specific transaction components, authentication of messages, or program requirements.

Examples of data conditions edited by the system are:

- Presence of mandatory data in a message (such as PAN)
- Proper formatting of a data element or value (such as ensuring the data is alphabetic or numeric)
- Inclusion of data required for a specific product or program, which may be a validation on a single element or across multiple elements

To enforce compliance, additional validation processes occur outside of system message validations. The Data Integrity Program is one example of these processes. Refer to the *Data Integrity Monitoring Program* guide for more details.

## Error notification

The Clearing Optimizer software and Dual Message Clearing System generate error numbers and messages during the editing process. Validation may be performed by the Clearing Optimizer software alone, the Dual Message Clearing System alone, or both systems together.

Rejects of clearing data can occur at the message or file level.

If the Dual Message Clearing System rejects an entire Integrated Product Message (IPM) file, the system discontinues processing the file and does not forward any of the messages within the file to the intended receivers. The Dual Message Clearing System generates a file reject message to indicate that it has rejected the entire file.

The Dual Message Clearing System generates a File Reject/1644-699 message when the full IPM file has been rejected.

The full file reject message provides the following:

- Up to 10 error codes describing the errors that caused the file to reject
- The file ID of the rejected file, if present and if the system can parse it
- Up to 200 positions of the rejected file's first message

**NOTE: The Dual Message Clearing System does not return the IPM file reject message if the header message of the rejected file is unparseable, or if PDS 0105 (File ID), subfield 3 (Processor ID) is invalid. In these cases, the Dual Message Clearing System cannot determine the receiver of the file reject message and therefore cannot notify the appropriate customer of the file reject.**

The Dual Message Clearing System generates IPM message exception messages when the system encounters an exception condition as it processes individual messages. The Dual Message Clearing System provides the entire original message, including:

- Up to 10 codes identifying the errors within the message being rejected and the associated data elements, private data subelements, or both, that caused the exception conditions

- The file ID of the file containing the rejected message, if present and if the Dual Message Clearing System can parse the data
- The Acceptance Brand and Business Service ID being evaluated at the time of the reject

If all detail messages in a logical file are rejected, the Dual Message Clearing System generates a Message Exception/1644-691 message for each rejected detail message. Additionally, the Dual Message Clearing System generates a File Reject/1644-699 message because none of the individual messages were accepted.

## Edit errors best practices

These best practices help minimize edit errors and provide guidance for addressing them when they occur.

### Preventing errors

To prevent errors:

- Review and analyze all release announcements for new or updated data formatting and value requirements.
- Perform as much advance data validation and correction as possible before sending messages to Mastercard. This could include verifying the BIN or account range for the PAN, country codes, currency codes, or other data.
- Customers using parameter data obtained from Mastercard-supplied tables (such as those found in the Mastercard Parameter Extract file) as part of their own transaction data validations must use the most recent versions of the tables.
- Follow any field encoding schemes as documented in the Mastercard system specifications. This includes:
  - Populating fields in supported message types, as specified by the Message Type Indicator (MTI)
  - Complying with field length and format specifications, such as numeric or alphabetic
  - Constructing subelement ID, subelement length, subfield ID, and subfield length fields in accordance with the data element-specific encoding schemes found in the Data element definitions and details chapter
  - Using the Mastercard-defined field values
- Mastercard strongly recommends using Mastercard simulators to validate new or modified processing logic.

### Reacting to errors received

If you receive an edit error:

- Refer to PDS 0005 (Message Error Indicator), provided in either the Message Exception/1644-691 or File Reject/1644-699 messages. This PDS provides the error conditions encountered and will also provide the error severity code.



### Message Exception/1644 messages

| Condition                               | Originator receives                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Unparseable or unrecognizable message   | Message Exception/1644 only (The rejected message is not returned.)                                                                                                                                                                                                                                                                            |
| Error in one or more supported elements | Message Exception/1644 and the rejected message itself. If generated by the IPM Pre-edit utility, Data Element (DE) 71 (Message Number) in the rejected message is modified to contain a value that is greater than the DE 71 value of the preceding message in the file. If generated by GCMS, DE 71 in the rejected message is not modified. |

- Using the error message provided, verify the attributes of the data submitted in the erroneous data element or private data subelement.
- The error message will also advise if there was a cross edit that failed. In this case, research all the data elements or private data subelements indicated in the error message.

## Common errors and best practices

Mastercard has determined the error codes that customers most often seek assistance with are as follows.

### Error code 0011

#### Error code 0011

##### IPM error message:

DE2 PRIMARY ACCOUNT NUMBER (PAN) ACCOUNT RANGE INVALID

##### Customer guidance:

When a reject for error code 0011 is received, the Issuer account range (first 6-8 positions of the PAN) is not set up as an active Clearing Issuer Account Range.

The acquirer will need to verify the PAN is correct and active, and if appropriate, the issuer will need to activate or re-activate the BIN by following the normal BIN setup process within My Company Manager to continue processing.

To confirm that the issuer account range is showing in active status in the latest MPE, refer to IP0040T1: Issuer Account Range.

## Error code 0021

---

### Error code 0021

---

#### IPM error message:

PAYMENT CANCELLATION SERVICE

---

#### Customer guidance:

When a reject for error code 0021 is received, it is because the issuer enrolled the PAN in the Payment Cancellation Service (PCS), which prevents the acquirer from submitting a recurring payment transaction involving the given PAN.

The acquirer must review the clearing message data to ensure DE 22, subfield 5 is being properly populated.

If the issuer has the card number on the PCS list, a request can be made to the issuer to remove the PAN from the list.

**NOTE: Acquirers should reference the *Payment Cancellation Program Guide* for explanation of the PCS or criteria.**

---

## Error code 0022

---

### Error code 0022

---

#### IPM error message:

<FLDNAME>/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT

---

#### Customer guidance:

There are multiple edits that can trigger this reject code. If you have any questions, please contact customer support or use Support Case Management on Mastercard Connect to raise a case.

---

## Error code 0025

---

### Error code 0025

---

#### IPM error message:

DE5 AMOUNT, RECONCILIATION MUST BE NUMERIC

---

#### Customer guidance:

When a reject for error code 0025 is received, it means value of DE5 in 1240 message is not valid. Acquirer needs to verify the data in the field and resubmit message to GCMS.

---

## Error code 0053

---

### Error code 0053

---

#### IPM error message:

DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID. MUST BE <VALLIST>

---

#### Customer guidance:

When a reject for error code 0053 is received, the customer must determine which DE 22, subfield 1 (Terminal Data, Card Data Input Capability) value is appropriate for the IRD they included in the First Presentment/1240 message, and ensure that subfield 1 is being populated with the correct value and that it matches the authorization value. Refer to the applicable interchange manual for the relevant interchange program requirements.

---

## Error code 0631

---

### Error code 0631

---

#### IPM error message:

PDS0158S4 INTERCHANGE RATE DESIGNATOR AND PROCESSING CODE/REVERSAL INDICATOR COMBINATION INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID AND TYPE> AND ACCEPTANCE BRAND ID CODE <AB>

---

#### Customer guidance:

When a reject for error code 0631 is received, Mastercard recommends that customers evaluate the IRD used to determine incompatibility or invalidity.

This incompatibility may be due to the combination of Business Service Arrangement, Acceptance Brand, and DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type).

Customers need to look at the combination of PDS 0158 (Business Activity), subfield 1 (Card Program Identifier), subfield 2 (Business Service Arrangement Type Code), and subfield 3 (Business Service ID Code), as well as DE 3, subfield 1 in order to check this combination against multiple MPE tables.

To validate transactions prior to submitting to GCMS, customers can use the Clearing Optimizer software before submitting to production.

---

## Error code 0649

---

### Error code 0649

---

#### IPM error message:

DUPLICATE DE95 CARD ISSUER REFERENCE DATA

---

---

**Error code 0649**

---

**Customer guidance:**

When a reject for error code 0649 is received, there is already a lifecycle record on file in Claims Manager containing the same DE 95 (Card Issuer Reference Data) value as they submitted in the rejected chargeback message. It has been submitted with a duplicated DE 95.

Customers must determine whether the chargeback is required and if so must populate DE 95 with a value not already on file in Claims Manager.

---

**Error code 0726**

---

**Error code 0726**

---

**IPM error message:**

PREVIOUS CYCLE NOT ON FILE

---

**Customer guidance:**

When a reject for error code 0726 is received, the customer can refer to Claims Manager to identify what cycles have been submitted on the transaction and confirm they attempted the correct cycle.

Customers receiving this error have a lifecycle transaction on file with the respective DE 95 (Card Issuer Reference Data) value being submitted and will need to change the DE 95 value or confirm they are still needing to submit the transaction as one already exists on file.

---

**Error code 1023**

---

**Error code 1023**

---

**IPM error message:**

<FLDNAME> MUST BE PRESENT

---

**Customer guidance:** There are multiple edits that can trigger this reject code. If you have any questions, please contact customer support or use Support Case Management on Mastercard Connect to raise a case.

---

**Error code 1086**

---

**Error code 1086**

---

**IPM error message:**

<FLDNAME> FOR <MSGTYPE> MUST CONTAIN A VALUE OF 840 OR THE INTRA-CURRENCY AGREEMENT SETTLEMENT CURRENCY CODE

---

---

**Error code 1086**

---

**Customer guidance:**

When a reject for error code 1086 is received, the customer will need to ensure they are using DE49 equal to 840.

---

**Error code 1155**

---

**Error code 1155**

---

**IPM error message:**

DE93 TRANSACTION DESTINATION INSTITUTION ID CODE CANNOT BE FLAGGED FOR INTERNAL USE ONLY

---

**Customer guidance:**

When a reject for error code 1155 is received, the customer should contact customer support.

---

**Error code 1174**

---

**Error code 1174**

---

**IPM error message:**

TRANSACTION AMOUNT EXCEEDS RESTRICTED THRESHOLD

---

**Customer guidance:**

This error code applies to lifecycle transactions. When a reject for error code 1174 is received and if the lifecycle transaction clearing is being submitted within 381 days of the previous lifecycle, the customer can submit the lifecycle transaction with DE 30 (Amounts, Original) matching DE 4 (Amount, Transaction) of the previous transaction and PDS 0149 (Currency Codes, Amounts, Original) matching DE 49 (Currency Code, Transaction) of the previous transaction. If this does not work, the customer should contact customer support.

If the lifecycle transaction is being attempted beyond the 381 days and the transaction exceeds USD 20,000, the customer will be unable to attempt.

---

**Error code 2009**

---

**Error code 2009**

---

**IPM error message:**

NO BUSINESS SERVICE ARRANGEMENT EXISTS FOR THE MEMBER PAIR

---

---

**Error code 2009**

---

**Customer guidance:**

When a reject for error code 2009 is received, Mastercard recommends that the customer review Table IP0090T1: Issuer Account Range Card Program Identifier and Business Service Arrangement Participation for the issuer account range. This will identify the BSAs for which the issuer is qualified. The customer can then match this against the Table IP0091T1: Acquiring BIN Card Program Identifier and Business Service Arrangement Participation entries for DE 31, subfield 2 (Acquirer Reference ID).

If there is no matching entry on Table IP0090T1: Issuer Account Range Card Program Identifier and Business Service Arrangement Participation and Table IP0091T1: Acquiring BIN Card Program Identifier and Business Service Arrangement Participation for both customers, there is no BSA for the member pair and the transaction cannot be processed.

If the error occurred in Clearing Optimizer, Mastercard recommends ensuring that the most recent version of the MPE is being used. If the error occurred outside of Clearing Optimizer, Mastercard recommends contacting customer support for further research.

---

**Error code 2010**

---

**Error code 2010**

---

**IPM error message:**

BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR

---

**Customer guidance:**

If the Business Service Agreement (BSA) is submitted by the member in PDS 0158 (Business Activity) then it is validated against Table IP0090T1: Issuer Account Range Card Program Identifier and Business Service Arrangement Participation and Table IP0091T1: Acquiring BIN Card Program Identifier and Business Service Arrangement Participation. With this type of transaction the submitted BSA is present in both Table IP0090T1 and IP0091T1 and so the transaction is not expected to get rejected with 2010 for the BSA Combination MCC/8/8000900.

---

**Error code 2219**

---

**Error code 2219**

---

**IPM error message:**

DE25 MESSAGE REASON CODE MUST BE VALID FOR THE ACCEPTANCE BRAND, BUSINESS SERVICE TYPE AND BUSINESS SERVICE ID COMBINATION

---

---

**Error code 2219**

---

**Customer guidance:**

When a reject for error code 2219 is received, Mastercard recommends that customers evaluate the IRD used to determine incompatibility or invalidity.

Customer can review IP0011T1: Expanded MTI/Function/Reason Code for a list of potential Message Reason Codes for DE 25 (Message Reason Code) and IP0097T1: Message Reason Code Restrictions for Card Program Identifier and Business Service Arrangement for list of valid Message Reason Codes (MRC) given a specific combination of Card Program Identifiers and Business Service Arrangements.

The customer should consider a different MRC in DE 25, or consider a different IRD.

---

**Error code 2224**

---

**Error code 2224**

---

**IPM error message:**

DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT  
<BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE  
PROGRAM

**Customer guidance:**

When a reject for error code 2224 is received, Mastercard recommends that customers evaluate the IRD used to determine incompatibility or invalidity.

Customer can review IP0095T1: Card Acceptor Business Program Restrictions for a list of AB codes that coincide with a specific Card Program Identifier, Business Service Arrangement, and IRD. IP0075T1: Acceptor Business Codes (MCCs) provides the customer with a list of AB Codes.

---

**Error code 2226**

---

**Error code 2226**

---

**IPM error message:**

GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT  
<BUSINESS SERVICE ID AND TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE  
PROGRAM

---

---

**Error code 2226**

---

**Customer guidance:**

When a reject for error code 2226 is received, customers must analyze the data in the clearing message and determine which IRD is most appropriate for the transaction use case for the combination of Business Service Arrangement, Acceptance Brand, and Brand Product.

When customers receive this error, one of the following issues is occurring:

- IRD was never valid for the combination of Business Service Arrangement, Acceptance Brand, and Brand Product. The customer should consult their respective interchange manual and select a different IRD if necessary.
  - IRD is no longer valid because it has been lifecycled for the combination of Business Service Arrangement, Acceptance Brand, and Brand Product. Customer will need to select a different IRD.
  - A change in the production environment is listing the IRD as no longer valid for the combination of Business Service Arrangement, Acceptance Brand, and Brand Product. Customers should reach out to customer support.
- 

**Error code 2267**

---

**Error code 2267**

---

**IPM error message:**

DE25 MESSAGE REASON CODE INVALID FOR THIS CHARGEBACK

---

**Customer guidance:**

Reject error code 2267 may occur when a chargeback message contains a fraud-related message reason code and a transaction is ineligible for such chargeback rights.

Customers should contact customer support for additional assistance.

---

**Error code 2332**

---

**Error code 2332**

---

**IPM error message:**

DE4 AMOUNT, TRANSACTION INVALID. MUST BE WITHIN THE ACCEPTED AMOUNT RANGE FOR THE INTERCHANGE PROGRAM

---



---

**Error code 2332**

---

**Customer guidance:**

When a reject for error code 2332 is received, the customer should identify which combination of BSA, Acceptance Brand, and IRD the transaction is attempting to qualify under, and check this combination against the IP0030T1: Interchange Amount Restriction table in the MPE.

Table IP0090T1: Issuer Account Range Card Program Identifier and Business Service Arrangement Participation and Table IP0091T1: Acquiring BIN Card Program Identifier and Business Service Arrangement Participation will provide customers with potential combinations of Business Service Arrangement and Acceptance Brand. This should be used with the IRD to determine minimum and maximum amounts listed for the combination on IP0030T1.

This may also require currency conversion, as the IP0030T1: Interchange Amount Restriction table is determined by a specific currency for every entry.

---

**Error code 2358**

---

**Error code 2358**

---

**IPM error message:**

DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID. THE MAPPING SERVICE CANNOT MAP DE2 TO ANOTHER ACCOUNT NUMBER

---

**Customer guidance:**

A message will be rejected for error code 2358 when a virtual PAN or token cannot be matched to an actual PAN.

No corresponding authorization request message can be found in the Mastercard PAN mapping table. If there is a valid authorization, the customer should ensure the clearing message contains the correct DE 63 (Banknet Reference Number) value. If this has been confirmed, then the customer should contact customer support.

---

**Error code 2422**

---

**Error code 2422**

---

**IPM error message:**

APPROVAL CODE NOT COMPATIBLE WITH SUBMITTED IRD

---

**Customer guidance:**

When a reject for error code 2422 is received, check if the appropriate value in DE 38 position 6 is being used to qualify for the ALM program.

---

## Error code 2425

---

### Error code 2425

---

#### IPM error message:

PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT VALID FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID AND TYPE> AND ACCEPTANCE BRAND ID CODE <AB>

---

#### Customer guidance:

When a reject for error code 2425 is received, if the transaction involves an acquirer and issuer pair that require the enforcement of a specific business service arrangement, the customer must submit the message with this BSA or leave PDS 0158 (Business Activity), subfield 2 (Business Service Arrangement Type Code) and subfield 3 (Business Service ID Code) blank. The Dual Message Clearing System will input the enforced BSA.

The customer should review tables IP0090T1: Issuer Account Range Card Program Identifier and Business Service Arrangement Participation and IP0091T1: Acquiring BIN Card Program Identifier and Business Service Arrangement Participation to determine what BSA combinations the transaction qualifies for, and verify IP0036T1: Default Business Service, field 28 (Business Service Arrangement Type) to confirm if that BSA is being enforced. If the BSA is being enforced, it must be used in the transaction and customer will need to select an IRD in PDS 0158 (Business Activity), subfield 4 (IRD) that is compatible given that enforced BSA.

---

## Error code 2546

---

### Error code 2546

---

#### IPM error message:

<FLDNAME> INVALID. AMOUNT IS LESS THAN OR EQUAL TO THE CHARGEBACK PROTECTION AMOUNT

---

#### Customer guidance:

When a reject for error code 2546 is received, the transaction amount is less than or equal to the chargeback protection amount, so it is not eligible for a chargeback.

---

## Error code 2666

---

### Error code 2666

---

#### IPM error message:

CUSTOMER RISK MANAGEMENT TRANSACTION BLOCKED FOR SENDER

---

---

**Error code 2666**

---

**Customer guidance:**

When a reject for error code 2666 is received, the customer should contact customer support for further assistance.

---

**Error code 2801**

---

**Error code 2801**

---

**IPM error message:**

INELIGIBLE CHARGEBACK REJECT REASON CODES 'FNS DATE EXCEEDED'

---

**Customer guidance:**

The Mastercard Global Clearing Management System checks DE 12 (Date and Time, Local Transaction) or DE 63 (Transaction Life Cycle ID) for the date of the transaction. If the transaction date is past the FNS date, the transaction will reject.

No chargebacks can be processed.

---

**Error code 2802**

---

**Error code 2802**

---

**IPM error message:**

INELIGIBLE CHARGEBACK REJECT REASON CODES 'FNS COUNTER EXCEEDED'

---

**Customer guidance:**

Reject error code 2802 occurs when the Fraud Notification Service (FNS) detects that 35 or more chargeback messages containing fraud-related MRCs such as 4837, 4840/4849, 4870, or 4871 have been sent by the issuer. The issuer should reissue a new card.

If the issuer has not reissued a new card and the issuer has authorized transactions after the FNS activation, the issuer will not have chargeback rights.

When a reject for error code 2802 is received, the customer may be provided PDS 0200 (Fraud Notification Date), subfield 2 (Fraud Notification Service Chargeback Counter), indicating the number of chargeback attempts made on the PAN. If this exceeds 35, no additional chargeback messages can be submitted.

**NOTE: Even rejected attempts go against the FNS counter. Customer can reverse chargebacks to reduce the count below 35, but any attempt to process, even if rejected, counts against the FNS counter.**

---

## Error code 2821

---

### Error code 2821

---

#### IPM error message:

<FLDNAME> IRD MUST BE EQUAL TO 'EB' OR 'EG' WHEN THE TRANSACTION QUALIFIES FOR THE CARD PRESENT EEA RESTRICTED RATES

---

#### Customer guidance:

When a reject for error code 2821 is received, Mastercard advises the use of IRD EB and EG and verify the criteria provided with the edit.

---

## Error code 2891

---

### Error code 2891

---

#### IPM error message:

<FLDNAME> IRD MUST BE EQUAL TO 'EV' OR 'EW' WHEN THE TRANSACTION QUALIFIES FOR CARD NOT PRESENT EEA RESTRICTED RATES

---

#### Customer guidance:

Error code 2891 indicates that the use of IRDs EV and EW is required.

When this error code is received, the customer must determine the most appropriate IRD for the rejected message. Refer to the applicable interchange manual for the relevant interchange program requirement.

---

**Requirement:** IRD EV or EW must be submitted for card not present transactions (when any of the following is true: DE 22 SF 5 with a value other than 0; DE 22 SF 6 with a value other than 1; DE 22 SF 7 with a value other than 2, or A, or B, or C, or F, or M), when the merchant country is an EEA country including UK and GIB and the issuer country is not an EEA country

---

## Error code 2892

---

### Error code 2892

---

#### IPM error message:

<FLDNAME> IRD MUST NOT BE EQUAL TO 'EV' OR 'EW' WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD NOT PRESENT EEA RESTRICTED RATES

---

#### Customer guidance:

Error code 2892 requires the use of IRDs other than EV and EW.

When this error code is received, the customer must determine the most appropriate IRD for the rejected message. Refer to the applicable interchange manual for the relevant interchange program requirement.

---

---

**Error code 2892**

---

**Requirement:**PDS0158S4 must not be equal to 'EV' or 'EW' when the transaction does not qualify for the EEA restricted rates and DE 22 SF 6 has a value of 1. IRD EV or EW must not be submitted when the merchant country is not an EEA country or the merchant country is an EEA country including UK and GIB and the issuer country is an EEA country, or when it does not qualify for card not present (when all of the following is true: DE 22 SF 5 with a value of 0, DE 22 SF 6 with a value of 1, DE 22 SF 7 with a value of 2, or A, or B, or C, or F, or M)

---

**Error code 2969**

---

**Error code 2969**

---

**IPM error message:**

THE MESSAGE HAS BEEN FLAGGED AS A POTENTIAL DUPLICATE FIRST PRESENTMENT

---

**Customer guidance:**

When a reject for error code 2969 is received, it means the acquirer submitted a possible duplicate of the clearing first presentment message.

The acquirer must determine whether the message still needs to be cleared. If so, they must obtain the PDS 0444 (Resubmission Code) value from the reject report IP857010 or 1644 message exception received in T112/T113 file and place it in PDS 0444 of First Presentment/1240 message being resubmitted.

---

## Error numbers and messages

Certain error messages include a variable field. When the Clearing Optimizer software or the Dual Message Clearing System generates an error message, it substitutes the variable field with the specific element, a list of values, the message type, or the occurrence number relevant to the error. The actual value provided in this substitution is reflected in both the Clearing Optimizer and Dual Message Clearing System Error Detail reports.

## Edits and error messaging

### Error message overview

The Dual Message Clearing System generates error numbers and messages during the edit process.

This document presents these error numbers and messages in two ways:

- By IPM error number
- By field and subfield and Message Type Identifier (MTI/Function Code).

Some error messages contain a variable field. Clearing Optimizer software or Dual Message Clearing System replaces the variable field with the specific element, list of values, message type, or occurrence number of the field in error when it generates the error message. The replacement with the actual value appears in the Clearing Optimizer and GCMS Error Detail reports.

The table of error numbers and messages contains a column titled "Edit Performed By..." This column indicates whether the edit is performed by:

- The Clearing Optimizer software only
- Dual Message Clearing System only
- Both the IPM Clearing Optimizer software and Dual Message Clearing System

Error message overview

The GCMS generate error numbers and messages during the edit process.

This document presents these error numbers and messages in two ways:

- By IPM error number
- By field and subfield and Message Type Identifier (MTI/Function Code).

Some error messages contain a variable field. Clearing Optimizer software or GCMS replaces the variable field with the specific element, list of values, message type, or occurrence number of the field in error when it generates the error message. The replacement with the actual value appears in the Clearing Optimizer and GCMS Error Detail reports.

The table of error numbers and messages contains a column titled "Edit Performed By..." This column indicates whether the edit is performed by:

- The Clearing Optimizer software only
- GCMS only
- Both the IPM Clearing Optimizer software and GCMS

Error numbers 0000–9600

These tables contain all of the error numbers and error messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

Error numbers 0000–0499

| Error number | Error message                                                                                                               | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | UNPARSEABLE MESSAGE. Refer to the beginning of <i>Chapter 6 of the IPM Clearing Formats</i> manual for further information. | Both                 |

| Error number | Error message                                                                                                       | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------------------------|----------------------|
| 0006         | MESSAGE TYPE INDICATOR (MTI) NON-NUMERIC.                                                                           | Both                 |
| 0008         | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1.                                                             | Both                 |
|              | PDS0183S2 NUMBER OF INSTALLMENTS INVALID, MUST BE 1.                                                                | GCMS                 |
| 0009         | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE NUMERIC.                                                                   | Both                 |
|              | PDS0018S1 MUST BE NUMERIC.                                                                                          | Both                 |
| 0010         | DE2 PRIMARY ACCOUNT NUMBER (PAN) LENGTH MUST BE 6–19.                                                               | Both                 |
| 0011         | DE2 PRIMARY ACCOUNT NUMBER (PAN) ACCOUNT RANGE INVALID.                                                             | Both                 |
| 0012         | DE3 PROCESSING CODE MUST BE NUMERIC.                                                                                | Both                 |
| 0013         | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE 00, 01, 09, 12, 17, 18, 20, 28, OR 50.                           | Both                 |
| 0014         | DE3S2 CARDHOLDER FROM--ACCOUNT TYPE CODE MUST BE 00, 10, 20, 30, 39, 60.                                            | Both                 |
| 0015         | DE3S3 CARDHOLDER TO--ACCOUNT TYPE CODE MUST BE 00.                                                                  | Both                 |
| 0016         | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR ATM CASH WITHDRAWAL ACCEPTOR BUSINESS CODE (MCC) 6011.                | Both                 |
| 0017         | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR CASH ADVANCE ACCEPTOR BUSINESS CODE (MCC) 6010.                       | Both                 |
| 0018         | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR UNIQUE TRANSACTION ACCEPTOR BUSINESS CODE (MCC). MUST BE EQUAL TO 18. | Both                 |
| 0019         | INVALID UCAF COLLECTION INDICATOR OR DE22S8 NOT EQUAL TO 1.                                                         | Both                 |
|              | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 2, 3, OR 5 (OR) DE22S8 CARD HOLDER AUTHENTICATION METHOD.      | Both                 |
| 0020         | DE4 AMOUNT, TRANSACTION MUST BE NUMERIC AND GREATER THAN 0.                                                         | Both                 |
| 0021         | RECURRING PAYMENT CANCELLATION SERVICE.                                                                             | GCMS                 |
| 0022         | DE22S7 CARD DATA: INPUT MODE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                        | GCMS                 |
|              | PDS0023 TERMINAL TYPE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                               | Both                 |
|              | PDS0052S3/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                           | GCMS                 |
| 0023         | DE4 AMOUNT, TRANSACTION MUST BE PRESENT WHEN DE49 CURRENCY CODE, TRANSACTION IS PROVIDED.                           | Both                 |
| 0024         | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.          | Both                 |

| Error number | Error message                                                                                                         | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------|----------------------|
| 0025         | DE5 AMOUNT, RECONCILIATION MUST BE NUMERIC.                                                                           | Both                 |
| 0027         | DE5 AMOUNT, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE50 CURRENCY CODE, RECONCILIATION IS PROVIDED. | Both                 |
| 0028         | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                  | Both                 |
| 0029         | DE5 AMOUNT, RECONCILIATION MISSING. MUST BE PRESENT IN AN ATM MESSAGE.                                                | Both                 |
| 0033         | RETRIEVAL REQ TO ATM ACQUIRER                                                                                         | Both                 |
| 0034         | DE6 AMOUNT, CARDHOLDER BILLING MUST BE NUMERIC.                                                                       | Both                 |
| 0036         | DE6 AMOUNT, CARDHOLDER BILLING MUST BE PRESENT IN A MESSAGE WHEN DE51 CURRENCY CODE, CARDHOLDER BILLING IS PROVIDED.  | Both                 |
| 0037         | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE6 AMOUNT, CARDHOLDER BILLING IS PROVIDED.     | Both                 |
| 0040         | DE12S2 TIME HOURS MUST BE IN THE RANGE 00–23.                                                                         | Both                 |
| 0042         | DE12S2 TIME INVALID. MINUTES AND SECONDS MUST BE IN RANGE 00–59.                                                      | Both                 |
| 0043         | DE12S1 DATE CANNOT BE GREATER THAN THE DATE IN PDS0105S2 FILE REFERENCE DATE.                                         | Both                 |
| 0044         | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SUPERMARKET INTERCHANGE PROGRAM.                          | Both                 |
| 0045         | DE14 EXPIRATION DATE MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                                        | Both                 |
|              | PDS0195S8 FIRST MONTH OF BONUS PAYMENT MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                      | Both                 |
| 0047         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID. MUST BE <VALLIST>.                                          | Both                 |
| 0048         | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY INVALID. MUST BE <VALLIST>.                                | Both                 |
| 0049         | DE22S3 TERMINAL DATA: CARD CAPTURE CAPABILITY INVALID. MUST BE 0, 1, OR 9.                                            | Both                 |
| 0050         | DE22S4 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                                     | Both                 |
| 0051         | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST BE <VALLIST>.                                                            | Both                 |
| 0052         | DE22S6 CARD PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                  | Both                 |
| 0053         | DE22S1 INVALID. MUST BE <VALLIST>.                                                                                    | Both                 |
|              | DE22S4 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                                     | Both                 |



| Error number | Error message                                                                                                   | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------|----------------------|
|              | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST BE <VALLIST>.                                                      | Both                 |
|              | DE22S6 CARD PRESENT DATA INVALID. MUST BE <VALLIST>.                                                            | Both                 |
|              | DE22S7 CARD DATA: INPUT MODE INVALID. MUST BE 2, B, C, OR F.                                                    | Both                 |
|              | DE40 SERVICE CODE INVALID. MUST BE <VALLIST>.                                                                   | Both                 |
| 0054         | DE22S8 CARDHOLDER AUTHENTICATION METHOD INVALID. MUST BE 0, 1, 2, 5, 6, 9, OR S.                                | Both                 |
| 0055         | DE22S9 CARDHOLDER AUTHENTICATION ENTITY INVALID. MUST BE <VALLIST>.                                             | Both                 |
| 0056         | DE22S10 CARD DATA OUTPUT CAPABILITY INVALID. MUST BE <VALLIST>.                                                 | Both                 |
| 0057         | DE22S11 TERMINAL DATA OUTPUT CAPABILITY INVALID. MUST BE 0, 1, 2, 3, OR 4.                                      | Both                 |
| 0058         | DE22S12 PIN CAPTURE CAPABILITY INVALID. MUST BE <VALLIST>.                                                      | Both                 |
| 0059         | DE23 CARD SEQUENCE NUMBER MUST BE NUMERIC.                                                                      | Both                 |
| 0061         | DE24 FUNCTION CODE MUST BE NUMERIC.                                                                             | Both                 |
| 0064         | DE25 MESSAGE REASON CODE MUST BE NUMERIC.                                                                       | Both                 |
| 0070         | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                            | Both                 |
| 0076         | DE30S2 AMOUNTS ORIGINAL, RECONCILIATION MUST BE ZERO-FILLED.                                                    | Both                 |
| 0077         | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED. | Both                 |
| 0078         | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                | Both                 |
| 0080         | DE31S1 FILLER MUST BE NUMERIC.                                                                                  | Both                 |
| 0081         | DE31S2 ACQUIRER'S REFERENCE MUST BE NUMERIC.                                                                    | Both                 |
| 0083         | DE31S4 ACQUIRER'S SEQUENCE NUMBER MUST BE NUMERIC.                                                              | Both                 |
| 0085         | DE31S5 CHECK DIGIT MUST BE NUMERIC.                                                                             | Both                 |
| 0086         | DE31S3 JULIAN PROCESSING DATE YDDD OF DE31 ACQUIRER REFERENCE DATA MUST BE A VALID DATE IN THE FORMAT YDDD.     | Both                 |
| 0087         | DE31S5 CHECK DIGIT DOES NOT MOD-CHECK.                                                                          | Both                 |
| 0090         | DE32 ACQUIRING INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 01–11.                                       | Both                 |
| 0091         | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                    | Both                 |

| Error number | Error message                                                                                                                             | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0093         | DE38 APPROVAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                           | Both                 |
| 0094         | DE38 APPROVAL CODE CONTAINS EMBEDDED SPACES.                                                                                              | Both                 |
| 0095         | DE38 APPROVAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                  | Both                 |
| 0096         | DE41 ACCEPTOR TERMINAL ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                    | Both                 |
| 0098         | DE42 ACCEPTOR ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                        | Both                 |
| 0100         | DE43 ACCEPTOR NAME/LOCATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                  | Both                 |
| 0101         | DE43 ACCEPTOR NAME/LOCATION MUST BE 20–99.                                                                                                | Both                 |
| 0102         | DE43S1 ACCEPTOR NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                 |
| 0103         | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1–22.                                                                                                 | Both                 |
| 0104         | DE43S3 ACCEPTOR CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                 |
| 0105         | DE43S3 ACCEPTOR CITY LENGTH CANNOT EXCEED 13.                                                                                             | Both                 |
| 0107         | WITHIN DE43 ACCEPTOR NAME/LOCATION, 3 BACKSLASH CHARACTERS ARE REQUIRED TO DELIMIT NAME\STREET ADDRESS\CITY.                              | Both                 |
| 0108         | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                | Both                 |
| 0109         | DE43S4 ACCEPTOR POSTAL (ZIP) CODE NOT LEFT JUSTIFIED.                                                                                     | Both                 |
|              | PDS0196S1 MOBILE PHONE NUMBER NOT LEFT JUSTIFIED.                                                                                         | Both                 |
| 0112         | DE43S6 ACCEPTOR COUNTRY CODE MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                              | Both                 |
| 0114         | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                 |
| 0115         | DE48 ADDITIONAL DATA LENGTH MUST BE 008–999.                                                                                              | Both                 |
| 0117         | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62. | Both                 |
| 0119         | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                  | Both                 |
| 0120         | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                 | Both                 |

| Error number | Error message                                                                                                                                                                                                          | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0122         | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE49 CURRENCY CODE, TRANSACTION, MUST BE PROVIDED.                                                                                                                              | Both                 |
| 0122         | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE PROVIDED.                                                                                                                       | Both                 |
| 0123         | DE50 CURRENCY CODE, RECONCILIATION MUST BE NUMERIC.                                                                                                                                                                    | Both                 |
| 0124         | DE50 CURRENCY CODE, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                                                                                                  | Both                 |
| 0126         | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE50 CURRENCY CODE, RECONCILIATION MUST BE PROVIDED.                                                                                                                            | Both                 |
| 0129         | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                                                                                            | Both                 |
| 0133         | DE51 CURRENCY CODE, CARDHOLDER BILLING MUST BE NUMERIC.                                                                                                                                                                | Both                 |
| 0134         | DE51 CURRENCY CODE, CARDHOLDER BILLING MUST BE PRESENT IN A MESSAGE WHEN DE6 AMOUNT, CARDHOLDER BILLING IS PROVIDED.                                                                                                   | Both                 |
| 0136         | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE51 CURRENCY CODE, CARDHOLDER BILLING MUST BE PROVIDED.                                                                                                                        | Both                 |
| 0139         | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE A SPACE.                                                                                                                                                                   | Both                 |
|              | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE 7. <b>(Applies only to U.K. Domestic Maestro Fee Collection transactions.)</b>                                                                                             | Clearing Optimizer   |
|              | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE [SPACE], OR 2. <b>(Applies only to U.K. Domestic Maestro First Presentment transactions.)</b>                                                                              | Clearing Optimizer   |
| 0141         | DE63S2 TRACE ID POSITIONS 10–13 MUST BE A VALID DATE IN THE FORMAT MMDD.                                                                                                                                               | Both                 |
| 0142         | THE FIRST NINE POSITIONS OF DE63S2 TRACE ID CANNOT CONTAIN EMBEDDED SPACES.                                                                                                                                            | Both                 |
| 0148         | DE25 MESSAGE REASON CODE INVALID FOR THIS CHARGEBACK.                                                                                                                                                                  | GCMS                 |
|              | PDS0243S2 MASTERCOM ACQUIRER RETRIEVAL RESPONSE CODE OR PDS0243S4 MASTERCOM ISSUER RESPONSE CODE OR PDS0243S7 MASTERCOM IMAGE REVIEW DECISION OR PDS0243S6 MASTERCOM ISSUER REJECT REASONS INVALID FOR THIS <MSGTYPE>. | GCMS                 |
| 0149         | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 MESSAGE NUMBER VALUE IN THE PREVIOUS MESSAGE.                                                                                                                        | Both                 |
| 0151         | DE72 DATA RECORD CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                                          | Both                 |
| 0154         | REQUEST NOT ON FILE.                                                                                                                                                                                                   | GCMS                 |
| 0155         | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE NUMERIC.                                                                                                                                                      | Both                 |

| Error number | Error message                                                                                                                                               | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0157         | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID.                                                                                                   | Both                 |
| 0159         | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                                                            | Both                 |
| 0161         | DE26 INVALID                                                                                                                                                | Both                 |
|              | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                                                                    | Both                 |
| 0165         | DE62 ADDITIONAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                         | Both                 |
| 0166         | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008–999.                                                                                                              | Both                 |
| 0168         | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                                                                                | Both                 |
| 0169         | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                                                                              | Both                 |
| 0170         | DE123 ADDITIONAL DATA 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                        | Both                 |
| 0171         | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008–999.                                                                                                             | Both                 |
| 0173         | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124.              | Both                 |
| 0174         | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                                 | Both                 |
| 0175         | DE125 ADDITIONAL DATA 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                        | Both                 |
| 0176         | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008–999.                                                                                                             | Both                 |
| 0178         | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED.             | Both                 |
| 0179         | DE124 ADDITIONAL DATA 4 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, AND DE123 ADDITIONAL DATA 3 ARE PRESENT.                       | Both                 |
| 0181         | PDS0023 TERMINAL TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                          | Both                 |
| 0182         | PDS0023 TERMINAL TYPE MUST BE A FIXED LENGTH OF 003.                                                                                                        | Both                 |
| 0184         | PDS0023 TERMINAL TYPE MUST CONTAIN A VALID VALUE OF ATM, CT1, CT2, CT3, CT4, CT6, CT7, MAN, NA_, OR POI.                                                    | Both                 |
| 0184         | PDS0023 TERMINAL TYPE MUST CONTAIN A VALID VALUE OF CT1, CT2, CT3, CT4, CT6, MAN, NA_, OR POI. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing Optimizer   |

| Error number | Error message                                                                                                                                        | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0185         | PDS0025S1 MESSAGE REVERSAL INDICATOR MUST BE EQUAL TO R OR A SPACE IF PRESENT.                                                                       | Both                 |
| 0186         | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.                                    | Both                 |
| 0187         | PDS0025 MESSAGE REVERSAL INDICATOR LENGTH FIELD MUST BE A VALUE OF 001–007.                                                                          | Both                 |
| 0190         | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                               | Both                 |
| 0194         | PDS0043 TRANSACTION TYPE ID MUST BE A FIXED LENGTH OF 003.                                                                                           | Both                 |
| 0206         | PDS0512 TOTAL FARE MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                                                              | Both                 |
| 0207         | PDS0509 ISSUE DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                        | Both                 |
| 0208         | PDS0501S1 USAGE CODE INVALID. MUST BE <VALLIST>.                                                                                                     | Both                 |
| 0211         | INVALID PASSENGER TRANSPORT ADDENDUM. PASSENGER TRANSPORT ADDENDUM CAN ONLY BE USED WITH A PASSENGER TRANSPORT OR TRAVEL AGENCY (MCC).               | Both                 |
| 0212         | INVALID VEHICLE RENTAL ADDENDUM. VEHICLE RENTAL ADDENDUM CAN ONLY BE USED WITH A VEHICLE RENTAL ACCEPTOR BUSINESS CODE MCC.                          | Both                 |
| 0213         | INVALID LODGING ADDENDUM. LODGING ADDENDUM CAN ONLY BE USED WITH A LODGING ACCEPTOR BUSINESS CODE (MCC).                                             | Both                 |
| 0214         | INVALID CORPORATE FLEET ADDENDUM. CORPORATE FLEET TRANSACTION DETAIL INFORMATION ADDENDUM CAN ONLY BE USED WITH A FUEL ACCEPTOR BUSINESS CODE (MCC). | Both                 |
| 0215         | PDS0501S2 INDUSTRY RECORD NUMBER MUST BE NUMERIC.                                                                                                    | Both                 |
| 0217         | PDS0501S3 OCCURRENCE INDICATOR MUST BE NUMERIC.                                                                                                      | Both                 |
| 0219         | PDS0513 TOTAL FEES MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                                                              | Both                 |
| 0220         | PDS0514 TOTAL TAXES MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                                                             | Both                 |
| 0223         | PDS0520 TRAVEL DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                       | Both                 |
| 0226         | PDS0510 TRAVEL AGENCY CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                              | Both                 |
| 0227         | PDS0511 TRAVEL AGENCY NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                              | Both                 |
| 0228         | PDS0523 CITY OF ORIGIN/AIRPORT CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                     | Both                 |
| 0234         | PDS0522 SERVICE CLASS CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                              | Both                 |

| Error number | Error message                                                                                    | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------|----------------------|
| 0235         | DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID.                                                        | Both                 |
|              | PDS0525 STOP OVER CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                              | Both                 |
| 0236         | PDS0524 CITY OF DESTINATION/AIRPORT CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.            | Both                 |
| 0237         | PDS0524 CITY OF DESTINATION/AIRPORT CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.   | Both                 |
| 0239         | PDS0529 FARE BASIS CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                             | Both                 |
| 0242         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID.                                                       | Both                 |
|              | PDS0080 AMOUNT, TAX INVALID.                                                                     | Both                 |
| 0258         | PDS0506 TICKET NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                 |
| 0259         | PDS0521 CARRIER CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                       | Both                 |
| 0268         | PDS0266 FIRST CHARGEBACK/FEE COLLECTION RETURN DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                 |
| 0269         | PDS0267S1 MESSAGE REASON CODE MUST BE A VALID MESSAGE REASON CODE OR ZEROS.                      | Both                 |
| 0270         | PDS0508 CUSTOMER CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                      | Both                 |
| 0277         | PDS0598 TOTAL TAX COLLECTED INDICATOR MUST BE Y, N, O, OR A SPACE.                               | Both                 |
| 0283         | PDS0614 ORDER DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                    | Both                 |
| 0285         | PDS0641 PRODUCT CODE MUST CONTAIN A VALUE IN THE RANGE 030–099 OR 300–999.                       | Both                 |
| 0286         | PDS0642 ITEM DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                   | Both                 |
|              | PDS0784 FLEET ITEM DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.             | Both                 |
| 0288         | PDS0643S2 ITEM QUANTITY EXPONENT MUST BE NUMERIC.                                                | Both                 |
| 0292         | PDS0648S1 DISCOUNT INDICATOR MUST BE Y OR N OR A SPACE.                                          | Both                 |
| 0293         | PDS0648S2 ITEM DISCOUNT MUST BE NUMERIC.                                                         | Both                 |
| 0295         | PDS0654 DEBIT OR CREDIT INDICATOR MUST BE D OR C.                                                | Both                 |

| Error number | Error message                                                                                                                                                       | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0296         | PDS0654 DEBIT OR CREDIT INDICATOR MUST BE C OR D IF PDS0647S001 EXTENDED ITEM AMOUNT IS GREATER THAN ZERO.                                                          | Both                 |
| 0302         | PDS0547 RENTAL RETURN STATE/PROVINCE INVALID.                                                                                                                       | Both                 |
| 0304         | PDS0548 RENTAL RETURN COUNTRY MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                                                       | Both                 |
| 0305         | PDS0548 RENTAL RETURN COUNTRY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                                 | Both                 |
| 0307         | PDS0550 RENTAL RETURN DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                               | Both                 |
| 0308         | PDS0551 RENTAL CHECKOUT DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                             | Both                 |
| 0310         | PDS0558 MILES/KILOMETER INDICATOR MUST BE K, M OR A SPACE.                                                                                                          | Both                 |
| 0312         | PDS0555 RATE PER MILE (OR PER KILOMETER) INVALID. MUST BE NUMERIC.                                                                                                  | Both                 |
| 0314         | PDS0557 MAXIMUM FREE MILES (OR KILOMETERS) INVALID. MUST BE NUMERIC.                                                                                                | Both                 |
| 0316         | PDS0559S1 INSURANCE INDICATOR MUST BE Y, N OR A SPACE.                                                                                                              | Both                 |
| 0318         | PDS0561S1 ADJUSTED AMOUNT INDICATOR MUST BE A SPACE, A, B, C, D, E OR X.                                                                                            | Both                 |
| 0321         | PDS0574 ARRIVAL DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                                     | Both                 |
| 0326         | PDS0578S1 BILLING ADJUSTMENT INDICATOR MUST BE Y, N OR A SPACE.                                                                                                     | Both                 |
| 0327         | PDS0578S2 BILLING ADJUSTMENT AMOUNT INVALID. MUST BE NUMERIC.                                                                                                       | Both                 |
| 0328         | PDS0578S2 BILLING ADJUSTED AMOUNT CANNOT EQUAL ALL ZEROS IF BILLING ADJUSTMENT INDICATOR IS EQUAL TO Y.                                                             | Both                 |
| 0329         | PDS0620 OIL COMPANY BRAND NAME MUST CONTAIN A VALUE IN THE VALUE RANGE/LIST TABLE IP2113T1.                                                                         | Both                 |
| 0330         | PDS0621 PURCHASE TIME INVALID. MUST BE IN THE FORMAT HHMM. HOURS MUST BE 00–23 AND MINUTES MUST BE 00–59.                                                           | Both                 |
| 0332         | PDS 623S1 MOTOR FUEL PRODUCT CODE MUST BE NUMERIC.                                                                                                                  | Both                 |
| 0333         | PDS0623S1 MOTOR FUEL PRODUCT CODE INVALID. MUST BE 001-009, 011-029, 100-102, 150-150, 200-209.                                                                     | Both                 |
|              | PDS0782S1 FLEET FUEL PRODUCT CODE INVALID. MUST BE 001-005, 011-024, 026-054, 060-070, 099-099, 150-157, 174-174, 225-231, 249-249, 300-302, 304-338, 399-399, 999. | Both                 |

| Error number | Error message                                                                                                                                                | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0790S1 PROMPT CODE 1 INVALID. MUST BE 001-005, 009-013, 015-019, 021-026, 033-033, 035-036, 038-038, 040-056, 058-058, 065-065, 067-069, 999.             | Both                 |
|              | PDS0791S1 PROMPT CODE 2 INVALID. MUST BE 001-005, 009-013, 015-019, 021-026, 033-033, 035-036, 038-038, 040-056, 058-058, 065-065, 067-069, 999.             | Both                 |
|              | PDS0792S1 PROMPT CODE 3 INVALID. MUST BE 001-005, 009-013, 015-019, 021-026, 033-033, 035-036, 038-038, 040-056, 058-058, 065-065, 067-069, 999.             | Both                 |
|              | PDS0793S1 PROMPT CODE 4 INVALID. MUST BE 001-005, 009-013, 015-019, 021-026, 033-033, 035-036, 038-038, 040-056, 058-058, 065-065, 067-069, 999.             | Both                 |
|              | PDS0794S1 PROMPT CODE 5 INVALID. MUST BE 001-005, 009-013, 015-019, 021-026, 033-033, 035-036, 038-038, 040-056, 058-058, 065-065, 067-069, 999.             | Both                 |
| 0336         | PDS0623S5 MOTOR FUEL QUANTITY EXPONENT MUST BE 0–5.                                                                                                          | Both                 |
|              | PDS0782S5 FLEET FUEL QUANTITY EXPONENT MUST BE 0–5.                                                                                                          | Both                 |
| 0337         | PDS0623S3 MOTOR FUEL UNIT OF MEASURE MUST CONTAIN SPACE, 1-8.                                                                                                | Both                 |
|              | PDS0782S3 FLEET FUEL UNIT OF MEASURE MUST CONTAIN SPACE, 1-8.                                                                                                | Both                 |
| 0339         | PDS0623S2 MOTOR FUEL UNIT PRICE MUST BE NUMERIC.                                                                                                             | Both                 |
|              | PDS0782S2 FLEET FUEL UNIT PRICE MUST BE NUMERIC.                                                                                                             | Both                 |
| 0340         | DE43 ACCEPTOR NAME/LOCATION MUST BE PRESENT.                                                                                                                 | Both                 |
| 0341         | PDS0623S6 MOTOR FUEL SALE AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                      | Both                 |
|              | PDS0782S6 FLEET FUEL SALE AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                      | Both                 |
| 0343         | PDS0629 ODOMETER READING MUST BE PRESENT IF PDS 0632 IS 1-4 FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS FOR THE SUBMITTED IRD.                              | Both                 |
| 0345         | PDS0630 VEHICLE NUMBER MUST BE PRESENT IF PDS0632 IS '2,' PDS 0631 IS NOT PRESENT, AND IT IS FLEET AT FUEL SUBMITTED FOR THIS CORPORATE INTERCHANGE PROGRAM. | Both                 |
| 0347         | PDS0631 DRIVER NUMBER/ID NUMBER MUST BE PRESENT AND FIRST POSITION NUMERIC.                                                                                  | Both                 |
| 0348         | PDS0620 OIL COMPANY BRAND NAME, PDS0621 PURCHASE TIME REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS FOR THE SUBMITTED INTERCHANGE PROGRAM.           | Both                 |



| Error number | Error message                                                                                                     | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------|----------------------|
| 0349         | PDS0633 COUPON/DISCOUNT AMOUNT MUST BE NUMERIC.                                                                   | Both                 |
| 0351         | PDS0105 FILE ID MUST BE A FIXED LENGTH OF 025.                                                                    | Both                 |
| 0355         | PDS0105S3 PROCESSOR ID MUST BE NUMERIC.                                                                           | Both                 |
| 0356         | PDS0105S4 FILE SEQUENCE NUMBER MUST BE NUMERIC.                                                                   | Both                 |
| 0358         | INVALID PDS0105S1 FILE TYPE. MUST BE 002.                                                                         | Both                 |
| 0359         | PDS0105S2 FILE REFERENCE DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                          | Both                 |
| 0360         | PDS0105S2 FILE REFERENCE DATE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                         | Both                 |
| 0361         | PDS0110S3 PROCESSOR ID INVALID. MUST CONTAIN A VALID MEMBER ID OR PROCESSOR ID.                                   | Both                 |
| 0362         | DUPLICATE PDS0105 FILE ID.                                                                                        | Both                 |
| 0364         | PDS0110 TRANSMISSION ID MUST BE A FIXED LENGTH OF 025.                                                            | Both                 |
| 0369         | PDS0110S4 TRANSMISSION SEQUENCE NUMBER MUST BE NUMERIC.                                                           | Both                 |
| 0371         | PDS0110S1 TRANSMISSION TYPE INVALID. MUST BE 002.                                                                 | Both                 |
| 0372         | PDS0110S2 TRANSMISSION REFERENCE DATE INVALID. MUST BE A VALID DATE IN THE FORMAT YYMMDD.                         | Both                 |
| 0373         | PDS0110S2 TRANSMISSION REFERENCE DATE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                 | Both                 |
| 0375         | PDS0137 FEE COLLECTION CONTROL NUMBER MUST BE NUMERIC.                                                            | Both                 |
| 0378         | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                 |
| 0381         | PDS0146 AMOUNTS, TRANSACTION FEE LENGTH MUST BE 036–432 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 36. | Both                 |
| 0385         | PDS0080 AMOUNT, TAX NOT NUMERIC. OCCURENCE <XX>.                                                                  | GCMS                 |
|              | PDS0146S5 AMOUNT, FEE NOT NUMERIC. OCCURRENCE <XX>.                                                               | Both                 |
| 0386         | PDS0146S1 FEE TYPE CODE MUST BE 00–99. OCCURRENCE INDICATOR <XX>.                                                 | Both                 |
| 0387         | PDS0146S2 FEE PROCESSING CODE MUST BE 00, 19, OR 29. OCCURRENCE INDICATOR <XX>.                                   | Both                 |
| 0393         | PDS0148 CURRENCY EXPONENTS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                           | Both                 |
| 0394         | PDS0148 CURRENCY EXPONENTS LENGTH MUST BE 04–60 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 04.         | Both                 |

| Error number | Error message                                                                                                                            | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0395         | PDS0080S3 CURRENCY CODE MUST CONTAIN NUMERIC ISO-STANDARD CURRENCY CODE. OCCURENCE <00>.                                                 | GCMS                 |
|              | PDS0148S1 CURRENCY CODE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                                        | Both                 |
| 0396         | PDS0148S2 CURRENCY EXPONENT MUST BE VALID FOR THE CORRESPONDING CURRENCY CODE IN SUBFIELD 1. OCCURRENCE <XX>.                            | Both                 |
| 0398         | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                               | Both                 |
| 0399         | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE A FIXED LENGTH OF 006.                                                                 | Both                 |
| 0400         | PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                            | Both                 |
| 0401         | PDS0149S2 CURRENCY CODE, ORIGINAL RECONCILIATION AMOUNT MUST BE ALL ZEROS.                                                               | Both                 |
| 0402         | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT PDS0148 CURRENCY EXPONENTS IS NOT PRESENT.                                      | Both                 |
| 0403         | PDS0148 CURRENCY EXPONENTS OCCURRENCE FOR PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MISSING. MUST BE PROVIDED.                           | Both                 |
| 0404         | PDS0149 CURRENCY CODES AMOUNT, ORIGINAL IS PRESENT BUT DE30 AMOUNT, ORIGINAL IS NOT PRESENT.                                             | Both                 |
| 0405         | INVALID TRANSACTION FOR THE COUNTRY/REGION.                                                                                              | Both                 |
| 0406         | PDS0508 CUSTOMER CODE LENGTH MUST BE 001–025.                                                                                            | Both                 |
| 0407         | PDS0158 BUSINESS ACTIVITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                 |
| 0412         | PDS0165 SETTLEMENT INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                | Both                 |
| 0414         | PDS0165S1 SETTLEMENT INDICATOR MUST BE M, B, OR C.                                                                                       | Both                 |
| 0416         | NO BILATERAL AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE. | Clearing Optimizer   |
| 0419         | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                 |
| 0420         | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION LENGTH MUST BE 4–201.                                                                             | Both                 |
| 0421         | PDS0171S1 CHARACTER SET INDICATOR INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HEB, HIR, HAN, KAN, KAT, ROM, THI, OR VIE.                   | Both                 |

| Error number | Error message                                                                                          | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------|----------------------|
| 0422         | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.             | Both                 |
| 0423         | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA LENGTH MUST BE A FIXED LENGTH OF 41.                     | Both                 |
| 0424         | PDS0189S1 FORMAT NUMBER MUST BE 0, 1, 2, 3, OR 4.                                                      | Both                 |
| 0425         | PDS0190 PARTNER ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                   | Both                 |
| 0426         | PDS0190 PARTNER ID CODE LENGTH MUST BE 1–6.                                                            | Both                 |
| 0428         | PDS0228 RETRIEVAL DOCUMENT CODE MUST BE A FIXED LENGTH OF 001.                                         | Both                 |
|              | PDS0022 MUST BE A FIXED LENGTH OF 001.                                                                 | Both                 |
|              | PDS0186 MUST BE A FIXED LENGTH OF 001.                                                                 | Both                 |
|              | PDS0018S1 MUST BE A FIXED LENGTH OF 001.                                                               | Both                 |
| 0429         | PDS0228 RETRIEVAL DOCUMENT CODE MUST BE 1.                                                             | Both                 |
| 0431         | PDS0230 FULFILLMENT DOCUMENT CODE MUST BE A FIXED LENGTH OF 001.                                       | Both                 |
| 0432         | PDS0230 FULFILLMENT DOCUMENT CODE MUST BE 1.                                                           | Both                 |
| 0433         | PDS0170 ACCEPTOR INQUIRY INFORMATION LENGTH MUST BE 16–73.                                             | Both                 |
| 0435         | PDS0260 EDIT EXCLUSION INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                 |
| 0436         | PDS0260 EDIT EXCLUSION INDICATOR LENGTH MUST BE 2–4.                                                   | Both                 |
| 0437         | DE23 CARD SEQUENCE NUMBER CONTAINS A VALUE IN THE RANGE OF 000–099.                                    | Both                 |
|              | PDS0260S1 EXCLUSION REQUEST CODE INVALID. MUST BE Y, B0–B9, BA–BZ OR SPACES.                           | Both                 |
| 0441         | PDS0262 DOCUMENTATION INDICATOR MUST BE A FIXED LENGTH OF 001.                                         | Both                 |
| 0442         | PDS0262 DOCUMENTATION INDICATOR MUST BE 0 OR 1.                                                        | Both                 |
| 0444         | INVALID ORIGINAL RETRIEVAL REASON FOR REQUEST LENGTH. MUST BE A FIXED LENGTH OF 4.                     | Both                 |
| 0445         | INVALID VALUE IN ORIGINAL RETRIEVAL REASON FOR REQUEST. MUST BE 6305, 6321, 6322, 6323, 6341, OR 6342. | Both                 |
| 0446         | PDS0265 INITIAL PRESENTMENT/FEE COLLECTION DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.           | Both                 |
| 0447         | PDS0265 INITIAL PRESENTMENT/FEE COLLECTION DATA LENGTH MUST BE 004–110.                                | Both                 |

| <b>Error number</b> | <b>Error message</b>                                                                                                                                                                                                                       | <b>Edit performed by...</b> |
|---------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| 0448                | PDS0265S1 INITIAL MESSAGE REASON CODE MUST BE A VALID MESSAGE REASON CODE.                                                                                                                                                                 | Both                        |
| 0449                | PDS0265S2 DATE, INITIAL PRESENTMENT BUSINESS MUST BE VALID YYMMDD OR ZEROS IN FEE COLLECTION (RETRIEVAL FEE BILLING) OR FEE COLLECTION (OTHER) MESSAGES.                                                                                   | Both                        |
| 0451                | PDS0268S2 CURRENCY CODE, PARTIAL TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                                                                                                      | Both                        |
| 0453                | PDS0306 FILE MESSAGE COUNTS MUST BE NUMERIC.                                                                                                                                                                                               | Both                        |
| 0454                | PDS0306 FILE MESSAGE COUNTS LENGTH MUST BE A FIXED LENGTH OF 8.                                                                                                                                                                            | Both                        |
| 0456                | PDS0306 FILE MESSAGE COUNTS IS NOT ZEROS, AND DOES NOT EQUAL THE TOTAL NUMBER OF MESSAGES (INCLUDING FILE HEADER AND FILE TRAILER) IN THE LOGICAL FILE.                                                                                    | Both                        |
| 0468                | PDS0267 SECOND PRESENTMENT/FEE COLLECTION RESUBMISSION DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                   | Both                        |
| 0469                | PDS0267 SECOND PRESENTMENT/FEE COLLECTION RESUBMISSION DATA MUST BE 004–127.                                                                                                                                                               | Both                        |
| 0476                | DE4 AMOUNT, TRANSACTION INVALID. MUST BE NUMERIC AND MUST BE GREATER THAN THE AMOUNT SET FOR THE IRD SUBMITTED.                                                                                                                            | GCMS                        |
| 0482                | PDS0268S1 AMOUNT, PARTIAL TRANSACTION MUST BE NUMERIC AND GREATER THAN ZEROS.                                                                                                                                                              | Both                        |
| 0483                | PDS0506 TICKET NUMBER LENGTH MUST BE A FIXED LENGTH OF 15.                                                                                                                                                                                 | Both                        |
| 0487                | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN PDS0268 AMOUNT, PARTIAL TRANSACTION IS PROVIDED.                                                                                                                     | Both                        |
| 0488                | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0268S2 CURRENCY CODE, PARTIAL TRANSACTION MISSING. MUST BE PROVIDED.                                                                                                                           | Both                        |
| 0489                | PDS0301 FILE AMOUNT, CHECKSUM MUST BE NUMERIC.                                                                                                                                                                                             | Both                        |
| 0490                | PDS0301 FILE AMOUNT, CHECKSUM LENGTH MUST BE A FIXED LENGTH OF 16.                                                                                                                                                                         | Both                        |
| 0491                | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER, PDS0574 ARRIVAL DATE, PDS0575 DEPARTURE DATE, PDS0576 FOLIO NUMBER, AND PDS0577 PROPERTY TELEPHONE NUMBER REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS. | Both                        |
| 0497                | IPM FILE HEADER/1644-697 MUST BE FIRST MESSAGE IN A PHYSICAL TRANSMISSION.                                                                                                                                                                 | Both                        |

| Error number | Error message                                                                  | Edit performed by... |
|--------------|--------------------------------------------------------------------------------|----------------------|
| 0498         | IPM FILE HEADER/1644-697 MESSAGE MISSING. MUST FOLLOW A FILE TRAILER/1644-695. | Both                 |

## Error numbers 0500–0999

Each error number from 0500 to 0999 is associated with a specific message. The edit process that presents the message is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

| Error number | Error message                                                                                                                           | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0502         | DE71 MESSAGE NUMBER IN FILE HEADER MUST BE 00000001.                                                                                    | Both                 |
| 0503         | PDS0001 MASTERCARD MAPPING SERVICE ACCOUNT NUMBER NOT ALLOWED IN <MSGTYPE>.                                                             | GCMS                 |
|              | PDS0025 MESSAGE REVERSAL INDICATOR NOT ALLOWED IN FILE TRAILER.                                                                         | Both                 |
|              | PDS0044 PROGRAM PARTICIPATION INDICATOR NOT ALLOWED IN <MSGTYPE>.                                                                       | Both                 |
|              | PDS0188 PRIVATE DATA—PROPRIETARY INCONROL DATA NOT ALLOWED IN <MSGTYPE>.                                                                | GCMS                 |
|              | PDS0206 LATE PRESENTMENT INDICATOR NOT ALLOWED IN <MSGTYPE>.                                                                            | Both                 |
| 0505         | PDS0266S1 MESSAGE REASON CODE MUST BE A VALID MESSAGE REASON CODE OR ZEROS.                                                             | Both                 |
| 0507         | IPM FILE TRAILER/1644-695 MESSAGE MUST BE THE LAST MESSAGE IN A PHYSICAL TRANSMISSION.                                                  | Both                 |
| 0508         | IPM FILE TRAILER/1644-695 MESSAGE MISSING.                                                                                              | Both                 |
| 0510         | FILE TRAILER REJECTED BECAUSE ALL DETAILS IN FILE REJECTED. <b>(Does not apply to 7th Clearing transactions)</b>                        | Both                 |
| 0511         | NO DETAILS PRESENT IN THE LOGICAL FILE. ONLY FILE HEADER AND FILE TRAILER PRESENT. <b>(Does not apply to 7th Clearing transactions)</b> | Both                 |
| 0515         | PDS0122 PROCESSING MODE MUST BE P FOR PRODUCTION ENVIRONMENT; P OR T FOR TEST ENVIRONMENT.                                              | GCMS                 |
| 0517         | INVALID PDS0105 FILE ID IN FILE TRAILER. SHOULD BE THE SAME AS THAT IN THE FILE HEADER.                                                 | Both                 |
| 0519         | PDS0301 FILE AMOUNT, CHECKSUM IS NOT ZEROS, AND DOES NOT EQUAL THE TOTAL OF DE4 AMOUNT, TRANSACTION FROM EACH DETAIL MESSAGE.           | Both                 |

| Error number | Error message                                                                                                                                                                | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0521         | ASSOCIATED FINANCIAL DETAIL ADDENDUM/1644 REJECTED.                                                                                                                          | Both                 |
| 0523         | ACQUIRER NOT CERTIFIED BY MASTERCARD TO PROCESS ATM CASH WITHDRAWAL TRANSACTIONS.                                                                                            | Both                 |
| 0528         | PDS0191 ORIGINATING MESSAGE FORMAT INVALID. MUST BE 2 OR 6.                                                                                                                  | GCMS                 |
| 0531         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID OR OBSOLETE.                                                                                                                       | Both                 |
| 0539         | DE43S3 ACCEPTOR CITY MUST BE PRESENT.                                                                                                                                        | Both                 |
| 0544         | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED FOR INTERNAL USE BY MASTERCARD.                                                                               | Both                 |
| 0546         | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE/ACQUIRER BIN (DE31S2) COMBINATION INVALID.                                                                                   | Both                 |
| 0547         | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE/DE2 PRIMARY ACCOUNT NUMBER (PAN) COMBINATION INVALID.                                                                        | Both                 |
| 0550         | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                                                                               | Both                 |
| 0553         | GAMING NOT ALLOWED.                                                                                                                                                          | GCMS                 |
| 0554         | GAMING LOSS EXCEEDED.                                                                                                                                                        | GCMS                 |
| 0555         | GAMING WIN EXCEEDED.                                                                                                                                                         | GCMS                 |
| 0556         | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE PRESENT WHEN MESSAGE REVERSAL INDICATOR IS PRESENT IN FIRST PRESENTMENT MESSAGE.                          | Both                 |
| 0564         | INVALID FINANCIAL DETAIL ADDENDUM.                                                                                                                                           | Both                 |
| 0566         | ASSOCIATED FIRST PRESENTMENT REJECTED.                                                                                                                                       | Both                 |
| 0575         | ISSUER HAS ACCEPTED THE ACQUIRER'S RESPONSE.                                                                                                                                 | GCMS                 |
| 0577         | DE63 TRANSACTION LIFE CYCLE ID MUST BE THE SAME IDENTIFIER AS PROVIDED IN THE RELATED FIRST PRESENTMENT/1240.                                                                | Both                 |
| 0578         | INVALID FINANCIAL DETAIL ADDENDUM/1644. ONLY 999 OCCURRENCES FOR TRANSACTION DESCRIPTION DETAIL FOR EACH COMBINATION OF USAGE CODE AND INDUSTRY RECORD NUMBER ARE PERMITTED. | Both                 |
| 0580         | FINANCIAL DETAIL ADDENDUM/1644 OUT OF SEQUENCE.                                                                                                                              | Both                 |
| 0586         | DE43S4 ACCEPTOR POSTAL (ZIP) CODE REQUIRED.                                                                                                                                  | Both                 |
| 0588         | DE25 MESSAGE REASON CODE INVALID FOR ATM CASH WITHDRAWAL TRANSACTION.                                                                                                        | Both                 |
| 0589         | DE43S6 ACCEPTOR COUNTRY CODE MUST BE COMPATIBLE WITH DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE.                                                                        | Both                 |

| Error number | Error message                                                                                                                                                                                      | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0591         | PDS0172 SOLE PROPRIETOR NAME LENGTH MUST BE 1–30.                                                                                                                                                  | Both                 |
| 0592         | DOCUMENTATION ALWAYS REQUIRED FOR THIS DE25 MESSAGE REASON CODE.                                                                                                                                   | Both                 |
| 0593         | DE25 MESSAGE REASON CODE/TERMINAL TYPE COMBINATION INVALID.                                                                                                                                        | Both                 |
| 0595         | DE25 MESSAGE REASON CODE NOT ALLOWED IF FIRST CHARGEBACK WAS FOR REQUESTED TRANSACTION INFORMATION NOT RECEIVED.                                                                                   | GCMS                 |
| 0596         | PDS0023 TERMINAL TYPE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                                                              | Both                 |
| 0598         | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR CORPORATE PRODUCT.                                                                                                                               | Both                 |
| 0603         | DE72 DATA RECORD LENGTH CANNOT EXCEED 999.                                                                                                                                                         | Both                 |
| 0609         | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                                                                                                   | Both                 |
| 0612         | PDS0262 DOCUMENTATION INDICATOR 0 ON PREVIOUS CYCLE.                                                                                                                                               | GCMS                 |
| 0623         | DE43S5 ACCEPTOR STATE/PROVINCE/REGION CODE REQUIRED.                                                                                                                                               | Both                 |
| 0625         | DE43S2 ACCEPTOR STREET ADDRESS REQUIRED.                                                                                                                                                           | Both                 |
| 0631         | PDS0158S4 INTERCHANGE RATE DESIGNATOR AND PROCESSING CODE/ REVERSAL INDICATOR COMBINATION INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Both                 |
| 0637         | EXCEEDS MAXIMUM TIMELINESS VALUE OF <NNN> DAYS.                                                                                                                                                    | GCMS                 |
| 0638         | ISSUER CANNOT CHARGEBACK FOR DE25 MESSAGE REASON CODE 4801 OR 4802.                                                                                                                                | GCMS                 |
| 0648         | LESS THAN MINIMUM TIMELINESS VALUE OF <NNN> DAYS.                                                                                                                                                  | GCMS                 |
| 0649         | DUPLICATE DE95 CARD ISSUER REFERENCE DATA.                                                                                                                                                         | GCMS                 |
| 0650         | PDS0595 ACCEPTOR TYPE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                                                                        | Both                 |
| 0670         | PDS0158S4 INTERCHANGE RATE DESIGNATOR DOES NOT MEET TIMELINESS CRITERIA AND/OR DE12S1 DATE CONTAINS INVALID DATA.                                                                                  | Both                 |
| 0673         | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SERVICE INDUSTRY INTERCHANGE PROGRAM.                                                                                                  | Both                 |
| 0676         | PDS0538 ENDORSEMENTS/RESTRICTIONS LENGTH MUST BE 1–20.                                                                                                                                             | Both                 |
| 0677         | DE25 MESSAGE REASON CODE SHOULD HAVE BEEN 4802.                                                                                                                                                    | GCMS                 |
| 0686         | BUSINESS DATE RECEIVED AFTER 45 DAYS                                                                                                                                                               | GCMS                 |

| Error number | Error message                                                                                                                                                                                                                                                                                                                           | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0686         | EXCEEDS MAXIMUM TIMELINESS VALUE OF <NNN> DAYS.                                                                                                                                                                                                                                                                                         | GCMS                 |
| 0687         | DE24 FUNCTION CODE AND PDS0025 REVERSAL INDICATOR COMBINATION INVALID.                                                                                                                                                                                                                                                                  | GCMS                 |
| 0699         | PDS0173 LEGAL CORPORATE NAME LENGTH MUST BE 1–30.                                                                                                                                                                                                                                                                                       | Both                 |
| 0700         | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR INTERNATIONAL ELECTRONIC INTERCHANGE PROGRAM.                                                                                                                                                                                                                               | Both                 |
| 0704         | IMAGE REVIEW STILL PENDING.                                                                                                                                                                                                                                                                                                             | GCMS                 |
| 0711         | SUPPORT DOCUMENTATION NOT REQUIRED.                                                                                                                                                                                                                                                                                                     | GCMS                 |
| 0718         | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR WAREHOUSE INTERCHANGE PROGRAM.                                                                                                                                                                                                                                              | Both                 |
| 0726         | PREVIOUS CYCLE NOT ON FILE.                                                                                                                                                                                                                                                                                                             | GCMS                 |
| 0733         | TIMELINESS ERROR (AIRLINE).                                                                                                                                                                                                                                                                                                             | Both                 |
| 0735         | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, OR FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.            | Both                 |
|              | DE3 PROCESSING CODE MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, FEE COLLECTION (RETRIEVAL FEE BILLING), OR FEE COLLECTION (OTHER) MESSAGES. | Both                 |
|              | DE3 PROCESSING CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                                                                                                                                                                                                                                                 | Clearing Optimizer   |
|              | DE3S1 CARDHOLDER TRANSACTION TYPE MUST BE PRESENT.                                                                                                                                                                                                                                                                                      | Both                 |
|              | DE4 AMOUNT, TRANSACTION MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), FEE COLLECTION (OTHER) MESSAGES.                                                           | Both                 |
|              | DE4 AMOUNT, TRANSACTION MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                | Clearing Optimizer   |
|              | DE12 DATE AND TIME, LOCATION TRANSACTION MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                               | Clearing Optimizer   |



| Error number | Error message                                                                                                                                                                                                                                                                                                                                                                                | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | DE12 DATE AND TIME, LOCATION TRANSACTION MISSING. MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                                                                                                                                                                                                                                             | Clearing Optimizer   |
|              | DE12 DATE AND TIME, LOCAL TRANSACTION MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), OR RETRIEVAL REQUEST MESSAGES.                                                                                                    | Both                 |
|              | DE12S1 DATE MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), OR RETRIEVAL REQUEST MESSAGES.                                                                                                                              | Both                 |
|              | DE12S2 TIME MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), OR RETRIEVAL REQUEST MESSAGES.                                                                                                                              | Both                 |
|              | DE22 POINT OF SERVICE DATA CODE MISSING. MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES                                                                                                                                                                                                                                                                                                       | Clearing Optimizer   |
|              | DE24 FUNCTION CODE MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, FEE COLLECTION (RETRIEVAL FEE BILLING), FEE COLLECTION (OTHER), FILE HEADER, FILE TRAILER, OR FINANCIAL DETAIL ADDENDUM MESSAGES. | Both                 |
|              | DE24 FUNCTION CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                                                                          | Clearing Optimizer   |
|              | DE25 MESSAGE REASON CODE MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, FEE COLLECTION (RETRIEVAL FEE BILLING), OR FEE COLLECTION (OTHER) MESSAGES.                                                 | Both                 |
|              | DE25 MESSAGE REASON CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                                                                    | Clearing Optimizer   |

| Error number | Error message                                                                                                                                                                                                                                                                                                                                                                      | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | DE26 ACCEPTOR BUSINESS CODE (MCC) MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), OR ARBITRATION CHARGEBACK (PARTIAL) MESSAGES.                                                                                                                 | Both                 |
|              | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT IN FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, OR FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                                                    | Both                 |
|              | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT.                                                                                                                                                                                                                                                                                                                                            | Both                 |
|              | DE31 ACQUIRER REFERENCE DATA MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, OR FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                           | Both                 |
|              | DE33 FORWARDING INSTITUTION ID CODE MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, FEE COLLECTION (RETRIEVAL FEE BILLING), FEE COLLECTION (OTHER), OR FINANCIAL DETAIL ADDENDUM MESSAGES. | Both                 |
|              | DE33 FORWARDING INSTITUTION ID CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                                               | Clearing Optimizer   |
|              | DE37 RETRIEVAL REFERENCE NUMBER MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                                                   | Clearing Optimizer   |
|              | DE41 ACCEPTOR TERMINAL ID MUST BE PRESENT.                                                                                                                                                                                                                                                                                                                                         | Both                 |
| 0735         | DE42 ACCEPTOR ID CODE MUST BE PRESENT IN 1740/790, 791 MESSAGES.                                                                                                                                                                                                                                                                                                                   | Both                 |
|              | DE43S1 ACCEPTOR NAME MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), OR ARBITRATION CHARGEBACK (PARTIAL) MESSAGES.                                                                                                                              | Both                 |

| Error number | Error message                                                                                                                                                                                                                                                                                                                                                                                  | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | DE48 ADDITIONAL DATA MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, FEE COLLECTION (RETRIEVAL FEE BILLING), FEE COLLECTION (OTHER), FILE HEADER, FILE TRAILER, OR FINANCIAL DETAIL ADDENDUM MESSAGES. | Both                 |
|              | DE48 ADDITIONAL DATA MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                                                                          | Clearing Optimizer   |
|              | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), OR FEE COLLECTION (OTHER) MESSAGES.                                                                                                       | Both                 |
|              | DE49 CURRENCY CODE, TRANSACTION MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                                                               | Clearing Optimizer   |
|              | DE71 MESSAGE NUMBER MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, FEE COLLECTION (RETRIEVAL FEE BILLING), FEE COLLECTION (OTHER), FILE HEADER, FILE TRAILER, OR FINANCIAL DETAIL ADDENDUM MESSAGES.  | Both                 |
|              | DE71 MESSAGE NUMBER MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                                                                           | Clearing Optimizer   |
|              | DE73 DATE, ACTION MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                                                                                                                                                                                                                                                                          | Both                 |
|              | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER/HANDLING FEES) MESSAGES.                                                                                                                                                                                                                                                                    | Both                 |
|              | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING), OR FEE COLLECTION (OTHER) MESSAGES.                                                                                                                                                                                                                                                | Both                 |
|              | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                                              | Clearing Optimizer   |

| Error number | Error message                                                                                                                                                                                                                                                                                                                                                                                 | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, FEE COLLECTION (RETRIEVAL FEE BILLING), FEE COLLECTION (OTHER) OR FINANCIAL DETAIL ADDENDUM MESSAGES. | Both                 |
|              | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                                              | Clearing Optimizer   |
|              | DE95 CARD ISSUER REFERENCE DATA MUST BE PRESENT IN FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), OR ARBITRATION CHARGEBACK (PARTIAL) MESSAGES.                                                                                                                                                 | Both                 |
|              | PDS0023 TERMINAL TYPE MISSING. MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                                                                                                                                                                                                                                                                 | Clearing Optimizer   |
|              | PDS0105 FILE ID MISSING. MUST BE PRESENT IN FILE HEADER AND FILE TRAILER MESSAGES.                                                                                                                                                                                                                                                                                                            | Both                 |
|              | PDS0137 FEE COLLECTION MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                                                                                                                                                                                                                                                                                    | Both                 |
|              | PDS0137 FEE COLLECTION CONTROL NUMBER MUST BE PRESENT.                                                                                                                                                                                                                                                                                                                                        | Both                 |
|              | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, OR FEE COLLECTION (OTHER) MESSAGES.                                                                                        | Both                 |
|              | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                                                                   | Clearing Optimizer   |
|              | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT.                                                                                                                                                                                                                                                                                                                                    | Both                 |
|              | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MISSING MUST BE PRESENT IN FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), OR ARBITRATION CHARGEBACK (PARTIAL) MESSAGES.                                                                                                                               | Both                 |
|              | PDS0158 BUSINESS ACTIVITY MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), OR ARBITRATION CHARGEBACK (PARTIAL) MESSAGES.                                                                                                                                    | Both                 |

| Error number | Error message                                                                                                                                                                                                                                                                                                                                    | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0165 SETTLEMENT INDICATOR MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUEST, FEE COLLECTION (RETRIEVAL FEE BILLING), OR FEE COLLECTION (OTHER) MESSAGES. | Both                 |
|              | PDS0165 SETTLEMENT INDICATOR MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                                                                    | Clearing Optimizer   |
|              | PDS0230 FULFILLMENT DOCUMENT CODE MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                                                                                                                                                                                                            | Both                 |
|              | PDS0262 DOCUMENTATION INDICATOR MUST BE PRESENT IN FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), OR ARBITRATION CHARGEBACK (PARTIAL) MESSAGES.                                                                                                    | Both                 |
|              | PDS0264 ORIGINAL RETRIEVAL REASON FOR REQUEST MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                                                                                                                                                                                                | Both                 |
|              | PDS0301 FILE AMOUNT, CHECKSUM MUST BE PRESENT IN FILE TRAILER MESSAGES.                                                                                                                                                                                                                                                                          | Both                 |
|              | PDS0306 FILE MESSAGE COUNTS MUST BE PRESENT IN FILE TRAILER MESSAGES.                                                                                                                                                                                                                                                                            | Both                 |
|              | PDS0501 TRANSACTION DESCRIPTION MUST BE PRESENT IN FINANCIAL DETAIL ADDENDUM MESSAGES.                                                                                                                                                                                                                                                           | Both                 |
| 0738         | DE4 AMOUNT, TRANSACTION EXCEEDS MAXIMUM AMOUNT SPECIFIED FOR THE GIVEN DE25 MESSAGE REASON CODE.                                                                                                                                                                                                                                                 | GCMS                 |
| 0741         | THE ISSUER HAS NOT ACCEPTED/REJECTED THE FULFILLMENT.                                                                                                                                                                                                                                                                                            | GCMS                 |
| 0747         | INVALID DATE, ACTION. MUST BE VALID YYMMDD, YYMM00, OR ALL ZEROS.                                                                                                                                                                                                                                                                                | Both                 |
| 0753         | REQUIRED SUPPORT DOCUMENTATION PROVIDED.                                                                                                                                                                                                                                                                                                         | GCMS                 |
| 0756         | PDS0137 FEE COLLECTION CONTROL NUMBER LENGTH MUST BE 17–20.                                                                                                                                                                                                                                                                                      | Both                 |
| 0766         | DE42 ACCEPTOR ID CODE MUST BE PRESENT.                                                                                                                                                                                                                                                                                                           | Both                 |
| 0769         | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR FLEET TRANSACTION AT FUEL LOCATION.                                                                                                                                                                                                                                                            | Both                 |
| 0780         | DE38 APPROVAL CODE MUST BE PRESENT WHEN DE22S7 IS EQUAL TO 2, A, OR B                                                                                                                                                                                                                                                                            | Both                 |
|              | DE38 APPROVAL CODE MUST BE PRESENT.                                                                                                                                                                                                                                                                                                              | Both                 |
|              | DE63S2 TRACE ID MUST BE PRESENT.                                                                                                                                                                                                                                                                                                                 | Both                 |

| Error number | Error message                                                                                                                                                                                                                                                                                                                            | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0783         | PDS0528 COUPON NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                                                                                                                                                       | Both                 |
| 0784         | PDS0530 FLIGHT NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                                                                                                                                                       | Both                 |
| 0785         | PDS0531S1 DEPARTURE TIME INVALID. MUST BE IN THE FORMAT HHMM. HOURS MUST BE 00–23 AND MINUTES MUST BE 00–59.                                                                                                                                                                                                                             | Both                 |
| 0786         | PDS0531S2 DEPARTURE TIME SEGMENT INVALID. MUST BE A, P, OR A SPACE.                                                                                                                                                                                                                                                                      | Both                 |
| 0789         | PDS0561S2 ADJUSTED AMOUNT CANNOT EQUAL ALL SPACES OR ALL ZEROS IF PDS0561S1 ADJUSTED AMOUNT INDICATOR IS EQUAL TO A, B, C, D, E, OR X.                                                                                                                                                                                                   | Both                 |
| 0790         | INVALID DE33 FORWARDING INSTITUTION ID CODE FOR FIRST PRESENTMENT, SECOND PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), RETRIEVAL REQUESTS, FINANCIAL DETAIL ADDENDUM, FEE COLLECTION (RETRIEVAL FEE BILLING), AND FEE COLLECTION (OTHER) MESSAGES. | Both                 |
| 0792         | PDS0538 ENDORSEMENTS/RESTRICTIONS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                                                                                                                                                                                                  | Both                 |
| 0808         | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                                                                                                                                                                                                                                                                     | Both                 |
| 0823         | PDS0191 ORIGINATING MESSAGE FORMAT LENGTH MUST BE A FIXED LENGTH OF 001.                                                                                                                                                                                                                                                                 | Both                 |
| 0825         | PDS0241 MASTERCOM CONTROL NUMBER LENGTH MUST BE 002 OR 007.                                                                                                                                                                                                                                                                              | Both                 |
| 0826         | PDS0266 FIRST CHARGEBACK/FEE COLLECTION RETURN DATA MUST BE 004–127.                                                                                                                                                                                                                                                                     | Both                 |
| 0828         | PDS0505 PASSENGER NAME LENGTH MUST BE 1–29.                                                                                                                                                                                                                                                                                              | Both                 |
| 0829         | PDS0507 ISSUING CARRIER MUST BE A FIXED LENGTH OF 004.                                                                                                                                                                                                                                                                                   | Both                 |
| 0830         | PDS0509 ISSUE DATE MUST BE A FIXED LENGTH OF 006.                                                                                                                                                                                                                                                                                        | Both                 |
| 0831         | PDS0510 TRAVEL AGENCY CODE MUST BE A FIXED LENGTH OF 008.                                                                                                                                                                                                                                                                                | Both                 |
| 0832         | PDS0512 TOTAL FARE MUST BE A FIXED LENGTH OF 012.                                                                                                                                                                                                                                                                                        | Both                 |
| 0833         | PDS0513 TOTAL FEES MUST BE A FIXED LENGTH OF 012.                                                                                                                                                                                                                                                                                        | Both                 |
| 0834         | PDS0514 TOTAL TAXES MUST BE A FIXED LENGTH OF 012.                                                                                                                                                                                                                                                                                       | Both                 |
| 0835         | PDS0520 TRAVEL DATE MUST BE A FIXED LENGTH OF 006.                                                                                                                                                                                                                                                                                       | Both                 |
| 0837         | PDS0522 SERVICE CLASS CODE MUST BE A FIXED LENGTH OF 002.                                                                                                                                                                                                                                                                                | Both                 |
| 0838         | PDS0523 CITY OF ORIGIN/AIRPORT CODE MUST BE A FIXED LENGTH OF 005.                                                                                                                                                                                                                                                                       | Both                 |

| Error number | Error message                                                             | Edit performed by... |
|--------------|---------------------------------------------------------------------------|----------------------|
| 0839         | PDS0524 CITY OF DESTINATION/AIRPORT CODE MUST BE A FIXED LENGTH OF 005.   | Both                 |
| 0840         | PDS0525 STOP OVER CODE MUST BE A FIXED LENGTH OF 001.                     | Both                 |
| 0841         | PDS0526 CONJUNCTION TICKET MUST BE A FIXED LENGTH OF 015.                 | Both                 |
| 0842         | PDS0527 EXCHANGE TICKET MUST BE A FIXED LENGTH OF 015.                    | Both                 |
| 0843         | PDS0528 COUPON NUMBER MUST BE A FIXED LENGTH OF 001.                      | Both                 |
| 0844         | PDS0530 FLIGHT NUMBER MUST BE A FIXED LENGTH OF 005.                      | Both                 |
| 0845         | PDS0531 DEPARTURE TIME MUST BE A FIXED LENGTH OF 005.                     | Both                 |
| 0846         | PDS0533 ARRIVAL TIME MUST BE A FIXED LENGTH OF 005.                       | Both                 |
| 0847         | PDS0535 FARE MUST BE A FIXED LENGTH OF 012.                               | Both                 |
| 0848         | PDS0536 FEE MUST BE A FIXED LENGTH OF 012.                                | Both                 |
| 0849         | PDS0537 TAXES MUST BE A FIXED LENGTH OF 012.                              | Both                 |
| 0850         | PDS0544 RENTAL AGREEMENT NUMBER MUST BE A FIXED LENGTH OF 009.            | Both                 |
| 0851         | PDS0547 RENTAL RETURN STATE/PROVINCE MUST BE A FIXED LENGTH OF 003.       | Both                 |
| 0852         | PDS0548 RENTAL RETURN COUNTRY MUST BE A FIXED LENGTH OF 003.              | Both                 |
| 0853         | PDS0549 RENTAL RETURN LOCATION ID MUST BE A FIXED LENGTH OF 010.          | Both                 |
| 0854         | PDS0550 RENTAL RETURN DATE MUST BE A FIXED LENGTH OF 006.                 | Both                 |
| 0855         | PDS0551 RENTAL CHECKOUT DATE MUST BE A FIXED LENGTH OF 006.               | Both                 |
| 0857         | PDS0553 RENTAL RATE MUST BE A FIXED LENGTH OF 013.                        | Both                 |
| 0858         | PDS0555 RATE PER MILE (OR PER KILOMETER) MUST BE A FIXED LENGTH OF 012.   | Both                 |
| 0859         | PDS0556 TOTAL MILES (OR KILOMETERS) MUST BE A FIXED LENGTH OF 004.        | Both                 |
| 0860         | PDS0557 MAXIMUM FREE MILES (OR KILOMETERS) MUST BE A FIXED LENGTH OF 004. | Both                 |
| 0861         | PDS0558 MILES/KILOMETER INDICATOR MUST BE A FIXED LENGTH OF 001.          | Both                 |
| 0862         | PDS0559 VEHICLE INSURANCE MUST BE A FIXED LENGTH OF 013.                  | Both                 |
| 0863         | PDS0561 ADJUSTED AMOUNT MUST BE A FIXED LENGTH OF 013.                    | Both                 |
| 0865         | PDS0563 PROGRAM CODE MUST BE A FIXED LENGTH OF 002.                       | Both                 |
| 0866         | PDS0565 RENTAL LOCATION STATE/PROVINCE MUST BE A FIXED LENGTH OF 003.     | Both                 |

| Error number | Error message                                                                                                                           | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0867         | PDS0565 RENTAL LOCATION STATE/PROVINCE MUST CONTAIN A VALID U.S. STATE/PROVINCE CODE IF PDS0566 RENTAL LOCATION COUNTRY CONTAINS "USA." | Both                 |
| 0868         | PDS0574 ARRIVAL DATE MUST BE A FIXED LENGTH OF 006.                                                                                     | Both                 |
| 0869         | PDS0575 DEPARTURE DATE MUST BE A FIXED LENGTH OF 006.                                                                                   | Both                 |
| 0875         | PDS0582 PROGRAM CODE MUST BE A FIXED LENGTH OF 002.                                                                                     | Both                 |
| 0883         | PDS0598 TOTAL TAX COLLECTED INDICATOR MUST BE A FIXED LENGTH OF 001.                                                                    | Both                 |
| 0886         | PDS0608 DESTINATION POSTAL CODE MUST BE A FIXED LENGTH OF 010.                                                                          | Both                 |
| 0887         | PDS0609 DESTINATION STATE/PROVINCE CODE MUST BE A FIXED LENGTH OF 003.                                                                  | Both                 |
| 0888         | PDS0609 DESTINATION STATE/PROVINCE CODE INVALID. MUST CONTAIN A VALID U.S. STATE CODE.                                                  | Both                 |
|              | PDS0670S4 PAYER STATE/PROVINCE CODE INVALID. MUST CONTAIN A VALID U.S. STATE CODE.                                                      | Both                 |
| 0889         | PDS0610 DESTINATION COUNTRY CODE MUST BE A FIXED LENGTH OF 003.                                                                         | Both                 |
| 0890         | PDS0610 DESTINATION COUNTRY CODE INVALID. MUST CONTAIN A VALID COUNTRY CODE.                                                            | Both                 |
|              | PDS0670S5 PAYER COUNTRY CODE INVALID. MUST CONTAIN A VALID COUNTRY CODE.                                                                | Both                 |
| 0893         | PDS0613 SHIP-FROM POSTAL CODE MUST BE A FIXED LENGTH OF 010.                                                                            | Both                 |
| 0894         | PDS0614 ORDER DATE LENGTH MUST BE A FIXED LENGTH OF 006.                                                                                | Both                 |
| 0895         | PDS0620 OIL COMPANY BRAND NAME MUST BE A FIXED LENGTH OF 004.                                                                           | Both                 |
| 0896         | PDS0621 PURCHASE TIME MUST BE A FIXED LENGTH OF 004.                                                                                    | Both                 |
| 0897         | PDS0622 MOTOR FUEL SERVICE TYPE MUST BE A FIXED LENGTH OF 001.                                                                          | Both                 |
| 0903         | PDS0632 PRODUCT TYPE CODE MUST BE A FIXED LENGTH OF 001.                                                                                | Both                 |
| 0904         | PDS0633 COUPON/DISCOUNT AMOUNT MUST BE A FIXED LENGTH OF 012.                                                                           | Both                 |
| 0905         | PDS0634 TAX AMOUNT 1 MUST BE A FIXED LENGTH OF 006.                                                                                     | Both                 |
| 0906         | PDS0635 TAX AMOUNT 2 MUST BE A FIXED LENGTH OF 006.                                                                                     | Both                 |
| 0907         | PDS0643 ITEM QUANTITY MUST BE A FIXED LENGTH OF 013.                                                                                    | Both                 |
|              | PDS0785 FLEET ITEM QUANTITY MUST BE A FIXED LENGTH OF 013.                                                                              | Both                 |
|              | PDS0784 FLEET ITEM DESCRIPTION LENGTH MUST BE 1–35.                                                                                     | Both                 |



| Error number | Error message                                                                                                                                                                                                                                                                                                                                                                     | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0908         | PDS0646 UNIT PRICE MUST BE A FIXED LENGTH OF 013.                                                                                                                                                                                                                                                                                                                                 | Both                 |
| 0917         | PDS0505 PASSENGER NAME, PDS0506 TICKET NUMBER, PDS0507 ISSUING CARRIER REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS.                                                                                                                                                                                                                            | Both                 |
|              | PDS0520 TRAVEL DATE, PDS0521 CARRIER CODE, PDS0522 SERVICE CLASS CODE, PDS0523 CITY OF ORIGIN/AIRPORT CODE, PDS0524 CITY OF DESTINATION/AIRPORT CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS.                                                                                                                                              | Both                 |
| 0925         | PDS0529 FARE BASIS CODE LENGTH MUST BE 1–15.                                                                                                                                                                                                                                                                                                                                      | Both                 |
| 0927         | PDS0533S2 ARRIVAL TIME SEGMENT INVALID. MUST BE A, P, OR A SPACE.                                                                                                                                                                                                                                                                                                                 | Both                 |
| 0928         | PDS0544 RENTAL AGREEMENT NUMBER, PDS0545 RENTER NAME, PDS0546 RENTAL RETURN CITY, PDS0547 RENTAL RETURN STATE/PROVINCE, PDS0548 RENTAL RETURN COUNTRY, PDS0549 RENTAL RETURN LOCATION ID, PDS0550 RENTAL RETURN DATE, PDS0551 RENTAL CHECK-OUT DATE, AND PDS0552 CUSTOMER SERVICE TOLL-FREE NUMBER REQUIRED FOR VEHICLE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAM. | Both                 |
| 0939         | PDS0553S2 RENTAL RATE INVALID. MUST BE NUMERIC.                                                                                                                                                                                                                                                                                                                                   | Both                 |
| 0940         | PDS0553S1 RENTAL RATE INDICATOR MUST BE D, W, OR M.                                                                                                                                                                                                                                                                                                                               | Both                 |
| 0941         | PDS0559S2 INSURANCE CHARGES CANNOT EQUAL ALL SPACES OR ALL ZEROS IF INSURANCE INDICATOR IS EQUAL TO Y.                                                                                                                                                                                                                                                                            | Both                 |
| 0948         | PDS0596 ACCEPTOR TAX ID REQUIRED FOR THE INTERNATIONAL COMMERCIAL PURCHASING DATA RATE II INTERCHANGE PROGRAMS.                                                                                                                                                                                                                                                                   | Both                 |
| 0951         | PDS0600 ACCEPTOR REFERENCE NUMBER LENGTH MUST BE 001–025.                                                                                                                                                                                                                                                                                                                         | Both                 |
| 0953         | PDS0620 OIL COMPANY BRAND NAME REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS FOR THE SUBMITTED IRD.                                                                                                                                                                                                                                                                       | Both                 |
| 0960         | PDS0629 ODOMETER READING LENGTH MUST BE 1–7.                                                                                                                                                                                                                                                                                                                                      | Both                 |
| 0961         | PDS0630 VEHICLE NUMBER LENGTH MUST BE 1–17.                                                                                                                                                                                                                                                                                                                                       | Both                 |
| 0962         | PDS0631 DRIVER NUMBER/ID NUMBER LENGTH MUST BE 1–17.                                                                                                                                                                                                                                                                                                                              | Both                 |
| 0963         | PDS0641 PRODUCT CODE LENGTH MUST BE 1–15.                                                                                                                                                                                                                                                                                                                                         | Both                 |
| 0964         | PDS0642 ITEM DESCRIPTION LENGTH MUST BE 1–35.                                                                                                                                                                                                                                                                                                                                     | Both                 |
|              | PDS0784 FLEET ITEM DESCRIPTION LENGTH MUST BE 1–35.                                                                                                                                                                                                                                                                                                                               | Both                 |
| 0965         | PDS0645 ITEM UNIT OF MEASURE LENGTH MUST BE 1–12.                                                                                                                                                                                                                                                                                                                                 | Both                 |
|              | PDS0786 FLEET ITEM UNIT OF MEASURE LENGTH MUST BE 1–12.                                                                                                                                                                                                                                                                                                                           | Both                 |
| 0966         | PDS0648S2 DISCOUNT AMOUNT CANNOT EQUAL ALL ZEROS IF PDS0648S1 DISCOUNT INDICATOR IS EQUAL TO Y.                                                                                                                                                                                                                                                                                   | Both                 |

| Error number | Error message                                                                                                                 | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 0967         | PDS0663 FREE-FORM DESCRIPTION LENGTH MUST BE 001–992.                                                                         | Both                 |
| 0971         | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE EQUAL TO 001 FOR USAGE CODE 01 AND INDUSTRY RECORD NUMBER 000.                | Both                 |
| 0972         | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF 002–099 FOR USAGE CODE 01 AND INDUSTRY RECORD NUMBER 001.     | Both                 |
| 0973         | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE EQUAL TO 001 FOR USAGE CODE 98 AND INDUSTRY RECORD NUMBER 000.                | Both                 |
| 0975         | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF "001-003" FOR USAGE CODE 98 AND INDUSTRY RECORD NUMBER "002". | Both                 |
| 0976         | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 002–999 FOR USAGE CODE 98 AND INDUSTRY RECORD NUMBER 950.              | Both                 |
| 0982         | PDS0511 TRAVEL AGENCY NAME LENGTH MUST BE 1–25.                                                                               | Both                 |
| 0984         | PDS0521 CARRIER CODE MUST BE A FIXED LENGTH OF 002.                                                                           | Both                 |
| 0986         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6011 AUTOMATED CASH DISBURSEMENT FOR DE3S1, PROCESSING CODE 01.            | Both                 |
| 0987         | DUPLICATE OCCURRENCE OF <PDSXXX> IN A SINGLE MESSAGE.                                                                         | Both                 |
| 0988         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE DESIGNATED AS UNIQUE FOR DE3S1 PROCESSING CODE 18.                         | Both                 |
|              | DE3 SUBFIELD 1 INVALID. MUST BE DESIGNATED AS UNIQUE FOR DE3 SUBFIELD 1, PROCESSING CODE 18.                                  | Both                 |
| 0990         | UNPARSEABLE MESSAGE. TOO MANY TAGS TO TAG TABLE.                                                                              | Both                 |
| 0991         | UNPARSEABLE MESSAGE. NO PDS DEFINED WITH THIS NUMBER.                                                                         | Both                 |
| 0992         | UNPARSEABLE MESSAGE. NO \ AT END OF SUBFIELD.                                                                                 | Both                 |
| 0993         | MISSING SECOND BITMAP.                                                                                                        | Both                 |
| 0994         | NON-NUMERIC PDS ID.                                                                                                           | Both                 |
| 0997         | NON-NUMERIC LENGTH FIELD.                                                                                                     | Both                 |

### Error numbers 1000–1199

Each error number from 1000 to 1199 is associated with a specific message. The edit process that presents the message is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

## Error numbers 1000–1199

| Error number | Error message                                                                                                                                                                                                                                                                                                | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 1012         | THRESHOLDS EXCEEDED. FILE REJECTED.                                                                                                                                                                                                                                                                          | Clearing Optimizer   |
| 1013         | RERUN FILE ID NOT PRESENT ON FILE ID HISTORY FILE.                                                                                                                                                                                                                                                           | Clearing Optimizer   |
| 1014         | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE EQUAL TO 19 FOR FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                                                                                                                                                          | Both                 |
| 1015         | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE EQUAL TO 19 OR 29 FOR FEE COLLECTION (OTHER) MESSAGES.                                                                                                                                                                                                    | Both                 |
|              | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE EQUAL TO 19 OR 29 FOR FUNDS TRANSFER FEE COLLECTION MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                | Clearing Optimizer   |
| 1016         | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT AND NON-ZERO IN RETRIEVAL REQUEST, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL) AND FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES. | Both                 |
| 1019         | DE30 AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                                                                                                                                                                                                                      | Both                 |
| 1022         | PDS0105S3 PROCESSOR ID INVALID.                                                                                                                                                                                                                                                                              | Both                 |
| 1023         | DE5 AMOUNT, RECONCILIATION MUST BE PRESENT.                                                                                                                                                                                                                                                                  | Both                 |
|              | DE38 APPROVAL CODE MUST BE PRESENT.                                                                                                                                                                                                                                                                          | Both                 |
|              | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM-RELATED DATA MUST BE PRESENT.                                                                                                                                                                                                                                      | Both                 |
|              | PDS0146 AMOUNTS, TRANSACTION FEE MUST BE PRESENT.                                                                                                                                                                                                                                                            | Both                 |
|              | PDS0173 LEGAL CORPORATE NAME MUST BE PRESENT.                                                                                                                                                                                                                                                                | Both                 |
|              | PDS0176 MASTERCARD ASSIGNED ID MUST BE PRESENT.                                                                                                                                                                                                                                                              | Both                 |
|              | PDS0205 SYNTAX RETURN, MESSAGE ERROR INDICATOR MUST BE PRESENT.                                                                                                                                                                                                                                              | Both                 |
|              | PDS0595 ACCEPTOR TYPE MUST BE PRESENT.                                                                                                                                                                                                                                                                       | Both                 |
|              | DE38 APPROVAL CODE MUST BE PRESENT.                                                                                                                                                                                                                                                                          | Both                 |
| 1027         | PDS0538 ENDORSEMENTS/RESTRICTIONS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                                                                                                               | Both                 |
| 1031         | INVALID CORPORATE ADDENDUM. CORPORATE ADDENDUM INFORMATION CAN ONLY BE USED WITH A CORPORATE ACCOUNT RANGE.                                                                                                                                                                                                  | Both                 |

| Error number | Error message                                                                                                                                               | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 1032         | PDS0566 RENTAL LOCATION COUNTRY MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                                             | Both                 |
| 1034         | PDS0623 MOTOR FUEL INFORMATION REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS IN WHICH PDS 0622 CONTAINS A VALUE OTHER THAN 3 FOR THE SUBMITTED IRD. | Both                 |
| 1036         | <FLDLIST> REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS.                                                         | Both                 |
| 1037         | PDS0529 FARE BASIS CODE CANNOT CONTAIN ALL SPACES.                                                                                                          | Both                 |
| 1038         | PDS0533S1 ARRIVAL TIME INVALID. MUST BE IN THE FORMAT HHMM. HOURS MUST BE 00–23 AND MINUTES MUST BE 00–59.                                                  | Both                 |
| 1042         | PDS0549 RENTAL RETURN LOCATION ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                     | Both                 |
| 1043         | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                                                          | Both                 |
| 1044         | PDS0566 RENTAL LOCATION COUNTRY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                       | Both                 |
| 1045         | PDS0576 FOLIO NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                                  | Both                 |
| 1046         | PDS0577 PROPERTY PHONE NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                            | Both                 |
| 1048         | PDS0501 TRANSACTION DESCRIPTION MUST BE NUMERIC.                                                                                                            | Both                 |
| 1054         | PDS0623S4 MOTOR FUEL QUANTITY MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                        | Both                 |
|              | PDS0782S4 FLEET FUEL QUANTITY MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                        | Both                 |
| 1057         | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM-RELATED DATA LENGTH MUST BE 1–255.                                                                                | Both                 |
| 1059         | PDS0146S4 CURRENCY CODE, FEE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                                                      | Both                 |
| 1066         | DE3 PROCESSING CODE AND PDS0043 TRANSACTION TYPE ID COMBINATION INVALID.                                                                                    | Both                 |
|              | DE3 PROCESSING CODE AND PDS0165S1 SETTLEMENT INDICATOR COMBINATION INVALID.                                                                                 | Both                 |
| 1067         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6012 MERCHANDISE & SERVICES FOR DE3S1, PROCESSING CODE 17 OR 50.                                         | Both                 |

| Error number | Error message                                                                                                                                                                                                                                                                                                                  | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 1073         | PASSENGER TRANSPORT DETAIL—GENERAL TICKET INFORMATION ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                                                                                                                                               | Both                 |
| 1074         | PASSENGER TRANSPORT DETAIL-TRIP LEG DATA ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                                                                                                                                                            | Both                 |
| 1075         | VEHICLE RENTAL DETAIL ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                                                                                                                                                                               | Both                 |
| 1076         | LODGING DETAIL ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                                                                                                                                                                                      | Both                 |
| 1077         | CORPORATE CARD COMMON DATA ADDENDUM IS REQUIRED FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                                                                                                                                                                                                         | Both                 |
| 1078         | CORPORATE DETAIL-CORPORATE FLEET TRANSACTION INFORMATION ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                                                                                                                                            | Both                 |
| 1079         | CORPORATE LINE ITEM DETAIL REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                                                                                                                                                                                   | Both                 |
| 1081         | PDS0599 CORPORATION VAT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                                                                                                                                                                                           | Both                 |
| 1084         | PDS0241 MASTERCOM CONTROL NUMBER MUST BE A FIXED LENGTH OF 002.                                                                                                                                                                                                                                                                | Both                 |
| 1086         | DE49 CURRENCY CODE FOR FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), AND FEE COLLECTION (OTHER) MESSAGES MUST CONTAIN A VALUE OF 840 OR THE INTRACURRENCY AGREEMENT SETTLEMENT CURRENCY CODE. | GCMS                 |
| 1087         | DE31S2 ACQUIRER'S BIN NOT A VALID ACQUIRER BIN.                                                                                                                                                                                                                                                                                | Both                 |
| 1089         | PDS0632 PRODUCT TYPE CODE INVALID. SHOULD BE 1–5.                                                                                                                                                                                                                                                                              | Both                 |
| 1092         | PDS0023 TERMINAL TYPE MISSING. MUST BE PRESENT IN NON-REVERSAL FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), OR ARBITRATION CHARGEBACK (PARTIAL) MESSAGES.                                                   | Both                 |
| 1100         | DE63 TRANSACTION LIFE CYCLE ID MUST BE PRESENT FOR THE APPLICABLE CANADA ACQUIRED INCENTIVE INTERCHANGE PROGRAMS.                                                                                                                                                                                                              | Both                 |
| 1102         | PDS0146S3 FEE SETTLEMENT INDICATOR MUST BE 00 OR 01.                                                                                                                                                                                                                                                                           | Both                 |
| 1106         | PAYMENT TRANSACTION NOT ALLOWED.                                                                                                                                                                                                                                                                                               | GCMS                 |
| 1120         | PDS0026S1 FILE REVERSAL INDICATOR MUST BE EQUAL TO R IF PRESENT.                                                                                                                                                                                                                                                               | Both                 |
| 1121         | PDS0026S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL FILE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.                                                                                                                                                                                                                 | Both                 |

| Error number | Error message                                                                                                        | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------|----------------------|
| 1122         | PDS0026S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL FILE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.  | Both                 |
| 1123         | PDS0535 FARE MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                                    | Both                 |
| 1124         | PDS0536 FEE MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                                     | Both                 |
| 1125         | PDS0537 TAXES MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                                   | Both                 |
| 1126         | PDS0575 DEPARTURE DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                    | Both                 |
| 1127         | PDS0507 ISSUING CARRIER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                 | Both                 |
| 1128         | PDS0521 CARRIER CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                    | Both                 |
| 1131         | PDS0110S3 PROCESSOR ID MUST BE NUMERIC.                                                                              | Both                 |
| 1132         | PDS0268 AMOUNT, PARTIAL TRANSACTION LENGTH MUST BE A FIXED LENGTH OF 15.                                             | Both                 |
| 1133         | PDS0566 RENTAL LOCATION COUNTRY MUST BE A FIXED LENGTH OF 003.                                                       | Both                 |
| 1134         | PDS0567 RENTAL LOCATION ID MUST BE A FIXED LENGTH OF 010.                                                            | Both                 |
| 1135         | PDS0568 RENTAL CLASS ID MUST BE A FIXED LENGTH OF 004.                                                               | Both                 |
| 1137         | PDS0597 TOTAL TAX AMOUNT REQUIRED FOR U.S. REGION FACE TO FACE, DATA RATE II, OR DATA RATE III INTERCHANGE PROGRAMS. | Both                 |
| 1138         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6010 MANUAL CASH DISBURSEMENT FOR DE3S1, PROCESSING CODE 12.      | Both                 |
| 1140         | ATM CHARGEBACKS MUST BE SENT TO ATM ACQUIRERS.                                                                       | Both                 |
| 1151         | PDS0172 SOLE PROPRIETOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                   | Both                 |
|              | PDS0184 LEFT-JUSTIFIED AND MUST NOT CONTAIN ALL SPACES.                                                              | Both                 |
|              | PDS0791S2 DRIVER RELATED DATA 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                |                      |
|              | PDS0792S2 DRIVER RELATED DATA 3 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                |                      |
|              | PDS0793S2 DRIVER RELATED DATA 4 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                |                      |
|              | PDS0794S2 DRIVER RELATED DATA 5 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                |                      |
| 1152         | PDS0173 LEGAL CORPORATE NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                   | Both                 |

| Error number | Error message                                                                                                                                                                    | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 1155         | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE CANNOT BE FLAGGED FOR INTERNAL USE ONLY.                                                                                        | GCMS                 |
| 1156         | ATM RETRIEVAL REQUESTS MUST BE SENT TO ATM ACQUIRERS.                                                                                                                            | GCMS                 |
| 1157         | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE A SUPERMARKET INTERCHANGE ACQUIRER IF THE TRANSACTION IS SUBMITTED FOR THE U.S. REGION SUPERMARKET INTERCHANGE PROGRAM. | GCMS                 |
| 1158         | DE2 PRIMARY ACCOUNT NUMBER (PAN) IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                                                                                                | GCMS                 |
|              | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                                                                                | GCMS                 |
| 1159         | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                                                                                  | GCMS                 |
| 1160         | DE3 PROCESSING CODE TYPE MUST BE 01 IF THE RECEIVER IS AN ATM ACQUIRER.                                                                                                          | GCMS                 |
| 1162         | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE A WAREHOUSE ACQUIRER IF THE TRANSACTION IS SUBMITTED FOR THE U.S. REGION WAREHOUSE INTERCHANGE PROGRAM.                 | GCMS                 |
| 1163         | PDS0174 DUN & BRADSTREET NUMBER MUST BE NUMERIC.                                                                                                                                 | Both                 |
|              | PDS 1002 VALUE-ADDED TAX MUST BE NUMERIC.                                                                                                                                        | Both                 |
|              | PDS 1018 CONSUMPTION TAX MUST BE NUMERIC.                                                                                                                                        | Both                 |
| 1174         | TRANSACTION AMOUNT EXCEEDS RESTRICTED THRESHOLD.                                                                                                                                 | GCMS                 |
| 1175         | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SENDING PROCESSOR ID IN PARAMETER MASTER.                                                                            | GCMS                 |
| 1177         | DE95 CARD ISSUER REFERENCE DATA MUST BE NUMERIC.                                                                                                                                 | Both                 |

### Error numbers 2000–2099

Each error number from 2000 to 2099 is associated with a specific message. The edit process that presents the message is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

## Error numbers 2000–2099

| Error number | Error message                                                                                                    | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------|----------------------|
| 2007         | ACCEPTANCE BRAND IS NOT VALID FOR THE MEMBER PAIR.                                                               | Both                 |
| 2009         | NO BUSINESS SERVICE ARRANGEMENT EXISTS FOR THE MEMBER PAIR.                                                      | Both                 |
| 2010         | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                             | Both                 |
| 2026         | PDS0671 DATE OF FUNDS REQUESTED MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                       | Both                 |
| 2027         | PDS0671 DATE OF FUNDS REQUESTED MUST BE A FIXED LENGTH OF 006.                                                   | Both                 |
| 2030         | PDS0673 DATE OF ANTICIPATED RECEIPT OF FUNDS MUST BE A VALID DATE IN THE FORMAT YYMMDD.                          | Both                 |
| 2031         | PDS0673 DATE OF ANTICIPATED RECEIPT OF FUNDS MUST BE A FIXED LENGTH OF 006.                                      | Both                 |
| 2032         | PDS0674 ADDITIONAL TRACE/REFERENCE NUMBER USED BY ACCEPTOR MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. | Both                 |
| 2033         | PDS0674 ADDITIONAL TRACE/REFERENCE NUMBER USED BY ACCEPTOR LENGTH MUST BE 1–15.                                  | Both                 |
| 2034         | PDS0675 ADDITIONAL TRANSACTION DESCRIPTION DATA MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.            | Both                 |
| 2035         | PDS0676 ACCEPTOR VAT NUMBER LENGTH MUST BE 1–20.                                                                 | Both                 |
| 2036         | PDS0676 ACCEPTOR VAT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                | Both                 |
| 2037         | PDS0677 CUSTOMER VAT NUMBER LENGTH MUST BE 1–20.                                                                 | Both                 |
| 2038         | PDS0677 CUSTOMER VAT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                | Both                 |
| 2039         | PDS0678 UNIQUE INVOICE NUMBER LENGTH MUST BE 1–17.                                                               | Both                 |
| 2040         | PDS0678 UNIQUE INVOICE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                              | Both                 |
| 2041         | PDS0679 COMMODITY CODE LENGTH MUST BE 1–15.                                                                      | Both                 |
| 2042         | PDS0679 COMMODITY CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                     | Both                 |
| 2043         | PDS0680 AUTHORIZED CONTACT NAME LENGTH MUST BE 1–36.                                                             | Both                 |
| 2044         | PDS0680 AUTHORIZED CONTACT NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                            | Both                 |



| Error number | Error message                                                                                                        | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------|----------------------|
| 2045         | PDS0681 AUTHORIZED CONTACT PHONE LENGTH MUST BE 1–17.                                                                | Both                 |
| 2046         | PDS0681 AUTHORIZED CONTACT PHONE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                               | Both                 |
| 2048         | PDS0682S1 DETAIL TAX AMOUNT INDICATOR 1 MUST BE Y, N, OR SPACE.                                                      | Both                 |
| 2049         | PDS0682S2 DETAIL TAX AMOUNT 1 INVALID. MUST BE NUMERIC.                                                              | Both                 |
| 2050         | PDS0682S3 DETAIL TAX RATE 1 INVALID. MUST BE NUMERIC.                                                                | Both                 |
| 2051         | PDS0682S4 DETAIL TAX RATE EXPONENT 1 MUST BE 0–5.                                                                    | Both                 |
| 2052         | PDS0682S6 DETAIL TAX TYPE IDENTIFIER 1 MUST BE 00, 01, 02, 03, 04, 05, 06, 10, 11, 12, 13, 14, 20, 21, 22, OR SPACE. | Both                 |
| 2054         | PDS0683S1 DETAIL TAX AMOUNT INDICATOR 2 MUST BE Y, N, OR SPACE.                                                      | Both                 |
| 2055         | PDS0683S2 DETAIL TAX AMOUNT 2 INVALID. MUST BE NUMERIC.                                                              | Both                 |
| 2056         | PDS0683S3 DETAIL TAX RATE 2 INVALID. MUST BE NUMERIC.                                                                | Both                 |
| 2057         | PDS0683S4 DETAIL TAX RATE EXPONENT 2 MUST BE 0–5.                                                                    | Both                 |
| 2058         | PDS0683S6 DETAIL TAX TYPE IDENTIFIER 2 MUST BE 00, 01, 02, 03, 04, 05, 06, 10, 11, 12, 13, 14, 20, 21, 22, OR SPACE. | Both                 |
| 2060         | PDS0684S1 DETAIL TAX AMOUNT INDICATOR 3 MUST BE Y, N, OR SPACE.                                                      | Both                 |
| 2061         | PDS0684S2 DETAIL TAX AMOUNT 3 INVALID. MUST BE NUMERIC.                                                              | Both                 |
| 2062         | PDS0684S3 DETAIL TAX RATE 3 INVALID. MUST BE NUMERIC.                                                                | Both                 |
| 2063         | PDS0684S4 DETAIL TAX RATE EXPONENT 3 MUST BE 0–5.                                                                    | Both                 |
| 2064         | PDS0684S6 DETAIL TAX TYPE IDENTIFIER 3 MUST BE 00, 01, 02, 03, 04, 05, 06, 10, 11, 12, 13, 14, 20, 21, 22, OR SPACE. | Both                 |
| 2065         | PDS0685 TYPE OF SUPPLY MUST BE A FIXED LENGTH OF 002.                                                                | Both                 |
| 2066         | PDS0685 TYPE OF SUPPLY MUST BE 00 OR 01.                                                                             | Both                 |
| 2067         | PDS0686 TAX EXEMPT INDICATOR MUST BE A FIXED LENGTH OF 001.                                                          | Both                 |
| 2068         | PDS0686 TAX EXEMPT INDICATOR MUST BE 0 OR 1.                                                                         | Both                 |
| 2069         | PDS0687 UNIQUE VAT INVOICE REFERENCE NUMBER LENGTH MUST BE 1–17.                                                     | Both                 |
| 2070         | PDS0687 UNIQUE VAT INVOICE REFERENCE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                    | Both                 |
| 2073         | PDS0689 CORPORATE IDENTIFIER LENGTH MUST BE 1–12.                                                                    | Both                 |
| 2074         | PDS0690 NO SHOW INDICATOR MUST BE A FIXED LENGTH OF 001.                                                             | Both                 |
| 2075         | PDS0690 NO SHOW INDICATOR MUST BE 0 OR 1.                                                                            | Both                 |

| Error number | Error message                                                  | Edit performed by... |
|--------------|----------------------------------------------------------------|----------------------|
| 2076         | PDS0691 DAYS RENTED MUST BE A FIXED LENGTH OF 004.             | Both                 |
| 2077         | PDS0691 DAYS RENTED MUST BE NUMERIC.                           | Both                 |
| 2078         | PDS0692 WEEKLY RENTAL AMOUNT MUST BE A FIXED LENGTH OF 012.    | Both                 |
| 2079         | PDS0692 WEEKLY RENTAL AMOUNT MUST BE NUMERIC.                  | Both                 |
| 2082         | PDS0694 ONE WAY DROP OFF CHARGE MUST BE A FIXED LENGTH OF 012. | Both                 |
| 2083         | PDS0694 ONE WAY DROP OFF CHARGE MUST BE NUMERIC.               | Both                 |
| 2084         | PDS0695 REGULAR MILEAGE CHARGE MUST BE A FIXED LENGTH OF 012.  | Both                 |
| 2085         | PDS0695 REGULAR MILEAGE CHARGE MUST BE NUMERIC.                | Both                 |
| 2086         | PDS0696 EXTRA MILEAGE CHARGE MUST BE A FIXED LENGTH OF 012.    | Both                 |
| 2087         | PDS0696 EXTRA MILEAGE CHARGE MUST BE NUMERIC.                  | Both                 |
| 2088         | PDS0697 LATE CHARGE MUST BE A FIXED LENGTH OF 012.             | Both                 |
| 2089         | PDS0697 LATE CHARGE MUST BE NUMERIC.                           | Both                 |
| 2090         | PDS0698 FUEL CHARGE MUST BE A FIXED LENGTH OF 012.             | Both                 |
| 2091         | PDS0698 FUEL CHARGE MUST BE NUMERIC.                           | Both                 |
| 2094         | PDS0700 TOWING CHARGES MUST BE A FIXED LENGTH OF 012.          | Both                 |
| 2095         | PDS0700 TOWING CHARGES MUST BE NUMERIC.                        | Both                 |
| 2096         | PDS0701 EXTRA CHARGES MUST BE A FIXED LENGTH OF 012.           | Both                 |
| 2097         | PDS0701 EXTRA CHARGES MUST BE NUMERIC.                         | Both                 |
| 2098         | PDS0702 OTHER CHARGES MUST BE A FIXED LENGTH OF 012.           | Both                 |
| 2099         | PDS0702 OTHER CHARGES MUST BE NUMERIC.                         | Both                 |

### Error numbers 2100–2179

Each error number from 2100 to 2179 is associated with a specific message. The edit process that presents the message is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

## Error numbers 2100–2179

| Error number | Error message                                                                                                                                        | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2100         | PDS0703 TOTAL ROOM NIGHTS MUST BE A FIXED LENGTH OF 004.                                                                                             | Both                 |
| 2101         | PDS0703 TOTAL ROOM NIGHTS MUST BE NUMERIC.                                                                                                           | Both                 |
| 2103         | PDS0704 PREPAID EXPENSES MUST BE NUMERIC.                                                                                                            | Both                 |
| 2116         | PDS0711 FIRE SAFETY ACT INDICATOR MUST BE A FIXED LENGTH OF 001.                                                                                     | Both                 |
| 2117         | PDS0711 FIRE SAFETY ACT INDICATOR MUST BE Y OR N.                                                                                                    | Both                 |
| 2118         | PDS0712 NET FUEL PRICE MUST BE A FIXED LENGTH OF 013.                                                                                                | Both                 |
| 2119         | PDS0712S1 NET FUEL PRICE MUST BE NUMERIC.                                                                                                            | Both                 |
| 2120         | PDS0712S2 NET FUEL PRICE EXPONENT MUST BE 0–5.                                                                                                       | Both                 |
| 2121         | PDS0713 RESTRICTED TICKET INDICATOR MUST BE A FIXED LENGTH OF 001.                                                                                   | Both                 |
| 2122         | PDS0713 RESTRICTED TICKET INDICATOR MUST BE 0 OR 1.                                                                                                  | Both                 |
| 2123         | PDS0714 EXCHANGE TICKET AMOUNT MUST BE A FIXED LENGTH OF 012.                                                                                        | Both                 |
| 2124         | PDS0714 EXCHANGE TICKET AMOUNT MUST BE NUMERIC.                                                                                                      | Both                 |
| 2125         | PDS0715 LENGTH MUST BE <MIN-MAX> AND MUST BE DIVISIBLE BY MINIMUM OCCURENCE LENGTH OF 14.                                                            | Both                 |
| 2126         | PDS0715 MUST BE NUMERIC.                                                                                                                             | Both                 |
| 2127         | PDS0716 TRAVEL AUTHORIZATION CODE LENGTH MUST BE 1–64.                                                                                               | Both                 |
| 2128         | PDS0716 TRAVEL AUTHORIZATION CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                              | Both                 |
| 2129         | PDS0717 IATA CLIENT CODE LENGTH MUST BE 1–17.                                                                                                        | Both                 |
| 2130         | PDS0717 IATA CLIENT CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                       | Both                 |
| 2134         | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE 4 OR 8. <b>(Applies only to U.K. Domestic Maestro or Europe region member-to-member transactions.)</b> | Both                 |
| 2151         | DE124 ADDITIONAL DATA 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                 | Both                 |
| 2152         | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008–999.                                                                                                      | Both                 |
| 2154         | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125.       | Both                 |

| Error number | Error message                                                                                                                                                  | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2155         | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                 |
| 2156         | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                 |
| 2159         | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                                                                                                     | Both                 |
| 2163         | PDS0675 ADDITIONAL TRANSACTION DESCRIPTION DATA LENGTH MUST BE 1–15.                                                                                           | Both                 |
| 2165         | PDS0175 ACCEPTOR URL LENGTH MUST BE 1–255.                                                                                                                     | Both                 |
| 2167         | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                                                      | Both                 |
| 2176         | DE4 AMOUNT, TRANSACTION MUST BE NUMERIC.                                                                                                                       | Both                 |
| 2177         | DE95 CARD ISSUER REFERENCE DATA MUST BE A FIXED LENGTH OF 010.                                                                                                 | Both                 |

### Error number 2180

Error number 2180 is associated with specific messages. The edit process that presents these messages is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

### Error number 2180

| Error number | Error message                                                                                                              | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2180         | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006–011.                                                                | Both                 |
|              | DE72 DATA RECORD LENGTH MUST BE 001–100.                                                                                   | Both                 |
|              | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE LENGTH MUST BE 006–011.                                                   | Both                 |
|              | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006–011.                                                    | Both                 |
|              | PDS0137 FEE COLLECTION CONTROL NUMBER LENGTH MUST BE 1–20.<br><b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing Optimizer   |
|              | PDS0158 BUSINESS ACTIVITY LENGTH MUST BE 003–029.                                                                          | Both                 |
|              | PDS0165 SETTLEMENT INDICATOR LENGTH MUST BE 001–030.                                                                       | Both                 |

| Error number | Error message                                                                   | Edit performed by... |
|--------------|---------------------------------------------------------------------------------|----------------------|
|              | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 LENGTH MUST BE 004–201.           | Both                 |
|              | PDS0180 DOMESTIC ACCEPTOR TAX ID LENGTH MUST BE 1–20.                           | Both                 |
|              | PDS0185 MUST BE LEFT-JUSTIFIED AND MUST NOT CONTAIN ALL SPACES OR ZEROS.        | Both                 |
|              | PDS0196 MOBILE PHONE RELOAD DATA LENGTH MUST BE 001–047.                        | Both                 |
|              | PDS0199 FUNDING TRANSACTION INFORMATION LENGTH MUST BE 1–199.                   | Both                 |
|              | PDS0375 MEMBER RECONCILIATION INDICATOR 1 LENGTH MUST BE 001–050.               | Both                 |
|              | PDS0502 CUSTOM IDENTIFIER LENGTH MUST BE 007–082.                               | Both                 |
|              | PDS0504 DESCRIPTION TYPE LENGTH MUST BE 014–042.                                | Both                 |
|              | PDS0515 ADDITIONAL ACCEPTOR INFORMATION LENGTH MUST BE 001–040.                 | Both                 |
|              | PDS0545 RENTER NAME LENGTH MUST BE 001–040.                                     | Both                 |
|              | PDS0546 RENTAL RETURN CITY LENGTH MUST BE 001–025.                              | Both                 |
|              | PDS0564 RENTAL LOCATION CITY LENGTH MUST BE 001–025.                            | Both                 |
|              | PDS0567 FOLIO NUMBER LENGTH MUST BE 001–025.                                    | Both                 |
|              | PDS0571 GUEST NAME LENGTH MUST BE 001–040.                                      | Both                 |
|              | PDS0573 INVOICE NUMBER LENGTH MUST BE 001–025.                                  | Both                 |
|              | PDS0576 FOLIO NUMBER LENGTH MUST BE 001–025.                                    | Both                 |
|              | PDS0593 PARTY POSTAL INFORMATION LENGTH MUST BE 025–046.                        | Both                 |
|              | PDS0599 CORPORATION VAT NUMBER LENGTH MUST BE 001–020.                          | Both                 |
|              | PDS0615 MEDICAL SERVICES SHIP TO HEALTH INDUSTRY NUMBER LENGTH MUST BE 001–040. | Both                 |
|              | PDS0616 CONTRACT NUMBER LENGTH MUST BE 001–040.                                 | Both                 |
|              | PDS0619 USER NAME LENGTH MUST BE 001–040.                                       | Both                 |
|              | PDS0624 USER ACCOUNT NUMBER LENGTH MUST BE 001–040.                             | Both                 |
|              | PDS0625 USER TELEPHONE NUMBER LENGTH MUST BE 001–025.                           | Both                 |
|              | PDS0656 FULL VAT AMOUNT LENGTH MUST BE 014–028.                                 | Both                 |
|              | PDS0657 HALF VAT AMOUNT LENGTH MUST BE 014–028.                                 | Both                 |
|              | PDS0659 OTHER DESCRIPTION LENGTH MUST BE 001–060.                               | Both                 |
|              | PDS0660 CUSTOMER REFERENCE LENGTH MUST BE 019–190                               | Both                 |
|              | PDS0664 START STATION LENGTH MUST BE 003–030                                    | Both                 |

| Error number | Error message                                                           | Edit performed by... |
|--------------|-------------------------------------------------------------------------|----------------------|
|              | PDS0665 DESTINATION STATION LENGTH MUST BE 003–030                      | Both                 |
|              | PDS0670 PAYER/USER INFORMATION LENGTH MUST BE 001–104.                  | Both                 |
|              | PDS0682 DETAIL TAX AMOUNT 1 LENGTH MUST BE 001–046.                     | Both                 |
|              | PDS0683 DETAIL TAX AMOUNT 2 LENGTH MUST BE 001–046.                     | Both                 |
|              | PDS0684 DETAIL TAX AMOUNT 3 LENGTH MUST BE 001–046.                     | Both                 |
|              | PDS0688 ACCEPTOR CONTACT E-MAIL ADDRESS MUST BE 006–060.                | Both                 |
|              | PDS0718 EMPLOYEE TEMP NAME/ID LENGTH MUST BE 001–040.                   | Both                 |
|              | PDS0719 EMPLOYEE SOCIAL SECURITY NUMBER OR ID LENGTH MUST BE 001–030.   | Both                 |
|              | PDS0720 JOB DESCRIPTION LENGTH MUST BE 001–040.                         | Both                 |
|              | PDS0721 JOB CODE LENGTH MUST BE 001–020.                                | Both                 |
|              | PDS0729 REQUESTOR NAME OR ID LENGTH MUST BE 001–040.                    | Both                 |
|              | PDS0730 SUPERVISOR/REPORTS TO LENGTH MUST BE 001–040.                   | Both                 |
|              | PDS0731 TIME SHEET NUMBER LENGTH MUST BE 001–020.                       | Both                 |
|              | PDS0735 SERVICE DESCRIPTOR CODE LENGTH MUST BE 001–040.                 | Both                 |
|              | PDS0736 TRACKING NUMBER LENGTH MUST BE 001–040.                         | Both                 |
|              | PDS0743 UNIT OF MEASURE LENGTH MUST BE 001–003.                         | Both                 |
|              | PDS0746 SHIPPING PARTY POSTAL INFORMATION LENGTH MUST BE 025–041.       | Both                 |
|              | PDS0750 DELIVERY PARTY POSTAL INFORMATION LENGTH MUST BE 025–041.       | Both                 |
|              | PDS0751 DETAIL TAX AMOUNT 4 LENGTH MUST BE 001–046.                     | Both                 |
|              | PDS0752 DETAIL TAX AMOUNT 5 LENGTH MUST BE 001–046.                     | Both                 |
|              | PDS0753 DETAIL TAX AMOUNT 6 LENGTH MUST BE 001–046.                     | Both                 |
|              | PDS0757 TRANSPORTATION SERVICE PROVIDER LENGTH MUST BE 001–040.         | Both                 |
|              | PDS0758 TRANSPORTATION SERVICES OFFERED LENGTH MUST BE 001–040.         | Both                 |
|              | PDS0759 DELIVERY ORDER NUMBER LENGTH MUST BE 001–015.                   | Both                 |
|              | PDS0760 CREDIT CARD SLIP NUMBER LENGTH MUST BE 001–008.                 | Both                 |
|              | PDS0761 TRAVEL AGENCY ID LENGTH MUST BE 001–015.                        | Both                 |
|              | PDS0770 ADDITIONAL ACCEPTOR INQUIRY INFORMATION LENGTH MUST BE 025–073. | Both                 |
|              | PDS0771 COST CENTER INFORMATION LENGTH MUST BE 018–036.                 | Both                 |

| Error number | Error message                                                              | Edit performed by... |
|--------------|----------------------------------------------------------------------------|----------------------|
|              | PDS0772 DRIVER LICENSE/STATE ISSUED ID INFORMATION LENGTH MUST BE 015–018. | Both                 |
|              | PDS0774 STOCK KEEPING UNIT (SKU) DESCRIPTION LENGTH MUST BE 001–200.       | Both                 |
|              | PDS0775 DEPARTMENT CODE LENGTH MUST BE 001–008.                            | Both                 |
|              | PDS0777 PROMOTION CODE LENGTH MUST BE 001–006.                             | Both                 |
|              | PDS0790 FLEET PROMPTED DATA 1 LENGTH MUST BE 004–038.                      | Both                 |
|              | PDS0791 FLEET PROMPTED DATA 2 LENGTH MUST BE 004–038.                      | Both                 |
|              | PDS0792 FLEET PROMPTED DATA 3 LENGTH MUST BE 004–038.                      | Both                 |
|              | PDS0793 FLEET PROMPTED DATA 4 LENGTH MUST BE 004–038.                      | Both                 |
|              | PDS0794 FLEET PROMPTED DATA 5 LENGTH MUST BE 004–038.                      | Both                 |

### Error number 2181

Error number 2181 is associated with specific messages. The edit process that presents these messages is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

### Error number 2181

| Error number | Error message                                                                                                                  | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2181         | DE31 ACQUIRER REFERENCE DATA MUST BE A FIXED LENGTH OF 23.                                                                     | Both                 |
|              | DE63 TRANSACTION LIFE CYCLE ID LENGTH MUST BE A FIXED LENGTH OF 16.                                                            | Both                 |
|              | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE A FIXED LENGTH OF 3.                                              | Both                 |
|              | PDS0083 AVS RESPONSE INDICATOR MUST BE A FIXED LENGTH OF 001.<br><b>(Applies only to U.K. Domestic Maestro transactions.)</b>  | Clearing Optimizer   |
|              | PDS0087 CVC2 RESPONSE INDICATOR MUST BE A FIXED LENGTH OF 001.<br><b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing Optimizer   |
|              | PDS0157 ALTERNATE PROCESSOR INDICATOR MUST BE A FIXED LENGTH OF <MIN–MAX>.                                                     | Both                 |
|              | PDS0170S2 ACCEPTOR PHONE NUMBER MUST BE A FIXED LENGTH OF 16.                                                                  | Both                 |

| Error number | Error message                                                                  | Edit performed by... |
|--------------|--------------------------------------------------------------------------------|----------------------|
|              | PDS0174 DUN & BRADSTREET NUMBER LENGTH MUST BE 1–15.                           | Both                 |
|              | PDS0184 MUST BE A FIXED LENGTH OF 36 BYTES.                                    | Both                 |
|              | PDS0197 NATIONAL USE TAX DATA LENGTH MUST BE A FIXED LENGTH OF 053.            | Both                 |
|              | PDS0216 ADDITIONAL ACCEPTOR DATA MUST BE A FIXED LENGTH OF 029 TO 069.         | Both                 |
|              | PDS0261 RISK MANAGEMENT APPROVAL CODE MUST BE A FIXED LENGTH OF 011.           | Both                 |
|              | PDS0501 TRANSACTION DESCRIPTION MUST BE A FIXED LENGTH OF 16.                  | Both                 |
|              | PDS0503 TRAVEL AGENCY SEQUENCE NUMBER MUST BE A FIXED LENGTH OF 004            | Both                 |
|              | PDS0516 AUSTIN-TETRA NUMBER MUST BE A FIXED LENGTH OF 15.                      | Both                 |
|              | PDS0517 NAICS CODE MUST BE A FIXED LENGTH OF 15.                               | Both                 |
|              | PDS0518 LINE ITEM DATE MUST BE A FIXED LENGTH OF 006.                          | Both                 |
|              | PDS0519 ADDITIONAL FUEL LOCATION INFORMATION MUST BE A FIXED LENGTH OF 014.    | Both                 |
|              | PDS0532 TOTAL CHARGES MUST BE A FIXED LENGTH OF 014.                           | Both                 |
|              | PDS0534 TOTAL NON-ROOM CHARGES MUST BE A FIXED LENGTH OF 014.                  | Both                 |
|              | PDS0539 TOTAL AMOUNT CHARGED ON CREDIT CARD MUST BE A FIXED LENGTH OF 014.     | Both                 |
|              | PDS0540 ROOM SERVICE CHARGES MUST BE A FIXED LENGTH OF 014.                    | Both                 |
|              | PDS0541 LOUNGE/BAR CHARGES MUST BE A FIXED LENGTH OF 014.                      | Both                 |
|              | PDS0542 TRANSPORTATION CHARGES MUST BE A FIXED LENGTH OF 014.                  | Both                 |
|              | PDS0543 GRATUITY CHARGES MUST BE A FIXED LENGTH OF 014.                        | Both                 |
|              | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER MUST BE A FIXED LENGTH OF 017. | Both                 |
|              | PDS0554 CONFERENCE ROOM CHARGES MUST BE A FIXED LENGTH OF 014.                 | Both                 |
|              | PDS0560 AUDIO VISUAL CHARGES MUST BE A FIXED LENGTH OF 014.                    | Both                 |
|              | PDS0562 BANQUET CHARGES MUST BE A FIXED LENGTH OF 014.                         | Both                 |
|              | PDS0569 INTERNET ACCESS MUST BE A FIXED LENGTH OF 014.                         | Both                 |
|              | PDS0570 EARLY DEPARTURE CHARGES MUST BE A FIXED LENGTH OF 014.                 | Both                 |
|              | PDS0572 GUEST NUMBER MUST BE A FIXED LENGTH OF 025.                            | Both                 |



| Error number | Error message                                                                    | Edit performed by... |
|--------------|----------------------------------------------------------------------------------|----------------------|
|              | PDS0577 PROPERTY NUMBER MUST BE A FIXED LENGTH OF 017.                           | Both                 |
|              | PDS0578 BILLING ADJUSTMENT LENGTH MUST BE A FIXED LENGTH OF 015.                 | Both                 |
|              | PDS0579 INVOICE DATE MUST BE A FIXED LENGTH OF 006.                              | Both                 |
|              | PDS0580 ROOM RATE MUST BE A FIXED LENGTH OF 013.                                 | Both                 |
|              | PDS0581 TOTAL ROOM TAX AMOUNT MUST BE A FIXED LENGTH OF 014.                     | Both                 |
|              | PDS0583 PHONE CHARGES AMOUNT MUST BE FIXED LENGTH OF 014.                        | Both                 |
|              | PDS0584 RESTAURANT CHARGES AMOUNT MUST BE A FIXED LENGTH OF 014.                 | Both                 |
|              | PDS0585 MINI-BAR CHARGES AMOUNT MUST BE A FIXED LENGTH OF 014.                   | Both                 |
|              | PDS0586 GIFT SHOP CHARGES AMOUNT MUST BE A FIXED LENGTH OF 014.                  | Both                 |
|              | PDS0587 LAUNDRY & DRY CLEANING CHARGES MUST BE FIXED LENGTH OF 014.              | Both                 |
|              | PDS0589 INVOICE CREATION DATE/TIME MUST BE A FIXED LENGTH OF 012.                | Both                 |
|              | PDS0590 PARTY IDENTIFICATION MUST BE A FIXED LENGTH OF 002.                      | Both                 |
|              | PDS0593S1 CITY MUST BE A FIXED LENGTH OF 025.                                    | Both                 |
|              | PDS0593S2 STATE/PROVINCE CODE MUST BE FIXED LENGTH OF 003.                       | Both                 |
|              | PDS0593S3 COUNTRY CODE MUST BE FIXED LENGTH OF 003.                              | Both                 |
|              | PDS0593S4 POSTAL CODE MUST BE FIXED LENGTH OF 015.                               | Both                 |
|              | PDS0595 ACCEPTOR TYPE MUST BE A FIXED LENGTH OF 008.                             | Both                 |
|              | PDS0596 CARD .ACCEPTOR TAX ID MUST BE A FIXED LENGTH OF 021.                     | Both                 |
|              | PDS0597 TOTAL TAX AMOUNT MUST BE A FIXED LENGTH OF 014.                          | Both                 |
|              | PDS0601 PARTY NATURE OF FILING MUST BE A FIXED LENGTH 001.                       | Both                 |
|              | PDS0606 FREIGHT AMOUNT MUST BE A FIXED LENGTH OF 014.                            | Both                 |
|              | PDS0607 DUTY AMOUNT MUST BE A FIXED LENGTH OF 014.                               | Both                 |
|              | PDS0611 SEQUENCE NUMBER MUST BE A FIXED LENGTH OF 003.                           | Both                 |
|              | PDS0612 SHIP DATE MUST BE A FIXED LENGTH OF 006.                                 | Both                 |
|              | PDS0617 MEDICAL SERVICES PRICE ADJUSTMENT MUST BE A FIXED LENGTH OF 001.         | Both                 |
|              | PDS0618 MEDICAL SERVICES PRODUCT NUMBER QUALIFIER MUST BE A FIXED LENGTH OF 002. | Both                 |
|              | PDS0623 MOTOR FUEL INFORMATION MUST BE A FIXED LENGTH OF 035.                    | Both                 |
|              | PDS0626 BILLING STATEMENT PERIOD MUST BE A FIXED LENGTH OF 012.                  | Both                 |

| Error number | Error message                                                    | Edit performed by... |
|--------------|------------------------------------------------------------------|----------------------|
|              | PDS0636 CALL DATE MUST BE A FIXED LENGTH OF 006.                 | Both                 |
|              | PDS0637 CALL TIME MUST BE A FIXED LENGTH OF 006.                 | Both                 |
|              | PDS0638 CALL TO INFORMATION MUST BE A FIXED LENGTH OF 146.       | Both                 |
|              | PDS0639 CALL DURATION MUST BE A FIXED LENGTH OF 006.             | Both                 |
|              | PDS0640 CALL TIME PERIOD MUST BE A FIXED LENGTH OF 002.          | Both                 |
|              | PDS0644 CALL FROM INFORMATION MUST BE A FIXED LENGTH OF 146.     | Both                 |
|              | PDS0647 EXTENDED ITEM AMOUNT MUST BE A FIXED LENGTH OF 014.      | Both                 |
|              | PDS0648 ITEM DISCOUNT MUST BE A FIXED LENGTH OF 020.             | Both                 |
|              | PDS0649 CALL USAGE AMOUNT MUST BE A FIXED LENGTH OF 014.         | Both                 |
|              | PDS0651 PROCEDURE ID MUST BE A FIXED LENGTH OF 009.              | Both                 |
|              | PDS0652 SERVICE TYPE MUST BE A FIXED LENGTH OF 004..             | Both                 |
|              | PDS0653 SERVICE AMOUNT MUST BE A FIXED LENGTH OF 014.            | Both                 |
|              | PDS0655 CALL LONG DISTANCE AMOUNT MUST BE A FIXED LENGTH OF 014. | Both                 |
|              | PDS0658 CALL CONNECT AMOUNT MUST BE A FIXED LENGTH OF 014.       | Both                 |
|              | PDS0661 TRAFFIC CODE MUST BE A FIXED LENGTH OF 003.              | Both                 |
|              | PDS0662 SAMPLE NUMBER MUST BE A FIXED LENGTH OF 004.             | Both                 |
|              | PDS0663 MUST BE FIXED LENGTH OF 55.                              | Both                 |
|              | PDS0667 GENERIC DATA MUST BE A FIXED LENGTH OF 046.              | Both                 |
|              | PDS0668 REDUCTION DATA MUST BE A FIXED LENGTH OF 026.            | Both                 |
|              | PDS0669 TRANSPORTATION OTHER CODE MUST BE A FIXED LENGTH OF 003. | Both                 |
|              | PDS0682S7 ACCEPTOR TAX ID 1 MUST BE A FIXED LENGTH OF 020.       | Both                 |
|              | PDS0683S7 ACCEPTOR TAX ID 2 MUST BE A FIXED LENGTH OF 020.       | Both                 |
|              | PDS0684S7 ACCEPTOR TAX ID 3 MUST BE A FIXED LENGTH OF 020.       | Both                 |
|              | PDS0693 TOTAL AUTHORIZED AMOUNT MUST BE A FIXED LENGTH OF 014.   | Both                 |
|              | PDS0699 LODGING TOTAL TAX AMOUNT MUST BE A FIXED LENGTH OF 014.  | Both                 |
|              | PDS0704 PREPAID EXPENSES MUST BE A FIXED LENGTH OF 014.          | Both                 |
|              | PDS0705 TOTAL NON-ROOM TAX AMOUNT MUST BE A FIXED LENGTH OF 014. | Both                 |
|              | PDS0706 CASH ADVANCES MUST BE A FIXED LENGTH OF 014.             | Both                 |
|              | PDS0707 VALET CHARGES MUST BE A FIXED LENGTH OF 014.             | Both                 |

| Error number | Error message                                                                       | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------|----------------------|
|              | PDS0708 MOVIE CHARGES MUST BE A FIXED LENGTH OF 014.                                | Both                 |
|              | PDS0709 BUSINESS CENTER CHARGES MUST BE A FIXED LENGTH OF 014.                      | Both                 |
|              | PDS0710 HEALTH CLUB CHARGES MUST BE A FIXED LENGTH OF 014.                          | Both                 |
|              | PDS0722 FLAT RATE INDICATOR MUST BE A FIXED LENGTH OF 001.                          | Both                 |
|              | PDS0723 REGULAR HOURS WORKED, REGULAR HOURS WORKED MUST BE A FIXED LENGTH OF 007.   | Both                 |
|              | PDS0724 REGULAR HOURS RATE MUST BE A FIXED LENGTH OF 007.                           | Both                 |
|              | PDS0725 OVERTIME HOURS WORKED, OVERTIME HOURS WORKED MUST BE A FIXED LENGTH OF 007. | Both                 |
|              | PDS0726 OVERTIME HOURS RATE MUST BE A FIXED LENGTH OF 007.                          | Both                 |
|              | PDS0727 TEMP START DATE MUST BE A FIXED LENGTH OF 006.                              | Both                 |
|              | PDS0728 TEMP WEEK ENDING MUST BE A FIXED LENGTH OF 006.                             | Both                 |
|              | PDS0732 DISCOUNT AMOUNT MUST BE A FIXED LENGTH OF 018.                              | Both                 |
|              | PDS0733 SUBTOTAL AMOUNT MUST BE A FIXED LENGTH OF 014.                              | Both                 |
|              | PDS0737 SHIPPING NET AMOUNT MUST BE A FIXED LENGTH OF 014.                          | Both                 |
|              | PDS0738 INCENTIVE AMOUNT MUST BE A FIXED LENGTH OF 014.                             | Both                 |
|              | PDS0739 PICKUP DATE MUST BE A FIXED LENGTH OF 006.                                  | Both                 |
|              | PDS0740 DELIVERY DATE MUST BE A FIXED LENGTH OF 006.                                | Both                 |
|              | PDS0741 NUMBER OF PACKAGES MUST BE A FIXED LENGTH OF 006.                           | Both                 |
|              | PDS0742 PACKAGE WEIGHT MUST BE A FIXED LENGTH OF 012.                               | Both                 |
|              | PDS0751S7 ACCEPTOR TAX ID 4 MUST BE A FIXED LENGTH OF 020.                          | Both                 |
|              | PDS0752S7 ACCEPTOR TAX ID 5 MUST BE A FIXED LENGTH OF 020.                          | Both                 |
|              | PDS0753S7 ACCEPTOR TAX ID 6 MUST BE A FIXED LENGTH OF 020.                          | Both                 |
|              | PDS0755 LINE ITEM TOTAL AMOUNT MUST BE A FIXED LENGTH OF 014.                       | Both                 |
|              | PDS0756 PASSENGER DESCRIPTION MUST BE A FIXED LENGTH OF 005.                        | Both                 |
|              | PDS0762 DATA SOURCE MUST BE A FIXED LENGTH OF 002.                                  | Both                 |
|              | PDS0763 VAT SUPPRESSION INDICATOR MUST BE A FIXED LENGTH OF 002.                    | Both                 |
|              | PDS0781 FLEET SPEND CONTROL ENFORCED MUST BE A FIXED LENGTH OF 16.                  | Both                 |
|              | PDS0782 FLEET FUEL INFORMATION MUST BE A FIXED LENGTH OF 35.                        | Both                 |
|              | PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE A FIXED LENGTH OF 14.                    | Both                 |

| Error number | Error message                        | Edit performed by... |
|--------------|--------------------------------------|----------------------|
|              | PDS 0235 MUST BE A FIXED LENGTH OF 3 | GCMS                 |

## Error number 2182

Error number 2182 is associated with specific error messages. The edit process that presents these messages is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

## Error number 2182

| Error number | Error message                                                                                                   | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------|----------------------|
| 2182         | DE41 ACCEPTOR TERMINAL ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                    | Both                 |
|              | DE42 ACCEPTOR ID CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                        | Both                 |
|              | DE43S2 ACCEPTOR STREET ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.               | Both                 |
|              | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                         | Both                 |
|              | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                         | Both                 |
|              | PDS0180 DOMESTIC ACCEPTOR TAX ID MUST BE LEFT-JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                 |
|              | PDS0185 MUST BE LEFT-JUSTIFIED AND MUST NOT CONTAIN ALL SPACES OR ZEROS.                                        | Both                 |
|              | PDS0196S1 MOBILE PHONE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                 |
|              | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                 |
|              | PDS0199 FUNDING TRANSACTION INFORMATION MUST BE LEFT-JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.      | Both                 |
|              | PDS0375 MEMBER RECONCILIATION INDICATOR 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.    | Both                 |
|              | PDS0502S2 CUSTOM IDENTIFIER DETAIL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.           | Both                 |

| <b>Error number</b> | <b>Error message</b>                                                                                | <b>Edit performed by...</b> |
|---------------------|-----------------------------------------------------------------------------------------------------|-----------------------------|
| PDS0503             | TRAVEL AGENCY SEQUENCE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.    | Both                        |
| PDS0504S5           | TRAVEL AGENCY FEE DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS     | Both                        |
| PDS0505             | PASSENGER NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                        |
| PDS0506             | TICKET NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                 | Both                        |
| PDS0507             | ISSUING CARRIER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                  | Both                        |
| PDS0510             | TRAVEL AGENCY CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.               | Both                        |
| PDS0511             | TRAVEL AGENCY NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.               | Both                        |
| PDS0515             | ADDITIONAL ACCEPTOR INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.  | Both                        |
| PDS0516             | AUSTIN-TETRA NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                        |
| PDS0517             | NAICS CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                       | Both                        |
| PDS0521             | CARRIER CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                     | Both                        |
| PDS0522             | SERVICE CLASS CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.               | Both                        |
| PDS0523             | CITY OF ORIGIN/AIRPORT CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.      | Both                        |
| PDS0524             | CITY OF DESTINATION/AIRPORT CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                        |
| PDS0526             | CONJUNCTION TICKET MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.               | Both                        |
| PDS0527             | EXCHANGE TICKET MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                  | Both                        |
| PDS0530             | FLIGHT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                    | Both                        |
| PDS0538             | ENDORSEMENT/RESTRICTIONS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.         | Both                        |

| Error number | Error message                                                                                             | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0544 RENTAL AGREEMENT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.        | Both                 |
|              | PDS0545 RENTER NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                    | Both                 |
|              | PDS0546 RENTAL RETURN CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                 |
|              | PDS0547 RENTAL RETURN STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.   | Both                 |
|              | PDS0563 PROGRAM CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0564 RENTAL LOCATION CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.           | Both                 |
|              | PDS0565 RENTAL LOCATION STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                 |
|              | PDS0567 RENTAL LOCATION ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                 |
|              | PDS0568 RENTAL CLASS ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                 |
|              | PDS0571 GUEST NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                     | Both                 |
|              | PDS0572 GUEST NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0573 INVOICE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                 | Both                 |
|              | PDS0576 FOLIO NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0582 PROGRAM CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0588S1 OTHER SERVICES CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.          | Both                 |
|              | PDS0591S1 PARTY NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0592S1 PARTY ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                 |
|              | PDS0593S1 CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                         | Both                 |

| Error number | Error message                                                                                                            | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0593S2 STATE/PROVINCE CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                         | Both                 |
|              | PDS0593S3 COUNTRY CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                | Both                 |
|              | PDS0593S4 POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                 | Both                 |
|              | PDS0594S2 PARTY CONTACT INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0599 CORPORATION VAT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                        | Both                 |
|              | PDS0600 ACCEPTOR REFERENCE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                     | Both                 |
|              | PDS0602S1 PARTY SUPPLEMENTAL DATA DESCRIPTION 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.       | Both                 |
|              | PDS0602S2 PARTY SUPPLEMENTAL DATA 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0602S3 PARTY SUPPLEMENTAL DATA CODE 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                 |
|              | PDS0603S1 PARTY SUPPLEMENTAL DATA DESCRIPTION 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.       | Both                 |
|              | PDS0603S2 PARTY SUPPLEMENTAL DATA 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0603S3 PARTY SUPPLEMENTAL DATA CODE 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                 |
|              | PDS0604S1 TRANSACTION SUPPLEMENTAL DATA DESCRIPTION 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                 |
|              | PDS0604S2 TRANSACTION SUPPLEMENTAL DATA 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                 |
|              | PDS0604S3 TRANSACTION SUPPLEMENTAL DATA CODE 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.        | Both                 |
|              | PDS0605S1 TRANSACTION SUPPLEMENTAL DATA DESCRIPTION 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                 |
|              | PDS0605S2 TRANSACTION SUPPLEMENTAL DATA 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                 |
|              | PDS0605S3 TRANSACTION SUPPLEMENTAL DATA CODE 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.        | Both                 |

| Error number | Error message                                                                                                              | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0608 DESTINATION POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                         | Both                 |
|              | PDS0609 DESTINATION STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                      | Both                 |
|              | PDS0611 SEQUENCE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                 | Both                 |
|              | PDS0613 SHIP-FROM POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                           | Both                 |
|              | PDS0615 MEDICAL SERVICES SHIP TO HEALTH INDUSTRY NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                 |
|              | PDS0616 CONTRACT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                 | Both                 |
|              | PDS0619 USER NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                       | Both                 |
|              | PDS0624 USER ACCOUNT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                             | Both                 |
|              | PDS0625 USER TELEPHONE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                           | Both                 |
|              | PDS0627S4 BILLING EVENT DESCRIPTION 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0628S4 BILLING EVENT DESCRIPTION 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0629 ODOMETER READING MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                | Both                 |
|              | PDS0630 VEHICLE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                  | Both                 |
|              | PDS0631 DRIVER NUMBER/ID NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                         | Both                 |
|              | PDS0638S1 CALL TO CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                  | Both                 |
|              | PDS0638S2 CALL TO STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                        | Both                 |
|              | PDS0638S3 CALL TO COUNTRY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                               | Both                 |
|              | PDS0638S4 CALL TO NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                | Both                 |



| Error number | Error message                                                                                                | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0644S1 CALL FROM CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                  | Both                 |
|              | PDS0644S2 CALL FROM STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.        | Both                 |
|              | PDS0644S3 CALL FROM COUNTRY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.               | Both                 |
|              | PDS0644S4 CALL FROM NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                 |
|              | PDS0651 PROCEDURE ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                      | Both                 |
|              | PDS0652S1 SERVICE TYPE DETAIL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                 |
|              | PDS0652S2 SERVICE NATURE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                  | Both                 |
|              | PDS0659 OTHER DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                 | Both                 |
|              | PDS0660S2 CUSTOMER REFERENCE VALUE DETAIL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                 |
|              | PDS0663 FREE-FORM DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                 |
|              | PDS0664 START STATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                     | Both                 |
|              | PDS0665 DESTINATION STATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.               | Both                 |
|              | PDS0667S2 GENERIC NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                  | Both                 |
|              | PDS0667S4 GENERIC OTHER NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.            | Both                 |
|              | PDS0668S2 REDUCTION NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                 |
|              | PDS0668S4 REDUCTION OTHER NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.          | Both                 |
|              | PDS0670S1 PAYER NAME/USER ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                 |
|              | PDS0670S2 PAYER ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |

| Error number | Error message                                                                                                    | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0670S3 PAYER CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                          | Both                 |
|              | PDS0670S6 PAYER POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                 |
|              | PDS0688 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                       | Both                 |
|              | PDS0718 EMPLOYEE TEMP NAME/ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                 | Both                 |
|              | PDS0719 EMPLOYEE SOCIAL SECURITY NUMBER OR ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                 |
|              | PDS0720 JOB DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                       | Both                 |
|              | PDS0721 JOB CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                              | Both                 |
|              | PDS0729 REQUESTOR NAME OR ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN SPACES OR ALL ZEROS.                      | Both                 |
|              | PDS0730 SUPERVISOR/REPORTS TO MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                 | Both                 |
|              | PDS0731 TIME SHEET NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                     | Both                 |
|              | PDS0732S4 DISCOUNT TYPE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                       | Both                 |
|              | PDS0734S1 MISCELLANEOUS EXPENSES DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.  | Both                 |
|              | PDS0735 SERVICE DESCRIPTOR CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.               | Both                 |
|              | PDS0736 TRACKING NUMBER OR PICKUP NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.      | Both                 |
|              | PDS0743 UNIT OF MEASURE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                       | Both                 |
|              | PDS0744S1 SHIPPING PARTY NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                 | Both                 |
|              | PDS0745S1 SHIPPING PARTY ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                 |
|              | PDS0746 SHIPPING PARTY POSTAL INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.     | Both                 |

| Error number | Error message                                                                                                   | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0746S1 SHIPPING PARTY CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                 |
|              | PDS0746S2 SHIPPING PARTY STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.      | Both                 |
|              | PDS0746S3 SHIPPING PARTY COUNTRY CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.        | Both                 |
|              | PDS0746S4 SHIPPING PARTY POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.         | Both                 |
|              | PDS0747S2 SHIPPING PARTY CONTACT INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                 |
|              | PDS0748S1 DELIVERY PARTY NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                 |
|              | PDS0749S1 DELIVERY PARTY ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                 |
|              | PDS0750 DELIVERY PARTY POSTAL INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.    | Both                 |
|              | PDS0750S1 DELIVERY PARTY CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                 |
|              | PDS0750S2 DELIVERY PARTY STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.      | Both                 |
|              | PDS0750S3 DELIVERY PARTY COUNTRY CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.        | Both                 |
|              | PDS0750S4 DELIVERY PARTY POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.         | Both                 |
|              | PDS0754S2 DELIVERY PARTY CONTACT INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                 |
|              | PDS0757 TRANSPORTATION SERVICE PROVIDER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.      | Both                 |
|              | PDS0758 TRANSPORTATION SERVICES OFFERED MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.      | Both                 |
|              | PDS0759 DELIVERY ORDER NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                 |
|              | PDS0760 CREDIT CARD SLIP NUMBER MUST BE LEFT-JUSTIFIED AND CANNOT BE ALL ZEROS OR ALL SPACES.                   | Both                 |
|              | PDS0761 TRAVEL AGENCY ID MUST BE LEFT-JUSTIFIED AND CANNOT BE ALL ZEROS OR ALL SPACES.                          | Both                 |

| Error number | Error message                                                                                                                               | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0763 VAT SUPPRESSION INDICATOR MUST BE LEFT-JUSTIFIED AND CANNOT BE ALL ZEROS OR ALL SPACES.                                             | Both                 |
|              | PDS0771S1 COST CENTER NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                             | Both                 |
|              | PDS0771S2 COST CENTER DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                        | Both                 |
|              | PDS0772S1 DRIVER LICENSE/STATE ISSUED ID NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                          | Both                 |
|              | PDS0772S2 DRIVER LICENSE/STATE ISSUED ID STATE, PROVINCE, OR REGION CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                 |
|              | PDS0774 STOCK KEEPING UNIT (SKU) DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                             | Both                 |
|              | PDS0775 DEPARTMENT CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                  | Both                 |
|              | PDS0776S2 ALTERNATE CUSTOM IDENTIFIER DETAIL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                             | Both                 |
|              | PDS0777 PROMOTION CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                   | Both                 |
|              | PDS0799 TEST CASE TRACEABILITY 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                         | Both                 |

### Error number 2183

Error number 2183 is associated with specific messages. The edit process that presents these messages is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

### Error number 2183

| Error number | Error message                                                                                                         | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------|----------------------|
| 2183         | DE40 SERVICE CODE MUST BE NUMERIC.                                                                                    | Both                 |
|              | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE NUMERIC.                                                              | Both                 |
|              | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE NUMERIC. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing Optimizer   |

| Error number | Error message                                                           | Edit performed by... |
|--------------|-------------------------------------------------------------------------|----------------------|
|              | DE54S5 ADDITIONAL AMOUNT AMOUNT MUST BE NUMERIC.                        | Both                 |
|              | DE111 AMOUNT, CURRENCY CONVERSION ASSESSMENT MUST BE NUMERIC.           | GCMS                 |
|              | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE NUMERIC.   | Both                 |
|              | PDS0058 TOKEN ASSURANCE LEVEL MUST BE NUMERIC.                          | Both                 |
|              | PDS0059 TOKEN REQUESTOR ID MUST BE NUMERIC.                             | Both                 |
|              | PDS0195S1 TOTAL NUMBER OF INSTALLMENTS MUST BE NUMERIC.                 | Both                 |
|              | PDS0195S3 INSTALLMENT NUMBER MUST BE NUMERIC.                           | Both                 |
|              | PDS0197S1 TAX AMOUNT 1 MUST BE NUMERIC.                                 | Both                 |
|              | PDS0197S2 TAX AMOUNT 2 MUST BE NUMERIC.                                 | Both                 |
|              | PDS0197S3 TAX PERCENTAGE MUST BE NUMERIC.                               | Both                 |
|              | PDS0197S4 TAX BASE AMOUNT MUST BE NUMERIC.                              | Both                 |
|              | PDS0197S5 TAX AMOUNT 3 MUST BE NUMERIC.                                 | Both                 |
|              | PDS0504S4 TRAVEL AGENCY FEE AMOUNT RATE MUST BE NUMERIC.                | Both                 |
|              | PDS0518 LINE ITEM DATE MUST BE NUMERIC.                                 | Both                 |
|              | PDS0532S1 TOTAL CHARGES AMOUNT MUST BE NUMERIC.                         | Both                 |
|              | PDS0532S2 TOTAL CHARGES EXPONENT MUST BE NUMERIC.                       | Both                 |
|              | PDS0534S1 TOTAL NON-ROOM CHARGES AMOUNT MUST BE NUMERIC.                | Both                 |
|              | PDS0534S2 TOTAL NON-ROOM CHARGES EXPONENT MUST BE NUMERIC.              | Both                 |
|              | PDS0539S1 TOTAL AMOUNT CHARGED ON CREDIT CARD AMOUNT MUST BE NUMERIC.   | Both                 |
|              | PDS0539S2 TOTAL AMOUNT CHARGED ON CREDIT CARD EXPONENT MUST BE NUMERIC. | Both                 |
|              | PDS0540S1 ROOM SERVICE CHARGES AMOUNT MUST BE NUMERIC.                  | Both                 |
|              | PDS0540S2 ROOM SERVICE CHARGES EXPONENT MUST BE NUMERIC.                | Both                 |
|              | PDS0541S1 LOUNGE/BAR CHARGES AMOUNT MUST BE NUMERIC.                    | Both                 |
|              | PDS0541S2 LOUNGE/BAR CHARGES EXPONENT MUST BE NUMERIC.                  | Both                 |
|              | PDS0542S1 TRANSPORTATION CHARGES AMOUNT MUST BE NUMERIC.                | Both                 |
|              | PDS0542S2 TRANSPORTATION CHARGES EXPONENT MUST BE NUMERIC.              | Both                 |
|              | PDS0543S1 GRATUITY CHARGES AMOUNT MUST BE NUMERIC.                      | Both                 |
|              | PDS0543S2 GRATUITY CHARGES EXPONENT MUST BE NUMERIC.                    | Both                 |

| Error number | Error message                                                        | Edit performed by... |
|--------------|----------------------------------------------------------------------|----------------------|
|              | PDS0554S1 CONFERENCE ROOM CHARGES AMOUNT MUST BE NUMERIC.            | Both                 |
|              | PDS0554S2 CONFERENCE ROOM CHARGES EXPONENT MUST BE NUMERIC.          | Both                 |
|              | PDS0560S1 AUDIO VISUAL CHARGES AMOUNT MUST BE NUMERIC.               | Both                 |
|              | PDS0560S2 AUDIO VISUAL CHARGES EXPONENT MUST BE NUMERIC.             | Both                 |
|              | PDS0562S1 BANQUET CHARGES AMOUNT MUST BE NUMERIC.                    | Both                 |
|              | PDS0562S2 BANQUET CHARGES EXPONENT MUST BE NUMERIC.                  | Both                 |
|              | PDS0569S1 INTERNET ACCESS AMOUNT MUST BE NUMERIC.                    | Both                 |
|              | PDS0569S2 INTERNET ACCESS EXPONENT MUST BE NUMERIC.                  | Both                 |
|              | PDS0570S1 EARLY DEPARTURE CHARGES AMOUNT MUST BE NUMERIC.            | Both                 |
|              | PDS0570S2 EARLY DEPARTURE CHARGES EXPONENT MUST BE NUMERIC.          | Both                 |
|              | PDS0578S3 BILLING ADJUSTMENT EXPONENT MUST BE NUMERIC.               | Both                 |
|              | PDS0579 INVOICE DATE MUST BE NUMERIC.                                | Both                 |
|              | PDS0580S1 ROOM RATE AMOUNT MUST BE NUMERIC.                          | Both                 |
|              | PDS0580S2 ROOM RATE EXPONENT MUST BE NUMERIC.                        | Both                 |
|              | PDS0581S1 TOTAL ROOM TAX AMOUNT MUST BE NUMERIC.                     | Both                 |
|              | PDS0581S2 TOTAL ROOM TAX EXPONENT MUST BE NUMERIC.                   | Both                 |
|              | PDS0583S1 PHONE CHARGES AMOUNT MUST BE NUMERIC.                      | Both                 |
|              | PDS0583S2 PHONE CHARGES EXPONENT MUST BE NUMERIC.                    | Both                 |
|              | PDS0584S1 RESTAURANT CHARGES AMOUNT MUST BE NUMERIC.                 | Both                 |
|              | PDS0584S2 RESTAURANT CHARGES EXPONENT MUST BE NUMERIC.               | Both                 |
|              | PDS0585S1 MINI-BAR CHARGES AMOUNT MUST BE NUMERIC.                   | Both                 |
|              | PDS0585S2 MINI-BAR CHARGES EXPONENT MUST BE NUMERIC.                 | Both                 |
|              | PDS0586S1 GIFT SHOP CHARGES AMOUNT MUST BE NUMERIC.                  | Both                 |
|              | PDS0586S2 GIFT SHOP CHARGES EXPONENT MUST BE NUMERIC.                | Both                 |
|              | PDS0587S1 LAUNDRY AND DRY CLEANING CHARGES AMOUNT MUST BE NUMERIC.   | Both                 |
|              | PDS0587S2 LAUNDRY AND DRY CLEANING CHARGES EXPONENT MUST BE NUMERIC. | Both                 |
|              | PDS0588S2 OTHER SERVICES AMOUNT MUST BE NUMERIC.                     | Both                 |
|              | PDS0588S3 OTHER SERVICES EXPONENT MUST BE NUMERIC.                   | Both                 |

| Error number | Error message                                            | Edit performed by... |
|--------------|----------------------------------------------------------|----------------------|
|              | PDS0589S1 INVOICE CREATION DATE MUST BE NUMERIC.         | Both                 |
|              | PDS0589S2 INVOICE CREATION TIME MUST BE NUMERIC.         | Both                 |
|              | PDS0594S1 PARTY CONTACT DESCRIPTOR MUST BE NUMERIC.      | Both                 |
|              | PDS0597S1 TOTAL TAX AMOUNT MUST BE NUMERIC.              | Both                 |
|              | PDS0597S2 TOTAL TAX AMOUNT EXPONENT MUST BE NUMERIC.     | Both                 |
|              | PDS0606S1 FREIGHT AMOUNT MUST BE NUMERIC.                | Both                 |
|              | PDS0606S2 FREIGHT AMOUNT EXPONENT MUST BE NUMERIC.       | Both                 |
|              | PDS0607S1 DUTY AMOUNT MUST NUMERIC.                      | Both                 |
|              | PDS0607S2 DUTY AMOUNT EXPONENT MUST BE NUMERIC.          | Both                 |
|              | PDS0612 SHIP DATE MUST BE NUMERIC.                       | Both                 |
|              | PDS0626S1 STATEMENT START DATE MUST BE NUMERIC.          | Both                 |
|              | PDS0626S2 STATEMENT END DATE MUST BE NUMERIC.            | Both                 |
|              | PDS0627S1 BILLING EVENT 1 AMOUNT MUST BE NUMERIC.        | Both                 |
|              | PDS0627S2 BILLING EVENT EXPONENT 1 MUST BE NUMERIC.      | Both                 |
|              | PDS0628S1 BILLING EVENT AMOUNT 2 MUST BE NUMERIC.        | Both                 |
|              | PDS0628S2 BILLING EVENT EXPONENT 2 MUST BE NUMERIC.      | Both                 |
|              | PDS0634 TAX AMOUNT 1 MUST BE NUMERIC.                    | Both                 |
|              | PDS0635 TAX AMOUNT 2 MUST BE NUMERIC.                    | Both                 |
|              | PDS0636 CALL DATE MUST BE NUMERIC.                       | Both                 |
|              | PDS0637 CALL TIME MUST BE NUMERIC.                       | Both                 |
|              | PDS0639 CALL DURATION MUST BE NUMERIC.                   | Both                 |
|              | PDS0646S1 UNIT PRICE MUST BE NUMERIC.                    | Both                 |
|              | PDS0647S2 EXTENDED ITEM AMOUNT EXPONENT MUST BE NUMERIC. | Both                 |
|              | PDS0648S3 ITEM DISCOUNT RATE MUST BE NUMERIC.            | Both                 |
|              | PDS0648S4 ITEM DISCOUNT RATE EXPONENT MUST BE NUMERIC.   | Both                 |
|              | PDS0649S1 CALL USAGE AMOUNT MUST BE NUMERIC.             | Both                 |
|              | PDS0649S2 CALL USAGE AMOUNT EXPONENT MUST BE NUMERIC.    | Both                 |
|              | PDS0653S1 SERVICE AMOUNT MUST BE NUMERIC.                | Both                 |
|              | PDS0655S1 CALL LONG DISTANCE AMOUNT MUST BE NUMERIC.     | Both                 |

| Error number | Error message                                                 | Edit performed by... |
|--------------|---------------------------------------------------------------|----------------------|
|              | PDS0655S2 CALL LONG DISTANCE AMOUNT EXPONENT MUST BE NUMERIC. | Both                 |
|              | PDS0656S4 FULL VAT TAX AMOUNT MUST BE NUMERIC.                | Both                 |
|              | PDS0657S4 HALF VAT TAX AMOUNT MUST BE NUMERIC.                | Both                 |
|              | PDS0658S1 CALL CONNECT AMOUNT MUST BE NUMERIC.                | Both                 |
|              | PDS0658S2 CALL CONNECT AMOUNT EXPONENT MUST BE NUMERIC.       | Both                 |
|              | PDS0661 TRAFFIC CODE MUST BE NUMERIC.                         | Both                 |
|              | PDS0669 TRANSPORTATION OTHER CODE MUST BE NUMERIC.            | Both                 |
|              | PDS0693S1 TOTAL AUTHORIZED AMOUNT MUST BE NUMERIC.            | Both                 |
|              | PDS0693S2 TOTAL AUTHORIZED AMOUNT EXPONENT MUST BE NUMERIC.   | Both                 |
|              | PDS0699S1 LODGING TOTAL TAX AMOUNT MUST BE NUMERIC.           | Both                 |
|              | PDS0699S2 LODGING TOTAL TAX AMOUNT EXPONENT MUST BE NUMERIC.  | Both                 |
|              | PDS0704S1 PREPAID EXPENSES AMOUNT MUST BE NUMERIC.            | Both                 |
|              | PDS0704S2 PREPAID EXPENSES AMOUNT EXPONENT MUST BE NUMERIC.   | Both                 |
|              | PDS0705S1 TOTAL NON-ROOM TAX AMOUNT MUST BE NUMERIC.          | Both                 |
|              | PDS0705S2 TOTAL NON-ROOM TAX AMOUNT EXPONENT MUST BE NUMERIC. | Both                 |
|              | PDS0706S1 CASH ADVANCE AMOUNT MUST BE NUMERIC.                | Both                 |
|              | PDS0706S2 CASH ADVANCE EXPONENT MUST BE NUMERIC.              | Both                 |
|              | PDS0707S1 VALET CHARGES AMOUNT MUST BE NUMERIC.               | Both                 |
|              | PDS0707S2 VALET CHARGES EXPONENT MUST BE NUMERIC.             | Both                 |
|              | PDS0708S1 MOVIE CHARGES AMOUNT MUST BE NUMERIC.               | Both                 |
|              | PDS0708S2 MOVIE CHARGES EXPONENT MUST BE NUMERIC.             | Both                 |
|              | PDS0709S1 BUSINESS CENTER CHARGES AMOUNT MUST BE NUMERIC.     | Both                 |
|              | PDS0709S2 BUSINESS CENTER CHARGES EXPONENT MUST BE NUMERIC.   | Both                 |
|              | PDS0710S1 HEALTH CLUB CHARGES AMOUNT MUST BE NUMERIC.         | Both                 |
|              | PDS0710S2 HEALTH CLUB CHARGES EXPONENT MUST BE NUMERIC.       | Both                 |
|              | PDS0723 REGULAR HOURS WORKED MUST BE NUMERIC.                 | Both                 |
|              | PDS0724 REGULAR HOURS RATE MUST BE NUMERIC.                   | Both                 |
|              | PDS0725 OVERTIME HOURS WORKED MUST BE NUMERIC.                | Both                 |
|              | PDS0726 OVERTIME HOURS RATE MUST BE NUMERIC.                  | Both                 |



| Error number | Error message                                              | Edit performed by... |
|--------------|------------------------------------------------------------|----------------------|
|              | PDS0732S1 DISCOUNT AMOUNT MUST BE NUMERIC.                 | Both                 |
|              | PDS0732S2 DISCOUNT AMOUNT EXPONENT MUST BE NUMERIC.        | Both                 |
|              | PDS0733 SUBTOTAL AMOUNT MUST BE NUMERIC.                   | Both                 |
|              | PDS0733S1 SUBTOTAL AMOUNT MUST BE NUMERIC.                 | Both                 |
|              | PDS0733S2 SUBTOTAL AMOUNT EXPONENT MUST BE NUMERIC.        | Both                 |
|              | PDS0734S2 MISCELLANEOUS EXPENSE AMOUNT MUST BE NUMERIC.    | Both                 |
|              | PDS0734S3 MISCELLANEOUS EXPENSES EXPONENT MUST BE NUMERIC. | Both                 |
|              | PDS0737S1 SHIPPING NET AMOUNT MUST BE NUMERIC.             | Both                 |
|              | PDS0737S2 SHIPPING NET AMOUNT EXPONENT MUST BE NUMERIC.    | Both                 |
|              | PDS0738S1 INCENTIVE AMOUNT MUST BE NUMERIC.                | Both                 |
|              | PDS0738S2 INCENTIVE AMOUNT EXPONENT MUST BE NUMERIC.       | Both                 |
|              | PDS0741 NUMBER OF PACKAGES MUST BE NUMERIC.                | Both                 |
|              | PDS0751S2 DETAIL TAX AMOUNT 4 MUST BE NUMERIC.             | Both                 |
|              | PDS0751S3 TAX RATE 4 MUST BE NUMERIC.                      | Both                 |
|              | PDS0752S2 DETAIL TAX AMOUNT 5 MUST BE NUMERIC.             | Both                 |
|              | PDS0752S3 DETAIL TAX RATE 5 MUST BE NUMERIC.               | Both                 |
|              | PDS0753S2 DETAIL TAX AMOUNT 6 MUST BE NUMERIC.             | Both                 |
|              | PDS0753S3 DETAIL TAX RATE 6 MUST BE NUMERIC.               | Both                 |
|              | PDS0755S2 LINE ITEM TOTAL AMOUNT EXPONENT MUST BE NUMERIC. | Both                 |
|              | PDS0756S1 NUMBER OF ADULTS MUST BE NUMERIC.                | Both                 |
|              | PDS0756S2 NUMBER OF CHILDREN MUST BE NUMERIC.              | Both                 |

### Error number 2184

Error number 2184 is associated with specific messages. The edit process that presents these messages is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

## Error number 2184

| Error number | Error message                                                                                       | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------|----------------------|
| 2184         | DE43S2 ACCEPTOR STREET ADDRESS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                 |
|              | DE43S4 ACCEPTOR POSTAL (ZIP) CODE CANNOT CONTAIN ALL LOW-VALUES OR ALL HIGH-VALUES.                 | Both                 |
|              | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.        | Both                 |
|              | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                 |
|              | DE63 TRANSACTION LIFE CYCLE ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                 |
|              | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.          | Both                 |
|              | PDS0180 DOMESTIC ACCEPTOR TAX ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                 |
|              | PDS0196S1 MOBILE PHONE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                 |
|              | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.           | Both                 |
|              | PDS0199 FUNDING TRANSACTION INFORMATION CANNOT BE ALL LOW VALUES OR ALL HIGH VALUES.                | Both                 |
|              | PDS0375 MEMBER RECONCILIATION INDICATOR 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.              | Both                 |
|              | PDS0502S2 CUSTOM IDENTIFIER DETAIL CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                     | Both                 |
|              | PDS0503 TRAVEL AGENCY SEQUENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                  | Both                 |
|              | PDS0504S5 TRAVEL AGENCY FEE DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                | Both                 |
|              | PDS0505 PASSENGER NAME CANNOT BE ALL LOW-VALUES OR HIGH-VALUES.                                     | Both                 |
|              | PDS0515 ADDITIONAL ACCEPTOR INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                | Both                 |
|              | PDS0516 AUSTIN-TETRA NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                            | Both                 |

| <b>Error number</b> | <b>Error message</b>                                                                         | <b>Edit performed by...</b> |
|---------------------|----------------------------------------------------------------------------------------------|-----------------------------|
|                     | PDS0517 NAICS CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                              | Both                        |
|                     | PDS0526 CONJUNCTION TICKET CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                      | Both                        |
|                     | PDS0527 EXCHANGE TICKET CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                        |
|                     | PDS0544 RENTAL AGREEMENT NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                 | Both                        |
|                     | PDS0545 RENTER NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                             | Both                        |
|                     | PDS0546 RENTAL RETURN CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                      | Both                        |
|                     | PDS0547 RENTAL RETURN STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.            | Both                        |
|                     | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                        |
|                     | PDS0563 PROGRAM CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                            | Both                        |
|                     | PDS0564 RENTAL LOCATION CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                    | Both                        |
|                     | PDS0565 RENTAL LOCATION STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.          | Both                        |
|                     | PDS0567 RENTAL LOCATION ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                      | Both                        |
|                     | PDS0568 RENTAL CLASS ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                        |
|                     | PDS0571 GUEST NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                              | Both                        |
|                     | PDS0572 GUEST NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                            | Both                        |
|                     | PDS0573 INVOICE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                        |
|                     | PDS0576 FOLIO NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                            | Both                        |
|                     | PDS0577 PROPERTY PHONE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                   | Both                        |
|                     | PDS0582 PROGRAM CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                            | Both                        |

| Error number | Error message                                                                      | Edit performed by... |
|--------------|------------------------------------------------------------------------------------|----------------------|
| PDS0588S1    | OTHER SERVICES CODE CANNOT BE ALL LOW-VALUES OR HIGH-VALUES.                       | Both                 |
| PDS0591S1    | PARTY NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                            | Both                 |
| PDS0592S1    | PARTY ADDRESS LINE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                    | Both                 |
| PDS0593S1    | CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                  | Both                 |
| PDS0593S2    | STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                        | Both                 |
| PDS0593S3    | COUNTRY CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                 |
| PDS0593S4    | POSTAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                           | Both                 |
| PDS0594S2    | PARTY CONTACT INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.             | Both                 |
| PDS0595S1    | BUSINESS TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                 |
| PDS0595S2    | BUSINESS OWNER TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                   | Both                 |
| PDS0595S3    | BUSINESS CERTIFICATION TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.           | Both                 |
| PDS0595S4    | BUSINESS RACIAL/ETHNIC TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.           | Both                 |
| PDS0598      | TOTAL TAX COLLECTED INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.         | Both                 |
| PDS0599      | CORPORATION VAT NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                | Both                 |
| PDS0600      | CARD REFERENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                 | Both                 |
| PDS0602S1    | PARTY SUPPLEMENTAL DATA DESCRIPTION 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                 |
| PDS0602S2    | PARTY SUPPLEMENTAL DATA 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.             | Both                 |
| PDS0602S3    | PARTY SUPPLEMENTAL DATA CODE 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.        | Both                 |

| Error number | Error message                                                                                        | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0603S1 PARTY SUPPLEMENTAL DATA DESCRIPTION 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.         | Both                 |
|              | PDS0603S2 PARTY SUPPLEMENTAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                     | Both                 |
|              | PDS0603S3 PARTY SUPPLEMENTAL DATA CODE 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                | Both                 |
|              | PDS0604S1 TRANSACTION SUPPLEMENTAL DATA DESCRIPTION 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.   | Both                 |
|              | PDS0604S2 TRANSACTION SUPPLEMENTAL DATA 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.               | Both                 |
|              | PDS0604S3 TRANSACTION SUPPLEMENTAL DATA CODE 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.          | Both                 |
|              | PDS0605S1 TRANSACTION SUPPLEMENTAL DATA DESCRIPTION 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.   | Both                 |
|              | PDS0605S2 TRANSACTION SUPPLEMENTAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.               | Both                 |
|              | PDS0605S3 TRANSACTION SUPPLEMENTAL DATA CODE 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.          | Both                 |
|              | PDS0608 DESTINATION POSTAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                 |
|              | PDS0609 DESTINATION STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                      | Both                 |
|              | PDS0611 SEQUENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                 |
|              | PDS0613 SHIP-FROM POSTAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                           | Both                 |
|              | PDS0615 MEDICAL SERVICES SHIP TO HEALTH INDUSTRY NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                 |
|              | PDS0616 CONTRACT NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                 |
|              | PDS0619 USER NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                       | Both                 |
|              | PDS0624 USER ACCOUNT NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                             | Both                 |
|              | PDS0625 USER TELEPHONE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                           | Both                 |

| Error number | Error message                                                                      | Edit performed by... |
|--------------|------------------------------------------------------------------------------------|----------------------|
|              | PDS0627S4 BILLING EVENT DESCRIPTION 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                 |
|              | PDS0628S4 BILLING EVENT DESCRIPTION 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                 |
|              | PDS0629 ODOMETER READING CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.              | Both                 |
|              | PDS0630 VEHICLE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                | Both                 |
|              | PDS0631 DRIVER NUMBER/ID NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.       | Both                 |
|              | PDS0638S1 CALL TO CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                | Both                 |
|              | PDS0638S2 CALL TO STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.      | Both                 |
|              | PDS0638S3 CALL TO COUNTRY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.             | Both                 |
|              | PDS0638S4 CALL TO NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.              | Both                 |
|              | PDS0642 ITEM DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.              | Both                 |
|              | PDS0644S1 CALL FROM CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.              | Both                 |
|              | PDS0644S2 CALL FROM STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.    | Both                 |
|              | PDS0644S3 CALL FROM COUNTRY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.           | Both                 |
|              | PDS0644S4 CALL FROM NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.            | Both                 |
|              | PDS0645 ITEM UNIT OF MEASURE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.          | Both                 |
|              | PDS0651 PROCEDURE ID NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.           | Both                 |
|              | PDS0652S1 SERVICE TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                | Both                 |
|              | PDS0652S2 SERVICE NATURE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.              | Both                 |

| Error number | Error message                                                                                     | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0659 OTHER DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                 |
|              | PDS0660S2 CUSTOMER REFERENCE DETAIL CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                  | Both                 |
|              | PDS0663 FREE-FORM DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                        | Both                 |
|              | PDS0664 START STATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                 |
|              | PDS0665 DESTINATION STATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                 |
|              | PDS0667S2 GENERIC NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                             | Both                 |
|              | PDS0667S4 GENERIC OTHER NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                 |
|              | PDS0668S2 REDUCTION NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                           | Both                 |
|              | PDS0668S4 REDUCTION OTHER NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                     | Both                 |
|              | PDS0670S1 PAYER NAME/USER ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                 |
|              | PDS0670S2 PAYER ADDRESS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                              | Both                 |
|              | PDS0670S3 PAYER CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                 |
|              | PDS0670S4 PAYER STATE/PROVINCE CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                  | Both                 |
|              | PDS0670S5 PAYER COUNTRY CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                 |
|              | PDS0670S6 PAYER POSTAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                 |
|              | PDS0682S7 ACCEPTOR TAX ID 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                 |
|              | PDS0683S7 ACCEPTOR TAX ID 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                 |
|              | PDS0684S7 ACCEPTOR TAX ID 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                 |
|              | PDS0688 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                              | Both                 |

| Error number | Error message                                                                                | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------|----------------------|
|              | PDS0732S4 DISCOUNT TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                 |
|              | PDS0742 PACKAGE WEIGHT CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                 |
|              | PDS0751S7 ACCEPTOR TAX ID 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                     | Both                 |
|              | PDS0752S7 ACCEPTOR TAX ID 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                     | Both                 |
|              | PDS0753S7 ACCEPTOR TAX ID 6 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                     | Both                 |
|              | PDS0756S3 PASSENGER DESCRIPTION CLASS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.           | Both                 |
|              | PDS0757 TRANSPORTATION SERVICE PROVIDER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.         | Both                 |
|              | PDS0758 TRANSPORTATION SERVICES OFFERED CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.         | Both                 |
|              | PDS0759 DELIVERY ORDER NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                   | Both                 |
|              | PDS0760 CREDIT CARD SLIP NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                 | Both                 |
|              | PDS0761 TRAVEL AGENCY NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                    | Both                 |
|              | PDS0763 VAT SUPPRESSION INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.               | Both                 |
|              | PDS0765S1 PAYEE FIRST NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                      | Both                 |
|              | PDS0765S2 PAYEE LAST NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                 |
|              | PDS0770 ADDITIONAL ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                 |
|              | PDS0771S1 COST CENTER NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                    | Both                 |
|              | PDS0771S2 COST CENTER DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.               | Both                 |
|              | PDS0772S1 DRIVER LICENSE/STATE ISSUED ID NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                 |



| Error number | Error message                                                                                                          | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0772S2 DRIVER LICENSE/STATE ISSUED ID, STATE, PROVINCE, OR REGION CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                 |
|              | PDS0774 STOCK KEEPING UNIT (SKU) DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                              | Both                 |
|              | PDS0775 DEPARTMENT CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                   | Both                 |
|              | PDS0776S2 ALTERNATE CUSTOM IDENTIFIER DETAIL CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                              | Both                 |
|              | PDS0777 PROMOTION CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                    | Both                 |
|              | PDS0799 TEST CASE TRACEABILITY IDENTIFIERS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                 |

### Error number 2185

Error number 2185 is associated with specific messages. The edit process that presents these messages is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

### Error number 2185

| Error number | Error message                                                                                | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------|----------------------|
| 2185         | DE54S4 ADDITIONAL AMOUNT SIGN MUST BE D OR C.                                                | Both                 |
|              | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1, 2, 3, 4, 5, OR 6.                    | Both                 |
|              | PDS0080S5 DEBIT/CREDIT INDICATOR MUST BE D OR C.                                             | GCMS                 |
|              | PDS0504S3 TRAVEL AGENCY FEE AMOUNT SIGN MUST BE D OR C.                                      | Both                 |
|              | PDS0519S1 HOURS OF OPERATION/24 HOUR AVAILABLE MUST BE A VALUE OF Y OR N.                    | Both                 |
|              | PDS0519S2 18 WHEELER ACCESS AVAILABLE MUST BE A VALUE OF Y OR N.                             | Both                 |
|              | PDS0519S3 DIESEL SITES AVAILABLE MUST BE A VALUE OF Y OR N.                                  | Both                 |
|              | PDS0519S4 INTERSTATE ACCESS/EXIT NUMBER WITH DIRECTIONS AVAILABLE MUST BE A VALUE OF Y OR N. | Both                 |

| Error number | Error message                                                                  | Edit performed by... |
|--------------|--------------------------------------------------------------------------------|----------------------|
|              | PDS0519S5 CONVENIENCE STORE AVAILABLE MUST BE A VALUE OF Y OR N.               | Both                 |
|              | PDS0519S6 TRUCK STOP RESTAURANT AVAILABLE MUST BE A VALUE OF Y OR N.           | Both                 |
|              | PDS0519S7 TRUCK STOP HOTEL AVAILABLE MUST BE A VALUE OF Y OR N.                | Both                 |
|              | PDS0519S8 TRUCK STOP WITH SHOWERS AVAILABLE MUST BE A VALUE OF Y OR N.         | Both                 |
|              | PDS0519S9 VEHICLE MAINTENANCE/REPAIR BAYS AVAILABLE MUST BE A VALUE OF Y OR N. | Both                 |
|              | PDS0519S10 CAR WASH AVAILABLE MUST BE A VALUE OF Y OR N.                       | Both                 |
|              | PDS0519S11 AVIATION LOCATIONS AVAILABLE MUST BE A VALUE OF Y OR N.             | Both                 |
|              | PDS0519S12 MARINA LOCATIONS AVAILABLE MUST BE A VALUE OF Y OR N.               | Both                 |
|              | PDS0519S13 ALTERNATIVE FUEL LOCATIONS AVAILABLE MUST BE A VALUE OF Y OR N.     | Both                 |
|              | PDS0519S14 PAY-AT-PUMP AVAILABLE MUST BE A VALUE OF Y OR N.                    | Both                 |
|              | PDS0532S3 TOTAL CHARGES SIGN MUST BE D OR C.                                   | Both                 |
|              | PDS0534S3 TOTAL NON-ROOM CHARGES SIGN MUST BE D OR C.                          | Both                 |
|              | PDS0539S3 TOTAL AMOUNT CHARGED ON CREDIT CARD SIGN MUST BE D OR C.             | Both                 |
|              | PDS0540S3 ROOM SERVICE CHARGES SIGN MUST BE D OR C.                            | Both                 |
|              | PDS0541S3 LOUNGE/BAR CHARGES SIGN MUST BE D OR C.                              | Both                 |
|              | PDS0542S3 TRANSPORTATION CHARGES SIGN MUST BE D OR C.                          | Both                 |
|              | PDS0543S3 GRATUITY CHARGES SIGN MUST BE D OR C.                                | Both                 |
|              | PDS0554S3 CONFERENCE ROOM CHARGES SIGN MUST BE D OR C.                         | Both                 |
|              | PDS0560S3 AUDIO VISUAL CHARGES SIGN MUST BE D OR C.                            | Both                 |
|              | PDS0562S3 BANQUET CHARGES SIGN MUST BE D OR C.                                 | Both                 |
|              | PDS0569S3 INTERNET ACCESS CHARGES SIGN MUST BE D OR C.                         | Both                 |
|              | PDS0570S3 EARLY DEPARTURE CHARGES SIGN MUST BE D OR C.                         | Both                 |
|              | PDS0578S4 BILLING ADJUSTMENT SIGN MUST BE D OR C.                              | Both                 |
|              | PDS0581S3 TOTAL ROOM TAX SIGN MUST BE D OR C.                                  | Both                 |
|              | PDS0583S3 PHONE CHARGES SIGN MUST BE D OR C.                                   | Both                 |
|              | PDS0584S3 RESTAURANT CHARGES SIGN MUST BE D OR C.                              | Both                 |

| Error number | Error message                                                                                                                                                                                                                                        | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0585S3 MINI-BAR CHARGES SIGN MUST BE D OR C.                                                                                                                                                                                                      | Both                 |
|              | PDS0586S3 GIFT SHOP CHARGES SIGN MUST BE D OR C.                                                                                                                                                                                                     | Both                 |
|              | PDS0587S3 LAUNDRY & DRY CLEANING CHARGES SIGN MUST BE D OR C.                                                                                                                                                                                        | Both                 |
|              | PDS0588S4 OTHER SERVICES SIGN MUST BE D OR C.                                                                                                                                                                                                        | Both                 |
|              | PDS0590 PARTY IDENTIFICATION MUST BE BY, SU, IV, PE, DP, OR SF.                                                                                                                                                                                      | Both                 |
|              | PDS0594S1 PARTY CONTACT DESCRIPTOR MUST BE 1, 2, 3, 4, OR 5.                                                                                                                                                                                         | Both                 |
|              | PDS0595S1 BUSINESS TYPE INVALID. MUST BE 1, 2, 3, 4, 5, 6, 7, 8, or 9.                                                                                                                                                                               | Both                 |
|              | PDS0595S5 BUSINESS TYPE PROVIDED MUST BE Y, N, OR R.                                                                                                                                                                                                 | Both                 |
|              | PDS0595S6 BUSINESS OWNER TYPE PROVIDED MUST BE Y, N, OR R.                                                                                                                                                                                           | Both                 |
|              | PDS0595S7 BUSINESS CERTIFICATION TYPE PROVIDED MUST BE Y, N, OR R.                                                                                                                                                                                   | Both                 |
|              | PDS0595S8 BUSINESS RACIAL/ETHNIC TYPE MUST BE Y, N, OR R.                                                                                                                                                                                            | Both                 |
|              | PDS0596S2 ACCEPTOR TAX ID MUST BE Y, N, OR R.                                                                                                                                                                                                        | Both                 |
|              | PDS0597S3 TOTAL TAX AMOUNT SIGN MUST BE D OR C.                                                                                                                                                                                                      | Both                 |
|              | PDS0601 PARTY NATURE OF FILING MUST BE P, S, E, OR N.                                                                                                                                                                                                | Both                 |
|              | PDS0606S3 FREIGHT AMOUNT SIGN MUST BE D OR C.                                                                                                                                                                                                        | Both                 |
|              | PDS0607S3 DUTY AMOUNT SIGN MUST BE D OR C.                                                                                                                                                                                                           | Both                 |
|              | PDS0617 MEDICAL SERVICES PRICE ADJUSTMENT MUST BE A, B, C, OR D.                                                                                                                                                                                     | Both                 |
|              | PDS0618 MEDICAL SERVICES PRODUCT NUMBER QUALIFIER MUST BE 01, 02, OR 03.                                                                                                                                                                             | Both                 |
|              | PDS0627S3 BILLING EVENT SIGN 1 MUST BE D OR C.                                                                                                                                                                                                       | Both                 |
|              | PDS0628S3 BILLING EVENT SIGN 2 MUST BE D OR C.                                                                                                                                                                                                       | Both                 |
|              | PDS0638S5 CALL TO TYPE MUST BE C, I, V, P, O, OR F.                                                                                                                                                                                                  | Both                 |
|              | PDS0640 CALL TIME PERIOD MUST BE PP, OP, MP OR OT.                                                                                                                                                                                                   | Both                 |
|              | PDS0641 PRODUCT CODE MUST BE L-1000, L-1020, L-1021, L-1100, L-1101, L-1102, L-1103, L-1104, L-1105, L-1106, L-1107, L-1108, L-1109, L-1110, L-1111, L-1112, L-1113, L-1114, L-1115, L-1116, L-1117, L-1118, L-1119, L-1120, L-1121, L-1122, L-9999. | Both                 |
|              | PDS0647S3 EXTENDED ITEM AMOUNT SIGN MUST BE D OR C.                                                                                                                                                                                                  | Both                 |
|              | PDS0648S5 ITEM DISCOUNT AMOUNT SIGN MUST BE D OR C.                                                                                                                                                                                                  | Both                 |
|              | PDS0649S3 CALL USAGE AMOUNT SIGN MUST BE D OR C.                                                                                                                                                                                                     | Both                 |
|              | PDS0653S3 SERVICE AMOUNT SIGN MUST BE D OR C.                                                                                                                                                                                                        | Both                 |

| Error number | Error message                                                                                                         | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0655S3 CALL LONG DISTANCE AMOUNT SIGN MUST BE D OR C.                                                              | Both                 |
|              | PDS0656S3 FULL VAT GROSS AMOUNT SIGN MUST BE D OR C.                                                                  | Both                 |
|              | PDS0656S6 FULL VAT TAX AMOUNT SIGN MUST BE D OR C.                                                                    | Both                 |
|              | PDS0657S3 HALF VAT GROSS AMOUNT SIGN MUST BE D OR C.                                                                  | Both                 |
|              | PDS0657S6 HALF VAT TAX SIGN MUST BE D OR C.                                                                           | Both                 |
|              | PDS0658S3 CALL CONNECT AMOUNT SIGN MUST BE D OR C.                                                                    | Both                 |
|              | PDS0660S3 CUSTOMER REFERENCE VALUE DETAIL MUST BE <VALLIST>.                                                          | Both                 |
|              | PDS0682S8 DETAIL TAX AMOUNT SIGN 1 MUST BE D OR C.                                                                    | Both                 |
|              | PDS0683S8 DETAIL TAX AMOUNT SIGN 2 MUST BE D OR C.                                                                    | Both                 |
|              | PDS0684S8 DETAIL TAX AMOUNT SIGN 3 MUST BE D OR C.                                                                    | Both                 |
|              | PDS0693S3 TOTAL AUTHORIZED AMOUNT SIGN MUST BE D OR C.                                                                | Both                 |
|              | PDS0699S3 LODGING TOTAL AMOUNT SIGN MUST BE D OR C.                                                                   | Both                 |
|              | PDS0704S3 PREPAID EXPENSE AMOUNT SIGN MUST BE D OR C.                                                                 | Both                 |
|              | PDS0705S3 TOTAL NON-ROOM TAX AMOUNT SIGN MUST BE D OR C.                                                              | Both                 |
|              | PDS0706S3 CASH ADVANCE SIGN MUST BE D OR C.                                                                           | Both                 |
|              | PDS0707S3 VALET CHARGES SIGN MUST BE D OR C.                                                                          | Both                 |
|              | PDS0708S3 MOVIE CHARGES SIGN MUST BE D OR C.                                                                          | Both                 |
|              | PDS0709S3 BUSINESS CENTER CHARGES SIGN MUST BE D OR C.                                                                | Both                 |
|              | PDS0710S3 HEALTH CLUB CHARGES SIGN MUST BE D OR C.                                                                    | Both                 |
|              | PDS0722 FLAT RATE INDICATOR MUST BE Y OR N.                                                                           | Both                 |
|              | PSD73S23 DISCOUNT AMOUNT SIGN MUST BE D OR C.                                                                         | Both                 |
|              | PDS0733S3 SUBTOTAL AMOUNT SIGN MUST BE D OR C.                                                                        | Both                 |
|              | PDS0734S4 MISCELLANEOUS EXPENSES AMOUNT SIGN MUST BE D OR C.                                                          | Both                 |
|              | PDS0737S3 SHIPPING NET AMOUNT SIGN MUST BE D OR C.                                                                    | Both                 |
|              | PDS0738S3 INCENTIVE AMOUNT SIGN MUST BE D OR C.                                                                       | Both                 |
|              | PDS0747S1 SHIPPING PARTY DESCRIPTOR MUST BE 1, 2, 3, 4, OR 5.                                                         | Both                 |
|              | PDS0751S1 DETAIL TAX AMOUNT INDICATOR 4 MUST BE Y, N, OR SPACE.                                                       | Both                 |
|              | PDS0751S6 DETAIL TAX TYPE IDENTIFIER 4 MUST BE 00, 01, 02, 03, 04, 05, 06, 10, 11, 12, 13, 14, 20, 21, 22, OR SPACES. | Both                 |
|              | PDS0751S8 DETAIL TAX AMOUNT SIGN 4 MUST BE D OR C.                                                                    | Both                 |

| Error number | Error message                                                                                                         | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0752S1 DETAIL TAX AMOUNT INDICATOR 5 MUST BE Y, N, OR SPACE.                                                       | Both                 |
|              | PDS0752S6 DETAIL TAX TYPE IDENTIFIER 5 MUST BE 00, 01, 02, 03, 04, 05, 06, 10, 11, 12, 13, 14, 20, 21, 22, OR SPACES. | Both                 |
|              | PDS0752S8 DETAIL TAX AMOUNT SIGN 5 MUST BE D OR C.                                                                    | Both                 |
|              | PDS0753S1 DETAIL TAX AMOUNT INDICATOR 6 MUST BE Y, N, OR SPACE.                                                       | Both                 |
|              | PDS0753S6 DETAIL TAX TYPE IDENTIFIER 6 MUST BE 00, 01, 02, 03, 04, 05, 06, 10, 11, 12, 13, 14, 20, 21, 22, OR SPACES. | Both                 |
|              | PDS0753S8 DETAIL TAX AMOUNT SIGN 6 MUST BE D OR C.                                                                    | Both                 |
|              | PDS0754S1 DELIVERY PARTY DESCRIPTOR MUST BE 1, 2, 3, 4, OR 5.                                                         | Both                 |
|              | PDS0755S3 LINE ITEM TOTAL AMOUNT SIGN MUST BE D OR C.                                                                 | Both                 |
|              | PDS0762 DATA SOURCE MUST BE 00, 10, 11, 12, 14, 15, 16, 18, 19.                                                       | Both                 |
|              | PDS0787S3 EXTENDED ITEM AMOUNT SIGN MUST BE D OR C.                                                                   | Both                 |

## Error numbers 2186–2199

Each error number from 2186 to 2199 is associated with a specific message. The edit process that presents the message is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

## Error numbers 2186–2199

| Error number | Error message                                                                                                                | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2186         | DE12S1 DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                       | Both                 |
|              | DE73 DATE, ACTION MUST BE A VALID DATE IN THE FORMAT YYMMDD.<br><b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing Optimizer   |
|              | PDS0159S8 SETTLEMENT DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                         | GCMS                 |
|              | PDS0518 LINE ITEM DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                            | Both                 |
|              | PDS0579 INVOICE DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                              | Both                 |
|              | PDS0589S1 INVOICE CREATION DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                   | Both                 |
|              | PDS0612 SHIP DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                 | Both                 |

| Error number | Error message                                                                                     | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0626S1 STATEMENT START DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                         | Both                 |
|              | PDS0626S2 STATEMENT END DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                           | Both                 |
|              | PDS0636 CALL DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                      | Both                 |
|              | PDS0727 TEMP START DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                | Both                 |
|              | PDS0728 TEMP WEEK ENDING MUST BE A VALID DATE IN THE FORMAT YYMMDD.                               | Both                 |
|              | PDS0739 PICKUP DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                    | Both                 |
|              | PDS0740 DELIVERY DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                  | Both                 |
| 2187         | PDS0505 PASSENGER NAME REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                   | Both                 |
|              | PDS0506 TICKET NUMBER REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                    | Both                 |
|              | PDS0507 ISSUING CARRIER REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                  | Both                 |
|              | PDS0512 TOTAL FARE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                       | Both                 |
|              | PDS0520 TRAVEL DATE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                      | Both                 |
|              | PDS0521 CARRIER CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                     | Both                 |
|              | PDS0522 SERVICE CLASS CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.               | Both                 |
|              | PDS0523 CITY OF ORIGIN/AIRPORT CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.      | Both                 |
|              | PDS0524 CITY OF DESTINATION/AIRPORT CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III. | Both                 |
|              | PDS0525 STOP OVER CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                   | Both                 |
|              | PDS0529 FARE BASIS CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                  | Both                 |
|              | PDS0530 FLIGHT NUMBER REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                    | Both                 |

| Error number | Error message                                                                                                                                                                                                                           | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0531 DEPARTURE TIME REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                                         | Both                 |
| 2188         | PDS0505 PASSENGER NAME, PDS0506 TICKET NUMBER, PDS0520 TRAVEL DATE, PDS0652S1 SERVICE TYPE, PDS0664 START STATION, PDS0665 DESTINATION STATION, PDS0756S3 CLASS CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III. | Both                 |
|              | PDS0505 PASSENGER NAME REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                               | Both                 |
|              | PDS0506 TICKET NUMBER REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                                | Both                 |
|              | PDS0507 ISSUING CARRIER REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                              | Both                 |
|              | PDS0512 TOTAL FARE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                                   | Both                 |
|              | PDS0520 TRAVEL DATE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                                  | Both                 |
|              | PDS0521 CARRIER CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                                 | Both                 |
|              | PDS0522 SERVICE CLASS CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                           | Both                 |
|              | PDS0523 CITY OF ORIGIN/AIRPORT CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                  | Both                 |
|              | PDS0524 CITY OF DESTINATION/AIRPORT CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                             | Both                 |
|              | PDS0525 STOP OVER CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                               | Both                 |
|              | PDS0529 FARE BASIS CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                              | Both                 |
|              | PDS0530 FLIGHT NUMBER REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                                | Both                 |
|              | PDS0531 DEPARTURE TIME REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                               | Both                 |
| 2189         | PDS0544 RENTAL AGREEMENT NUMBER REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                         | Both                 |
|              | PDS0545 RENTER NAME REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                                     | Both                 |

| Error number | Error message                                                                                             | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0546 RENTAL RETURN CITY REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                | Both                 |
|              | PDS0547 RENTAL RETURN STATE/PROVINCE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.      | Both                 |
|              | PDS0548 RENTAL RETURN COUNTRY REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.             | Both                 |
|              | PDS0549 RENTAL RETURN LOCATION ID REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.         | Both                 |
|              | PDS0550 RENTAL RETURN DATE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                | Both                 |
|              | PDS0551 RENTAL CHECK-OUT DATE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.             | Both                 |
|              | PDS0552 CUSTOMER SERVICE TOLL-FREE NUMBER REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III. | Both                 |
|              | PDS0553 RENTAL RATE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                       | Both                 |
|              | PDS0564 RENTAL LOCATION CITY REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.              | Both                 |
|              | PDS0565 RENTAL LOCATION STATE/PROVINCE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.    | Both                 |
|              | PDS0566 RENTAL LOCATION COUNTRY REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.           | Both                 |
|              | PDS0568 RENTAL CLASS IDENTIFIER REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.           | Both                 |
|              | PDS0686 TAX EXEMPT INDICATOR REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.              | Both                 |
|              | PDS0691 DAYS RENTED REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                       | Both                 |
| 2190         | PDS0552 CUSTOMER SERVICE TOLL-FREE NUMBER REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.        | Both                 |
|              | PDS0574 ARRIVAL DATE REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                             | Both                 |
|              | PDS0575 DEPARTURE DATE REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                           | Both                 |
|              | PDS0576 FOLIO NUMBER REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                             | Both                 |



| Error number | Error message                                                                                                                                                               | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0577 PROPERTY PHONE NUMBER REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                                                      | Both                 |
|              | PDS0580 ROOM RATE REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                  | Both                 |
|              | PDS0581 ROOM TAX REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                   | Both                 |
|              | PDS0703 TOTAL ROOM NIGHTS REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                                                          | Both                 |
|              | PDS0711 FIRE SAFETY ACT INDICATOR REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                                                  | Both                 |
| 2191         | PDS0744 SHIPPING PARTY INFORMATION LENGTH MUST BE 050–150 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 50.                                                         | Both                 |
|              | PDS0748 DELIVERY PARTY INFORMATION LENGTH MUST BE 050–150 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 50.                                                         | Both                 |
| 2192         | PDS0745 SHIPPING PARTY ADDRESS LENGTH MUST BE 050–300 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 50.                                                             | Both                 |
|              | PDS0749 DELIVERY PARTY ADDRESS INFORMATION LENGTH MUST BE 050–300 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 50.                                                 | Both                 |
| 2193         | PDS0747 SHIPPING PARTY CONTACT LENGTH MUST BE 061–305 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 61.                                                             | Both                 |
|              | PDS0754 DELIVERY PARTY CONTACT LENGTH MUST BE 061–305 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 61.                                                             | Both                 |
| 2194         | PDS0734 MISCELLANEOUS EXPENSES LENGTH MUST BE 054–216 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 54.                                                             | Both                 |
| 2195         | PDS0641 PRODUCT CODE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                        | Both                 |
|              | PDS0642 ITEM DESCRIPTION MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                    | Both                 |
|              | PDS0643 ITEM QUANTITY MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.        | Both                 |
|              | PDS0645 ITEM UNIT OF MEASURE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                 |
|              | PDS0646 UNIT PRICE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                          | Both                 |

| Error number | Error message                                                                                                                                                                        | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0647 EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                         | Both                 |
|              | PDS0648 ITEM DISCOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                | Both                 |
|              | PDS0654 DEBIT CODE INDICATOR MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                         | Both                 |
|              | PDS0682 DETAIL TAX AMOUNT 1 MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                          | Both                 |
| 2196         | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                                                                                          | Both                 |
|              | PDS0174 DUN & BRADSTREET NUMBER MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                                                                                             | Both                 |
|              | PDS0261 RISK MANAGEMENT APPROVAL CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                                                                                       | Both                 |
|              | PDS0556 TOTAL MILES (OR KILOMETERS) MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                                                                                         | Both                 |
|              | PDS0755S1 LINE ITEM TOTAL AMOUNT MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                                                                                            | Both                 |
| 2197         | WHEN DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA IS PRESENT DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT AND DE22S7 CARD DATA: INPUT MODE MUST BE AN F OR C OR M OR S. | Both                 |
| 2198         | DE38 APPROVAL CODE CANNOT BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE CONTAINS AN F.                                                                                                | Both                 |

## Error numbers 2200–3999

Each error number from 2200 to 3999 is associated with a specific message. The edit process that presents the message is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

## Error numbers 2200–3999

| Error number | Error message                                                                             | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------|----------------------|
| 2200         | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA CANNOT BE ALL ZEROS OR ALL SPACES. | GCMS                 |

| Error number | Error message                                                                                                  | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0641 PRODUCT CODE CANNOT BE ALL ZEROS OR ALL SPACES.                                                        | Both                 |
|              | PDS0642 ITEM DESCRIPTION CANNOT BE ALL ZEROS OR ALL SPACES.                                                    | Both                 |
| 2202         | DE4 AMOUNT, TRANSACTION EXCEEDS THE MASTERCARD DEFINED ACQUIRER LIMIT.                                         | GCMS                 |
| 2203         | DE4 AMOUNT, TRANSACTION EXCEEDS THE MASTERCARD DEFINED ISSUER LIMIT.                                           | GCMS                 |
| 2204         | DE43S6 ACCEPTOR COUNTRY CODE INVALID. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>             | Clearing Optimizer   |
|              | DE43S6 ACCEPTOR COUNTRY CODE INVALID.                                                                          | Both                 |
|              | PDS0183S1 SERVICE CODE INVALID.                                                                                | GCMS                 |
|              | PDS0183S3 GUARANTEE INVALID.                                                                                   | GCMS                 |
|              | PDS0261 RISK MANAGEMENT APPROVAL CODE INVALID.                                                                 | GCMS                 |
| 2205         | DE25 MESSAGE REASON CODE AND DE 3 PROCESSING CODE COMBINATION INVALID.                                         | Both                 |
| 2206         | PDS0261 RISK MANAGEMENT APPROVAL CODE HAS EXPIRED.                                                             | GCMS                 |
| 2207         | THE VALUE IN PDS0596S1 ACCEPTOR TAX ID IS CONTAINED IN A LIST OF INVALID VALUES FOR THIS ELEMENT.              | Both                 |
| 2208         | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                             | Both                 |
|              | DE72 DATA RECORD CANNOT BE ALL ZEROS OR ALL SPACES.                                                            | Both                 |
|              | PDS0043 TRANSACTION TYPE ID CANNOT BE ALL ZEROS OR ALL SPACES.                                                 | Both                 |
|              | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ZEROS OR ALL SPACES.                                            | Both                 |
|              | PDS0189S2 POINT OF INTERACTION (POI) PHONE DATA CANNOT BE ALL ZEROS OR ALL SPACES.                             | Both                 |
|              | PDS0190 PARTNER ID CODE CANNOT BE ALL ZEROS OR ALL SPACES.                                                     | Both                 |
|              | PDS0241 MASTERCOM CONTROL NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                            | Both                 |
|              | PDS0265S3 DATA RECORD, INITIAL CANNOT BE ALL ZEROS OR ALL SPACES.                                              | Both                 |
|              | PDS0266S7 DATA RECORD FIRST RETURN CANNOT BE ALL ZEROS OR ALL SPACES.                                          | Both                 |
|              | PDS0267S7 SECOND PRESENTMENT/FEE COLLECTION RESUBMISSION DATA SECOND RETURN CANNOT BE ALL ZEROS OR ALL SPACES. | Both                 |
|              | PDS0528 COUPON NUMBER CANNOT CONTAIN ALL ZEROS OR ALL SPACES.                                                  | Both                 |

| Error number | Error message                                                                                                    | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0529 FARE BASIS CODE CANNOT CONTAIN ALL ZEROS OR ALL SPACES.                                                  | Both                 |
|              | PDS0645 ITEM UNIT OF MEASURE CANNOT BE ALL ZEROS OR ALL SPACES.                                                  | Both                 |
|              | PDS0770 ADDITIONAL ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL ZEROS OR ALL SPACES.                               | Both                 |
|              | PDS0781 FLEET SPEND CONTROL ENFORCED CANNOT BE ALL ZEROS OR ALL SPACES.                                          | Both                 |
|              | PDS0786 FLEET ITEM UNIT OF MEASURE CANNOT BE ALL ZEROS OR ALL SPACES.                                            | Both                 |
| 2209         | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 05 AND INDUSTRY RECORD NUMBER 000. | Both                 |
| 2210         | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 06 AND INDUSTRY RECORD NUMBER 000. | Both                 |
| 2211         | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 07 AND INDUSTRY RECORD NUMBER 000. | Both                 |
| 2212         | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 08 AND INDUSTRY RECORD NUMBER 000. | Both                 |
| 2213         | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 10 AND INDUSTRY RECORD NUMBER 000. | Both                 |
| 2214         | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 99 AND INDUSTRY RECORD NUMBER 000. | Both                 |
| 2215         | PDS0504S2 TRAVEL AGENCY FEE AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                        | Both                 |
|              | PDS0525 STOP OVER CODE MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–9, A–Z, OR SPACE.                              | Both                 |
|              | PDS0532S2 TOTAL CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                                   | Both                 |
|              | PDS0534S2 TOTAL NON-ROOM CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                          | Both                 |
|              | PDS0539S2 TOTAL NON-ROOM CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                          | Both                 |
|              | PDS0540S2 ROOM SERVICE CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                            | Both                 |
|              | PDS0541S2 LOUNGE/BAR CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                              | Both                 |
|              | PDS0542S2 TRANSPORTATION CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                          | Both                 |

| Error number | Error message                                                                                  | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0543S2 GRATUITY CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.              | Both                 |
|              | PDS0554S2 CONFERENCE ROOM CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.       | Both                 |
|              | PDS0560S2 AUDIO VISUAL CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.          | Both                 |
|              | PDS0562S2 BANQUET CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.               | Both                 |
|              | PDS0569S2 INTERNET ACCESS CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.       | Both                 |
|              | PDS0570S2 EARLY DEPARTURE CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.       | Both                 |
|              | PDS0578S3 BILLING ADJUSTMENT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.            | Both                 |
|              | PDS0580S2 ROOM RATE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                     | Both                 |
|              | PDS0581S2 TOTAL ROOM TAX EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.                   | Both                 |
|              | PDS0583S2 PHONE CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.                    | Both                 |
|              | PDS0584S2 RESTAURANT CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.               | Both                 |
|              | PDS0585S2 MINI BAR CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.                 | Both                 |
|              | PDS0586S2 GIFT SHOP CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.                | Both                 |
|              | PDS0587S2 LAUNDRY AND DRY CLEANING CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5. | Both                 |
|              | PDS0588S3 OTHER SERVICES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                | Both                 |
|              | PDS0597S2 TOTAL TAX AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.                 | Both                 |
|              | PDS0606S2 FREIGHT AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                | Both                 |
|              | PDS607S2 DUTY AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                    | Both                 |

| Error number | Error message                                                                              | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------|----------------------|
|              | PDS0627S2 BILLING EVENT EXPONENT 1 MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.           | Both                 |
|              | PDS0628S2 BILLING EVENT EXPONENT 2 MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.           | Both                 |
|              | PDS0643S2 ITEM QUANTITY EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.             | Both                 |
|              | PDS0646S2 UNIT PRICE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                | Both                 |
|              | PDS0647S2 EXTENDED ITEM AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.      | Both                 |
|              | PDS0648S4 ITEM DISCOUNT RATE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.        | Both                 |
|              | PDS0649S2 CALL USAGE AMOUNT EXPONENT.                                                      | Both                 |
|              | PDS0653S2 SERVICE AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.            | Both                 |
|              | PDS0655S2 CALL LONG DISTANCE AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5. | Both                 |
|              | PDS0656S2 FULL VAT GROSS AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.     | Both                 |
|              | PDS0656S5 FULL VAT TAX AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.       | Both                 |
|              | PDS0657S2 HALF VAT GROSS AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.     | Both                 |
|              | PDS0657S5 HALF VAT TAX AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.       | Both                 |
|              | PDS0658S2 CALL CONNECT AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.       | Both                 |
|              | PDS0660S1 CUSTOMER REFERENCE VALUE ID MUST CONTAIN A VALUE WITHIN THE RANGE OF 01–10.      | Both                 |
|              | PDS0693S2 TOTAL AUTHORIZED AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.   | Both                 |
|              | PDS0699S2 LODGING TOTAL TAX AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.  | Both                 |
|              | PDS0704S2 PREPAID EXPENSES AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.   | Both                 |

| Error number | Error message                                                                                | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------|----------------------|
|              | PDS0705S2 TOTAL NON-ROOM TAX AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.      | Both                 |
|              | PDS0706S2 CASH ADVANCE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.                   | Both                 |
|              | PDS0707S2 VALET CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.                  | Both                 |
|              | PDS0708S2 MOVIE CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.                  | Both                 |
|              | PDS0709S2 BUSINESS CENTER CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.        | Both                 |
|              | PDS0710S2 HEALTH CLUB CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.            | Both                 |
|              | PDS0723S2 REGULAR HOURS WORKED EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.        | Both                 |
|              | PDS0724S2 REGULAR HOURS RATE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.          | Both                 |
|              | PDS0725S2 OVERTIME HOURS WORKED EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.       | Both                 |
|              | PDS0726S2 OVERTIME HOURS RATE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.         | Both                 |
|              | PDS0732S2 DISCOUNT AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.                | Both                 |
|              | PDS0733S2 SUBTOTAL AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.                | Both                 |
|              | PDS0734S3 MISCELLANEOUS EXPENSES AMOUNT EXPONENT MUST CONTAIN A VALUE WITH THE RANGE OF 0–5. | Both                 |
|              | PDS0737S2 SHIPPING NET AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.            | Both                 |
|              | PDS0738S2 INCENTIVE AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.               | Both                 |
|              | PDS0751S4 DETAIL TAX RATE EXPONENT 4 MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.           | Both                 |
|              | PDS0752S4 DETAIL TAX RATE EXPONENT 5 MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.           | Both                 |
|              | PDS0753S4 DETAIL TAX RATE EXPONENT 6 MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.           | Both                 |

| Error number | Error message                                                                                                                                                       | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0785S2 FLEET ITEM QUANTITY EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                                                                                | Both                 |
|              | PDS0787S2 FLEET EXTENDED ITEM AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                                                                         | Both                 |
|              | PDS0755S2 LINE ITEM TOTAL AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                                                                             | Both                 |
| 2217         | PDS0158S3 BUSINESS SERVICE ID CODE MUST BE PRESENT AND VALID WHEN PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE IS PRESENT.                                      | Both                 |
| 2218         | PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE MUST BE PRESENT AND VALID WHEN PDS0158S3 BUSINESS SERVICE ID CODE IS PRESENT.                                      | Both                 |
| 2219         | DE25 MESSAGE REASON CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                   | Both                 |
| 2220         | DE3 PROCESSING CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                        | Both                 |
| 2221         | PDS0158S4 INTERCHANGE RATE DESIGNATOR MISSING FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>                       | Both                 |
| 2223         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                          | Both                 |
| 2224         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.  | Both                 |
| 2225         | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                         | Both                 |
| 2226         | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                 |
| 2227         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO <VALLIST>.                                                                                                | GCMS                 |
|              | PDS0057 TRANSACTION CATEGORY INDICATOR INVALID. MUST BE <VALLIST>.                                                                                                  | Both                 |
|              | PDS0083 AVS RESPONSE INDICATOR INVALID. MUST BE <VALLIST>. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                             | Clearing Optimizer   |



| Error number | Error message                                                                                                                     | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0087 CVC2 RESPONSE INDICATOR INVALID. MUST BE <VALLIST>. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>          | Clearing Optimizer   |
|              | PDS0157 ALTERNATE PROCESSOR INDICATOR INVALID. MUST BE <VALLIST>.                                                                 | Both                 |
|              | PDS0158S1 ACCEPTANCE BRAND ID CODE INVALID. MUST BE <VALLIST>.                                                                    | Both                 |
|              | PDS0165S1 SETTLEMENT INDICATOR INVALID. MUST BE <VALLIST>. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>           | Clearing Optimizer   |
|              | PDS0178S1 CHARACTER SET INDICATOR 2 INVALID. MUST BE <VALLIST>.                                                                   | Both                 |
|              | PDS0179 LONG RUNNING TRANSACTION (LRT) INDICATOR INVALID. MUST BE <VALLIST>.                                                      | Both                 |
|              | PDS0194 REMOTE PAYMENTS PROGRAM DATA, IF PRESENT, MUST CONTAIN A VALID VALUE. VALUE/RANGE LIST TABLE IN ONE DAY FILE IS IP2144T1. | Both                 |
|              | PDS0194 REMOTE PAYMENTS PROGRAM DATA INVALID. MUST BE <VALLIST>                                                                   | Both                 |
|              | PDS0195S2 INSTALLMENT OPTION INVALID. MUST BE <VALLIST>.                                                                          | Both                 |
|              | PDS0195S4 BONUS CODE INVALID. MUST BE <VALLIST>.                                                                                  | Both                 |
|              | PDS0195S5 BONUS MONTH CODE INVALID. MUST BE <VALLIST>.                                                                            | Both                 |
|              | PDS0195S6 NUMBER OF BONUS PAYMENTS PER YEAR INVALID. MUST BE <VALLIST>.                                                           | Both                 |
|              | PDS0502S1 CUSTOM IDENTIFIER TYPE INVALID. MUST BE <VALLIST>.                                                                      | Both                 |
|              | PDS0715S1 INVALID. MUST BE <VALLIST>.                                                                                             | Both                 |
|              | PDS0773S1 PAYMENT METHOD INVALID. MUST BE <VALLIST>.                                                                              | Both                 |
|              | PDS0776S1 ALTERNATE CUSTOM IDENTIFIER TYPE INVALID. MUST BE <VALLIST>.                                                            | Both                 |
| 2228         | PDS0137 FEE COLLECTION CONTROL NUMBER CANNOT CONTAIN ALL ZEROS. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>      | Clearing Optimizer   |
|              | PDS0170S3 MERCHANT INQUIRY INFORMATION ADDITIONAL INFORMATION CANNOT CONTAIN ALL ZEROS.                                           | Both                 |
|              | PDS0682 DETAIL TAX AMOUNT 1, SUBFIELD 7 ACCEPTOR TAX ID 1 CANNOT CONTAIN ALL ZEROS.                                               | Both                 |
|              | PDS0683 DETAIL TAX AMOUNT 2, SUBFIELD 7 ACCEPTOR TAX ID 2 CANNOT CONTAIN ALL ZEROS.                                               | Both                 |
| 2229         | DE43S1 ACCEPTOR NAME INVALID, MUST CONTAIN ABBREVIATED AIRLINE NAME FOLLOWED BY DELIMITER OR SPACE AND DELIMITER.                 | Both                 |
| 2230         | DE12 DATE AND TIME, LOCAL TRANSACTION IS MORE THAN 365 DAYS OLD. <b>(Applies only to Europe region ATM transactions.)</b>         | GCMS                 |

| Error number | Error message                                                                                                                                     | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2232         | PDS0195S7 BONUS AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                     | Both                 |
|              | PDS0504S1 TRAVEL AGENCY FEE AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                         | Both                 |
|              | PDS0561S2 ADJUSTED AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                  | Both                 |
|              | PDS0643S1 ITEM QUANTITY MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                    | Both                 |
|              | PDS0647S1 EXTENDED ITEM AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                             | Both                 |
|              | PDS0656S1 FULL VAT GROSS AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                            | Both                 |
|              | PDS0657S1 HALF VAT GROSS AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                            | Both                 |
|              | PDS0662 SAMPLE NUMBER MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                      | Both                 |
|              | PDS0667S1 GENERIC CODE MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                     | Both                 |
|              | PDS0667S3 GENERIC OTHER CODE MUST BE NUMERIC AND GREATER THAN ZERO.                                                                               | Both                 |
|              | PDS0668S1 REDUCTION CODE MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                   | Both                 |
|              | PDS0668S3 REDUCTION OTHER CODE MUST BE NUMERIC AND GREATER THAN ZERO.                                                                             | Both                 |
|              | PDS0773S2 AMOUNT, PAYMENT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                  | Both                 |
|              | PDS0785S1 FLEET ITEM QUANTITY MUST BE NUMERIC AND GREATER THAN ZERO.                                                                              | Both                 |
|              | PDS0787S1 FLEET EXTENDED ITEM AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                       | Both                 |
| 2233         | DE43S2 ACCEPTOR STREET ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing Optimizer   |
|              | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>           | Clearing Optimizer   |
|              | DE63S2 TRACE ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                | Clearing Optimizer   |
|              | DE72 DATA RECORD MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>               | Clearing Optimizer   |
|              | PDS0682S7 ACCEPTOR TAX ID 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                 | Both                 |

| Error number | Error message                                                                                                             | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0683S7 ACCEPTOR TAX ID 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                         | Both                 |
|              | PDS0684S7 ACCEPTOR TAX ID 3 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                         | Both                 |
|              | PDS0742 PACKAGE WEIGHT MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                              | Both                 |
|              | PDS0751S7 ACCEPTOR TAX ID 4 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                         | Both                 |
|              | PDS0752S7 ACCEPTOR TAX ID 5 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                         | Both                 |
|              | PDS0753S7 ACCEPTOR TAX ID 6 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                         | Both                 |
|              | PDS0770S1 SALES REP NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                            | Both                 |
| 2235         | PDS0518 LINE ITEM DATE MUST BE PRESENT AND A VALID DATE WHEN LODGING SUMMARY IS PRESENT.                                  | Both                 |
| 2236         | PDS0588 OTHER SERVICES LENGTH MUST BE 017–102 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 17.                   | Both                 |
|              | PDS0591 PARTY NAME LENGTH MUST BE 040–120 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 040.                      | Both                 |
|              | PDS0592 PARTY ADDRESS LENGTH MUST BE 040–240 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 040.                   | Both                 |
|              | PDS0594 PARTY CONTACT LENGTH MUST BE 061–305 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 61.                    | Both                 |
|              | PDS0602 PARTY SUPPLEMENTAL DATA 1 LENGTH MUST BE 084–672 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 084.       | Both                 |
|              | PDS0603 PARTY SUPPLEMENTAL DATA 2 LENGTH MUST BE 084–672 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 084.       | Both                 |
|              | PDS0604 TRANSACTION SUPPLEMENTAL DATA 1 LENGTH MUST BE 084–672 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 084. | Both                 |
|              | PDS0605 TRANSACTION SUPPLEMENTAL DATA 2 LENGTH MUST BE 084–672 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 084. | Both                 |
|              | PDS0627 BILLING EVENT 1 LENGTH MUST BE 54–540 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 054.                  | Both                 |
|              | PDS0628 BILLING EVENT 2 LENGTH MUST BE 54–540 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 054.                  | Both                 |

| Error number | Error message                                                                                                            | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2238         | PDS0589S2 INVOICE CREATION TIME MUST BE A VALID TIME IN THE FORMAT HHMMSS.                                               | Both                 |
|              | PDS0637 CALL TIME MUST BE A VALID TIME IN THE FORMAT HHMMSS.                                                             | Both                 |
| 2244         | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.      | Both                 |
|              | PDS0170S2 ACCEPTOR PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.              | Both                 |
|              | PDS0770S2 SALES REP PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.             | Both                 |
|              | PDS0770S3 SALES REP FAX NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.               | Both                 |
|              | PDS0770S4 TECHNICAL SUPPORT PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.     | Both                 |
| 2246         | THE CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE MUST BE PRESENT WITH AN ELECTRONIC INVOICE-TRANSACTION DATA. | Both                 |
| 2247         | THE ELECTRONIC INVOICE-TRANSACTION DATA MUST PRECEDE THE ELECTRONIC INVOICE-PARTY INFORMATION.                           | Both                 |
| 2248         | ONE OCCURRENCE OF ELECTRONIC INVOICE-PARTY INFORMATION IS REQUIRED WITH ELECTRONIC INVOICE TRANSACTION DATA.             | Both                 |
| 2249         | THE TELEPHONY BILLING DETAIL MUST FOLLOW THE TELEPHONY BILLING SUMMARY.                                                  | Both                 |
| 2250         | PDS0501S3 OCCURRENCE INDICATOR MUST 001 FOR USAGE CODE 11 AND INDUSTRY RECORD NUMBER 000.                                | Both                 |
| 2254         | PDS0501S3 OCCURRENCE INDICATOR MUST BE 002-999 FOR USAGE CODE 11 AND INDUSTRY RECORD NUMBER 001.                         | Both                 |
| 2256         | PARSED MSG LENGTH NOT EQUAL TO RECORD LENGTH.                                                                            | Both                 |
| 2257         | PDS0596S1 ACCEPTOR TAX ID MUST CONTAIN 9 NUMERIC CHARACTERS WITH TRAILING SPACES.                                        | Both                 |
|              | PDS0682S7 ACCEPTOR TAX ID 1, TAX ID MUST BE LEFT JUSTIFIED, NON-ZERO AND CONTAIN 9 NUMERIC CHARACTERS.                   | Both                 |
|              | PDS0683S7 ACCEPTOR TAX ID 2, TAX ID MUST BE LEFT JUSTIFIED, NON-ZERO AND CONTAIN 9 NUMERIC CHARACTERS.                   | Both                 |
|              | PDS0684S7 ACCEPTOR TAX ID 3, TAX ID MUST BE LEFT JUSTIFIED, NON-ZERO AND CONTAIN 9 NUMERIC CHARACTERS.                   | Both                 |
|              | PDS0751S7 ACCEPTOR TAX ID 4, TAX ID MUST BE LEFT JUSTIFIED, NON-ZERO AND CONTAIN 9 NUMERIC CHARACTERS.                   | Both                 |

| Error number                                                                    | Error message                                                                                                                                      | Edit performed by... |
|---------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|                                                                                 | PDS0752S7 ACCEPTOR TAX ID 5, TAX ID MUST BE LEFT JUSTIFIED, NON-ZERO AND CONTAIN 9 NUMERIC CHARACTERS.                                             | Both                 |
|                                                                                 | PDS0753S7 ACCEPTOR TAX ID 6, TAX ID MUST BE LEFT JUSTIFIED, NON-ZERO AND CONTAIN 9 NUMERIC CHARACTERS.                                             | Both                 |
| 2259                                                                            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.         | Both                 |
|                                                                                 | PDS0170S2 ACCEPTOR PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.                 | Both                 |
|                                                                                 | PDS0189S2 PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.                          | Both                 |
|                                                                                 | PDS0552 CUSTOMER SERVICE TOLL FREE (800) NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                 |
|                                                                                 | PDS0577 PROPERTY PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.                   | Both                 |
|                                                                                 | PDS0638S4 CALL TO NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.                        | Both                 |
|                                                                                 | PDS0644S4 CALL FROM NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.                      | Both                 |
|                                                                                 | PDS0770S2 SALES REP PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.                | Both                 |
|                                                                                 | PDS0770S3 SALES REP FAX NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.                  | Both                 |
|                                                                                 | PDS0770S4 TECHNICAL SUPPORT PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.        | Both                 |
| 2260                                                                            | DE25 MUST BE PRESENT AND IN LIST OF ALLOWED VALUES.                                                                                                | GCMS                 |
|                                                                                 | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                     | Both                 |
| <b>NOTE: All other 2260 error messages have been renumbered with 2370–2418.</b> |                                                                                                                                                    |                      |

| Error number | Error message                                                                                                                       | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2261         | DE31S2 ACQUIRER'S BIN MUST BE POS EMV COMPLIANT. <b>(Applies only to Europe region acquirers.)</b>                                  | Both                 |
|              | DE31S2 ACQUIRER'S BIN MUST BE POS EMV COMPLIANT.                                                                                    | Both                 |
| 2262         | DE31S2 ACQUIRER'S BIN MUST BE MERCHANT UCAF ELIGIBLE.                                                                               | Both                 |
| 2264         | DE43S2 ACCEPTOR STREET ADDRESS MUST BE PRESENT                                                                                      | Both                 |
|              | DE43S4 ACCEPTOR STREET ADDRESS MUST BE PRESENT                                                                                      | Both                 |
|              | DE63 TRANSACTION LIFE CYCLE ID MUST BE PRESENT.                                                                                     | Both                 |
|              | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE PRESENT.                                                                            | Both                 |
|              | PDS0180 DOMESTIC ACCEPTOR TAX ID MUST BE PRESENT.                                                                                   | Both                 |
|              | PDS0195 INSTALLMENT DATA MUST BE PRESENT.                                                                                           | Both                 |
|              | PDS0195S1 TOTAL NUMBER OF INSTALLMENTS MUST BE PRESENT.                                                                             | Both                 |
|              | PDS0195S2 INSTALLMENT OPTION MUST BE PRESENT.                                                                                       | Both                 |
|              | PDS0196S1 MOBILE PHONE NUMBER MUST BE PRESENT.                                                                                      | Both                 |
|              | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME MUST BE PRESENT.                                                                       | Both                 |
|              | PDS0622 MOTOR FUEL SERVICE TYPE MUST BE PRESENT.                                                                                    | Both                 |
|              | PDS0663 FREE FORM DESCRIPTION MUST BE PRESENT.                                                                                      | Both                 |
| 2265         | DE3 PROCESSING CODE INVALID.                                                                                                        | Both                 |
|              | DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE INVALID.                                                                                      | Both                 |
|              | DE63 DECLINED/NOT APPROVED CORRESPONDING AUTHORIZATION                                                                              | GCMS                 |
|              | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID.                                                                                      | GCMS                 |
|              | PDS0159S8 SETTLEMENT DATE INVALID.                                                                                                  | GCMS                 |
|              | PDS0213 MERCHANT COUNTRY OF ORIGIN                                                                                                  | Both                 |
| 2266         | PDS0634 TAX AMOUNT 1 IS GREATER THAN OR EQUAL TO DE4 AMOUNT, TRANSACTION.                                                           | Both                 |
|              | PDS0635 TAX AMOUNT 2 IS GREATER THAN OR EQUAL TO DE4 AMOUNT, TRANSACTION.                                                           | Both                 |
| 2267         | DE25 MESSAGE REASON CODE INVALID FOR THIS CHARGEBACK.                                                                               | Both                 |
|              | DE22S7 INVALID FOR THIS <MSGTYPE>.                                                                                                  | Both                 |
| 2269         | DE43S6 ACCEPTOR COUNTRY CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID AND TYPE> ACCEPTANCE BRAND ID CODE <AB>. | Both                 |

| Error number | Error message                                                                                                                                       | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2272         | SECOND PRESENTMENT NOT ALLOWED FOR FIRST CHARGEBACK MESSAGE REASON CODE 4804, 4809, OR 4811.                                                        | GCMS                 |
| 2273         | DE22S5 CARDHOLDER PRESENT MUST BE PRESENT AND CANNOT EQUAL 0.                                                                                       | Both                 |
| 2274         | PDS0043 TRANSACTION TYPE ID MUST BE PRESENT AND MUST CONTAIN C01 OR C02.                                                                            | Both                 |
| 2275         | PDS0043 TRANSACTION TYPE ID MUST BE PRESENT AND MUST CONTAIN A VALID VALUE.                                                                         | Both                 |
| 2277         | PDS0595 ACCEPTOR TYPE, PDS0597 TOTAL TAX AMOUNT REQUIRED FOR TRANSACTIONS FOR THE SUBMITTED INTERCHANGE PROGRAM.                                    | Both                 |
| 2280         | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE. | GCMS                 |
| 2281         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT AND INTERCHANGE PROGRAM.                                                 | Both                 |
| 2282         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.          | Both                 |
| 2283         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.          | Both                 |
| 2284         | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.          | Both                 |
| 2285         | DE3S1 PROCESSING CODE MUST MATCH THE PROCESSING CODE FROM THE PREVIOUS CYCLE.                                                                       | GCMS                 |
| 2286         | ISSUER CANNOT CHARGEBACK CAT LEVEL 1, 2, OR 3 TRANSACTIONS.                                                                                         | Both                 |
| 2287         | PDS158S1 CARD PROGRAM IDENTIFIER MUST CONTAIN ALL SPACES.                                                                                           | Both                 |
|              | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST CONTAIN ALL SPACES.<br><b>(Applies only to U.K. Domestic Maestro transactions.)</b>                      | Clearing Optimizer   |
| 2288         | ACCEPTANCE BRAND ID CODE <AB> NOT ALLOWED IN GCMS. VALUE PERMITTED ONLY IN CLEARING OPTIMIZER.                                                      | GCMS                 |
|              | <BUSINESS SERVICE ID> & TYPE & BUSINESS SERVICE ARRANGEMENT NOT ALLOWED IN GCMS. VALUE PERMITTED ONLY IN CLEARING OPTIMIZER.                        | GCMS                 |
| 2289         | ACQUIRER MUST HAVE POS TERMINAL THAT IS EMV COMPLIANT.                                                                                              | Both                 |
| 2290         | ACQUIRER MUST HAVE ATM TERMINAL THAT IS EMV COMPLIANT.                                                                                              | Both                 |

| Error number | Error message                                                                                                                                                 | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2291         | MASTERCARD ASSIGNED ID/IRD/CPI/BSA/REGION/COUNTRY COMBINATION INVALID.                                                                                        | GCMS                 |
| 2292         | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE EQUAL TO DE49 CURRENCY CODE, TRANSACTION.                                                                     | Both                 |
| 2294         | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE LESS THAN DE4 AMOUNT, TRANSACTION.                                                                                   | Both                 |
| 2295         | SHIPPING/COURIER SERVICES ADDENDUM OR CORPORATE LINE ITEM DETAIL REQUIRED FOR INTERCHANGE PROGRAM.                                                            | Both                 |
| 2297         | PDS0597 TOTAL TAX AMOUNT REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                 | Both                 |
|              | PDS0735 SERVICE DESCRIPTOR CODE REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR THE SUBMITTED IRD.                                          | Both                 |
|              | PDS0736 TRACKING NUMBER OR PICKUP NUMBER REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET. | Both                 |
|              | PDS0737 SHIPPING NET AMOUNT REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.              | Both                 |
|              | PDS0739 PICKUP DATE REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                      | Both                 |
|              | PDS0741 NUMBER OF PACKAGES REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.               | Both                 |
|              | PDS0742 PACKAGE WEIGHT REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                   | Both                 |
|              | PDS0743 UNIT OF MEASURE REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                  | Both                 |
|              | PDS0744 SHIPPING PARTY INFORMATION REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.       | Both                 |
|              | PDS0745 SHIPPING PARTY ADDRESS REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.           | Both                 |



| Error number | Error message                                                                                                                                                                     | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0746 SHIPPING PARTY POSTAL INFORMATION REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                    | Both                 |
|              | PDS0747 SHIPPING PARTY CONTACT REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                               | Both                 |
|              | PDS0748 DELIVERY PARTY INFORMATION REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                           | Both                 |
|              | PDS0749 DELIVERY PARTY ADDRESS INFORMATION REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                   | Both                 |
|              | PDS0750 DELIVERY PARTY POSTAL INFORMATION REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                    | Both                 |
|              | PDS0754 DELIVERY PARTY CONTACT REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                               | Both                 |
| 2298         | TEMPORARY SERVICES ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                                     | Both                 |
| 2299         | PDS0718 EMPLOYEE/TEMP NAME/ID REQUIRED FOR TEMPORARY SERVICES ADDENDUM FOR THE SUBMITTED IRD.                                                                                     | Both                 |
| 2301         | ONE OF THE FOLLOWING, PDS0723 REGULAR HOURS WORKED, PDS0725 OVERTIME HOURS WORKED, PDS0734 MISCELLANEOUS EXPENSES, IS REQUIRED FOR SERVICES ADDENDUM FOR THE INTERCHANGE PROGRAM. | Both                 |
| 2302         | PDS0724 REGULAR HOURS RATE MUST BE PRESENT IF PDS0723 REGULAR HOURS WORKED, IS PRESENT.                                                                                           | Both                 |
| 2303         | PDS0726 OVERTIME HOURS MUST BE PRESENT IF PDS0725 OVERTIME HOURS WORKED, IS PRESENT.                                                                                              | Both                 |
| 2306         | PDS0650 ZERO COST TO CUSTOMER INDICATOR MUST CONTAIN A VALUE OF Y OR N.                                                                                                           | Both                 |
| 2310         | PDS0148 CURRENCY EXPONENTS INVALID FIELD LENGTH. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                     | Clearing Optimizer   |
| 2311         | DE54 AMOUNTS, ADDITIONAL NOT PRESENT FOR PURCHASE WITH CASH BACK TRANSACTION.                                                                                                     | Both                 |
| 2312         | DE54S1 ADDITIONAL AMOUNT, ACCOUNT TYPE VALUE NOT PERMITTED. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                          | Clearing Optimizer   |
|              | DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE VALUE NOT PERMITTED.                                                                                                                        | Both                 |

| Error number | Error message                                                                                                                                                        | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2313         | AMOUNT SIGN MUST BE D (DEBIT TO RECIPIENT) FOR A CASH BACK OR SURCHARGE AMOUNT.                                                                                      | Both                 |
| 2315         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND IN LIST OF ALLOWED VALUES.                                                                                          | Both                 |
| 2317         | DE4 AMOUNT, TRANSACTION CANNOT BE GREATER THAN \$60.00 FOR THIS AB CODE. TRANSACTIONS OVER \$60.00 MUST BE SUBMITTED WITH THE WORLD PRODUCT T&E INTERCHANGE PROGRAM. | GCMS                 |
| 2318         | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST NOT EQUAL 22, 23, OR CP WHEN DE2 PRIMARY ACCOUNT NUMBER (PAN) IS ASSOCIATED TO DMC CARD PROGRAM IDENTIFIER.               | Both                 |
| 2324         | DE25 MESSAGE REASON CODE INVALID FOR PURCHASE WITH CASH BACK CHARGEBACK.                                                                                             | Both                 |
| 2327         | PDS0043 TRANSACTION TYPE ID INVALID FOR PROCESSING CODE, IRD, AND MCC COMBINATION.                                                                                   | Both                 |
| 2328         | ACQUIRER MEMBER ID NOT REGISTERED FOR GAMING SERVICE.                                                                                                                | Both                 |
| 2329         | ISSUER COUNTRY NOT REGISTERED FOR GAMING SERVICE.                                                                                                                    | GCMS                 |
| 2330         | DE4 MUST BE LESS THAN OR EQUAL TO THE PERMITTED AMOUNT LIMIT.                                                                                                        | GCMS                 |
| 2331         | ISSUER IS NOT A PURCHASE WITH CASH BACK PARTICIPANT.                                                                                                                 | Both                 |
| 2332         | DE4 AMOUNT, TRANSACTION INVALID. MUST BE WITHIN THE ACCEPTED AMOUNT RANGE FOR THE INTERCHANGE PROGRAM.                                                               | GCMS                 |
| 2333         | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST BE PRESENT IN A CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE.                                                  | Both                 |
|              | PDS0508 CUSTOMER CODE MUST BE PRESENT IN A CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE.                                                                  | Both                 |
|              | PDS0596 ACCEPTOR TAX ID MUST BE PRESENT IN A CORPORATE CARD DATA REQUIREMENT ADDENDUM MESSAGE.                                                                       | Both                 |
|              | PDS0597 TOTAL TAX AMOUNT 1 MUST BE PRESENT IN A CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE.                                                             | Both                 |
|              | PDS0600 ACCEPTOR REFERENCE NUMBER MUST BE PRESENT IN A CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE.                                                      | Both                 |
|              | PDS0608 DESTINATION POSTAL CODE MUST BE PRESENT IN A CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE.                                                        | Both                 |
| 2336         | DE25 MESSAGE REASON CODE VALUE IS RESERVED FOR MDS USE.                                                                                                              | Both                 |
| 2337         | INVALID TRAVEL AGENCY ADDENDUM. THE ACCEPTOR BUSINESS CODE SUBMITTED IS INVALID FOR USE WITH THIS ADDENDUM.                                                          | Both                 |

| Error number | Error message                                                                                                                                                                                         | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2338         | INVALID PASSENGER TRANSPORT DETAIL—RAIL DATA ADDENDUM. THE ACCEPTOR BUSINESS CODE SUBMITTED IS INVALID FOR USE WITH THIS ADDENDUM.                                                                    |                      |
| 2339         | PDS0502 CUSTOM IDENTIFIER MUST CONTAIN BOTH SUBFIELD 1 AND SUBFIELD 2.                                                                                                                                | Both                 |
| 2340         | CORPORATE LINE ITEM DETAIL ADDENDUM MESSAGE MUST BE SUBMITTED WITH ONE OF THE FOLLOWING FIELDS: PDS0641, PDS0642, PDS0643, PDS0645, PDS0647, PDS0654, PDS0783, PDS0784, PDS0785, PDS0786, OR PDS0787. | Both                 |
| 2341         | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID. FOR ACCOUNT RANGES STARTING WITH 36 AND HAVE A MERCHANT COUNTRY (DE43S6) IN THE CARIBBEAN OR U.S. TERRITORIES THEN THE TRANSACTION MUST BE D1 OR D2.   | Both                 |
| 2342         | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 12 AND INDUSTRY RECORD NUMBER 000.                                                                             | Both                 |
| 2344         | PDS0501 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 13 AND INDUSTRY RECORD NUMBER 000.                                                                               | Both                 |
| 2345         | INVALID LODGED ACCOUNT DETAIL ADDENDUM. THE ACCEPTOR BUSINESS CODE SUBMITTED IS INVALID FOR USE WITH THIS ADDENDUM.                                                                                   | Both                 |
| 2346         | PDS0596S2 ACCEPTOR TAX ID PROVIDED CODE INVALID. THE ACCEPTOR TAX ID MUST BE PROVIDED FOR THE BUSINESS SERVICE, INTERCHANGE PROGRAM COMBINATION.                                                      | Both                 |
| 2347         | PDS0596S1 ACCEPTOR TAX ID CANNOT CONTAIN ALL ZEROS, ALL NINES, ALL SPACES, ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                         | Both                 |
| 2348         | CORPORATE CARD COMMON DATA ADDENDUM MUST BE PROVIDED.                                                                                                                                                 | Both                 |
| 2349         | PASSENGER TRANSPORT DETAIL—TRIP LEG OR PASSENGER TRANSPORT RAIL DETAIL ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                     | Both                 |
| 2350         | PDS0596 ACCEPTOR TAX ID MUST BE PRESENT.                                                                                                                                                              | Both                 |
| 2351         | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 01 AND INDUSTRY RECORD NUMBER 002.                                                                             | Both                 |
| 2354         | DE40 SERVICE CODE INVALID FOR THIS DE40/DE22S1 COMBINATION.                                                                                                                                           | Both                 |
|              | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR THIS DE40/DE22S1 COMBINATION.                                                                                                                       | Both                 |
| 2356         | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE IS EQUAL TO S OR 7.                                                                            | Both                 |
| 2358         | DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID. THE MAPPING SERVICE CANNOT MAP DE2 TO ANOTHER ACCOUNT NUMBER.                                                                                               | GCMS                 |

| Error number                                                                                    | Error message                                                                                                                                                  | Edit performed by... |
|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2359                                                                                            | PDS0105S1 FILE TYPE/PDS0105S3 PROCESSOR ID COMBINATION INVALID.                                                                                                | GCMS                 |
| 2361                                                                                            | ATM TRANSACTIONS AND PIN BASED MANUAL CASH DISBURSEMENT TRANSACTIONS ARE INVALID FOR OFFLINE CHIP.                                                             | Both                 |
| 2363                                                                                            | DE4 AMOUNT, TRANSACTION INVALID. MUST BE NUMERIC AND MUST BE LESS THAN OR EQUAL TO <VALLIST>.                                                                  | Both                 |
| 2364                                                                                            | CHARGEBACK OF A TRANSACTION INVOLVING TOKEN/PAN MAPPING. NO MATCH FOUND ON FIRST PRESENTMENT HISTORY FILE; CANNOT MAP PAN BACK TO TOKEN.                       | GCMS                 |
| 2365                                                                                            | PDS0595S5 BUSINESS TYPE PROVIDED CODE INVALID. THE BUSINESS TYPE PROVIDED CODE MUST BE Y FOR CORPORATE CARD TRANSACTIONS CONDUCTED WITH A U.S.-BASED MERCHANT. | Both                 |
| 2366                                                                                            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR WHEN THE CENTRAL ACQUIRING FLAG IS SET TO Y.                                               | Both                 |
| 2367                                                                                            | PDS0595S1 BUSINESS TYPE INVALID FOR CORPORATE CARD TRANSACTIONS CONDUCTED WITH A U.S.-BASED MERCHANT.                                                          | Both                 |
| 2369                                                                                            | TRANSACTION CATEGORY INDICATOR/IRD COMBINATION INVALID.                                                                                                        | GCMS                 |
| <b>NOTE: Most instances of error message 2260 have been renumbered with messages 2370–2418.</b> |                                                                                                                                                                |                      |
| 2370                                                                                            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                 | Both                 |
| 2372                                                                                            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                       | Both                 |
| 2373                                                                                            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                                       | Both                 |
| 2374                                                                                            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E OR M.                                                                 | Both                 |
| 2375                                                                                            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3                                                                 | Both                 |
| 2376                                                                                            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                 | Both                 |
| 2377                                                                                            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                        | Both                 |
| 2378                                                                                            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                     | Both                 |
| 2379                                                                                            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 6.                                                                                                   | Both                 |
| 2380                                                                                            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                       | Both                 |

| Error number | Error message                                                                                                                                                                                         | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2381         | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 9.                                                                                                                                 | Both                 |
| 2382         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                                                                       | Both                 |
| 2383         | DE22S5 MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                                                | Both                 |
| 2384         | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                              | Both                 |
| 2385         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                                                 | Both                 |
| 2386         | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                       | Both                 |
| 2387         | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                               | Both                 |
| 2388         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND NOT EQUAL TO 5, C, D, E, OR M, OR ACQUIRER MUST NOT BE EMV COMPLIANT.                                                            | Both                 |
| 2389         | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 2, 5, 6, OR 9 OR DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 0, 2, 6, S, 9, OR 5. | Both                 |
| 2390         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 1, 2, 4, 6, A, B, OR V OR ACQUIRER MUST NOT BE POS EMV COMPLIANT.                                                    | Both                 |
| 2392         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                                                                       | Both                 |
| 2393         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND NOT EQUAL TO 5 OR ACQUIRER MUST NOT BE POS EMV COMPLIANT.                                                                        | Both                 |
| 2394         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 1, 2, 4, 6, A, B, OR V OR ACQUIRER MUST NOT BE POS EMV COMPLIANT.                                                    | Both                 |
| 2395         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                                                                              | Both                 |
| 2396         | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                       | Both                 |
| 2397         | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 9 OR DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 9 OR 5.                             | Both                 |
| 2398         | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                        | Both                 |

| Error number | Error message                                                                                                                                                           | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2399         | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                | Both                 |
| 2400         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                          | Both                 |
| 2401         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                   | Both                 |
| 2402         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO S OR T, AND DE22S6 CARD PRESENT DATA MUST NOT CONTAIN 1 OR DE22S5 CARDHOLDER PRESENT DATA MUST NOT CONTAIN 0. | Both                 |
| 2403         | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                 | Both                 |
| 2404         | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                          | Both                 |
| 2406         | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                | Both                 |
| 2407         | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1.                                                                              | Both                 |
| 2408         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO 2, A, B, C, F, OR M.                                                                                      | Both                 |
| 2409         | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                 | Both                 |
| 2410         | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                              | Both                 |
| 2411         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 6.                                                                                                            | Both                 |
| 2412         | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                | Both                 |
| 2413         | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 9.                                                                                                   | Both                 |
| 2414         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                                         | Both                 |
| 2415         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                                                | Both                 |
| 2416         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                                         | Both                 |
| 2417         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO C, F, OR M.                                                                                                   | Both                 |
| 2418         | PDS0057 TRANSACTION CATEGORY INDICATOR MUST BE PRESENT AND EQUAL TO 2.                                                                                                  | Both                 |

| Error number | Error message                                                                                                                                                | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2419         | THIS TRANSACTION CAN ONLY BE SUBMITTED FROM A MASTERCARD INTERNAL SYSTEM.                                                                                    | GCMS                 |
| 2420         | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1 OR 2.                                                                                                 | Both                 |
|              | PDS0622 INVALID. MUST BE 1 OR 2.                                                                                                                             | Both                 |
| 2422         | APPROVAL CODE NOT COMPATIBLE WITH SUBMITTED IRD.                                                                                                             | Both                 |
| 2423         | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST NOT BE A 4 OR 8.                                                                                                  | Both                 |
| 2424         | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST NOT BE A 4 OR 8.                                                                                                  | Both                 |
| 2425         | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT VALID FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Both                 |
| 2426         | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 0.                                                                                      | Both                 |
| 2427         | THE MOTOR FUEL SALE AMOUNT IS NOT EQUAL TO THE PRODUCT OF MOTOR FUEL UNIT PRICE AND MOTOR FUEL QUANTITY.                                                     | Both                 |
| 2429         | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 7. <b>(Applies only to U.K. ATM intracountry transactions)</b>                            | Both                 |
| 2430         | PDS0176 MASTERCARD ASSIGNED ID, IF PRESENT, MUST CONTAIN A VALID VALUE.                                                                                      | Both                 |
| 2431         | TRANSACTION DOES NOT QUALIFY FOR ALM INTERCHANGE.                                                                                                            | GCMS                 |
| 2432         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO M.                                                                             | Both                 |
| 2433         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO M.                                                                                                 | Both                 |
| 2434         | DE25 MESSAGE REASON CODE CANNOT EQUAL 4802 OR 4837.                                                                                                          | Both                 |
| 2436         | PDS0043 VALUE INVALID FOR THE INTERCHANGE PROGRAM.                                                                                                           | Both                 |
|              | PDS0595S5 BUSINESS TYPE PROVIDED CODE VALUE INVALID FOR THE INTERCHANGE PROGRAM.                                                                             | Both                 |
|              | PDS0596S2 ACCEPTOR TAX ID PROVIDED CODE VALUE INVALID FOR THE INTERCHANGE PROGRAM.                                                                           | Both                 |
|              | DE54S2 VALUE INVALID FOR THE INTERCHANGE PROGRAM                                                                                                             | Both                 |
| 2442         | PDS0195S4 BONUS CODE MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 21.                                                                                  | Both                 |
| 2443         | PDS0195S5 BONUS MONTH CODE MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                                                                            | Both                 |

| Error number | Error message                                                                                                                                           | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0195S6 NUMBER OF BONUS PAYMENTS PER YEAR MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                                                      | Both                 |
|              | PDS0195S7 BONUS AMOUNT MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                                                                           | Both                 |
|              | PDS0195S8 FIRST MONTH OF BONUS PAYMENT MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                                                           | Both                 |
| 2444         | DE22S1 MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                             | Both                 |
| 2445         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO A OR M.                                                                                       | Both                 |
| 2446         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 1, 6, OR 7.                                                                                   | Both                 |
| 2447         | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD.                                                             | Both                 |
| 2448         | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD.                                                             | Both                 |
| 2449         | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD. <b>(Applies only to U.K. member-to-member transactions)</b> | Both                 |
| 2451         | SUBMITTED BUSINESS SERVICE ARRANGEMENT IS NOT VALID. MUST BE SUBMITTED FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>.          | Both                 |
| 2452         | ONE OCCURRENCE OF THE ELECTRONIC INVOICE—TRANSACTION DATA ADDENDUM IS REQUIRED.                                                                         | Both                 |
| 2453         | UNPARSEABLE MESSAGE. Refer to the beginning of <i>Chapter 6 of the IPM Clearing Formats</i> manual for further information.                             |                      |
| 2454         | UNPARSEABLE MESSAGE. MAPPING ERROR.                                                                                                                     |                      |
| 2455         | PDS0573 INVOICE NUMBER MUST BE PRESENT IN AN ELECTRONIC INVOICE—TRANSACTION DATA ADDENDUM.                                                              | Both                 |
| 2456         | PDS0597S1 TOTAL TAX AMOUNT CANNOT BE EQUAL TO ZERO.                                                                                                     | Both                 |
| 2457         | PDS0173 LEGAL CORPORATE NAME MUST BE PROVIDED WHEN ACCEPTOR TAX ID IS PROVIDED.                                                                         | Both                 |
| 2458         | DE38 APPROVAL CODE NOT COMPATIBLE WITH SUBMITTED IRD (PDS0158S4).                                                                                       | Both                 |
|              | DE38 APPROVAL CODE NOT COMPATIBLE WITH SUBMITTED IRD (PDS0158S4) AND THE PAN'S (DE2) BRAND PRODUCT.                                                     | Both                 |
| 2459         | PDS0158S4 INTERCHANGE RATE DESIGNATOR NOT VALID FOR APPROVAL CODE AND CONSUMER BRAND PRODUCT COMBINATION.                                               | Both                 |



| Error number | Error message                                                                                                                          | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2460         | DE25 MESSAGE REASON CODE IS NOT ALLOWED BETWEEN THE ACQUIRER AND ISSUER COUNTRIES.                                                     | Both                 |
| 2461         | PDS0597S1 TOTAL TAX AMOUNT MUST BE .1% THROUGH 30% OF DE4 AMOUNT, TRANSACTION.                                                         | Both                 |
| 2462         | DE25 MESSAGE REASON CODE INVALID FOR UCAF TRANSACTIONS.                                                                                | Both                 |
|              | PDS0052S3 UCAF COLLECTION INDICATOR INVALID FOR UCAF TRANSACTIONS.                                                                     | Both                 |
| 2463         | DE55 MUST BE LEFT-JUSTIFIED AND LOW-VALUES FILLED.                                                                                     | Both                 |
| 2464         | <MSGTYPE> NOT ALLOWED FOR PAYMENT TRANSACTIONS CREATED BY MASTERCARD ON BEHALF OF THE MEMBER.                                          | Both                 |
| 2465         | DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT.                                                                                       | Both                 |
| 2466         | IF PDS0595S5 BUSINESS TYPE PROVIDED CODE CONTAINS THE VALUE OF R, THEN PDS0595S1 MUST BE 2.                                            | Both                 |
| 2467         | DE22S7 CARD DATA INPUT MODE MUST BE PRESENT AND BE EQUAL TO A OR M.                                                                    | Both                 |
| 2468         | PDS0670 and subfields 1, 2, 3, 4, and 5 must be present for payment transactions when PDS0043 is equal to a valid transaction type ID. | GCMS                 |
| 2469         | DE25 MESSAGE REASON CODE INVALID FOR UCAF TRANSACTION.                                                                                 | Both                 |
|              | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST NOT EQUAL THE VALUE IN DE49.                                                              | Both                 |
| 2470         | DE54 AMOUNTS, ADDITIONAL LENGTH MUST BE <MIN-MAX> AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 20.                            | Both                 |
|              | INVALID FIELD LENGTH.                                                                                                                  | Both                 |
|              | PDS0080 AMOUNT, TAX LENGTH MUST BE <MIN-MAX> AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 20.                                 | GCMS                 |
| 2472         | ARBITRATION CHARGEBACKS NOT ALLOWED WHEN DOCUMENTATION IS NOT PROVIDED IN REQUIRED TIME FRAME.                                         | Both                 |
| 2473         | THE FLEET FUEL SALE AMOUNT IS NOT EQUAL TO THE PRODUCT OF FLEET FUEL UNIT PRICE AND FLEET FUEL QUANTITY.                               | Both                 |
| 2474         | PDS0641 OR PDS0642, PDS0643, PDS0646, PDS0648, AND PDS0682 MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE.                     | Both                 |
| 2475         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, A, OR B.                                              | Both                 |
| 2477         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, OR B.                                                                  | Both                 |

| Error number | Error message                                                                                                                                                           | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2478         | PDS0080 AMOUNT, TAX MUST BE 010.                                                                                                                                        | GCMS                 |
| 2479         | DE54S5 ADDITIONAL AMOUNT, SUM OF OCCURRENCES MUST BE LESS THAN OR EQUAL TO DE4.                                                                                         | Both                 |
| 2480         | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO 4.                                                                                                      | Both                 |
| 2481         | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 15 AND INDUSTRY RECORD NUMBER 000.                                                        | Both                 |
| 2482         | PDS0642 ITEM DESCRIPTION, PDS0643 ITEM QUANTITY, PDS0646 UNIT PRICE, PDS0764 HEALTHCARE ELIGIBLE STATUS INDICATOR MUST BE PRESENT WHEN HEALTHCARE ADDENDUM IS PROVIDED. | Both                 |
| 2483         | PDS0501S3 TRANSACTION DESCRIPTION, OCCURRENCE INDICATOR MUST BE 001 FOR USAGE CODE 14 AND INDUSTRY RECORD NUMBER 000.                                                   | Both                 |
| 2485         | ACQUIRER MUST BE RE-POWER CERTIFIED FOR THE INTERCHANGE RATE DESIGNATOR.                                                                                                | GCMS                 |
| 2486         | PDS0671 MUST BE PRESENT WHEN PDS0043 IS EQUAL TO A VALID TRANSACTION TYPE ID.                                                                                           | Both                 |
| 2487         | PDS0764 HEALTHCARE ELIGIBLE STATUS INDICATOR INVALID. MUST BE 0 OR 1.                                                                                                   | Both                 |
| 2488         | DE63S2 TRACE ID INCORRECTLY FORMATTED. NOT VALID FOR PRODUCT GRADUATION OR EVP PROCESSING.                                                                              | Both                 |
|              | DE63S2 TRACE ID INCORRECTLY FORMATTED, NOT VALID FOR ACCOUNT LEVEL MANAGEMENT PROCESSING.                                                                               | Both                 |
| 2489         | DE63 TRANSACTION LIFE CYCLE ID MISSING OR INVALID. TRANSACTION CANNOT BE SUBMITTED FOR PRIVATE LABEL.                                                                   | GCMS                 |
| 2490         | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID. VALUE NOT ALLOWED FOR THE <MSGTYPE>/MESSAGE REASON CODE COMBINATION.                                          | Both                 |
| 2491         | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 002–999 FOR USAGE CODE 14 AND INDUSTRY RECORD NUMBER 001.                                                        | Both                 |
| 2493         | PDS0773 PAYMENT METHOD INFORMATION LENGTH MUST BE <MIN-MAX> AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 14.                                                   | Both                 |
| 2494         | PDS0776 ALTERNATE CUSTOM IDENTIFIER LENGTH MUST BE <MIN-MAX> AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 82.                                                  | Both                 |
| 2495         | THE PRIVATE LABEL COMMON DATA ADDENDUM MESSAGE MUST BE PRESENT AND PRECEDING IF THE PRIVATE LABEL LINE ITEM DETAIL ADDENDUM MESSAGE IS PROVIDED.                        | Both                 |

| Error number | Error message                                                                                                                                                                        | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2496         | DE4 AMOUNT, TRANSACTION CANNOT EXCEED MAXIMUM VALUE OF 999999999.                                                                                                                    | GCMS                 |
| 2497         | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                       | Both                 |
| 2498         | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                             | Both                 |
| 2499         | DE2 PRIMARY ACCOUNT NUMBER (PAN) NOT ELIGIBLE FOR PRODUCT GRADUATION.                                                                                                                | GCMS                 |
| 2500         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                                | Both                 |
| 2501         | PDS1006, POSITIONS 1–8 (ACQUIRER NET AMOUNT), MUST BE PRESENT, NUMERIC, AND GREATER THAN ZEROS.                                                                                      | GCMS                 |
| 2502         | PAYMENT TRANSACTION DETAIL ADDENDUM MUST BE PRESENT.                                                                                                                                 | Both                 |
| 2503         | PDS0179 LONG RUNNING TRANSACTION (LRT) INDICATOR VALUE IS NOT ALLOWED FOR THE LICENSED PRODUCT CODE DERIVED FROM DE2.                                                                | Both                 |
| 2504         | CARD PROGRAM IDENTIFIER <AB>IS INVALID FOR THE PRIMARY ACCOUNT NUMBER.                                                                                                               | Both                 |
| 2505         | PDS0052S3 UCAF COLLECTION INDICATOR INVALID. CANNOT CONTAIN A VALUE OF 2.                                                                                                            | Both                 |
| 2506         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO S, T, OR 7.                                                                                                                | Both                 |
| 2507         | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO 0.                                                                                                                   | Both                 |
| 2508         | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO 1.                                                                                                                         | Both                 |
| 2511         | CARD PRODUCT REQUIRES THAT PDS0502S1 CUSTOM IDENTIFIER TYPE MUST BE PRESENT AND EQUAL 'PMTREF.'                                                                                      | Both                 |
| 2512         | PDS0508 CUSTOMER CODE, PDS0597 TOTAL TAX AMOUNT, AND PDS0678 UNIQUE INVOICE NUMBER MUST BE PRESENT IN A CORPORATE CARD COMMON DATA ADDENDUM AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                 |
| 2514         | DE40 SERVICE CODE MUST BE PRESENT AND EQUAL TO <VALLIST>.                                                                                                                            | Both                 |
| 2519         | PDS0023 TERMINAL TYPE INVALID FOR MOBILE TOP-UP TRANSACTION.                                                                                                                         | GCMS                 |
| 2526         | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE EQUAL TO DE 4 AMOUNT, TRANSACTION FOR THE SUBMITTED PROCESSING CODE.                                                                        | Both                 |
| 2527         | DE3S1 CARDHOLDER TRANSACTION TYPE ATM INDICATOR OF THE ACQUIRER COMBINATION IS INVALID.                                                                                              | Both                 |
| 2528         | PDS0596S2 ACCEPTOR TAX ID PROVIDED CODE VALUE INVALID. MUST CONTAIN A VALUE OF Y.                                                                                                    | Both                 |

| Error number | Error message                                                                                                                                  | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2530         | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 5.                                                                                 | Both                 |
| 2531         | PDS0157 ALTERNATE PROCESSOR INDICATOR ONLY VALID FOR COLLECTION ONLY TRANSACTIONS.                                                             | Both                 |
| 2535         | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 2 OR 3.                                                                            | Both                 |
| 2536         | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR ATM FUNDING TRANSACTION.                                                                         | Both                 |
|              | DE26 ACCEPTOR BUSINESS CODE INVALID FOR ATM FUNDING TRANSACTION.                                                                               | Both                 |
| 2537         | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE A PAY WITH REWARDS CARD FOR THE SUBMITTED INTERCHANGE PROGRAM.                                        | GCMS                 |
|              | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE A REDEMPTION CARD FOR THE SUBMITTED INTERCHANGE PROGRAM                                               | GCMS                 |
| 2538         | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID WHEN ASSOCIATED PAN IS A REDEMPTION CARD.                                                            | Both                 |
|              | DE63S2 TRACE ID MUST BE PRESENT FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                                         | Both                 |
|              | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN ASSOCIATED PAN IS A PAY WITH REWARDS CARD.                                                  | GCMS                 |
|              | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN ASSOCIATED PAN IS A REDEMPTION CARD.                                                        | GCMS                 |
| 2540         | PDS0596S1 ACCEPTOR TAX ID VALUE INVALID. VALUE MUST BE THE SAME FOR ALL OCCURRENCES.                                                           | Both                 |
| 2542         | THE CORPORATE FLEET TRANSACTION INFORMATION ADDENDUM MUST BE RECEIVED PRIOR TO RECEIVING THE CORPORATE LINE ITEM DETAIL ADDENDUM.              | Both                 |
| 2544         | THE CORPORATE LINE ITEM DETAIL ADDENDUM/1644 MESSAGE MUST BE PRESENT.                                                                          | Both                 |
| 2546         | DE30 AMOUNTS, ORIGINAL INVALID. AMOUNT IS LESS THAN OR EQUAL TO THE CHARGEBACK PROTECTION AMOUNT.                                              | Both                 |
| 2549         | DE25 MESSAGE REASON CODE INVALID FOR MOBILE REMOTE PAYMENTS TRANSACTIONS FOR CARD PROGRAM IDENTIFIER AND PDS0194 REMOTE PAYMENTS PROGRAM DATA. | Both                 |
| 2551         | DE22S7 POINT OF SERVICE DATA MODE MUST BE PRESENT AND EQUAL TO T WHEN PDS0194 REMOTE PAYMENTS PROGRAM DATA IS PRESENT.                         | Both                 |
| 2552         | PDS0194 MUST BE PRESENT AND EQUAL TO 1.                                                                                                        | Both                 |

| Error number | Error message                                                                                        | Edit performed by... |
|--------------|------------------------------------------------------------------------------------------------------|----------------------|
| 2553         | PDS0663 POSITIONS 16 AND 17 MUST BE NUMERIC FOR BRAZIL INSTALLMENT TRANSACTIONS.                     | Both                 |
| 2554         | PDS0663 MUST BE PRESENT AND POSITIONS 16 AND 17 MUST BE 02 THROUGH 06.                               | Both                 |
| 2555         | PDS0663 MUST BE PRESENT AND POSITIONS 16 AND 17 MUST BE 07 THROUGH 21.                               | Both                 |
| 2557         | PDS0146 AMOUNTS, TRANSACTION FEE MUST BE IN MEXICAN PESOS (484).                                     | Both                 |
| 2560         | GENERIC FINANCIAL DETAIL ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM IN BRAZIL DOMESTIC AGREEMENT.     | Both                 |
| 2562         | DE2 PRIMARY ACCOUNT NUMBER (PAN) CANNOT CONTAIN NON-NUMERIC VALUE.                                   | Both                 |
|              | PDS0146S5 AMOUNT, FEE CANNOT CONTAIN A NON-NUMERIC VALUE.                                            | Both                 |
| 2563         | DE2 PRIMARY ACCOUNT NUMBER (PAN) CHECK DIGIT INVALID.                                                | Both                 |
| 2564         | DE4 AMOUNT, TRANSACTION CONTAINS ALL ZEROS OR IS NON-NUMERIC.                                        | Both                 |
| 2565         | DE38 APPROVAL CODE CONTAINS SPACE(S) OR IS NON-NUMERIC.                                              | Both                 |
| 2566         | DE38 APPROVAL CODE CONTAINS SPACES OR ALL ZEROS OR IS NON-NUMERIC.                                   | Both                 |
|              | DE31S4 ACQUIRER SEQUENCE NUMBER CONTAINS SPACE(S), ALL ZEROS OR NON-NUMERIC.                         | Both                 |
| 2567         | DE12 DATE AND TIME, LOCAL TRANSACTION POSITIONS 3–6 CONTAIN ALL ZEROS OR SPACE(S) OR IS NON-NUMERIC. | Both                 |
| 2568         | DE12 DATE AND TIME, LOCAL TRANSACTION GREATER THAN PROCESSING DATE.                                  | Both                 |
| 2569         | DE12 DATE AND TIME, LOCAL TRANSACTION POSITIONS 3–6 ARE IN A FORMAT OTHER THAN MMDD.                 | Both                 |
| 2570         | THE PROCESS DATE IS GREATER THAN 120 DAYS FROM DE12 DATE AND TIME, LOCAL TRANSACTION.                | Both                 |
| 2571         | DE12 DATE AND TIME, LOCAL TRANSACTION IS GREATER THAN 30 DAYS FROM THE PROCESSING DATE.              | Both                 |
| 2572         | DE31S3 JULIAN PROCESSING DATE MUST BE A VALID DATE IN THE FORMAT YDDD.                               | Both                 |
| 2573         | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                           | Both                 |
| 2574         | DE43S1 ACCEPTOR NAME MUST CONTAIN A VALID VALUE.                                                     | Both                 |
| 2575         | ONLY DOMESTIC TRANSACTIONS PROCESSED IN SEVENTH CLEARING CYCLE.                                      | GCMS                 |

| Error number | Error message                                                                                                                                    | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2577         | PDS0783 FLEET PRODUCT CODE, IF PRESENT, MUST CONTAIN A VALID VALUE. VALUE/RANGE LIST TABLE IN ONE DAY FILE IS IP2241T1.                          | Both                 |
| 2576         | DE42 ACCEPTOR ID CODE MUST BE LEFT-JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                         | Both                 |
| 2590         | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST EQUAL LD or LS OR LC OR LP WHEN THE TRANSACTION QUALIFIES FOR REGULATED BASE INTERCHANGE.             | Both                 |
| 2591         | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST NOT EQUAL LD OR LS WHEN THE TRANSACTION DOES NOT QUALIFY FOR REGULATED BASE INTERCHANGE..             | Both                 |
| 2593         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2 OR B.                                                                                | Both                 |
| 2594         | PDS0181S1 TYPE OF INSTALLMENT INVALID, MUST BE <VALLIST>.                                                                                        | Both                 |
| 2595         | PDS0181S2 NUMBER OF INSTALLMENTS INVALID, MUST BE NUMERIC.                                                                                       | Both                 |
|              | PDS0183S4 GUARANTEE AMOUNT INVALID, MUST BE NUMERIC.                                                                                             | GCMS                 |
| 2596         | PDS0181S3 INTEREST RATE INVALID, MUST BE NUMERIC OR ALL SPACES.                                                                                  | Both                 |
| 2597         | PDS0181S4 FIRST INSTALLMENT AMOUNT INVALID, MUST BE NUMERIC OR ALL SPACES.                                                                       | Both                 |
| 2598         | PDS0181S5 SUBSEQUENT INSTALLMENT AMOUNT INVALID, MUST BE NUMERIC OR ALL SPACES.                                                                  | Both                 |
| 2599         | PDS0181S2 NUMBER OF INSTALLMENTS MUST BE PRESENT AND EQUAL TO <RNGLIST>.                                                                         | Both                 |
| 2622         | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST EQUAL LF OR LT, OR LC, OR LP WHEN THE TRANSACTION QUALIFIES FOR REGULATED FRAUD ADJUSTED INTERCHANGE. | Both                 |
| 2623         | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST NOT EQUAL LF OR LT WHEN THE TRANSACTION DOES NOT QUALIFY FOR REGULATED FRAUD ADJUSTED INTERCHANGE.    | Both                 |
| 2625         | DE40 SERVICE CODE MUST BE PRESENT AND EQUAL TO <VALLIST>.                                                                                        | Both                 |
| 2626         | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 2.                                                                             | Both                 |
| 2627         | PDS0198 DEVICE TYPE MUST BE PRESENT AND EQUAL TO 01.                                                                                             | Both                 |
| 2629         | DE25 MESSAGE REASON CODE INVALID FOR UCAF TRANSACTION.                                                                                           | Both                 |
|              | PDS0052S3 UCAF COLLECTION INDICATOR INVALID FOR UCAF TRANSACTION.                                                                                | Both                 |
| 2630         | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                                                          | GCMS                 |
| 2632         | MEMBER ID NOT VALID TO SUBMIT FOR THE BULK TYPE.                                                                                                 | GCMS                 |

| Error number | Error message                                                                                                                                                  | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2634         | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST NOT EQUAL "LC" or "LP" WHEN THE TRANSACTION DOES NOT QUALIFY FOR REGULATED OR FRAUD-ADJUSTED REGULATED INTERCHANGE. | Both                 |
| 2635         | DE22S5 MUST BE PRESENT AND EQUAL TO 0.                                                                                                                         | Both                 |
| 2636         | DE22S6 MUST BE PRESENT AND EQUAL TO 1.                                                                                                                         | Both                 |
| 2637         | DE63 MUST BE PRESENT FOR REGULATED SMALL TICKET INTERCHANGE PROGRAM.                                                                                           | Both                 |
| 2639         | CARD MUST BE CONTACTLESS-ENABLED.                                                                                                                              | Both                 |
| 2640         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND CONTAIN A VALID VALUE.                                                                    | Both                 |
| 2641         | CARD CANNOT BE CONTACTLESS ENABLED.                                                                                                                            | Both                 |
| 2644         | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 1 OR 2.                                                                                      | Both                 |
| 2645         | PDS0207 WALLET IDENTIFIER INVALID. MUST BE ALPHANUMERIC.                                                                                                       | Both                 |
|              | PDS0186 MUST BE EQUAL TO 0-9 OR A-Z AND MUST NOT CONTAIN SPECIAL CHARACTERS OR SPACES.                                                                         | Both                 |
| 2647         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO A OR M.                                                                          | Both                 |
| 2648         | PDS0158S4 DEVICE TYPE INDICATOR MUST BE A MOBILE PHONE/SMARTPHONE OR MOBILE CONTACTLESS ENABLED.                                                               | Both                 |
| 2651         | PDS0207 WALLET IDENTIFIER INVALID. MUST EQUAL 101 OR 102.                                                                                                      | Both                 |
| 2652         | PDS0158S4 INTERCHANGE RATE DESIGNATOR REQUIRED FOR SUBMITTED INTERCHANGE PROGRAM.                                                                              | Both                 |
| 2653         | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST EQUAL 5.                                                                                                          | Both                 |
| 2657         | SHIPPING/COURIER SERVICES ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                           | Both                 |
| 2658         | PDS0146S4 CURRENCY CODE, FEE MUST BE PRESENT AND CONTAIN COLOMBIA PESOS (170).                                                                                 | Both                 |
| 2659         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, OR E.                                                                   | Both                 |
| 2660         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, B, C, D, OR E.                                                             | Both                 |
| 2661         | MERCHANT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                                                                | Both                 |
| 2662         | DE22S7 CARD DATA: INPUT MODE INVALID. MUST BE EQUAL TO 2, B, C, OR F.                                                                                          | Both                 |

| Error number | Error message                                                                                     | Edit performed by... |
|--------------|---------------------------------------------------------------------------------------------------|----------------------|
|              | PDS0043 TRANSACTION TYPE ID VALUE NOT COMPATIBLE WITH SUBMITTED IRD (PDS0158S4).                  | Both                 |
|              | DE3 PROCESSING CODE AND PDS0043 COMBINATION INVALID.                                              | Both                 |
|              | PAYMENT TRANSACTION DETAIL ADDENDUM MUST BE PRESENT.                                              | Both                 |
| 2663         | SUBMITTED IRD IS NOT A VALID INSTALLMENT IRD.                                                     | Both                 |
| 2664         | ISSUER CONTACTLESS INDICATOR VALUE/IRD COMBINATION IS NOT VALID.                                  | Both                 |
| 2665         | DE25 MESSAGE REASON CODE MUST BE VALID FOR THE BRAND PRODUCT.                                     | Both                 |
| 2666         | TRANSACTION BLOCKED FOR SENDER.                                                                   | GCMS                 |
| 2667         | TRANSACTION BLOCKED FOR SENDER.                                                                   | GCMS                 |
| 2668         | TRANSACTION BLOCKED FOR RECEIVER.                                                                 | GCMS                 |
| 2669         | TRANSACTION BLOCKED FOR RECEIVER.                                                                 | GCMS                 |
| 2670         | DE49 MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                     | GCMS                 |
|              | DE50 MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                     | GCMS                 |
|              | DE51 MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                     | GCMS                 |
| 2680         | ISSUER REPOWER INDICATOR VALUE/IRD COMBINATION IS NOT VALID.                                      | Both                 |
|              | ISSUER NOT A REPOWER PARTICIPANT.                                                                 | Both                 |
| 2681         | ISSUER REPOWER INDICATOR VALUE/IRD COMBINATION IS NOT VALID.                                      | Both                 |
| 2685         | DE22S4 TERMINAL OPERATING ENVIRONMENT AND DE22S7 CARD DATA: INPUT MODE VALUE COMBINATION INVALID. | Both                 |
| 2686         | DE22S7 CARD DATA: INPUT MODE INVALID. SHOULD NOT BE A VALUE OF N, O, OR V.                        | Both                 |
| 2691         | PDS158SF4 IS INVALID FOR THE ISSUER COUNTRY KOREA.                                                | Both                 |
| 2692         | DE 3 TRANSACTION INVALID. MUST MATCH THE APPROVED AUTHORIZATION RESPONSE.                         | GCMS                 |
| 2694         | PDS0208S1 PAYMENT FACILITATOR ID INVALID. MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS.           | Both                 |
|              | PDS0209 INDEPENDENT SALES ORGANIZATION ID INVALID. MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS.  | Both                 |
| 2695         | PDS0208S2 SUB-MERCHANT ID CANNOT BE ALL ZEROES OR ALL SPACES.                                     | Both                 |
| 2696         | PDS0208 ADDITIONAL MERCHANT DATA LENGTH MUST BE <MIN-MAX>.                                        | Both                 |
| 2697         | PDS0682 DETAIL TAX AMOUNT 1 AND ALL SUBFIELDS MUST BE PRESENT.                                    | Both                 |
| 2701         | BUSINESS DATE RECEIVED AFTER 5 DAYS.                                                              | GCMS                 |



| Error number | Error message                                                                                                                                                                           | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2703         | PDS0220 BRAZIL MERCHANT TAX ID MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS.                                                                                                            | Both                 |
| 2704         | PDS0220 BRAZIL MERCHANT TAX ID INVALID LENGTH. LENGTH MUST BE EITHER 11 DIGITS OR 14 DIGITS.                                                                                            | Both                 |
| 2706         | CARD ON FILE TOKEN (DE 2) INVALID FOR TOKEN REQUESTOR ID IN PDS 0059.                                                                                                                   | GCMS                 |
| 2707         | DE22S7 INVALID. FOR MASTERCARD DIGITAL ENABLEMENT SERVICE CARD ON FILE ACCOUNT RANGES, MUST BE PRESENT AND EQUAL TO S or T.                                                             | GCMS                 |
| 2708         | DE4 AMOUNT, TRANSACTION MUST BE EQUAL TO OR GREATER THAN THE CANADIAN DOLLAR EQUIVALENT OF THE PERMITTED AMOUNT LIMITS FOR THE SUBMITTED INTERCHANGE PROGRAM AND THE DE26 COMBINATIONS. | GCMS                 |
| 2709         | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN MERCHANT OR ACQUIRER COUNTRY IS NOT CHINA OR ISSUER COUNTRY IS CHINA.                                                                | Both                 |
| 2711         | SUM OF VAT TAX, IAC TAX, AND TIP MUST BE LESS THAN DE 4 (AMOUNT, TRANSACTION).                                                                                                          | Both                 |
| 2714         | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR, POSITION 2 CANNOT BE EQUAL TO VALUE 4 FOR THE IRD PROVIDED.                                                                       | Both                 |
| 2715         | PDS0023 TERMINAL TYPE INVALID, MUST BE 1, 2, 5, or 6.                                                                                                                                   | Both                 |
| 2719         | PDS0675 AND SUBFIELDS 1 AND 2 MUST BE PRESENT FOR PAYMENT TRANSACTIONS WHEN PDS0043 IS EQUAL TO A VALID TRANSACTION TYPE ID.                                                            | GCMS                 |
| 2720         | PDS0765S1 PAYEE FIRST NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL NUMERIC.                                                                                         | Both                 |
|              | PDS0765S2 PAYEE LAST NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL NUMERIC.                                                                                          | Both                 |
| 2721         | PDS0181S6 ANNUAL PERCENTAGE RATE INVALID. MUST BE NUMERIC OR ALL SPACES.                                                                                                                | Both                 |
| 2722         | PDS0181S7 INSTALLMENT FEE INVALID. MUST BE NUMERIC OR ALL SPACES.                                                                                                                       | Both                 |
| 2723         | LIFE CYCLE MESSAGES NOT ALLOWED FOR INSTALLMENT SPLIT TRANSACTIONS.                                                                                                                     | Both                 |
| 2727         | PURCHASE WITH CASH BACK FOR DE4 GREATER THAN DE54S5 AMOUNT FOR S2 EQUAL TO 40 IS NOT ALLOWED FOR BRAZIL DOMESTIC ACTIVITY.                                                              | Both                 |
| 2728         | INSTALLMENTS NOT ALLOWED WHEN DE3S1 EQUALS 09.                                                                                                                                          | Both                 |
| 2729         | PRODUCT CODES MLE, MBF, OR MBM ARE NOT ALLOWED WHEN DE3S1 EQUALS 09.                                                                                                                    | Both                 |
| 2730         | IRD CO VALID ONLY FOR CASH ACCESS TRANSACTION DE3S1 EQUALS 09.                                                                                                                          | Both                 |
| 2801         | INELIGIBLE CHARGEBACK REJECT REASON CODES 'FNS DATE EXCEEDED'                                                                                                                           | GCMS                 |

| Error number | Error message                                                                                                                                                                           | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2802         | INELIGIBLE CHARGEBACK REJECT REASON CODES 'FNS COUNTER EXCEEDED'                                                                                                                        | GCMS                 |
| 2806         | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST MATCH AUTHORIZATION RESPONSE.                                                                                                         | GCMS                 |
| 2808         | TRANSACTION INVALID WHEN TRANSACTION QUALIFIES FOR THE IRD ON-BEHALF SERVICE AND PDS0158 (BUSINESS ACTIVITY) S1, S2, OR S3 ARE NOT SPACE FILLED VALUES AND S4 IS SPACE FILLED.          | Both                 |
| 2809         | CARD NOT ENABLED FOR POST-DATED TRANSACTION.                                                                                                                                            | GCMS                 |
| 2810         | POST-DATED TRANSACTIONS MUST BE DOMESTIC.                                                                                                                                               | GCMS                 |
| 2811         | PDS0043 MUST EQUAL TO C91, C92, C93, OR C94, THE PROCESSING CODE MUST BE 00 OR 20, AND THE TRANSACTION MUST BE DOMESTIC.                                                                | GCMS                 |
| 2814         | DE30S1 ORIGINAL AMOUNT, TRANSACTION INVALID FOR PRODUCT CODE MCP.                                                                                                                       | GCMS                 |
| 2815         | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST NOT BE EQUAL TO EB OR EG WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD PRESENT EEA RESTRICTED RATES.                             | Both                 |
| 2817         | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO A OR M.                                                                                                                   | Both                 |
| 2821         | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST BE EQUAL TO EB OR EG WHEN THE TRANSACTION QUALIFIES FOR THE CARD PRESENT EEA RESTRICTED RATES.                                        | Both                 |
| 2822         | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN MERCHANT OR ACQUIRER COUNTRY IS NOT JAPAN OR ISSUER COUNTRY IS JAPAN.                                                                | Both                 |
| 2823         | WHEN PDS158S1 (MCC/DMC) IS PRESENT FOR THE COMBO CARD TRANSACTIONS, REJECT THE TRANSACTION IF PDS158S1 DOES NOT MATCH WITH THE DE48SE14 IN THE CORRESPONDING AUTHORIZATION TRANSACTION. | GCMS                 |
| 2824         | WHEN DE3S2 IS PRESENT FOR THE COMBO CARD TRANSACTIONS, REJECT THE TRANSACTION IF DE3S2 IN CLEARING DOES NOT MATCH WITH THE DE3S2 IN THE CORRESPONDING AUTHORIZATION TRANSACTION.        | GCMS                 |
| 2836         | PDS0052S3 UCAF COLLECTION INDICATOR MUST BE PRESENT AND CONTAIN THE VALUE OF 2 OR 5.                                                                                                    | Both                 |
| 2837         | PDS0004S2 LENGTH MUST BE 01–20.                                                                                                                                                         | Both                 |
| 2838         | PDS0004S1 FUNDING SOURCE MUST BE PRESENT AND EQUAL TO <VALLIST>.                                                                                                                        | Both                 |
|              | PDS0004S1 MUST BE PRESENT AND EQUAL TO <VALLIST>.                                                                                                                                       | Both                 |

| Error number | Error message                                                                                                                                                                  | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2839         | PDS0004S2 MUST BE PRESENT AND NUMERIC AND CANNOT CONTAIN ALL ZEROS.                                                                                                            | Both                 |
| 2840         | <FLDNAME> INVALID. MUST BE NUMERIC AND MUST BE A FIXED LENGTH OF 12.                                                                                                           | Both                 |
| 2842         | <FLDNAME> INVALID FOR A NON-E-COMMERCE TRANSACTION WHERE FLDNAME IS PDS0023.                                                                                                   | Both                 |
| 2845         | PDS0014 MUST BE VALID VALUE.                                                                                                                                                   | Both                 |
| 2846         | PDS0014 MUST BE NUMERIC.                                                                                                                                                       | Both                 |
| 2847         | LENGTH IS INVALID.                                                                                                                                                             | Both                 |
| 2850         | SETTLEMENT INDICATOR CANNOT=M WHEN DE2 CONTAINS A PAN ASSOCIATED WITH A DIGITAL DEBIT PRODUCT CODE AND THE TRANSACTION WAS SUBJECT TO FAST SETTLEMENT. SETTLEMENT INDICATOR=B. | GCMS                 |
| 2862         | IRD submitted on PDS0158S4 is not correct for utility payments transaction type ID submitted on PDS0043.                                                                       | Both                 |
| 2863         | IRD submitted on PDS0158S4 is not correct for coupon booklet payments transaction type ID submitted on PDS0043.                                                                | Both                 |
| 2864         | IRD submitted on PDS0158S4 is not correct for Government Services Transaction Type ID submitted on PDS0043.                                                                    | GCMS                 |
| 2865         | IRD submitted on PDS0158S4 is not correct for Mobile Phone Top-Ups Transaction Type ID submitted on PDS0043.                                                                   | GCMS                 |
| 2866         | THE NUMBER OF INSTALLMENTS IN PDS0195S1 CANNOT BE LESS THAN OR EQUAL TO 001.                                                                                                   | Both                 |
| 2867         | ADDITIONAL TRACE REFERENCE NUMBER USED BY ACCEPTOR MUST BE PRESENT FOR MPQR FUNDING TRANSACTION.                                                                               | Both                 |
| 2868         | ADDITIONAL TRACE REFERENCE NUMBER USED BY ACCEPTOR LENGTH MUST BE 001-019.                                                                                                     | Both                 |
| 2869         | ADDITIONAL TRACE REFERENCE NUMBER CONTAINS LEADING SPACES, OR NOT LEFT JUSTIFIED, OR CONTAINS ALL ZEROS.                                                                       | Both                 |
| 2870         | MPQR RECEIVING ACCOUNT NUMBER LENGTH MUST BE 001-034.                                                                                                                          | Both                 |
| 2871         | MPQR RECEIVING ACCOUNT NUMBER CONTAINS LEADING SPACES, OR NOT LEFT JUSTIFIED, OR CONTAINS ALL ZEROS.                                                                           | Both                 |
| 2872         | MPQR DNAMIC QR DATA LENGTH MUST BE 001-237.                                                                                                                                    | Both                 |
| 2873         | PDS021 INVALID. MUST BE IP2201T1.                                                                                                                                              | Both                 |
| 2874         | PDS021 MUST BE A FIXED LENGTH OF 001                                                                                                                                           | Both                 |

| Error number | Error message                                                                                                                                                   | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2875         | PDS021 WHEN PRESENT, THEN DE22S7 MUST BE EQUAL TO "M" AND DE55 MUST BE PRESENT.                                                                                 | Both                 |
| 2878         | PDS0210S1 must be present and equal to 03.                                                                                                                      | GCMS                 |
| 2879         | PDS0001S1 must be equal to C<Space>, CC, H<Space>, and HC.                                                                                                      | GCMS                 |
| 2880         | DE22S7 must be equal to S or 7.                                                                                                                                 | Both                 |
| 2881         | PDS0001S1 must be equal to C<Space>, CC, H<Space>, HC, O<Space>, and OC.                                                                                        | GCMS                 |
| 2890         | INTERCHANGE RATE NOT FOUND FOR MPQR SENDER ACCOUNT NUMBER (PDS 0004 SUBFIELD 2) CARD PROGRAM IDENTIFIER.                                                        | Both                 |
| 2891         | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST BE EQUAL TO EV OR EW WHEN THE TRANSACTION QUALIFIES FOR CARD NOT PRESENT EEA RESTRICTED RATES.                | Both                 |
| 2892         | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST NOT BE EQUAL TO EV OR EW WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD NOT PRESENT EEA RESTRICTED RATES. | Both                 |
| 2894         | PDS0022 MUST BE PRESENT WHEN DE22S4 IS A VALUE OF 8.                                                                                                            | Both                 |
| 2895         | PDS0022 MUST BE A VALUE OF A OR B WHEN DE22S7 = R.                                                                                                              | Both                 |
| 2896         | DE22S4 MUST HAVE VALUE OF 8.                                                                                                                                    | Both                 |
| 2898         | DE26 INVALID COMBINATION OF DE 26 AND TRANSACTION TYPE IDENTIFIER.                                                                                              | Both                 |
| 2899         | DE3S1 INVALID.                                                                                                                                                  | Both                 |
| 2900         | DE3S1 INVALID.                                                                                                                                                  | GCMS                 |
| 2907         | DE22S7 MUST CONTAIN A VALUE OF C, OR F FOR THE IRD SUBMITTED.                                                                                                   | Both                 |
| 2910         | DE22S7 MUST CONTAIN A VALUE OF 2, A, B, C, F, OR M FOR THE IRD SUBMITTED.                                                                                       | Both                 |
| 2911         | DE22S5 MUST CONTAIN THE VALUE 1, 2, 3, 4, OR 5 FOR THE IRD SUBMITTED.                                                                                           | Both                 |
| 2912         | DE22S6 MUST CONTAIN THE VALUE 0 FOR THE IRD SUBMITTED.                                                                                                          | Both                 |
| 2913         | DE 22S7 MUST CONTAIN A VALUE OF 6, 7, R, S, OR T.                                                                                                               | Both                 |
| 2935         | PDS0158S4 EMBEDDED FLEXIBLE IRD MUST BE SUBMITTED FOR FLEXIBLE INTERCHANGE TRANSACTION.                                                                         | GCMS                 |
| 2938         | DE02 IS NOT REGISTERED FOR EMBEDDED NEGOTIATED INTERCHANGE.                                                                                                     | Both                 |
| 2939         | DE31S2 IS NOT REGISTERED FOR EMBEDDED NEGOTIATED INTERCHANGE.                                                                                                   | Both                 |
| 2941         | PDS0158S4 IS NOT ALLOWED TO BE SUBMITTED FOR NON-EMBEDDED FLEXIBLE INTERCHANGE TRANSACTION                                                                      | GCMS                 |
| 2943         | PDS0213 INVALID TRANSACTION FOR COUNTRY OR REGION                                                                                                               | GCMS                 |

| Error number | Error message                                                                                                   | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------|----------------------|
| 2944         | PDS0213 INVALID TRANSACTION - MATCHING AUTH TRANSACTION NOT FOUND                                               | GCMS                 |
| 2947         | PDS0043 IS NOT VALID FOR THE PROCESSING CODE/IRD COMBINATION.                                                   | Both                 |
| 2952         | PDS0052S3 UCAF COLLECTION INDICATOR MUST BE PRESENT AND EQUAL TO 1 OR 2 or 4.                                   | Both                 |
| 2965         | DE22S7 CARD DATA: INPUT MODE MUST CONTAIN A VALUE OF C OR F.                                                    | Both                 |
| 2969         | THE MESSAGE HAS BEEN FLAGGED AS A POTENTIAL DUPLICATE FIRST PRESENTMENT.                                        | GCMS                 |
| 2970         | PDS 0444 MUST BE PRESENT IN ALL RESUBMITTED MESSAGES THAT PREVIOUSLY REJECTED AS A POTENTIAL DUPLICATE.         | GCMS                 |
| 2971         | PDS 0444 INVALID FOR THE PREVIOUSLY REJECTED POTENTIAL DUPLICATE FIRST PRESENTMENT.                             | GCMS                 |
| 2977         | INVALID IRD IN PDS 158SF4                                                                                       | Both                 |
| 2985         | PDS 0444 MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                                               | Both                 |
| 2986         | PDS 0444 MUST BE A FIXED LENGTH OF 11.                                                                          | Both                 |
| 2988         | PDS0207 MUST CONTAIN APPROPRIATE VALUE                                                                          | GCMS                 |
| 2991         | ISSUER ACCOUNT RANGE NOT REGISTERED FOR GAMING SERVICE.                                                         | Both                 |
|              | DE22S2 MUST BE PRESENT AND EQUAL TO 0, 1 OR 3.                                                                  | Both                 |
| 2994         | PDS0218 SUB 1 MUST HAVE A VALUE OF C1, M1 OR M2                                                                 | Both                 |
| 2995         | PDS0218 MUST HAVE A LENGTH OF 4                                                                                 | Both                 |
| 2996         | PDS0270 IS NOT ALLOWED TO BE SUBMITTED FOR FIRST PRESENTMENT TRANSACTIONS.                                      | Both                 |
| 2997         | DE49 IN AUTHORIZATION MUST MATCH DE49 IN CLEARING FOR EMBEDDED FLEXIBLE INTERCHANGE TRANSACTION.                | GCMS                 |
| 2998         | PDS0105 TRANSACTION NOT ORIGINATED THROUGH MASTERCOM.                                                           | Both                 |
| 2999         | PDS0158S4 MUST CONTAIN IRD FI WHEN EMBEDDED NEGOTIATED INTERCHANGE SUBMITTED FROM MASTERCOM.                    | Both                 |
| 3005         | PDS0218 SUB 2 MUST BE NUMERIC                                                                                   | Both                 |
| 3007         | DE26 ACCEPTOR BUSINESS CODE (MCC) IS INVALID FOR THE BRAZIL MERCHANT TAX ID IN PDS0220.                         | GCMS                 |
| 3009         | INVALID TRANSACTION. DE 93 TRANSACTION DESTINATION INSTITUTION ID CODE CANNOT CONTAIN ICA ASSOCIATED WITH RPPS. | GCMS                 |
| 3010         | COMBINATION OF PDS0052 AND PDS0185 ARE NOT VALID FOR SUBMITTED IRD'S.                                           | Both                 |

| Error number | Error message                                                                                                                                                                                                                                                   | Edit performed by... |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 3011         | COMBINATION OF PDS0052 AND PDS0185 ARE NOT VALID FOR SUBMITTED IRD'S.                                                                                                                                                                                           | Both                 |
| 3017         | PDS0270 CONTAINS INVALID NEGOTIATED INTERCHANGE DATA FROM MCOM.                                                                                                                                                                                                 | GCMS                 |
| 3019         | DE31SF1 MUST BE A VALID VALUE STARTING WITH "7"                                                                                                                                                                                                                 | Both                 |
| 3020         | PDS0783 FLEET PRODUCT CODE, PDS0784 FLEET ITEM DESCRIPTION, PDS0785 FLEET ITEM QUANTITY, PDS0786 FLEET ITEM UNIT OF MEASURE, PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                 |
| 3021         | PDS0782 FLEET FUEL INFORMATION REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS IN WHICH PDS622 CONTAINS A VALUE OTHER THAN 3 FOR THE SUBMITTED IRD.                                                                                                       | Both                 |
| 3022         | PDS0783 FLEET PRODUCT CODE, PDS0784 FLEET ITEM DESCRIPTION, PDS0785 FLEET ITEM QUANTITY, PDS0786 FLEET ITEM UNIT OF MEASURE, PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                 |
| 3024         | PDS0782 FLEET FUEL INFORMATION REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS IN WHICH PDS622 CONTAINS A VALUE OTHER THAN 3 FOR THE SUBMITTED IRD.                                                                                                       | Both                 |
| 3025         | PDS0783 FLEET PRODUCT CODE, PDS0784 FLEET ITEM DESCRIPTION, PDS0785 FLEET ITEM QUANTITY, PDS0786 FLEET ITEM UNIT OF MEASURE, PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                 |
| 3026         | CORPORATE CARD COMMON DATA REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                                                                                                                    | Both                 |
| 3027         | PDS0790 FLEET PROMPTED DATA 1 MUST BE PRESENT IN A FLEET TRANSACTION INFORMATION ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                                                      | Both                 |
| 3028         | PDS0622 MOTOR FUEL SERVICE TYPE MUST BE PRESENT.                                                                                                                                                                                                                | Both                 |
| 3029         | THE CORPORATE LINE ITEM DETAIL ADDENDUM /1644 MESSAGE MUST BE PRESENT.                                                                                                                                                                                          | Both                 |
| 3030         | PDS0620 OIL COMPANY BRAND NAME, PDS0621 PURCHASE TIME REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                                                                              | Both                 |
| 3031         | CORPORATE FLEET TRANSACTION INFORMATION ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                                                                                              | Both                 |

| Error number | Error message                                                                                                                                                  | Edit performed by... |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 3032         | CORPORATE FLEET TRANSACTION INFORMATION ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                             | Both                 |
| 3033         | CORPORATE LINE ITEM DETAIL REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                   | Both                 |
| 3034         | PDS0191 MUST EQUAL ZERO                                                                                                                                        | Both                 |
| 3035         | PDS0191 MUST EQUAL ZERO                                                                                                                                        | Both                 |
| 3038         | PDS0105S2 FILE REFERENCE DATE INVALID. CANNOT BE GREATER THAN 30 DAYS PRIOR TO THE CENTRAL SITE BUSINESS DATE                                                  | Both                 |
| 3040         | PDS0221 MUST BE PRESENT, NUMERIC, NONZERO AND LENGTH MUST BE BETWEEN 6 AND 16                                                                                  | Both                 |
| 3041         | COMBINATION OF PDS 0052 AND PDS 0185 ARE NOT VALID FOR CARD NOT PRESENT NOT FRICTIONLESS AUTHENTICATION, NOT MERCHANT OR ACQUIRER FUNDED INSTALLMENT IRDS      | Both                 |
| 3042         | COMBINATION OF PDS 0052 AND PDS 0185 ARE NOT VALID FOR CARD NOT PRESENT FRICTIONLESS AUTHENTICATION, NOT MERCHANT OR ACQUIRER FUNDED INSTALLMENT IRDS          | Both                 |
| 3043         | PDS 0221 VALUE MUST NOT BE BETWEEN 8000000000 AND 9999999999 EXCEPT LAST DIGIT AND PDS 0221 VALUE MUST NOT BE A COMPANY TAX ID 'NIT' FOR MICROMERCHANT PROGRAM | Both                 |
| 3044         | INVALID DE 94 ACQUIRER ICA AND PDS 0221 MERCHANT TAX ID FOR MICROMERCHANT IRDS                                                                                 | GCMS                 |
| 3046         | MASTERCARD ASSIGNED ID MUST BE PRESENT                                                                                                                         | GCMS                 |
| 3047         | Channel of routing Mexico Domestic transactions is invalid                                                                                                     | Both                 |
| 3048         | PDS0046 MUST BE PRESENT AND MUST CONTAIN A VALID VALUE                                                                                                         | GCMS                 |
|              | PDS0171S1 MUST BE PRESENT AND MUST CONTAIN A VALID VALUE                                                                                                       | Both                 |
|              | PDS0178S1 MUST BE PRESENT AND MUST CONTAIN A VALID VALUE                                                                                                       | Both                 |
| 3049         | DE 49 CURRENCY CODE, TRANSACTION DOES NOT EQUAL DE 49 CURRENCY CODE, TRANSACTION IN THE AUTHORIZATION REQUEST/0100 MESSAGE                                     | GCMS                 |
| 3050         | PDS205SF2 MUST BE A VALID CHAPTER III SYNTAX ERROR RETURN REASON CODE                                                                                          | Both                 |
| 3051         | TRANSACTION MUST BE INITIATED BY QR CODE                                                                                                                       | Both                 |
| 3052         | TAX ID MUST NOT BE PRESENT ON THE NON-QUALIFICATION FILE FOR MICRO-MERCHANTS IN PERU                                                                           | GCMS                 |
| 3053         | TAX ID MUST NOT BE PRESENT ON THE NON-QUALIFICATION FILE FOR NANO-MERCHANTS IN PERU                                                                            | GCMS                 |
| 3054         | TAX ID FAILED VERIFICATION FOR NANO-MERCHANTS                                                                                                                  | Both                 |

| Error number | Error message                                                                                                                                         | Edit performed by... |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 3055         | INVALID VALUES IN DE 22                                                                                                                               | Both                 |
| 3056         | TRANSACTION MUST BE INITIATED BY TAP ON PHONE                                                                                                         | Both                 |
| 3062         | HIGH RISK FORCE POST- FORCE POST DEFENSE                                                                                                              | GCMS                 |
| 3063         | ACCEPTOR GEOGRAPHIC COORDINATES INCORRECTLY FORMATTED.                                                                                                | Both                 |
|              | SERVICE LOCATION GEOGRAPHIC COORDINATES INCORRECTLY FORMATTED.                                                                                        | Both                 |
| 3065         | PDS 0220 MUST BE POPULATED WHEN MICRO-MERCHANT IRDS ARE USED                                                                                          | Both                 |
| 3066         | CPF TAX ID FAILED VALIDATION CHECK                                                                                                                    | Both                 |
| 3067         | WHEN BRAZIL MICRO-MERCHANT IRDS ARE UTILIZED, THE COMBINATION OF DE 94 AND PDS 0220 MUST NOT BE PRESENT ON BRAZIL MERCHANT GDV NON-QUALIFICATION FILE | GCMS                 |
| 3068         | DE 94 ACQUIRER ICA MUST BE ELIGIBLE FOR THE BRAZIL MICRO-MERCHANT PROGRAM WHEN MICRO-MERCHANT IRDS ARE USED                                           | GCMS                 |
| 3069         | COMBINATION OF DE 22 SF 5, SF 6, AND SF 7 ARE NOT VALID FOR SUBMITTED IRD                                                                             | Both                 |
| 3073         | PAYMENT CLEARING REVERSAL TRANSACTION BLOCKED FOR MASTERCARD SEND                                                                                     | GCMS                 |
| 3074         | TRANSACTION NOT PERMITTED TO BE CLEARED BY MASTERCARD                                                                                                 | GCMS                 |
| 3075         | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO A VALID COMBINATION FOR THE CARD PRESENT TRANSACTIONS     | Both                 |
| 3076         | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO A VALID COMBINATION FOR CARD PRESENT TRANSACTION      | Both                 |
| 3079         | PDS 221 MUST BE PRESENT, NONZERO AND LENGTH MUST BE 9 OR 11 WITH PROVIDED IRD                                                                         | Both                 |
| 3080         | IN CONTROL BLOCK: DE26 ACCEPTOR BUSINESS CODE (MCC) IS INVALID FOR THE PRIMARY ACCOUNT NUMBER (PAN) IN DE2.                                           | GCMS                 |
| 3081         | IN CONTROL BLOCK: DE4 TRANSACTION AMOUNT EXCEEDS <PERIOD> CUMULATIVE ISSUER DEFINED LIMIT.                                                            | GCMS                 |
| 3088         | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS ONLY PERMITTED IF THE MERCHANT COUNTRY, ACQUIRER COUNTRY, AND ISSUER ACCOUNT RANGE COUNTRY ARE ALL THE U.S.  | Both                 |
| 3089         | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT PERMITTED IF THE MERCHANT COUNTRY, ACQUIRER COUNTRY, AND ISSUER ACCOUNT RANGE COUNTRY ARE ALL THE U.S.   | Both                 |



| Error number | Error message                                                                                                                                    | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 3090         | INVALID. MUST BE EQUAL OR GREATER THAN THE MINIMUM TRANSACTION AMOUNT FOR THE PROGRAM.                                                           | GCMS                 |
| 3091         | INVALID. MUST BE A VALID ACCEPTOR BUSINESS CODE FOR THE PROGRAM.                                                                                 | GCMS                 |
| 3092         | INVALID. THE ACQUIRER, MERCHANT AND ISSUER COUNTRIES MUST ALL BE VALID COUNTRY CODES FOR THE PROGRAM                                             | GCMS                 |
| 3107         | INVALID IRD IN PDS 158SF4 FOR NONDOMESTIC TRANSACTIONS                                                                                           | Both                 |
| 3111         | PDS 0052 MUST BE PRESENT AND NOT EQUAL 210 AND/OR PDS 0059 POSITIONS 1-3 MUST BE PRESENT AND NOT EQUAL 000                                       | GCMS                 |
| 3112         | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO A VALID COMBINATION FOR CARD PRESENT TRANSACTION | GCMS                 |
| 3117         | Interchange Rate Designator (IRD) must be appropriate for the brand and product code of the Mastercard One Credential Funding PAN                | GCMS                 |
| 3132         | PDS0217S1 MASTERCARD ONE CREDENTIAL EXCLUSION INDICATOR INVALID, MUST BE C, D OR M.                                                              | Both                 |

## Error numbers 8000–9600

Each error number from 8000 to 8699 is associated with a specific message. The edit process that presents the message is performed by the IPM Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

## Error numbers 8000–8699

| Error number | Error message                                                                                                                                    | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 8116         | THE PAN IS CONDITIONALLY REQUIRED IN A FEE COLLECTION GENERATED BY THE MEMBER. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>      | Clearing Optimizer   |
| 8130         | DE55 INTEGRATED CARD (ICC) SYSTEM-RELATED DATA IS MANDATORY FOR A CHIP TRANSACTION. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing Optimizer   |

| Error number | Error message                                                                                                                                                | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 8144         | INTEGRATED CARD (ICC) SYSTEM-RELATED DATA MUST NOT BE PRESENT FOR A NON-CHIP TRANSACTION. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>       | Clearing Optimizer   |
| 8502         | INVALID CURRENCY CODE FOR U.K. DOMESTIC MAESTRO. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                | Clearing Optimizer   |
| 8525         | EXPIRATION DATE IS MORE THAN BUSINESS DATE PLUS 20 YEARS. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                       | Clearing Optimizer   |
| 8526         | EXPIRATION DATE IS OLDER THAN THE TRANSACTION DATE. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                             | Clearing Optimizer   |
| 8532         | DE22S5 CARDHOLDER PRESENT DATA NOT VALID FOR E-COMMERCE INPUT MODE.                                                                                          | Both                 |
| 8554         | THE FORWARDING INSTITUTION ID IS NOT THE SAME THROUGHOUT THE FILE. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                              | Clearing Optimizer   |
| 8574         | ACTION DATE CANNOT BE GREATER THAN THE FILE REFERENCE DATE IN FILE-ID. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                          | Clearing Optimizer   |
| 8581         | TERMINAL TYPE NOT VALID FOR E-COMMERCE TRANSACTION.                                                                                                          | Both                 |
| 8584         | FILE REFERENCE DATE MUST BE GREATER THAN OR EQUAL TO THE BUSINESS DATE MINUS 180 CALENDAR DAYS. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing Optimizer   |

| Error number | Error message                                                                                                                        | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 8675         | THE CARDHOLDER MUST BE PRESENT FOR UNATTENDED TERMINAL TRANSACTIONS.<br><b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing Optimizer   |
| 8677         | PDS0023 TERMINAL TYPE INVALID FOR A NON E-COMMERCE TRANSACTION.                                                                      | Both                 |
| 8679         | DE22S5 CARDHOLDER PRESENT DATA INVALID FOR A NON E-COMMERCE INPUT MODE/CHIP SECURED REMOTE PAYMENTS.                                 | Both                 |
| 9600         | SYSTEM ERROR: MESSAGE MUST BE RESUBMITTED                                                                                            |                      |

## Syntax error numbers

These syntax error number messages apply only to Mexico domestic transactions for purchase, purchase with cash back, unique purchase returns, and payment transactions.

These syntax error messages are not rejected. The transaction is flagged for the applicable condition, and will be cleared and settled.

### Error numbers

| Error number | Error message                                                      | Edit performed by... |
|--------------|--------------------------------------------------------------------|----------------------|
| 0235         | DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID.                          | Both                 |
| 2561         | DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID.                          | Both                 |
| 2562         | DE2 PRIMARY ACCOUNT NUMBER (PAN) CANNOT CONTAIN NON-NUMERIC VALUE. | Both                 |
|              | PDS0146S5 AMOUNT, FEE CANNOT CONTAIN A NON-NUMERIC VALUE.          | Both                 |
| 2563         | DE2 PRIMARY ACCOUNT NUMBER (PAN) CHECK DIGIT INVALID.              | Both                 |
|              | DE31S5 CHECK DIGIT NUMERIC CHECK DIGIT INVALID.                    | Both                 |
| 2564         | DE4 AMOUNT, TRANSACTION CONTAINS ALL ZEROS OR IS NON-NUMERIC.      | Both                 |
| 2565         | DE38 APPROVAL CODE CONTAINS SPACE(S) OR IS NON-NUMERIC.            | Both                 |

| Error number | Error message                                                                                                                        | Edit performed by... |
|--------------|--------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 2566         | DE38 APPROVAL CODE CONTAINS SPACES OR ALL ZEROS OR IS NON-NUMERIC.                                                                   | Both                 |
|              | DE31S4 ACQUIRER SEQUENCE NUMBER CONTAINS SPACE(S), ALL ZEROS OR NON-NUMERIC.                                                         | Both                 |
| 2567         | DE12 DATE AND TIME, LOCAL TRANSACTION POSITIONS 3–6 CONTAIN ALL ZEROS OR SPACE(S) OR IS NON-NUMERIC.                                 | Both                 |
| 2568         | DE12 DATE AND TIME, LOCAL TRANSACTION GREATER THAN PROCESSING DATE.                                                                  | Both                 |
| 2569         | DE12 DATE AND TIME, LOCAL TRANSACTION POSITIONS 3–6 ARE IN A FORMAT OTHER THAN MMDD.                                                 | Both                 |
| 2570         | THE PROCESS DATE IS GREATER THAN 120 DAYS FROM DE12 DATE AND TIME, LOCAL TRANSACTION.                                                | Both                 |
| 2571         | DE12 DATE AND TIME, LOCAL TRANSACTION IS GREATER THAN 30 DAYS FROM THE PROCESSING DATE.                                              | Both                 |
| 2572         | DE31S3 JULIAN PROCESSING DATE MUST BE A VALID DATE IN THE FORMAT YDDD.                                                               | Both                 |
| 2573         | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                           | Both                 |
| 2574         | DE43S1 ACCEPTOR NAME MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–9, A–Z, OR SPACES.                                                   | Both                 |
| 2576         | DE42 ACCEPTOR ID CODE MUST BE LEFT-JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                             | Both                 |
| 2621         | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID FOR THE BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>.          | Both                 |
|              | DE22S7 CARD DATA: INPUT MODE INVALID FOR THE BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>.                              | Both                 |
|              | DE40 SERVICE CODE INVALID FOR THE BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>.                                         | Both                 |
|              | PDS0663 FREE-FORM DESCRIPTION POSITION 1–2 TYPE OF CREDIT INVALID FOR THE BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>. | Both                 |
| 2628         | ACQUIRER REFERENCE NUMBER CHECK DIGIT INVALID.                                                                                       | Both                 |

## File Header/1644-697 messages

This section contains the error numbers and message texts (those generated by members and those generated by Mastercard) by field and subfield for File Header 1644-697 messages.

### File Header/1644-697

Error numbers and message texts are organized by field and subfield for File Header 1644-697 messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

#### MTI/Function: File Header/1644-697

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                             | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 1               | 0990            | UNPARSEABLE MESSAGE. TOO MANY TAGS TO TAG TABLE.                                                                                          | Both                    |
|                    | 0993            | MISSING SECOND BITMAP.                                                                                                                    | Both                    |
| DE 24              | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                                                                       | Both                    |
|                    | 0735            | DE24 FUNCTION CODE MUST BE PRESENT IN FILE HEADER MESSAGES.                                                                               | Both                    |
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                    |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008-999.                                                                                              | Both                    |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62. | Both                    |
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN FILE HEADER MESSAGES.                                                                             | Both                    |
|                    | 0987            | DUPLICATE OCCURRENCE OF PDSXXX IN A SINGLE MESSAGE.                                                                                       | Both                    |
|                    | 0991            | UNPARSEABLE MESSAGE. NO PDS DEFINED WITH THIS NUMBER.                                                                                     | Both                    |
|                    | 0994            | NON-NUMERIC PDS ID.                                                                                                                       | Both                    |
| DE 71              | 0997            | NON-NUMERIC LENGTH FIELD.                                                                                                                 | Both                    |
|                    | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                                                      | Both                    |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 MESSAGE NUMBER VALUE IN THE PREVIOUS MESSAGE.                                           | Both                    |
|                    | 0502            | DE71 MESSAGE NUMBER IN FILE HEADER MUST BE 00000001.                                                                                      | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                           | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0735            | DE71 MESSAGE NUMBER MUST BE PRESENT IN FILE HEADER MESSAGES.                                                                            | Both                    |
| PDS 0001           | 0503            | PDS0001 NOT ALLOWED IN <MSGTYPE>.                                                                                                       | GCMS                    |
| PDS 0026, s1       | 1120            | PDS0026S1 FILE REVERSAL INDICATOR MUST BE EQUAL TO R IF PRESENT.                                                                        | Both                    |
| PDS 0026, s2       | 1121            | PDS0026S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL FILE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.                          | Both                    |
|                    | 1122            | PDS0026S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL FILE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                     | Both                    |
| PDS 0105           | 0351            | PDS0105 FILE ID MUST BE A FIXED LENGTH OF 025.                                                                                          | Both                    |
|                    | 0362            | DUPLICATE PDS0105 FILE ID.                                                                                                              | Both                    |
|                    | 0497            | IPM FILE HEADER/1644-697 MUST BE FIRST MESSAGE IN A PHYSICAL TRANSMISSION.                                                              | Both                    |
|                    | 0498            | IPM FILE HEADER/1644-697 MESSAGE MISSING. MUST FOLLOW A FILE TRAILER/1644-695.                                                          | Both                    |
|                    | 0511            | NO DETAILS PRESENT IN THE LOGICAL FILE. ONLY FILE HEADER AND FILE TRAILER PRESENT. <b>(Does not apply to 7th Clearing transactions)</b> | Both                    |
|                    | 0735            | PDS0105 FILE ID MISSING. MUST BE PRESENT IN FILE HEADER MESSAGES.                                                                       | Both                    |
|                    | 1013            | RERUN FILE ID NOT PRESENT ON FILE ID HISTORY FILE.                                                                                      | Clearing<br>Optimizer   |
|                    | 2575            | ONLY DOMESTIC TRANSACTIONS PROCESSED IN SEVENTH CLEARING CYCLE.                                                                         | GCMS                    |
|                    | 2630            | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                                                 | GCMS                    |
|                    | 2632            | MEMBER ID NOT VALID TO SUBMIT FOR THE BULK TYPE.                                                                                        | GCMS                    |
| PDS 0105, s1       | 0358            | INVALID PDS0105S1 FILE TYPE. MUST BE 002.                                                                                               | Both                    |
|                    | 2359            | PDS0105S1 FILE TYPE/PDS0105S3 PROCESSOR ID COMBINATION INVALID.                                                                         | GCMS                    |
|                    | 3038            | PDS0105S2 FILE REFERENCE DATE INVALID. CANNOT BE GREATER THAN 30 DAYS PRIOR TO THE CENTRAL SITE BUSINESS DATE                           | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0105, s2       | 0359            | PDS0105S2 FILE REFERENCE DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                 | Both                    |
|                    | 0360            | PDS0105S2 FILE REFERENCE DATE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                                                                | Both                    |
|                    | 8584            | FILE REFERENCE DATE MUST BE GREATER THAN OR EQUAL TO THE BUSINESS DATE - 180 CALENDAR DAYS. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer   |
| PDS 0105, s3       | 0355            | PDS0105S3 PROCESSOR ID MUST BE NUMERIC.                                                                                                                  | Both                    |
|                    | 1022            | PDS0105S3 PROCESSOR ID INVALID.                                                                                                                          | Both                    |
| PDS 0105, s4       | 0356            | PDS0105S4 FILE SEQUENCE NUMBER MUST BE NUMERIC.                                                                                                          | Both                    |
| PDS 0110           | 0364            | PDS0110 TRANSMISSION ID MUST BE A FIXED LENGTH OF 025.                                                                                                   | Both                    |
| PDS 0110, s1       | 0371            | PDS0110S1 TRANSMISSION TYPE INVALID. MUST BE 002.                                                                                                        | Both                    |
| PDS 0110, s2       | 0372            | PDS0110S2 TRANSMISSION REFERENCE DATE INVALID. MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                | Both                    |
|                    | 0373            | PDS0110S2 TRANSMISSION REFERENCE DATE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                                                        | Both                    |
| PDS 0110, s3       | 0361            | PDS0110S3 PROCESSOR ID INVALID. MUST CONTAIN A VALID MEMBER ID OR PROCESSOR ID.                                                                          | Both                    |
|                    | 1131            | PDS0110S3 PROCESSOR ID MUST BE NUMERIC.                                                                                                                  | Both                    |
| PDS 0110, s4       | 0369            | PDS0110S4 TRANSMISSION SEQUENCE NUMBER MUST BE NUMERIC.                                                                                                  | Both                    |
| PDS 0122           | 0515            | PDS0122 PROCESSING MODE MUST BE P FOR PRODUCTION ENVIRONMENT; P OR T FOR TEST ENVIRONMENT.                                                               | GCMS                    |
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                    |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                                                                                               | Both                    |

## First Presentment/1240–200 messages

This section contains the error numbers and message texts by field and subfield for First Presentment/1240–1200 messages.

### First Presentment/1240–200

Error numbers and message texts are organized by field and subfield for First Presentment/1240–200 messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

#### MTI/Function Code: First Presentment/1240–200

| Field/<br>Subfield                           | Error<br>number | Error message                                                                                                                                                       | Edit<br>performed by... |
|----------------------------------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| Force Post<br>Defense<br>Service<br>criteria | 3062            | HIGH RISK FORCE POST- FORCE POST DEFENSE                                                                                                                            | GCMS                    |
| DE 2                                         | 0010            | DE2 PRIMARY ACCOUNT NUMBER (PAN) LENGTH MUST BE 6–19.                                                                                                               | Both                    |
|                                              | 0011            | DE2 PRIMARY ACCOUNT NUMBER (PAN) ACCOUNT RANGE INVALID.                                                                                                             | Both                    |
|                                              | 0735            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                                     | Both                    |
|                                              | 1106            | PAYMENT TRANSACTION NOT ALLOWED.                                                                                                                                    | GCMS                    |
|                                              | 1158            | DE2 PRIMARY ACCOUNT NUMBER (PAN) IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                                                                                   | GCMS                    |
|                                              | 2225            | GCMS PRODUCT ID INVALID FOR BUSINESS SERVICE ARRANGEMENT AND ACCEPTANCE BRAND ID CODE                                                                               | Both                    |
|                                              | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                    |
|                                              | 2328            | ACQUIRER MEMBER ID NOT REGISTERED FOR GAMING SERVICE.                                                                                                               | GCMS                    |
|                                              | 2329            | ISSUER COUNTRY NOT REGISTERED FOR GAMING SERVICE.                                                                                                                   | GCMS                    |
|                                              | 2938            | DE02 IS NOT REGISTERED FOR EMBEDDED NEGOTIATED INTERCHANGE.                                                                                                         | Both                    |
|                                              | 2348            | CORPORATE CARD COMMON ADDENDUM MUST BE PROVIDED.                                                                                                                    | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                  | Edit<br>performe<br>d by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2358            | DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID. THE MAPPING SERVICE CANNOT MAP DE2 TO ANOTHER ACCOUNT NUMBER.                                                                        | GCMS                        |
|                    | 2499            | DE2 PRIMARY ACCOUNT NUMBER (PAN) NOT ELIGIBLE FOR PRODUCT GRADUATION.                                                                                                          | GCMS                        |
|                    | 2537            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE A PAY WITH REWARDS CARD FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                                        | GCMS                        |
|                    |                 | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE A REDEMPTION CARD FOR THE SUBMITTED INTERCHANGE PROGRAM                                                                               | GCMS                        |
|                    | 2639            | CARD MUST BE CONTACTLESS ENABLED                                                                                                                                               | Both                        |
|                    | 2641            | CARD CANNOT BE CONTACTLESS ENABLED.                                                                                                                                            | Both                        |
|                    | 2706            | CARD ON FILE TOKEN (DE 2) INVALID FOR TOKEN REQUESTOR ID IN PDS 0059.                                                                                                          | GCMS                        |
|                    | 2809            | CARD NOT ENABLED FOR POST-DATED TRANSACTION.                                                                                                                                   | GCMS                        |
|                    | 2850            | SETTLEMENT INDICATOR CANNOT=M WHEN DE2 CONTAINS A PAN ASSOCIATED WITH A DIGITAL DEBIT PRODUCT CODE AND THE TRANSACTION WAS SUBJECT TO FAST SETTLEMENT. SETTLEMENT INDICATOR=B. | GCMS                        |
|                    | 2921            | IRD INVALID FOR THE TOKENIZED TRANSACTION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                              | Both                        |
|                    | 2991            | ISSUER ACCOUNT RANGE NOT REGISTERED FOR GAMING SERVICE.                                                                                                                        | Both                        |
|                    | 8507            | BIN/ACCOUNT RANGE DOES NOT BELONG TO THE SPECIFIED ISSUER. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                        | Clearing<br>Optimizer       |
| DE 3               | 0012            | DE3 PROCESSING CODE MUST BE NUMERIC.                                                                                                                                           | Both                        |
|                    | 0735            | DE3 PROCESSING CODE MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                                                             | Both                        |
|                    | 2220            | DE3 PROCESSING CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                                   | Both                        |
|                    | 2265            | DE3 PROCESSING CODE INVALID.                                                                                                                                                   | Both                        |
|                    | 2327            | PDS0043 TRANSACTION TYPE ID INVALID FOR PROCESSING CODE, IRD, AND MCC COMBINATION.                                                                                             | Both                        |
|                    | 2331            | ISSUER IS NOT A PURCHASE WITH CASH BACK PARTICIPANT.                                                                                                                           | Both                        |
|                    | 2692            | TRANSACTION INVALID. MUST MATCH THE APPROVED AUTHORIZATION RESPONSE.                                                                                                           | GCMS                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 3, s1           | 0013            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE <VALLIST>.                                                                                                                    | Both                    |
|                    | 0016            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR ATM CASH WITHDRAWAL ACCEPTOR BUSINESS CODE (MCC) 6011.                                                                             | Both                    |
|                    | 0017            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR CASH ADVANCE ACCEPTOR BUSINESS CODE (MCC) 6010.                                                                                    | Both                    |
|                    | 0018            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR UNIQUE TRANSACTION ACCEPTOR BUSINESS CODE (MCC). MUST BE EQUAL TO 18.                                                              | Both                    |
|                    | 0523            | ACQUIRER NOT CERTIFIED BY MASTERCARD TO PROCESS ATM CASH WITHDRAWAL TRANSACTIONS.                                                                                                | Both                    |
|                    | 2527            | DE3S1 CARDHOLDER TRANSACTION TYPE ATM INDICATOR OF THE ACQUIRER COMBINATION IS INVALID.                                                                                          | Both                    |
|                    | 2536            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR ATM FUNDING TRANSACTION.                                                                                                           | Both                    |
|                    | 2727            | PURCHASE WITH CASH BACK FOR DE4 GREATER THAN DE54S5 AMOUNT FOR S2 EQUAL TO 40 IS NOT ALLOWED FOR BRAZIL DOMESTIC ACTIVITY.                                                       | Both                    |
|                    | 2729            | PRODUCT CODES MLE, MBF, OR MBM ARE NOT ALLOWED WHEN DE3S1 EQUALS 09.                                                                                                             | Both                    |
|                    | 2898            | DE26 INVALID combination of DE 26 and Transaction Type Identifier.                                                                                                               | Both                    |
|                    | 2899            | DE3S1 Invalid.                                                                                                                                                                   | Both                    |
|                    | 2900            | DE3S1 Invalid.                                                                                                                                                                   | GCMS                    |
| DE 3, s2           | 0014            | DE3S2 CARDHOLDER FROM - ACCOUNT TYPE CODE MUST BE 00, 10, 20, 30, 39, 60.                                                                                                        | Both                    |
|                    | 2824            | WHEN DE3S2 IS PRESENT FOR THE COMBO CARD TRANSACTIONS, REJECT THE TRANSACTION IF DE3S2 IN CLEARING DOES NOT MATCH WITH THE DE3S2 IN THE CORRESPONDING AUTHORIZATION TRANSACTION. | GCMS                    |
| DE 3, s3           | 0015            | DE3S3 CARDHOLDER TO--ACCOUNT TYPE CODE MUST BE 00.                                                                                                                               | Both                    |
| DE 4               | 0020            | DE4 AMOUNT, TRANSACTION MUST BE NUMERIC AND GREATER THAN 0.                                                                                                                      |                         |
|                    | 0023            | DE4 AMOUNT, TRANSACTION MUST BE PRESENT WHEN DE49 CURRENCY CODE, TRANSACTION IS PROVIDED.                                                                                        | Both                    |
|                    | 0024            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                                       | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0476            | DE4 AMOUNT, TRANSACTION INVALID. MUST BE NUMERIC AND MUST BE GREATER THAN THE AMOUNT SET FOR THE IRD SUBMITTED.                                              | GCMS                    |
|                    | 0735            | DE4 AMOUNT, TRANSACTION MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                                       | Both                    |
|                    | 2202            | DE4 AMOUNT, TRANSACTION EXCEEDS MASTERCARD DEFINED ACQUIRER LIMIT.                                                                                           | GCMS                    |
|                    | 2203            | DE4 AMOUNT, TRANSACTION EXCEEDS MASTERCARD DEFINED ISSUER LIMIT.                                                                                             | GCMS                    |
|                    | 2317            | DE4 AMOUNT, TRANSACTION CANNOT BE GREATER THAN \$60.00 FOR THIS AB CODE. TRANSACTIONS OVER \$60.00 MUST BE SUBMITTED WITH THE WORLD T&E INTERCHANGE PROGRAM. | GCMS                    |
|                    | 2330            | DE4 AMOUNT, TRANSACTION MUST BE LESS THAN OR EQUAL TO THE PERMITTED AMOUNT LIMIT.                                                                            | GCMS                    |
|                    | 2332            | DE4 AMOUNT, TRANSACTION INVALID. MUST BE WITHIN THE ACCEPTED AMOUNT RANGE FOR THE INTERCHANGE PROGRAM.                                                       | GCMS                    |
|                    | 2363            | DE4 AMOUNT, TRANSACTION INVALID. MUST BE NUMERIC AND MUST BE LESS THAN OR EQUAL TO <VALLIST>.                                                                | Both                    |
|                    | 2496            | DE4 AMOUNT, TRANSACTION CANNOT EXCEED MAXIMUM VALUE OF 999999999.                                                                                            | GCMS                    |
|                    | 3081            | IN CONTROL BLOCK: DE4 TRANSACTION AMOUNT EXCEEDS <PERIOD> CUMULATIVE ISSUER DEFINED LIMIT.                                                                   | GCMS                    |
|                    | 3090            | INVALID. MUST BE EQUAL OR GREATER THAN THE MINIMUM TRANSACTION AMOUNT FOR THE PROGRAM.                                                                       | GCMS                    |
| DE 5               | 0025            | DE5 AMOUNT, RECONCILIATION MUST BE NUMERIC.                                                                                                                  | Both                    |
|                    | 0027            | DE5 AMOUNT, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE50 CURRENCY CODE, RECONCILIATION IS PROVIDED.                                        | Both                    |
|                    | 0028            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                                                         | Both                    |
|                    | 0029            | DE5 AMOUNT, RECONCILIATION MISSING. MUST BE PRESENT IN AN ATM MESSAGE.                                                                                       | Both                    |
|                    | 1023            | DE5 AMOUNT, RECONCILIATION MUST BE PRESENT.                                                                                                                  | Both                    |
| DE 6               | 0034            | DE6 AMOUNT, CARDHOLDER BILLING MUST BE NUMERIC.                                                                                                              | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                 | Edit<br>performe<br>d by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0036            | DE6 AMOUNT, CARDHOLDER BILLING MUST BE PRESENT IN A MESSAGE WHEN DE51 CURRENCY CODE, CARDHOLDER BILLING IS PROVIDED.                                          | Both                        |
|                    | 0037            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE6 AMOUNT, CARDHOLDER BILLING IS PROVIDED.                                             | Both                        |
| DE 12              | 0735            | DE12 DATE AND TIME, LOCATION TRANSACTION MISSING. MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer       |
|                    | 2230            | DE12 DATE AND TIME, LOCAL TRANSACTION IS MORE THAN 365 DAYS OLD. <b>(Applies only to Europe region ATM transactions.)</b>                                     | GCMS                        |
| DE 12, s1          | 0043            | DE12S1 DATE CANNOT BE GREATER THAN THE DATE IN PDS0105S2 FILE REFERENCE DATE.                                                                                 | Both                        |
|                    | 2186            | DE12S1 DATE AND TIME, LOCAL TRANSACTION/DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                       | Both                        |
| DE 12, s2          | 0040            | DE12S2 TIME MUST BE IN THE RANGE 00–23.                                                                                                                       | Both                        |
|                    | 0042            | DE12S2 TIME INVALID. MINUTES AND SECONDS MUST BE IN RANGE 00–59.                                                                                              | Both                        |
| DE 14              | 0045            | DE14 EXPIRATION DATE MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                                                                                | Both                        |
|                    | 8525            | EXPIRATION DATE IS MORE THAN BUSINESS DATE PLUS 20 YEARS. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                        | Clearing<br>Optimizer       |
|                    | 8526            | EXPIRATION DATE IS OLDER THAN THE TRANSACTION DATE. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                              | Clearing<br>Optimizer       |
| DE 21, s2          | 0022            | <FLDNAME>/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                                     | GCMS                        |
| DE 22              | 0735            | DE22 POINT OF SERVICE DATA CODE MISSING. MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES                                                                        | Clearing<br>Optimizer       |
|                    | 2465            | DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT.                                                                                                              | Both                        |
|                    | 3055            | INVALID VALUES IN DE 22                                                                                                                                       | Both                        |
|                    | 3069            | COMBINATION OF DE 22 SF 5, SF 6, AND SF 7 ARE NOT VALID FOR SUBMITTED IRD                                                                                     | Both                        |
|                    | 3075            | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO A VALID COMBINATION FOR THE CARD PRESENT TRANSACTIONS             | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                      | Edit<br>performe<br>d by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 3076            | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO A VALID COMBINATION FOR CARD PRESENT TRANSACTION   | Both                        |
|                    | 3112            | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO A VALID COMBINATION FOR CARD PRESENT TRANSACTION   | GCMS                        |
| DE 22, s1          | 0047            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                       | Both                        |
|                    | 0053            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                       | Both                        |
|                    | 2373            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                        |
|                    | 2374            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E OR M.                                                     | Both                        |
|                    | 2382            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E OR M.                                                     | Both                        |
|                    | 2388            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND NOT EQUAL TO 5, C, D, E, OR M, OR ACQUIRER MUST NOT BE EMV COMPLIANT.         | Both                        |
|                    | 2390            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 1, 2, 4, 6, A, B, OR V OR ACQUIRER MUST NOT BE POS EMV COMPLIANT. | Both                        |
|                    | 2392            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                        |
|                    | 2393            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND NOT EQUAL TO 5 OR ACQUIRER MUST NOT BE POS EMV COMPLIANT.                     | Both                        |
|                    | 2394            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 1, 2, 4, 6, A, B, OR V OR ACQUIRER MUST NOT BE POS EMV COMPLIANT. | Both                        |
|                    | 2395            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                        |
|                    | 2414            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                        |
|                    | 2415            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2 OR 5, B, C, D, E, OR M.                                            | Both                        |
|                    | 2416            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E OR M.                                                     | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                      | Edit<br>performe<br>d by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2432            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO M.                                                                                                                   | Both                        |
|                    | 2444            | DE22S1 MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                                                                        | Both                        |
|                    | 2475            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, A, OR B.                                                                                                          | Both                        |
|                    | 2639            | CARD MUST BE CONTACTLESS-ENABLED.                                                                                                                                                                  | Both                        |
|                    | 2640            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND CONTAIN A VALID VALUE.                                                                                                        | Both                        |
|                    | 2647            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                              | Both                        |
|                    | 2659            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, OR E.                                                                                                       | Both                        |
|                    | 2660            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, B, C, D, OR E.                                                                                                 | Both                        |
| DE 22, s2          | 0048            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY INVALID. MUST BE 0, 1, 2, 5, 6, OR 9.                                                                                                   | Both                        |
|                    | 0048            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY INVALID. MUST BE 0, 1, OR 9.                                                                                                            | Clearing<br>Optimizer       |
|                    | 2375            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                    | Both                        |
|                    | 2386            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                    | Both                        |
|                    | 2389            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, 6, OR 9 OR DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 0, 2, 6, S, 9, OR 5. | Both                        |
|                    | 2396            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                    | Both                        |
|                    | 2397            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 9 OR DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 9 OR 5.                          | Both                        |
|                    | 2407            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1.                                                                                                         | Both                        |
|                    | 2991            | DE22S2 MUST BE PRESENT AND EQUAL TO 0, 1 OR 3                                                                                                                                                      | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                        | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 22, s3          | 0049            | DE22S3 TERMINAL DATA: CARD CAPTURE CAPABILITY INVALID. MUST BE 0, 1, OR 9.                                                                           | Both                    |
| DE 22, s4          | 0050            | DE22S4 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                                                                    | Both                    |
|                    | 0053            | DE22S4 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                                                                    | Both                    |
|                    | 2134            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE 4 OR 8. <b>(Applies only to U.K. Domestic Maestro or Europe region member-to-member transactions.)</b> | Both                    |
|                    | 2378            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                           | Both                    |
|                    | 2381            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 9.                                                                                | Both                    |
|                    | 2410            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                           | Both                    |
|                    | 2413            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 9.                                                                                | Both                    |
|                    | 2423            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST NOT BE A 4 OR 8.                                                                                          | Both                    |
|                    | 2424            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST NOT BE A 4 OR 8.                                                                                          | Both                    |
|                    | 2429            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 7. <b>(Applies to U.K. ATM intracountry transactions only.)</b>                   | Both                    |
|                    | 2896            | DE22S4 MUST HAVE VALUE OF 8.                                                                                                                         | Both                    |
| DE 22, s5          | 0021            | RECURRING PAYMENT CANCELLATION SERVICE.                                                                                                              | GCMS                    |
|                    | 0051            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                           | Both                    |
|                    | 0053            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                           | Both                    |
|                    | 2273            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND CANNOT EQUAL 0.                                                                                   | Both                    |
|                    | 2370            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                       | Both                    |
|                    | 2383            | DE22S5 MUST BE PRESENT AND EQUAL TO 0.                                                                                                               | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                            | Edit<br>performe<br>d by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2398            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                           | Both                        |
|                    | 2404            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                           | Both                        |
|                    | 2447            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD.                                                                                                              | Both                        |
|                    | 2448            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD.                                                                                                              | Both                        |
|                    | 2449            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD. <b>(Applies only to U.K. member-to-member transactions.)</b>                                                 | Both                        |
|                    | 2480            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL 4.                                                                                                                                          | Both                        |
|                    | 2497            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                           | Both                        |
|                    | 2507            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO 0.                                                                                                                                       | Both                        |
|                    | 2530            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 5.                                                                                                                                           | Both                        |
|                    | 2535            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 2 OR 3.                                                                                                                                      | Both                        |
|                    | 2635            | DE22S5 MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                                                   | Both                        |
|                    | 2653            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST EQUAL 5.                                                                                                                                                    | Both                        |
|                    | 2903            | DE22S5 MUST BE PRESENT AND EQUAL TO 5 FOR THE APPLICABLE CARD NOT PRESENT IRD. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                    | Both                        |
|                    | 2904            | DE22S5 MUST BE PRESENT AND EQUAL TO 1, 2, 3, 4, OR 5 FOR THE CARD NOT PRESENT IRDS-MERCHANT DOES NOT SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                        |
|                    | 2911            | DE22S5 MUST CONTAIN THE VALUE 1, 2, 3, 4, OR 5 FOR THE IRD SUBMITTED.                                                                                                                                    | Both                        |
|                    | 2967            | DE22S5 CARD HOLDER PRESENT DATA MUST BE PRESENT AND BE EQUAL TO 4.                                                                                                                                       | Both                        |
|                    | 8532            | DE22S5 CARDHOLDER PRESENT DATA NOT VALID FOR E-COMMERCE INPUT MODE.                                                                                                                                      | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                     | Edit<br>performe<br>d by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 8675            | THE CARDHOLDER MUST BE PRESENT FOR UNATTENDED TERMINAL TRANSACTIONS. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                 | Clearing<br>Optimizer       |
|                    | 8679            | DE22S5 CARDHOLDER PRESENT DATA INVALID FOR A NON E-COMMERCE INPUT MODE/CHIP SECURED REMOTE PAYMENTS.                                                              | Both                        |
| DE 22, s6          | 0052            | DE22S6 CARD PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                                              | Both                        |
|                    | 0053            | DE22S6 CARD PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                                              | Both                        |
|                    | 2372            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                          | Both                        |
|                    | 2380            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                          | Both                        |
|                    | 2384            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                          | Both                        |
|                    | 2399            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                          | Both                        |
|                    | 2406            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                          | Both                        |
|                    | 2412            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND 0.                                                                                                                   | Both                        |
|                    | 2498            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                          | Both                        |
|                    | 2508            | DE22S6 MUST BE PRESENT AND CANNOT EQUAL TO 1.                                                                                                                     | Both                        |
|                    | 2636            | DE22S6 MUST BE PRESENT AND EQUAL TO 1.                                                                                                                            | Both                        |
|                    | 2902            | DE22S6 MUST BE PRESENT AND EQUAL TO 0 FOR THE CARD NOT PRESENT IRDS, THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                       | Both                        |
|                    | 2912            | DE22S6 MUST CONTAIN THE VALUE 0 FOR THE IRD SUBMITTED.                                                                                                            | Both                        |
|                    | 2920            | DE22S6 MUST BE PRESENT AND EQUAL TO 1 FOR CARD PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                       | Both                        |
|                    | 2924            | DE22S5 MUST BE 4 AND DE22S7 MUST BE 7 FOR RECURRING PAYMENT CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                        |
| DE 22, s7          | 0022            | DE22S7 CARD DATA: INPUT MODE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                      | GCMS                        |
|                    | 0053            | DE22S7 INVALID. MUST BE <VALLIST>.                                                                                                                                | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                           | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2197            | WHEN DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA IS PRESENT DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT AND DE22S7 CARD DATA: INPUT MODE MUST BE AN F, OR C, OR M, OR S. | Both                    |
|                    | 2227            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO, A, C, or M                                                                                                                   | GCMS                    |
|                    | 2260            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                                          | Both                    |
|                    | 2315            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND IN LIST OF ALLOWED VALUES.                                                                                                             | Both                    |
|                    | 2356            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE IS EQUAL TO S OR 7.                                                              | Both                    |
|                    | 2361            | ATM TRANSACTIONS AND PINBASED MANUAL CASH DISBURSEMENT TRANSACTIONS ARE INVALID FOR OFFLINE CHIP                                                                                        | Both                    |
|                    | 2376            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F OR M.                                                                                                           | Both                    |
|                    | 2379            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 6.                                                                                                                            | Both                    |
|                    | 2385            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S.                                                                                                                        | Both                    |
|                    | 2400            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                                          | Both                    |
|                    | 2401            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                                   | Both                    |
|                    | 2402            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S, T, OR 7, AND DE22S6 CARD PRESENT DATA MUST NOT CONTAIN 1 OR DE22S5 CARDHOLDER PRESENT DATA MUST NOT CONTAIN 0.         | Both                    |
|                    | 2408            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO 2, A, B, C, F, OR M.                                                                                                      | Both                    |
|                    | 2411            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 6.                                                                                                                            | Both                    |
|                    | 2417            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO C, F, OR M.                                                                                                                   | Both                    |
|                    | 2433            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO M.                                                                                                                            | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                             | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2445            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                                         | Both                    |
|                    | 2446            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 1, 6, OR 7.                                                                                                                     | Both                    |
|                    | 2467            | DE22S7 MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                                                               | Both                    |
|                    | 2477            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, OR B.                                                                                                                     | Both                    |
|                    | 2500            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                                     | Both                    |
|                    | 2506            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO S, T, OR 7.                                                                                                                     | Both                    |
|                    | 2551            | DE22S7 POINT OF SERVICE DATA MODE MUST BE PRESENT AND EQUAL TO T WHEN PDS0194 REMOTE PAYMENTS PROGRAM DATA IS PRESENT.                                                                    | Both                    |
|                    | 2593            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2 OR B.                                                                                                                         | Both                    |
|                    | 2662            | DE22S7 CARD DATA: INPUT MODE INVALID. MUST BE EQUAL TO 2, B, C, OR F.                                                                                                                     | Both                    |
|                    | 2685            | DE22S4 TERMINAL OPERATING ENVIRONMENT AND DE22S7 CARD DATA: INPUT MODE VALUE COMBINATION INVALID.                                                                                         | Both                    |
|                    | 2686            | DE22S7 CARD DATA: INPUT MODE INVALID. SHOULD NOT BE A VALUE OF N, O, OR V.                                                                                                                | Both                    |
|                    | 2707            | DE22S7 INVALID. FOR MASTERCARD DIGITAL ENABLEMENT SERVICE CARD ON FILE ACCOUNT RANGES, MUST BE PRESENT AND EQUAL TO S or T.                                                               | GCMS                    |
|                    | 2817            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO A OR M.                                                                                                                     | Both                    |
|                    | 2880            | DE22S7 MUST BE EQUAL TO S or 7.                                                                                                                                                           | Both                    |
|                    | 2905            | DE22S7 MUST BE PRESENT AND EQUAL S OR 7 FOR THE CARD NOT PRESENT IRDS-ISSUER DOES NOT SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2907            | DE22S7 MUST CONTAIN A VALUE OF C, OR F FOR THE IRD SUBMITTED.                                                                                                                             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2908            | DE22S7 MUST BE PRESENT AND EQUAL S, T, OR 7 FOR THE CARD NOT PRESENT IRDS-MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2909            | DE22S7 MUST BE PRESENT AND EQUAL S, 1, OR 7 FOR THE CARD NOT PRESENT IRDS-MERCHANT DOESN'T SUPPORT 3DS AND TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.   | Both                    |
|                    | 2910            | DE22S7 MUST BE PRESENT AND CONTAIN A VALUE OF 2, A, B, C, F, OR M FOR THE IRD SUBMITTED.                                                                                                          | Both                    |
|                    | 2913            | DE22S7 MUST CONTAIN A VALUE OF 6, 7, R, S, OR T.                                                                                                                                                  | Both                    |
|                    | 2965            | DE22S7 CARD DATA: INPUT MODE MUST CONTAIN A VALUE OF C OR F.                                                                                                                                      | Both                    |
|                    | 2974            | DE22S7 MUST BE PRESENT AND EQUAL TO S OR 7.                                                                                                                                                       | Both                    |
|                    | 3011            | DE22S7 MUST CONTAIN THE APPROPRIATE VALUE.                                                                                                                                                        | Both                    |
| DE 22, s8          | 0054            | DE22S8 CARDHOLDER AUTHENTICATION METHOD INVALID. MUST BE 0, 1, 2, 5, 6, 9, OR S.                                                                                                                  | Both                    |
|                    | 2377            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2387            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2403            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2409            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2426            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 0.                                                                                                                           | Both                    |
| DE 22, s9          | 0055            | DE22S9 CARDHOLDER AUTHENTICATION ENTITY INVALID. MUST BE <VALLIST>.                                                                                                                               | Both                    |
| DE 22, s10         | 0056            | DE22S10 CARD DATA OUTPUT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                                                                                   | Both                    |
| DE 22, s11         | 0057            | DE22S11 TERMINAL DATA OUTPUT CAPABILITY INVALID. MUST BE 0, 1, 2, 3, OR 4.                                                                                                                        | Both                    |
| DE 22, s12         | 0058            | DE22S12 PIN CAPTURE CAPABILITY INVALID. MUST BE 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, OR C.                                                                                                         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                              | Edit<br>performe<br>d by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0058            | DE22S12 PIN CAPTURE CAPABILITY INVALID. MUST BE 0, 1, 4, 5, 6, 7, 8, 9, A, B, OR C.                                                        | Clearing<br>Optimizer       |
| DE 23              | 0022            | DE23 CARD SEQUENCE NUMBER/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT                                                                   | Both                        |
|                    | 0059            | DE23 CARD SEQUENCE NUMBER MUST BE NUMERIC.                                                                                                 | Both                        |
|                    | 0437            | DE23 CARD SEQUENCE NUMBER CONTAINS A VALUE IN THE RANGE OF 000-099.                                                                        | Both                        |
| DE 24              | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                                                                        | Both                        |
|                    | 0735            | DE24 FUNCTION CODE MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                          | Both                        |
| DE 25              | 0064            | DE25 MESSAGE REASON CODE MUST BE NUMERIC.                                                                                                  | Both                        |
|                    | 0735            | DE25 MESSAGE REASON CODE MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                    | Both                        |
|                    | 2460            | DE25 MESSAGE REASON CODE IS NOT ALLOWED BETWEEN THE ACQUIRER AND ISSUER COUNTRIES.                                                         | Both                        |
|                    | 0242            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID.                                                                                                 | Both                        |
|                    | 0531            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID OR OBSOLETE.                                                                                     | Both                        |
|                    | 0735            | DE26 ACCEPTOR BUSINESS CODE (MCC) MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                           | Both                        |
|                    | 0986            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6011 AUTOMATED CASH DISBURSEMENT FOR DE3S1, PROCESSING CODE 01.                         | Both                        |
|                    | 0988            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE DESIGNATED AS UNIQUE FOR DE3S1, PROCESSING CODE 18.                                     | Both                        |
|                    | 1067            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6012 MERCHANDISE & SERVICES FOR DE3S1, PROCESSING CODE 17 OR 50.                        | Both                        |
|                    | 1138            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6010 MANUAL CASH DISBURSEMENT FOR DE3S1, PROCESSING CODE 12.                            | Both                        |
|                    | 2219            | DE25 INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                              | Both                        |
|                    | 2223            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                           | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2224            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.                      | Both                    |
|                    | 2281            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.                      | Both                    |
|                    | 2282            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.                      | Both                    |
|                    | 2283            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.                      | Both                    |
|                    | 2284            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.                      | Both                    |
|                    | 2536            | DE26 ACCEPTOR BUSINESS CODE INVALID FOR ATM FUNDING TRANSACTION.                                                                                                                        | Both                    |
|                    | 2708            | DE4 AMOUNT, TRANSACTION MUST BE EQUAL TO OR GREATER THAN THE CANADIAN DOLLAR EQUIVALENT OF THE PERMITTED AMOUNT LIMITS FOR THE SUBMITTED INTERCHANGE PROGRAM AND THE DE26 COMBINATIONS. | GCMS                    |
| DE 26              | 1067            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6012 MERCHANDISE & SERVICES FOR DE3S1, PROCESSING CODE 17 OR 50.                                                                     | Both                    |
|                    | 1138            | DE26 INVALID. MUST BE 6010 MANUAL CASH DISBURSEMENT FOR DE3 SUBFIELD 1, PROCESSING CODE 12                                                                                              | Both                    |
|                    | 3007            | DE26 ACCEPTOR BUSINESS CODE (MCC) IS INVALID FOR THE BRAZIL MERCHANT TAX ID IN PDS0220.                                                                                                 | GCMS                    |
|                    | 3080            | IN CONTROL BLOCK: DE26 ACCEPTOR BUSINESS CODE (MCC) IS INVALID FOR THE PRIMARY ACCOUNT NUMBER (PAN) IN DE2.                                                                             | GCMS                    |
|                    | 3091            | INVALID. MUST BE EQUAL OR GREATER THAN THE MINIMUM TRANSACTION AMOUNT FOR THE PROGRAM.                                                                                                  | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                   | Edit<br>performe<br>d by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 30              | 0077            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED. | Both                        |
|                    | 0078            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                | Both                        |
|                    | 1016            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT AND NONZERO IN FIRST PRESENTMENT MESSAGES.                               | Both                        |
|                    | 1019            | DE30 AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                         | Both                        |
| DE 30, s2          | 0076            | DE30S2 ORIGINAL AMOUNT, RECONCILIATION MUST BE ZERO-FILLED.                                                     | Both                        |
| DE 31              | 0735            | DE31 ACQUIRER REFERENCE DATA MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                     | Both                        |
|                    | 2181            | DE31 ACQUIRER REFERENCE DATA MUST BE A FIXED LENGTH OF 23.                                                      | Both                        |
|                    | 2328            | ACQUIRER MEMBER ID NOT REGISTERED FOR GAMING SERVICE.                                                           | Both                        |
|                    | 2723            | LIFE CYCLE MESSAGES NOT ALLOWED FOR INSTALLMENT SPLIT TRANSACTIONS.                                             | Both                        |
| DE 31, s1          | 0080            | DE31S1 FILLER MUST BE NUMERIC.                                                                                  | Both                        |
|                    | 3019            | DE31SF1 MUST BE A VALID VALUE STARTING WITH "7"                                                                 | Both                        |
| DE 31, s2          | 0081            | DE31S2 ACQUIRER'S REFERENCE MUST BE NUMERIC.                                                                    | Both                        |
|                    | 1087            | DE31S2 ACQUIRER'S BIN NOT A VALID ACQUIRER BIN.                                                                 | Both                        |
|                    | 2261            | DE31S2 ACQUIRER'S BIN MUST BE POS EMV COMPLIANT.                                                                | Both                        |
|                    | 2262            | DE31S2 ACQUIRER'S BIN MUST BE MERCHANT UCAF ELIGIBLE.                                                           | Both                        |
|                    | 2289            | ACQUIRER MUST HAVE POS TERMINAL THAT IS EMV COMPLIANT.                                                          | Both                        |
|                    | 2290            | ACQUIRER MUST HAVE ATM TERMINAL THAT IS EMV COMPLIANT.                                                          | Both                        |
|                    | 2939            | DE31S2 IS NOT REGISTERED FOR EMBEDDED NEGOTIATED INTERCHANGE.                                                   | Both                        |
| DE 31, s3          | 0086            | DE31S3 JULIAN PROCESSING DATE YDDD OF DE31 ACQUIRER REFERENCE DATA MUST BE A VALID DATE IN THE FORMAT YDDD.     | Both                        |
| DE 31, s4          | 0083            | DE31S4 ACQUIRER'S SEQUENCE NUMBER MUST BE NUMERIC.                                                              | Both                        |
| DE 31, s5          | 0085            | DE31S5 CHECK DIGIT MUST BE NUMERIC.                                                                             | Both                        |
|                    | 0087            | DE31S5 CHECK DIGIT DOES NOT MOD-CHECK.                                                                          | Both                        |
| DE 32              | 0089            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC.                                                             | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0090            | DE32 ACQUIRING INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 01-11.                                                       | Both                    |
|                    | 2196            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                                     | Both                    |
| DE 33              | 0735            | DE33 FORWARDING INSTITUTION ID CODE MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                              | Both                    |
|                    | 0790            | INVALID DE33 FORWARDING INSTITUTION ID CODE FOR FIRST PRESENTMENT MESSAGES.                                                     | Both                    |
|                    | 0808            | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                                                            | Both                    |
|                    | 2180            | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                                     | Both                    |
|                    | 8554            | THE FORWARDING INSTITUTION ID IS NOT THE SAME THROUGHOUT THE FILE. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer   |
| DE 37              | 0091            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                    | Both                    |
|                    | 2208            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                                              | Both                    |
| DE 38              | 0093            | DE38 APPROVAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                 | Both                    |
|                    | 0094            | DE38 APPROVAL CODE CONTAINS EMBEDDED SPACES.                                                                                    | Both                    |
|                    | 0095            | DE38 APPROVAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                        | Both                    |
|                    | 0780            | DE38 APPROVAL CODE MUST BE PRESENT.                                                                                             | Both                    |
|                    |                 | DE38 APPROVAL CODE MUST BE PRESENT WHEN DE22S7 IS EQUAL TO 2, A, OR B.                                                          | Both                    |
|                    | 1023            | DE38 APPROVAL CODE MUST BE PRESENT.                                                                                             | Both                    |
|                    | 2198            | DE38 APPROVAL CODE CANNOT BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE CONTAINS AN F.                                           | Both                    |
|                    | 2264            | DE63 TRANSACTION LIFE CYCLE ID MUST BE PRESENT.                                                                                 | Both                    |
|                    | 2422            | APPROVAL CODE NOT COMPATIBLE WITH SUBMITTED IRD.                                                                                | Both                    |
|                    | 2431            | TRANSACTION DOES NOT QUALIFY FOR ALM INTERCHANGE.                                                                               | GCMS                    |
|                    | 2458            | DE38 APPROVAL CODE NOT COMPATIBLE WITH SUBMITTED IRD (PDS0158S4).                                                               | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                 | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2459            | PDS0158S4 INTERCHANGE RATE DESIGNATOR NOT VALID FOR APPROVAL CODE AND CONSUMER BRAND PRODUCT COMBINATION.     | Both                    |
| DE 40              | 0053            | DE40 SERVICE CODE INVALID. MUST BE <VALLIST>.                                                                 | Both                    |
|                    | 2183            | DE40 SERVICE CODE MUST BE NUMERIC.                                                                            | Both                    |
|                    | 2354            | DE40 SERVICE CODE INVALID FOR THIS DE40/DE22S1 COMBINATION.                                                   | Both                    |
|                    | 2514            | DE40 SERVICE CODE MUST BE PRESENT AND EQUAL TO <VALLIST>.                                                     | Both                    |
|                    | 2625            | DE40 SERVICE CODE MUST BE PRESENT AND EQUAL TO <VALLIST>.                                                     | Both                    |
| DE 41              | 0096            | DE41 ACCEPTOR TERMINAL ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                        | Both                    |
|                    | 0735            | DE41 ACCEPTOR TERMINAL ID MUST BE PRESENT.                                                                    | Both                    |
|                    | 2182            | DE41 ACCEPTOR TERMINAL ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                  | Both                    |
| DE 42              | 0098            | DE42 ACCEPTOR ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                            | Both                    |
|                    | 0766            | DE42 ACCEPTOR ID CODE MUST BE PRESENT.                                                                        | Both                    |
|                    | 2182            | DE42 ACCEPTOR ID CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                      | Both                    |
| DE 43              | 0100            | DE43 ACCEPTOR NAME/LOCATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                      | Both                    |
|                    | 0101            | DE43 ACCEPTOR NAME/LOCATION MUST BE 20-99.                                                                    | Both                    |
|                    | 0107            | WITHIN DE43 ACCEPTOR NAME/LOCATION, 3 BACKSLASH CHARACTERS ARE REQUIRED TO DELIMIT NAME\STREET ADDRESS\CITY\. | Both                    |
|                    | 0340            | DE43 ACCEPTOR NAME/LOCATION MUST BE PRESENT.                                                                  | Both                    |
|                    | 0992            | UNPARSEABLE MESSAGE. NO \ AT END OF SUBFIELD.                                                                 | Both                    |
|                    | 3092            | INVALID. THE ACQUIRER, MERCHANT AND ISSUER COUNTRIES MUST ALL BE VALID COUNTRY CODES FOR THE PROGRAM          | GCMS                    |
| DE 43,s1           | 0069            | DE43S1 ACCEPTOR NAME IS REQUIRED AND MUST CONTAIN A VALID VALUE.                                              | Both                    |
|                    | 0102            | DE43S1 ACCEPTOR NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                     | Edit<br>performe<br>d by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0103            | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1–22.                                                                                                         | Both                        |
|                    | 0103            | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1–80. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                            | Clearing<br>Optimizer       |
|                    | 0108            | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                        | Both                        |
|                    | 0735            | DE43S1 ACCEPTOR NAME MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                               | Both                        |
|                    | 2229            | DE43S1 ACCEPTOR NAME INVALID. MUST CONTAIN ABBREVIATED AIRLINE NAME FOLLOWED BY DELIMITER, OR SPACES AND DELIMITER.                               | Both                        |
|                    | 2574            | DE43S1 ACCEPTOR NAME MUST CONTAIN A VALID VALUE.                                                                                                  | Both                        |
| DE 43, s2          | 0625            | DE43S2 ACCEPTOR STREET ADDRESS REQUIRED.                                                                                                          | Both                        |
|                    | 2182            | DE43S2 ACCEPTOR STREET ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                 | Both                        |
|                    | 2184            | DE43S2 ACCEPTOR STREET ADDRESS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                       | Both                        |
|                    | 2233            | DE43S2 ACCEPTOR STREET ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer       |
|                    | 2264            | DE43S2 ACCEPTOR STREET ADDRESS MUST BE PRESENT                                                                                                    | Both                        |
| DE 43, s3          | 0104            | DE43S3 ACCEPTOR CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                 | Both                        |
|                    | 0105            | DE43S3 ACCEPTOR CITY LENGTH CANNOT EXCEED 13.                                                                                                     | Both                        |
|                    | 0539            | DE43S3 ACCEPTOR CITY MUST BE PRESENT.                                                                                                             | Both                        |
|                    | 2182            | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                           | Both                        |
|                    | 2233            | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>           | Clearing<br>Optimizer       |
| DE 43, s4          | 0109            | DE43S4 ACCEPTOR POSTAL (ZIP) CODE NOT LEFT JUSTIFIED.                                                                                             | Both                        |
|                    | 0586            | DE43S4 ACCEPTOR POSTAL (ZIP) CODE REQUIRED.                                                                                                       | Both                        |
|                    | 2184            | DE43S4 ACCEPTOR POSTAL (ZIP) CODE CANNOT CONTAIN ALL LOW-VALUES OR ALL HIGH-VALUES.                                                               | Both                        |
| DE 43, s5          | 0623            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                                         | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                             | Edit<br>performe<br>d by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2167            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                                 | Both                        |
|                    | 2184            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                              | Both                        |
| DE 43, s6          | 0112            | DE43S6 ACCEPTOR COUNTRY CODE MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                              | Both                        |
|                    | 0405            | INVALID TRANSACTION FOR THE COUNTRY/REGION.                                                                                               | GCMS                        |
|                    | 0589            | DE43S6 ACCEPTOR COUNTRY CODE MUST BE COMPATIBLE WITH DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE.                                     | Both                        |
|                    | 2204            | DE43S6 ACCEPTOR COUNTRY CODE INVALID. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                        | Clearing<br>Optimizer       |
|                    | 2204            | DE43S6 ACCEPTOR COUNTRY CODE INVALID.                                                                                                     | Both                        |
|                    | 2269            | DE43S6 ACCEPTOR COUNTRY CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID AND TYPE> ACCEPTANCE BRAND ID CODE <AB>.       | Both                        |
|                    | 2897            | TRANSACTION NOT PERMITTED TO ACQUIRER OR TERMINAL.                                                                                        | Both                        |
|                    | 2979            | DE43S6 EQUALS CHN AND ACQUIRER BIN COUNTRY MUST BE CHINA AND ISSUER DE2 IS ASSOCIATED TO REGION C BUT COUNTRY CODE NOT EQUAL CHINA.       | Both                        |
|                    | 3010            | IRD NOT APPLICABLE. TRANSACTION ORIGINATION COUNTRY AND DESTINATION COUNTRY DOES NOT FIT THE CRITERIA.                                    | Both                        |
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                        |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008-999.                                                                                              | Both                        |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62. | Both                        |
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                       | Both                        |
| DE 49              | 0023            | DE4 AMOUNT, TRANSACTION MUST BE PRESENT WHEN DE49 CURRENCY CODE, TRANSACTION IS PROVIDED.                                                 | Both                        |
|                    | 0119            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                  | Both                        |
|                    | 0120            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                 | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                              | Edit<br>performe<br>d by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE49 CURRENCY CODE, TRANSACTION, MUST BE PROVIDED.                                  | Both                        |
|                    | 0735            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                             | Both                        |
|                    | 2670            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                   | GCMS                        |
|                    | 2997            | DE49 IN AUTHORIZATION MUST MATCH DE49 IN CLEARING FOR EMBEDDED FLEXIBLE INTERCHANGE TRANSACTION.                           | GCMS                        |
|                    | 3049            | DE 49 CURRENCY CODE, TRANSACTION DOES NOT EQUAL DE 49 CURRENCY CODE, TRANSACTION IN THE AUTHORIZATION REQUEST/0100 MESSAGE |                             |
|                    | 8502            | INVALID CURRENCY CODE FOR U.K. DOMESTIC MAESTRO.<br><b>(Applies only to U.K. Domestic Maestro transactions.)</b>           | Clearing<br>Optimizer       |
| DE 50              | 0123            | DE50 CURRENCY CODE, RECONCILIATION MUST BE NUMERIC.                                                                        | Both                        |
|                    | 0124            | DE50 CURRENCY CODE, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.      | Both                        |
|                    | 0126            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE50 CURRENCY CODE, RECONCILIATION MUST BE PROVIDED.                                | Both                        |
|                    | 0129            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                | Both                        |
|                    | 2670            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                | GCMS                        |
| DE 51              | 0133            | DE51 CURRENCY CODE, CARDHOLDER BILLING MUST BE NUMERIC.                                                                    | Both                        |
|                    | 0134            | DE51 CURRENCY CODE, CARDHOLDER BILLING MUST BE PRESENT IN A MESSAGE WHEN DE6 AMOUNT, CARDHOLDER BILLING IS PROVIDED.       | Both                        |
|                    | 0136            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE51 CURRENCY CODE, CARDHOLDER BILLING MUST BE PROVIDED.                            | Both                        |
|                    | 2670            | DE51 CURRENCY CODE, CARDHOLDER BILLING MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                            | GCMS                        |
| DE 54              | 2311            | DE54 AMOUNTS, ADDITIONAL NOT PRESENT FOR A PURCHASE WITH CASHBACK TRANSACTION.                                             | Both                        |
| DE 54, s1          | 2312            | DE54S1 ADDITIONAL AMOUNT, ACCOUNT TYPE VALUE NOT PERMITTED. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>   | Clearing<br>Optimizer       |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                         | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 54, s2          | 2265            | DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE INVALID.                                                                        | Both                    |
|                    | 2312            | DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE VALUE NOT PERMITTED.                                                            | Both                    |
|                    | 2436            | DE54S2 VALUE INVALID FOR THE INTERCHANGE PROGRAM                                                                      | Both                    |
|                    | 2711            | SUM OF VAT TAX, IAC TAX, AND TIP MUST BE LESS THAN DE 4 (AMOUNT, TRANSACTION).                                        | Both                    |
| DE 54, s3          | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE PROVIDED.                      | Both                    |
|                    | 2183            | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE NUMERIC. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer   |
|                    | 2292            | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE EQUAL TO DE49 CURRENCY CODE TRANSACTION.                              | Both                    |
|                    | 2469            | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST NOT EQUAL THE VALUE IN DE49.                                             | Both                    |
|                    | 8502            | INVALID CURRENCY CODE FOR U.K. DOMESTIC MAESTRO. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>         | Clearing<br>Optimizer   |
| DE 54, s4          | 2185            | DE54S4 ADDITIONAL AMOUNT, AMOUNT SIGN MUST BE D OR C.                                                                 | Both                    |
|                    | 2313            | AMOUNT SIGN MUST BE D (DEBIT TO RECIPIENT) FOR A CASH BACK OR SURCHARGE AMOUNT.                                       | Both                    |
| DE 54, s5          | 2183            | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE NUMERIC.                                                                     | Both                    |
|                    | 2294            | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE LESS THAN DE4 AMOUNT, TRANSACTION.                                           | Both                    |
|                    | 2479            | DE54S5 ADDITIONAL AMOUNT, AMOUNT SUM OF OCCURRENCES MUST BE LESS THAN OR EQUAL TO DE4.                                | Both                    |
|                    | 2526            | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE EQUAL TO DE 4 AMOUNT, TRANSACTION FOR THE SUBMITTED PROCESSING CODE.         | Both                    |
| DE 55              | 1023            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM-RELATED DATA MUST BE PRESENT.                                               | Both                    |
|                    | 1057            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM-RELATED DATA LENGTH MUST BE 1-255.                                          | Both                    |
|                    | 2184            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                   | Both                    |
|                    | 2200            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA CANNOT BE ALL ZEROS OR ALL SPACES.                             | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                              | Edit<br>performe<br>d by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2463            | DE55 MUST BE LEFT-JUSTIFIED AND LOW-VALUES FILLED.                                                                                                         | Both                        |
|                    | 8130            | DE55 INTEGRATED CARD (ICC) SYSTEM-RELATED DATA IS MANDATORY FOR A CHIP TRANSACTION. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>           | Clearing<br>Optimizer       |
|                    | 8144            | INTEGRATED CARD (ICC) SYSTEM-RELATED DATA MUST NOT BE PRESENT FOR A NON-CHIP TRANSACTION. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>     | Clearing<br>Optimizer       |
| DE 62              | 0165            | DE62 ADDITIONAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                        | Both                        |
|                    | 0166            | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008-999.                                                                                                             | Both                        |
|                    | 0168            | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                                                                               | Both                        |
|                    | 0169            | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                                                                             | Both                        |
| DE 63              | 1100            | DE63 MUST BE PRESENT FOR THE APPLICABLE CANADA ACQUIRED INCENTIVE INTERCHANGE PROGRAMS.                                                                    | Both                        |
|                    | 2181            | DE63 TRANSACTION LIFE CYCLE ID LENGTH MUST BE A FIXED LENGTH OF 016.                                                                                       | Both                        |
|                    | 2184            | DE63 TRANSACTION LIFE CYCLE ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                | Both                        |
|                    | 2264            | DE63 TRANSACTION LIFE CYCLE ID MUST BE PRESENT.                                                                                                            | Both                        |
|                    | 2265            | DE63 DECLINED/NOT APPROVED CORRESPONDING AUTHORIZATION.                                                                                                    | GCMS                        |
|                    | 2489            | DE63 TRANSACTION LIFE CYCLE ID MISSING OR INVALID. TRANSACTION CANNOT BE SUBMITTED FOR PRIVATE LABEL.                                                      | GCMS                        |
|                    | 2634            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST NOT EQUAL LC OR LP WHEN THE TRANSACTION DOES NOT QUALIFY FOR REGULATED OR FRAUD ADJUSTED REGULATED INTERCHANGE. | Both                        |
|                    |                 | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST NOT EQUAL "LF" WHEN THE TRANSACTION DOES NOT QUALIFY FOR REGULATED FRAUD ADJUSTED INTERCHANGE.                  | GCMS                        |
|                    | 2637            | DE63 MUST BE PRESENT FOR REGULATED SMALL TICKET INTERCHANGE PROGRAM.                                                                                       | Both                        |
|                    | 2969            | THE MESSAGE HAS BEEN FLAGGED AS A POTENTIAL DUPLICATE FIRST PRESENTMENT.                                                                                   | GCMS                        |
| DE 63, s1          | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE A SPACE.                                                                                                       | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                             | Edit<br>performe<br>d by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE SPACE OR 2.<br><b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                   | Clearing<br>Optimizer       |
| DE 63, s2          | 0141            | DE63S2 TRACE ID POSITIONS 10–13 MUST BE A VALID DATE IN<br>THE FORMAT MMDD.                                                                               | Both                        |
|                    | 0142            | THE FIRST NINE POSITIONS OF DE63S2 TRACE ID CANNOT<br>CONTAIN EMBEDDED SPACES.                                                                            | Both                        |
|                    | 0780            | DE63S2 TRACE ID MUST BE PRESENT.                                                                                                                          | Both                        |
|                    | 2233            | DE63S2 TRACE ID MUST BE LEFT JUSTIFIED AND CANNOT<br>CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro<br/>transactions.)</b>                 | Clearing<br>Optimizer       |
|                    | 2488            | DE63S2 TRACE ID INCORRECTLY FORMATTED, NOT VALID FOR<br>ACCOUNT LEVEL MANAGEMENT PROCESSING.                                                              | Both                        |
|                    | 2488            | DE63S2 TRACE ID INCORRECTLY FORMATTED. NOT VALID FOR<br>PRODUCT GRADUATION OR EVP PROCESSING.                                                             | Both                        |
|                    | 3074            | TRANSACTION NOT PERMITTED TO BE CLEARED BY MASTERCARD                                                                                                     | GCMS                        |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                                                                      | Both                        |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71<br>VALUE FROM THE PREVIOUS MESSAGE.                                                                     | Both                        |
|                    | 0735            | DE71 MESSAGE NUMBER MUST BE PRESENT IN FIRST<br>PRESENTMENT MESSAGES.                                                                                     | Both                        |
| DE 93              | 0155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST<br>BE NUMERIC.                                                                                      | Both                        |
|                    | 0157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID.                                                                                                 | Both                        |
|                    | 1155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE<br>CANNOT BE FLAGGED FOR INTERNAL USE ONLY.                                                              | GCMS                        |
|                    | 1158            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS<br>DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                                                      | GCMS                        |
|                    | 1209            | DE93/DE94 MUST NOT BE A PSEUDO ICA FOR OTHER THAN<br>ONBEHALF WALLET FEE COLLECTION MESSAGE                                                               | GCMS                        |
|                    | 2180            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE LENGTH<br>FIELD MUST BE 006–011.                                                                         | Both                        |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93<br>TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94<br>TRANSACTION ORIGINATOR INSTITUTION ID CODE. | GCMS                        |
|                    | 2630            | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                                                                   | GCMS                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2668            | TRANSACTION BLOCKED FOR RECEIVER.                                                                                                                   | GCMS                    |
|                    | 2669            | TRANSACTION BLOCKED FOR RECEIVER.                                                                                                                   | GCMS                    |
|                    | 3009            | INVALID TRANSACTION. DE 93 TRANSACTION DESTINATION INSTITUTION ID CODE CANNOT CONTAIN ICA ASSOCIATED WITH RPPS.                                     |                         |
| DE 94              | 0044            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SUPERMARKET INTERCHANGE PROGRAM.                                                        | Both                    |
|                    | 0159            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                                                    | Both                    |
|                    | 0161            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                                                            | Both                    |
|                    | 0546            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE/ ACQUIRER BIN (DE31S2) COMBINATION INVALID.                                                         | Both                    |
|                    | 0550            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                                                      | Both                    |
|                    | 0673            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SERVICE INDUSTRY INTERCHANGE PROGRAM.                                                   | Both                    |
|                    | 0700            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR INTERNATIONAL ELECTRONIC INTERCHANGE PROGRAM.                                           | Both                    |
|                    | 0718            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR WAREHOUSE INTERCHANGE PROGRAM.                                                          | Both                    |
|                    | 0735            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                      | Both                    |
|                    | 1175            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SENDING PROCESSOR ID IN PARAMETER MASTER.                                               | GCMS                    |
|                    | 2180            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006–011.                                                                             | Both                    |
|                    | 2183            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                                                    | GCMS                    |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE. | GCMS                    |
|                    | 2666            | TRANSACTION BLOCKED FOR SENDER.                                                                                                                     | GCMS                    |
|                    | 2667            | TRANSACTION BLOCKED FOR SENDER.                                                                                                                     | GCMS                    |
|                    | 3044            | INVALID DE 94 ACQUIRER ICA AND PDS 0221 MERCHANT TAX ID FOR MICROMERCHANT IRDS                                                                      | GCMS                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 3068            | DE 94 ACQUIRER ICA MUST BE ELIGIBLE FOR THE BRAZIL MICRO-MERCHANT PROGRAM WHEN MICRO-MERCHANT IRDS ARE USED                                                    | GCMS                    |
| DE 111             | 2183            | DE111 AMOUNT, CURRENCY CONVERSION ASSESSMENT MUST BE NUMERIC.                                                                                                  | GCMS                    |
| DE 123             | 0170            | DE123 ADDITIONAL DATA 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 0171            | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008-999.                                                                                                                | Both                    |
|                    | 0173            | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124.                 | Both                    |
|                    | 0174            | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                                    | Both                    |
| DE 124             | 0179            | DE124 ADDITIONAL DATA 4 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, AND DE123 ADDITIONAL DATA 3 ARE PRESENT.                          | Both                    |
|                    | 2151            | DE124 ADDITIONAL DATA 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 2152            | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008-999.                                                                                                                | Both                    |
|                    | 2154            | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125.                 | Both                    |
| DE 125             | 0175            | DE125 ADDITIONAL DATA 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 0176            | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008-999.                                                                                                                | Both                    |
|                    | 0178            | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED.                | Both                    |
|                    | 2155            | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                    |
| PDS 0001           | 0503            | PDS0001 MASTERCARD MAPPING SERVICE ACCOUNT NUMBER NOT ALLOWED IN <MSGTYPE>.                                                                                    | GCMS                    |
| PDS 0001,<br>s1    | 2879            | PDS0001S1 MUST BE EQUAL TO 'C', OR 'CC' OR 'H' OR 'HC'.                                                                                                        | GCMS                    |
|                    | 2881            | PDS0001S1 MUST BE EQUAL TO 'C' OR 'CC' OR 'H' OR 'HC' OR 'O' OR 'OC'.                                                                                          | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                            | Edit<br>performe<br>d by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0004,<br>s1    | 2838            | PDS0004S1 MUST BE PRESENT AND EQUAL TO <VALLIST>.                                                        | Both                        |
| PDS 0004,<br>s2    | 2837            | PDS0004S2 LENGTH MUST BE 01-20.                                                                          | Both                        |
|                    | 2839            | PDS0004S2 MUST BE PRESENT AND NUMERIC AND CANNOT CONTAIN ALL ZEROS.                                      | Both                        |
|                    | 2890            | INTERCHANGE RATE NOT FOUND FOR MPQR SENDER ACCOUNT NUMBER (PDS 0004 SUBFIELD 2) CARD PROGRAM IDENTIFIER. | Both                        |
| PDS 0014           | 2845            | PDS0014 MUST BE VALID VALUE.                                                                             | Both                        |
|                    | 2846            | PDS0014 MUST BE NUMERIC.                                                                                 | Both                        |
|                    | 2847            | PDS0014 LENGTH IS INVALID.                                                                               | Both                        |
| PDS 0018           | 3056            | TRANSACTION MUST BE INITIATED BY TAP ON PHONE                                                            | Both                        |
| PDS 0018,<br>s1    | 0009            | PDS0018S1 MUST BE NUMERIC.                                                                               | Both                        |
|                    | 0428            | PDS0018S1 MUST BE A FIXED LENGTH OF 001.                                                                 | Both                        |
| PDS 0021           | 2873            | PDS021 INVALID. MUST BE IP2201T1.                                                                        | Both                        |
|                    | 2874            | PDS021 MUST BE A FIXED LENGTH OF 001.                                                                    | Both                        |
|                    | 2875            | PDS021 WHEN PRESENT, THEN DE22S7 MUST BE EQUAL TO "M" AND DE55 MUST BE PRESENT.                          | Both                        |
| PDS 0022           | 0428            | PDS0022 MUST BE FIXED LENGTH OF 001.                                                                     | Both                        |
|                    | 2894            | PDS0022 MUST BE PRESENT WHEN DE22S4 IS A VALUE OF 8.                                                     | Both                        |
|                    | 2895            | PDS0022 MUST BE A VALUE OF A OR B WHEN DE22S7 = R.                                                       | Both                        |
| PDS 0023           | 0022            | PDS0052S3 UCAF COLLECTION INDICATOR/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                      | Both                        |
|                    | 0181            | PDS0023 TERMINAL TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                       | Both                        |
|                    | 0182            | PDS0023 TERMINAL TYPE MUST BE A FIXED LENGTH OF 003.                                                     | Both                        |
|                    | 0184            | PDS0023 TERMINAL TYPE MUST CONTAIN A VALID VALUE OF <VALLIST>.                                           | Both                        |
|                    | 0553            | GAMING NOT ALLOWED.                                                                                      | GCMS                        |
|                    | 0554            | GAMING LOSS EXCEEDED.                                                                                    | GCMS                        |
|                    | 0555            | GAMING WIN EXCEEDED.                                                                                     | GCMS                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                                                | Edit<br>performe<br>d by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0596            | PDS0023 TERMINAL TYPE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                                                                                                                                        | Both                        |
|                    | 0735            | PDS0023 TERMINAL TYPE MISSING. MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                                                                                                   | Clearing<br>Optimizer       |
|                    | 1092            | PDS0023 TERMINAL TYPE MISSING. MUST BE PRESENT IN NON-REVERSAL FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), OR ARBITRATION CHARGEBACK (PARTIAL) MESSAGES. | Both                        |
|                    | 2519            | PDS0023 TERMINAL TYPE INVALID FOR MOBILE TOP-UP TRANSACTION.                                                                                                                                                                                                                 | GCMS                        |
|                    | 2715            | PDS0023 TERMINAL TYPE INVALID, MUST BE 1, 2, 5, or 6.                                                                                                                                                                                                                        | Both                        |
|                    | 2842            | <FLDNAME. INVALID FOR A NON-E-COMMERCE TRANSACTION WHERE FLDNAME IS PDS0023.                                                                                                                                                                                                 | Both                        |
|                    | 2919            | PDS0023/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT FOR THE E-COMMERCE TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                                                               | Both                        |
|                    | 2928            | PDS0023 MUST BE MAN OR NA IF PRESENT WHEN DE22S5 IS 1, 2, 3, 4; DE22S6 IS 0; AND DE22S7 IS 1 OR 7 FOR THE NON E-COMMERCE TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                | Both                        |
|                    | 8581            | TERMINAL TYPE NOT VALID FOR E-COMMERCE TRANSACTION / CHIP SECURED REMOTE PAYMENT.                                                                                                                                                                                            | Both                        |
|                    | 8677            | PDS0023 TERMINAL TYPE INVALID FOR A NON-E-COMMERCE TRANSACTION/CHIP SECURED REMOTE PAYMENTS.                                                                                                                                                                                 | Both                        |
| PDS 0025           | 0187            | PDS0025 MESSAGE REVERSAL INDICATOR LENGTH FIELD MUST BE A VALUE OF 001-007.                                                                                                                                                                                                  | Both                        |
|                    | 3073            | PAYMENT CLEARING REVERSAL TRANSACTION BLOCKED FOR MASTERCARD SEND                                                                                                                                                                                                            | GCMS                        |
| PDS 0025,<br>s1    | 0185            | PDS0025S1 MESSAGE REVERSAL INDICATOR MUST BE EQUAL TO R OR A SPACE IF PRESENT.                                                                                                                                                                                               | Both                        |
| PDS 0025,<br>s2    | 0186            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.                                                                                                                                                            | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                       | Edit<br>performe<br>d by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0190            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                              | Both                        |
|                    | 0556            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE PRESENT WHEN MESSAGE REVERSAL INDICATOR IS PRESENT IN FIRST PRESENTMENT MESSAGE. | Both                        |
| PDS 0028           | 2870            | MPQR RECEIVING ACCOUNT NUMBER LENGTH MUST BE 001-034.                                                                                               | Both                        |
|                    | 2871            | MPQR RECEIVING ACCOUNT NUMBER CONTAINS LEADING SPACES, OR NOT LEFT JUSTIFIED, OR CONTAINS ALL ZEROS.                                                | Both                        |
| PDS 0029           | 2872            | MPQR DNAMIC QR DATA LENGTH MUST BE 001-237.                                                                                                         | Both                        |
| PDS 0030           | 3051            | TRANSACTION MUST BE INITIATED BY QR CODE                                                                                                            | Both                        |
| PDS 0042           | 2661            | MERCHANT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                                                     | Both                        |
| PDS 0043           | 0161            | PDS0043 INVALID                                                                                                                                     | Both                        |
|                    | 0194            | PDS0043 TRANSACTION TYPE ID MUST BE A FIXED LENGTH OF 003.                                                                                          | Both                        |
|                    | 1066            | DE3 PROCESSING CODE AND PDS0043 TRANSACTION TYPE ID COMBINATION INVALID.                                                                            | Both                        |
|                    | 2208            | PDS0043 TRANSACTION TYPE ID CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                      | Both                        |
|                    | 2274            | PDS0043 TRANSACTION TYPE ID MUST BE PRESENT AND MUST CONTAIN C01 OR C02.                                                                            | Both                        |
|                    | 2275            | PDS0043 TRANSACTION TYPE ID MUST BE PRESENT AND MUST CONTAIN A VALID VALUE.                                                                         | Both                        |
|                    | 2327            | PDS0043 TRANSACTION TYPE ID INVALID FOR PROCESSING CODE/IRD/MCC COMBINATION.                                                                        | Both                        |
|                    | 2436            | PDS0043 VALUE INVALID FOR THE INTERCHANGE PROGRAM.                                                                                                  | Both                        |
|                    | 2502            | PAYMENT TRANSACTION DETAIL ADDENDUM MUST BE PRESENT.                                                                                                | Both                        |
|                    | 2662            | PDS 0043 TRANSACTION TYPE ID VALUE NOT COMPATIBLE WITH SUBMITTED IRD (PDS0158S4).                                                                   | Both                        |
|                    | 2811            | PDS0043 MUST EQUAL TO C91, C92, C93, OR C94, THE PROCESSING CODE MUST BE 00 OR 20, AND THE TRANSACTION MUST BE DOMESTIC.                            | GCMS                        |
|                    | 2862            | IRD SUBMITTED ON PDS0158S4 IS NOT CORRECT FOR UTILITY PAYMENTS TRANSACTION TYPE ID SUBMITTED ON PDS0043.                                            | GCMS                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                                                                       | Edit<br>performe<br>d by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2863            | IRD submitted on PDS0158S4 is not correct for Coupon Booklet Payments Transaction Type ID submitted on PDS0043.                                                                                                                                                                                     | GCMS                        |
|                    | 2864            | IRD submitted on PDS0158S4 is not correct for Government Services Transaction Type ID submitted on PDS0043.                                                                                                                                                                                         | GCMS                        |
|                    | 2865            | IRD submitted on PDS0158S4 is not correct for Mobile Phone Top-Ups Transaction Type ID submitted on PDS0043.                                                                                                                                                                                        | GCMS                        |
| PDS 0044           | 0503            | PDS0044 PROGRAM PARTICIPATION INDICATOR NOT ALLOWED IN <MSGTYPE>.                                                                                                                                                                                                                                   | Both                        |
| PDS 0046           | 3048            | PDS0046 MUST BE PRESENT AND MUST CONTAIN A VALID VALUE.                                                                                                                                                                                                                                             | GCMS                        |
| PDS 0052           | 2181            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE A FIXED LENGTH OF 3.                                                                                                                                                                                                                   | Both                        |
|                    | 2183            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE NUMERIC.                                                                                                                                                                                                                               | Both                        |
|                    | 2356            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE IS EQUAL TO S.                                                                                                                                                                               | Both                        |
|                    | 2714            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR, POSITION 2 CANNOT BE EQUAL TO VALUE 4 FOR THE IRD PROVIDED.                                                                                                                                                                                   | Both                        |
|                    | 2914            | PDS0052 MUST BE PRESENT AND EQUAL TO 211 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT SUPPORTS 3DS OR TOKENIZATION; ISSUER DOES NOT SUPPORT. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                   | Both                        |
|                    | 2915            | FOR AUTHENTICATED ECOMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 212 OR 217 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                        |
|                    | 2916            | FOR NONAUTHENTICATED DSRP TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 246 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS T FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.               | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2917            | FOR AUTHENTICATED DSRP ECOMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 242 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2918            | FOR E-COMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 210 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.              | Both                    |
|                    | 2922            | PDS0052 INVALID FOR THE PARTIAL SHIPMENT E-COMMERCE TRANSACTION WHEN DE22S5 IS 5, DE22S6 IS 0, DE22S7 IS S OR 7. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                                                      | Both                    |
|                    | 2923            | PDS0052 INVALID FOR THE DSRP TRANSACTION WHEN DE22S5 IS 5, DE22S6 IS 0, AND DE22S7 IS S OR 7. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                                                                         | Both                    |
|                    | 2926            | PDS0052 MUST BE 247 AND PDS0023 (IF PRESENT) MUST BE MAN OR NA FOR THE RECURRING PAYMENT DSRP CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                                          | Both                    |
|                    | 2927            | PDS0052 MUST BE 210 OR 217 AND PDS0023 (IF PRESENT) MUST BE MAN OR NA FOR THE RECURRING PAYMENT E-COMMERCE CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                             | Both                    |
|                    | 3010            | COMBINATION OF PDS0052 AND PDS0185 ARE NOT VALID FOR SUBMITTED IRD'S.                                                                                                                                                                                                                        | Both                    |
|                    | 3011            | COMBINATION OF PDS0052 AND PDS0185 ARE NOT VALID FOR SUBMITTED IRD'S.                                                                                                                                                                                                                        | Both                    |
|                    | 3041            | COMBINATION OF PDS 0052 AND PDS 0185 ARE NOT VALID FOR CARD NOT PRESENT NOT FRICTIONLESS AUTHENTICATION, NOT MERCHANT OR ACQUIRER FUNDED INSTALLMENT IRDS                                                                                                                                    | Both                    |
|                    | 3042            | COMBINATION OF PDS 0052 AND PDS 0185 ARE NOT VALID FOR CARD NOT PRESENT FRICTIONLESS AUTHENTICATION, NOT MERCHANT OR ACQUIRER FUNDED INSTALLMENT IRDS                                                                                                                                        | Both                    |
|                    | 3111            | PDS 0052 MUST BE PRESENT AND NOT EQUAL 210 AND/OR PDS 0059 POSITIONS 1-3 MUST BE PRESENT AND NOT EQUAL 000                                                                                                                                                                                   | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                               | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0052,<br>s3    | 0008            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID. MUST BE 1.                                                                     | Both                    |
|                    | 0019            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 2, 3, OR 5.                                                            | Both                    |
|                    | 0022            | PDS0052S3 UCAF COLLECTION INDICATOR/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                         | Both                    |
|                    | 2185            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1, 2, 3, 4, 5, OR 6.                                                   | Both                    |
|                    | 2420            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1 OR 2.                                                                | Both                    |
|                    | 2806            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST MATCH AUTHORIZATION RESPONSE.                                             | GCMS                    |
|                    | 2952            | PDS0052S3 UCAF COLLECTION INDICATOR MUST BE PRESENT AND EQUAL TO 1 OR 2 or 4.                                               | Both                    |
| PDS 0057           | 2227            | PDS0057 TRANSACTION CATEGORY INDICATOR INVALID. MUST BE 01, 02, 03, or 04                                                   | Both                    |
| PDS 0058           | 2183            | PDS0058 TOKEN ASSURANCE LEVEL MUST BE NUMERIC.                                                                              | Both                    |
| PDS 0059           | 2183            | PDS0059 TOKEN REQUESTOR ID MUST BE NUMERIC.                                                                                 | Both                    |
| PDS 0080           | 0242            | PDS0080 AMOUNT, TAX INVALID.                                                                                                | Both                    |
|                    | 2470            | PDS0080 AMOUNT, TAX LENGTH MUST BE <MIN-MAX>AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 20.                       | GCMS                    |
| PDS 0080,<br>s3    | 0395            | PDS0080S3 CURRENCY CODE MUST CONTAIN NUMERIC ISO-STANDARD CURRENCY CODE OCCURENCE <00>.                                     | GCMS                    |
| PDS 0080,<br>s5    | 2185            | PDS0080S5 DEBIT/CREDIT INDICATOR MUST BE D OR C.                                                                            | GCMS                    |
| PDS 0083           | 2181            | PDS0083 AVS RESPONSE INDICATOR MUST BE A FIXED LENGTH OF 001. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>  | Clearing<br>Optimizer   |
|                    | 2227            | PDS0083 AVS RESPONSE INVALID. MUST BE <VALLIST>. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>               | Clearing<br>Optimizer   |
| PDS 0087           | 2181            | PDS0087 CVC2 RESPONSE INDICATOR MUST BE A FIXED LENGTH OF 001. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer   |
|                    | 2227            | PDS0087 CVC2 RESPONSE INDICATOR INVALID. MUST BE <VALLIST>. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>    | Clearing<br>Optimizer   |
| PDS 0137           | 0756            | PDS0137 FEE COLLECTION CONTROL NUMBER LENGTH MUST BE 17–20.                                                                 | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0146           | 0381            | PDS0146 AMOUNTS, TRANSACTION FEE LENGTH MUST BE 036–432 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 36. | Both                    |
|                    | 1023            | PDS0146 AMOUNTS, TRANSACTION FEE MUST BE PRESENT.                                                                 | Both                    |
|                    | 2557            | PDS0146 AMOUNTS, TRANSACTION FEE MUST BE IN MEXICAN PESOS (484).                                                  | Both                    |
| PDS 0146, s1       | 0386            | PDS0146S1 FEE TYPE CODE MUST BE 00–99. OCCURRENCE INDICATOR <XX>.                                                 | Both                    |
| PDS 0146, s2       | 0387            | PDS0146S2 FEE PROCESSING CODE MUST BE 00, 19, OR 29. OCCURRENCE INDICATOR <XX>.                                   | Both                    |
| PDS 0146, s3       | 1102            | PDS0146S3 FEE SETTLEMENT INDICATOR MUST BE 00 OR 01.                                                              | Both                    |
| PDS 0146, s4       | 1059            | PDS0146S4 CURRENCY CODE, FEE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.            | Both                    |
|                    | 2658            | PDS0146S4 CURRENCY CODE, FEE MUST BE PRESENT AND CONTAIN COLOMBIA PESOS (170).                                    | Both                    |
| PDS 0146, s5       | 0385            | PDS0146S5 AMOUNT, FEE NOT NUMERIC. OCCURRENCE <XX>.                                                               | Both                    |
|                    | 0476            | PDS0146S5 AMOUNT, FEE INVALID. MUST BE NUMERIC AND CANNOT BE GREATER THAN DE4 AMOUNT, TRANSACTION.                | GCMS                    |
| PDS 0148           | 0393            | PDS0148 CURRENCY EXPONENTS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                           | Both                    |
|                    | 0394            | PDS0148 CURRENCY EXPONENTS LENGTH MUST BE 04–60 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 04.         | Both                    |
|                    | 0735            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                         | Both                    |
|                    | 2310            | PDS0148 CURRENCY EXPONENTS INVALID FIELD LENGTH.                                                                  | Clearing<br>Optimizer   |
| PDS 0148, s1       | 0395            | PDS0148S1 CURRENCY CODE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                 | Both                    |
|                    | 8502            | INVALID CURRENCY CODE FOR U.K. DOMESTIC MAESTRO.<br><b>(Applies only to U.K. Domestic Maestro transactions.)</b>  | Clearing<br>Optimizer   |
| PDS 0148, s2       | 0396            | PDS0148S2 CURRENCY EXPONENT MUST BE VALID FOR THE CORRESPONDING CURRENCY CODE IN SUBFIELD 1. OCCURRENCE <XX>.     | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0149           | 0398            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                                                                     | Both                    |
|                    | 0399            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL LENGTH MUST BE A FIXED LENGTH OF 006.                                                                                                | Both                    |
|                    | 0402            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT PDS0148 CURRENCY EXPONENTS IS NOT PRESENT.                                                                            | Both                    |
|                    | 0404            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT DE30 AMOUNT, ORIGINAL IS NOT PRESENT.                                                                                 | Both                    |
| PDS 0149, s1       | 0400            | PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                                  | Both                    |
|                    | 0403            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MISSING. MUST BE PROVIDED.                                                       | Both                    |
| PDS 0149, s2       | 0401            | PDS0149S2 CURRENCY CODE, ORIGINAL RECONCILIATION AMOUNT MUST BE ALL ZEROS.                                                                                                     | Both                    |
| PDS 0152, s3       | 2836            | PDS0152S3 UCAF COLLECTION INDICATOR MUST BE PRESENT AND CONTAIN THE VALUE OF 2 OR 5.                                                                                           | Both                    |
| PDS 0157           | 2181            | PDS0157 ALTERNATE PROCESSOR INDICATOR MUST BE A FIXED LENGTH OF 4.                                                                                                             | Both                    |
|                    | 2227            | PDS0157 ALTERNATE PROCESSOR INDICATOR INVALID. MUST BE ALTC.                                                                                                                   | Both                    |
|                    | 2531            | PDS0157 ALTERNATE PROCESSOR INDICATOR ONLY VALID FOR COLLECTION ONLY TRANSACTIONS.                                                                                             | Both                    |
| PDS 0158           | 0407            | PDS0158 BUSINESS ACTIVITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                         | Both                    |
|                    | 0735            | PDS0158 BUSINESS ACTIVITY MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                                                       | Both                    |
|                    | 2180            | PDS0158 BUSINESS ACTIVITY LENGTH MUST BE 003-029.                                                                                                                              | Both                    |
|                    | 2808            | TRANSACTION INVALID WHEN TRANSACTION QUALIFIES FOR THE IRD ON-BEHALF SERVICE AND PDS0158 (BUSINESS ACTIVITY) S1, S2, OR S3 ARE NOT SPACE FILLED VALUES AND S4 IS SPACE FILLED. | Both                    |
| PDS 0158, s1       | 2007            | ACCEPTANCE BRAND IS NOT VALID FOR THE MEMBER PAIR.                                                                                                                             | Both                    |
|                    | 2227            | PDS0158S1 ACCEPTANCE BRAND ID CODE INVALID. MUST BE CIR, CLP, DDB, DMC, MAV, MCC, MSI, PRO, PVL, VIS, or SPACES/BLANK                                                          | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                     | Edit<br>performe<br>d by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2287            | PDS158S1 CARD PROGRAM IDENTIFIER MUST CONTAIN ALL SPACES.                                                                                                                                         | Both                        |
|                    | 2288            | ACCEPTANCE BRAND ID CODE NOT ALLOWED IN GCMS. VALUE PERMITTED ONLY IN CLEARING OPTIMIZER.                                                                                                         | GCMS                        |
|                    | 2504            | CARD PROGRAM IDENTIFIER <AB> IS INVALID FOR THE PRIMARY ACCOUNT NUMBER.                                                                                                                           | Both                        |
|                    | 2823            | WHEN PDS158S1 (MCC/DMC) IS PRESENT FOR THE COMBO CARD TRANSACTIONS, REJECT THE TRANSACTION IF PDS158S1 DOES NOT MATCH WITH THE DE48SE14 IN THE CORRESPONDING AUTHORIZATION TRANSACTION.           | GCMS                        |
| PDS 0158,<br>s2    | 2009            | NO BUSINESS SERVICE ARRANGEMENT EXISTS FOR THE MEMBER PAIR.                                                                                                                                       | Both                        |
|                    | 2366            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR WHEN THE CENTRAL ACQUIRING FLAG IS SET TO Y.                                                                                  | Both                        |
|                    | 2451            | SUBMITTED BUSINESS SERVICE ARRANGEMENT IS NOT VALID. MUST BE SUBMITTED FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>.                                                    | Both                        |
| PDS 0158,<br>s3    | 2010            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                                                                                              | Both                        |
|                    | 2217            | PDS0158S3 BUSINESS SERVICE ID CODE MUST BE PRESENT AND VALID WHEN PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE IS PRESENT.                                                                    | Both                        |
|                    | 2218            | PDS0158S2 BUSINESS SERVICE TYPE CODE MUST BE PRESENT AND VALID WHEN BUSINESS SERVICE ID CODE IS PRESENT.                                                                                          | Both                        |
|                    | 2288            | <BUSINESS SERVICE ID & TYPE> BUSINESS SERVICE ARRANGEMENT NOT ALLOWED IN GCMS. BUSINESS SERVICE ARRANGEMENT VALID ONLY IN CLEARING OPTIMIZER.                                                     | GCMS                        |
| PDS 0158,<br>s4    | 0022            | DE22S7 CARD DATA: INPUT MODE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                                                      | GCMS                        |
|                    | 0521            | ASSOCIATED FINANCIAL DETAIL ADDENDUM/1644 REJECTED.                                                                                                                                               | Both                        |
|                    | 0598            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR CORPORATE PRODUCT.                                                                                                                              | Both                        |
|                    | 0631            | PDS0158S4 INTERCHANGE RATE DESIGNATOR AND PROCESSING CODE/REVERSAL INDICATOR COMBINATION INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0670            | PDS0158S4 INTERCHANGE RATE DESIGNATOR DOES NOT MEET TIMELINESS CRITERIA AND/OR DE12S1 DATE CONTAINS INVALID DATA.                                                   | Both                    |
|                    | 0733            | TIMELINESS ERROR (AIRLINE).                                                                                                                                         | Both                    |
|                    | 0769            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR FLEET TRANSACTION AT FUEL LOCATION.                                                                               | Both                    |
|                    | 1073            | PASSENGER TRANSPORT DETAIL—GENERAL TICKET INFORMATION ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                    | Both                    |
|                    | 1074            | PASSENGER TRANSPORT DETAIL—TRIP LEG DATA ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                 | Both                    |
|                    | 1075            | VEHICLE RENTAL DETAIL ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                    | Both                    |
|                    | 1076            | LODGING DETAIL ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                           | Both                    |
|                    | 1077            | CORPORATE CARD COMMON DATA ADDENDUM IS REQUIRED FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                                              | Both                    |
|                    | 1078            | CORPORATE DETAIL-CORPORATE FLEET TRANSACTION INFORMATION ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                 | Both                    |
|                    | 1079            | CORPORATE LINE ITEM DETAIL REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                        | Both                    |
|                    | 2221            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MISSING FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                      | Both                    |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                    |
|                    | 2265            | DE03 PROCESSING CODE INVALID. DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE INVALID. PDS0159S8 SETTLEMENT DATE INVALID. PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID.      | GCMS                    |
|                    | 2287            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                         | Clearing<br>Optimizer   |
|                    | 2291            | MASTERCARD ASSIGNED ID/IRD/CPI/BSA/REGION/COUNTRY COMBINATION INVALID.                                                                                              | GCMS                    |
|                    | 2295            | SHIPPING/COURIER SERVICES ADDENDUM OR CORPORATE LINE ITEM DETAIL REQUIRED FOR INTERCHANGE PROGRAM.                                                                  | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                        | Edit<br>performe<br>d by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2298            | TEMPORARY SERVICES ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                                                        | Both                        |
|                    | 2318            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST NOT EQUAL 22, 23, OR CP WHEN DE2 PRIMARY ACCOUNT NUMBER (PAN) IS ASSOCIATED TO DMC CARD PROGRAM IDENTIFIER.                                               | Both                        |
|                    | 2341            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID. FOR ACCOUNT RANGES STARTING WITH 36 AND HAVE A MERCHANT COUNTRY (DE43S6) IN THE CARIBBEAN OR U.S. TERRITORIES THEN THE TRANSACTION MUST BE <VALLIST>. | Both                        |
|                    | 2348            | CORPORATE CARD COMMON DATA ADDENDUM MUST BE PROVIDED.                                                                                                                                                | Both                        |
|                    | 2349            | PASSENGER TRANSPORT DETAIL—TRIP LEG OR PASSENGER TRANSPORT RAIL DETAIL ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                    | Both                        |
|                    | 2354            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR THIS DE40/DE22S1 COMBINATION.                                                                                                                      | Both                        |
|                    | 2369            | TRANSACTION CATEGORY INDICATOR/IRD COMBINATION INVALID.                                                                                                                                              | GCMS                        |
|                    | 2422            | APPROVAL CODE NOT COMPATIBLE WITH SUBMITTED IRD.                                                                                                                                                     | Both                        |
|                    | 2425            | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT VALID FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                         | Both                        |
|                    | 2431            | TRANSACTION DOES NOT QUALIFY FOR ALM INTERCHANGE.                                                                                                                                                    | GCMS                        |
|                    | 2452            | ONE OCCURRENCE OF THE ELECTRONIC INVOICE - TRANSACTION DATA ADDENDUM IS REQUIRED.                                                                                                                    | Both                        |
|                    | 2459            | PDS0158S4 INTERCHANGE RATE DESIGNATOR NOT VALID FOR APPROVAL CODE AND CONSUMER BRAND PRODUCT COMBINATION.                                                                                            | Both                        |
|                    | 2485            | ACQUIRER MUST BE RE-POWER CERTIFIED FOR THE INTERCHANGE RATE DESIGNATOR.                                                                                                                             | GCMS                        |
|                    | 2538            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN ASSOCIATED PAN IS A PAY WITH REWARDS CARD.                                                                                                        | GCMS                        |
|                    | 2539            | DE63S2 TRACE ID MUST BE PRESENT FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                                                                                               | Both                        |
|                    | 2560            | GENERIC FINANCIAL DETAIL ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM IN BRAZIL DOMESTIC AGREEMENT.                                                                                                     | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2590            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST EQUAL LD or LS OR LC OR LP WHEN THE TRANSACTION QUALIFIES FOR REGULATED BASE INTERCHANGE.                           | Both                    |
|                    | 2591            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST NOT EQUAL LD OR LS WHEN THE TRANSACTION DOES NOT QUALIFY FOR REGULATED BASE INTERCHANGE.                            | Both                    |
|                    | 2622            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST EQUAL LF, LT, LC, OR LP WHEN THE TRANSACTION QUALIFIES FOR REGULATED FRAUD ADJUSTED INTERCHANGE.                    | Both                    |
|                    | 2623            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST NOT EQUAL LF OR LT WHEN THE TRANSACTION DOES NOT QUALIFY FOR REGULATED FRAUD ADJUSTED INTERCHANGE.                  | Both                    |
|                    | 2634            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST NOT EQUAL "LC" or "LP" WHEN THE TRANSACTION DOES NOT QUALIFY FOR REGULATED OR FRAUD-ADJUSTED REGULATED INTERCHANGE. | Both                    |
|                    | 2648            | PDS0158S4 DEVICE TYPE INDICATOR MUST BE A MOBILE PHONE/ SMARTPHONE OR MOBILE CONTACTLESS ENABLED.                                                              | Both                    |
|                    | 2657            | SHIPPING/COURIER SERVICES ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                                           | Both                    |
|                    | 2664            | ISSUER CONTACTLESS INDICATOR VALUE/IRD COMBINATION IS NOT VALID.                                                                                               | Both                    |
|                    | 2680            | ISSUER NOT A REPOWER PARTICIPANT.                                                                                                                              | Both                    |
|                    | 2681            | ISSUER REPOWER INDICATOR VALUE/IRD COMBINATION IS NOT VALID.                                                                                                   | Both                    |
|                    | 2691            | PDS158SF4 IS INVALID FOR THE ISSUER COUNTRY KOREA.                                                                                                             |                         |
|                    | 2709            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN MERCHANT OR ACQUIRER COUNTRY IS NOT CHINA OR ISSUER COUNTRY IS CHINA.                                       | Both                    |
|                    | 2730            | IRD CO VALID ONLY FOR CASH ACCESS TRANSACTION DE3S1 EQUALS 09.                                                                                                 | Both                    |
|                    | 2815            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST NOT BE EQUAL TO EB OR EG WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD PRESENT EEA RESTRICTED RATES.    | Both                    |
|                    | 2821            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST BE EQUAL TO EB OR EG WHEN THE TRANSACTION QUALIFIES FOR THE CARD PRESENT EEA RESTRICTED RATES.               | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2822            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN MERCHANT OR ACQUIRER COUNTRY IS NOT JAPAN OR ISSUER COUNTRY IS JAPAN.                                        | Both                    |
|                    | 2977            | INVALID IRD IN PDS 158SF4                                                                                                                                       | Both                    |
|                    | 2941            | PDS0158S4 IS NOT ALLOWED TO BE SUBMITTED FOR NON-EMBEDDED FLEXIBLE INTERCHANGE TRANSACTION                                                                      | GCMS                    |
|                    | 2891            | PDS0158S54 AND DE22S5, DE22S6, AND DE22S7 IRD MUST BE EQUAL TO EV OR EW WHEN THE TRANSACTION QUALIFIES FOR CARD NOT PRESENT EEA RESTRICTED RATES.               | Both                    |
|                    | 2892            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST NOT BE EQUAL TO EV OR EW WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD NOT PRESENT EEA RESTRICTED RATES. | Both                    |
|                    | 2935            | PDS0158S4 EMBEDDED FLEXIBLE IRD MUST BE SUBMITTED FOR FLEXIBLE INTERCHANGE TRANSACTION.                                                                         | GCMS                    |
|                    | 3026            | CORPORATE CARD COMMON DATA REQUIRED FOR INTERCHANGE PROGRAM.                                                                                                    | Both                    |
|                    | 3031            | CORPORATE FLEET TRANSACTION INFORMATION ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                              | Both                    |
|                    | 3032            | CORPORATE FLEET TRANSACTION INFORMATION ADDENDUM REQUIRED FOR INTERCHANGE PROGRAM.                                                                              |                         |
|                    | 3033            | CORPORATE LINE ITEM DETAIL REQUIRED FOR INTERCHANGE PROGRAM                                                                                                     | Both                    |
|                    | 3088            | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS ONLY PERMITTED IF THE MERCHANT COUNTRY, ACQUIRER COUNTRY, AND ISSUER ACCOUNT RANGE COUNTRY ARE ALL THE U.S.            | Both                    |
|                    | 3089            | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT PERMITTED IF THE MERCHANT COUNTRY, ACQUIRER COUNTRY, AND ISSUER ACCOUNT RANGE COUNTRY ARE ALL THE U.S.             | Both                    |
|                    | 3107            | INVALID IRD IN PDS 158SF4 FOR NONDOMESTIC TRANSACTIONS                                                                                                          | Both                    |
|                    | 3117            | Interchange Rate Designator (IRD) must be appropriate for the brand and product code of the Mastercard One Credential Funding PAN                               | GCMS                    |
| PDS 0159           | 0735            | PDS0159 SETTLEMENT DATA MUST BE PRESENT.                                                                                                                        | GCMS                    |
| PDS 0159,<br>s8    | 2186            | PDS0159S8 SETTLEMENT DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                            | GCMS                    |
|                    | 2265            | PDS0159S8 SETTLEMENT DATE INVALID.                                                                                                                              | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0165           | 0412            | PDS0165 SETTLEMENT INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                           | Both                    |
|                    | 0735            | PDS0165 SETTLEMENT INDICATOR MUST BE PRESENT IN FIRST PRESENTMENT MESSAGES.                                                                         | Both                    |
|                    | 2180            | PDS0165 SETTLEMENT INDICATOR LENGTH MUST BE 001–030.                                                                                                | Both                    |
| PDS 0165,<br>s1    | 0414            | PDS0165S1 SETTLEMENT INDICATOR MUST BE M, B, OR C.                                                                                                  | Both                    |
|                    | 0416            | NO BILATERAL AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.            | Clearing<br>Optimizer   |
|                    | 1066            | DE3 PROCESSING CODE AND PDS0165S1 SETTLEMENT INDICATOR COMBINATION INVALID.                                                                         | Both                    |
|                    | 2227            | PDS0165S1 SETTLEMENT INDICATOR INVALID. MUST BE <VALLIST>. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                             | Clearing<br>Optimizer   |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE. | GCMS                    |
|                    |                 |                                                                                                                                                     |                         |
| PDS 0170           | 0378            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                    |
|                    | 0433            | PDS0170 ACCEPTOR INQUIRY INFORMATION LENGTH MUST BE 16–57.                                                                                          | Both                    |
|                    | 2208            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ZEROS OR ALL SPACES.                                                                                 | Both                    |
|                    | 2264            | PDS0170 MUST BE PRESENT                                                                                                                             | Both                    |
| PDS 0170,<br>s1    | 2181            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE A FIXED LENGTH OF 16                                                                                | Both                    |
|                    | 2244            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000–000–0000 OR (000) 000–0000 OR 000 000 0000.                                 | Both                    |
|                    | 2259            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.          | Both                    |
| PDS 0170,<br>s2    | 2181            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST BE A FIXED LENGTH OF 16.                                                                                       | Both                    |
|                    | 2244            | PDS0170S2 ACCEPTOR PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000–000–0000 OR (000) 000–0000 OR 000 000 0000.                                         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2259            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                    |
| PDS 0170,<br>s3    | 2228            | PDS0170S3 MERCHANT INQUIRY INFORMATION ADDITIONAL INFORMATION CANNOT CONTAIN ALL ZEROS.                                            | Both                    |
| PDS 0171           | 0419            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                | Both                    |
|                    | 0420            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION LENGTH MUST BE 4-201.                                                                       | Both                    |
| PDS 0171,<br>s1    | 0421            | PDS0171S1 CHARACTER SET INDICATOR INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HEB, HIR, HAN, KAN, KAT, ROM, THI, OR VIE.             | Both                    |
|                    | 3048            | PDS0171S1 MUST BE PRESENT AND MUST CONTAIN A VALID VALUE.                                                                          | Both                    |
| PDS 0172           | 0591            | PDS0172 SOLE PROPRIETOR NAME LENGTH MUST BE 001-030.                                                                               | Both                    |
|                    | 1151            | PDS0172 SOLE PROPRIETOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                 | Both                    |
| PDS 0173           | 0699            | PDS0173 LEGAL CORPORATE NAME LENGTH MUST BE 001-030.                                                                               | Both                    |
|                    | 1023            | PDS0173 LEGAL CORPORATE NAME MUST BE PRESENT.                                                                                      | Both                    |
|                    | 1152            | PDS0173 LEGAL CORPORATE NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                 | Both                    |
|                    | 2457            | PDS0173 LEGAL CORPORATE NAME MUST BE PROVIDED WHEN ACCEPTOR TAX ID IS PROVIDED.                                                    | Both                    |
| PDS 0174           | 1163            | PDS0174 DUN & BRADSTREET NUMBER MUST BE NUMERIC.                                                                                   | Both                    |
|                    | 2181            | PDS0174 DUN & BRADSTREET NUMBER LENGTH MUST BE 1-15.                                                                               | Both                    |
|                    | 2196            | PDS0174 DUN & BRADSTREET NUMBER MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                                           | Both                    |
| PDS 0175           | 2160            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                    |
|                    | 2165            | PDS0175 ACCEPTOR URL LENGTH MUST BE 1-255.                                                                                         | Both                    |
|                    | 2182            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                            | Both                    |
| PDS 0176           | 1023            | PDS0176 MASTERCARD ASSIGNED ID MUST BE PRESENT.                                                                                    | Both                    |
|                    | 1194            | PDS0176 MUST BE PRESENT FOR INSTALLMENT BI-LATERAL PRODUCT TRANSACTIONS.                                                           | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>performe<br>d by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2291            | MASTERCARD ASSIGNED ID/IRD/CPI/BSA/REGION/COUNTRY COMBINATION INVALID.                                                    | GCMS                        |
|                    | 2430            | PDS0176 MASTERCARD ASSIGNED ID IF PRESENT MUST CONTAIN A VALID VALUE.                                                     | Both                        |
|                    | 3046            | MASTERCARD ASSIGNED ID MUST BE PRESENT                                                                                    | GCMS                        |
| PDS 0178           | 2180            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 LENGTH MUST BE 004–201.                                                     | Both                        |
|                    | 2184            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                        |
| PDS 0178,<br>s1    | 2227            | PDS0178S1 CHARACTER SET INDICATOR 2 INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HAN, HEB, HIR, KAN, KAT, ROM, THI, or VIE.. | Both                        |
|                    | 3048            | PDS0178S1 MUST BE PRESENT AND MUST CONTAIN A VALID VALUE.                                                                 | Both                        |
| PDS 0179           | 2227            | PDS0179 LONG RUNNING TRANSACTION (LRT) INDICATOR INVALID. MUST BE 01                                                      | Both                        |
|                    | 2503            | PDS0179 LONG RUNNING TRANSACTION (LRT) INDICATOR VALUE IS NOT ALLOWED FOR THE LICENSED PRODUCT CODE DERIVED FROM DE2.     | Both                        |
| PDS 0180           | 0503            | PDS0188 PRIVATE DATA—PROPRIETARY INCONROL DATA NOT ALLOWED IN <MSGTYPE>.                                                  | GCMS                        |
|                    | 2180            | PDS0180 DOMESTIC ACCEPTOR TAX ID LENGTH MUST BE 1–20.                                                                     | Both                        |
|                    | 2182            | PDS0180 DOMESTIC ACCEPTOR TAX ID MUST BE LEFT-JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                       | Both                        |
|                    | 2184            | PDS0180 DOMESTIC ACCEPTOR TAX ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                             | Both                        |
|                    | 2264            | PDS0180 DOMESTIC ACCEPTOR TAX ID MUST BE PRESENT.                                                                         | Both                        |
| PDS 0181,<br>s1    | 2594            | PDS0181S1 TYPE OF INSTALLMENT INVALID, MUST BE <VALLIST>.                                                                 | Both                        |
| PDS 0181,<br>s2    | 2595            | PDS0181S2 NUMBER OF INSTALLMENTS INVALID. MUST BE NUMERIC.                                                                | Both                        |
|                    | 2599            | PDS0181S2 NUMBER OF INSTALLMENTS MUST BE PRESENT AND EQUAL TO <RNGLIST>.                                                  | Both                        |
| PDS 0181,<br>s3    | 2596            | PDS0181S3 INTEREST RATE INVALID, MUST BE NUMERIC OR ALL SPACES.                                                           | Both                        |
| PDS 0181,<br>s4    | 2597            | PDS0181S4 FIRST INSTALLMENT AMOUNT INVALID, MUST BE NUMERIC OR ALL SPACES.                                                | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>performe<br>d by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0181,<br>s5    | 2598            | PDS0181S5 SUBSEQUENT INSTALLMENT AMOUNT INVALID, MUST BE NUMERIC OR ALL SPACES.                                           | Both                        |
| PDS 0181,<br>s6    | 2721            | PDS0181S6 ANNUAL PERCENTAGE RATE INVALID. MUST BE NUMERIC OR ALL SPACES.                                                  | Both                        |
| PDS 0181,<br>s7    | 2722            | PDS0181S7 INSTALLMENT FEE INVALID. MUST BE NUMERIC OR ALL SPACES.                                                         | Both                        |
| PDS 0183           | 2810            | POST-DATED TRANSACTIONS MUST BE DOMESTIC.                                                                                 | GCMS                        |
| PDS 0183,<br>s1    | 2204            | PDS0183S1 SERVICE CODE INVALID.                                                                                           | GCMS                        |
| PDS 0183,<br>s2    | 0008            | PDS0183S2 NUMBER OF INSTALLMENTS INVALID, MUST BE 1.                                                                      | GCMS                        |
| PDS 0183,<br>s3    | 2204            | PDS0183S3 GUARANTEE INVALID.                                                                                              | GCMS                        |
| PDS 0183,<br>s4    | 2595            | PDS0183S4 GUARANTEE AMOUNT INVALID, MUST BE NUMERIC.                                                                      | GCMS                        |
| PDS 0184           | 1151            | PDS0184 LEFT-JUSTIFIED AND MUST NOT CONTAIN ALL SPACES.                                                                   | Both                        |
|                    | 2181            | PDS0184 MUST BE A FIXED LENGTH OF 36 BYTES.                                                                               | Both                        |
| PDS 0185           | 2180            | PDS0185 MUST BE LEFT-JUSTIFIED AND MUST NOT CONTAIN ALL SPACES OR ZEROS.                                                  | Both                        |
|                    | 2182            | PDS0185 MUST BE LEFT-JUSTIFIED AND MUST NOT CONTAIN ALL SPACES OR ZEROS.                                                  | Both                        |
| PDS 0186           | 0428            | PDS0186 MUST BE A FIXED LENGTH OF 001.                                                                                    | Both                        |
|                    | 2645            | PDS0186 MUST BE EQUAL TO 0-9 OR A-Z AND MUST NOT CONTAIN SPECIAL CHARACTERS OR SPACES.                                    | Both                        |
| PDS 0189           | 0422            | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                        |
|                    | 0423            | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA LENGTH MUST BE A FIXED LENGTH OF 41.                                        | Both                        |
| PDS 0189,<br>s1    | 0424            | PDS0189S1 FORMAT NUMBER MUST BE 0, 1, 2, 3, OR 4.                                                                         | Both                        |
| PDS 0189,<br>s2    | 2208            | PDS0189S2 POINT OF INTERACTION (POI) PHONE DATA CANNOT BE ALL ZEROS OR ALL SPACES.                                        | Both                        |
|                    | 2259            | PDS0189S2 PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                    | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------|-------------------------|
| PDS 0190           | 0425            | PDS0190 PARTNER ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.             | Both                    |
|                    | 0426            | PDS0190 PARTNER ID CODE LENGTH MUST BE 1–6.                                      | Both                    |
|                    | 2208            | PDS0190 PARTNER ID CODE CANNOT BE ALL ZEROS OR ALL SPACES.                       | Both                    |
| PDS 0191           | 0528            | PDS0191 ORIGINATING MESSAGE FORMAT INVALID. MUST BE 2 OR 6.                      | GCMS                    |
|                    | 0823            | PDS0191 ORIGINATING MESSAGE FORMAT LENGTH MUST BE A FIXED LENGTH OF 001.         | Both                    |
|                    | 3034            | PDS0191 MUST EQUAL ZERO                                                          | Both                    |
|                    | 3035            | PDS0191 MUST EQUAL ZERO                                                          | Both                    |
|                    | 3047            | Channel of routing Mexico Domestic transactions is invalid                       | Both                    |
| PDS 0194           | 2227            | PDS0194 REMOTE PAYMENTS PROGRAM DATA INVALID. MUST BE <VALLIST>                  | Both                    |
|                    | 2552            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 1.             | Both                    |
|                    | 2553            | PDS0663 POSITIONS 16 AND 17 MUST BE NUMERIC FOR BRAZIL INSTALLMENT TRANSACTIONS. | Both                    |
|                    | 2626            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 2.             | Both                    |
|                    | 2644            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 1 OR 2.        | Both                    |
| PDS 0195           | 2264            | PDS0195 INSTALLMENT DATA MUST BE PRESENT.                                        | Both                    |
| PDS 0195,<br>s1    | 2183            | PDS0195S1 TOTAL NUMBER OF INSTALLMENTS MUST BE NUMERIC.                          | Both                    |
|                    | 2264            | PDS0195S1 TOTAL NUMBER OF INSTALLMENTS MUST BE PRESENT.                          | Both                    |
|                    | 2866            | THE NUMBER OF INSTALLMENTS IN PDS0195S1 CANNOT BE LESS THAN OR EQUAL TO 001.     | Both                    |
| PDS 0195,<br>s2    | 2227            | PDS0195S2 INSTALLMENT OPTION INVALID. MUST BE 10, 21, 31, 34, 61, or 80          | Both                    |
|                    | 2264            | PDS0195S2 INSTALLMENT OPTION MUST BE PRESENT.                                    | Both                    |
| PDS 0195,<br>s3    | 2183            | PDS0195S3 INSTALLMENT NUMBER MUST BE NUMERIC.                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0195,<br>s4    | 2227            | PDS0195S4 BONUS CODE INVALID. MUST BE 0.                                                                        | Both                    |
|                    | 2442            | PDS0195S4 BONUS CODE MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 21.                                     | Both                    |
| PDS 0195,<br>s5    | 2227            | PDS0195S5 BONUS MONTH CODE INVALID. MUST BE A, B, C, 1, 2, 3, 4, 5, 6, 7, 8, 9, or SPACE/BLANK..                | Both                    |
|                    | 2443            | PDS0195S5 BONUS MONTH CODE MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                               | Both                    |
| PDS 0195,<br>s6    | 2227            | PDS0195S6 NUMBER OF BONUS PAYMENTS PER YEAR INVALID. MUST BE 1 or 2                                             | Both                    |
|                    | 2443            | PDS0195S6 NUMBER OF BONUS PAYMENTS PER YEAR MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.              | Both                    |
| PDS 0195,<br>s7    | 2232            | PDS0195S7 BONUS AMOUNT MUST BE NUMERIC AND GREATER THAN OR EQUAL TO ZERO                                        | Both                    |
|                    | 2443            | PDS0195S7 BONUS AMOUNT MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                                   | Both                    |
| PDS 0195,<br>s8    | 0045            | PDS0195S8 FIRST MONTH OF BONUS PAYMENT MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                | Both                    |
|                    | 2443            | PDS0195S8 FIRST MONTH OF BONUS PAYMENT MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                   | Both                    |
| PDS 0196           | 2180            | PDS0196 MOBILE PHONE RELOAD DATA LENGTH MUST BE 001–047.                                                        | Both                    |
| PDS 0196,<br>s1    | 0109            | PDS0196S1 MOBILE PHONE NUMBER NOT LEFT JUSTIFIED.                                                               | Both                    |
|                    | 2182            | PDS0196S1 MOBILE PHONE NUMBER MUST BE LEFT-JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                    |
|                    | 2184            | PDS0196S1 MOBILE PHONE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                      | Both                    |
|                    | 2264            | PDS0196S1 MOBILE PHONE NUMBER MUST BE PRESENT.                                                                  | Both                    |
| PDS 0196,<br>s2    | 2182            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME MUST BE LEFT-JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
|                    | 2264            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME MUST BE PRESENT.                                                   | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                              | Edit<br>performe<br>d by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0197           | 2181            | PDS0197 NATIONAL USE TAX DATA LENGTH MUST BE A FIXED LENGTH OF 053.                                        | Both                        |
| PDS 0197,<br>s1    | 2183            | PDS0197S1 TAX AMOUNT 1 MUST BE NUMERIC.                                                                    | Both                        |
| PDS 0197,<br>s2    | 2183            | PDS0197S2 TAX AMOUNT 2 MUST BE NUMERIC.                                                                    | Both                        |
| PDS 0197,<br>s3    | 2183            | PDS0197S3 TAX PERCENTAGE MUST BE NUMERIC.                                                                  | Both                        |
| PDS 0197,<br>s4    | 2183            | PDS0197S4 TAX BASE AMOUNT MUST BE NUMERIC.                                                                 | Both                        |
| PDS 0197,<br>s5    | 2183            | PDS0197S5 TAX AMOUNT 3 MUST BE NUMERIC.                                                                    | Both                        |
| PDS 0198           | 2627            | PDS0198 DEVICE TYPE MUST BE PRESENT AND EQUAL TO 01.                                                       | Both                        |
| PDS 0199           | 2180            | PDS0199 FUNDING TRANSACTION INFORMATION LENGTH MUST BE 1-199.                                              | Both                        |
|                    | 2182            | PDS0199 FUNDING TRANSACTION INFORMATION MUST BE LEFT-JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                        |
|                    | 2184            | PDS0199 FUNDING TRANSACTION INFORMATION CANNOT BE ALL LOW VALUES OR ALL HIGH VALUES.                       | Both                        |
| PDS 0205           | 1023            | PDS0205 SYNTAX RETURN, MESSAGE ERROR INDICATOR MUST BE PRESENT.                                            | Both                        |
| PDS 0205,<br>s2    | 3050            | PDS205SF2 MUST BE A VALID CHAPTER III SYNTAX ERROR RETURN REASON CODE.                                     | Both                        |
| PDS 0206           | 0503            | PDS0206 LATE PRESENTMENT INDICATOR NOT ALLOWED IN <MSGTYPE>.                                               | Both                        |
| PDS 0207           | 0022            | PDS0207/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT                                                     | GCMS                        |
|                    | 2645            | PDS0207 WALLET IDENTIFIER INVALID. MUST BE ALPHANUMERIC.                                                   | Both                        |
|                    | 2651            | PDS0207 WALLET IDENTIFIER INVALID. MUST EQUAL 101 OR 102.                                                  | Both                        |
|                    | 2988            | PDS0207 MUST CONTAIN APPROPRIATE VALUE.                                                                    | GCMS                        |
| PDS 0208           | 2696            | PDS0208 ADDITIONAL MERCHANT DATA LENGTH MUST BE <MIN-MAX>.                                                 | Both                        |
| PDS 0208,<br>s1    | 2694            | PDS0208S1 PAYMENT FACILITATOR ID INVALID. MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS.                    | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                         | Edit<br>performe<br>d by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0208,<br>s2    | 2695            | PDS0208S2 SUB-MERCHANT ID CANNOT BE ALL ZEROES OR ALL SPACES.                                                                                         | Both                        |
| PDS 0209           | 2694            | PDS0209 INDEPENDENT SALES ORGANIZATION ID INVALID. MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS.                                                      | Both                        |
| PDS 0210           | 2183            | PDS0210 MUST BE NUMERIC                                                                                                                               | Both                        |
| PDS 0210,<br>s1    | 2878            | PDS0210S1 must be present and equal to 03.                                                                                                            | GCMS                        |
| PDS 0213           | 2265            | PDS0213 MERCHANT COUNTRY OF ORIGIN INVALID                                                                                                            | Both                        |
|                    | 2943            | PDS0213 INVALID TRANSACTION FOR COUNTRY OR REGION                                                                                                     | GCMS                        |
|                    | 2944            | PDS0213 INVALID TRANSACTION - MATCHING AUTH TRANSACTION NOT FOUND                                                                                     | GCMS                        |
| PDS 0216           | 2181            | ADDITIONAL ACCEPTOR DATA MUST BE A FIXED LENGTH OF 029 TO 069.                                                                                        |                             |
| PDS 0216,<br>s5    | 3063            | ACCEPTOR GEOGRAPHIC COORDINATES INCORRECTLY FORMATTED.                                                                                                | Both                        |
| PDS 0216,<br>s6    | 3063            | SERVICE LOCATION GEOGRAPHIC COORDINATES INCORRECTLY FORMATTED.                                                                                        | Both                        |
| PDS 0217,<br>s1    | 3132            | PDS0217S1 MASTERCARD ONE CREDENTIAL EXCLUSION INDICATOR INVALID, MUST BE C, D OR M.                                                                   | Both                        |
| PDS 0218           | 2994            | PDS0218 SUB 1 MUST HAVE A VALUE OF C1, M1 OR M2                                                                                                       | Both                        |
|                    | 2995            | PDS0218 MUST HAVE A LENGTH OF 4                                                                                                                       | Both                        |
|                    | 3005            | PDS0218 SUB 2 MUST BE NUMERIC                                                                                                                         | Both                        |
| PDS 0220           | 2703            | PDS0220 BRAZIL MERCHANT TAX ID MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS.                                                                          | Both                        |
|                    | 2704            | PDS0220 BRAZIL MERCHANT TAX ID INVALID LENGTH. LENGTH MUST BE EITHER 11 DIGITS OR 14 DIGITS.                                                          | Both                        |
|                    | 3065            | PDS 0220 MUST BE POPULATED WHEN MICRO-MERCHANT IRDS ARE USED                                                                                          | Both                        |
|                    | 3066            | CPF TAX ID FAILED VALIDATION CHECK                                                                                                                    | Both                        |
|                    | 3067            | WHEN BRAZIL MICRO-MERCHANT IRDS ARE UTILIZED, THE COMBINATION OF DE 94 AND PDS 0220 MUST NOT BE PRESENT ON BRAZIL MERCHANT GDV NON-QUALIFICATION FILE | GCMS                        |
| PDS 0221           | 2959            | TAX ID MUST BE PRESENT, NUMERIC, NONZERO AND LENGTH MUST BE 8, 9, OR 11                                                                               | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>performe<br>d by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 3040            | PDS0221 MUST BE PRESENT, NUMERIC, NONZERO AND LENGTH MUST BE BETWEEN 6 AND 16.                                                                                 | Both                        |
|                    | 3043            | PDS 0221 VALUE MUST NOT BE BETWEEN 8000000000 AND 9999999999 EXCEPT LAST DIGIT AND PDS 0221 VALUE MUST NOT BE A COMPANY TAX ID 'NIT' FOR MICROMERCHANT PROGRAM | Both                        |
|                    | 3052            | TAX ID MUST NOT BE PRESENT ON THE NON-QUALIFICATION FILE FOR MICRO-MERCHANTS IN PERU                                                                           | GCMS                        |
|                    | 3053            | TAX ID MUST NOT BE PRESENT ON THE NON-QUALIFICATION FILE FOR NANO-MERCHANTS IN PERU                                                                            | GCMS                        |
|                    | 3054            | TAX ID FAILED VERIFICATION FOR NANO-MERCHANTS                                                                                                                  | Both                        |
|                    | 3079            | PDS 221 MUST BE PRESENT, NONZERO AND LENGTH MUST BE 9 OR 11 WITH PROVIDED IRD                                                                                  | Both                        |
| PDS 0235           | 2181            | PDS 0235 MUST BE A FIXED LENGTH OF 3.                                                                                                                          | GC                          |
| PDS 0261           | 2181            | PDS0261 RISK MANAGEMENT APPROVAL CODE MUST BE A FIXED LENGTH OF 011.                                                                                           | Both                        |
|                    | 2196            | PDS0261 RISK MANAGEMENT APPROVAL CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                                                                 | Both                        |
|                    | 2204            | PDS0261 RISK MANAGEMENT APPROVAL CODE INVALID.                                                                                                                 | GCMS                        |
|                    | 2206            | PDS0261 RISK MANAGEMENT APPROVAL CODE HAS EXPIRED.                                                                                                             | GCMS                        |
| PDS 0270           | 2996            | PDS0270 IS NOT ALLOWED TO BE SUBMITTED FOR FIRST PRESENTMENT TRANSACTIONS.                                                                                     | both                        |
|                    | 0022            | PDS0375/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT                                                                                                         | GCMS                        |
| PDS 0375           | 2180            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 LENGTH MUST BE 001–050.                                                                                              | Both                        |
|                    | 2182            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                   | Both                        |
|                    | 2184            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                        |
| PDS 0444           | 2970            | PDS 0444 MUST BE PRESENT IN ALL RESUBMITTED MESSAGES THAT PREVIOUSLY REJECTED AS A POTENTIAL DUPLICATE.                                                        | GCMS                        |
|                    | 2971            | PDS 0444 INVALID FOR THE PREVIOUSLY REJECTED POTENTIAL DUPLICATE FIRST PRESENTMENT.                                                                            | GCMS                        |
|                    | 2985            | PDS 0444 MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                                                                                              | Both                        |
|                    | 2986            | PDS 0444 MUST BE A FIXED LENGTH OF 11.                                                                                                                         | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                      | Edit<br>performe<br>d by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0501           | 2544            | THE CORPORATE LINE ITEM DETAIL ADDENDUM/1644 MESSAGE MUST BE PRESENT.                                                              | Both                        |
|                    | 3029            | THE CORPORATE LINE ITEM DETAIL ADDENDUM /1644 MESSAGE MUST BE PRESENT.                                                             | Both                        |
| PDS 0501,<br>s1    | 2338            | INVALID PASSENGER TRANSPORT DETAIL—RAIL DATA ADDENDUM. THE ACCEPTOR BUSINESS CODE SUBMITTED IS INVALID FOR USE WITH THIS ADDENDUM. | Both                        |
| PDS 0501,<br>s3    | 2351            | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 01 AND INDUSTRY RECORD NUMBER 002.          | Both                        |
| PDS 0502           | 2180            | PDS0502 CUSTOM IDENTIFIER LENGTH MUST BE 007–082.                                                                                  | Both                        |
|                    | 2339            | PDS0502 MUST CONTAIN BOTH SUBFIELD 1 AND SUBFIELD 2.                                                                               | Both                        |
| PDS 0502,<br>s1    | 2227            | PDS0158S1 ACCEPTANCE BRAND ID CODE INVALID. MUST BE CIR, CLP, DDB, DMC, MAV, MCC, MSI, PRO, PVL, VIS, or SPACES/BLANK              | Both                        |
|                    | 2511            | CARD PRODUCT REQUIRES THAT PDS0502S1 CUSTOM IDENTIFIER TYPE MUST BE PRESENT AND EQUAL 'PMTREF'.                                    | Both                        |
| PDS 0502,<br>s2    | 2182            | PDS0502S2 CUSTOM IDENTIFIER DETAIL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                              | Both                        |
|                    | 2184            | PDS0502S2 CUSTOM IDENTIFIER DETAIL CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                    | Both                        |
| PDS 0596,<br>s1    | 2543            | PDS0596S1 ACCEPTOR TAX ID MUST BE PRESENT AND CANNOT CONTAIN ALL ZEROS, ALL NINES, ALL SPACES, ALL LOW VALUES, OR ALL HIGH VALUES. | Both                        |
| PDS 0596,<br>s2    | 2528            | PDS0596S2 ACCEPTOR TAX ID PROVIDED CODE VALUE INVALID. MUST CONTAIN A VALUE OF Y.                                                  | Both                        |
| PDS 0597           | 2183            | PDS0597 MUST BE NUMERIC                                                                                                            | Both                        |
| PDS 0623,<br>s1    | 0332            | PDS0623S1 MOTOR FUEL PRODUCT CODE MUST BE NUMERIC.                                                                                 | Both                        |
|                    | 0333            | PDS0623S1 MOTOR FUEL PRODUCT CODE INVALID. MUST BE 001-009, 011-029, 100-102, 150-150, 200-209.                                    | Both                        |
| PDS 0623,<br>s2    | 0339            | PDS0623S2 MOTOR FUEL UNIT PRICE MUST BE NUMERIC.                                                                                   | Both                        |
| PDS 0623,<br>s3    | 0337            | PDS0623S3 MOTOR FUEL UNIT OF MEASURE MUST CONTAIN SPACE, 1-8.                                                                      | Both                        |
| PDS 0623,<br>s4    | 1054            | PDS0623S4 MOTOR FUEL QUANTITY MUST BE NUMERIC AND GREATER THAN 0.                                                                  | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0623,<br>s6    | 0341            | PDS0623S6 MOTOR FUEL SALE AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                  | Both                    |
| PDS 0634           | 2183            | PDS0634 TAX AMOUNT 1 MUST BE NUMERIC.                                                                    | Both                    |
|                    | 2266            | PDS0634 TAX AMOUNT 1 IS GREATER THAN OR EQUAL TO DE 04 AMOUNT, TRANSACTION.                              | Both                    |
| PDS 0635           | 2183            | PDS0635 TAX AMOUNT 2 MUST BE NUMERIC.                                                                    | Both                    |
|                    | 2266            | PDS0635 TAX AMOUNT 2 IS GREATER THAN OR EQUAL TO DE 04 AMOUNT, TRANSACTION.                              | Both                    |
| PDS 0641           | 0141            | DE63S2 TRACE ID POSITIONS 10–13 MUST BE A VALID DATE IN THE FORMAT MMDD.                                 | Both                    |
| PDS 0663           | 2663            | SUBMITTED IRD IS NOT A VALID INSTALLMENT IRD.                                                            | Both                    |
| PDS 0671           | 2486            | PDS0671 must be present when PDS0043 is equal to a valid transaction type ID.                            | Both                    |
| PDS 0674           | 2867            | ADDITIONAL TRACE REFERENCE NUMBER USED BY ACCEPTOR MUST BE PRESENT FOR MPQR FUNDING TRANSACTIONS.        | Both                    |
|                    | 2868            | ADDITIONAL TRACE REFERENCE NUMBER USED BY ACCEPTOR LENGTH MUST BE 001-019.                               | Both                    |
|                    | 2869            | ADDITIONAL TRACE REFERENCE NUMBER CONTAINS LEADING SPACES, OR NOT LEFT JUSTIFIED, OR CONTAINS ALL ZEROS. | Both                    |
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                   | Both                    |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                                               | Both                    |
| PDS 1001           | 2840            | <FLDNAME> INVALID. MUST BE NUMERIC AND MUST BE A FIXED LENGTH OF 12.                                     | Both                    |
| PDS 1002           | 1163            | PDS 1002 VALUE-ADDED TAX MUST BE NUMERIC.                                                                | Both                    |
| PDS 1006           | 2501            | PDS1006, POSITIONS 1–8 (ACQUIRER NET AMOUNT), MUST BE PRESENT, NUMERIC, AND GREATER THAN ZEROS.          | GCMS                    |
| PDS 1018           | 1163            | PDS 1018 CONSUMPTION TAX MUST BE NUMERIC.                                                                | Both                    |

## Financial Detail Addendum/1644-696 messages

This section contains the error numbers and message texts by field and subfield for Financial Detail Addendum/1644-696 messages.

### Financial Detail Addendum/1644-696

Error numbers and message texts are organized by field and subfield for Financial Detail Addendum/1644-696 messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

#### MTI/Function Code: Financial Detail Addendum/1644-696

| Field/<br>Subfield | Error<br>number | Error message                                                                              | Edit<br>performe<br>d by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------|-----------------------------|
| DE 3, s1           | 2728            | INSTALLMENTS NOT ALLOWED WHEN DE3S1 EQUALS 09.                                             | Both                        |
| DE 12, s1          | 0040            | DE12S1 DATE AND TIME, LOCAL TRANSACTION/TIME HOURS MUST BE IN THE RANGE 00-23.             | Both                        |
| DE 24              | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                        | Both                        |
|                    | 0735            | DE24 FUNCTION CODE MUST BE PRESENT IN FINANCIAL DETAIL ADDENDUM MESSAGES.                  | Both                        |
| DE 32              | 0089            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC.                                        | Both                        |
|                    | 0090            | DE32 ACQUIRING INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 01-11.                  | Both                        |
|                    | 2196            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                | Both                        |
| DE 33              | 0735            | DE33 FORWARDING INSTITUTION ID CODE MUST BE PRESENT IN FINANCIAL DETAIL ADDENDUM MESSAGES. | Both                        |
|                    | 0790            | INVALID DE33 FORWARDING INSTITUTION ID CODE FOR FINANCIAL DETAIL ADDENDUM MESSAGES.        | Both                        |
|                    | 0808            | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                       | Both                        |
|                    | 2180            | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006-011.                                | Both                        |
| DE 38              | 2431            | TRANSACTION DOES NOT QUALIFY FOR ALM INTERCHANGE.                                          | GCMS                        |
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                        |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008-999.                                               | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                             | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62. | Both                    |
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN FINANCIAL DETAIL ADDENDUM MESSAGES.                                                               | Both                    |
| DE 62              | 0165            | DE62 ADDITIONAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                       | Both                    |
|                    | 0166            | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008-999.                                                                                            | Both                    |
|                    | 0168            | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                                                              | Both                    |
|                    | 0169            | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                                                            | Both                    |
| DE 63              | 0577            | DE63 TRANSACTION LIFE CYCLE ID MUST BE THE SAME IDENTIFIER AS PROVIDED IN THE RELATED FIRST PRESENTMENT/1240.                             | Both                    |
|                    | 2181            | DE63 TRANSACTION LIFECYCLE ID LENGTH MUST BE A FIXED LENGTH OF <MIN-MAX>.                                                                 | Both                    |
|                    | 2184            | DE63 TRANSACTION LIFECYCLE ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                | Both                    |
| DE 63, s1          | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE A SPACE.                                                                                      | Both                    |
| DE 63, s2          | 0141            | DE63S2 TRACE ID POSITIONS 10-13 MUST BE A VALID DATE IN THE FORMAT MMDD.                                                                  | Both                    |
|                    | 0142            | THE FIRST NINE POSITIONS OF DE63S2 TRACE ID CANNOT CONTAIN EMBEDDED SPACES.                                                               | Both                    |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                                                      | Both                    |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 MESSAGE NUMBER VALUE IN THE PREVIOUS MESSAGE.                                           | Both                    |
|                    | 0735            | DE71 MESSAGE NUMBER MUST BE PRESENT IN FINANCIAL DETAIL ADDENDUM MESSAGES.                                                                |                         |
|                    | 2630            | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                                                   | GCMS                    |
| DE 94              | 0159            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                                          | Both                    |
|                    | 0160            | DE94 TRANSACTION ORIGINATION INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 001-011.                                                 | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0161            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                                                                       | Both                    |
|                    | 0550            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                                                                 | Both                    |
|                    | 0735            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID MISSING. MUST BE PRESENT IN FINANCIAL DETAIL ADDENDUM MESSAGES.                                                     | Both                    |
|                    | 1175            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID GCMS FOR SENDING PROCESSOR ID IN PARAMETER MASTER.                                                     |                         |
|                    | 2180            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006–011.                                                                                        | Both                    |
| DE 123             | 0170            | DE123 ADDITIONAL DATA 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 0171            | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008–999.                                                                                                                | Both                    |
|                    | 0173            | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124.                 | Both                    |
|                    | 0174            | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                                    | Both                    |
| DE 124             | 2151            | DE124 ADDITIONAL DATA 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 2152            | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008–999.                                                                                                                | Both                    |
|                    | 2154            | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125.                 | Both                    |
| DE 125             | 0175            | DE125 ADDITIONAL DATA 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 0176            | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008–999.                                                                                                                | Both                    |
|                    | 0178            | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED.                | Both                    |
|                    | 2155            | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                    |
| PDS 0001           | 0503            | PDS0001 NOT ALLOWED IN <MSGTYPE>.                                                                                                                              | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0021           | 2873            | PDS0021 TRANSACTION TYPE INDICATOR INVALID, MUST <VALLIST>.                                                              | Clearing<br>Optimizer   |
|                    | 2874            | PDS0021 TRANSACTION TYPE INDICATOR MUST BE A FIXED LENGTH OF 001.                                                        | Both                    |
| PDS 0023           | 0022            | PDS0023 TERMINAL TYPE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                    | Both                    |
| PDS 0148           | 2310            | PDS0148 CURRENCY EXPONENTS INVALID FIELD LENGTH.                                                                         | Both                    |
| PDS 0170,<br>s1    | 2181            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE A FIXED LENGTH OF 16                                                     | Both                    |
| PDS 0173           | 2457            | PDS0173 LEGAL CORPORATE NAME MUST BE PROVIDED WHEN ACCEPTOR TAX ID IS PROVIDED.                                          | Both                    |
| PDS 0175           | 2165            | PDS0175 ACCEPTOR URL LENGTH MUST BE 1–255.                                                                               | Both                    |
| PDS 0191           | 0528            | PDS0191 ORIGINATING MESSAGE FORMAT INVALID. MUST BE 2 OR 6.                                                              | GCMS                    |
|                    | 0823            | PDS0191 ORIGINATING MESSAGE FORMAT LENGTH MUST BE A FIXED LENGTH OF 001.                                                 | Both                    |
| PDS 0207           | 2651            | PDS0207 WALLET IDENTIFIER INVALID. MUST EQUAL 101 OR 102.                                                                | Both                    |
| PDS 0501           | 0521            | ASSOCIATED FINANCIAL DETAIL ADDENDUM/1644 REJECTED.                                                                      | Both                    |
|                    | 0564            | INVALID FINANCIAL DETAIL ADDENDUM.                                                                                       | Both                    |
|                    | 0566            | ASSOCIATED FIRST PRESENTMENT REJECTED.                                                                                   | Both                    |
|                    | 0735            | PDS0501 TRANSACTION DESCRIPTION MUST BE PRESENT IN FINANCIAL DETAIL ADDENDUM MESSAGES.                                   | Both                    |
|                    | 1048            | PDS0501 TRANSACTION DESCRIPTION MUST BE NUMERIC.                                                                         | Both                    |
|                    | 1077            | CORPORATE CARD COMMON DATA REQUIRED FOR INTERCHANGE PROGRAM.                                                             | Both                    |
|                    | 2181            | PDS0501 TRANSACTION DESCRIPTION LENGTH MUST BE A FIXED LENGTH OF 016.                                                    | Both                    |
|                    | 2246            | THE CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE MUST BE PRESENT WITH AN ELECTRONIC INVOICE-TRANSACTION DATA. | Both                    |
|                    | 2247            | THE ELECTRONIC INVOICE-TRANSACTION DATA MUST PRECEDE THE ELECTRONIC INVOICE-PARTY INFORMATION.                           | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                        | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2248            | ONE OCCURRENCE OF ELECTRONIC INVOICE-PARTY INFORMATION IS REQUIRED WITH ELECTRONIC INVOICE TRANSACTION DATA.                                                                         | Both                    |
|                    | 2249            | THE TELEPHONY BILLING DETAIL MUST FOLLOW THE TELEPHONY BILLING SUMMARY.                                                                                                              | Both                    |
|                    | 2495            | THE PRIVATE LABEL COMMON DATA ADDENDUM MESSAGE MUST BE PRESENT AND PRECEDING IF THE PRIVATE LABEL LINE ITEM DETAIL ADDENDUM MESSAGE IS PROVIDED.                                     | Both                    |
|                    | 2512            | PDS0508 CUSTOMER CODE, PDS0597 TOTAL TAX AMOUNT, AND PDS0678 UNIQUE INVOICE NUMBER MUST BE PRESENT IN A CORPORATE CARD COMMON DATA ADDENDUM AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                    |
|                    | 2542            | THE CORPORATE FLEET TRANSACTION INFORMATION ADDENDUM MUST BE RECEIVED PRIOR TO RECEIVING THE CORPORATE LINE ITEM DETAIL ADDENDUM.                                                    | Both                    |
|                    | 2544            | THE CORPORATE LINE ITEM DETAIL ADDENDUM/1644 MESSAGE MUST BE PROVIDED.                                                                                                               | Both                    |
| PDS 0501,<br>s1    | 0208            | PDS0501S1 USAGE CODE INVALID. MUST BE <VALLIST>.                                                                                                                                     | Both                    |
|                    | 0211            | INVALID PASSENGER TRANSPORT ADDENDUM. PASSENGER TRANSPORT ADDENDUM CAN ONLY BE USED WITH A PASSENGER TRANSPORT OR TRAVEL AGENCY MCC.                                                 | Both                    |
|                    | 0212            | INVALID VEHICLE RENTAL ADDENDUM. VEHICLE RENTAL ADDENDUM CAN ONLY BE USED WITH A VEHICLE RENTAL ACCEPTOR BUSINESS CODE (MCC).                                                        | Both                    |
|                    | 0213            | INVALID LODGING ADDENDUM. LODGING ADDENDUM CAN ONLY BE USED WITH A LODGING ACCEPTOR BUSINESS CODE (MCC).                                                                             | Both                    |
|                    | 0214            | INVALID CORPORATE FLEET ADDENDUM. CORPORATE FLEET TRANSACTION DETAIL INFORMATION ADDENDUM CAN ONLY BE USED WITH A FUEL CARD ACCEPTOR BUSINESS CODE (MCC)                             | Both                    |
|                    | 1031            | INVALID CORPORATE ADDENDUM. CORPORATE ADDENDUM INFORMATION CAN ONLY BE USED WITH A CORPORATE ACCOUNT RANGE.                                                                          | Both                    |
|                    | 2337            | INVALID TRAVEL AGENCY ADDENDUM. THE ACCEPTOR BUSINESS CODE SUBMITTED IS INVALID FOR USE WITH THIS ADDENDUM.                                                                          | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                           | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2338            | INVALID PASSENGER TRANSPORT DETAIL—RAIL DATA ADDENDUM. THE ACCEPTOR BUSINESS CODE SUBMITTED IS INVALID FOR USE WITH THIS ADDENDUM.                                      | Both                    |
|                    | 2345            | INVALID LODGED ACCOUNT DETAIL ADDENDUM. THE ACCEPTOR BUSINESS CODE SUBMITTED IS INVALID FOR USE WITH THIS ADDENDUM.                                                     | Both                    |
|                    | 2482            | PDS0642 ITEM DESCRIPTION, PDS0643 ITEM QUANTITY, PDS0646 UNIT PRICE, PDS0764 HEALTHCARE ELIGIBLE STATUS INDICATOR MUST BE PRESENT WHEN HEALTHCARE ADDENDUM IS PROVIDED. | Both                    |
| PDS 0501,<br>s2    | 0215            | PDS0501S2 INDUSTRY RECORD NUMBER MUST BE NUMERIC.                                                                                                                       | Both                    |
|                    | 2482            | PDS0642 ITEM DESCRIPTION, PDS0643 ITEM QUANTITY, PDS0646 UNIT PRICE, PDS0764 HEALTHCARE ELIGIBLE STATUS INDICATOR MUST BE PRESENT WHEN HEALTHCARE ADDENDUM IS PROVIDED. | Both                    |
| PDS 0501,<br>s3    | 0217            | PDS0501S3 OCCURRENCE INDICATOR MUST BE NUMERIC.                                                                                                                         | Both                    |
|                    | 0580            | FINANCIAL DETAIL ADDENDUM/1644 OUT OF SEQUENCE.                                                                                                                         | Both                    |
|                    | 0971            | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE EQUAL TO 001 FOR USAGE CODE 01 AND INDUSTRY RECORD NUMBER 000.                                                          | Both                    |
|                    | 0972            | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF 002–999 FOR USAGE CODE 01 AND INDUSTRY RECORD NUMBER 001.                                               | Both                    |
|                    | 0973            | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE EQUAL TO 001 FOR USAGE CODE 98 AND INDUSTRY RECORD NUMBER 000.                                                          | Both                    |
|                    | 0975            | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF "001-003" FOR USAGE CODE 98 AND INDUSTRY RECORD NUMBER "002".                                           | Both                    |
|                    | 0976            | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 002–999 FOR USAGE CODE 98 AND INDUSTRY RECORD NUMBER 950.                                                        | Both                    |
|                    | 2209            | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 05 AND INDUSTRY RECORD NUMBER 000.                                                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2210            | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 06 AND INDUSTRY RECORD NUMBER 000.          | Both                    |
|                    | 2211            | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 07 AND INDUSTRY RECORD NUMBER 000.          | Both                    |
|                    | 2212            | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 08 AND INDUSTRY RECORD NUMBER 000.          | Both                    |
|                    | 2213            | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 10 AND INDUSTRY RECORD NUMBER 000.          | Both                    |
|                    | 2214            | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 99 AND INDUSTRY RECORD NUMBER 000.          | Both                    |
|                    | 2250            | PDS0501S3 OCCURRENCE INDICATOR MUST BE 001 FOR USAGE CODE 11 AND INDUSTRY RECORD NUMBER 000.                              | Both                    |
|                    | 2254            | PDS0501S3 OCCURRENCE INDICATOR MUST BE 002–999 FOR USAGE CODE 11 AND INDUSTRY RECORD NUMBER 001.                          | Both                    |
|                    | 2342            | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 12 AND INDUSTRY RECORD NUMBER 000. | Both                    |
|                    | 2344            | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 13 AND INDUSTRY RECORD NUMBER 000. | Both                    |
|                    | 2351            | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 01 AND INDUSTRY RECORD NUMBER 002. | Both                    |
|                    | 2344            | PDS0501S3 OCCURRENCE INDICATOR INVALID. MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 13 AND INDUSTRY RECORD NUMBER 000. | Both                    |
|                    | 2481            | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 001–999 FOR USAGE CODE 15 AND INDUSTRY RECORD NUMBER 000.          | Both                    |
|                    | 2483            | PDS0501S3 TRANSACTION DESCRIPTION, OCCURRENCE INDICATOR MUST BE 001 FOR USAGE CODE 14 AND INDUSTRY RECORD NUMBER 000.     | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                         | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2491            | PDS0501S3 OCCURRENCE INDICATOR MUST BE IN THE RANGE OF 002–999 FOR USAGE CODE 14 AND INDUSTRY RECORD NUMBER 001.      | Both                    |
| PDS 0502           | 2180            | PDS0502 CUSTOM IDENTIFIER LENGTH MUST BE 007–082.                                                                     | Both                    |
|                    | 2339            | PDS0502 MUST CONTAIN BOTH SUBFIELD 1 AND SUBFIELD 2.                                                                  | Both                    |
| PDS 0502,<br>s1    | 2227            | PDS0158S1 ACCEPTANCE BRAND ID CODE INVALID. MUST BE CIR, CLP, DDB, DMC, MAV, MCC, MSI, PRO, PVL, VIS, or SPACES/BLANK | Both                    |
|                    | 2511            | CARD PRODUCT REQUIRES THAT PDS0502S1 CUSTOM IDENTIFIER TYPE MUST BE PRESENT AND EQUAL 'PMTREF'.                       | Both                    |
| PDS 0502,<br>s2    | 2182            | PDS0502S2 CUSTOM IDENTIFIER DETAIL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                 | Both                    |
|                    | 2184            | IF PRESENT, PDS0502S2 CANNOT BE ALL HIGH-VALUES OR ALL LOW-VALUES.                                                    | Both                    |
| PDS 0503           | 2181            | PDS0503 TRAVEL AGENCY SEQUENCE NUMBER MUST BE A FIXED LENGTH OF 004.                                                  | Both                    |
|                    | 2182            | PDS0503 TRAVEL AGENCY SEQUENCE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                    |
|                    | 2184            | PDS0503 TRAVEL AGENCY SEQUENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                    | Both                    |
| PDS 0504           | 2180            | PDS0504 DESCRIPTION TYPE LENGTH MUST BE 14–42.                                                                        | Both                    |
| PDS 0504,<br>s1    | 2232            | PDS0504S1 TRAVEL AGENCY FEE AMOUNT MUST BE NUMERIC AND GREATER THAN 0.                                                | Both                    |
| PDS 0504,<br>s2    | 2215            | PDS0504S2 TRAVEL AGENCY FEE AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                             | Both                    |
| PDS 0504,<br>s3    | 2185            | PDS0504S3 TRAVEL AGENCY FEE AMOUNT SIGN MUST BE D OR C.                                                               | Both                    |
| PDS 0504,<br>s4    | 2183            | PDS0504S4 TRAVEL AGENCY FEE AMOUNT RATE MUST BE NUMERIC.                                                              | Both                    |
| PDS 0504,<br>s5    | 2182            | PDS0504S5 TRAVEL AGENCY FEE DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.            | Both                    |
|                    | 2184            | PDS0504S5 TRAVEL AGENCY FEE DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                  | Both                    |
| PDS 0505           | 0828            | PDS0505 PASSENGER NAME LENGTH MUST BE 1–29.                                                                           | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0917            | PDS0505 PASSENGER NAME, PDS0506 TICKET NUMBER, PDS0507 ISSUING CARRIER REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS.             | Both                    |
|                    | 1036            | PDS0505 PASSENGER NAME, PDS0506 TICKET NUMBER AND PDS0507 ISSUING CARRIER REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS | Both                    |
|                    | 2182            | PDS0505 PASSENGER NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                          | Both                    |
|                    | 2184            | PDS0505 PASSENGER NAME CANNOT BE ALL LOW-VALUES OR HIGH-VALUES.                                                                                                    | Both                    |
|                    | 2187            | PDS0505 PASSENGER NAME REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                                                                                    | Both                    |
|                    | 2188            | PDS0505 PASSENGER NAME REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                          | Both                    |
| PDS 0506           | 0258            | PDS0506 TICKET NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                 | Both                    |
|                    | 0483            | PDS0506 TICKET NUMBER LENGTH MUST BE A FIXED LENGTH OF 15.                                                                                                         | Both                    |
|                    | 0917            | PDS0506 TICKET NUMBER REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS.                                                              | Both                    |
|                    | 1036            | PDS0506 TICKET NUMBER REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS.                                                    | Both                    |
|                    | 2182            | PDS0506 TICKET NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                                        | Both                    |
|                    | 2187            | PDS0506 TICKET NUMBER REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                                                                                     | Both                    |
|                    | 2188            | PDS0506 TICKET NUMBER REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                                                           | Both                    |
| PDS 0507           | 0829            | PDS0507 ISSUING CARRIER MUST BE A FIXED LENGTH OF 004.                                                                                                             | Both                    |
|                    | 0917            | PDS0507 ISSUING CARRIER REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS.                                                            | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 1036            | PDS0507 ISSUING CARRIER REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS. | Both                    |
|                    | 1127            | PDS0507 ISSUING CARRIER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                              | Both                    |
|                    | 2182            | PDS0507 ISSUING CARRIER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                        | Both                    |
|                    | 2187            | PDS0507 ISSUING CARRIER REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                                  | Both                    |
|                    | 2188            | PDS0507 ISSUING CARRIER REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                        | Both                    |
| PDS 0508           | 0270            | PDS0508 CUSTOMER CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                       | Both                    |
|                    | 0406            | PDS0508 CUSTOMER CODE LENGTH MUST BE 001-025.                                                                     | Both                    |
|                    | 2333            | PDS0508 CUSTOMER CODE MUST BE PRESENT IN A CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE.               |                         |
| PDS 0509           | 0207            | PDS0509 ISSUE DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                     | Both                    |
|                    | 0830            | PDS0509 ISSUE DATE MUST BE A FIXED LENGTH OF 006.                                                                 | Both                    |
| PDS 0510           | 0226            | PDS0510 TRAVEL AGENCY CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                           | Both                    |
|                    | 0831            | PDS0510 TRAVEL AGENCY CODE MUST BE A FIXED LENGTH OF 008.                                                         | Both                    |
|                    | 2182            | PDS0510 TRAVEL AGENCY CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                     | Both                    |
| PDS 0511           | 0227            | PDS0511 TRAVEL AGENCY NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                           | Both                    |
|                    | 0982            | PDS0511 TRAVEL AGENCY NAME LENGTH MUST BE 1-25.                                                                   | Both                    |
|                    | 2182            | PDS0511 TRAVEL AGENCY NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                     | Both                    |
| PDS 0512           | 0206            | PDS0512 TOTAL FARE MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                           | Both                    |
|                    | 0832            | PDS0512 TOTAL FARE MUST BE A FIXED LENGTH OF 012.                                                                 | Both                    |
|                    | 2187            | PDS0512 TOTAL FARE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                                       | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                              | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2188            | PDS0512 TOTAL FARE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                      | Both                    |
| PDS 0513           | 0219            | PDS0513 TOTAL FEES MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                    | Both                    |
|                    | 0833            | PDS0513 TOTAL FEES MUST BE A FIXED LENGTH OF 012.                                                          | Both                    |
| PDS 0514           | 0220            | PDS0514 TOTAL TAXES MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                   | Both                    |
|                    | 0834            | PDS0514 TOTAL TAXES MUST BE A FIXED LENGTH OF 012.                                                         | Both                    |
| PDS 0515           | 2180            | PDS0515 ADDITIONAL ACCEPTOR INFORMATION LENGTH MUST BE 001-040.                                            | Both                    |
|                    | 2182            | PDS0515 ADDITIONAL ACCEPTOR INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0515 ADDITIONAL ACCEPTOR INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
| PDS 0516           | 2181            | PDS0516 AUSTIN-TETRA NUMBER MUST BE A FIXED LENGTH OF 15.                                                  | Both                    |
|                    | 2182            | PDS0516 AUSTIN-TETRA NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                    |
|                    | 2184            | PDS0516 AUSTIN-TETRA NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                   | Both                    |
| PDS 0517           | 2181            | PDS0517 NAICS CODE MUST BE A FIXED LENGTH OF 15.                                                           | Both                    |
|                    | 2182            | PDS0517 NAICS CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                      | Both                    |
|                    | 2184            | PDS0517 NAICS CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                            | Both                    |
| PDS 0518           | 2181            | PDS0518 LINE ITEM DATE MUST BE A FIXED LENGTH OF 006.                                                      | Both                    |
|                    | 2183            | PDS0518 LINE ITEM DATE MUST BE NUMERIC.                                                                    | Both                    |
|                    | 2186            | PDS0518 LINE ITEM DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                          | Both                    |
|                    | 2235            | PDS0518 LINE ITEM DATE MUST BE PRESENT AND A VALID DATE WHEN LODGING SUMMARY IS PRESENT.                   | Both                    |
| PDS 0519           | 2181            | PDS0519 ADDITIONAL FUEL LOCATION INFORMATION MUST BE A FIXED LENGTH OF 014.                                | Both                    |
| PDS 0519,<br>s1    | 2185            | PDS0519S1 HOURS OF OPERATION/24 HOUR AVAILABLE MUST BE A VALUE OF Y OR N.                                  | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                        | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0519,<br>s2    | 2185            | PDS0519S2 18 WHEELER ACCESS AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                                     | Both                    |
| PDS 0519,<br>s3    | 2185            | PDS0519S3 DIESEL SITES AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                                          | Both                    |
| PDS 0519,<br>s4    | 2185            | PDS0519S4 INTERSTATE ACCESS/EXIT NUMBER WITH DIRECTIONS AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                         | Both                    |
| PDS 0519,<br>s5    | 2185            | PDS0519S5 CONVENIENCE STORE AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                                     | Both                    |
| PDS 0519,<br>s6    | 2185            | PDS0519S6 TRUCK STOP RESTAURANT AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                                 | Both                    |
| PDS 0519,<br>s7    | 2185            | PDS0519S7 TRUCK STOP HOTEL AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                                      | Both                    |
| PDS 0519,<br>s8    | 2185            | PDS0519S8 TRUCK STOP WITH SHOWERS AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                               | Both                    |
| PDS 0519,<br>s9    | 2185            | PDS0519S9 VEHICLE MAINTENANCE/REPAIR BAYS AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                       | Both                    |
| PDS 0519,<br>s10   | 2185            | PDS0519S10 CAR WASH AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                                             | Both                    |
| PDS 0519,<br>s11   | 2185            | PDS0519S11 AVIATION LOCATIONS AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                                   | Both                    |
| PDS 0519,<br>s12   | 2185            | PDS0519S12 MARINA LOCATIONS AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                                     | Both                    |
| PDS 0519,<br>s13   | 2185            | PDS0519S13 ALTERNATIVE FUEL LOCATIONS AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                           | Both                    |
| PDS 0519,<br>s14   | 2185            | PDS0519S14 PAY-AT-PUMP AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                                                                                                          | Both                    |
| PDS 0520           | 0223            | PDS0520 TRAVEL DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                                                                                                       | Both                    |
|                    | 0835            | PDS0520 TRAVEL DATE MUST BE A FIXED LENGTH OF 006.                                                                                                                                                                                   | Both                    |
|                    | 0917            | PDS0520 TRAVEL DATE, PDS0521 CARRIER CODE, PDS0522 SERVICE CLASS CODE, PDS0523 CITY OF ORIGIN/AIRPORT CODE, PDS0524 CITY OF DESTINATION/AIRPORT CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS. | Both                    |
|                    | 1036            | PDS0520 TRAVEL DATE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS.                                                                                                                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                              | Edit<br>performe<br>d by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2187            | PDS0520 TRAVEL DATE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                               | Both                        |
|                    | 2188            | PDS0520 TRAVEL DATE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                     | Both                        |
| PDS 0521           | 0259            | PDS0521 CARRIER CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                 | Both                        |
|                    | 0917            | PDS0521 CARRIER CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS.       | Both                        |
|                    | 0984            | PDS0521 CARRIER CODE MUST BE A FIXED LENGTH OF 002.                                                        | Both                        |
|                    | 1128            | PDS0521 CARRIER CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                          | Both                        |
|                    | 2182            | PDS0521 CARRIER CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                    | Both                        |
|                    | 2187            | PDS0521 CARRIER CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                              | Both                        |
|                    | 2188            | PDS0521 CARRIER CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                    | Both                        |
| PDS 0522           | 0234            | PDS0522 SERVICE CLASS CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                    | Both                        |
|                    | 0837            | PDS0522 SERVICE CLASS CODE MUST BE A FIXED LENGTH OF 002.                                                  | Both                        |
|                    | 0917            | PDS0522 SERVICE CLASS CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS. | Both                        |
|                    | 2182            | PDS0522 SERVICE CLASS CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                        |
|                    | 2187            | PDS0522 SERVICE CLASS CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                        | Both                        |
|                    | 2188            | PDS0522 SERVICE CLASS CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.              | Both                        |
| PDS 0523           | 0228            | PDS0523 CITY OF ORIGIN/AIRPORT CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                           | Both                        |
|                    | 0838            | PDS0523 CITY OF ORIGIN/AIRPORT CODE MUST BE A FIXED LENGTH OF 005.                                         | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0917            | PDS0523 CITY OF ORIGIN/AIRPORT CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS.      | Both                    |
|                    | 2182            | PDS0523 CITY OF ORIGIN/AIRPORT CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                    |
|                    | 2187            | PDS0523 CITY OF ORIGIN/AIRPORT CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                             | Both                    |
|                    | 2188            | PDS0523 CITY OF ORIGIN/AIRPORT CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                   | Both                    |
| PDS 0524           | 0236            | PDS0524 CITY OF DESTINATION/AIRPORT CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                    | Both                    |
|                    | 0237            | PDS0524 CITY OF DESTINATION/AIRPORT CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                           | Both                    |
|                    | 0839            | PDS0524 CITY OF DESTINATION/AIRPORT CODE MUST BE A FIXED LENGTH OF 005.                                                  | Both                    |
|                    | 0917            | PDS0524 CITY OF DESTINATION/AIRPORT CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS. | Both                    |
|                    | 2182            | PDS0524 CITY OF DESTINATION/AIRPORT CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                    |
|                    | 2187            | PDS0524 CITY OF DESTINATION/AIRPORT CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                        | Both                    |
|                    | 2188            | PDS0524 CITY OF DESTINATION/AIRPORT CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.              | Both                    |
| PDS 0525           | 0235            | PDS0525 STOP OVER CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                    |
|                    | 0840            | PDS0525 STOP OVER CODE MUST BE A FIXED LENGTH OF 001.                                                                    | Both                    |
|                    | 2187            | PDS0525 STOP OVER CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                                          | Both                    |
|                    | 2188            | PDS0525 STOP OVER CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                                | Both                    |
|                    | 2215            | PDS0525 STOP OVER CODE MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-9, A-Z, OR SPACE.                                      | Both                    |
| PDS 0526           | 0841            | PDS0526 CONJUNCTION TICKET MUST BE A FIXED LENGTH OF 015.                                                                | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                 | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------|-------------------------|
|                    | 2182            | PDS0526 CONJUNCTION TICKET MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0526 CONJUNCTION TICKET CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
| PDS 0527           | 0842            | PDS0527 EXCHANGE TICKET MUST BE A FIXED LENGTH OF 015.                                        | Both                    |
|                    | 2182            | PDS0527 EXCHANGE TICKET MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.    | Both                    |
|                    | 2184            | PDS0527 EXCHANGE TICKET CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                    |
| PDS 0528           | 0783            | PDS0528 COUPON NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                            | Both                    |
|                    | 0843            | PDS0528 COUPON NUMBER MUST BE A FIXED LENGTH OF 001.                                          | Both                    |
|                    | 2208            | PDS0528 COUPON NUMBER CANNOT CONTAIN ALL ZEROS OR ALL SPACES.                                 | Both                    |
| PDS 0529           | 0239            | PDS0529 FARE BASIS CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                    |
|                    | 0925            | PDS0529 FARE BASIS CODE LENGTH MUST BE 1–15.                                                  | Both                    |
|                    | 1037            | PDS0529 FARE BASIS CODE CANNOT CONTAIN ALL SPACES.                                            | Both                    |
|                    | 2187            | PDS0529 FARE BASIS CODE REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.              | Both                    |
|                    | 2188            | PDS0529 FARE BASIS CODE REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.    | Both                    |
|                    | 2208            | PDS0529 FARE BASIS CODE CANNOT CONTAIN ALL ZEROS OR ALL SPACES.                               | Both                    |
| PDS 0530           | 0784            | PDS0530 FLIGHT NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                            | Both                    |
|                    | 0844            | PDS0530 FLIGHT NUMBER MUST BE A FIXED LENGTH OF 005.                                          | Both                    |
|                    | 2182            | PDS0530 FLIGHT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.      | Both                    |
|                    | 2187            | PDS0530 FLIGHT NUMBER REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                | Both                    |
|                    | 2188            | PDS0530 FLIGHT NUMBER REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.      | Both                    |
| PDS 0531           | 0845            | PDS0531 DEPARTURE TIME MUST BE A FIXED LENGTH OF 005.                                         | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2187            | PDS0531 DEPARTURE TIME REQUIRED FOR AIRLINE TRANSACTIONS SUBMITTED FOR T&E III.                              | Both                    |
|                    | 2188            | PDS0531 DEPARTURE TIME REQUIRED FOR PASSENGER RAILWAY TRANSACTIONS SUBMITTED FOR T&E III.                    | Both                    |
| PDS 0531,<br>s1    | 0785            | PDS0531S1 DEPARTURE TIME INVALID. MUST BE IN THE FORMAT HHMM. HOURS MUST BE 00–23 AND MINUTES MUST BE 00–59. | Both                    |
| PDS 0531,<br>s2    | 0786            | PDS0531S2 DEPARTURE TIME SEGMENT INVALID. MUST BE A, P, OR A SPACE.                                          | Both                    |
| PDS 0532           | 2181            | PDS0532 TOTAL CHARGES MUST BE A FIXED LENGTH OF 014.                                                         | Both                    |
| PDS 0532,<br>s1    | 2183            | PDS0532S1 TOTAL CHARGES AMOUNT MUST BE NUMERIC.                                                              | Both                    |
| PDS 0532,<br>s2    | 2183            | PDS0532S2 TOTAL CHARGES EXPONENT MUST BE NUMERIC.                                                            | Both                    |
|                    | 2215            | PDS0532S2 TOTAL CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                               | Both                    |
| PDS 0532,<br>s3    | 2185            | PDS0532S3 TOTAL CHARGES SIGN MUST BE D OR C.                                                                 | Both                    |
| PDS 0533           | 0846            | PDS0533 ARRIVAL TIME MUST BE A FIXED LENGTH OF 005.                                                          | Both                    |
| PDS 0533,<br>s1    | 1038            | PDS0533S1 ARRIVAL TIME INVALID. MUST BE IN THE FORMAT HHMM. HOURS MUST BE 00–23 AND MINUTES MUST BE 00–59.   | Both                    |
| PDS 0533,<br>s2    | 0927            | PDS0533S2 ARRIVAL TIME SEGMENT INVALID. MUST BE A, P, OR A SPACE.                                            | Both                    |
| PDS 0534           | 2181            | PDS0534 TOTAL NON-ROOM CHARGES MUST BE A FIXED LENGTH OF 014.                                                | Both                    |
| PDS 0534,<br>s1    | 2183            | PDS0534S1 TOTAL NON-ROOM CHARGES AMOUNT MUST BE NUMERIC.                                                     | Both                    |
| PDS 0534,<br>s2    | 2183            | PDS0534S2 TOTAL NON-ROOM CHARGES EXPONENT MUST BE NUMERIC.                                                   | Both                    |
|                    | 2215            | PDS0534S2 TOTAL NON-ROOM CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                      | Both                    |
| PDS 0534,<br>s3    | 2185            | PDS0534S3 TOTAL NON-ROOM CHARGES SIGN MUST BE D OR C.                                                        | Both                    |
| PDS 0535           | 0847            | PDS0535 FARE MUST BE A FIXED LENGTH OF 012.                                                                  | Both                    |
|                    | 1123            | PDS0535 FARE MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                            | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0536           | 0848            | PDS0536 FEE MUST BE A FIXED LENGTH OF 012.                                                          | Both                    |
|                    | 1124            | PDS0536 FEE MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                    | Both                    |
| PDS 0537           | 0849            | PDS0537 TAXES MUST BE A FIXED LENGTH OF 012.                                                        | Both                    |
|                    | 1125            | PDS0537 TAXES MUST BE NUMERIC AND RIGHT-JUSTIFIED.                                                  | Both                    |
| PDS 0538           | 0676            | PDS0538 ENDORSEMENTS/RESTRICTIONS LENGTH MUST BE 1–20.                                              | Both                    |
|                    | 0792            | PDS0538 ENDORSEMENTS/RESTRICTIONS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.             | Both                    |
|                    | 1027            | PDS0538 ENDORSEMENTS/RESTRICTIONS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                      | Both                    |
|                    | 2182            | PDS0538 ENDORSEMENT/RESTRICTIONS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
| PDS 0539           | 2181            | PDS0539 TOTAL AMOUNT CHARGED ON CREDIT CARD MUST BE A FIXED LENGTH OF 014.                          | Both                    |
| PDS 0539,<br>s1    | 2183            | PDS0539S1 TOTAL AMOUNT CHARGED ON CREDIT CARD AMOUNT MUST BE NUMERIC.                               | Both                    |
| PDS 0539,<br>s2    | 2183            | PDS0539S2 TOTAL AMOUNT CHARGED ON CREDIT CARD EXPONENT MUST BE NUMERIC.                             | Both                    |
|                    | 2215            | PDS0539S2 TOTAL NON-ROOM CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.             | Both                    |
| PDS 0539,<br>s3    | 2185            | PDS0539S3 TOTAL AMOUNT CHARGED ON CREDIT CARD SIGN MUST BE D OR C.                                  | Both                    |
| PDS 0540           | 2181            | PDS0540 ROOM SERVICE CHARGES MUST BE A FIXED LENGTH OF 014.                                         | Both                    |
| PDS 0540,<br>s1    | 2183            | PDS0540S1 ROOM SERVICE CHARGES AMOUNT MUST BE NUMERIC.                                              | Both                    |
| PDS 0540,<br>s2    | 2183            | PDS0540S2 ROOM SERVICE CHARGES EXPONENT MUST BE NUMERIC.                                            | Both                    |
|                    | 2215            | PDS0540S2 ROOM SERVICE CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.               | Both                    |
| PDS 0540,<br>s3    | 2185            | PDS0540S3 ROOM SERVICE CHARGES SIGN MUST BE D OR C.                                                 | Both                    |
| PDS 0541           | 2181            | PDS0541 LOUNGE/BAR CHARGES MUST BE A FIXED LENGTH OF 014.                                           | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0541,<br>s1    | 2183            | PDS0541S1 LOUNGE/BAR CHARGES AMOUNT MUST BE NUMERIC.                                                           | Both                    |
| PDS 0541,<br>s2    | 2183            | PDS0541S2 LOUNGE/BAR CHARGES EXPONENT MUST BE NUMERIC.                                                         | Both                    |
|                    | 2215            | PDS0541S2 LOUNGE/BAR CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                            | Both                    |
| PDS 0541,<br>s3    | 2185            | PDS0541S3 LOUNGE/BAR CHARGES SIGN MUST BE D OR C.                                                              | Both                    |
| PDS 0542           | 2181            | PDS0542 TRANSPORTATION CHARGES MUST BE A FIXED LENGTH OF 014.                                                  | Both                    |
| PDS 0542,<br>s1    | 2183            | PDS0542S1 TRANSPORTATION CHARGES AMOUNT MUST BE NUMERIC.                                                       | Both                    |
| PDS 0542,<br>s2    | 2183            | PDS0542S2 TRANSPORTATION CHARGES EXPONENT MUST BE NUMERIC.                                                     | Both                    |
|                    | 2215            | PDS0542S2 TRANSPORTATION CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                        | Both                    |
| PDS 0542,<br>s3    | 2185            | PDS0542S3 TRANSPORTATION CHARGES SIGN MUST BE D OR C.                                                          | Both                    |
| PDS 0543           | 2181            | PDS0543 GRATUITY CHARGES MUST BE A FIXED LENGTH OF 014.                                                        | Both                    |
| PDS 0543,<br>s1    | 2183            | PDS0543S1 GRATUITY CHARGES AMOUNT MUST BE NUMERIC.                                                             | Both                    |
| PDS 0543,<br>s2    | 2183            | PDS0543S2 GRATUITY CHARGES EXPONENT MUST BE NUMERIC.                                                           | Both                    |
|                    | 2215            | PDS0543S2 GRATUITY CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                              | Both                    |
| PDS 0543,<br>s3    | 2185            | PDS0543S3 GRATUITY CHARGES SIGN MUST BE D OR C.                                                                | Both                    |
| PDS 0544           | 0850            | PDS0544 RENTAL AGREEMENT NUMBER MUST BE A FIXED LENGTH OF 009.                                                 | Both                    |
|                    | 0928            | PDS0544 RENTAL AGREEMENT NUMBER REQUIRED FOR VEHICLE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAM. | Both                    |
|                    | 1039            | PDS0544 RENTAL AGREEMENT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                          | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2182            | PDS0544 RENTAL AGREEMENT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                  | Both                    |
|                    | 2184            | PDS0544 RENTAL AGREEMENT NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                        | Both                    |
|                    | 2189            | PDS0544 RENTAL AGREEMENT NUMBER REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                     | Both                    |
| PDS 0545           | 0928            | PDS0545 RENTER NAME REQUIRED FOR VEHICLE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAM.                  | Both                    |
|                    | 2180            | PDS0545 RENTER NAME LENGTH MUST BE 001-040.                                                                         | Both                    |
|                    | 2182            | PDS0545 RENTER NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                              | Both                    |
|                    | 2184            | PDS0545 RENTER NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                    | Both                    |
|                    | 2189            | PDS0545 RENTER NAME REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                                 | Both                    |
| PDS 0546           | 0928            | PDS0546 RENTAL RETURN CITY REQUIRED FOR VEHICLE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAM.           | Both                    |
|                    | 2180            | PDS0546 RENTAL RETURN CITY LENGTH MUST BE 001-025.                                                                  | Both                    |
|                    | 2182            | PDS0546 RENTAL RETURN CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                       | Both                    |
|                    | 2184            | PDS0546 RENTAL RETURN CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                             | Both                    |
|                    | 2189            | PDS0546 RENTAL RETURN CITY REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                          | Both                    |
| PDS 0547           | 0302            | PDS0547 RENTAL RETURN STATE/PROVINCE INVALID.                                                                       | Both                    |
|                    | 0851            | PDS0547 RENTAL RETURN STATE/PROVINCE MUST BE A FIXED LENGTH OF 003.                                                 | Both                    |
|                    | 0928            | PDS0547 RENTAL RETURN STATE/PROVINCE REQUIRED FOR VEHICLE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAM. | Both                    |
|                    | 0930            | PDS0547 RENTAL RETURN STATE/PROVINCE REQUIRED FOR WORLD PRODUCT T&E INTERCHANGE PROGRAM.                            | Both                    |
|                    | 2182            | PDS0547 RENTAL RETURN STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2184            | PDS0547 RENTAL RETURN STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                    |
|                    | 2189            | PDS0547 RENTAL RETURN STATE/PROVINCE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.             | Both                    |
| PDS 0548           | 0304            | PDS0548 RENTAL RETURN COUNTRY MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                    | Both                    |
|                    | 0305            | PDS0548 RENTAL RETURN COUNTRY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                              | Both                    |
|                    | 0852            | PDS0548 RENTAL RETURN COUNTRY MUST BE A FIXED LENGTH OF 003.                                                     | Both                    |
|                    | 0928            | PDS0548 RENTAL RETURN COUNTRY REQUIRED FOR VEHICLE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAM.     | Both                    |
|                    | 0930            | PDS0548 RENTAL RETURN COUNTRY REQUIRED FOR WORLD PRODUCT T&E INTERCHANGE PROGRAM.                                | Both                    |
|                    | 2189            | PDS0548 RENTAL RETURN COUNTRY REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                    | Both                    |
| PDS 0549           | 0853            | PDS0549 RENTAL RETURN LOCATION ID MUST BE A FIXED LENGTH OF 010.                                                 | Both                    |
|                    | 0928            | PDS0549 RENTAL RETURN LOCATION ID REQUIRED FOR VEHICLE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAM. | Both                    |
|                    | 1042            | PDS0549 RENTAL RETURN LOCATION ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                          | Both                    |
|                    | 2189            | PDS0549 RENTAL RETURN LOCATION ID REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                | Both                    |
| PDS 0550           | 0307            | PDS0550 RENTAL RETURN DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                            | Both                    |
|                    | 0854            | PDS0550 RENTAL RETURN DATE MUST BE A FIXED LENGTH OF 006.                                                        | Both                    |
|                    | 0928            | PDS0550 RENTAL RETURN DATE REQUIRED FOR VEHICLE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAM.        | Both                    |
|                    | 0930            | PDS0550 RENTAL RETURN DATE REQUIRED FOR WORLD PRODUCT T&E INTERCHANGE PROGRAM.                                   | Both                    |
|                    | 2189            | PDS0550 RENTAL RETURN DATE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                       | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                              | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0551           | 0308            | PDS0551 RENTAL CHECK-OUT DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                                                                                                   | Both                    |
|                    | 0855            | PDS0551 RENTAL CHECK-OUT DATE MUST BE A FIXED LENGTH OF 006.                                                                                                                                                                               | Both                    |
|                    | 0928            | PDS0551 RENTAL CHECK-OUT DATE REQUIRED FOR VEHICLE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAM.                                                                                                                               | Both                    |
|                    | 0930            | PDS0551 RENTAL CHECK-OUT DATE REQUIRED FOR WORLD PRODUCT T&E INTERCHANGE PROGRAM.                                                                                                                                                          | Both                    |
|                    | 2189            | PDS0551 RENTAL CHECK-OUT DATE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                              | Both                    |
| PDS 0552           | 0491            | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER, PDS0574 ARRIVAL DATE, PDS0575 DEPARTURE DATE, PDS0576 FOLIO NUMBER, AND PDS0577 PROPERTY TELEPHONE NUMBER REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAMS. | Both                    |
|                    | 0928            | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER REQUIRED FOR VEHICLE TRANSACTIONS SUBMITTED FOR SPECIFIED INTERCHANGE PROGRAM.                                                                                                             | Both                    |
|                    | 0930            | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER REQUIRED FOR WORLD PRODUCT T&E INTERCHANGE PROGRAM.                                                                                                                                        | Both                    |
|                    | 1043            | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                                                                         | Both                    |
|                    | 2181            | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER MUST BE A FIXED LENGTH OF 017.                                                                                                                                                             | Both                    |
|                    | 2184            | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                               | Both                    |
|                    | 2189            | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                            | Both                    |
|                    | 2190            | PDS0552 CUSTOMER SERVICE TOLL-FREE (800) NUMBER REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                                                                                                   | Both                    |
|                    | 2259            | PDS0552 CUSTOMER SERVICE TOLL FREE (800) NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.                                                                                         | Both                    |
| PDS 0553           | 0857            | PDS0553 RENTAL RATE MUST BE A FIXED LENGTH OF 013.                                                                                                                                                                                         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                            | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------|-------------------------|
|                    | 2189            | PDS0553 RENTAL RATE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.      | Both                    |
| PDS 0553,<br>s1    | 0940            | PDS0553S1 RENTAL RATE INDICATOR MUST BE D, W, OR M.                                      | Both                    |
| PDS 0553,<br>s2    | 0939            | PDS0553S2 RENTAL RATE INVALID. MUST BE NUMERIC.                                          | Both                    |
| PDS 0554           | 2181            | PDS0554 CONFERENCE ROOM CHARGES MUST BE A FIXED LENGTH OF 014.                           | Both                    |
| PDS 0554,<br>s1    | 2183            | PDS0554S1 CONFERENCE ROOM CHARGES AMOUNT MUST BE NUMERIC.                                | Both                    |
| PDS 0554,<br>s2    | 2183            | PDS0554S2 CONFERENCE ROOM CHARGES EXPONENT MUST BE NUMERIC.                              | Both                    |
|                    | 2215            | PDS0554S2 CONFERENCE ROOM CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5. | Both                    |
| PDS 0554,<br>s3    | 2185            | PDS0554S3 CONFERENCE ROOM CHARGES SIGN MUST BE D OR C.                                   | Both                    |
| PDS 0555           | 0312            | PDS0555 RATE PER MILE (OR PER KILOMETER) INVALID.MUST BE NUMERIC.                        | Both                    |
|                    | 0858            | PDS0555 RATE PER MILE (OR PER KILOMETER) MUST BE A FIXED LENGTH OF 012.                  | Both                    |
| PDS 0556           | 0859            | PDS0556 TOTAL MILES (OR KILOMETERS) MUST BE A FIXED LENGTH OF 004.                       | Both                    |
|                    | 2196            | PDS0556 TOTAL MILES (OR KILOMETERS) MUST BE NUMERIC AND CANNOT BE ALL ZEROS.             | Both                    |
| PDS 0557           | 0314            | PDS0557 MAXIMUM FREE MILES (OR KILOMETERS) INVALID. MUST BE NUMERIC.                     | Both                    |
|                    | 0860            | PDS0557 MAXIMUM FREE MILES (OR KILOMETERS) MUST BE A FIXED LENGTH OF 004.                | Both                    |
| PDS 0558           | 0310            | PDS0558 MILES/KILOMETER INDICATOR MUST BE K, M, OR A SPACE.                              | Both                    |
|                    | 0861            | PDS0558 MILES/KILOMETER INDICATOR MUST BE A FIXED LENGTH OF 001.                         | Both                    |
| PDS 0559           | 0862            | PDS0559 VEHICLE INSURANCE MUST BE A FIXED LENGTH OF 013.                                 | Both                    |
| PDS 0559,<br>s1    | 0316            | PDS0559S1 INSURANCE INDICATOR MUST BE Y, N, OR A SPACE.                                  | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                          | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0559,<br>s2    | 0941            | PDS0559S2 INSURANCE CHARGES CANNOT EQUAL ALL SPACES OR ALL ZEROS IF INSURANCE INDICATOR IS EQUAL TO Y.                                 | Both                    |
| PDS 0560           | 2181            | PDS0560 AUDIO VISUAL CHARGES MUST BE A FIXED LENGTH OF 014.                                                                            | Both                    |
| PDS 0560,<br>s1    | 2183            | PDS0560S1 AUDIO VISUAL CHARGES AMOUNT MUST BE NUMERIC.                                                                                 | Both                    |
| PDS 0560,<br>s2    | 2183            | PDS0560S2 AUDIO VISUAL CHARGES EXPONENT MUST BE NUMERIC.                                                                               | Both                    |
|                    | 2215            | PDS0560S2 AUDIO VISUAL CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                  | Both                    |
| PDS 0560,<br>s3    | 2185            | PDS0560S3 AUDIO VISUAL CHARGES SIGN MUST BE D OR C.                                                                                    | Both                    |
| PDS 0561           | 0863            | PDS0561 ADJUSTED AMOUNT MUST BE A FIXED LENGTH OF 013.                                                                                 | Both                    |
| PDS 0561,<br>s1    | 0318            | PDS0561S1 ADJUSTED AMOUNT INDICATOR MUST BE A SPACE, A, B, C, D, E, OR X.                                                              | Both                    |
| PDS 0561,<br>s2    | 0789            | PDS0561S2 ADJUSTED AMOUNT CANNOT EQUAL ALL SPACES OR ALL ZEROS IF PDS0561S1 ADJUSTED AMOUNT INDICATOR IS EQUAL TO A, B, C, D, E, OR X. | Both                    |
|                    | 2232            | PDS0561S2 ADJUSTED AMOUNT MUST BE NUMERIC AND GREATER THAN 0.                                                                          | Both                    |
| PDS 0562           | 2181            | PDS0562 BANQUET CHARGES MUST BE A FIXED LENGTH OF 014.                                                                                 | Both                    |
| PDS 0562,<br>s1    | 2183            | PDS0562S1 BANQUET CHARGES AMOUNT MUST BE NUMERIC.                                                                                      | Both                    |
| PDS 0562,<br>s2    | 2183            | PDS0562S2 BANQUET CHARGES EXPONENT MUST BE NUMERIC.                                                                                    | Both                    |
|                    | 2215            | PDS0562S2 BANQUET CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                       | Both                    |
| PDS 0562,<br>s3    | 2185            | PDS0562S3 BANQUET CHARGES SIGN MUST BE D OR C.                                                                                         | Both                    |
| PDS 0563           | 0865            | PDS0563 PROGRAM CODE MUST BE A FIXED LENGTH OF 002.                                                                                    | Both                    |
|                    | 2182            | PDS0563 PROGRAM CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                | Both                    |
|                    | 2184            | PDS0563 PROGRAM CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                      | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                           | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2189            | PDS0563 PROGRAM CODE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                                                    | Both                    |
| PDS 0564           | 2180            | PDS0564 RENTAL LOCATION CITY LENGTH MUST BE 001-025.                                                                                    | Both                    |
|                    | 2182            | PDS0564 RENTAL LOCATION CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                         | Both                    |
|                    | 2184            | PDS0564 RENTAL LOCATION CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                               | Both                    |
| PDS 0565           | 0866            | PDS0565 RENTAL LOCATION STATE/PROVINCE MUST BE A FIXED LENGTH OF 003.                                                                   | Both                    |
|                    | 0867            | PDS0565 RENTAL LOCATION STATE/PROVINCE MUST CONTAIN A VALID U.S. STATE/PROVINCE CODE IF PDS0566 RENTAL LOCATION COUNTRY CONTAINS "USA." | Both                    |
|                    | 2182            | PDS0565 RENTAL LOCATION STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                               | Both                    |
|                    | 2184            | PDS0565 RENTAL LOCATION STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                     | Both                    |
|                    | 2189            | PDS0565 RENTAL LOCATION STATE/PROVINCE REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                                  | Both                    |
| PDS 0566           | 1032            | PDS0566 RENTAL LOCATION COUNTRY MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                         | Both                    |
|                    | 1044            | PDS0566 RENTAL LOCATION COUNTRY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                   | Both                    |
|                    | 1133            | PDS0566 RENTAL LOCATION COUNTRY MUST BE A FIXED LENGTH OF 003.                                                                          | Both                    |
|                    | 2189            | PDS0566 RENTAL LOCATION COUNTRY REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.                                         | Both                    |
| PDS 0567           | 1134            | PDS0567 RENTAL LOCATION ID MUST BE A FIXED LENGTH OF 010.                                                                               | Both                    |
|                    | 2182            | PDS0567 RENTAL LOCATION ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                           | Both                    |
|                    | 2184            | PDS0567 RENTAL LOCATION ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                 | Both                    |
| PDS 0568           | 1135            | PDS0568 RENTAL CLASS ID MUST BE A FIXED LENGTH OF 004.                                                                                  | Both                    |
|                    | 2182            | PDS0568 RENTAL CLASS ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                              | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                            | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------|-------------------------|
|                    | 2184            | PDS0568 RENTAL CLASS ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                     | Both                    |
|                    | 2189            | PDS0568 RENTAL CLASS ID REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.  | Both                    |
| PDS 0569           | 2181            | PDS0569 INTERNET ACCESS MUST BE A FIXED LENGTH OF 014.                                   | Both                    |
| PDS 0569,<br>s1    | 2183            | PDS0569S1 INTERNET ACCESS AMOUNT MUST BE NUMERIC.                                        | Both                    |
| PDS 0569,<br>s2    | 2183            | PDS0569S2 INTERNET ACCESS EXPONENT MUST BE NUMERIC.                                      | Both                    |
|                    | 2215            | PDS0569S2 INTERNET ACCESS CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5. | Both                    |
| PDS 0569,<br>s3    | 2185            | PDS0569S3 INTERNET ACCESS CHARGES SIGN MUST BE D OR C.                                   | Both                    |
| PDS 0570           | 2181            | PDS0570 EARLY DEPARTURE CHARGES MUST BE A FIXED LENGTH OF 014.                           | Both                    |
| PDS 0570,<br>s1    | 2183            | PDS0570S1 EARLY DEPARTURE CHARGES AMOUNT MUST BE NUMERIC.                                | Both                    |
| PDS 0570,<br>s2    | 2183            | PDS0570S2 EARLY DEPARTURE CHARGES EXPONENT MUST BE NUMERIC.                              | Both                    |
|                    | 2215            | PDS0570S2 EARLY DEPARTURE CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5. | Both                    |
| PDS 0570,<br>s3    | 2185            | PDS0570S3 EARLY DEPARTURE CHARGES SIGN MUST BE D OR C.                                   | Both                    |
| PDS 0571           | 2180            | PDS0571 GUEST NAME LENGTH MUST BE 001-040.                                               | Both                    |
|                    | 2182            | PDS0571 GUEST NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.    | Both                    |
|                    | 2184            | PDS0571 GUEST NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                    |
| PDS 0572           | 2181            | PDS0572 GUEST NUMBER MUST BE A FIXED LENGTH OF 025.                                      | Both                    |
|                    | 2182            | PDS0572 GUEST NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.  | Both                    |
|                    | 2184            | PDS0572 GUEST NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                        | Both                    |
| PDS 0573           | 2180            | PDS0573 INVOICE NUMBER LENGTH MUST BE 001-025.                                           | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                       | Edit<br>performe<br>d by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2182            | PDS0573 INVOICE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                           | Both                        |
|                    | 2184            | PDS0573 INVOICE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                 | Both                        |
|                    | 2455            | PDS0573 INVOICE NUMBER MUST BE PRESENT IN AN ELECTRONIC INVOICE—TRANSACTION DATA ADDENDUM.                                          | Both                        |
| PDS 0574           | 0321            | PDS0574 ARRIVAL DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                     | Both                        |
|                    | 0491            | PDS0574 ARRIVAL DATE REQUIRED FOR LODGING TRANS. SUBMITTED FOR U.S. REGION TRAVEL INDUSTRIES PREMIER SERVICE INTERCHANGE PROGRAM.   | Both                        |
|                    | 0868            | PDS0574 ARRIVAL DATE MUST BE A FIXED LENGTH OF 006.                                                                                 | Both                        |
|                    | 2190            | PDS0574 ARRIVAL DATE REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                       | Both                        |
| PDS 0575           | 0491            | PDS0575 DEPARTURE DATE REQUIRED FOR LODGING TRANS. SUBMITTED FOR U.S. REGION TRAVEL INDUSTRIES PREMIER SERVICE INTERCHANGE PROGRAM. | Both                        |
|                    | 0869            | PDS0575 DEPARTURE DATE MUST BE A FIXED LENGTH OF 006.                                                                               | Both                        |
|                    | 1126            | PDS0575 DEPARTURE DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                   | Both                        |
|                    | 2190            | PDS0575 DEPARTURE DATE REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                     | Both                        |
| PDS 0576           | 0491            | PDS0576 FOLIO NUMBER REQUIRED FOR LODGING TRANS. SUBMITTED FOR U.S. REGION TRAVEL INDUSTRIES PREMIER SERVICE INTERCHANGE PROGRAM.   | Both                        |
|                    | 1045            | PDS0576 FOLIO NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                          | Both                        |
|                    | 2180            | PDS0576 FOLIO NUMBER LENGTH MUST BE 001–025.                                                                                        | Both                        |
|                    | 2182            | PDS0576 FOLIO NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                             | Both                        |
|                    | 2184            | PDS0576 FOLIO NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                        |
|                    | 2190            | PDS0576 FOLIO NUMBER REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                       | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                              | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0577           | 0491            | PDS0577 PROPERTY PHONE NUMBER REQUIRED FOR LODGING TRANS. SUBMITTED FOR U.S. REGION TRAVEL INDUSTRIES PREMIER SERVICE INTERCHANGE PROGRAM. | Both                    |
|                    | 1046            | PDS0577 PROPERTY PHONE NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                                                           | Both                    |
|                    | 2181            | PDS0577 PROPERTY NUMBER MUST BE A FIXED LENGTH OF 017.                                                                                     | Both                    |
|                    | 2184            | PDS0577 PROPERTY PHONE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                 | Both                    |
|                    | 2190            | PDS0577 PROPERTY PHONE NUMBER REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                     | Both                    |
|                    | 2259            | PDS0577 PROPERTY PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.           | Both                    |
| PDS 0578           | 2181            | PDS0578 BILLING ADJUSTMENT LENGTH MUST BE A FIXED LENGTH OF 015.                                                                           | Both                    |
| PDS 0578,<br>s1    | 0326            | PDS0578S1 BILLING ADJUSTMENT INDICATOR MUST BE Y, N, OR A SPACE.                                                                           | Both                    |
| PDS 0578,<br>s2    | 0327            | PDS0578S2 BILLING ADJUSTMENT AMOUNT INVALID. MUST BE NUMERIC.                                                                              | Both                    |
|                    | 0328            | PDS0578S2 BILLING ADJUSTED AMOUNT CANNOT EQUAL ALL ZEROS IF BILLING ADJUSTMENT INDICATOR IS EQUAL TO Y.                                    | Both                    |
| PDS 0578,<br>s3    | 2183            | PDS0578S3 BILING ADJUSTMENT EXPONENT MUST BE NUMERIC.                                                                                      | Both                    |
|                    | 2215            | PDS0578S3 BILLING ADJUSTMENT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                        | Both                    |
| PDS 0578,<br>s4    | 2185            | PDS0578S4 BILLING ADJUSTMENT SIGN MUST BE D OR C.                                                                                          | Both                    |
| PDS 0579           | 2181            | PDS0579 INVOICE DATE MUST BE A FIXED LENGTH OF 006.                                                                                        | Both                    |
|                    | 2183            | PDS0579 INVOICE DATE MUST BE NUMERIC.                                                                                                      | Both                    |
|                    | 2186            | PDS0579 INVOICE DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                            | Both                    |
| PDS 0580           | 2181            | PDS0580 ROOM RATE MUST BE A FIXED LENGTH OF 013.                                                                                           | Both                    |
|                    | 2190            | PDS0580 ROOM RATE REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.                                                                 | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                           | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------|-------------------------|
| PDS 0580,<br>s1    | 2183            | PDS0580S1 ROOM RATE AMOUNT MUST BE NUMERIC.                                             | Both                    |
| PDS 0580,<br>s2    | 2183            | PDS0580S2 ROOM RATE EXPONENT MUST BE NUMERIC.                                           | Both                    |
|                    | 2215            | PDS0580S2 ROOM RATE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.              | Both                    |
| PDS 0581           | 2181            | PDS0581 TOTAL ROOM TAX AMOUNT MUST BE A FIXED LENGTH OF 014.                            | Both                    |
|                    | 2190            | PDS0581 TOTAL ROOM TAX AMOUNT REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.  | Both                    |
| PDS 0581,<br>s1    | 2183            | PDS0581S1 TOTAL ROOM TAX AMOUNT MUST BE NUMERIC.                                        | Both                    |
| PDS 0581,<br>s2    | 2183            | PDS0581S2 TOTAL ROOM TAX EXPONENT MUST BE NUMERIC.                                      | Both                    |
|                    | 2215            | PDS0581S2 TOTAL ROOM TAX EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.            | Both                    |
| PDS 0581,<br>s3    | 2185            | PDS0581S3 TOTAL ROOM TAX SIGN MUST BE D OR C.                                           | Both                    |
| PDS 0582           | 0875            | PDS0582 PROGRAM CODE MUST BE A FIXED LENGTH OF 002.                                     | Both                    |
|                    | 2182            | PDS0582 PROGRAM CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0582 PROGRAM CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
| PDS 0583           | 2181            | PDS0583 PHONE CHARGES AMOUNT MUST BE FIXED LENGTH OF 014.                               | Both                    |
| PDS 0583,<br>s1    | 2183            | PDS0583S1 PHONE CHARGES AMOUNT MUST BE NUMERIC.                                         | Both                    |
| PDS 0583,<br>s2    | 2183            | PDS0583S2 PHONE CHARGES EXPONENT MUST BE NUMERIC.                                       | Both                    |
|                    | 2215            | PDS0583S2 PHONE CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.             | Both                    |
| PDS 0583,<br>s3    | 2185            | PDS0583S3 PHONE CHARGES SIGN MUST BE D OR C.                                            | Both                    |
| PDS 0584           | 2181            | PDS0584 RESTAURANT CHARGES AMOUNT MUST BE A FIXED LENGTH OF 014.                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0584,<br>s1    | 2183            | PDS0584S1 RESTAURANT CHARGES AMOUNT MUST BE NUMERIC.                                           | Both                    |
| PDS 0584,<br>s2    | 2183            | PDS0584S2 RESTAURANT CHARGES EXPONENT MUST BE NUMERIC.                                         | Both                    |
|                    | 2215            | PDS0584S2 RESTAURANT CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.               | Both                    |
| PDS 0584,<br>s3    | 2185            | PDS0584S3 RESTAURANT CHARGES SIGN MUST BE D OR C.                                              | Both                    |
| PDS 0585           | 2181            | PDS0585 MINI-BAR CHARGES AMOUNT MUST BE A FIXED LENGTH OF 014.                                 | Both                    |
| PDS 0585,<br>s1    | 2183            | PDS0585S1 MINI-BAR CHARGES AMOUNT MUST BE NUMERIC.                                             | Both                    |
| PDS 0585,<br>s2    | 2183            | PDS0585S2 MINI-BAR CHARGES EXPONENT MUST BE NUMERIC.                                           | Both                    |
|                    | 2215            | PDS0585S2 MINI BAR CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.                 | Both                    |
| PDS 0585,<br>s3    | 2185            | PDS0585S3 MINI-BAR CHARGES SIGN MUST BE D OR C.                                                | Both                    |
| PDS 0586           | 2181            | PDS0586 GIFT SHOP CHARGES AMOUNT MUST BE A FIXED LENGTH OF 014.                                | Both                    |
| PDS 0586,<br>s1    | 2183            | PDS0586S1 GIFT SHOP CHARGES AMOUNT MUST BE NUMERIC.                                            | Both                    |
| PDS 0586,<br>s2    | 2183            | PDS0586S2 GIFT SHOP CHARGES EXPONENT MUST BE NUMERIC.                                          | Both                    |
|                    | 2215            | PDS0586S2 GIFT SHOP CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.                | Both                    |
| PDS 0586,<br>s3    | 2185            | PDS0586S3 GIFT SHOP CHARGES SIGN MUST BE D OR C.                                               | Both                    |
| PDS 0587           | 2181            | PDS0587 LAUNDRY & DRY CLEANING CHARGES MUST BE FIXED LENGTH OF 014.                            | Both                    |
| PDS 0587,<br>s1    | 2183            | PDS0587S1 LAUNDRY AND DRY CLEANING CHARGES AMOUNT MUST BE NUMERIC.                             | Both                    |
| PDS 0587,<br>s2    | 2183            | PDS0587S2 LAUNDRY AND DRY CLEANING CHARGES EXPONENT MUST BE NUMERIC.                           | Both                    |
|                    | 2215            | PDS0587S2 LAUNDRY AND DRY CLEANING CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                           | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0587,<br>s3    | 2185            | PDS0587S3 LAUNDRY & DRY CLEANING CHARGES SIGN MUST BE D OR C.                                           | Both                    |
| PDS 0588           | 2236            | PDS0588 OTHER SERVICES LENGTH MUST BE 017-102 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 17. | Both                    |
| PDS 0588,<br>s1    | 2182            | PDS0588S1 OTHER SERVICES CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.        | Both                    |
|                    | 2184            | PDS0588S1 OTHER SERVICES CODE CANNOT BE ALL LOW-VALUES OR HIGH-VALUES.                                  | Both                    |
| PDS 0588,<br>s2    | 2183            | PDS0588S2 OTHER SERVICES AMOUNT MUST BE NUMERIC.                                                        | Both                    |
| PDS 0588,<br>s3    | 2183            | PDS0588S3 OTHER SERVICES EXPONENT MUST BE NUMERIC.                                                      | Both                    |
|                    | 2215            | PDS0588S3 OTHER SERVICES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                         | Both                    |
| PDS 0588,<br>s4    | 2185            | PDS0588S4 OTHER SERVICES SIGN MUST BE D OR C.                                                           | Both                    |
| PDS 0589           | 2181            | PDS0589 INVOICE CREATION DATE/TIME MUST BE A FIXED LENGTH OF 012.                                       | Both                    |
| PDS 0589,<br>s1    | 2183            | PDS0589S1 INVOICE CREATION DATE MUST BE NUMERIC.                                                        | Both                    |
|                    | 2186            | PDS0589S1 INVOICE CREATION DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                              | Both                    |
| PDS 0589,<br>s2    | 2183            | PDS0589S2 INVOICE CREATION TIME MUST BE NUMERIC.                                                        | Both                    |
|                    | 2238            | PDS0589S2 INVOICE CREATION TIME MUST BE A VALID TIME IN THE FORMAT HHMMSS.                              | Both                    |
| PDS 0590           | 2181            | PDS0590 PARTY IDENTIFICATION MUST BE A FIXED LENGTH OF 002.                                             | Both                    |
|                    | 2185            | PDS0590 PARTY IDENTIFICATION MUST BE BY, SU, IV, PE, DP, OR SF.                                         | Both                    |
| PDS 0591           | 2236            | PDS0591 PARTY NAME LENGTH MUST BE 040-120 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 040.    | Both                    |
| PDS 0591,<br>s1    | 2182            | PDS0591S1 PARTY NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                 | Both                    |
|                    | 2184            | PDS0591S1 PARTY NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                       | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                           | Edit<br>performe<br>d by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0592           | 2236            | PDS0592 PARTY ADDRESS LENGTH MUST BE 040–240 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 040. | Both                        |
| PDS 0592,<br>s1    | 2182            | PDS0592S1 PARTY ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                        |
|                    | 2184            | PDS0592S1 PARTY ADDRESS LINE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                        |
| PDS 0593           | 2180            | PDS0593 PARTY POSTAL INFORMATION LENGTH MUST BE 025–046.                                                | Both                        |
| PDS 0593,<br>s1    | 2181            | PDS0593S1 CITY MUST BE A FIXED LENGTH OF 025.                                                           | Both                        |
|                    | 2182            | PDS0593S1 CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                       | Both                        |
|                    | 2184            | PDS0593S1 CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                             | Both                        |
| PDS 0593,<br>s2    | 2181            | PDS0593S2 STATE/PROVINCE CODE MUST BE FIXED LENGTH OF 003.                                              | Both                        |
|                    | 2182            | PDS0593S2 STATE/PROVINCE CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.        | Both                        |
|                    | 2184            | PDS0593S2 STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                   | Both                        |
| PDS 0593,<br>s3    | 2181            | PDS0593S3 COUNTRY CODE MUST BE FIXED LENGTH OF 003.                                                     | Both                        |
|                    | 2182            | PDS0593S3 COUNTRY CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.               | Both                        |
|                    | 2184            | PDS0593S3 COUNTRY CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                     | Both                        |
| PDS 0593,<br>s4    | 2181            | PDS0593S4 POSTAL CODE MUST BE FIXED LENGTH OF 015.                                                      | Both                        |
|                    | 2182            | PDS0593S4 POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                        |
|                    | 2184            | PDS0593S4 POSTAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                      | Both                        |
| PDS 0594           | 2236            | PDS0594 PARTY CONTACT LENGTH MUST BE 061–305 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 61.  | Both                        |
| PDS 0594,<br>s1    | 2183            | PDS0594S1 PARTY CONTACT DESCRIPTOR MUST BE NUMERIC.                                                     | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2185            | PDS0594S1 PARTY CONTACT DESCRIPTOR MUST BE 1, 2, 3, 4, OR 5.                                                                                                 | Both                    |
| PDS 0594,<br>s2    | 2182            | PDS0594S2 PARTY CONTACT INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                       | Both                    |
|                    | 2184            | PDS0594S2 PARTY CONTACT INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                             | Both                    |
| PDS 0595           | 0650            | PDS0595 ACCEPTOR TYPE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                                  | Both                    |
|                    | 1023            | PDS0595 ACCEPTOR TYPE MUST BE PRESENT.                                                                                                                       | Both                    |
|                    | 2181            | PDS0595 ACCEPTOR TYPE MUST BE A FIXED LENGTH OF 008.                                                                                                         | Both                    |
|                    | 2277            | PDS0595 ACCEPTOR TYPE, PDS0597 TOTAL TAX AMOUNT REQUIRED FOR TRANSACTIONS FOR THE SUBMITTED INTERCHANGE PROGRAM.                                             | Both                    |
| PDS 0595,<br>s1    | 2184            | PDS0595S1 BUSINESS TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                         | Both                    |
|                    | 2185            | PDS0519S1 HOURS OF OPERATION/24 HOUR AVAILABLE MUST BE A VALUE OF Y OR N.                                                                                    | Both                    |
|                    | 2185            | PDS0595S1 BUSINESS TYPE INVALID. MUST BE 1, 2, 3, 4, 5, 6, 7, 8, or 9.                                                                                       | Both                    |
|                    | 2367            | PDS0595S1 BUSINESS TYPE INVALID FOR CORPORATE CARD TRANSACTIONS CONDUCTED WITH A U.S.-BASED MERCHANT.                                                        | Both                    |
|                    | 2466            | IF PDS0595S5 (BUSINESS TYPE PROVIDED CODE) CONTAINS THE VALUE OF R, THEN PDS0595S1 MUST BE 2.                                                                | Both                    |
| PDS 0595,<br>s2    | 2184            | PDS0595S2 BUSINESS OWNER TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                   | Both                    |
| PDS 0595,<br>s3    | 2184            | PDS0595S3 BUSINESS CERTIFICATION TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                           | Both                    |
| PDS 0595,<br>s4    | 2184            | PDS0595S4 BUSINESS RACIAL/ETHNIC TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                           | Both                    |
| PDS 0595,<br>s5    | 2185            | PDS0595S5 BUSINESS TYPE PROVIDED MUST BE Y, N, OR R.                                                                                                         | Both                    |
|                    | 2365            | PDS0595S5 BUSINESS TYPE PROVIDED CODE INVALID. THE BUSINESS TYPE PROVIDED CODE MUST BE Y FOR CORPORATE CARD TRANSACTIONS CONDUCTED WITH A US-BASED MERCHANT. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2436            | PDS0595S5 BUSINESS TYPE PROVIDED CODE VALUE INVALID FOR THE INTERCHANGE PROGRAM.                                                                 | Both                    |
|                    | 2466            | IF PDS0595S5 (BUSINESS TYPE PROVIDED CODE) CONTAINS THE VALUE OF R, THEN PDS0595S1 MUST BE 2.                                                    | Both                    |
| PDS 0595,<br>s6    | 2185            | PDS0595S6 BUSINESS OWNER TYPE PROVIDED MUST BE Y, N, OR R.                                                                                       | Both                    |
| PDS 0595,<br>s7    | 2185            | PDS0595S7 BUSINESS CERTIFICATION TYPE PROVIDED MUST BE Y, N, OR R.                                                                               | Both                    |
| PDS 0595,<br>s8    | 2185            | PDS0595S8 BUSINESS RACIAL/ETHNIC TYPE MUST BE Y, N, OR R.                                                                                        | Both                    |
| PDS 0596           | 0948            | PDS0596 ACCEPTOR TAX ID REQUIRED FOR THE INTERNATIONAL COMMERCIAL PURCHASING DATA RATE II INTERCHANGE PROGRAMS.                                  | Both                    |
|                    | 2181            | PDS0596 ACCEPTOR TAX ID MUST BE A FIXED LENGTH OF 021.                                                                                           | Both                    |
|                    | 2333            | PDS0596 ACCEPTOR TAX ID MUST BE PRESENT IN A CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE.                                            | Both                    |
|                    | 2350            | PDS0596 ACCEPTOR TAX ID MUST BE PRESENT.                                                                                                         | Both                    |
| PDS 0596,<br>s1    | 2207            | THE VALUE IN PDS0596S1 ACCEPTOR TAX ID IS CONTAINED IN A LIST OF INVALID VALUES FOR THIS ELEMENT.                                                | Both                    |
|                    | 2257            | PDS0596S1 ACCEPTOR TAX ID MUST CONTAIN 9 NUMERIC CHARACTERS WITH TRAILING SPACES.                                                                | Both                    |
|                    | 2347            | PDS0596S1 ACCEPTOR TAX ID CANNOT CONTAIN ALL ZEROS, ALL NINES, ALL SPACES, ALL LOW-VALUES OR ALL HIGH-VALUES.                                    | Both                    |
|                    | 2348            | CORPORATE CARD COMMON ADDENDUM MUST BE PROVIDED.                                                                                                 | Both                    |
|                    | 2540            | PDS0596S1ACCEPTOR TAX ID VALUE INVALID. VALUE MUST BE THE SAME FOR ALL OCCURRENCES.                                                              | Both                    |
|                    | 2543            | PDS0596S1 ACCEPTOR TAX ID MUST BE PRESENT AND CANNOT CONTAIN ALL ZEROS, ALL NINES, ALL SPACES, ALL LOW VALUES, OR ALL HIGH VALUES.               | Both                    |
| PDS 0596,<br>s2    | 2185            | PDS0596S2 ACCEPTOR TAX ID MUST BE Y, N, OR R.                                                                                                    | Both                    |
|                    | 2346            | PDS0596S2 ACCEPTOR TAX ID PROVIDED CODE INVALID. THE ACCEPTOR TAX ID MUST BE PROVIDED FOR THE BUSINESS SERVICE, INTERCHANGE PROGRAM COMBINATION. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2436            | PDS0596S2 ACCEPTOR TAX ID PROVIDED CODE VALUE INVALID FOR THE INTERCHANGE PROGRAM.                                                             | Both                    |
| PDS 0597           | 1137            | PDS0597 TOTAL TAX AMOUNT REQUIRED FOR U.S. REGION FACE TO FACE, DATA RATE II, OR DATA RATE III INTERCHANGE PROGRAMS.                           | Both                    |
|                    | 2181            | PDS0597 TOTAL TAX AMOUNT MUST BE A FIXED LENGTH OF 014.                                                                                        | Both                    |
|                    | 2277            | PDS0597 TOTAL TAX AMOUNT REQUIRED FOR TRANSACTIONS FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                      | Both                    |
|                    | 2297            | PDS0597 TOTAL TAX AMOUNT REQUIRED FOR THE SHIPPING/ COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET. | Both                    |
|                    | 2333            | PDS0597 TOTAL TAX AMOUNT 1 MUST BE PRESENT IN A CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE                                        | Both                    |
| PDS 0597,<br>s1    | 2183            | PDS0597S1 TOTAL TAX AMOUNT MUST BE NUMERIC.                                                                                                    | Both                    |
|                    | 2456            | PDS0597S1 TOTAL TAX AMOUNT CANNOT BE EQUAL TO ZERO.                                                                                            | Both                    |
|                    | 2461            | PDS0597S1 TOTAL TAX AMOUNT MUST BE .1% THROUGH 30% OF DE4 AMOUNT, TRANSACTION.                                                                 | Both                    |
| PDS 0597,<br>s2    | 2183            | PDS0597S2 TOTAL TAX AMOUNT EXPONENT MUST BE NUMERIC.                                                                                           | Both                    |
|                    | 2215            | PDS0597S2 TOTAL TAX AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.                                                                 | Both                    |
| PDS 0597,<br>s3    | 2185            | PDS0597S3 TOTAL TAX AMOUNT SIGN MUST BE D OR C.                                                                                                | Both                    |
| PDS 0598           | 0277            | PDS0598 TOTAL TAX COLLECTED INDICATOR MUST BE Y, N, 0, OR A SPACE.                                                                             | Both                    |
|                    | 0883            | PDS0598 TOTAL TAX COLLECTED INDICATOR MUST BE A FIXED LENGTH OF 001.                                                                           | Both                    |
|                    | 2184            | PDS0598 TOTAL TAX COLLECTED INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                             | Both                    |
| PDS 0599           | 1081            | PDS0599 CORPORATION VAT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                           | Both                    |
|                    | 2180            | PDS0599 CORPORATION VAT NUMBER LENGTH MUST BE 001-020.                                                                                         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2182            | PDS0599 CORPORATION VAT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                    |
|                    | 2184            | PDS0599 CORPORATION VAT NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                         | Both                    |
| PDS 0600           | 0951            | PDS0600 ACCEPTOR REFERENCE NUMBER LENGTH MUST BE 001-025.                                                           | Both                    |
|                    | 2182            | PDS0600 ACCEPTOR REFERENCE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                    |
|                    | 2184            | PDS0600 CARD REFERENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                          | Both                    |
|                    | 2333            | PDS0600 ACCEPTOR REFERENCE NUMBER MUST BE PRESENT IN A CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE.     | Both                    |
| PDS 0601           | 2181            | PDS0601 PARTY NATURE OF FILING MUST BE A FIXED LENGTH 001.                                                          | Both                    |
|                    | 2185            | PDS0601 PARTY NATURE OF FILING MUST BE P, S, E, OR N.                                                               | Both                    |
| PDS 0602           | 2236            | PDS0602 PARTY SUPPLEMENTAL DATA 1 LENGTH MUST BE 084-672 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 084. | Both                    |
| PDS 0602,<br>s1    | 2182            | PDS0602S1 PARTY SUPPLEMENTAL DATA DESCRIPTION 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.  | Both                    |
|                    | 2184            | PDS0602S1 PARTY SUPPLEMENTAL DATA DESCRIPTION 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                        | Both                    |
| PDS 0602,<br>s2    | 2182            | PDS0602S2 PARTY SUPPLEMENTAL DATA 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                    |
|                    | 2184            | PDS0602S2 PARTY SUPPLEMENTAL DATA 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                    | Both                    |
| PDS 0602,<br>s3    | 2182            | PDS0602S3 PARTY SUPPLEMENTAL DATA CODE 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.         | Both                    |
|                    | 2184            | PDS0602S3 PARTY SUPPLEMENTAL DATA CODE 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                    |
| PDS 0603           | 2236            | PDS0603 PARTY SUPPLEMENTAL DATA 2 LENGTH MUST BE 084-672 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 084. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0603,<br>s1    | 2182            | PDS0603S1 PARTY SUPPLEMENTAL DATA DESCRIPTION 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.        | Both                    |
|                    | 2184            | PDS0603S1 PARTY SUPPLEMENTAL DATA DESCRIPTION 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                              | Both                    |
| PDS 0603,<br>s2    | 2182            | PDS0603S2 PARTY SUPPLEMENTAL DATA 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                    | Both                    |
|                    | 2184            | PDS0603S2 PARTY SUPPLEMENTAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                          | Both                    |
| PDS 0603,<br>s3    | 2182            | PDS0603S3 PARTY SUPPLEMENTAL DATA CODE 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.               | Both                    |
|                    | 2184            | PDS0603S3 PARTY SUPPLEMENTAL DATA CODE 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                     | Both                    |
| PDS 0604           | 2236            | PDS0604 TRANSACTION SUPPLEMENTAL DATA 1 LENGTH MUST BE 084-672 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 084. | Both                    |
| PDS 0604,<br>s1    | 2182            | PDS0604S1 TRANSACTION SUPPLEMENTAL DATA DESCRIPTION 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.  | Both                    |
|                    | 2184            | PDS0604S1 TRANSACTION SUPPLEMENTAL DATA DESCRIPTION 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                        | Both                    |
| PDS 0604,<br>s2    | 2182            | PDS0604S2 TRANSACTION SUPPLEMENTAL DATA 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.              | Both                    |
|                    | 2184            | PDS0604S2 TRANSACTION SUPPLEMENTAL DATA 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                    | Both                    |
| PDS 0604,<br>s3    | 2182            | PDS0604S3 TRANSACTION SUPPLEMENTAL DATA CODE 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.         | Both                    |
|                    | 2184            | PDS0604S3 TRANSACTION SUPPLEMENTAL DATA CODE 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                    |
| PDS 0605           | 2236            | PDS0605 TRANSACTION SUPPLEMENTAL DATA 2 LENGTH MUST BE 084-672 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 084. | Both                    |
| PDS 0605,<br>s1    | 2182            | PDS0605S1 TRANSACTION SUPPLEMENTAL DATA DESCRIPTION 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.  | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2184            | PDS0605S1 TRANSACTION SUPPLEMENTAL DATA DESCRIPTION 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                | Both                    |
| PDS 0605,<br>s2    | 2182            | PDS0605S2 TRANSACTION SUPPLEMENTAL DATA 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.      | Both                    |
|                    | 2184            | PDS0605S2 TRANSACTION SUPPLEMENTAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                            | Both                    |
| PDS 0605,<br>s3    | 2182            | PDS0605S3 TRANSACTION SUPPLEMENTAL DATA CODE 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0605S3 TRANSACTION SUPPLEMENTAL DATA CODE 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
| PDS 0606           | 2181            | PDS0606 FREIGHT AMOUNT MUST BE A FIXED LENGTH OF 014.                                                             | Both                    |
| PDS 0606,<br>s1    | 2183            | PDS0606S1 FREIGHT AMOUNT MUST BE NUMERIC.                                                                         | Both                    |
| PDS 0606,<br>s2    | 2183            | PDS0606S2 FREIGHT AMOUNT EXPONENT MUST BE NUMERIC.                                                                | Both                    |
|                    | 2215            | PDS0606S2 FREIGHT AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                                   | Both                    |
| PDS 0606,<br>s3    | 2185            | PDS0606S3 FREIGHT AMOUNT SIGN MUST BE D OR C.                                                                     | Both                    |
| PDS 0607           | 2181            | PDS0607 DUTY AMOUNT MUST BE A FIXED LENGTH OF 014.                                                                | Both                    |
| PDS 0607,<br>s1    | 2183            | PDS0607S1 DUTY AMOUNT MUST BE NUMERIC.                                                                            | Both                    |
| PDS 0607,<br>s2    | 2183            | PDS0607S2 DUTY AMOUNT EXPONENT MUST BE NUMERIC.                                                                   | Both                    |
|                    | 2215            | PDS0607S2 DUTY AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                                      | Both                    |
| PDS 0607,<br>s3    | 2185            | PDS0607S3 DUTY AMOUNT SIGN MUST BE D OR C.                                                                        | Both                    |
| PDS 0608           | 0886            | PDS0608 DESTINATION POSTAL CODE MUST BE A FIXED LENGTH OF 010.                                                    | Both                    |
|                    | 2182            | PDS0608 DESTINATION POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                | Both                    |
|                    | 2184            | PDS0608 DESTINATION POSTAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                      | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2333            | PDS0608 DESTINATION POSTAL CODE MUST BE PRESENT IN A CORPORATE CARD COMMON DATA REQUIREMENT ADDENDUM MESSAGE | Both                    |
| PDS 0609           | 0887            | PDS0609 DESTINATION STATE/PROVINCE CODE MUST BE A FIXED LENGTH OF 003.                                       | Both                    |
|                    | 0888            | PDS0609 DESTINATION STATE/PROVINCE CODE INVALID. MUST CONTAIN A VALID U.S. STATE CODE.                       | Both                    |
|                    | 2182            | PDS0609 DESTINATION STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.        | Both                    |
|                    | 2184            | PDS0609 DESTINATION STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                              | Both                    |
| PDS 0610           | 0889            | PDS0610 DESTINATION COUNTRY CODE MUST BE A FIXED LENGTH OF 003.                                              | Both                    |
|                    | 0890            | DESTINATION COUNTRY CODE INVALID. MUST CONTAIN A VALID COUNTRY CODE.                                         | Both                    |
| PDS 0611           | 2181            | PDS0611 SEQUENCE NUMBER MUST BE A FIXED LENGTH OF 003.                                                       | Both                    |
|                    | 2182            | IF PRESENT PDS0611 SEQUENCE NUMBER MUST BE LEFT-JUSTIFIED AND CANNOT BE ALL ZEROS OR SPACES.                 | Both                    |
|                    | 2184            | PDS0611 SEQUENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                         | Both                    |
| PDS 0612           | 2181            | PDS0612 SHIP DATE MUST BE A FIXED LENGTH OF 006.                                                             | Both                    |
|                    | 2183            | PDS0612 SHIP DATE MUST BE NUMERIC.                                                                           | Both                    |
|                    | 2186            | PDS0612 SHIP DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                 | Both                    |
| PDS 0613           | 0893            | PDS0613 SHIP-FROM POSTAL CODE MUST BE A FIXED LENGTH OF 010.                                                 | Both                    |
|                    | 2182            | PDS0613 SHIP-FROM POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                    |
|                    | 2184            | PDS0613 SHIP-FROM POSTAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                   | Both                    |
| PDS 0614           | 0283            | PDS0614 ORDER DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                | Both                    |
|                    | 0894            | PDS0614 ORDER DATE LENGTH MUST BE A FIXED LENGTH OF 6.                                                       | Both                    |
| PDS 0615           | 2180            | PDS0615 MEDICAL SERVICES SHIP TO HEALTH INDUSTRY NUMBER LENGTH MUST BE 001-040.                              | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2182            | PDS0615 MEDICAL SERVICES SHIP TO HEALTH INDUSTRY NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                         | Both                    |
|                    | 2184            | PDS0615 MEDICAL SERVICES SHIP TO HEALTH INDUSTRY NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                               | Both                    |
| PDS 0616           | 2180            | PDS0616 CONTRACT NUMBER LENGTH MUST BE 001-040.                                                                                                    | Both                    |
|                    | 2182            | PDS0616 CONTRACT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                         | Both                    |
|                    | 2184            | PDS0616 CONTRACT NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                               | Both                    |
| PDS 0617           | 2181            | PDS0617 MEDICAL SERVICES PRICE ADJUSTMENT MUST BE A FIXED LENGTH OF 001.                                                                           | Both                    |
|                    | 2185            | PDS0617 MEDICAL SERVICES PRICE ADJUSTMENT MUST BE A, B, C, OR D.                                                                                   | Both                    |
| PDS 0618           | 2181            | PDS0618 MEDICAL SERVICES PRODUCT NUMBER QUALIFIER MUST BE A FIXED LENGTH OF 002.                                                                   | Both                    |
|                    | 2185            | PDS0618 MEDICAL SERVICES PRODUCT NUMBER QUALIFIER MUST BE 01, 02, OR 03.                                                                           | Both                    |
| PDS 0619           | 2180            | PDS0619 USER NAME LENGTH MUST BE 001-040.                                                                                                          | Both                    |
|                    | 2182            | PDS0619 USER NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                               | Both                    |
|                    | 2184            | PDS0619 USER NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                     | Both                    |
| PDS 0620           | 0329            | PDS0620 OIL COMPANY BRAND NAME MUST CONTAIN A VALUE IN THE VALUE RANGE/LIST TABLE IP2113T1.                                                        | Both                    |
|                    | 0348            | PDS0620 OIL COMPANY BRAND NAME, PDS0621 PURCHASE TIME REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS FOR THE SUBMITTED INTERCHANGE PROGRAM. | Both                    |
|                    | 0895            | PDS0620 OIL COMPANY BRAND NAME MUST BE A FIXED LENGTH OF 004.                                                                                      | Both                    |
|                    | 0953            | PDS0620 OIL COMPANY BRAND NAME REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS FOR THE SUBMITTED IRD.                                        | Both                    |
|                    | 3030            | PDS0620 OIL COMPANY BRAND NAME, PDS0621 PURCHASE TIME REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS FOR THE SUBMITTED INTERCHANGE PROGRAM. | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0621           | 0330            | PDS0621 PURCHASE TIME INVALID. MUST BE IN THE FORMAT HHMM. HOURS MUST BE 00–23 AND MINUTES MUST BE 00–59.                                                                                                                                                       | Both                    |
|                    | 0348            | PDS0621 PURCHASE TIME REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                                                                                                              | Both                    |
|                    | 0896            | PDS0621 PURCHASE TIME MUST BE A FIXED LENGTH OF 004.                                                                                                                                                                                                            | Both                    |
|                    | 3030            | PDS0621 PURCHASE TIME REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                                                                                                              | Both                    |
| PDS 0622           | 0897            | PDS0622 MOTOR FUEL SERVICE TYPE MUST BE A FIXED LENGTH OF 001.                                                                                                                                                                                                  | Both                    |
|                    | 2264            | PDS0622 MOTOR FUEL SERVICE TYPE MUST BE PRESENT.                                                                                                                                                                                                                | Both                    |
|                    | 2420            | PDS0622 INVALID. MUST BE 1 OR 2.                                                                                                                                                                                                                                | Both                    |
|                    | 3022            | PDS0783 FLEET PRODUCT CODE, PDS0784 FLEET ITEM DESCRIPTION, PDS0785 FLEET ITEM QUANTITY, PDS0786 FLEET ITEM UNIT OF MEASURE, PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                    |
|                    | 3025            | PDS0783 FLEET PRODUCT CODE, PDS0784 FLEET ITEM DESCRIPTION, PDS0785 FLEET ITEM QUANTITY, PDS0786 FLEET ITEM UNIT OF MEASURE, PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                    |
|                    | 3028            | PDS0622 MOTOR FUEL SERVICE TYPE MUST BE PRESENT.                                                                                                                                                                                                                | Both                    |
| PDS 0623           | 1034            | PDS0623 MOTOR FUEL INFORMATION REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS IN WHICH PDS 0622 CONTAINS A VALUE OTHER THAN 3 FOR THE SUBMITTED IRD.                                                                                                     | Both                    |
|                    | 2181            | PDS0623 MOTOR FUEL INFORMATION MUST BE A FIXED LENGTH OF 035.                                                                                                                                                                                                   | Both                    |
| PDS 0623,<br>s1    | 0332            | PDS0623S1 MOTOR FUEL PRODUCT CODE MUST BE NUMERIC.                                                                                                                                                                                                              | Both                    |
|                    | 0333            | PDS0623S1 MOTOR FUEL PRODUCT CODE INVALID. MUST BE 001-009, 011-029, 100-102, 150-150, 200-209.                                                                                                                                                                 | Both                    |
| PDS 0623,<br>s2    | 0339            | PDS0623S2 MOTOR FUEL UNIT PRICE MUST BE NUMERIC.                                                                                                                                                                                                                | Both                    |
| PDS 0623,<br>s3    | 0337            | PDS0623S3 MOTOR FUEL UNIT OF MEASURE MUST CONTAIN SPACE, 1-8.                                                                                                                                                                                                   | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0623,<br>s4    | 1054            | PDS0623S4 MOTOR FUEL QUANTITY MUST BE NUMERIC AND GREATER THAN 0.                                        | Both                    |
| PDS 0623,<br>s5    | 0336            | PDS0623S5 MOTOR FUEL QUANTITY EXPONENT MUST BE 0–5.                                                      | Both                    |
| PDS 0623,<br>s6    | 0341            | PDS0623S6 MOTOR FUEL SALE AMOUNT MUST BE NUMERIC AND GREATER THAN 0.                                     | Both                    |
|                    | 2427            | THE MOTOR FUEL SALE AMOUNT IS NOT EQUAL TO THE PRODUCT OF MOTOR FUEL UNIT PRICE AND MOTOR FUEL QUANTITY. | Both                    |
| PDS 0624           | 2180            | PDS0624 USER ACCOUNT NUMBER LENGTH MUST BE 001–040.                                                      | Both                    |
|                    | 2182            | PDS0624 USER ACCOUNT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.           | Both                    |
|                    | 2184            | PDS0624 USER ACCOUNT NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                    |
| PDS 0625           | 2180            | PDS0625 USER TELEPHONE NUMBER LENGTH MUST BE 001–025.                                                    | Both                    |
|                    | 2182            | PDS0625 USER TELEPHONE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.         | Both                    |
|                    | 2184            | PDS0625 USER TELEPHONE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                    |
|                    | 2181            | PDS0626 BILLING STATEMENT PERIOD MUST BE A FIXED LENGTH OF 012.                                          | Both                    |
| PDS 0626,<br>s1    | 2183            | PDS0626S1 STATEMENT START DATE MUST BE NUMERIC.                                                          | Both                    |
|                    | 2186            | PDS0626S1 STATEMENT START DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                | Both                    |
| PDS 0626,<br>s2    | 2183            | PDS0626S2 STATEMENT END DATE MUST BE NUMERIC.                                                            | Both                    |
|                    | 2186            | PDS0626S2 STATEMENT END DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                  | Both                    |
| PDS 0627           | 2236            | PDS0627 BILLING EVENT 1 LENGTH MUST BE 54–540 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 054. | Both                    |
| PDS 0627,<br>s1    | 2183            | PDS0627S1 BILLING EVENT 1 AMOUNT MUST BE NUMERIC.                                                        | Both                    |
| PDS 0627,<br>s2    | 2183            | PDS0627S2 BILLING EVENT EXPONENT 1 MUST BE NUMERIC.                                                      | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2215            | PDS0627S2 BILLING EVENT EXPONENT 1 MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                                             | Both                    |
| PDS 0627,<br>s3    | 2185            | PDS0627S3 BILLING EVENT SIGN 1 MUST BE D OR C.                                                                                                               | Both                    |
| PDS 0627,<br>s4    | 2182            | PDS0627S4 BILLING EVENT DESCRIPTION 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                     | Both                    |
|                    | 2184            | PDS 627S4 BILLING EVENT DESCRIPTION 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                           | Both                    |
| PDS 0628           | 2236            | PDS0628 BILLING EVENT 2 LENGTH MUST BE 54-540 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 054.                                                     | Both                    |
| PDS 0628,<br>s1    | 2183            | PDS0628S1 BILLING EVENT AMOUNT 2 MUST BE NUMERIC.                                                                                                            | Both                    |
| PDS 0628,<br>s2    | 2183            | PDS0628S2 BILLING EVENT EXPONENT 2 MUST BE NUMERIC.                                                                                                          | Both                    |
|                    | 2215            | PDS0628S2 BILLING EVENT EXPONENT 2 MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                                             | Both                    |
| PDS 0628,<br>s3    | 2185            | PDS0628S3 BILLING EVENT SIGN 2 MUST BE D OR C.                                                                                                               | Both                    |
| PDS 0628,<br>s4    | 2182            | PDS0628S4 BILLING EVENT DESCRIPTION 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                     | Both                    |
|                    | 2184            | PDS0628S4 BILLING EVENT DESCRIPTION 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                           | Both                    |
| PDS 0629           | 0343            | PDS0629 ODOMETER READING MUST BE PRESENT IF PDS 0632 IS 1-4 FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS FOR THE SUBMITTED IRD.                              | Both                    |
|                    | 0960            | PDS0629 ODOMETER READING LENGTH MUST BE 1-7.                                                                                                                 | Both                    |
|                    | 2182            | PDS0629 ODOMETER READING MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                  | Both                    |
|                    | 2184            | PDS0629 ODOMETER READING CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                        | Both                    |
| PDS 0630           | 0345            | PDS0630 VEHICLE NUMBER MUST BE PRESENT IF PDS0632 IS '2,' PDS 0631 IS NOT PRESENT, AND IT IS FLEET AT FUEL SUBMITTED FOR THIS CORPORATE INTERCHANGE PROGRAM. | Both                    |
|                    | 0961            | PDS0630 VEHICLE NUMBER LENGTH MUST BE 1-17.                                                                                                                  | Both                    |
|                    | 2182            | PDS0630 VEHICLE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2184            | PDS0630 VEHICLE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                    |
| PDS 0631           | 0347            | PDS0631 DRIVER NUMBER/ID NUMBER MUST BE PRESENT AND FIRST POSITION NUMERIC.                        | Both                    |
|                    | 0962            | PDS0631 DRIVER NUMBER/ID NUMBER LENGTH MUST BE 1-17.                                               | Both                    |
|                    | 2182            | PDS0631 DRIVER NUMBER/ID NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0631 DRIVER NUMBER/ID NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
| PDS 0632           | 0903            | PDS0632 PRODUCT TYPE CODE MUST BE A FIXED LENGTH OF 001.                                           | Both                    |
|                    | 1089            | PDS0632 PRODUCT TYPE CODE INVALID. SHOULD BE 1-5.                                                  | Both                    |
| PDS 0633           | 0349            | PDS0633 COUPON/DISCOUNT AMOUNT MUST BE NUMERIC.                                                    | Both                    |
|                    | 0904            | PDS0633 COUPON/DISCOUNT AMOUNT MUST BE A FIXED LENGTH OF 012.                                      | Both                    |
| PDS 0634           | 0905            | PDS0634 TAX AMOUNT 1 MUST BE A FIXED LENGTH OF 006.                                                | Both                    |
|                    | 2183            | PDS0634 TAX AMOUNT 1 MUST BE NUMERIC                                                               | Both                    |
| PDS 0635           | 0906            | PDS0635 TAX AMOUNT 2 MUST BE A FIXED LENGTH OF 006.                                                | Both                    |
|                    | 2183            | PDS0635 TAX AMOUNT 2 MUST BE NUMERIC.                                                              | Both                    |
| PDS 0636           | 2181            | PDS0636 CALL DATE MUST BE A FIXED LENGTH OF 006.                                                   | Both                    |
|                    | 2183            | PDS0636 CALL DATE MUST BE NUMERIC                                                                  | Both                    |
|                    | 2186            | PDS0636 CALL DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                       | Both                    |
| PDS 0637           | 2181            | PDS0637 CALL TIME MUST BE A FIXED LENGTH OF 006.                                                   | Both                    |
|                    | 2183            | PDS0637 CALL TIME MUST BE NUMERIC                                                                  | Both                    |
|                    | 2238            | PDS0637 CALL TIME MUST BE A VALID TIME IN THE FORMAT HHMMSS.                                       | Both                    |
| PDS 0638           | 2181            | PDS0638 CALL TO INFORMATION MUST BE A FIXED LENGTH OF 146.                                         | Both                    |
| PDS 0638,<br>s1    | 2182            | PDS0638S1 CALL TO CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.          | Both                    |
|                    | 2184            | PDS0638S1 CALL TO CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                        | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0638,<br>s2    | 2182            | PDS0638S2 CALL TO STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                                                                                                  | Both                    |
|                    | 2184            | PDS0638S2 CALL TO STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                                                        | Both                    |
| PDS 0638,<br>s3    | 2182            | PDS0638S3 CALL TO COUNTRY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                                                                                                         | Both                    |
|                    | 2184            | PDS0638S3 CALL TO COUNTRY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                                                               | Both                    |
| PDS 0638,<br>s4    | 2182            | PDS0638S4 CALL TO NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                                                                                                          | Both                    |
|                    | 2184            | PDS0638S4 CALL TO NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                                                                | Both                    |
|                    | 2259            | PDS0638S4 CALL TO NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.                                                                                                                          | Both                    |
| PDS 0638,<br>s5    | 2185            | PDS0638S5 CALL TO TYPE MUST BE C, I, V, P, O, OR F.                                                                                                                                                                                                  | Both                    |
| PDS 0639           | 2181            | PDS0639 CALL DURATION MUST BE A FIXED LENGTH OF 006.                                                                                                                                                                                                 | Both                    |
|                    | 2183            | PDS0639 CALL DURATION MUST BE NUMERIC.                                                                                                                                                                                                               | Both                    |
| PDS 0640           | 2181            | PDS0640 CALL TIME PERIOD MUST BE A FIXED LENGTH OF 002.                                                                                                                                                                                              | Both                    |
|                    | 2185            | PDS0640 CALL TIME PERIOD MUST BE PP, OP, MP, OR OT.                                                                                                                                                                                                  | Both                    |
| PDS 0641           | 0285            | PDS0641 PRODUCT CODE MUST CONTAIN A VALUE IN THE RANGE 030-099 OR 300-999.                                                                                                                                                                           | Both                    |
|                    | 0963            | PDS0641 PRODUCT CODE LENGTH MUST BE 1-15.                                                                                                                                                                                                            | Both                    |
|                    | 2185            | PDS0641 PRODUCT CODE MUST BE L-1000, L-1020, L-1021, L-1100, L-1101, L-1102, L-1103, L-1104, L-1105, L-1106, L-1107, L-1108, L-1109, L-1110, L-1111, L-1112, L-1113, L-1114, L-1115, L-1116, L-1117, L-1118, L-1119, L-1120, L-1121, L-1122, L-9999. | Both                    |
|                    | 2195            | PDS0641 PRODUCT CODE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                                                                 | Both                    |
|                    | 2200            | PDS0641 PRODUCT CODE CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                                                                                                              | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                         | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2340            | CORPORATE LINE ITEM DETAIL ADDENDUM MESSAGE MUST BE SUBMITTED WITH ONE OF THE FOLLOWING FIELDS: PDS0641, PDS0642, PDS0643, PDS0645, PDS0647, PDS0654, PDS0783, PDS0784, PDS0785, PDS0786, OR PDS0787. | Both                    |
|                    | 2474            | PDS0641 OR PDS0642, PDS0643, PDS0646, PDS0648, AND PDS0682 MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE.                                                                                    | Both                    |
| PDS 0642           | 0286            | PDS0642 ITEM DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                                                                        | Both                    |
|                    | 0964            | PDS0642 ITEM DESCRIPTION LENGTH MUST BE 1–35.                                                                                                                                                         | Both                    |
|                    | 2184            | PDS0642 ITEM DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                 | Both                    |
|                    | 2195            | PDS0642 ITEM DESCRIPTION MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                              | Both                    |
|                    | 2200            | PDS0642 ITEM DESCRIPTION CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                                                           | Both                    |
|                    | 2474            | PDS0641 OR PDS0642, PDS0643, PDS0646, PDS0648, AND PDS0682 MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE.                                                                                    | Both                    |
| PDS 0643           | 0907            | PDS0643 ITEM QUANTITY MUST BE A FIXED LENGTH OF 013.                                                                                                                                                  | Both                    |
|                    | 2195            | PDS0643 ITEM QUANTITY MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                 | Both                    |
| PDS 0643,<br>s1    | 2232            | PDS0643S1 ITEM QUANTITY MUST BE NUMERIC AND GREATER THAN 0.                                                                                                                                           | Both                    |
| PDS 0643,<br>s2    | 0288            | PDS0643S2 ITEM QUANTITY EXPONENT MUST BE NUMERIC.                                                                                                                                                     | Both                    |
|                    | 2215            | PDS0643S2 ITEM QUANTITY EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                                                                                                                        | Both                    |
| PDS 0644           | 2181            | PDS0644 CALL FROM INFORMATION MUST BE A FIXED LENGTH OF 145.                                                                                                                                          | Both                    |
| PDS 0644,<br>s1    | 2182            | PDS0644S1 CALL FROM CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                                                           | Both                    |
|                    | 2184            | PDS0644S1 CALL FROM CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                 | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                 | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0644,<br>s2    | 2182            | PDS0644S2 CALL FROM STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                         | Both                    |
|                    | 2184            | PDS0644S2 CALL FROM STATE/PROVINCE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                               | Both                    |
| PDS 0644,<br>s3    | 2182            | PDS0644S3 CALL FROM COUNTRY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                | Both                    |
|                    | 2184            | PDS0644S3 CALL FROM COUNTRY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                    |
| PDS 0644,<br>s4    | 2182            | PDS0644S4 CALL FROM NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                 | Both                    |
|                    | 2184            | PDS0644S4 CALL FROM NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                       | Both                    |
|                    | 2259            | PDS0644S4 CALL FROM NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                    |
| PDS 0645           | 0965            | PDS0645 ITEM UNIT OF MEASURE LENGTH MUST BE 1-12.                                                                             | Both                    |
|                    | 2184            | PDS0645 ITEM UNIT OF MEASURE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                     | Both                    |
|                    | 2195            | PDS0645 ITEM UNIT OF MEASURE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.  | Both                    |
|                    | 2208            | PDS0645 ITEM UNIT OF MEASURE CANNOT BE ALL ZEROS OR ALL SPACES.                                                               | Both                    |
| PDS 0646           | 0908            | PDS0646 UNIT PRICE MUST BE A FIXED LENGTH OF 013.                                                                             | Both                    |
|                    | 2195            | PDS0646 UNIT PRICE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.            | Both                    |
|                    | 2474            | PDS0641 OR PDS0642, PDS0643, PDS0646, PDS0648, AND PDS0682 MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE.            | Both                    |
| PDS 0646,<br>s1    | 2183            | PDS0646S1 UNIT PRICE MUST BE NUMERIC.                                                                                         | Both                    |
| PDS 0646,<br>s2    | 2215            | PDS0646S2 UNIT PRICE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                   | Both                    |
| PDS 0647           | 2181            | PDS0647 EXTENDED ITEM AMOUNT MUST BE A FIXED LENGTH OF 014.                                                                   | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>performe<br>d by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2195            | PDS0647 EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                        |
| PDS 0647,<br>s1    | 2232            | PDS0647S1 EXTENDED ITEM AMOUNT MUST BE NUMERIC AND GREATER THAN 0.                                                           | Both                        |
| PDS 0647,<br>s2    | 2183            | PDS0647S2 EXTENDED ITEM AMOUNT EXPONENT MUST BE NUMERIC.                                                                     | Both                        |
|                    | 2215            | PDS0647S2 EXTENDED ITEM AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                        | Both                        |
| PDS 0647,<br>s3    | 2185            | PDS0647S3 EXTENDED ITEM AMOUNT SIGN MUST BE D OR C.                                                                          | Both                        |
| PDS 0648           | 2181            | PDS0648 ITEM DISCOUNT MUST BE A FIXED LENGTH OF 020.                                                                         | Both                        |
|                    | 2195            | PDS0648 ITEM DISCOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.        | Both                        |
|                    | 2474            | PDS0641 OR PDS0642, PDS0643, PDS0646, PDS0648, AND PDS0682 MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE.           | Both                        |
| PDS 0648,<br>s1    | 0292            | PDS0648S1 DISCOUNT INDICATOR MUST BE Y OR N OR A SPACE.                                                                      | Both                        |
| PDS 0648,<br>s2    | 0293            | PDS0648S2 ITEM DISCOUNT MUST BE NUMERIC.                                                                                     | Both                        |
|                    | 0966            | PDS0648S2 DISCOUNT AMOUNT CANNOT EQUAL ALL ZEROS IF PDS0648S1 DISCOUNT INDICATOR IS EQUAL TO Y.                              | Both                        |
| PDS 0648,<br>s3    | 2183            | PDS0648S3 ITEM DISCOUNT RATE MUST BE NUMERIC.                                                                                | Both                        |
| PDS 0648,<br>s4    | 2183            | PDS0648S4 ITEM DISCOUNT RATE EXPONENT MUST BE NUMERIC.                                                                       | Both                        |
|                    | 2215            | PDS0648S4 ITEM DISCOUNT RATE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                          | Both                        |
| PDS 0648,<br>s5    | 2185            | PDS0648S5 ITEM DISCOUNT AMOUNT SIGN MUST BE D OR C.                                                                          | Both                        |
| PDS 0649           | 2181            | PDS0649 CALL USAGE AMOUNT MUST BE A FIXED LENGTH OF 014.                                                                     | Both                        |
| PDS 0649,<br>s1    | 2183            | PDS0649S1 CALL USAGE AMOUNT MUST BE NUMERIC.                                                                                 | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0649,<br>s2    | 2183            | PDS0649S2 CALL USAGE AMOUNT EXPONENT MUST BE NUMERIC.                                                                        | Both                    |
|                    | 2215            | PDS0649S2 CALL USAGE AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                                           | Both                    |
| PDS 0649,<br>s3    | 2185            | PDS0649S3 CALL USAGE AMOUNT SIGN MUST BE D OR C.                                                                             | Both                    |
| PDS 0650           | 2306            | PDS0650 ZERO COST TO CUSTOMER INDICATOR MUST CONTAIN A VALUE OF Y OR N.                                                      | Both                    |
| PDS 0651           | 2181            | PDS0651 PROCEDURE ID MUST BE A FIXED LENGTH OF 009.                                                                          | Both                    |
|                    | 2182            | IF PRESENT PDS0651 PROCEDURE ID MUST BE LEFT-JUSTIFIED AND CANNOT BE ALL ZEROS OR SPACES.                                    | Both                    |
|                    | 2184            | PDS0651 PROCEDURE ID NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                     | Both                    |
| PDS 0652           | 2181            | PDS0652 SERVICE TYPE MUST BE A FIXED LENGTH OF 004.                                                                          | Both                    |
| PDS 0652,<br>s1    | 2182            | PDS0652S1 SERVICE TYPE DETAIL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                             | Both                    |
|                    | 2184            | PDS0652S1 SERVICE TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                          | Both                    |
| PDS 0652,<br>s2    | 2182            | PDS0652S2 SERVICE NATURE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                  | Both                    |
|                    | 2184            | PDS0652S2 SERVICE NATURE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                        | Both                    |
| PDS 0653           | 2181            | PDS0653 SERVICE AMOUNT MUST BE A FIXED LENGTH OF 014.                                                                        | Both                    |
| PDS 0653,<br>s1    | 2183            | PDS0653S1 SERVICE AMOUNT MUST BE NUMERIC.                                                                                    | Both                    |
| PDS 0653,<br>s2    | 2215            | PDS0653S2 SERVICE AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                                              | Both                    |
| PDS 0653,<br>s3    | 2185            | PDS0653S3 SERVICE AMOUNT SIGN MUST BE D OR C.                                                                                | Both                    |
| PDS 0654           | 0295            | PDS0654 DEBIT OR CREDIT INDICATOR MUST BE D OR C.                                                                            | Both                    |
|                    | 0296            | PDS0654 DEBIT OR CREDIT INDICATOR MUST BE C OR D IF PDS0647S001 EXTENDED ITEM AMOUNT IS GREATER THAN ZERO.                   | Both                    |
|                    | 2195            | PDS0654 DEBIT CODE INDICATOR MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                              | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------|-------------------------|
| PDS 0655           | 2181            | PDS0655 CALL LONG DISTANCE AMOUNT MUST BE A FIXED LENGTH OF 014.                           | Both                    |
| PDS 0655,<br>s1    | 2183            | PDS0655S1 CALL LONG DISTANCE AMOUNT MUST BE NUMERIC.                                       | Both                    |
| PDS 0655,<br>s2    | 2183            | PDS0655S2 CALL LONG DISTANCE AMOUNT EXPONENT MUST BE NUMERIC.                              | Both                    |
|                    | 2215            | PDS0655S2 CALL LONG DISTANCE AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5. | Both                    |
| PDS 0655,<br>s3    | 2185            | PDS0655S3 CALL LONG DISTANCE AMOUNT SIGN MUST BE D OR C.                                   | Both                    |
| PDS 0656           | 2180            | PDS0656 FULL VAT AMOUNT LENGTH MUST BE 014-028.                                            | Both                    |
| PDS 0656,<br>s1    | 2232            | PDS 0656S1 FULL VAT GROSS AMOUNT MUST BE NUMERIC AND GREATER THAN 0.                       | Both                    |
| PDS 0656,<br>s2    | 2215            | PDS0656S2 FULL VAT GROSS AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.     | Both                    |
| PDS 0656,<br>s3    | 2185            | PDS0656S3 FULL VAT GROSS AMOUNT SIGN MUST BE D OR C.                                       | Both                    |
| PDS 0656,<br>s4    | 2183            | PDS0656S4 FULL VAT-TAX AMOUNT MUST BE NUMERIC.                                             | Both                    |
| PDS 0656,<br>s5    | 2215            | PDS0656S5 FULL VAT TAX AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.       | Both                    |
| PDS 0656,<br>s6    | 2185            | PDS0656S6 FULL VAT TAX AMOUNT SIGN MUST BE D OR C.                                         | Both                    |
| PDS 0657           | 2180            | PDS0657 HALF VAT AMOUNT LENGTH MUST BE 014-028.                                            | Both                    |
| PDS 0657,<br>s1    | 2232            | PDS 0657S1 HALF VAT GROSS AMOUNT MUST BE NUMERIC AND GREATER THAN 0.                       | Both                    |
| PDS 0657,<br>s2    | 2215            | PDS0657S2 HALF VAT GROSS AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.     | Both                    |
| PDS 0657,<br>s3    | 2185            | PDS0657S3 HALF VAT GROSS AMOUNT SIGN MUST BE D OR C.                                       | Both                    |
| PDS 0657,<br>s4    | 2183            | PDS0657S4 HALF VAT TAX AMOUNT MUST BE NUMERIC.                                             | Both                    |
| PDS 0657,<br>s5    | 2215            | PDS0657S5 HALF VAT TAX AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.       | Both                    |
| PDS 0657,<br>s6    | 2185            | PDS0657S6 HALF VAT TAX SIGN MUST BE D OR C.                                                | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0658           | 2181            | PDS0658 CALL CONNECT AMOUNT MUST BE A FIXED LENGTH OF 014.                                                   | Both                    |
| PDS 0658,<br>s1    | 2183            | PDS0658S1 CALL CONNECT AMOUNT MUST BE NUMERIC.                                                               | Both                    |
| PDS 0658,<br>s2    | 2183            | PDS0658S2 CALL CONNECT AMOUNT EXPONENT MUST BE NUMERIC.                                                      | Both                    |
|                    | 2215            | PDS0658S2 CALL CONNECT AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                         | Both                    |
| PDS 0658,<br>s3    | 2185            | PDS0658S3 CALL CONNECT AMOUNT SIGN MUST BE D OR C.                                                           | Both                    |
| PDS 0659           | 2180            | PDS0659 OTHER DESCRIPTION LENGTH MUST BE 001-060.                                                            | Both                    |
|                    | 2182            | PDS0659 OTHER DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                 | Both                    |
|                    | 2184            | PDS0659 OTHER DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.            | Both                    |
| PDS 0660           | 2180            | PDS0660 CUSTOMER REFERENCE LENGTH MUST BE 019-190.                                                           | Both                    |
|                    | 2215            | PDS0660S1 CUSTOMER REFERENCE VALUE ID MUST CONTAIN A VALUE WITHIN THE RANGE OF 01-10.                        | Both                    |
| PDS 0660,<br>s2    | 2182            | PDS0660S2 CUSTOMER REFERENCE VALUE DETAIL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0660S2 CUSTOMER REFERENCE DETAIL CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                             | Both                    |
| PDS 0660,<br>s3    | 2185            | PDS0660S3 CUSTOMER REFERENCE VALUE DETAIL MUST BE <VALLIST>.                                                 | Both                    |
| PDS 0661           | 2181            | PDS0661 TRAFFIC CODE MUST BE A FIXED LENGTH OF 003.                                                          | Both                    |
|                    | 2183            | PDS0661 TRAFFIC CODE MUST BE NUMERIC.                                                                        | Both                    |
| PDS 0662           | 2181            | PDS0662 SAMPLE NUMBER MUST BE A FIXED LENGTH OF 004.                                                         | Both                    |
|                    | 2232            | PDS0662 SAMPLE NUMBER MUST BE NUMERIC AND GREATER THAN 0.                                                    | Both                    |
| PDS 0663           | 0967            | PDS0663 FREE-FORM DESCRIPTION LENGTH MUST BE 001-992.                                                        | Both                    |
|                    | 2181            | PDS0663 MUST BE FIXED LENGTH OF 55.                                                                          | Both                    |
|                    | 2182            | PDS0663 FREE-FORM DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2184            | PDS0663 FREE-FORM DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                        | Both                    |
|                    | 2264            | PDS0663 FREE-FORM DESCRIPTION MUST BE PRESENT.                                                    | Both                    |
|                    | 2553            | PDS0663 POSITIONS 16 AND 17 MUST BE NUMERIC FOR BRAZIL INSTALLMENT TRANSACTIONS.                  | Both                    |
|                    | 2554            | PDS0663 MUST BE PRESENT AND POSITIONS 16 AND 17 MUST BE 02 THROUGH 06.                            | Both                    |
|                    | 2555            | PDS0663 MUST BE PRESENT AND POSITIONS 16 AND 17 MUST BE 07 THROUGH 21.                            | Both                    |
|                    | 2974            | PDS0663 MUST BE PRESENT AND POSITIONS 18 AND 19 MUST BE GREATER THAN 1.                           | Both                    |
| PDS 0664           | 2180            | PDS0664 START STATION LENGTH MUST BE 0030-030.                                                    | Both                    |
|                    | 2182            | PDS0664 START STATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.          | Both                    |
|                    | 2184            | PDS0664 START STATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                    |
| PDS 0665           | 2180            | PDS0665 DESTINATION STATION LENGTH MUST BE 003-030.                                               | Both                    |
|                    | 2182            | PDS0665 DESTINATION STATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.    | Both                    |
|                    | 2184            | PDS0665 DESTINATION STATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                    |
| PDS 0667           | 2181            | PDS0667 GENERIC DATA MUST BE A FIXED LENGTH OF 046.                                               | Both                    |
| PDS 0667,<br>s1    | 2232            | PDS0667S1 GENERIC CODE MUST BE NUMERIC AND GREATER THAN 0.                                        | Both                    |
| PDS 0667,<br>s2    | 2182            | PDS0667S2 GENERIC NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.       | Both                    |
| PDS 0667,<br>s2    | 2184            | PDS0667S2 GENERIC NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                             | Both                    |
| PDS 0667,<br>s3    | 2232            | PDS0667S3 GENERIC OTHER CODE MUST BE NUMERIC AND GREATER THAN 0.                                  | Both                    |
| PDS 0667,<br>s4    | 2182            | PDS0667S4 GENERIC OTHER NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0667S4 GENERIC OTHER NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
| PDS 0668           | 2181            | PDS0668 REDUCTION DATA MUST BE A FIXED LENGTH OF 026.                                             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                          | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0668,<br>s1    | 2232            | PDS0668S1 REDUCTION CODE MUST BE NUMERIC AND GREATER THAN 0.                                                                           | Both                    |
| PDS 0668,<br>s2    | 2182            | PDS0668S2 REDUCTION NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                          | Both                    |
|                    | 2184            | PDS0668S2 REDUCTION NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                | Both                    |
| PDS 0668,<br>s3    | 2232            | PDS0668S3 REDUCTION OTHER CODE MUST BE NUMERIC AND GREATER THAN 0.                                                                     | Both                    |
| PDS 0668,<br>s4    | 2182            | PDS0668S4 REDUCTION OTHER NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                    | Both                    |
|                    | 2184            | PDS0668S4 REDUCTION OTHER NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                          | Both                    |
| PDS 0669           | 2181            | PDS0669 TRANSPORTATION OTHER CODE MUST BE A FIXED LENGTH OF 003.                                                                       | Both                    |
|                    | 2183            | PDS0669 TRANSPORTATION OTHER CODE MUST BE NUMERIC.                                                                                     | Both                    |
| PDS 0670           | 2180            | PDS0670 PAYER/USER INFORMATION LENGTH MUST BE 001–104.                                                                                 | Both                    |
|                    | 2468            | PDS0670 and subfields 1, 2, 3, 4, and 5 must be present for payment transactions when PDS0043 is equal to a valid transaction type ID. | GCMS                    |
| PDS 0670,<br>s1    | 2182            | PDS0670S1 PAYER NAME/USER ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                        | Both                    |
|                    | 2184            | PDS0670S1 PAYER NAME/USER ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                              | Both                    |
| PDS 0670,<br>s2    | 2182            | PDS0670S2 PAYER ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                             | Both                    |
|                    | 2184            | PDS0670S2 PAYER ADDRESS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                    |
| PDS 0670,<br>s3    | 2182            | PDS0670S3 PAYER CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                | Both                    |
|                    | 2184            | PDS0670S3 PAYER CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                      | Both                    |
| PDS 0670,<br>s4    | 0888            | PDS0670S4 PAYER STATE/PROVINCE CODE INVALID. MUST CONTAIN A VALID U.S. STATE CODE.                                                     | Both                    |
|                    | 2184            | PDS0670S4 PAYER STATE/PROVINCE CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                       | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0670,<br>s5    | 0890            | PDS0670S5 PAYER COUNTRY CODE INVALID. MUST CONTAIN A VALID COUNTRY CODE.                                         | Both                    |
|                    | 2184            | PDS0670S5 PAYER COUNTRY CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                        | Both                    |
| PDS 0670,<br>s6    | 2182            | PDS0670S6 PAYER POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                   | Both                    |
|                    | 2184            | PDS0670S6 PAYER POSTAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                         | Both                    |
| PDS 0671           | 2026            | PDS0671 DATE OF FUNDS REQUESTED MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                       | Both                    |
|                    | 2027            | PDS0671 DATE OF FUNDS REQUESTED MUST BE A FIXED LENGTH OF 006.                                                   | Both                    |
|                    | 2486            | PDS0671 DATE OF FUNDS REQUESTED MUST BE PRESENT WHEN PDS0043 IS EQUAL TO A VALID TRANSACTION TYPE ID.            | GCMS                    |
| PDS 0673           | 2030            | PDS0673 DATE OF ANTICIPATED RECEIPT OF FUNDS MUST BE A VALID DATE IN THE FORMAT YYMMDD.                          | Both                    |
|                    | 2031            | PDS0673 DATE OF ANTICIPATED RECEIPT OF FUNDS MUST BE A FIXED LENGTH OF 006.                                      | Both                    |
| PDS 0674           | 2032            | PDS0674 ADDITIONAL TRACE/REFERENCE NUMBER USED BY ACCEPTOR MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. | Both                    |
|                    | 2033            | PDS0674 ADDITIONAL TRACE/REFERENCE NUMBER USED BY ACCEPTOR LENGTH MUST BE 1-15.                                  | Both                    |
|                    | 2906            | PDS0671 must be present when PDS0043 is equal to a valid transaction type ID.                                    | GCMS                    |
| PDS 0675           | 2034            | PDS0675 ADDITIONAL TRANSACTION DESCRIPTION DATA MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.            | Both                    |
|                    | 2163            | PDS0675 ADDITIONAL TRANSACTION DESCRIPTION DATA LENGTH MUST BE 1-15.                                             | Both                    |
| PDS 0676           | 2035            | PDS0676 ACCEPTOR VAT NUMBER LENGTH MUST BE 1-20.                                                                 | Both                    |
|                    | 2036            | PDS0676 ACCEPTOR VAT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                | Both                    |
| PDS 0677           | 2037            | PDS0677 CUSTOMER VAT NUMBER LENGTH MUST BE 1-20.                                                                 | Both                    |
|                    | 2038            | PDS0677 CUSTOMER VAT NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                | Both                    |
| PDS 0678           | 2039            | PDS0678 UNIQUE INVOICE NUMBER LENGTH MUST BE 1-17.                                                               | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                               | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2040            | PDS0678 UNIQUE INVOICE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                         | Both                    |
| PDS 0679           | 2041            | PDS0679 COMMODITY CODE LENGTH MUST BE 1–15.                                                                                 | Both                    |
|                    | 2042            | PDS0679 COMMODITY CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                | Both                    |
| PDS 0680           | 2043            | PDS0680 AUTHORIZED CONTACT NAME LENGTH MUST BE 1–36.                                                                        | Both                    |
|                    | 2044            | PDS0680 AUTHORIZED CONTACT NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                       | Both                    |
| PDS 0681           | 2045            | PDS0681 AUTHORIZED CONTACT PHONE LENGTH MUST BE 1–17.                                                                       | Both                    |
|                    | 2046            | PDS0681 AUTHORIZED CONTACT PHONE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                      | Both                    |
| PDS 0682           | 2180            | PDS0682 DETAIL TAX AMOUNT 1 LENGTH MUST BE 001–046.                                                                         | Both                    |
|                    | 2195            | PDS0682 DETAIL TAX AMOUNT 1 MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                    |
|                    | 2697            | PDS0682 DETAIL TAX AMOUNT 1 AND ALL SUBFIELDS MUST BE PRESENT.                                                              | Both                    |
| PDS 0682,<br>s1    | 2048            | PDS0682S1 DETAIL TAX AMOUNT INDICATOR 1 MUST BE Y, N, OR SPACE.                                                             | Both                    |
| PDS 0682,<br>s2    | 2049            | PDS0682S2 DETAIL TAX AMOUNT 1 INVALID. MUST BE NUMERIC.                                                                     | Both                    |
| PDS 0682,<br>s3    | 2050            | PDS0682S3 DETAIL TAX RATE INVALID. MUST BE NUMERIC.                                                                         | Both                    |
|                    | 2474            | PDS0641 OR PDS0642, PDS0643, PDS0646, PDS0648, AND PDS0682 MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE.          | Both                    |
| PDS 0682,<br>s4    | 2051            | PDS0682S4 DETAIL TAX RATE EXPONENT 1 MUST BE 0–5.                                                                           | Both                    |
| PDS 0682,<br>s6    | 2052            | PDS0682S6 MUST BE 00, 01, 02, 03, 04, 05, 06, 10, 11, 12, 13, 14, 20, 21, 22, OR SPACES.                                    | Both                    |
| PDS 0682,<br>s7    | 2181            | PDS0682S7 ACCEPTOR TAX ID 1 MUST BE A FIXED LENGTH OF 020.                                                                  | Both                    |
|                    | 2184            | PDS0682S7 ACCEPTOR TAX ID 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2228            | PDS0682 DETAIL TAX AMOUNT 1, SUBFIELD 7 ACCEPTOR TAX ID 1 CANNOT CONTAIN ALL ZEROS.            | Both                    |
|                    | 2233            | PDS0682S7 ACCEPTOR TAX ID 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.              | Both                    |
|                    | 2257            | PDS0682S7 ACCEPTOR TAX ID 1 MUST BE LEFT JUSTIFIED, NON ZERO AND CONTAIN 9 NUMERIC CHARACTERS. | Both                    |
| PDS 0682,<br>s8    | 2185            | PDS0682S8 DETAIL TAX AMOUNT SIGN 1 MUST BE D OR C.                                             | Both                    |
| PDS 0683           | 2180            | PDS0683 DETAIL TAX AMOUNT 2 LENGTH MUST BE 001-046.                                            | Both                    |
| PDS 0683,<br>s1    | 2054            | PDS0683S1 DETAIL TAX AMOUNT INDICATOR 2 MUST BE Y, N, OR SPACE.                                | Both                    |
| PDS 0683,<br>s2    | 2055            | PDS0683S2 DETAIL TAX AMOUNT 2 INVALID. MUST BE NUMERIC.                                        | Both                    |
| PDS 0683,<br>s3    | 2056            | PDS0683S3 DETAIL TAX RATE 2 INVALID. MUST BE NUMERIC.                                          | Both                    |
| PDS 0683,<br>s4    | 2057            | PDS0683S4 DETAIL TAX RATE EXPONENT 2 MUST BE 0-5.                                              | Both                    |
| PDS 0683,<br>s6    | 2058            | PDS0683S6 MUST BE <VALLIST>.                                                                   | Both                    |
| PDS 0683,<br>s7    | 2181            | PDS0683S7 ACCEPTOR TAX ID 2 MUST BE A FIXED LENGTH OF 020.                                     | Both                    |
|                    | 2184            | PDS0683S7 ACCEPTOR TAX ID 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
|                    | 2228            | PDS0683 DETAIL TAX AMOUNT 2, SUBFIELD 7 ACCEPTOR TAX ID 2 CANNOT CONTAIN ALL ZEROS.            | Both                    |
|                    | 2233            | PDS0683S7 ACCEPTOR TAX ID 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.              | Both                    |
|                    | 2257            | PDS0683S7 ACCEPTOR TAX ID 2 MUST BE LEFT JUSTIFIED, NON ZERO AND CONTAIN 9 NUMERIC CHARACTERS  | Both                    |
| PDS 0683,<br>s8    | 2185            | PDS0683S8 DETAIL TAX AMOUNT SIGN 2 MUST BE D OR C.                                             | Both                    |
| PDS 0684           | 2180            | PDS0684 DETAIL TAX AMOUNT 3 LENGTH MUST BE 001-046.                                            | Both                    |
| PDS 0684,<br>s1    | 2060            | PDS0684S1 DETAIL TAX AMOUNT INDICATOR 3 MUST BE Y, N, OR SPACE.                                | Both                    |
| PDS 0684,<br>s2    | 2061            | PDS0684S2 DETAIL TAX AMOUNT 3 INVALID. MUST BE NUMERIC.                                        | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0684,<br>s3    | 2062            | PDS0684S3 DETAIL TAX RATE 3 INVALID. MUST BE NUMERIC.                                             | Both                    |
| PDS 0684,<br>s4    | 2063            | PDS0684S4 DETAIL TAX RATE EXPONENT 3 MUST BE 0-5.                                                 | Both                    |
| PDS 0684,<br>s6    | 2064            | PDS0684S6 MUST BE 00, <VALLIST>.                                                                  | Both                    |
| PDS 0684,<br>s7    | 2181            | PDS0684S7 ACCEPTOR TAX ID 3 MUST BE A FIXED LENGTH OF 020.                                        | Both                    |
|                    | 2184            | PDS0684S7 ACCEPTOR TAX ID 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                          | Both                    |
|                    | 2233            | PDS0684S7 ACCEPTOR TAX ID 3 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                 | Both                    |
|                    | 2257            | PDS0684S7 ACCEPTOR TAX ID 3 MUST BE LEFT JUSTIFIED, NON ZERO AND CONTAIN 9 NUMERIC CHARACTERS.    | Both                    |
| PDS 0684,<br>s8    | 2185            | PDS0684S8 DETAIL TAX AMOUNT SIGN 3 MUST BE D OR C.                                                | Both                    |
| PDS 0685           | 2065            | PDS0685 TYPE OF SUPPLY MUST BE A FIXED LENGTH OF 002.                                             | Both                    |
|                    | 2066            | PDS0685 TYPE OF SUPPLY MUST BE 00 OR 01.                                                          | Both                    |
| PDS 0686           | 2067            | PDS0686 TAX EXEMPT INDICATOR MUST BE A FIXED LENGTH OF 001.                                       | Both                    |
|                    | 2068            | PDS0686 TAX EXEMPT INDICATOR MUST BE 0 OR 1.                                                      | Both                    |
|                    | 2189            | PDS0686 TAX EXEMPT INDICATOR REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.      | Both                    |
| PDS 0687           | 2069            | PDS0687 UNIQUE VAT INVOICE REFERENCE NUMBER LENGTH MUST BE 1-17.                                  | Both                    |
|                    | 2070            | PDS0687 UNIQUE VAT INVOICE REFERENCE NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. | Both                    |
| PDS 0688           | 2180            | PDS0688 ACCEPTOR CONTACT E-MAIL ADDRESS LENGTH MUST BE 006-060.                                   | Both                    |
|                    | 2182            | PDS0688 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                        | Both                    |
|                    | 2184            | PDS0688 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                              | Both                    |
| PDS 0689           | 2073            | PDS0689 CORPORATE IDENTIFIER LENGTH MUST BE 1-12.                                                 | Both                    |
| PDS 0690           | 2074            | PDS0690 NO SHOW INDICATOR MUST BE A FIXED LENGTH OF 001.                                          | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                            | Edit<br>performe<br>d by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2075            | PDS0690 NO SHOW INDICATOR MUST BE 0 OR 1.                                                | Both                        |
| PDS 0691           | 2076            | PDS0691 DAYS RENTED MUST BE A FIXED LENGTH OF 004.                                       | Both                        |
|                    | 2077            | PDS0691 DAYS RENTED MUST BE NUMERIC.                                                     | Both                        |
|                    | 2189            | PDS0691 DAYS RENTED REQUIRED FOR VEHICLE RENTAL TRANSACTIONS SUBMITTED FOR T&E III.      | Both                        |
| PDS 0692           | 2078            | PDS0692 WEEKLY RENTAL AMOUNT MUST BE A FIXED LENGTH OF 012.                              | Both                        |
|                    | 2079            | PDS0692 WEEKLY RENTAL AMOUNT MUST BE NUMERIC.                                            | Both                        |
| PDS 0693           | 2181            | PDS0693 TOTAL AUTHORIZED AMOUNT MUST BE A FIXED LENGTH OF 014.                           | Both                        |
| PDS 0693,<br>s1    | 2183            | PDS0693S1 TOTAL AUTHORIZED AMOUNT MUST BE NUMERIC.                                       | Both                        |
| PDS 0693,<br>s2    | 2183            | PDS0693S2 TOTAL AUTHORIZED AMOUNT EXPONENT MUST BE NUMERIC.                              | Both                        |
|                    | 2215            | PDS0693S2 TOTAL AUTHORIZED AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5. | Both                        |
| PDS 0693,<br>s3    | 2185            | PDS0693S3 TOTAL AUTHORIZED AMOUNT SIGN MUST BE D OR C.                                   | Both                        |
| PDS 0694           | 2082            | PDS0694 ONE WAY DROP OFF CHARGE MUST BE A FIXED LENGTH OF 012.                           | Both                        |
|                    | 2083            | PDS0694 ONE WAY DROP OFF CHARGE MUST BE NUMERIC.                                         | Both                        |
| PDS 0695           | 2084            | PDS0695 REGULAR MILEAGE CHARGE MUST BE A FIXED LENGTH OF 012.                            | Both                        |
|                    | 2085            | PDS0695 REGULAR MILEAGE CHARGE MUST BE NUMERIC.                                          | Both                        |
| PDS 0696           | 2086            | PDS0696 EXTRA MILEAGE CHARGE MUST BE A FIXED LENGTH OF 012.                              | Both                        |
|                    | 2087            | PDS0696 EXTRA MILEAGE CHARGE MUST BE NUMERIC.                                            | Both                        |
| PDS 0697           | 2088            | PDS0697 LATE CHARGE MUST BE A FIXED LENGTH OF 012.                                       | Both                        |
|                    | 2089            | PDS0697 LATE CHARGE MUST BE NUMERIC.                                                     | Both                        |
| PDS 0698           | 2090            | PDS0698 FUEL CHARGE MUST BE A FIXED LENGTH OF 012.                                       | Both                        |
|                    | 2091            | PDS0698 FUEL CHARGE MUST BE NUMERIC.                                                     | Both                        |
| PDS 0699           | 2181            | PDS0699 LODGING TOTAL TAX AMOUNT MUST BE A FIXED LENGTH OF 014.                          | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                             | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------|-------------------------|
| PDS 0699,<br>s1    | 2183            | PDS0699S1 LODGING TOTAL TAX AMOUNT MUST BE NUMERIC.                                       | Both                    |
| PDS 0699,<br>s2    | 2183            | PDS0699S2 LODGING TOTAL TAX AMOUNT EXPONENT MUST BE NUMERIC.                              | Both                    |
|                    | 2215            | PDS0699S2 LODGING TOTAL TAX AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5. | Both                    |
| PDS 0699,<br>s3    | 2185            | PDS0699S3 LODGING TOTAL AMOUNT SIGN MUST BE D OR C.                                       | Both                    |
| PDS 0700           | 2094            | PDS0700 TOWING CHARGES MUST BE A FIXED LENGTH OF 012.                                     | Both                    |
|                    | 2095            | PDS0700 TOWING CHARGES MUST BE NUMERIC.                                                   | Both                    |
| PDS 0701           | 2096            | PDS0701 EXTRA CHARGES MUST BE A FIXED LENGTH OF 012.                                      | Both                    |
|                    | 2097            | PDS0701 EXTRA CHARGES MUST BE NUMERIC.                                                    | Both                    |
| PDS 0702           | 2098            | PDS0702 OTHER CHARGES MUST BE A FIXED LENGTH OF 012.                                      | Both                    |
|                    | 2099            | PDS0702 OTHER CHARGES MUST BE NUMERIC.                                                    | Both                    |
| PDS 0703           | 2100            | PDS0703 TOTAL ROOM NIGHTS MUST BE A FIXED LENGTH OF 004.                                  | Both                    |
|                    | 2101            | PDS0703 TOTAL ROOM NIGHTS MUST BE NUMERIC.                                                | Both                    |
|                    | 2190            | PDS0703 TOTAL ROOM NIGHTS REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III.        | Both                    |
| PDS 0704           | 2103            | PDS0704 PREPAID EXPENSES MUST BE NUMERIC.                                                 | Both                    |
|                    | 2181            | PDS0704 PREPAID EXPENSES MUST BE A FIXED LENGTH OF 014.                                   | Both                    |
| PDS 0704,<br>s1    | 2183            | PDS0704S1 PREPAID EXPENSES AMOUNT MUST BE NUMERIC.                                        | Both                    |
| PDS 0704,<br>s2    | 2183            | PDS0704S2 PREPAID EXPENSES AMOUNT EXPONENT MUST BE NUMERIC.                               | Both                    |
|                    | 2215            | PDS0704S2 PREPAID EXPENSES AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.  | Both                    |
| PDS 0704,<br>s3    | 2185            | PDS0704S3 PREPAID EXPENSE AMOUNT SIGN MUST BE D OR C.                                     | Both                    |
| PDS 0705           | 2181            | PDS0705 TOTAL NON-ROOM TAX AMOUNT MUST BE A FIXED LENGTH OF 014.                          | Both                    |
| PDS 0705,<br>s1    | 2183            | PDS0705S1 TOTAL NON-ROOM TAX AMOUNT MUST BE NUMERIC.                                      | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                           | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------|-------------------------|
| PDS 0705,<br>s2    | 2183            | PDS0705S2 TOTAL NON-ROOM TAX AMOUNT EXPONENT MUST BE NUMERIC.                           | Both                    |
|                    | 2215            | PDS0705S2 TOTAL NON-ROOM TAX AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5. | Both                    |
| PDS 0705,<br>s3    | 2185            | PDS0705S3 TOTAL NON-ROOM TAX AMOUNT SIGN MUST BE D OR C.                                | Both                    |
| PDS 0706           | 2181            | PDS0706 CASH ADVANCES MUST BE A FIXED LENGTH OF 014.                                    | Both                    |
| PDS 0706,<br>s1    | 2183            | PDS0706S1 CASH ADVANCE AMOUNT MUST BE NUMERIC.                                          | Both                    |
| PDS 0706,<br>s2    | 2183            | PDS0706S2 CASH ADVANCE EXPONENT MUST BE NUMERIC.                                        | Both                    |
|                    | 2215            | PDS0706S2 CASH ADVANCE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.              | Both                    |
| PDS 0706,<br>s3    | 2185            | PDS0706S3 CASH ADVANCE SIGN MUST BE D OR C.                                             | Both                    |
| PDS 0707           | 2181            | PDS0707 VALET CHARGES MUST BE A FIXED LENGTH OF 014.                                    | Both                    |
| PDS 0707,<br>s1    | 2183            | PDS0707S1 VALET CHARGES AMOUNT MUST BE NUMERIC.                                         | Both                    |
| PDS 0707,<br>s2    | 2183            | PDS0707S2 VALET CHARGES EXPONENT MUST BE NUMERIC.                                       | Both                    |
|                    | 2215            | PDS0707S2 VALET CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.             | Both                    |
| PDS 0707,<br>s3    | 2185            | PDS0707S3 VALET CHARGES SIGN MUST BE D OR C.                                            | Both                    |
| PDS 0708           | 2181            | PDS0708 MOVIE CHARGES MUST BE A FIXED LENGTH OF 014.                                    | Both                    |
| PDS 0708,<br>s1    | 2183            | PDS0708S1 MOVIE CHARGES AMOUNT MUST BE NUMERIC.                                         | Both                    |
| PDS 0708,<br>s2    | 2183            | PDS0708S2 MOVIE CHARGES EXPONENT MUST BE NUMERIC.                                       | Both                    |
|                    | 2215            | PDS0708S2 MOVIE CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.             | Both                    |
| PDS 0708,<br>s3    | 2185            | PDS0708S3 MOVIE CHARGES SIGN MUST BE D OR C.                                            | Both                    |
| PDS 0709           | 2181            | PDS0709 BUSINESS CENTER CHARGES MUST BE A FIXED LENGTH OF 014.                          | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                              | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------|-------------------------|
| PDS 0709,<br>s1    | 2183            | PDS0709S1 BUSINESS CENTER CHARGES AMOUNT MUST BE NUMERIC.                                  | Both                    |
| PDS 0709,<br>s2    | 2183            | PDS0709S2 BUSINESS CENTER CHARGES EXPONENT MUST BE NUMERIC.                                | Both                    |
|                    | 2215            | PDS0709S2 BUSINESS CENTER CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.      | Both                    |
| PDS 0709,<br>s3    | 2185            | PDS0709S3 BUSINESS CENTER CHARGES SIGN MUST BE D OR C.                                     | Both                    |
| PDS 0710           | 2181            | PDS0710 HEALTH CLUB CHARGES MUST BE A FIXED LENGTH OF 014.                                 | Both                    |
| PDS 0710,<br>s1    | 2183            | PDS0710S1 HEALTH CLUB CHARGES AMOUNT MUST BE NUMERIC.                                      | Both                    |
| PDS 0710,<br>s2    | 2183            | PDS0710S2 HEALTH CLUB CHARGES EXPONENT MUST BE NUMERIC.                                    | Both                    |
|                    | 2215            | PDS0710S2 HEALTH CLUB CHARGES EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0–5.          | Both                    |
| PDS 0710,<br>s3    | 2185            | PDS0710S3 HEALTH CLUB CHARGES SIGN MUST BE D OR C.                                         | Both                    |
| PDS 0711           | 2116            | PDS0711 FIRE SAFETY ACT INDICATOR MUST BE A FIXED LENGTH OF 001.                           | Both                    |
|                    | 2117            | PDS0711 FIRE SAFETY ACT INDICATOR MUST BE Y OR N.                                          | Both                    |
|                    | 2190            | PDS0711 FIRE SAFETY ACT INDICATOR REQUIRED FOR LODGING TRANSACTIONS SUBMITTED FOR T&E III. | Both                    |
| PDS 0712           | 2118            | PDS0712 NET FUEL PRICE MUST BE A FIXED LENGTH OF 013.                                      | Both                    |
| PDS 0712,<br>s1    | 2119            | PDS0712S1 NET FUEL PRICE MUST BE NUMERIC.                                                  | Both                    |
| PDS 0712,<br>s2    | 2120            | PDS0712S2 NET FUEL PRICE EXPONENT MUST BE 0–5.                                             | Both                    |
| PDS 0713           | 2121            | PDS0713 RESTRICTED TICKET INDICATOR MUST BE A FIXED LENGTH OF 001.                         | Both                    |
|                    | 2122            | PDS0713 RESTRICTED TICKET INDICATOR MUST BE 0 OR 1.                                        | Both                    |
| PDS 0714           | 2123            | PDS0714 EXCHANGE TICKET AMOUNT MUST BE A FIXED LENGTH OF 012.                              | Both                    |
|                    | 2124            | PDS0714 EXCHANGE TICKET AMOUNT MUST BE NUMERIC.                                            | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0715           | 2125            | PDS0715 EXCHANGE FEE AMOUNT MUST BE A FIXED LENGTH OF 012.                                                                | Both                    |
|                    | 2126            | PDS0715 EXCHANGE FEE AMOUNT MUST BE NUMERIC.                                                                              | Both                    |
| pDS 0715, s1       | 2227            | PDS0715S1 INVALID. MUST BE BF, BG, CF, CG, CO, FF, GF, GT, IE, LG, MD, ML, OT, PA, PT, SA, SB, SF, ST, TS, UN, UP, or WI. | Both                    |
| PDS 0716           | 2127            | PDS0716 TRAVEL AUTHORIZATION CODE LENGTH MUST BE 1-64.                                                                    | Both                    |
|                    | 2128            | PDS0716 TRAVEL AUTHORIZATION CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                   | Both                    |
| PDS 0717           | 2129            | PDS0717 IATA CLIENT CODE LENGTH MUST BE 1-17.                                                                             | Both                    |
|                    | 2130            | PDS0717 IATA CLIENT CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                            | Both                    |
| PDS 0718           | 2180            | PDS0718 EMPLOYEE/TEMP NAME/ID LENGTH MUST BE 001040.                                                                      | Both                    |
|                    | 2182            | PDS0718 EMPLOYEE/TEMP NAME/ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                          | Both                    |
|                    | 2299            | PDS0718 EMPLOYEE/TEMP NAME/ID REQUIRED FOR TEMPORARY SERVICES ADDENDUM FOR THE SUBMITTED IRD.                             | Both                    |
| PDS 0719           | 2180            | PDS0719 EMPLOYEE SOCIAL SECURITY NUMBER OR ID LENGTH MUST BE 001-030.                                                     | Both                    |
|                    | 2182            | PDS0719 EMPLOYEE SOCIAL SECURITY NUMBER OR ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.          | Both                    |
| PDS 0720           | 2180            | PDS0720 JOB DESCRIPTION LENGTH MUST BE 001-040.                                                                           | Both                    |
|                    | 2182            | PDS0720 JOB DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                | Both                    |
|                    | 2299            | PDS0718 EMPLOYEE/TEMP NAME/ID REQUIRED FOR TEMPORARY SERVICES ADDENDUM FOR THE SUBMITTED IRD.                             | Both                    |
| PDS 0721           | 2180            | PDS0721 JOB CODE LENGTH MUST BE 001-020.                                                                                  | Both                    |
|                    | 2182            | PDS0721 JOB CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                       | Both                    |
| PDS 0722           | 2181            | PDS0722 FLAT RATE INDICATOR MUST BE A FIXED LENGTH OF 001.                                                                | Both                    |
|                    | 2185            | PDS0722 FLAT RATE INDICATOR MUST BE Y OR N.                                                                               | Both                    |
| PDS 0723           | 2181            | PDS0723 REGULAR HOURS WORKED, REGULAR HOURS WORKED MUST BE A FIXED LENGTH OF 007.                                         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                               | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2183            | PDS0723 REGULAR HOURS WORKED MUST BE NUMERIC.                                                                                                               | Both                    |
|                    | 2301            | ONE OF THE FOLLOWING PDS0723 REGULAR HOURS WORKED, PDS0725 OVERTIME HOURS WORKED, OR PDS0734 IS REQUIRED FOR SERVICES ADDENDUM FOR THE INTERCHANGE PROGRAM. | Both                    |
| PDS 0723,<br>s2    | 2215            | PDS0723S2 REGULAR HOURS WORKED EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                                       | Both                    |
| PDS 0724           | 2181            | PDS0724 REGULAR HOURS RATE MUST BE A FIXED LENGTH OF 007.                                                                                                   | Both                    |
|                    | 2183            | PDS0724 REGULAR HOURS RATE MUST BE NUMERIC.                                                                                                                 | Both                    |
|                    | 2302            | PDS0724 REGULAR HOURS RATE MUST BE PRESENT IF PDS0723 REGULAR HOURS WORKED, IS PRESENT.                                                                     | Both                    |
| PDS 0724,<br>s2    | 2215            | PDS0724S2 REGULAR HOURS RATE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                                         | Both                    |
| PDS 0725           | 2181            | PDS0725 OVERTIME HOURS WORKED MUST BE FIXED LENGTH OF 007.                                                                                                  | Both                    |
|                    | 2183            | PDS0725 OVERTIME HOURS WORKED MUST BE NUMERIC.                                                                                                              | Both                    |
|                    | 2301            | ONE OF THE FOLLOWING PDS0723 REGULAR HOURS WORKED, PDS0725 OVERTIME HOURS WORKED, OR PDS0734 IS REQUIRED FOR SERVICES ADDENDUM FOR THE INTERCHANGE PROGRAM. | Both                    |
| PDS 0725,<br>s2    | 2215            | PDS0725S2 OVERTIME HOURS WORKED EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                                      | Both                    |
| PDS 0726           | 2181            | PDS0726 OVERTIME HOURS RATE MUST BE A FIXED LENGTH OF 007.                                                                                                  | Both                    |
|                    | 2183            | PDS0726 OVERTIME HOURS RATE MUST BE NUMERIC.                                                                                                                | Both                    |
|                    | 2303            | PDS0726 OVERTIME HOURS RATE MUST BE PRESENT IF PDS0725 OVERTIME HOURS WORKED, IS PRESENT.                                                                   | Both                    |
| PDS 0726,<br>s2    | 2215            | PDS0726S2 OVERTIME HOURS RATE EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                                        | Both                    |
| PDS 0727           | 2181            | PDS0727 TEMP START DATE MUST BE A FIXED LENGTH OF 006.                                                                                                      | Both                    |
|                    | 2186            | PDS0727 TEMP START DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                          | Both                    |
|                    | 2299            | PDS0718 EMPLOYEE/TEMP NAME/ID REQUIRED FOR TEMPORARY SERVICES ADDENDUM FOR THE SUBMITTED IRD.                                                               | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0728           | 2181            | PDS0728 TEMP WEEK ENDING MUST BE A FIXED LENGTH OF 006.                                          | Both                    |
|                    | 2186            | PDS0728 TEMP WEEK ENDING MUST BE A VALID DATE IN THE FORMAT YYMMDD.                              | Both                    |
|                    | 2299            | PDS0718 EMPLOYEE/TEMP NAME/ID REQUIRED FOR TEMPORARY SERVICES ADDENDUM FOR THE SUBMITTED IRD.    | Both                    |
| PDS 0729           | 2180            | PDS0729 REQUESTOR NAME OR ID LENGTH MUST BE 001-040.                                             | Both                    |
|                    | 2182            | PDS0729 REQUESTOR NAME OR ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.  | Both                    |
|                    | 2299            | PDS0718 EMPLOYEE/TEMP NAME/ID REQUIRED FOR TEMPORARY SERVICES ADDENDUM FOR THE SUBMITTED IRD.    | Both                    |
| PDS0730            | 2180            | PDS0730 SUPERVISOR/REPORTS TO LENGTH MUST BE 001-040.                                            | Both                    |
|                    | 2182            | PDS0730 SUPERVISOR/REPORTS TO MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
| PDS 0731           | 2180            | PDS0731 TIME SHEET NUMBER LENGTH MUST BE 001-020.                                                | Both                    |
|                    | 2182            | PDS0731 TIME SHEET NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.     | Both                    |
| PDS 0732           | 2181            | PDS0732 DISCOUNT AMOUNT MUST BE A FIXED LENGTH OF 018.                                           | Both                    |
| PDS 0732,<br>s1    | 2183            | PDS0732S1 DISCOUNT AMOUNT MUST BE NUMERIC.                                                       | Both                    |
| PDS 0732,<br>s2    | 2183            | PDS0732S2 DISCOUNT AMOUNT EXPONENT MUST BE NUMERIC.                                              | Both                    |
|                    | 2215            | PDS0732S2 DISCOUNT AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.                    | Both                    |
| PDS 0732,<br>s3    | 2185            | PDS 732S3 DISCOUNT AMOUNT SIGN MUST BE D OR C.                                                   | Both                    |
| PDS 0732,<br>s4    | 2182            | PDS0732S4 DISCOUNT TYPE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.       | Both                    |
|                    | 2184            | PDS0732S4 DISCOUNT TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                             | Both                    |
| PDS 0733           | 2181            | PDS0733 SUBTOTAL AMOUNT MUST BE A FIXED LENGTH OF 014.                                           | Both                    |
|                    | 2183            | PDS0733 SUBTOTAL AMOUNT MUST BE NUMERIC.                                                         | Both                    |



| Field/<br>Subfield                   | Error<br>number | Error message                                                                                                                                               | Edit<br>performed by... |
|--------------------------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0733,<br>s1                      | 2183            | PDS0733S1 SUBTOTAL AMOUNT MUST BE NUMERIC.                                                                                                                  | Both                    |
| PDS 0733,<br>s2                      | 2183            | PDS0733S2 SUBTOTAL AMOUNT EXPONENT MUST BE NUMERIC.                                                                                                         | Both                    |
|                                      | 2215            | PDS0733S2 SUBTOTAL AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.                                                                               | Both                    |
| PDS 0733,<br>s3                      | 2185            | PDS0733S3 SUBTOTAL AMOUNT SIGN MUST BE D OR C.                                                                                                              | Both                    |
| PDS 0734                             | 2194            | PDS0734 MISCELLANEOUS EXPENSES LENGTH MUST BE 054-216 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 54.                                             | Both                    |
|                                      | 2301            | ONE OF THE FOLLOWING PDS0723 REGULAR HOURS WORKED, PDS0725 OVERTIME HOURS WORKED, OR PDS0734 IS REQUIRED FOR SERVICES ADDENDUM FOR THE INTERCHANGE PROGRAM. | Both                    |
| PDS 0734,<br>s1 (each<br>occurrence) | 2182            | PDS0734S1 MISCELLANEOUS EXPENSE DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                              | Both                    |
| PDS 0734,<br>s2 (each<br>occurrence) | 2183            | PDS0734S2 MISCELLANEOUS EXPENSE AMOUNT MUST BE NUMERIC.                                                                                                     | Both                    |
| PDS 0734,<br>s3                      | 2183            | PDS0734S3 MISCELLANEOUS EXPENSES EXPONENT MUST BE NUMERIC.                                                                                                  | Both                    |
|                                      | 2215            | PDS0734S3 MISCELLANEOUS EXPENSES AMOUNT EXPONENT MUST CONTAIN A VALUE WITH THE RANGE OF 0-5.                                                                | Both                    |
| PDS 0734,<br>s4                      | 2185            | PDS0734S4 MISCELLANEOUS EXPENSES AMOUNT SIGN MUST BE D OR C.                                                                                                | Both                    |
| PDS 0735                             | 2180            | PDS0735 SERVICE DESCRIPTOR CODE LENGTH MUST BE 001-040.                                                                                                     | Both                    |
|                                      | 2182            | PDS0735 SERVICE DESCRIPTOR CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                          | Both                    |
|                                      | 2297            | PDS0735 SERVICE DESCRIPTOR CODE REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR THE SUBMITTED IRD.                                        | Both                    |
| PDS 0736                             | 2180            | PDS0736 TRACKING NUMBER OR PICKUP NUMBER LENGTH MUST BE 001-040.                                                                                            | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                 | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2182            | PDS0736 TRACKING NUMBER OR PICKUP NUMBER LENGTH MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                            | Both                    |
|                    | 2297            | PDS0736 TRACKING NUMBER OR PICKUP NUMBER REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET. | Both                    |
| PDS 0737           | 2181            | PDS0737 SHIPPING NET AMOUNT MUST BE A FIXED LENGTH OF 014.                                                                                                    | Both                    |
|                    | 2183            | PDS0737 SHIPPING NET AMOUNT MUST BE NUMERIC.                                                                                                                  | Both                    |
|                    | 2297            | PDS0737 SHIPPING NET AMOUNT REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.              | Both                    |
| PDS 0737,<br>s1    | 2183            | PDS0737S1 SHIPPING NET AMOUNT MUST BE NUMERIC.                                                                                                                | Both                    |
| PDS 0737,<br>s2    | 2183            | PDS0737S2 SHIPPING NET AMOUNT EXPONENT MUST BE NUMERIC.                                                                                                       | Both                    |
|                    | 2215            | PDS0737S2 SHIPPING NET AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.                                                                             | Both                    |
| PDS 0737,<br>s3    | 2185            | PDS0737S3 SHIPPING NET AMOUNT SIGN MUST BE D OR C.                                                                                                            | Both                    |
| PDS 0738           | 2181            | PDS0738 INCENTIVE AMOUNT MUST BE A FIXED LENGTH OF 014.                                                                                                       | Both                    |
|                    | 2183            | PDS0738 INCENTIVE AMOUNT MUST BE NUMERIC.                                                                                                                     | Both                    |
| PDS 0738,<br>s1    | 2183            | PDS0738S1 INCENTIVE AMOUNT MUST BE NUMERIC.                                                                                                                   | Both                    |
| PDS 0738,<br>s2    | 2183            | PDS0738S2 INCENTIVE AMOUNT EXPONENT MUST BE NUMERIC.                                                                                                          | Both                    |
|                    | 2215            | PDS0738S2 INCENTIVE AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE 0-5.                                                                                | Both                    |
| PDS 0738,<br>s3    | 2185            | PDS0738S3 INCENTIVE AMOUNT SIGN MUST BE D OR C.                                                                                                               | Both                    |
| PDS 0739           | 2181            | PDS0739 PICKUP DATE MUST BE A FIXED LENGTH OF 006.                                                                                                            | Both                    |
|                    | 2186            | PDS0739 PICKUP DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                                | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                           | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2297            | PDS0739 PICKUP DATE REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.                | Both                    |
| PDS 0740           | 2181            | PDS0740 DELIVERY DATE MUST BE A FIXED LENGTH OF 006.                                                                                                    | Both                    |
|                    | 2186            | PDS0740 DELIVERY DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                        | Both                    |
| PDS 0741           | 2181            | PDS0741 NUMBER OF PACKAGES MUST BE A FIXED LENGTH OF 006.                                                                                               | Both                    |
|                    | 2183            | PDS0741 NUMBER OF PACKAGES MUST BE NUMERIC.                                                                                                             | Both                    |
|                    | 2297            | PDS0741 NUMBER OF PACKAGES REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.         | Both                    |
| PDS 0742           | 2181            | PDS0742 PACKAGE WEIGHT MUST BE A FIXED LENGTH OF 012.                                                                                                   | Both                    |
|                    | 2184            | PDS0742 PACKAGE WEIGHT CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                     | Both                    |
|                    | 2233            | PDS0742 PACKAGE WEIGHT MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES                                                                             | Both                    |
|                    | 2297            | PDS0742 PACKAGE WEIGHT REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.             | Both                    |
| PDS 0743           | 2180            | PDS0743 UNIT OF MEASURE LENGTH MUST BE 1-3.                                                                                                             | Both                    |
|                    | 2182            | PDS0743 UNIT OF MEASURE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                              | Both                    |
|                    | 2297            | PDS0743 UNIT OF MEASURE REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.            | Both                    |
| PDS 0744           | 2191            | PDS0744 SHIPPING PARTY INFORMATION LENGTH MUST BE 050-150 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 050.                                    | Both                    |
|                    | 2297            | PDS0744 SHIPPING PARTY INFORMATION REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET. | Both                    |
| PDS 0744,<br>s1    | 2182            | PDS0744S1 SHIPPING PARTY NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                        | Both                    |
| PDS 0745           | 2192            | PDS0745 SHIPPING PARTY ADDRESS LENGTH MUST BE 050-300 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 50.                                         | Both                    |

| Field/<br>Subfield                   | Error<br>number | Error message                                                                                                                                                  | Edit<br>performed by... |
|--------------------------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                                      | 2297            | PDS0745 SHIPPING PARTY ADDRESS REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.            | Both                    |
| PDS 0745,<br>s1 (each<br>occurrence) | 2182            | PDS 0745S1 SHIPPING PARTY ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                           | Both                    |
| PDS 0746                             | 2180            | PDS0746 SHIPPING PARTY POSTAL INFORMATION LENGTH MUST BE 025-041.                                                                                              | Both                    |
|                                      | 2182            | PDS0746 SHIPPING PARTY POSTAL INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                   | Both                    |
|                                      | 2297            | PDS0746 SHIPPING PARTY POSTAL INFORMATION REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET. | Both                    |
| PDS 0746,<br>s1                      | 2182            | PDS0746S1 SHIPPING PARTY CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                               | Both                    |
| PDS 0746,<br>s2                      | 2182            | PDS0746S2 SHIPPING PARTY STATE/PROVINCE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                     | Both                    |
| PDS 0746,<br>s3                      | 2182            | PDS0746S3 SHIPPING PARTY COUNTRY CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                       | Both                    |
| PDS 0746,<br>s4                      | 2182            | PDS0746S4 SHIPPING PARTY POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                        | Both                    |
| PDS 0747                             | 2193            | PDS0747 SHIPPING PARTY CONTACT LENGTH MUST BE 061-305 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 61.                                                | Both                    |
|                                      | 2297            | PDS0747 SHIPPING PARTY CONTACT REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.            | Both                    |
| PDS 0747,<br>s1                      | 2185            | PDS0747S1 SHIPPING PARTY DESCRIPTOR MUST BE 1, 2, 3, 4, OR 5.                                                                                                  | Both                    |
| PDS 0747,<br>s2                      | 2182            | PDS0747S2 SHIPPING PARTY CONTACT INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                | Both                    |
| PDS 0748<br>(each<br>occurrence)     | 2191            | PDS0748 DELIVERY PARTY INFORMATION LENGTH MUST BE 050-150 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 050.                                           | Both                    |

| Field/<br>Subfield               | Error<br>number | Error message                                                                                                                                                   | Edit<br>performed by... |
|----------------------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                                  | 2297            | PDS0748 DELIVERY PARTY INFORMATION REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.         | Both                    |
| PDS 0748,<br>s1                  | 2182            | PDS0748S1 DELIVERY PARTY NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                | Both                    |
| PDS 0749<br>(each<br>occurrence) | 2192            | PDS0749 DELIVERY PARTY ADDRESS INFORMATION LENGTH MUST BE 050-300 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 050.                                    | Both                    |
|                                  | 2297            | PDS0749 DELIVERY PARTY ADDRESS INFORMATION REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET. | Both                    |
| PDS 0749,<br>s1                  | 2182            | PDS0749S1 DELIVERY PARTY ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                             | Both                    |
| PDS 0750                         | 2180            | PDS0750 DELIVERY PARTY POSTAL INFORMATION LENGTH MUST BE 025-041.                                                                                               | Both                    |
|                                  | 2182            | PDS0750 DELIVERY PARTY POSTAL INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                    | Both                    |
|                                  | 2297            | PDS0750 DELIVERY PARTY POSTAL INFORMATION REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET.  | Both                    |
| PDS 0750,<br>s1                  | 2182            | PDS0750S1 DELIVERY PARTY CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                | Both                    |
| PDS 0750,<br>s2                  | 2182            | PDS0750S2 DELIVERY PARTY STATE/PROVINCE CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                 | Both                    |
| PDS 0750,<br>s3                  | 2182            | PDS0750S3 DELIVERY PARTY COUNTRY CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                        | Both                    |
| PDS 0750,<br>s4                  | 2182            | PDS0750S4 DELIVERY PARTY POSTAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                         | Both                    |
| PDS 0751                         | 2180            | PDS0751 DETAIL TAX AMOUNT 4 LENGTH MUST BE 001-046                                                                                                              | Both                    |
| PDS 0751,<br>s1                  | 2185            | PDS0751S1 DETAIL TAX AMOUNT INDICATOR 4 MUST BE Y, N, OR SPACE.                                                                                                 | Both                    |
| PDS 0751,<br>s2                  | 2183            | PDS0751S2 DETAIL TAX AMOUNT 4 MUST BE NUMERIC.                                                                                                                  | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                         | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0751,<br>s3    | 2183            | PDS0751S3 DETAIL TAX RATE 4 MUST BE NUMERIC.                                                                          | Both                    |
| PDS 0751,<br>s4    | 2215            | PDS0751S4 DETAIL TAX RATE EXPONENT 4 MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                    | Both                    |
| PDS 0751,<br>s6    | 2185            | PDS0751S6 DETAIL TAX TYPE IDENTIFIER 4 MUST BE 00, 01, 02, 03, 04, 05, 06, 10, 11, 12, 13, 14, 20, 21, 22, OR SPACES. | Both                    |
| PDS 0751,<br>s7    | 2181            | PDS0751S7 ACCEPTOR TAX ID 4 MUST BE A FIXED LENGTH OF 020.                                                            | Both                    |
|                    | 2184            | PDS0751S7 ACCEPTOR TAX ID 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                              | Both                    |
|                    | 2233            | PDS0751S7 ACCEPTOR TAX ID 4 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                     | Both                    |
|                    | 2257            | PDS0751S7 ACCEPTOR TAX ID 4 MUST BE LEFT JUSTIFIED, NON ZERO AND CONTAIN 9 NUMERIC CHARACTERS.                        | Both                    |
| PDS 0751,<br>s8    | 2185            | PDS0751S8 DETAIL TAX AMOUNT SIGN 4 MUST BE D OR C.                                                                    | Both                    |
| PDS 0752           | 2180            | PDS0752 DETAIL TAX AMOUNT 5 LENGTH MUST BE 001-046.                                                                   | Both                    |
| PDS 0752,<br>s1    | 2185            | PDS0752S1 DETAIL TAX AMOUNT INDICATOR 5 MUST BE Y, N, OR SPACES.                                                      | Both                    |
| PDS 0752,<br>s2    | 2183            | PDS0752S2 DETAIL TAX AMOUNT 5 MUST BE NUMERIC.                                                                        | Both                    |
| PDS 0752,<br>s3    | 2183            | PDS0752S3 DETAIL TAX RATE 5 MUST BE NUMERIC.                                                                          | Both                    |
| PDS 0752,<br>s4    | 2215            | PDS0752S4 DETAIL TAX RATE EXPONENT 5 MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                    | Both                    |
| PDS 0752,<br>s6    | 2185            | PDS0752S6 MUST BE <VALLIST>.                                                                                          | Both                    |
| PDS 0752,<br>s7    | 2181            | PDS0752S7 ACCEPTOR TAX ID 5 MUST BE A FIXED LENGTH OF 020.                                                            | Both                    |
|                    | 2184            | PDS0752S7 ACCEPTOR TAX ID 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                              | Both                    |
|                    | 2233            | PDS0752S7 ACCEPTOR TAX ID 5 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                     | Both                    |
|                    | 2257            | PDS0752S7 ACCEPTOR TAX ID 5 MUST BE LEFT JUSTIFIED, NON ZERO AND CONTAIN 9 NUMERIC CHARACTERS.                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0752,<br>s8    | 2185            | PDS0752S8 DETAIL TAX AMOUNT SIGN 5 MUST BE D OR C.                                                                                       | Both                    |
| PDS 0753           | 2180            | PDS0753 TAX AMOUNT 6 LENGTH MUST BE 001-046.                                                                                             | Both                    |
| PDS 0753,<br>s1    | 2185            | PDS0753S1 DETAIL TAX AMOUNT INDICATOR 6 MUST BE Y, N, OR SPACE.                                                                          | Both                    |
| PDS 0753,<br>s2    | 2183            | PDS0753S2 DETAIL TAX AMOUNT 6 MUST BE NUMERIC.                                                                                           | Both                    |
| PDS 0753,<br>s3    | 2183            | PDS0753S3 DETAIL TAX RATE 6 MUST BE NUMERIC.                                                                                             | Both                    |
| PDS 0753,<br>s4    | 2215            | PDS0753S4 DETAIL TAX RATE EXPONENT 6 MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                       | Both                    |
| PDS 0753,<br>s6    | 2185            | PDS0753S6 MUST BE <VALLIST>.                                                                                                             | Both                    |
| PDS 0753,<br>s7    | 2181            | PDS0753S7 ACCEPTOR TAX ID 6 MUST BE A FIXED LENGTH OF 020.                                                                               | Both                    |
|                    | 2184            | PDS0753S7 ACCEPTOR TAX ID 6 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                 | Both                    |
|                    | 2233            | PDS0753S7 ACCEPTOR TAX ID 6 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                        | Both                    |
|                    | 2257            | PDS0753S7 ACCEPTOR TAX ID 6 MUST BE LEFT JUSTIFIED, NON-ZERO AND CONTAIN 9 NUMERIC CHARACTERS.                                           | Both                    |
| PDS 0753,<br>s8    | 2185            | PDS0753S8 DETAIL TAX AMOUNT SIGN 6 MUST BE D OR C.                                                                                       | Both                    |
| PDS 0754           | 2193            | PDS0754 DELIVERY PARTY CONTACT LENGTH MUST BE 061-305 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 61.                          | Both                    |
|                    | 2297            | PDS0754 PICKUP DATE REQUIRED FOR THE SHIPPING/COURIER SERVICES ADDENDUM SUBMITTED FOR CORPORATE DATA RATE III OR CORPORATE LARGE TICKET. | Both                    |
| PDS 0754,<br>s1    | 2185            | PDS0754S1 DELIVERY PARTY DESCRIPTOR MUST BE 1, 2, 3, 4, OR 5.                                                                            | Both                    |
| PDS 0754,<br>s2    | 2182            | PDS0754S2 DELIVERY PARTY CONTACT INFORMATION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                          | Both                    |
| PDS 0755           | 2181            | PDS0755 LINE ITEM TOTAL AMOUNT MUST BE A FIXED LENGTH OF 014.                                                                            | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                              | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0755,<br>s1    | 2196            | PDS0755S1 LINE ITEM TOTAL AMOUNT MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                  | Both                    |
| PDS 0755,<br>s2    | 2183            | PDS0755S2 LINE ITEM TOTAL AMOUNT EXPONENT MUST BE NUMERIC.                                                 | Both                    |
|                    | 2215            | PDS0755S2 LINE ITEM TOTAL AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                    | Both                    |
| PDS 0755,<br>s3    | 2185            | PDS0755S3 LINE ITEM TOTAL AMOUNT SIGN MUST BE D OR C.                                                      | Both                    |
| PDS 0756           | 2181            | PDS0756 PASSENGER DESCRIPTION MUST BE A FIXED LENGTH OF 005.                                               | Both                    |
| PDS 0756,<br>s1    | 2183            | PDS0756S1 NUMBER OF ADULTS MUST BE NUMERIC.                                                                | Both                    |
| PDS 0756,<br>s2    | 2183            | PDS0756S2 NUMBER OF CHILDREN MUST BE NUMERIC.                                                              | Both                    |
| PDS 0756,<br>s3    | 2184            | PDS0756S3 PASSENGER DESCRIPTION CLASS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                    |
| PDS 0757           | 2180            | PDS0757 TRANSPORTATION SERVICE PROVIDER LENGTH MUST BE 001-040.                                            | Both                    |
|                    | 2182            | PDS0757 TRANSPORTATION SERVICE PROVIDER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0757 TRANSPORTATION SERVICE PROVIDER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
| PDS 0758           | 2180            | PDS0758 TRANSPORTATION SERVICES OFFERED LENGTH MUST BE 001-040.                                            | Both                    |
|                    | 2182            | PDS0758 TRANSPORTATION SERVICES OFFERED MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0758 TRANSPORTATION SERVICES OFFERED CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
| PDS 0759           | 2180            | PDS0759 DELIVERY ORDER NUMBER LENGTH MUST BE 001-015.                                                      | Both                    |
|                    | 2182            | PDS0759 DELIVERY ORDER NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.           | Both                    |
|                    | 2184            | PDS0759 DELIVERY ORDER NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                    |
| PDS 0760           | 2180            | PDS0760 CREDIT CARD SLIP NUMBER LENGTH MUST BE 001-008.                                                    | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2182            | PDS0760 CREDIT CARD SLIP NUMBER MUST BE LEFT-JUSTIFIED AND CANNOT BE ALL ZEROS OR ALL SPACES.                                | Both                    |
|                    | 2184            | PDS0760 CREDIT CARD SLIP NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                 | Both                    |
| PDS 0761           | 2180            | PDS0761 TRAVEL AGENCY ID LENGTH MUST BE 001-015.                                                                             | Both                    |
|                    | 2182            | PDS0761 TRAVEL AGENCY ID MUST BE LEFT-JUSTIFIED AND CANNOT BE ALL ZEROS OR ALL SPACES.                                       | Both                    |
|                    | 2184            | PDS0761 TRAVEL AGENCY ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                        | Both                    |
| PDS 0762           | 2181            | PDS0762 DATA SOURCE MUST BE A FIXED LENGTH OF 002.                                                                           | Both                    |
|                    | 2185            | PDS0762 DATA SOURCE MUST BE 00, 10, 11, 12, 14, 15, 16, 18, 19.                                                              | Both                    |
| PDS 0763           | 2181            | PDS0763 VAT SUPPRESSION INDICATOR MUST BE A FIXED LENGTH OF 002.                                                             | Both                    |
|                    | 2182            | PDS0763 VAT SUPPRESSION INDICATOR MUST BE LEFT-JUSTIFIED AND CANNOT BE ALL ZEROS OR ALL SPACES.                              | Both                    |
|                    | 2184            | PDS0763 VAT SUPPRESSION INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                               | Both                    |
| PDS 0764           | 2487            | PDS0764 HEALTHCARE ELIGIBLE STATUS INDICATOR INVALID. MUST BE 0 OR 1.                                                        | Both                    |
| PDS 0765           | 2719            | PDS0765 AND SUBFIELDS 1 AND 2 MUST BE PRESENT FOR PAYMENT TRANSACTIONS WHEN PDS0043 IS EQUAL TO A VALID TRANSACTION TYPE ID. | Both                    |
| PDS 0765,<br>s1    | 2184            | PDS0765S1 PAYEE FIRST NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                    |
|                    | 2720            | PDS0765S1 PAYEE FIRST NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL NUMERIC.                              | Both                    |
| PDS 0765,<br>s2    | 2184            | PDS0765S2 PAYEE LAST NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                       | Both                    |
|                    | 2720            | PDS0765S2 PAYEE LAST NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL NUMERIC.                               | Both                    |
| PDS 0770           | 2180            | PDS0770 ADDITIONAL ACCEPTOR INQUIRY INFORMATION LENGTH MUST BE 025-073.                                                      | Both                    |
|                    | 2184            | PDS0770 ADDITIONAL ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                               | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2208            | PDS0770 ADDITIONAL ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL ZEROS OR ALL SPACES.                                                          | Both                    |
| PDS 0770,<br>s1    | 2233            | PDS0770S1 SALES REP NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                              | Both                    |
| PDS 0770,<br>s2    | 2244            | PDS0770S2 SALES REP PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.                                | Both                    |
|                    | 2259            | PDS0770S2 SALES REP PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.         | Both                    |
| PDS 0770,<br>s3    | 2244            | PDS0770S3 SALES REP FAX NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.                                  | Both                    |
|                    | 2259            | PDS0770S3 SALES REP FAX NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.           | Both                    |
| PDS 0770,<br>s4    | 2244            | PDS0770S4 TECHNICAL SUPPORT PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.                        | Both                    |
|                    | 2259            | PDS0770S4 TECHNICAL SUPPORT PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                    |
| PDS 0771           | 2180            | PDS0771 COST CENTER INFORMATION LENGTH MUST BE 018-036.                                                                                     | Both                    |
| PDS 0771,<br>s1    | 2182            | PDS0771S1 COST CENTER NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                             | Both                    |
|                    | 2184            | PDS0771S1 COST CENTER NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                    |
| PDS 0771,<br>s2    | 2182            | PDS0771S2 COST CENTER DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                        | Both                    |
|                    | 2184            | PDS0771S2 COST CENTER DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                              | Both                    |
| PDS 0772           | 2180            | PDS0772 DRIVER LICENSE/STATE ISSUED ID INFORMATION LENGTH MUST BE 015-018.                                                                  | Both                    |
| PDS 0772,<br>s1    | 2182            | PDS0772S1 DRIVER LICENSE/STATE ISSUED ID NUMBER MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                          | Both                    |
|                    | 2184            | PDS0772S1 DRIVER LICENSE/STATE ISSUED ID NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                         | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0772,<br>s2    | 2182            | PDS0772S2 DRIVER LICENSE/STATE ISSUED ID STATE, PROVINCE, OR REGION CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                           | Both                    |
|                    | 2184            | PDS0772S2 DRIVER LICENSE/STATE ISSUED ID, STATE, PROVINCE, OR REGION CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                | Both                    |
| PDS 0773           | 2493            | PDS0773 PAYMENT METHOD INFORMATION LENGTH MUST BE <MIN-MAX> AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 14.                                                                 | Both                    |
| PDS 0773,<br>s1    | 2227            | PDS0773S1 PAYMENT METHOD INVALID. MUST BE 01, 02, 03, 04, 05, 06, or 07.                                                                                                              | Both                    |
| PDS 0773,<br>s2    | 2232            | PDS0773S2 AMOUNT, PAYMENT MUST BE NUMERIC AND GREATER THAN 0.                                                                                                                         | Both                    |
| PDS 0774           | 2180            | PDS0774 STOCK KEEPING UNIT (SKU) DESCRIPTION LENGTH MUST BE 001-200.                                                                                                                  | Both                    |
|                    | 2182            | PDS0774 STOCK KEEPING UNIT (SKU) DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                       | Both                    |
|                    | 2184            | PDS0774 STOCK KEEPING UNIT (SKU) DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                             | Both                    |
| PDS 0775           | 2180            | PDS0775 DEPARTMENT CODE LENGTH MUST BE 001-008.                                                                                                                                       | Both                    |
|                    | 2182            | PDS0775 DEPARTMENT CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                                            | Both                    |
|                    | 2184            | PDS0775 DEPARTMENT CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                  | Both                    |
| PDS 0776           | 2494            | PDS0776 ALTERNATE CUSTOM IDENTIFIER LENGTH MUST BE <MIN-MAX> AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 82.                                                                | Both                    |
| PDS 0776,<br>s1    | 2227            | PDS0776S1 ALTERNATE CUSTOM IDENTIFIER TYPE INVALID. MUST BE CUSORD, CUSTPO, FOLNUM, INVACT, OTHER1, OTHER2, PRCHID, RECLOC, RESNUM, RNTAGR, SUPINV, SUPORD, TKTNUM, TRANID, or TRKNUM | Both                    |
| PDS 0776,<br>s2    | 2182            | PDS0776S2 ALTERNATE CUSTOM IDENTIFIER DETAIL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                       | Both                    |
|                    | 2184            | PDS0776S2 ALTERNATE CUSTOM IDENTIFIER DETAIL CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                             | Both                    |
| PDS 0777           | 2180            | PDS0777 PROMOTION CODE LENGTH MUST BE 001-006.                                                                                                                                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2182            | PDS0777 PROMOTION CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                                      | Both                    |
|                    | 2184            | PDS0777 PROMOTION CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                            | Both                    |
| PDS 0781           | 2181            | PDS0781 FLEET SPEND CONTROL ENFORCED MUST BE A FIXED LENGTH OF 16.                                                                                             | Both                    |
|                    | 2208            | PDS0781 FLEET SPEND CONTROL ENFORCED CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                        | Both                    |
| PDS 0782           | 2181            | PDS0782 FLEET FUEL INFORMATION MUST BE A FIXED LENGTH OF 35.                                                                                                   | Both                    |
|                    | 3021            | PDS0782 FLEET FUEL INFORMATION REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS IN WHICH PDS622 CONTAINS A VALUE OTHER THAN 3 FOR THE SUBMITTED IRD.      | Both                    |
|                    | 3024            | PDS0782 FLEET FUEL INFORMATION REQUIRED FOR FLEET CARD AT FUEL LOCATION TRANSACTIONS IN WHICH PDS622 CONTAINS A VALUE OTHER THAN 3 FOR THE SUBMITTED IRD.      | Both                    |
| PDS 0782,<br>s1    | 0333            | PDS0782S1 FLEET FUEL PRODUCT CODE INVALID. MUST BE 001-005, 011-024, 026-054, 060-070, 099-099, 150-157, 174-174, 225-231, 249-249, 300-302, 304-338, 399-399. | Both                    |
| PDS 0782,<br>s2    | 0339            | PDS0782S2 FLEET FUEL UNIT PRICE MUST BE NUMERIC.                                                                                                               | Both                    |
| PDS 0782,<br>s3    | 0337            | PDS0782S3 FLEET FUEL UNIT OF MEASURE MUST CONTAIN SPACE, 1-8.                                                                                                  | Both                    |
| PDS 0782,<br>s4    | 1054            | PDS0782S4 FLEET FUEL QUANTITY MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                           | Both                    |
| PDS 0782,<br>s5    | 0336            | PDS0782S5 FLEET FUEL QUANTITY EXPONENT MUST BE 0-5.                                                                                                            | Both                    |
| PDS 0782,<br>s6    | 0341            | PDS0782S6 FLEET FUEL SALE AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                                        | Both                    |
|                    | 2473            | THE FLEET FUEL SALE AMOUNT IS NOT EQUAL TO THE PRODUCT OF FLEET FUEL UNIT PRICE AND FLEET FUEL QUANTITY.                                                       | Both                    |
| PDS 0783           | 2577            | PDS0783 FLEETPRODUCT CODE, IF PRESENT, MUST CONTAIN A VALID VALUE. VALUE/RANGE LIST TABLE IN ONE DAY FILE IS IP2241T1.                                         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 3020            | PDS0783 FLEET PRODUCT CODE, PDS0784 FLEET ITEM DESCRIPTION, PDS0785 FLEET ITEM QUANTITY, PDS0786 FLEET ITEM UNIT OF MEASURE, PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM. | Both                    |
|                    | 3022            | PDS0783 FLEET PRODUCT CODE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                                                                      | Both                    |
|                    | 3025            | PDS0783 FLEET PRODUCT CODE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                                                                      | Both                    |
| PDS 0784           | 0286            | PDS0784 FLEET ITEM DESCRIPTION MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                                                                                                                            | Both                    |
|                    | 0964            | PDS0784 FLEET ITEM DESCRIPTION LENGTH MUST BE 1–35.                                                                                                                                                                                                             | Both                    |
|                    | 3020            | PDS0784 FLEET ITEM DESCRIPTION MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                                                                  | Both                    |
|                    | 3022            | PDS0784 FLEET ITEM DESCRIPTION MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                                                                  | Both                    |
|                    | 3025            | PDS0784 FLEET ITEM DESCRIPTION MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                                                                  | Both                    |
| PDS 0785           | 0907            | PDS0785 FLEET ITEM QUANTITY MUST BE A FIXED LENGTH OF 013.                                                                                                                                                                                                      | Both                    |
|                    | 3020            | PDS0785 FLEET ITEM QUANTITY MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                                                                     | Both                    |
|                    | 3022            | PDS0785 FLEET ITEM QUANTITY MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                                                                     | Both                    |
|                    | 3025            | PDS0785 FLEET ITEM QUANTITY MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.                                                                                                                                     | Both                    |
| PDS 0785,<br>s1    | 2232            | PDS0785S1 FLEET ITEM QUANTITY MUST BE NUMERIC AND GREATER THAN ZERO                                                                                                                                                                                             | Both                    |
| PDS 0785,<br>s2    | 2215            | PDS0785S2 FLEET ITEM QUANTITY EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0–5.                                                                                                                                                                            | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                    | Edit<br>performe<br>d by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0786           | 0965            | PDS0786 FLEET ITEM UNIT OF MEASURE LENGTH MUST BE 1-12.                                                                                          | Both                        |
|                    | 2208            | PDS0786 FLEET ITEM UNIT OF MEASURE CANNOT BE ALL ZEROS OR ALL SPACES.                                                                            | Both                        |
|                    | 3020            | PDS0786 FLEET ITEM UNIT OF MEASURE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.               | Both                        |
|                    | 3022            | PDS0786 FLEET ITEM UNIT OF MEASURE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.               | Both                        |
|                    | 3025            | PDS0786 FLEET ITEM UNIT OF MEASURE MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.               | Both                        |
| PDS 0787           | 2181            | PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE A FIXED LENGTH OF 14.                                                                                 | Both                        |
|                    | 3020            | PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.               | Both                        |
|                    | 3022            | PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.               | Both                        |
|                    | 3025            | PDS0787 FLEET EXTENDED ITEM AMOUNT MUST BE PRESENT IN A LINE ITEM DETAIL ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.               | Both                        |
| PDS 0787,<br>s1    | 2232            | PDS0787S1 FLEET EXTENDED ITEM AMOUNT MUST BE NUMERIC AND GREATER THAN ZERO.                                                                      | Both                        |
| PDS 0787,<br>s2    | 2215            | PDS0787S2 FLEET EXTENDED ITEM AMOUNT EXPONENT MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-5.                                                      | Both                        |
| PDS 0787,<br>s3    | 2185            | PDS0787S3 EXTENDED ITEM AMOUNT SIGN MUST BE D OR C.                                                                                              | Both                        |
| PDS 0790           | 2180            | PDS0790 FLEET PROMPTED DATA 1 LENGTH MUST BE 004-038.                                                                                            | Both                        |
|                    | 3027            | PDS0790 FLEET PROMPTED DATA 1 MUST BE PRESENT IN A FLEET TRANSACTION INFORMATION ADDENDUM MESSAGE AS SPECIFIED BY THE INTERCHANGE PROGRAM.       | Both                        |
| PDS 0790,<br>s1    | 0333            | PDS0790S1 PROMPT CODE 1 INVALID. MUST BE 001-005, 009-013, 015-019, 021-026, 033-033, 035-036, 038-038, 040-056, 058-058, 065-065, 067-069, 999. | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0790,<br>s2    | 1151            | PDS0790S2 DRIVER RELATED DATA 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                            | Both                    |
| PDS 0791           | 2180            | PDS0791 FLEET PROMPTED DATA 2 LENGTH MUST BE 004-038.                                                                                            | Both                    |
| PDS 0791,<br>s1    | 0333            | PDS0791S1 PROMPT CODE 2 INVALID. MUST BE 001-005, 009-013, 015-019, 021-026, 033-033, 035-036, 038-038, 040-056, 058-058, 065-065, 067-069, 999. | Both                    |
| PDS 0791,<br>s2    | 1151            | PDS0791S2 DRIVER RELATED DATA 2 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                            | Both                    |
| PDS 0792           | 2180            | PDS0792 FLEET PROMPTED DATA 3 LENGTH MUST BE 004-038.                                                                                            | Both                    |
| PDS 0792,<br>s1    | 0333            | PDS0792S1 PROMPT CODE 3 INVALID. MUST BE 001-005, 009-013, 015-019, 021-026, 033-033, 035-036, 038-038, 040-056, 058-058, 065-065, 067-069, 999. | Both                    |
| PDS 0792,<br>s2    | 1151            | PDS0792S2 DRIVER RELATED DATA 3 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                            | Both                    |
| PDS 0793           | 2180            | PDS0793 FLEET PROMPTED DATA 4 LENGTH MUST BE 004-038.                                                                                            | Both                    |
| PDS 0793,<br>s1    | 0333            | PDS0793S1 PROMPT CODE 4 INVALID. MUST BE 001-005, 009-013, 015-019, 021-026, 033-033, 035-036, 038-038, 040-056, 058-058, 065-065, 067-069, 999. | Both                    |
| PDS 0793,<br>s2    | 1151            | PDS0793S2 DRIVER RELATED DATA 4 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                            | Both                    |
| PDS 0794           | 2180            | PDS0794 FLEET PROMPTED DATA 5 LENGTH MUST BE 004-038.                                                                                            | Both                    |
| PDS 0794,<br>s1    | 0333            | PDS0794S1 PROMPTCODE 5 INVALID. MUST BE 001-005, 009-013, 015-019, 021-026, 033-033, 035-036, 038-038, 040-056, 058-058, 065-065, 067-069, 999.  | Both                    |
| PDS 0794,<br>s2    | 1151            | PDS0794S2 DRIVER RELATED DATA 5 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                            | Both                    |
| PDS 0799           | 2182            | PDS0799 TEST CASE TRACEABILITY IDENTIFIERS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                    | Both                    |
|                    | 2184            | PDS0799 TEST CASE TRACEABILITY IDENTIFIERS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                          | Both                    |
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                           | Both                    |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                                                                                       | Both                    |

## Retrieval Request/1644-603 messages

This section contains the error numbers and message texts by field and subfield for Retrieval Request/1644-603 messages.

### Retrieval Request/1644-603

Error numbers and message texts are organized by field and subfield for Retrieval Request/1644-603 messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

#### MTI/Function Code: Retrieval Request/1644-603

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                | Edit<br>perform<br>ed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 2               | 0009            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE NUMERIC.                                                                                                                            | Both                        |
|                    | 0010            | DE2 PRIMARY ACCOUNT NUMBER (PAN) LENGTH MUST BE 6-19.                                                                                                                        | Both                        |
|                    | 0011            | DE2 PRIMARY ACCOUNT NUMBER (PAN) ACCOUNT RANGE<br>INVALID.                                                                                                                   | Both                        |
|                    | 0735            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE PRESENT IN<br>RETRIEVAL REQUEST MESSAGES.                                                                                           | Both                        |
|                    | 2225            | GCMS PRODUCT ID INVALID FOR BUSINESS SERVICE<br>ARRANGEMENT AND ACCEPTANCE BRAND ID CODE                                                                                     | Both                        |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR<br>BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID &<br>TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR<br>INTERCHANGE PROGRAM. | Both                        |
| DE 3               | 0012            | DE3 PROCESSING CODE MUST BE NUMERIC.                                                                                                                                         | Both                        |
|                    | 0523            | ACQUIRER NOT CERTIFIED BY MASTERCARD TO PROCESS ATM<br>CASH WITHDRAWAL TRANSACTIONS.                                                                                         | Both                        |
|                    | 2220            | DE3 PROCESSING CODE INVALID FOR BUSINESS SERVICE<br>ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND<br>ACCEPTANCE BRAND ID CODE <AB>.                                           | Both                        |
| DE 3, s1           | 0013            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE<br><VALLIST>.                                                                                                             | Both                        |
|                    | 0033            | RETRIEVAL REQ TO ATM ACQUIRER.                                                                                                                                               | Both                        |
|                    | 0735            | DE3S1 CARDHOLDER TRANSACTION TYPE MUST BE PRESENT IN<br>RETRIEVAL REQUEST MESSAGES.                                                                                          | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                            | Edit<br>perform<br>ed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2464            | <MSGTYPE> NOT ALLOWED FOR PAYMENT TRANSACTIONS CREATED BY MASTERCARD ON BEHALF OF THE MEMBER.                                                                                                                                                            | Both                        |
| DE 3, s2           | 0014            | DE3S2 CARDHOLDER FROM—ACCOUNT TYPE CODE MUST BE 00, 10, 20, 30, 39, 60.                                                                                                                                                                                  | Both                        |
| DE 3, s3           | 0015            | DE3S3 CARDHOLDER TO—ACCOUNT TYPE CODE MUST BE 00.                                                                                                                                                                                                        | Both                        |
| DE 12              | 0735            | DE12 MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), OR RETRIEVAL REQUEST MESSAGES. | Both                        |
| DE 12, s1          | 0043            | DE12S1 DATE CANNOT BE GREATER THAN THE DATE IN PDS0105S2 FILE REFERENCE DATE.                                                                                                                                                                            | Both                        |
|                    | 2186            | DE12S1 DATE AND TIME, LOCAL TRANSACTION/DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                                                                                                  | Both                        |
| DE 12, s2          | 0040            | DE12S2 TIME MUST BE IN THE RANGE 00–23.                                                                                                                                                                                                                  | Both                        |
|                    | 0042            | DE12S2 TIME INVALID. MINUTES AND SECONDS MUST BE IN RANGE 00–59.                                                                                                                                                                                         | Both                        |
| DE 14              | 0045            | DE14 DATE, EXPIRATION MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                                                                                                                                                                          | Both                        |
| DE 22, s1          | 0047            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                                                                                                                             | Both                        |
| DE 22, s2          | 0048            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY INVALID. MUST BE IN LIST OF ALLOWED VALUES.                                                                                                                                                   | Both                        |
| DE 22, s3          | 0049            | DE22S3 TERMINAL DATA: CARD CAPTURE CAPABILITY INVALID. MUST BE 0, 1, OR 9.                                                                                                                                                                               | Both                        |
| DE 22, s4          | 0050            | DE22S4 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                                                                                                                                                                        | Both                        |
| DE 22, s5          | 0051            | DE22S5 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                                                                                                                                                                        | Both                        |
| DE 22, s6          | 0052            | DE22S6 CARD PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                                                                                                                                     | Both                        |
| DE 22, s8          | 0054            | DE22S8 CARDHOLDER AUTHENTICATION METHOD INVALID. MUST BE 0, 1, 2, 5, 6, 9, OR S.                                                                                                                                                                         | Both                        |
| DE 22, s9          | 0055            | DE22S9 CARDHOLDER AUTHENTICATION ENTITY INVALID. MUST BE <VALLIST>.                                                                                                                                                                                      | Both                        |
| DE 22, s10         | 0056            | DE22S10 CARD DATA OUTPUT CAPABILITY INVALID. MUST BE IN LIST OF ALLOWED VALUES.                                                                                                                                                                          | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                      | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 22,s11          | 0057            | DE22S11 TERMINAL DATA OUTPUT CAPABILITY INVALID. MUST BE 0, 1, 2, 3, OR 4.                                                                                         | Both                        |
| DE 22,s12          | 0058            | DE22S12 PIN CAPTURE CAPABILITY INVALID. MUST BE 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, OR C.                                                                          | Both                        |
| DE 23              | 0059            | DE23 CARD SEQUENCE NUMBER MUST BE NUMERIC.                                                                                                                         | Both                        |
|                    | 0437            | DE23 CARD SEQUENCE NUMBER CONTAINS A VALUE IN THE RANGE OF 000-099.                                                                                                | Both                        |
| DE 24              | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                                                                                                | Both                        |
|                    | 0735            | DE24 FUNCTION CODE MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                                  | Both                        |
| DE 25              | 0064            | DE25 MESSAGE REASON CODE MUST BE NUMERIC.                                                                                                                          | Both                        |
|                    | 0735            | DE25 MESSAGE REASON CODE MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                            | Both                        |
|                    | 2219            | DE25 MESSAGE REASON CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT (BUSINESS SERVICE ID & TYPE) AND ACCEPTANCE BRAND ID CODE.                                       | Both                        |
|                    | 2267            | DE25 MESSAGE REASON CODE INVALID FOR THIS CHARGEBACK.                                                                                                              | Both                        |
|                    | 2434            | DE25 MESSAGE REASON CODE CANNOT EQUAL 4802 OR 4837.                                                                                                                | Both                        |
|                    | 2460            | DE25 MESSAGE REASON CODE IS NOT ALLOWED BETWEEN THE ACQUIRER AND ISSUER COUNTRIES.                                                                                 | Both                        |
| DE 26              | 2223            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                         | Both                        |
|                    | 2224            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                        |
| DE 30              | 0077            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                    | Both                        |
|                    | 0078            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                                   | Both                        |
|                    | 0735            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                              | Both                        |
|                    | 1016            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT AND NONZERO IN RETRIEVAL REQUEST MESSAGES.                                                                                  | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                               | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 1019            | DE30 AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                     | Both                        |
| DE 30, s2          | 0076            | DE30S2 ORIGINAL AMOUNT, RECONCILIATION MUST BE ZERO-FILLED.                                                 | Both                        |
| DE 31              | 0735            | DE31 ACQUIRER REFERENCE DATA MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                 | Both                        |
|                    | 2181            | DE31 ACQUIRER REFERENCE DATA MUST BE A FIXED LENGTH OF 23.                                                  | Both                        |
| DE 31, s1          | 0080            | DE31S1 FILLER MUST BE NUMERIC.                                                                              | Both                        |
|                    | 3019            | DE31SF1 MUST BE A VALID VALUE STARTING WITH "7"                                                             | Both                        |
| DE 31, s2          | 0081            | DE31S2 ACQUIRER'S REFERENCE MUST BE NUMERIC.                                                                | Both                        |
|                    | 1087            | DE31S2 ACQUIRER'S BIN NOT A VALID ACQUIRER BIN.                                                             | Both                        |
| DE 31, s3          | 0086            | DE31S3 JULIAN PROCESSING DATE YDDD OF DE31 ACQUIRER REFERENCE DATA MUST BE A VALID DATE IN THE FORMAT YDDD. | Both                        |
| DE 31, s4          | 0083            | DE31S4 ACQUIRER'S SEQUENCE NUMBER MUST BE NUMERIC.                                                          | Both                        |
| DE 31, s5          | 0085            | DE31S5 CHECK DIGIT MUST BE NUMERIC.                                                                         | Both                        |
|                    | 0087            | DE31S5 CHECK DIGIT DOES NOT MOD-CHECK.                                                                      | Both                        |
| DE 32              | 0089            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC.                                                         | Both                        |
|                    | 0090            | DE32 ACQUIRING INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 01-11.                                   | Both                        |
|                    | 2196            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                 | Both                        |
| DE 33              | 0735            | DE33 FORWARDING INSTITUTION ID CODE MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                          | Both                        |
|                    | 0790            | INVALID DE33 FORWARDING INSTITUTION ID CODE FOR RETRIEVAL REQUEST MESSAGES.                                 | Both                        |
|                    | 0808            | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                                        | Both                        |
|                    | 2180            | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                 | Both                        |
| DE 37              | 0091            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                        |
|                    | 2208            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                          | Both                        |
| DE 38              | 0093            | DE38 APPROVAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                             | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                      | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0094            | DE38 APPROVAL CODE CONTAINS EMBEDDED SPACES.                                                                       | Both                        |
|                    | 0095            | DE38 APPROVAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                           | Both                        |
|                    | 2431            | TRANSACTION DOES NOT QUALIFY FOR ALM INTERCHANGE.                                                                  | GCMS                        |
| DE 40              | 2183            | DE40 SERVICE CODE MUST BE NUMERIC.                                                                                 | Both                        |
|                    | 2354            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR THIS DE40/DE22S1 COMBINATION.                                    | Both                        |
| DE 41              | 0096            | DE41 ACCEPTOR TERMINAL ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                             | Both                        |
|                    | 2182            | DE41 ACCEPTOR TERMINAL ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                       | Both                        |
| DE 42              | 0098            | DE42 ACCEPTOR ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                 | Both                        |
|                    | 2182            | DE42 ACCEPTOR ID CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                           | Both                        |
| DE 43              | 0100            | DE43 ACCEPTOR NAME/LOCATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                           | Both                        |
|                    | 0101            | DE43 ACCEPTOR NAME/LOCATION MUST BE 20–99.                                                                         | Both                        |
|                    | 0107            | WITHIN DE43 ACCEPTOR NAME/LOCATION, 3 BACKSLASH CHARACTERS ARE REQUIRED TO DELIMIT NAME\STREET ADDRESS\CITY\.      | Both                        |
| DE 43, s1          | 0102            | DE43S1 ACCEPTOR NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                  | Both                        |
|                    | 0103            | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1–22.                                                                          | Both                        |
|                    | 0108            | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                         | Both                        |
|                    | 2229            | DE43S1 ACCEPTOR NAME INVALID. MUST CONTAIN ABBREVIATED AIRLINE NAME FOLLOWED BY DELIMITER OR SPACES AND DELIMITER. | Both                        |
|                    | 2574            | DE43S1 ACCEPTOR NAME MUST CONTAIN A VALID VALUE.                                                                   | Both                        |
| DE 43, s3          | 0104            | DE43S3 ACCEPTOR CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                  | Both                        |
|                    | 0105            | DE43S3 ACCEPTOR CITY LENGTH CANNOT EXCEED 13.                                                                      | Both                        |
|                    | 0539            | DE43S3 ACCEPTOR CITY MUST BE PRESENT.                                                                              | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                             | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2182            | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                   | Both                        |
| DE 43, s4          | 0109            | DE43S4 ACCEPTOR POSTAL (ZIP) CODE NOT LEFT JUSTIFIED.                                                                                     | Both                        |
| DE 43, s5          | 2167            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                                 | Both                        |
| DE 43, s6          | 0112            | DE43S6 ACCEPTOR COUNTRY CODE MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                              | Both                        |
|                    | 0589            | DE43S6 ACCEPTOR COUNTRY CODE MUST BE COMPATIBLE WITH DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE.                                     | Both                        |
|                    | 2269            | DE43S6 ACCEPTOR COUNTRY CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID AND TYPE> ACCEPTANCE BRAND ID CODE <AB>.       | Both                        |
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                        |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008–999.                                                                                              | Both                        |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62. | Both                        |
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                       | Both                        |
| DE 49              | 0735            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                            | Both                        |
| DE 62              | 0165            | DE62 ADDITIONAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                       | Both                        |
|                    | 0166            | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008–999.                                                                                            | Both                        |
|                    | 0168            | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                                                              | Both                        |
|                    | 0169            | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                                                            | Both                        |
| DE 63              | 2181            | DE63 TRANSACTION LIFE CYCLE ID LENGTH MUST BE A FIXED LENGTH OF 016.                                                                      | Both                        |
|                    | 2184            | DE63 TRANSACTION LIFE CYCLE ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                               | Both                        |
| DE 63, s1          | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE A SPACE.                                                                                      | Both                        |
| DE 63, s2          | 0141            | DE63S2 TRACE ID POSITIONS 10–13 MUST BE A VALID DATE IN THE FORMAT MMDD.                                                                  | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                    | Edit<br>perform<br>ed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0142            | THE FIRST NINE POSITIONS OF DE63S2 TRACE ID CANNOT CONTAIN EMBEDDED SPACES.                                                                                                      | Both                        |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                                                                                             | Both                        |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 MESSAGE NUMBER VALUE IN THE PREVIOUS MESSAGE.                                                                                  | Both                        |
|                    | 0735            | DE71 MESSAGE NUMBER MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                                               | Both                        |
| DE 72              | 2208            | DE72 DATA RECORD CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                                              | Both                        |
| DE 93              | 0155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE NUMERIC.                                                                                                                | Both                        |
|                    | 0157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID.                                                                                                                        | Both                        |
|                    | 1155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE CANNOT BE FLAGGED FOR INTERNAL USE ONLY.                                                                                        | GCMS                        |
|                    | 1156            | ATM RETRIEVAL REQUESTS MUST BE SENT TO ATM ACQUIRERS.                                                                                                                            | GCMS                        |
|                    | 1157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE A SUPERMARKET INTERCHANGE ACQUIRER IF THE TRANSACTION IS SUBMITTED FOR THE U.S. REGION SUPERMARKET INTERCHANGE PROGRAM. | GCMS                        |
|                    | 1159            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                                                                                  | GCMS                        |
|                    | 1209            | DE93/DE94 MUST NOT BE A PSEUDO ICA FOR OTHER THAN ONBEHALF WALLET FEE COLLECTION MESSAGE                                                                                         | GCMS                        |
|                    | 2180            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE LENGTH FIELD MUST BE 6–11.                                                                                                      | Both                        |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.                              | GCMS                        |
|                    | 2630            | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                                                                                          | GCMS                        |
| DE 94              | 0159            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                                                                                 | Both                        |
|                    | 0161            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                                                                                         | Both                        |
|                    | 0547            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE /DE2 PRIMARY ACCOUNT NUMBER (PAN) COMBINATION INVALID.                                                                           | Both                        |
|                    | 0609            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                                                                                 | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                       | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0735            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                      | Both                        |
|                    | 1175            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SENDING PROCESSOR ID IN PARAMETER MASTER.                                               | GCMS                        |
|                    | 2180            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006–011.                                                                             | Both                        |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE. | GCMS                        |
|                    | 1177            | DE95 CARD ISSUER REFERENCE DATA MUST BE NUMERIC.                                                                                                    | Both                        |
|                    | 2177            | DE95 CARD ISSUER REFERENCE DATA MUST BE A FIXED LENGTH OF 010.                                                                                      | Both                        |
| DE 123             | 0170            | DE123 ADDITIONAL DATA 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                | Both                        |
|                    | 0171            | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008–999.                                                                                                     | Both                        |
|                    | 0173            | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124.      | Both                        |
|                    | 0174            | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                         | Both                        |
| DE 124             | 0179            | DE124 ADDITIONAL DATA 4 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, AND DE123 ADDITIONAL DATA 3 ARE PRESENT.               | Both                        |
|                    | 2151            | DE124 ADDITIONAL DATA 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                | Both                        |
|                    | 2152            | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008–999.                                                                                                     | Both                        |
|                    | 2154            | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125.      | Both                        |
| DE 125             | 0175            | DE125 ADDITIONAL DATA 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                | Both                        |
|                    | 0176            | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008–999.                                                                                                     | Both                        |
|                    | 0178            | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED.     | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>perform<br>ed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2155            | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                        |
| PDS 0001           | 0503            | PDS0001 MASTERCARD MAPPING SERVICE ACCOUNT NUMBER NOT ALLOWED IN <MSGTYPE>.                                                                                    | GCMS                        |
| PDS 0025           | 0187            | PDS0025 MESSAGE REVERSAL INDICATOR LENGTH FIELD MUST BE A VALUE OF 001–007.                                                                                    | Both                        |
| PDS 0025,<br>s1    | 0185            | PDS0025S1 MESSAGE REVERSAL INDICATOR MUST BE EQUAL TO R OR A SPACE, IF PRESENT.                                                                                | Both                        |
| PDS 0025,<br>s2    | 0186            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.                                              | Both                        |
|                    | 0190            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                                         | Both                        |
| PDS 0043           | 194             | PDS0043 TRANSACTION TYPE ID MUST BE A FIXED LENGTH OF 003.                                                                                                     | Both                        |
|                    | 2208            | PDS0043 TRANSACTION TYPE ID CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                 | Both                        |
|                    | 2464            | <MSGTYPE> NOT ALLOWED FOR PAYMENT TRANSACTIONS CREATED BY MASTERCARD ON BEHALF OF THE MEMBER.                                                                  | Both                        |
|                    | 2811            | PDS0043 MUST EQUAL TO C91, C92, C93, OR C94, THE PROCESSING CODE MUST BE 00 OR 20, AND THE TRANSACTION MUST BE DOMESTIC.                                       | GCMS                        |
| PDS 0057           | 2227            | PDS0057 TRANSACTION CATEGORY INDICATOR INVALID. MUST BE 01, 02, 03, or 04                                                                                      | Both                        |
| PDS 0058           | 2183            | PDS0058 TOKEN ASSURANCE LEVEL MUST BE NUMERIC.                                                                                                                 | Both                        |
| PDS 0059           | 2183            | PDS0059 TOKEN REQUESTOR ID MUST BE NUMERIC.                                                                                                                    | Both                        |
| PDS 0148           | 0393            | PDS0148 CURRENCY EXPONENTS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                        | Both                        |
|                    | 0394            | PDS0148 CURRENCY EXPONENTS LENGTH MUST BE 04–60 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 04.                                                      | Both                        |
|                    | 0735            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                      | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                  | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2310            | PDS0148 CURRENCY EXPONENTS INVALID FIELD LENGTH.                                                                               | Clearing<br>Optimize<br>r   |
| PDS 0148,<br>s1    | 0395            | PDS0148S1 CURRENCY CODE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                              | Both                        |
| PDS 0148,<br>s2    | 0396            | PDS0148S2 CURRENCY EXPONENT MUST BE VALID FOR THE CORRESPONDING CURRENCY CODE IN SUBFIELD 1. OCCURRENCE <XX>.                  | Both                        |
| PDS 0149           | 0398            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                     | Both                        |
|                    | 0399            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL LENGTH MUST BE A FIXED LENGTH OF 006.                                                | Both                        |
|                    | 0402            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT PDS0148 CURRENCY EXPONENTS IS NOT PRESENT.                            | Both                        |
|                    | 0404            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT DE30 AMOUNT, ORIGINAL IS NOT PRESENT.                                 | Both                        |
| PDS 0149,<br>s1    | 0400            | PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                  | Both                        |
|                    | 0403            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MISSING. MUST BE PROVIDED.       | Both                        |
| PDS 0149,<br>s2    | 0401            | PDS0149S2 CURRENCY CODE, ORIGINAL RECONCILIATION AMOUNT MUST BE ALL ZEROS.                                                     | Both                        |
| PDS 0158           | 0407            | PDS0158 BUSINESS ACTIVITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                         | Both                        |
| PDS 0158,<br>s1    | 2007            | ACCEPTANCE BRAND ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                           | Both                        |
|                    | 2227            | PDS0158S1 ACCEPTANCE BRAND ID CODE INVALID. MUST BE CIR, CLP, DDB, DMC, MAV, MCC, MSI, PRO, PVL, VIS, or SPACES/BLANK          | Both                        |
| PDS 0158,<br>s2    | 2009            | NO BUSINESS SERVICE ARRANGEMENT EXISTS FOR THE MEMBER PAIR.                                                                    | Both                        |
| PDS 0158,<br>s3    | 2010            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                           | Both                        |
|                    | 2217            | PDS0158S3 BUSINESS SERVICE ID CODE MUST BE PRESENT AND VALID WHEN PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE IS PRESENT. | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                        | Edit<br>perform<br>ed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2218            | PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE MUST BE PRESENT AND VALID WHEN PDS0158S3 BUSINESS SERVICE ID CODE IS PRESENT.                                                                       | Both                        |
| PDS 0158,<br>s4    | 0670            | PDS0158S4 INTERCHANGE RATE DESIGNATOR DOES NOT MEET TIMELINESS CRITERIA AND/OR DE12S1 DATE CONTAINS INVALID DATA.                                                                                    | Both                        |
|                    | 2221            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MISSING FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                                       | Both                        |
|                    | 2341            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID. FOR ACCOUNT RANGES STARTING WITH 36 AND HAVE A MERCHANT COUNTRY (DE43S6) IN THE CARIBBEAN OR U.S. TERRITORIES THEN THE TRANSACTION MUST BE <VALLIST>. | Both                        |
| PDS 0165           | 0412            | PDS0165 SETTLEMENT INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                            | Both                        |
|                    | 0735            | PDS0165 SETTLEMENT INDICATOR MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                                                          | Both                        |
|                    | 2180            | PDS0165 SETTLEMENT INDICATOR LENGTH MUST BE 001-030.                                                                                                                                                 | Both                        |
| PDS 0165,<br>s1    | 0414            | PDS0165S1 SETTLEMENT INDICATOR MUST BE M, B, OR C.                                                                                                                                                   | Both                        |
|                    | 0416            | NO BILATERAL AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.                                                             | Clearing<br>Optimize<br>r   |
|                    | 1066            | DE3 PROCESSING CODE AND PDS0165S1 SETTLEMENT INDICATOR COMBINATION INVALID.                                                                                                                          | Both                        |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.                                                  | GCMS                        |
| PDS 0170           | 0378            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                    | Both                        |
|                    | 0433            | PDS0170 ACCEPTOR INQUIRY INFORMATION LENGTH MUST BE 16-57.                                                                                                                                           | Both                        |
|                    | 2208            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                                              | Both                        |
| PDS 0170,<br>s1    | 2181            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE A FIXED LENGTH OF 16                                                                                                                                 | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                              | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2244            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.                        | Both                        |
|                    | 2259            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                        |
| PDS 0170,<br>s2    | 2181            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST BE A FIXED LENGTH OF 16.                                                                              | Both                        |
|                    | 2244            | PDS0170S2 ACCEPTOR PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000)-000-0000 OR 000 000 0000.                                | Both                        |
|                    | 2259            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.         | Both                        |
| PDS 0171           | 0419            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                        | Both                        |
|                    | 0420            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION LENGTH MUST BE 4-201.                                                                               | Both                        |
| PDS 0171,<br>s1    | 0421            | PDS0171S1 CHARACTER SET INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HEB, HIR, HAN, KAN, KAT, ROM, THI, OR VIE.                               | Both                        |
| PDS 0172           | 0591            | PDS0172 SOLE PROPRIETOR NAME LENGTH MUST BE 001-030.                                                                                       | Both                        |
|                    | 1151            | PDS0172 SOLE PROPRIETOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                        |
| PDS 0173           | 0699            | PDS0173 LEGAL CORPORATE NAME LENGTH MUST BE 001-030.                                                                                       | Both                        |
|                    | 1152            | PDS0173 LEGAL CORPORATE NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                        |
| PDS 0174           | 1163            | PDS0174 DUN & BRADSTREET NUMBER MUST BE NUMERIC.                                                                                           | Both                        |
|                    | 2181            | PDS0174 DUN & BRADSTREET NUMBER LENGTH MUST BE 1-15.                                                                                       | Both                        |
| PDS 0175           | 2160            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                 | Both                        |
|                    | 2165            | PDS0175 ACCEPTOR URL LENGTH MUST BE 1-255.                                                                                                 | Both                        |
|                    | 2182            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                    | Both                        |
| PDS 0178           | 2180            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 LENGTH MUST BE 004-201.                                                                      | Both                        |
|                    | 2184            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                 | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>perform<br>ed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0178,<br>s1    | 2227            | PDS0178S1 CHARACTER SET INDICATOR 2 INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HAN, HEB, HIR, KAN, KAT, ROM, THI, or VIE.  | Both                        |
| PDS 0188           | 0503            | PDS0188 PRIVATE DATA—PROPRIETARY INCONROL DATA NOT ALLOWED IN <MSGTYPE>.                                                  | GCMS                        |
| PDS 0189           | 0422            | PD0189 POINT-OF-INTERACTION (POI) PHONE DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                        |
|                    | 0423            | PD0189 POINT-OF-INTERACTION (POI) PHONE DATA LENGTH MUST BE A FIXED LENGTH OF 41.                                         | Both                        |
| PDS 0189,<br>s1    | 0424            | PDS0189S1 FORMAT NUMBER MUST BE 0, 1, 2, 3, OR 4.                                                                         | Both                        |
| PDS 0189,<br>s2    | 2259            | PDS0189S2 PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                        |
| PDS 0190           | 0425            | PDS0190 PARTNER ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                        |
|                    | 0426            | PDS0190 PARTNER ID CODE LENGTH MUST BE 1–6.                                                                               | Both                        |
|                    | 2208            | PDS0190 PARTNER ID CODE CANNOT BE ALL ZEROS OR ALL SPACES.                                                                | Both                        |
| PDS 0191           | 0528            | PDS0191 ORIGINATING MESSAGE FORMAT INVALID. MUST BE 2 OR 6.                                                               | GCMS                        |
|                    | 0823            | PDS0191 ORIGINATING MESSAGE FORMAT LENGTH MUST BE A FIXED LENGTH OF 001.                                                  | Both                        |
|                    | 3034            | PDS0191 MUST EQUAL ZERO                                                                                                   | Both                        |
|                    | 3047            | Channel of routing Mexico Domestic transactions is invalid                                                                | Both                        |
| PDS 0192           | 2464            | <MSGTYPE> NOT ALLOWED FOR PAYMENT TRANSACTIONS CREATED BY MASTERCARD ON BEHALF OF THE MEMBER.                             | Both                        |
| PDS 0205           | 1023            | PDS0205 SYNTAX RETURN, MESSAGE ERROR INDICATOR MUST BE PRESENT.                                                           | Both                        |
| PDS 0205,<br>s2    | 3050            | PDS205SF2 MUST BE A VALID CHAPTER III SYNTAX ERROR RETURN REASON CODE.                                                    | Both                        |
| PDS 0206           | 0503            | PDS0206 LATE PRESENTMENT INDICATOR NOT ALLOWED IN <MSGTYPE>.                                                              | Both                        |
| PDS 0225           | 1023            | PDS0225 SYNTAX RETURN, ORIGINAL MESSAGE REASON CODE MUST BE PRESENT.                                                      | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0228           | 0428            | PDS0228 RETRIEVAL DOCUMENT CODE MUST BE A FIXED LENGTH OF 001.                                               | Both                        |
|                    | 0429            | PDS0228 RETRIEVAL DOCUMENT CODE MUST BE 1.                                                                   | Both                        |
| PDS 0241           | 0825            | PDS0241 MASTERCOM CONTROL NUMBER LENGTH MUST BE 002 OR 007.                                                  | Both                        |
|                    | 2208            | PDS0241 MASTERCOM CONTROL NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                          | Both                        |
| PDS 0375           | 2180            | <FLDNAME> LENGTH MUST BE <MIN-MAX>.                                                                          | Both                        |
|                    | 2182            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                        |
|                    | 2184            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                        |
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                        |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                                                   | Both                        |

## Retrieval Request Acknowledgment/1644–605 messages

This chapter contains the error numbers and message texts by field and subfield for Retrieval Request Acknowledgment/1644–605 messages.

### Retrieval Request Acknowledgment/1644–605

Error numbers and message texts are organized by field and subfield for Retrieval Request Acknowledgment/1644–605 messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

#### MTI/Function Code: Retrieval Request Acknowledgment/1644–605

| Field/<br>Subfield | Error<br>number | Error message                                         | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-------------------------------------------------------|-----------------------------|
| DE 2               | 0009            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE NUMERIC.     | Both                        |
|                    | 0010            | DE2 PRIMARY ACCOUNT NUMBER (PAN) LENGTH MUST BE 6–19. | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                            | Edit<br>perform<br>ed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0011            | DE2 PRIMARY ACCOUNT NUMBER (PAN) ACCOUNT RANGE INVALID.                                                                                                                                                                                                  | Both                        |
|                    | 0735            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                                                                                                          | Both                        |
|                    | 2225            | GCMS PRODUCT ID INVALID FOR BUSINESS SERVICE ARRANGEMENT AND ACCEPTANCE BRAND ID CODE                                                                                                                                                                    | Both                        |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.                                                                                      | Both                        |
|                    | 2358            | DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID. THE MAPPING SERVICE CANNOT MAP DE2 TO ANOTHER ACCOUNT NUMBER                                                                                                                                                   | Both                        |
| DE 3               | 0012            | DE3 PROCESSING CODE MUST BE NUMERIC.                                                                                                                                                                                                                     | Both                        |
|                    | 0523            | ACQUIRER NOT CERTIFIED BY MASTERCARD TO PROCESS ATM CASH WITHDRAWAL TRANSACTIONS.                                                                                                                                                                        | Both                        |
|                    | 2220            | DE3 PROCESSING CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                                                                                                             | Both                        |
| DE 3, s1           | 0013            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE <VALLIST>.                                                                                                                                                                                            | Both                        |
|                    | 0033            | RETRIEVAL REQ TO ATM ACQUIRER.                                                                                                                                                                                                                           | Both                        |
|                    | 0735            | DE3S1 CARDHOLDER TRANSACTION TYPE MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                                                                                                         | Both                        |
|                    | 2464            | <MSGTYPE> NOT ALLOWED FOR PAYMENT TRANSACTIONS CREATED BY MASTERCARD ON BEHALF OF THE MEMBER.                                                                                                                                                            | Both                        |
| DE 3, s2           | 0014            | DE3S2 CARDHOLDER FROM--ACCOUNT TYPE CODE MUST BE 00, 10, 20, 30, 39, 60.                                                                                                                                                                                 | Both                        |
| DE 3, s3           | 0015            | DE3S3 CARDHOLDER TO--ACCOUNT TYPE CODE MUST BE 00.                                                                                                                                                                                                       | Both                        |
| DE 12              | 0735            | DE12 MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), OR RETRIEVAL REQUEST MESSAGES. | Both                        |
| DE 12, s1          | 0043            | DE12S1 DATE CANNOT BE GREATER THAN THE DATE IN PDS0105S2 FILE REFERENCE DATE.                                                                                                                                                                            | Both                        |
|                    | 2186            | DE12S1 DATE AND TIME, LOCAL TRANSACTION/DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                                                                                                  | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                          | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 12, s2          | 0040            | DE12S2 TIME MUST BE IN THE RANGE 00–23.                                                                | Both                        |
|                    | 0042            | DE12S2 TIME INVALID. MINUTES AND SECONDS MUST BE IN RANGE 00–59.                                       | Both                        |
| DE 14              | 0045            | DE14 DATE, EXPIRATION MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                        | Both                        |
| DE 22, s1          | 0047            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID. MUST BE <VALLIST>.                           | Both                        |
| DE 22, s2          | 0048            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY INVALID. MUST BE IN LIST OF ALLOWED VALUES. | Both                        |
| DE 22, s3          | 0049            | DE22S3 TERMINAL DATA: CARD CAPTURE CAPABILITY INVALID. MUST BE 0, 1, OR 9.                             | Both                        |
| DE 22, s4          | 0050            | DE22S4 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                      | Both                        |
| DE 22, s5          | 0051            | DE22S5 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                      | Both                        |
| DE 22, s6          | 0052            | DE22S6 CARD PRESENT DATA INVALID. MUST BE <VALLIST>.                                                   | Both                        |
| DE 22, s8          | 0054            | DE22S8 CARDHOLDER AUTHENTICATION METHOD INVALID. MUST BE 0, 1, 2, 5, 6, 9, OR S.                       | Both                        |
| DE 22, s9          | 0055            | DE22S9 CARDHOLDER AUTHENTICATION ENTITY INVALID. MUST <VALLIST>.                                       | Both                        |
| DE 22, s10         | 0056            | DE22S10 CARD DATA OUTPUT CAPABILITY INVALID. MUST BE IN LIST OF ALLOWED VALUES.                        | Both                        |
| DE 22, s11         | 0057            | DE22S11 TERMINAL DATA OUTPUT CAPABILITY INVALID. MUST BE 0, 1, 2, 3, OR 4.                             | Both                        |
| DE 22, s12         | 0058            | DE22S12 PIN CAPTURE CAPABILITY INVALID. MUST BE IN LIST OF ALLOWED VALUES.                             | Both                        |
| DE 23              | 0059            | DE23 CARD SEQUENCE NUMBER MUST BE NUMERIC.                                                             | Both                        |
|                    | 0437            | DE23 CARD SEQUENCE NUMBER CONTAINS A VALUE IN THE RANGE OF 000–099.                                    | Both                        |
| DE 24              | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                                    | Both                        |
|                    | 0735            | DE24 FUNCTION CODE MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                      | Both                        |
| DE 25              | 0064            | DE25 MESSAGE REASON CODE MUST BE NUMERIC.                                                              | Both                        |
|                    | 0735            | DE25 MESSAGE REASON CODE MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                      | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2219            | DE25 MESSAGE REASON CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT (BUSINESS SERVICE ID & TYPE) AND ACCEPTANCE BRAND ID CODE.                                       | Both                        |
|                    | 2267            | DE25 MESSAGE REASON CODE INVALID FOR THIS CHARGEBACK.                                                                                                              | Both                        |
|                    | 2434            | DE25 MESSAGE REASON CODE CANNOT EQUAL 4802 OR 4837.                                                                                                                | Both                        |
|                    | 2460            | DE25 MESSAGE REASON CODE IS NOT ALLOWED BETWEEN THE ACQUIRER AND ISSUER COUNTRIES.                                                                                 | Both                        |
| DE 26              | 2223            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                         | Both                        |
|                    | 2224            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                        |
| DE 30              | 0077            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                    | Both                        |
|                    | 0078            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                                   | Both                        |
|                    | 0735            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                              | Both                        |
|                    | 1016            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT AND NONZERO IN RETRIEVAL REQUEST MESSAGES.                                                                                  | Both                        |
|                    | 1019            | DE30 AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                                                                            | Both                        |
| DE 30, s2          | 0076            | DE30S2 ORIGINAL AMOUNT, RECONCILIATION MUST BE ZERO-FILLED.                                                                                                        | Both                        |
| DE 31              | 0735            | DE31 ACQUIRER REFERENCE DATA MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                        | Both                        |
|                    | 2181            | DE31 ACQUIRER REFERENCE DATA MUST BE A FIXED LENGTH OF 23.                                                                                                         | Both                        |
| DE 31, s1          | 0080            | DE31S1 FILLER MUST BE NUMERIC.                                                                                                                                     | Both                        |
| DE 31, s2          | 0081            | DE31S2 ACQUIRER'S BIN MUST BE NUMERIC.                                                                                                                             | Both                        |
|                    | 1087            | DE31S2 ACQUIRER'S BIN NOT A VALID ACQUIRER BIN.                                                                                                                    | Both                        |
| DE 31, s3          | 0086            | DE31S3 JULIAN PROCESSING DATE YDDD OF DE31 ACQUIRER REFERENCE DATA MUST BE A VALID DATE IN THE FORMAT YDDD.                                                        | Both                        |
| DE 31, s4          | 0083            | DE31S4 ACQUIRER'S SEQUENCE NUMBER MUST BE NUMERIC.                                                                                                                 | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                | Edit<br>perform<br>ed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------|-----------------------------|
| DE 31, s5          | 0085            | DE31S5 CHECK DIGIT MUST BE NUMERIC.                                                          | Both                        |
|                    | 0087            | DE31S5 CHECK DIGIT DOES NOT MOD-CHECK.                                                       | Both                        |
| DE 32              | 0089            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC.                                          | Both                        |
|                    | 0090            | DE32 ACQUIRING INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 01–11.                    | Both                        |
|                    | 2196            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                  | Both                        |
| DE 33              | 0735            | DE33 FORWARDING INSTITUTION ID CODE MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.           | Both                        |
|                    | 0790            | INVALID DE33 FORWARDING INSTITUTION ID CODE FOR RETRIEVAL REQUEST MESSAGES.                  | Both                        |
|                    | 0808            | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                         | Both                        |
|                    | 2180            | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006–011.                                  | Both                        |
|                    |                 |                                                                                              |                             |
| DE 37              | 0091            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                 | Both                        |
|                    | 2208            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                           | Both                        |
| DE 38              | 0093            | DE38 APPROVAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                              | Both                        |
|                    | 0094            | DE38 APPROVAL CODE CONTAINS EMBEDDED SPACES.                                                 | Both                        |
|                    | 0095            | DE38 APPROVAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                     | Both                        |
|                    | 2431            | TRANSACTION DOES NOT QUALIFY FOR ALM INTERCHANGE.                                            | GCMS                        |
|                    |                 |                                                                                              |                             |
| DE 40              | 2183            | DE40 SERVICE CODE MUST BE NUMERIC.                                                           | Both                        |
|                    | 2354            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR THIS DE40/DE22S1 COMBINATION.              | Both                        |
| DE 41              | 0096            | DE41 ACCEPTOR TERMINAL ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                        |
|                    | 2182            | DE41 ACCEPTOR TERMINAL ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                        |
| DE 42              | 0098            | DE42 ACCEPTOR ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                           | Both                        |
|                    | 2182            | DE42 ACCEPTOR ID CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.     | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                             | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 43              | 0100            | DE43 ACCEPTOR NAME/LOCATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                  | Both                        |
|                    | 0101            | DE43 ACCEPTOR NAME/LOCATION MUST BE 20–99.                                                                                                | Both                        |
|                    | 0107            | WITHIN DE43 ACCEPTOR NAME/LOCATION, 3 BACKSLASH CHARACTERS ARE REQUIRED TO DELIMIT NAME\STREET ADDRESS\CITY\.                             | Both                        |
| DE 43, s1          | 0102            | DE43S1 ACCEPTOR NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                        |
|                    | 0103            | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1–22.                                                                                                 | Both                        |
|                    | 0108            | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                | Both                        |
|                    | 2229            | DE43S1 ACCEPTOR NAME INVALID. MUST CONTAIN ABBREVIATED AIRLINE NAME FOLLOWED BY DELIMITER OR SPACES AND DELIMITER.                        | Both                        |
| DE 43, s3          | 0104            | DE43S3 ACCEPTOR CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                        |
|                    | 0105            | DE43S3 ACCEPTOR CITY LENGTH CANNOT EXCEED 13.                                                                                             | Both                        |
|                    | 0539            | DE43S3 ACCEPTOR CITY MUST BE PRESENT.                                                                                                     | Both                        |
|                    | 2182            | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                   | Both                        |
| DE 43, s4          | 0109            | DE43S4 ACCEPTOR POSTAL (ZIP) CODE NOT LEFT JUSTIFIED.                                                                                     | Both                        |
| DE 43, s5          | 2167            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                                 | Both                        |
| DE 43, s6          | 0112            | DE43S6 ACCEPTOR COUNTRY CODE MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                              | Both                        |
|                    | 0589            | DE43S6 ACCEPTOR COUNTRY CODE MUST BE COMPATIBLE WITH DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE.                                     | Both                        |
|                    | 2269            | DE43S6 ACCEPTOR COUNTRY CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID AND TYPE> ACCEPTANCE BRAND ID CODE <AB>.       | Both                        |
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                        |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008–999.                                                                                              | Both                        |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62. | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                    | Edit<br>perform<br>ed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                                              | Both                        |
| DE 49              | 0735            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                                   | Both                        |
| DE 62              | 0165            | DE62 ADDITIONAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                              | Both                        |
|                    | 0166            | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008–999.                                                                                                                                   | Both                        |
|                    | 0168            | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                                                                                                     | Both                        |
|                    | 0169            | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                                                                                                   | Both                        |
| DE 63              | 2181            | DE63 TRANSACTION LIFE CYCLE ID LENGTH MUST BE A FIXED LENGTH OF 016.                                                                                                             | Both                        |
|                    | 2184            | DE63 TRANSACTION LIFE CYCLE ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                      | Both                        |
| DE 63, s1          | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE A SPACE.                                                                                                                             | Both                        |
| DE 63, s2          | 0141            | DE63S2 TRACE ID POSITIONS 10–13 MUST BE A VALID DATE IN THE FORMAT MMDD.                                                                                                         | Both                        |
|                    | 0142            | THE FIRST NINE POSITIONS OF DE63S2 TRACE ID CANNOT CONTAIN EMBEDDED SPACES.                                                                                                      | Both                        |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                                                                                             | Both                        |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 MESSAGE NUMBER VALUE IN THE PREVIOUS MESSAGE.                                                                                  | Both                        |
|                    | 0735            | DE71 MESSAGE NUMBER MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                                               | Both                        |
| DE 72              | 2208            | DE72 DATA RECORD CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                                              | Both                        |
| DE 93              | 0155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE NUMERIC.                                                                                                                | Both                        |
|                    | 0157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID.                                                                                                                        | Both                        |
|                    | 1155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE CANNOT BE FLAGGED FOR INTERNAL USE ONLY.                                                                                        | GCMS                        |
|                    | 1157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE A SUPERMARKET INTERCHANGE ACQUIRER IF THE TRANSACTION IS SUBMITTED FOR THE U.S. REGION SUPERMARKET INTERCHANGE PROGRAM. | GCMS                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                       | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 1159            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                                                     | GCMS                        |
|                    | 1209            | DE93/DE94 MUST NOT BE A PSEUDO ICA FOR OTHER THAN ONBEHALF WALLET FEE COLLECTION MESSAGE                                                            | GCMS                        |
|                    | 2180            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE LENGTH FIELD MUST BE 6–11.                                                                         | Both                        |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE. | GCMS                        |
|                    | 2630            | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                                                             | GCMS                        |
| DE 94              | 0159            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                                                    | Both                        |
|                    | 0161            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                                                            | Both                        |
|                    | 0547            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE /DE2 PRIMARY ACCOUNT NUMBER (PAN) COMBINATION INVALID.                                              | Both                        |
|                    | 0550            | DE94 IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                                                                                                 | Both                        |
|                    | 0609            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                                                    | Both                        |
|                    | 0735            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                      | Both                        |
|                    | 1175            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SENDING PROCESSOR ID IN PARAMETER MASTER.                                               | Both                        |
|                    | 2180            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006–011.                                                                             | Both                        |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE. | GCMS                        |
|                    | 1177            | DE95 CARD ISSUER REFERENCE DATA MUST BE NUMERIC.                                                                                                    | Both                        |
|                    | 2177            | DE95 CARD ISSUER REFERENCE DATA MUST BE A FIXED LENGTH OF 010.                                                                                      | Both                        |
| DE 123             | 0170            | DE123 ADDITIONAL DATA 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                | Both                        |
|                    | 0171            | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008–999.                                                                                                     | Both                        |
|                    | 0173            | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124.      | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>perform<br>ed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0174            | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                                    | Both                        |
| DE 124             | 0179            | DE124 ADDITIONAL DATA 4 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, AND DE123 ADDITIONAL DATA 3 ARE PRESENT.                          | Both                        |
|                    | 2151            | DE124 ADDITIONAL DATA 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                        |
|                    | 2152            | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008–999.                                                                                                                | Both                        |
|                    | 2154            | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125.                 | Both                        |
| DE 125             | 0175            | DE125 ADDITIONAL DATA 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                        |
|                    | 0176            | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008–999.                                                                                                                | Both                        |
|                    | 0178            | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED.                | Both                        |
|                    | 2155            | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                        |
| PDS 0001           | 0503            | PDS0001 MASTERCARD MAPPING SERVICE ACCOUNT NUMBER NOT ALLOWED IN <MSGTYPE>.                                                                                    | GCMS                        |
| PDS 0025           | 0187            | PDS0025 MESSAGE REVERSAL INDICATOR LENGTH FIELD MUST BE A VALUE OF 001–007.                                                                                    | Both                        |
| PDS 0025,<br>s1    | 0185            | PDS0025S1 MESSAGE REVERSAL INDICATOR MUST BE EQUAL TO R OR A SPACE, IF PRESENT.                                                                                | Both                        |
| PDS 0025,<br>s2    | 0186            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.                                              | Both                        |
|                    | 0190            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                                         | Both                        |
| PDS 0043           | 194             | PDS0043 TRANSACTION TYPE ID MUST BE A FIXED LENGTH OF 003.                                                                                                     | Both                        |
|                    | 2208            | PDS0043 TRANSACTION TYPE ID CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                 | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                  | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2464            | <MSGTYPE> NOT ALLOWED FOR PAYMENT TRANSACTIONS<br>CREATED BY MASTERCARD ON BEHALF OF THE MEMBER.                               | Both                        |
|                    | 2811            | PDS0043 MUST EQUAL TO C91, C92, C93, OR C94, THE<br>PROCESSING CODE MUST BE 00 OR 20, AND THE TRANSACTION<br>MUST BE DOMESTIC. | GCMS                        |
| PDS 0057           | 2227            | PDS0057 TRANSACTION CATEGORY INDICATOR INVALID. MUST<br>BE 01, 02, 03, or 04                                                   | Both                        |
| PDS 0058           | 2183            | PDS0058 TOKEN ASSURANCE LEVEL MUST BE NUMERIC.                                                                                 | Both                        |
| PDS 0059           | 2183            | PDS0059 TOKEN REQUESTOR ID MUST BE NUMERIC.                                                                                    | Both                        |
| PDS 0148           | 0393            | PDS0148 CURRENCY EXPONENTS CANNOT BE ALL LOW-VALUES<br>OR ALL HIGH-VALUES.                                                     | Both                        |
|                    | 0394            | PDS0148 CURRENCY EXPONENTS LENGTH MUST BE 04–60 AND<br>MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 04.                   | Both                        |
|                    | 0735            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN<br>RETRIEVAL REQUEST MESSAGES.                                                   | Both                        |
| PDS 0148,<br>s1    | 0395            | PDS0148S1 CURRENCY CODE MUST CONTAIN A VALID NUMERIC<br>ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                           | Both                        |
| PDS 0148,<br>s2    | 0396            | PDS0148S2 CURRENCY EXPONENT MUST BE VALID FOR THE<br>CORRESPONDING CURRENCY CODE IN SUBFIELD 1.<br>OCCURRENCE <XX>.            | Both                        |
| PDS 0149           | 0398            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE<br>NUMERIC.                                                                  | Both                        |
|                    | 0399            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL LENGTH<br>MUST BE A FIXED LENGTH OF 006.                                             | Both                        |
|                    | 0402            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT<br>BUT PDS0148 CURRENCY EXPONENTS IS NOT PRESENT.                         | Both                        |
|                    | 0404            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT<br>BUT DE30 AMOUNT, ORIGINAL IS NOT PRESENT.                              | Both                        |
| PDS 0149,<br>s1    | 0400            | PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT<br>MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY<br>CODE.            | Both                        |
|                    | 0403            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0149S1<br>CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MISSING.<br>MUST BE PROVIDED. | Both                        |
| PDS 0149,<br>s2    | 0401            | PDS0149S2 CURRENCY CODE, ORIGINAL RECONCILIATION<br>AMOUNT MUST BE ALL ZEROS.                                                  | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                        | Edit<br>perform<br>ed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0158           | 0407            | PDS0158 BUSINESS ACTIVITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                               | Both                        |
| PDS 0158,<br>s1    | 2007            | ACCEPTANCE BRAND ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                                                                                                 | Both                        |
|                    | 2227            | PDS0158S1 ACCEPTANCE BRAND ID CODE INVALID. MUST BE CIR, CLP, DDB, DMC, MAV, MCC, MSI, PRO, PVL, VIS, or SPACES/BLANK                                                                                | Both                        |
| PDS 0158,<br>s2    | 2009            | NO BUSINESS SERVICE ARRANGEMENT EXISTS FOR THE MEMBER PAIR.                                                                                                                                          | Both                        |
| PDS 0158,<br>s3    | 2010            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                                                                                                 | Both                        |
|                    | 2217            | PDS0158S3 BUSINESS SERVICE ID CODE MUST BE PRESENT AND VALID WHEN PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE IS PRESENT.                                                                       | Both                        |
|                    | 2218            | PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE MUST BE PRESENT AND VALID WHEN PDS0158S3 BUSINESS SERVICE ID CODE IS PRESENT.                                                                       | Both                        |
| PDS 0158,<br>s4    | 2221            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MISSING FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                                       | Both                        |
|                    | 2341            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID. FOR ACCOUNT RANGES STARTING WITH 36 AND HAVE A MERCHANT COUNTRY (DE43S6) IN THE CARIBBEAN OR U.S. TERRITORIES THEN THE TRANSACTION MUST BE <VALLIST>. | Both                        |
| PDS 0165           | 0412            | PDS0165 SETTLEMENT INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                            | Both                        |
|                    | 0735            | PDS0165 SETTLEMENT INDICATOR MUST BE PRESENT IN RETRIEVAL REQUEST MESSAGES.                                                                                                                          | Both                        |
|                    | 2180            | PDS0165 SETTLEMENT INDICATOR LENGTH MUST BE 001–030.                                                                                                                                                 | Both                        |
| PDS 0165,<br>s1    | 0414            | PDS0165S1 SETTLEMENT INDICATOR MUST BE M, B, OR C.                                                                                                                                                   | Both                        |
|                    | 0416            | NO BILATERAL AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.                                                             | Clearing<br>Optimize<br>r   |
|                    | 1066            | DE3 PROCESSING CODE AND PDS0165S1 SETTLEMENT INDICATOR COMBINATION INVALID.                                                                                                                          | Both                        |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.                                                  | GCMS                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                              | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0170           | 0378            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                          | Both                        |
|                    | 0433            | PDS0170 ACCEPTOR INQUIRY INFORMATION LENGTH MUST BE 16–57.                                                                                 | Both                        |
|                    | 2208            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL ZEROS OR ALL SPACES.                                                                    | Both                        |
| PDS 0170,<br>s1    | 2181            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE A FIXED LENGTH OF 16                                                                       | Both                        |
|                    | 2244            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000–000–0000 OR (000) 000–0000 OR 000 000 0000.                        | Both                        |
|                    | 2259            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                        |
| PDS 0170,<br>s2    | 2181            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST BE A FIXED LENGTH OF 16.                                                                              | Both                        |
|                    | 2244            | PDS0170S2 ACCEPTOR PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000–000–0000 OR (000)–000–0000 OR 000 000 0000.                                | Both                        |
|                    | 2259            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.         | Both                        |
| PDS 0171           | 0419            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                        | Both                        |
|                    | 0420            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION LENGTH MUST BE 4–201.                                                                               | Both                        |
| PDS 0171,<br>s1    | 0421            | PDS0171S1 CHARACTER SET INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HEB, HIR, HAN, KAN, KAT, ROM, THI, OR VIE.                               | Both                        |
| PDS 0172           | 0591            | PDS0172 SOLE PROPRIETOR NAME LENGTH MUST BE 001–030.                                                                                       | Both                        |
|                    | 1151            | PDS0172 SOLE PROPRIETOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                        |
| PDS 0173           | 0699            | PDS0173 LEGAL CORPORATE NAME LENGTH MUST BE 001–030.                                                                                       | Both                        |
|                    | 1152            | PDS0173 LEGAL CORPORATE NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                        |
| PDS 0174           | 1163            | PDS0174 DUN & BRADSTREET NUMBER MUST BE NUMERIC.                                                                                           | Both                        |
|                    | 2181            | PDS0174 DUN & BRADSTREET NUMBER LENGTH MUST BE 1–15.                                                                                       | Both                        |
| PDS 0175           | 2165            | PDS0175 ACCEPTOR URL LENGTH MUST BE 1–255.                                                                                                 | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>perform<br>ed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2182            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                   | Both                        |
| PDS 0178           | 2180            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 LENGTH MUST BE 004–201.                                                     | Both                        |
|                    | 2184            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                        |
| PDS 0178,<br>s1    | 2227            | PDS0178S1 CHARACTER SET INDICATOR 2 INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HAN, HEB, HIR, KAN, KAT, ROM, THI, or VIE.  | Both                        |
| PDS 0188           | 0503            | PDS0188 PRIVATE DATA—PROPRIETARY INCONROL DATA NOT ALLOWED IN <MSGTYPE>.                                                  | GCMS                        |
| PDS 0189           | 0422            | PD0189 POINT-OF-INTERACTION (POI) PHONE DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                        |
|                    | 0423            | PD0189 POINT-OF-INTERACTION (POI) PHONE DATA LENGTH MUST BE A FIXED LENGTH OF 41.                                         | Both                        |
| PDS 0189,<br>s1    | 0424            | PDS0189S1 FORMAT NUMBER MUST BE 0, 1, 2, 3, OR 4.                                                                         | Both                        |
| PDS 0189,<br>s2    | 2259            | PDS0189S2 PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                        |
| PDS 0190           | 0425            | PDS0190 PARTNER ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                        |
|                    | 0426            | PDS0190 PARTNER ID CODE LENGTH MUST BE 1–6.                                                                               | Both                        |
|                    | 2208            | PDS0190 PARTNER ID CODE CANNOT BE ALL ZEROS OR ALL SPACES.                                                                | Both                        |
| PDS 0191           | 0528            | PDS0191 ORIGINATING MESSAGE FORMAT INVALID. MUST BE 2 OR 6.                                                               | GCMS                        |
|                    | 0823            | PDS0191 ORIGINATING MESSAGE FORMAT LENGTH MUST BE A FIXED LENGTH OF 001.                                                  | Both                        |
|                    | 3034            | PDS0191 MUST EQUAL ZERO                                                                                                   | Both                        |
|                    | 3035            | PDS0191 MUST EQUAL ZERO                                                                                                   | Both                        |
| PDS 0192           | 2464            | <MSGTYPE> NOT ALLOWED FOR PAYMENT TRANSACTIONS CREATED BY MASTERCARD ON BEHALF OF THE MEMBER.                             | Both                        |
| PDS 0205           | 1023            | PDS0205 SYNTAX RETURN, MESSAGE ERROR INDICATOR MUST BE PRESENT.                                                           | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0206           | 0503            | PDS0206 LATE PRESENTMENT INDICATOR NOT ALLOWED IN <MSGTYPE>.                                                 | Both                        |
| PDS 0225           | 1023            | PDS0225 SYNTAX RETURN, ORIGINAL MESSAGE REASON CODE MUST BE PRESENT.                                         | Both                        |
| PDS 0228           | 0428            | PDS0228 RETRIEVAL DOCUMENT CODE MUST BE A FIXED LENGTH OF 001.                                               | Both                        |
|                    | 0429            | PDS0228 RETRIEVAL DOCUMENT CODE MUST BE 1.                                                                   | Both                        |
| PDS 0241           | 0825            | PDS0241 MASTERCOM CONTROL NUMBER LENGTH MUST BE 002 OR 007.                                                  | Both                        |
|                    | 2208            | PDS0241 MASTERCOM CONTROL NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                          | Both                        |
| PDS 0375           | 2180            | <FLDNAME> LENGTH MUST BE <MIN-MAX>.                                                                          | Both                        |
|                    | 2182            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                        |
|                    | 2184            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                        |
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                        |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                                                   | Both                        |

## Fee Collection (Retrieval Fee Billing)/1740-700 messages

This section contains the error numbers and message texts by field and subfield for Fee Collection (Retrieval Fee Billing)/1740-700 messages.

### Fee Collection (Retrieval Fee Billing)/1740-700

Error numbers and message texts are organized by field and subfield for Fee Collection (Retrieval Fee Billing)/1740-700 messages. The edit process that presents the message is

performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

**MTI/Function Code: Fee Collection (Retrieval Fee Billing)/1740-700**

| <b>Field/<br/>Subfield</b> | <b>Error<br/>number</b> | <b>Error message</b>                                                                                                                                                         | <b>Edit<br/>perform<br/>ed by...</b> |
|----------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| DE 2                       | 0009                    | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE NUMERIC.                                                                                                                            | Both                                 |
|                            | 0010                    | DE2 PRIMARY ACCOUNT NUMBER (PAN) LENGTH MUST BE 6–19.                                                                                                                        | Both                                 |
|                            | 0011                    | DE2 PRIMARY ACCOUNT NUMBER (PAN) ACCOUNT RANGE<br>INVALID.                                                                                                                   | Both                                 |
|                            | 0735                    | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE PRESENT IN<br>FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                                      | Both                                 |
|                            | 2225                    | GCMS PRODUCT ID INVALID FOR BUSINESS SERVICE<br>ARRANGEMENT AND ACCEPTANCE BRAND ID CODE                                                                                     | Both                                 |
|                            | 2226                    | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR<br>BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID &<br>TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR<br>INTERCHANGE PROGRAM. | Both                                 |
|                            | 2358                    | DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID. THE MAPPING<br>SERVICE CANNOT MAP DE2 TO ANOTHER ACCOUNT NUMBER.                                                                   | GCMS                                 |
| DE 3                       | 0012                    | DE3 PROCESSING CODE MUST BE NUMERIC.                                                                                                                                         | Both                                 |
|                            | 0735                    | DE3 PROCESSING CODE MUST BE PRESENT IN FEE COLLECTION<br>(RETRIEVAL FEE BILLING) MESSAGES.                                                                                   | Both                                 |
|                            | 2220                    | DE3 PROCESSING CODE INVALID FOR BUSINESS SERVICE<br>ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND<br>ACCEPTANCE BRAND ID CODE <AB>.                                           | Both                                 |
| DE 3, s1                   | 1014                    | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE<br>EQUAL TO 19 FOR FEE COLLECTION (RETRIEVAL FEE BILLING)<br>MESSAGES.                                                    | Both                                 |
| DE 3, s2                   | 0014                    | DE3S2 CARDHOLDER FROM--ACCOUNT TYPE CODE MUST BE 00, 10, 20, 30, 39, 60.                                                                                                     | Both                                 |
| DE 3, s3                   | 0015                    | DE3S3 CARDHOLDER TO--ACCOUNT TYPE CODE MUST BE 00.                                                                                                                           | Both                                 |
| DE 4                       | 0023                    | DE4 AMOUNT, TRANSACTION MUST BE PRESENT WHEN DE49<br>CURRENCY CODE, TRANSACTION IS PROVIDED.                                                                                 | Both                                 |
|                            | 0024                    | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN<br>A MESSAGE WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                                | Both                                 |
|                            | 2176                    | DE4 AMOUNT, TRANSACTION MUST BE NUMERIC.                                                                                                                                     | Both                                 |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                       | Edit<br>perform<br>ed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 5               | 0025            | DE5 AMOUNT, RECONCILIATION MUST BE NUMERIC.                                                                                                                         | Both                        |
|                    | 0027            | DE5 AMOUNT, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE50 CURRENCY CODE, RECONCILIATION IS PROVIDED.                                               | Both                        |
|                    | 0028            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                                                                | Both                        |
| DE 12, s1          | 2186            | DE12S1 DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                                              | Both                        |
| DE 14              | 0045            | DE14 EXPIRATION DATE MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                                                                                      | Both                        |
| DE 23              | 0059            | DE23 CARD SEQUENCE NUMBER MUST BE NUMERIC.                                                                                                                          | Both                        |
|                    | 0437            | DE23 CARD SEQUENCE NUMBER CONTAINS A VALUE IN THE RANGE OF 000–099.                                                                                                 | Both                        |
| DE 24              | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                                                                                                 | Both                        |
|                    | 0735            | DE24 FUNCTION CODE MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                                              | Both                        |
| DE 25              | 0064            | DE25 MESSAGE REASON CODE MUST BE NUMERIC.                                                                                                                           | Both                        |
|                    | 0735            | DE25 MESSAGE REASON CODE MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                                        | Both                        |
|                    | 2205            | DE25 MESSAGE REASON CODE AND DE 3 PROCESSING CODE COMBINATION INVALID.                                                                                              | Both                        |
| DE 26              | 2223            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                          | Both                        |
|                    | 2224            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.  | Both                        |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                        |
| DE 30              | 0077            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                     | Both                        |
|                    | 0078            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                                    | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                               | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0735            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                  | Both                        |
|                    | 1016            | DE30 MUST BE PRESENT AND NONZERO IN <MSGTYPE>                                                               | Both                        |
|                    | 1019            | DE30 AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                     | Both                        |
| DE 30, s2          | 0076            | DE30S2 ORIGINAL AMOUNT, RECONCILIATION MUST BE ZERO-FILLED.                                                 | Both                        |
| DE 31              | 0735            | DE31 ACQUIRER REFERENCE DATA MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.            | Both                        |
|                    | 2181            | DE31 ACQUIRER REFERENCE DATA MUST BE A FIXED LENGTH OF 23.                                                  | Both                        |
| DE 31, s1          | 0080            | DE31S1 FILLER MUST BE NUMERIC.                                                                              | Both                        |
| DE 31, s2          | 0081            | DE31S2 ACQUIRER'S BIN MUST BE NUMERIC.                                                                      | Both                        |
|                    | 1087            | DE31S2 ACQUIRER'S BIN NOT A VALID ACQUIRER BIN.                                                             | Both                        |
| DE 31, s3          | 0086            | DE31S3 JULIAN PROCESSING DATE YDDD OF DE31 ACQUIRER REFERENCE DATA MUST BE A VALID DATE IN THE FORMAT YDDD. | Both                        |
| DE 31, s4          | 0083            | DE31S4 ACQUIRER'S SEQUENCE NUMBER MUST BE NUMERIC.                                                          | Both                        |
| DE 31, s5          | 0085            | DE31S5 CHECK DIGIT MUST BE NUMERIC.                                                                         | Both                        |
|                    | 0087            | DE31S5 CHECK DIGIT DOES NOT MOD-CHECK.                                                                      | Both                        |
| DE 33              | 0735            | DE33 FORWARDING INSTITUTION ID CODE MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.     | Both                        |
|                    | 0790            | INVALID DE33 FORWARDING INSTITUTION ID CODE FOR FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.            | Both                        |
|                    | 0808            | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                                        | Both                        |
|                    | 2180            | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                 | Both                        |
| DE 37              | 0091            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                        |
|                    | 2208            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                          | Both                        |
| DE 38              | 0093            | DE38 APPROVAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                             | Both                        |
|                    | 0094            | DE38 APPROVAL CODE CONTAINS EMBEDDED SPACES.                                                                | Both                        |
|                    | 0095            | DE38 APPROVAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                    | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                      | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2431            | TRANSACTION DOES NOT QUALIFY FOR ALM INTERCHANGE.                                                                  | GCMS                        |
| DE 41              | 0096            | DE41 ACCEPTOR TERMINAL ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                             | Both                        |
|                    | 2182            | DE41 ACCEPTOR TERMINAL ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                       | Both                        |
| DE 42              | 0098            | DE42 ACCEPTOR ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                 | Both                        |
|                    | 2182            | DE42 ACCEPTOR ID CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                           | Both                        |
|                    | 0766            | DE42 ACCEPTOR ID CODE MUST BE PRESENT.                                                                             | Both                        |
| DE 43              | 0100            | DE43 ACCEPTOR NAME/LOCATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                           | Both                        |
|                    | 0101            | DE43 ACCEPTOR NAME/LOCATION MUST BE 20–99.                                                                         | Both                        |
|                    | 0107            | WITHIN DE43 ACCEPTOR NAME/LOCATION, 3 BACKSLASH CHARACTERS ARE REQUIRED TO DELIMIT NAME\STREET ADDRESS\CITY\.      | Both                        |
| DE 43, s1          | 0102            | DE43S1 ACCEPTOR NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                  | Both                        |
|                    | 0103            | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1–22.                                                                          | Both                        |
|                    | 0108            | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                         | Both                        |
|                    | 2229            | DE43S1 ACCEPTOR NAME INVALID. MUST CONTAIN ABBREVIATED AIRLINE NAME FOLLOWED BY DELIMITER OR SPACES AND DELIMITER. | Both                        |
| DE 43, s3          | 0104            | DE43S3 ACCEPTOR CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                  | Both                        |
|                    | 0105            | DE43S3 ACCEPTOR CITY LENGTH CANNOT EXCEED 13.                                                                      | Both                        |
|                    | 2182            | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                            | Both                        |
| DE 43, s4          | 0109            | DE43S4 ACCEPTOR POSTAL (ZIP) CODE NOT LEFT JUSTIFIED.                                                              | Both                        |
| DE 43, s6          | 0112            | DE43S6 ACCEPTOR COUNTRY CODE MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                       | Both                        |
|                    | 0589            | DE43S6 ACCEPTOR COUNTRY CODE MUST BE COMPATIBLE WITH DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE.              | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                             | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                        |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008-999.                                                                                              | Both                        |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62. | Both                        |
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                  | Both                        |
| DE 49              | 0119            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                  | Both                        |
|                    | 0120            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                 | Both                        |
|                    | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE49 CURRENCY CODE, TRANSACTION, MUST BE PROVIDED.                                                 | Both                        |
| DE 50              | 0123            | DE50 CURRENCY CODE, RECONCILIATION MUST BE NUMERIC.                                                                                       | Both                        |
|                    | 0124            | DE50 CURRENCY CODE, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                     | Both                        |
|                    | 0126            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE50 CURRENCY CODE, RECONCILIATION MUST BE PROVIDED.                                               | Both                        |
|                    | 0129            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                               | Both                        |
|                    | 2670            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                  | GCMS                        |
| DE 54              | 2470            | DE54 AMOUNTS, ADDITIONAL LENGTH MUST BE <20-120> AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 20.                                | Both                        |
| DE 62              | 0165            | DE62 ADDITIONAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                       | Both                        |
|                    | 0166            | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008-999.                                                                                            | Both                        |
|                    | 0168            | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                                                              | Both                        |
|                    | 0169            | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                                                            | Both                        |
| DE 63              | 2181            | DE63 TRANSACTION LIFE CYCLE ID LENGTH MUST BE A FIXED LENGTH OF 016.                                                                      | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                       | Edit<br>perform<br>ed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2184            | DE63 TRANSACTION LIFE CYCLE ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                         | Both                        |
| DE 63, s1          | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE A SPACE.                                                                | Both                        |
| DE 63, s2          | 0141            | DE63S2 TRACE ID POSITIONS 10–13 MUST BE A VALID DATE IN THE FORMAT MMDD.                                            | Both                        |
|                    | 0142            | THE FIRST NINE POSITIONS OF DE63S2 TRACE ID CANNOT CONTAIN EMBEDDED SPACES.                                         | Both                        |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                                | Both                        |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 MESSAGE NUMBER OF THE PREVIOUS MESSAGE.                           | Both                        |
|                    | 0735            | DE71 MESSAGE NUMBER MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                             | Both                        |
| DE 72              | 0151            | DE72 DATA RECORD CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                       | Both                        |
|                    | 0603            | DE72 DATA RECORD LENGTH CANNOT EXCEED 999.                                                                          | Both                        |
|                    | 2180            | DE72 DATA RECORD LENGTH MUST BE 001–100.                                                                            | Both                        |
|                    | 2208            | DE72 DATA RECORD CANNOT BE ALL ZEROS OR ALL SPACES.                                                                 | Both                        |
| DE 73              | 0747            | INVALID DATE, ACTION. MUST BE VALID YYMMDD, YYMM00, OR ALL ZEROS.                                                   | Both                        |
|                    | 0735            | DE73 DATE, ACTION MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                               | Both                        |
| DE 93              | 1158            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                   | GCMS                        |
|                    | 2630            | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                             | GCMS                        |
| DE 94              | 0159            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                    | Both                        |
|                    | 0161            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                            | Both                        |
|                    | 0546            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE/ ACQUIRER BIN (DE31S2) COMBINATION INVALID.                         | Both                        |
|                    | 0550            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                      | Both                        |
|                    | 0735            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES. | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                   | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 1175            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SENDING PROCESSOR ID IN PARAMETER MASTER.                                           | GCMS                        |
|                    | 1209            | DE93/DE94 MUST NOT BE A PSEUDO ICA FOR OTHER THAN ONBEHALF WALLET FEE COLLECTION MESSAGE                                                        | GCMS                        |
|                    | 2180            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006–011.                                                                         | Both                        |
|                    | 2666            | TRANSACTION BLOCKED FOR SENDER.                                                                                                                 | GCMS                        |
|                    | 2667            | TRANSACTION BLOCKED FOR SENDER.                                                                                                                 | GCMS                        |
| DE 95              | 1177            | DE95 CARD ISSUER REFERENCE DATA MUST BE NUMERIC.                                                                                                | Both                        |
|                    | 2177            | DE95 CARD ISSUER REFERENCE DATA MUST BE A FIXED LENGTH OF 010.                                                                                  | Both                        |
| DE 123             | 0170            | DE123 ADDITIONAL DATA 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                            | Both                        |
|                    | 0171            | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008–999.                                                                                                 | Both                        |
|                    | 0173            | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124.  | Both                        |
|                    | 0174            | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                     | Both                        |
| DE 124             | 0179            | DE124 ADDITIONAL DATA 4 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, AND DE123 ADDITIONAL DATA 3 ARE PRESENT.           | Both                        |
|                    | 2151            | DE124 ADDITIONAL DATA 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                            | Both                        |
|                    | 2152            | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008–999.                                                                                                 | Both                        |
|                    | 2154            | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125.  | Both                        |
| DE 125             | 0175            | DE125 ADDITIONAL DATA 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                            | Both                        |
|                    | 0176            | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008–999.                                                                                                 | Both                        |
|                    | 0178            | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED. | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>perform<br>ed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2155            | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                        |
| PDS 0001           | 0503            | PDS0001 MASTERCARD MAPPING SERVICE ACCOUNT NUMBER NOT ALLOWED IN <MSGTYPE>.                                                                                    | GCMS                        |
| PDS 0021           | 2873            | PDS021 INVALID. MUST BE IP2201T1.                                                                                                                              | Both                        |
|                    | 2874            | PDS021 MUST BE A FIXED LENGTH OF 001.                                                                                                                          | Both                        |
| PDS 0025           | 0187            | PDS0025 MESSAGE REVERSAL INDICATOR LENGTH FIELD MUST BE A VALUE OF 001-007.                                                                                    | Both                        |
| PDS 0025,<br>s1    | 0185            | PDS0025S1 MESSAGE REVERSAL INDICATOR MUST BE EQUAL TO R OR A SPACE IF PRESENT.                                                                                 | Both                        |
| PDS 0025,<br>s2    | 0186            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.                                              | Both                        |
|                    | 0190            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                                         | Both                        |
| PDS 0057           | 2227            | PDS0057 TRANSACTION CATEGORY INDICATOR INVALID. MUST BE 01, 02, 03, or 04                                                                                      | Both                        |
| PDS 0058           | 2183            | PDS0058 TOKEN ASSURANCE LEVEL MUST BE NUMERIC.                                                                                                                 | Both                        |
| PDS 0059           | 2183            | PDS0059 TOKEN REQUESTOR ID MUST BE NUMERIC.                                                                                                                    | Both                        |
| PDS 0137           | 0375            | PDS0137 FEE COLLECTION CONTROL NUMBER MUST BE NUMERIC.                                                                                                         | Both                        |
|                    | 0735            | PDS0137 FEE COLLECTION CONTROL NUMBER MUST BE PRESENT.                                                                                                         | Both                        |
|                    | 0756            | PDS0137 FEE COLLECTION CONTROL NUMBER LENGTH MUST BE 17-20.                                                                                                    | Both                        |
| PDS 0148           | 0393            | PDS0148 CURRENCY EXPONENTS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                        | Both                        |
|                    | 0394            | PDS0148 CURRENCY EXPONENTS LENGTH MUST BE 04-60 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 04.                                                      | Both                        |
|                    | 0735            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING).                                                                          | Both                        |
| PDS 0148,<br>s1    | 0395            | PDS0148S1 CURRENCY CODE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                                                              | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                        | Edit<br>perform<br>ed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0148,<br>s2    | 0396            | PDS0148S2 CURRENCY EXPONENT MUST BE VALID FOR THE CORRESPONDING CURRENCY CODE IN SUBFIELD 1. OCCURRENCE <XX>.                                                                                        | Both                        |
| PDS 0149           | 0398            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                                                                                           | Both                        |
|                    | 0399            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL LENGTH MUST BE A FIXED LENGTH OF 006.                                                                                                                      | Both                        |
|                    | 0402            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT PDS0148 CURRENCY EXPONENTS IS NOT PRESENT.                                                                                                  | Both                        |
|                    | 0404            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT DE30 AMOUNT, ORIGINAL IS NOT PRESENT.                                                                                                       | Both                        |
|                    | 0735            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT.                                                                                                                                           | Both                        |
| PDS 0149,<br>s1    | 0400            | PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                                                        | Both                        |
|                    | 0403            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MISSING. MUST BE PROVIDED.                                                                             | Both                        |
| PDS 0149,<br>s2    | 0401            | PDS0149S2 CURRENCY CODE, ORIGINAL RECONCILIATION AMOUNT MUST BE ALL ZEROS.                                                                                                                           | Both                        |
| PDS 0158           | 0407            | PDS0158 BUSINESS ACTIVITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                               | Both                        |
|                    | 2341            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID. FOR ACCOUNT RANGES STARTING WITH 36 AND HAVE A MERCHANT COUNTRY (DE43S6) IN THE CARIBBEAN OR U.S. TERRITORIES THEN THE TRANSACTION MUST BE <VALLIST>. | Both                        |
| PDS 0158,<br>s1    | 2007            | ACCEPTANCE BRAND IS NOT VALID FOR THE MEMBER PAIR.                                                                                                                                                   | Both                        |
|                    | 2227            | PDS158S1 CARD PROGRAM IDENTIFIER INVALID. MUST BE <VALLIST>.                                                                                                                                         | Both                        |
|                    | 2288            | ACCEPTANCE BRAND ID CODE NOT ALLOWED IN GCMS. VALUE PERMITTED ONLY IN CLEARING OPTIMIZER.                                                                                                            | GCMS                        |
|                    | 2504            | CARD PROGRAM IDENTIFIER <AB> IS INVALID FOR THE PRIMARY ACCOUNT NUMBER.                                                                                                                              | Both                        |
| PDS 0158,<br>s2    | 2009            | NO BUSINESS SERVICE ARRANGEMENT EXISTS FOR THE MEMBER PAIR.                                                                                                                                          | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                       | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0158,<br>s3    | 2010            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                                                | Both                        |
|                    | 2217            | PDS0158S3 BUSINESS SERVICE ID CODE MUST BE PRESENT AND VALID WHEN PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE IS PRESENT.                      | Both                        |
|                    | 2218            | PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE MUST BE PRESENT AND VALID WHEN PDS0158S3 BUSINESS SERVICE ID CODE IS PRESENT.                      | Both                        |
| PDS 0158,<br>s4    | 0670            | PDS0158S4 INTERCHANGE RATE DESIGNATOR DOES NOT MEET TIMELINESS CRITERIA AND/OR DE12S1 DATE CONTAINS INVALID DATA.                                   | Both                        |
|                    | 2221            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MISSING FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.      | Both                        |
| PDS 0159           | 0735            | PDS0159 SETTLEMENT DATA MUST BE PRESENT.                                                                                                            | Both                        |
| PDS 0159,<br>s8    | 2186            | PDS0159S8 SETTLEMENT DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                | GCMS                        |
|                    | 2265            | PDS0159S8 SETTLEMENT DATE INVALID.                                                                                                                  | GCMS                        |
| PDS 0165           | 0412            | PDS0165 SETTLEMENT INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                           | Both                        |
|                    | 0735            | PDS0165 SETTLEMENT INDICATOR MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                                                    | Both                        |
|                    | 2180            | PDS0165 SETTLEMENT INDICATOR LENGTH MUST BE 001-030.                                                                                                | Both                        |
| PDS 0165,<br>s1    | 0414            | PDS0165S1 SETTLEMENT INDICATOR MUST BE M, B, OR C.                                                                                                  | Both                        |
|                    | 0416            | NO BILATERAL AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.            | Clearing<br>Optimize<br>r   |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE. | GCMS                        |
| PDS 0170           | 0378            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                        |
|                    | 0433            | PDS0170 ACCEPTOR INQUIRY INFORMATION LENGTH MUST BE 16-57.                                                                                          | Both                        |
|                    | 2208            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL ZEROS OR ALL SPACES.                                                                             | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                              | Edit<br>perform<br>ed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| PDS 0170,<br>s1    | 2181            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE A FIXED LENGTH OF 16                                                                       | Both                        |
|                    | 2244            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.                        | Both                        |
|                    | 2259            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                        |
| PDS 0170,<br>s2    | 2181            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST BE A FIXED LENGTH OF 16.                                                                              | Both                        |
|                    | 2244            | PDS 0170S2 ACCEPTOR PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000)-000-0000 OR 000 000 0000.                               | Both                        |
|                    | 2259            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.         | Both                        |
| PDS 0171           | 0419            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                        | Both                        |
|                    | 0420            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION LENGTH MUST BE 4-201.                                                                               | Both                        |
| PDS 0171,<br>s1    | 0421            | PDS0171S1 CHARACTER SET INDICATOR INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HEB, HIR, HAN, KAN, KAT, ROM, THI, OR VIE.                     | Both                        |
| PDS 0172           | 0591            | PDS0172 SOLE PROPRIETOR NAME LENGTH MUST BE 001-030.                                                                                       | Both                        |
|                    | 1151            | PDS0172 SOLE PROPRIETOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                        |
| PDS 0173           | 0699            | PDS0173 LEGAL CORPORATE NAME LENGTH MUST BE 001-030.                                                                                       | Both                        |
|                    | 1152            | PDS0173 LEGAL CORPORATE NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                        |
| PDS 0174           | 1163            | PDS0174 DUN & BRADSTREET NUMBER MUST BE NUMERIC.                                                                                           | Both                        |
|                    | 2181            | PDS0174 DUN & BRADSTREET NUMBER LENGTH MUST BE 1-15.                                                                                       | Both                        |
| PDS 0175           | 2160            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                 | Both                        |
|                    | 2165            | PDS0175 ACCEPTOR URL LENGTH MUST BE 1-255.                                                                                                 | Both                        |
|                    | 2182            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                    | Both                        |
| PDS 0178           | 2180            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 LENGTH MUST BE 004-201.                                                                      | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>perform<br>ed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2184            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                        |
| PDS 0178,<br>s1    | 2227            | PDS0178S1 CHARACTER SET INDICATOR 2 INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HAN, HEB, HIR, KAN, KAT, ROM, THI, or VIE.  | Both                        |
| PDS 0188           | 0503            | PDS0188 PRIVATE DATA—PROPRIETARY INCONROL DATA NOT ALLOWED IN <MSGTYPE>.                                                  | GCMS                        |
| PDS 0189           | 0422            | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                        |
|                    | 0423            | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA LENGTH MUST BE A FIXED LENGTH OF 41.                                        | Both                        |
| PDS 0189,<br>s1    | 0424            | PDS0189S1 FORMAT NUMBER MUST BE 0, 1, 2, 3, OR 4.                                                                         | Both                        |
| PDS 0189,<br>s2    | 2259            | PDS0189S2 PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                        |
| PDS 0190           | 0425            | PDS0190 PARTNER ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                        |
|                    | 0426            | PDS0190 PARTNER ID CODE LENGTH MUST BE 1–6.                                                                               | Both                        |
|                    | 2208            | PDS0190 PARTNER ID CODE CANNOT BE ALL ZEROS OR ALL SPACES.                                                                | Both                        |
| PDS 0191           | 0528            | PDS0191 ORIGINATING MESSAGE FORMAT INVALID. MUST BE 2 OR 6.                                                               | GCMS                        |
|                    | 0823            | PDS0191 ORIGINATING MESSAGE FORMAT LENGTH MUST BE A FIXED LENGTH OF 001.                                                  | Both                        |
| PDS 0228           | 0428            | PDS0228 RETRIEVAL DOCUMENT CODE MUST BE A FIXED LENGTH OF 001.                                                            | Both                        |
|                    | 0429            | PDS0228 RETRIEVAL DOCUMENT CODE MUST BE 1, 2, OR 4.                                                                       | Both                        |
| PDS 0230           | 0431            | PDS0230 FULFILLMENT DOCUMENT CODE MUST BE A FIXED LENGTH OF 001.                                                          | Both                        |
|                    | 0432            | PDS0230 FULFILLMENT DOCUMENT CODE MUST BE 1.                                                                              | Both                        |
|                    | 0735            | PDS0230 FULFILLMENT DOCUMENT CODE MUST BE PRESENT IN FEE COLLECTION (RETRIEVAL FEE BILLING) MESSAGES.                     | Both                        |
| PDS 0241           | 0825            | PDS0241 MASTERCOM CONTROL NUMBER LENGTH MUST BE 002 OR 007.                                                               | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>perform<br>ed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2208            | PDS0241 MASTERCOM CONTROL NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                                          | Both                        |
| PDS 0262           | 0441            | PDS0262 DOCUMENTATION INDICATOR MUST BE A FIXED LENGTH OF 001.                                                               | Both                        |
|                    | 0442            | PDS0262 DOCUMENTATION INDICATOR MUST BE 0 OR 1.                                                                              | Both                        |
| PDS 0264           | 0444            | INVALID ORIGINAL RETRIEVAL REASON FOR REQUEST LENGTH. MUST BE A FIXED LENGTH OF 4.                                           | Both                        |
|                    | 0445            | INVALID VALUE IN ORIGINAL RETRIEVAL REASON FOR REQUEST. MUST BE 6305, 6321, 6322, 6323, 6341, 6342.                          | Both                        |
|                    | 0446            | PDS0265 INITIAL PRESENTMENT/FEE COLLECTION DATA CANNOT BE LOW-VALUES OR HIGH-VALUES.                                         | Both                        |
|                    | 0447            | PDS0265 INITIAL PRESENTMENT/FEE COLLECTION DATA LENGTH MUST BE 004-110.                                                      | Both                        |
|                    | 0735            | PDS0264 ORIGINAL RETRIEVAL REASON FOR REQUEST MUST BE PRESENT IN FEE COLLECTION/RETRIEVAL FEE BILLING MESSAGES.              | Both                        |
| PDS 0265,<br>s1    | 0448            | PDS0265S1 INITIAL MESSAGE REASON CODE MUST BE A VALID MESSAGE REASON CODE.                                                   | Both                        |
| PDS 0265,<br>s2    | 0449            | PDS0265S2 DATE, INITIAL PRESENTMENT BUSINESS MUST BE VALID YYMMDD OR ZEROS IN FEE COLLECTION/RETRIEVAL FEE BILLING MESSAGES. | Both                        |
| PDS 0266           | 0268            | PDS0266 FIRST CHARGEBACK/FEE COLLECTION RETURN DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                             | Both                        |
|                    | 0826            | PDS0266 FIRST CHARGEBACK/FEE COLLECTION RETURN DATA MUST BE 004-127.                                                         | Both                        |
| PDS 0266,<br>s1    | 0505            | PDS0266S1 MESSAGE REASON CODE MUST BE A VALID MESSAGE REASON CODE OR ZEROS.                                                  | Both                        |
| PDS 0267           | 0468            | PDS0267 SECOND PRESENTMENT/FEE COLLECTION RESUBMISSION DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                     | Both                        |
|                    | 0469            | PDS0267 SECOND PRESENTMENT/FEE COLLECTION RESUBMISSION DATA MUST BE 004-127.                                                 | Both                        |
| PDS 0267,<br>s1    | 0269            | PDS0267S1 MESSAGE REASON CODE MUST BE A VALID MESSAGE REASON CODE OR ZEROS.                                                  | Both                        |
| PDS 0375           | 2180            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 LENGTH MUST BE 001-050.                                                            | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                          | Edit<br>performe<br>d by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------|-----------------------------|
|                    | 2184            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                        |
| PDS 0641           | 0141            | DE63S2 TRACE ID POSITIONS 10–13 MUST BE A VALID DATE IN THE FORMAT MMDD.               | Both                        |
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                        |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                             | Both                        |

## First Chargebacks (Full)/1442-450 and (Partial)/1442-453 messages

This section contains the error numbers and message texts by field and subfield for First Chargebacks (Full)/1442-450 and (Partial)/1442-453 messages.

### First Chargebacks (Full)/1442-450 and (Partial)/1442-453

Error numbers and message texts are organized by field and subfield for First Chargebacks (Full)/1442-450 and (Partial)/1442-453 messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

#### MTI/Function Code: First Chargebacks (Full)/1442-450 and (Partial)/1442-453

| Field/<br>Subfield | Error<br>number | Error message                                                                                     | Edit<br>performe<br>d by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------|-----------------------------|
| DE 2               | 0009            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE NUMERIC.                                                 | Both                        |
|                    | 0010            | DE2 PRIMARY ACCOUNT NUMBER (PAN) LENGTH MUST BE 6–19.                                             | Both                        |
|                    | 0011            | DE2 PRIMARY ACCOUNT NUMBER (PAN) ACCOUNT RANGE INVALID.                                           | Both                        |
|                    | 0735            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES. | Both                        |
|                    | 2225            | GCMS PRODUCT ID INVALID FOR BUSINESS SERVICE ARRANGEMENT AND ACCEPTANCE BRAND ID CODE.            | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                    |
|                    | 2328            | ACQUIRER MEMBER ID NOT REGISTERED FOR GAMING SERVICE.                                                                                                               | GCMS                    |
|                    | 2329            | ISSUER COUNTRY NOT REGISTERED FOR GAMING SERVICE.                                                                                                                   | GCMS                    |
|                    | 2537            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE A PAY WITH REWARDS CARD FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                             | GCMS                    |
|                    |                 | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE A REDEMPTION CARD FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                                   | GCMS                    |
|                    | 2639            | CARD MUST BE CONTACTLESS ENABLED                                                                                                                                    | Both                    |
|                    | 2641            | CARD CANNOT BE CONTACTLESS ENABLED.                                                                                                                                 | Both                    |
|                    | 2802            |                                                                                                                                                                     | GCMS                    |
|                    | 2809            | CARD NOT ENABLED FOR POST-DATED TRANSACTION. INELIGIBLE CHARGEBACK REJECT REASON CODES 'FNS COUNTER EXCEEDED'                                                       | GCMS                    |
|                    | 2921            | IRD INVALID FOR THE TOKENIZED TRANSACTION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                   | Both                    |
|                    | 2938            | DE02 IS NOT REGISTERED FOR EMBEDDED NEGOTIATED INTERCHANGE.                                                                                                         | Both                    |
|                    | 2991            | ISSUER ACCOUNT RANGE NOT REGISTERED FOR GAMING SERVICE.                                                                                                             | Both                    |
| DE 3               | 0012            | DE3 PROCESSING CODE MUST BE NUMERIC.                                                                                                                                | Both                    |
|                    | 0523            | ACQUIRER NOT CERTIFIED BY MASTERCARD TO PROCESS ATM CASH WITHDRAWAL TRANSACTIONS.                                                                                   | Both                    |
|                    | 0735            | INELIGIBLE CHARGEBACK REJECT REASON CODES 'FNS COUNTERDE3 PROCESSING CODE MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.                          | Both                    |
|                    | 1160            | DE3 PROCESSING CODE MUST BE 01 IF THE RECEIVER IS AN ATM ACQUIRER.                                                                                                  | GCMS                    |
|                    | 2205            | DE25 MESSAGE REASON CODE AND DE3 PROCESSING CODE COMBINATION INVALID.                                                                                               | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>performe<br>d by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2220            | DE3 PROCESSING CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Both                        |
|                    | 2265            | DE3 PROCESSING CODE INVALID.                                                                                                 | Both                        |
|                    | 2331            | ISSUER IS NOT A PURCHASE WITH CASH BACK PARTICIPANT.                                                                         | Both                        |
| DE 3, s1           | 0013            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE 00, 01, 09, 12, 17, 18, 20, 28, OR 50.                                    | Both                        |
|                    | 0016            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR ATM CASH WITHDRAWAL ACCEPTOR BUSINESS CODE (MCC) 6011.                         |                             |
|                    | 0017            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR CASH ADVANCE ACCEPTOR BUSINESS CODE (MCC) 6010.                                | Both                        |
|                    | 0018            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR UNIQUE TRANSACTION ACCEPTOR BUSINESS CODE (MCC). MUST BE EQUAL TO 18.          | Both                        |
|                    | 1140            | ATM CHARGEBACKS MUST BE SENT TO ATM ACQUIRERS.                                                                               | Both                        |
|                    | 2536            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR ATM FUNDING TRANSACTION.                                                       | Both                        |
|                    | 2727            | PURCHASE WITH CASH BACK FOR DE4 GREATER THAN DE54S5 AMOUNT FOR S2 EQUAL TO 40 IS NOT ALLOWED FOR BRAZIL DOMESTIC ACTIVITY.   | Both                        |
|                    | 2729            | PRODUCT CODES MLE, MBF, OR MBM ARE NOT ALLOWED WHEN DE3S1 EQUALS 09.                                                         | Both                        |
| DE 3, s2           | 0014            | DE3S2 CARDHOLDER FROM--ACCOUNT TYPE CODE MUST BE 00, 10, 20, 30, 39, 60.                                                     | Both                        |
| DE 3, s3           | 0015            | DE3S3 CARDHOLDER TO--ACCOUNT TYPE CODE MUST BE 00.                                                                           | Both                        |
| DE 4               | 0020            | DE4 AMOUNT, TRANSACTION MUST BE NUMERIC AND GREATER THAN 0.                                                                  | Both                        |
|                    | 0023            | DE4 AMOUNT, TRANSACTION MUST BE PRESENT WHEN DE49 CURRENCY CODE, TRANSACTION IS PROVIDED.                                    | Both                        |
|                    | 0024            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                   | Both                        |
|                    | 0735            | DE4 AMOUNT, TRANSACTION MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                     | Both                        |
|                    | 1174            | TRANSACTION AMOUNT EXCEEDS RESTRICTED THRESHOLD.                                                                             | GCMS                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2317            | DE4 AMOUNT, TRANSACTION CANNOT BE GREATER THAN \$60.00 FOR THIS AB CODE. TRANSACTIONS OVER \$60.00 MUST BE SUBMITTED WITH THE WORLD PRODUCT T&E INTERCHANGE PROGRAM.                                                                                     | GCMS                    |
|                    | 2330            | DE4 AMOUNT, TRANSACTION MUST BE LESS THAN OR EQUAL TO THE PERMITTED AMOUNT LIMIT.                                                                                                                                                                        | GCMS                    |
|                    | 2332            | DE4 AMOUNT, TRANSACTION INVALID. MUST BE WITHIN THE ACCEPTED AMOUNT RANGE FOR THE INTERCHANGE PROGRAM.                                                                                                                                                   | GCMS                    |
| DE 5               | 0025            | DE5 AMOUNT, RECONCILIATION MUST BE NUMERIC.                                                                                                                                                                                                              | Both                    |
|                    | 0027            | DE5 AMOUNT, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE50 CURRENCY CODE, RECONCILIATION IS PROVIDED.                                                                                                                                    | Both                    |
|                    | 0028            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                                                                                                                                                     | Both                    |
| DE 12              | 0735            | DE12 MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), OR RETRIEVAL REQUEST MESSAGES. | Both                    |
| DE 12, s1          | 0043            | DE12S1 DATE CANNOT BE GREATER THAN THE DATE IN PDS0105S2 FILE REFERENCE DATE.                                                                                                                                                                            | Both                    |
|                    | 2186            | DE12S1 DATE AND TIME, LOCAL TRANSACTION/DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                                                                                                  | Both                    |
| DE 12, s2          | 0040            | DE12S2 TIME MUST BE IN THE RANGE 00–23.                                                                                                                                                                                                                  | Both                    |
|                    | 0042            | DE12S2 TIME INVALID. MINUTES AND SECONDS MUST BE IN RANGE 00–59.                                                                                                                                                                                         | Both                    |
| DE 14              | 0045            | DE14 EXPIRATION DATE MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                                                                                                                                                                           | Both                    |
| DE 22              | 2465            | DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT.                                                                                                                                                                                                         | Both                    |
|                    | 3075            | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO A VALID COMBINATION FOR THE CARD PRESENT TRANSACTIONS                                                                                                        | Both                    |
|                    | 3076            | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO A VALID COMBINATION FOR CARD PRESENT TRANSACTION                                                                                                         | Both                    |
|                    | 3112            | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO A VALID COMBINATION FOR CARD PRESENT TRANSACTION                                                                                                         | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 22, s1          | 0047            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                       | Both                    |
|                    | 0060            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, C, OR 5.                                                          | Both                    |
|                    | 2373            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                    |
|                    | 2374            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2382            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2388            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND NOT EQUAL TO 5, C, D, E, OR M, OR ACQUIRER MUST NOT BE EMV COMPLIANT.         | Both                    |
|                    | 2390            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 1, 2, 4, 6, A, B, OR V OR ACQUIRER MUST NOT BE POS EMV COMPLIANT. | Both                    |
|                    | 2392            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2393            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND NOT EQUAL TO 5 OR ACQUIRER MUST NOT BE POS EMV COMPLIANT.                     | Both                    |
|                    | 2394            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 1, 2, 4, 6, A, B, OR V OR ACQUIRER MUST NOT BE POS EMV COMPLIANT. | Both                    |
|                    | 2395            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                    |
|                    | 2414            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2415            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                    |
|                    | 2416            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2432            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO M.                                                                   | Both                    |
|                    | 2444            | DE22S1 MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                        | Both                    |
|                    | 2475            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, A, OR B.                                                          | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                         | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2647            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                                 | Both                    |
|                    | 2659            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, OR E.                                                                                                          | Both                    |
|                    | 2660            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, B, C, D, OR E.                                                                                                    | Both                    |
| DE 22, s2          | 0048            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY INVALID. MUST BE 0, 1, 2, 5, 6, OR 9.                                                                                                      | Both                    |
|                    | 2375            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                       | Both                    |
|                    | 2386            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                       | Both                    |
|                    | 2389            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 2, 5, 6, OR 9 OR DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 0, 2, 6, S, 9, OR 5. | Both                    |
|                    | 2396            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                       | Both                    |
|                    | 2397            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 9 OR DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 9 OR 5.                             | Both                    |
|                    | 2407            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1.                                                                                                            | Both                    |
|                    | 2991            | DE22S2 MUST BE PRESENT AND EQUAL TO 0, 1 OR 3.                                                                                                                                                        | Both                    |
| DE 22, s3          | 0049            | DE22S3 TERMINAL DATA: CARD CAPTURE CAPABILITY INVALID. MUST BE 0, 1, OR 9.                                                                                                                            | Both                    |
| DE 22, s4          | 0050            | DE22S4 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                                                                                                                     | Both                    |
|                    | 2134            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE 4 OR 8.<br><b>(Applies only to Europe region member-to-member transactions.)</b>                                                                        | Both                    |
|                    | 2378            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                                            | Both                    |
|                    | 2381            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 9.                                                                                                                                 | Both                    |
|                    | 2410            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                                            | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2413            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 9.                                                                                    | Both                    |
|                    | 2423            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST NOT BE A 4 OR 8. <b>(Applies only to intracountry U.K. ATM transactions.)</b>                                 | Both                    |
|                    | 2424            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST NOT BE A 4 OR 8. <b>(Applies only to intracountry U.K. ATM transactions.)</b>                                 | Both                    |
| DE 22, s5          | 0051            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                               | Both                    |
|                    | 0053            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                               | Both                    |
|                    | 2370            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                           | Both                    |
|                    | 2383            | DE22S5 MUST BE PRESENT AND EQUAL TO 0.                                                                                                                   | Both                    |
|                    | 2398            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                           | Both                    |
|                    | 2404            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                           | Both                    |
|                    | 2447            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD.                                                              | Both                    |
|                    | 2448            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD.                                                              | Both                    |
|                    | 2449            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD. <b>(Applies only to U.K. member-to-member transactions.)</b> | Both                    |
|                    | 2480            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL 4.                                                                                          | Both                    |
|                    | 2497            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                           | Both                    |
|                    | 2507            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO 0.                                                                                       | Both                    |
|                    | 2530            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 5.                                                                                           | Both                    |
|                    | 2535            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 2 OR 3.                                                                                      | Both                    |
|                    | 2635            | DE22S5 MUST BE PRESENT AND EQUAL TO 0.                                                                                                                   | Both                    |
|                    | 2653            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST EQUAL 5.                                                                                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2903            | DE22S5 MUST BE PRESENT AND EQUAL TO 5 FOR THE APPLICABLE CARD NOT PRESENT IRD. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                    | Both                    |
|                    | 2904            | DE22S5 MUST BE PRESENT AND EQUAL TO 1, 2, 3, 4, OR 5 FOR THE CARD NOT PRESENT IRDS-MERCHANT DOES NOT SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2911            | DE22S5 MUST CONTAIN THE VALUE 1, 2, 3, 4, OR 5 FOR THE IRD SUBMITTED.                                                                                                                                    | Both                    |
|                    | 2967            | DE22S5 CARD HOLDER PRESENT DATA MUST BE PRESENT AND BE EQUAL TO 4.                                                                                                                                       | Both                    |
|                    | 8532            | DE22S5 CARDHOLDER PRESENT DATA NOT VALID FOR E-COMMERCE INPUT MODE.                                                                                                                                      | Both                    |
|                    | 8679            | DE22S5 CARDHOLDER PRESENT DATA INVALID FOR A NON E-COMMERCE INPUT MODE/CHIP SECURED REMOTE PAYMENTS.                                                                                                     | Both                    |
| DE 22, s6          | 0052            | DE22S6 CARD PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                                                                                     | Both                    |
|                    | 2372            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                 | Both                    |
|                    | 2380            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                                 | Both                    |
|                    | 2384            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                 | Both                    |
|                    | 2399            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                 | Both                    |
|                    | 2406            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                 | Both                    |
|                    | 2412            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                                 | Both                    |
|                    | 2498            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                 | Both                    |
|                    | 2508            | DE22S6 MUST BE PRESENT AND CANNOT EQUAL TO 1.                                                                                                                                                            | Both                    |
|                    | 2636            | DE22S6 MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                                   | Both                    |
|                    | 2902            | DE22S6 MUST BE PRESENT AND EQUAL TO 0 FOR THE CARD NOT PRESENT IRDS, THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                              | Both                    |
|                    | 2912            | DE22S6 MUST CONTAIN THE VALUE 0 FOR THE IRD SUBMITTED.                                                                                                                                                   | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                           | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2920            | DE22S6 MUST BE PRESENT AND EQUAL TO 1 FOR CARD PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                             |                         |
|                    | 2924            | DE22S5 MUST BE 4 AND DE22S7 MUST BE 7 FOR RECURRING PAYMENT CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                       | Both                    |
| DE 22,s7           | 0022            | DE22S7 CARD DATA: INPUT MODE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                                            | GCMS                    |
|                    | 2197            | WHEN DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA IS PRESENT DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT AND DE22S7 CARD DATA: INPUT MODE MUST BE AN F, OR C, OR M, OR S. | Both                    |
|                    | 2227            | DE22S7 CARD DATA: INPUT MODE INVALID. MUST BE <VALLIST>.                                                                                                                                | GCMS                    |
|                    | 2260            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES.                                                                                                           | Both                    |
|                    | 2260            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                                          | Both                    |
|                    | 2267            | DE22S7 INVALID FOR THIS CHARGEBACK.                                                                                                                                                     | Both                    |
|                    | 2315            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND IN LIST OF ALLOWED VALUES.                                                                                                             | Both                    |
|                    | 2356            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE IS EQUAL TO S OR 7.                                                              | Both                    |
|                    | 2364            | CHARGEBACK OF A TRANSACTION INVOLVING TOKEN/PAN MAPPING. NO MATCH FOUND ON FIRST PRESENTMENT HISTORY FILE; CANNOT MAP PAN BACK TO TOKEN.                                                | GCMS                    |
|                    | 2376            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                                          | Both                    |
|                    | 2379            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 6.                                                                                                                            | Both                    |
|                    | 2385            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S.                                                                                                                        | Both                    |
|                    | 2400            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                                          | Both                    |
|                    | 2401            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                                   | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2402            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S, T, OR 7, AND DE22S6 CARD PRESENT DATA MUST NOT CONTAIN 1 OR DE22S5 CARDHOLDER PRESENT DATA MUST NOT CONTAIN 0. | Both                    |
|                    | 2408            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO 2, A, B, C, F OR M.                                                                                               | Both                    |
|                    | 2411            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 6.                                                                                                                    | Both                    |
|                    | 2417            | DE22S7 MUST BE PRESENT AND EQUAL TO C, F, OR M.                                                                                                                                 | Both                    |
|                    | 2433            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO M.                                                                                                                    | Both                    |
|                    | 2445            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                               | Both                    |
|                    | 2446            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 1, 6 OR 7.                                                                                                            | Both                    |
|                    | 2467            | DE22S7 MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                                                     | Both                    |
|                    | 2477            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, OR B.                                                                                                           | Both                    |
|                    | 2500            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                           | Both                    |
|                    | 2506            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO S, T, OR 7.                                                                                                           | Both                    |
|                    | 2551            | DE22S7 POINT OF SERVICE DATA MODE MUST BE PRESENT AND EQUAL TO T WHEN PDS0194 REMOTE PAYMENTS PROGRAM DATA IS PRESENT.                                                          | Both                    |
|                    | 2593            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2 OR B.                                                                                                               | Both                    |
|                    | 2662            | DE22S7 CARD DATA: INPUT MODE INVALID. MUST BE EQUAL TO 2, B, C, OR F.                                                                                                           | Both                    |
|                    | 2685            | DE22S4 TERMINAL OPERATING ENVIRONMENT AND DE22S7 CARD DATA: INPUT MODE VALUE COMBINATION INVALID.                                                                               | Both                    |
|                    | 2817            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO A OR M.                                                                                                           | Both                    |
|                    | 2880            | DE22S7 MUST BE EQUAL TO S or 7.                                                                                                                                                 | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2905            | DE22S7 MUST BE PRESENT AND EQUAL S OR 7 FOR THE CARD NOT PRESENT IRDS-ISSUER DOES NOT SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.         | Both                    |
|                    | 2907            | DE22S7 MUST CONTAIN A VALUE OF C, OR F FOR THE IRD SUBMITTED.                                                                                                                                     | Both                    |
|                    | 2908            | DE22S7 MUST BE PRESENT AND EQUAL S, T, OR 7 FOR THE CARD NOT PRESENT IRDS-MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2909            | DE22S7 MUST BE PRESENT AND EQUAL S, 1, OR 7 FOR THE CARD NOT PRESENT IRDS-MERCHANT DOESN'T SUPPORT 3DS AND TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.   | Both                    |
|                    | 2910            | DE22S7 MUST BE PRESENT AND CONTAIN A VALUE OF 2, A, B, C, F, OR M FOR THE IRD SUBMITTED.                                                                                                          | Both                    |
|                    | 2913            | DE22S7 MUST CONTAIN A VALUE OF 6, 7, R, S, OR T.                                                                                                                                                  | Both                    |
|                    | 2965            | DE22S7 CARD DATA: INPUT MODE MUST CONTAIN A VALUE OF C OR F.                                                                                                                                      | Both                    |
|                    | 2974            | DE22S7 MUST BE PRESENT AND EQUAL TO S OR 7.                                                                                                                                                       | Both                    |
|                    | 3011            | DE22S7 MUST CONTAIN THE APPROPRIATE VALUE.                                                                                                                                                        | Both                    |
| DE 22, s8          | 0019            | INVALID UCAF COLLECTION INDICATOR OR DE22S8 NOT EQUAL TO 1.                                                                                                                                       | Both                    |
|                    | 0019            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 2, 3, OR 5 (OR) DE22S8 CARD HOLDER AUTHENTICATION METHOD.                                                                                    | Both                    |
|                    | 0054            | DE22S8 CARDHOLDER AUTHENTICATION METHOD INVALID. MUST BE 0, 1, 2, 5, 6, 9, OR S.                                                                                                                  | Both                    |
|                    | 2377            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2387            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2403            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2409            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2426            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 0.                                                                                                                           | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------|-------------------------|
| DE 22, s9          | 0055            | DE22S9 CARDHOLDER AUTHENTICATION ENTITY INVALID. MUST BE <VALLIST>.                             | Both                    |
| DE 22, s10         | 0056            | DE22S10 CARD DATA OUTPUT CAPABILITY INVALID. MUST BE <VALLIST>.                                 | Both                    |
| DE 22, s11         | 0057            | DE22S11 TERMINAL DATA OUTPUT CAPABILITY INVALID. MUST BE 0, 1, 2, 3, OR 4.                      | Both                    |
| DE 22, s12         | 0058            | DE22S12 PIN CAPTURE CAPABILITY INVALID. MUST BE 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, OR C.       | Both                    |
| DE 23              | 0022            | DE23 CARD SEQUENCE NUMBER/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT                        | Both                    |
|                    | 0059            | DE23 CARD SEQUENCE NUMBER MUST BE NUMERIC.                                                      | Both                    |
|                    | 0437            | DE23 CARD SEQUENCE NUMBER CONTAINS A VALUE IN THE RANGE OF 000-099.                             | Both                    |
| DE 24              | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                             | Both                    |
|                    | 0687            | DE24 FUNCTION CODE AND PDS0025 REVERSAL INDICATOR COMBINATION INVALID.                          | GCMS                    |
|                    | 0735            | DE24 FUNCTION CODE MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.             | Both                    |
| DE 25              | 0064            | DE25 MESSAGE REASON CODE MUST BE NUMERIC.                                                       | Both                    |
|                    | 0148            | DE25 MESSAGE REASON CODE INVALID FOR THIS CHARGEBACK.                                           | GCMS                    |
|                    | 0154            | REQUEST NOT ON FILE.                                                                            | GCMS                    |
|                    | 0575            | ISSUER HAS ACCEPTED THE ACQUIRER'S RESPONSE.                                                    | GCMS                    |
|                    | 0588            | DE25 MESSAGE REASON CODE INVALID FOR ATM CASH WITHDRAWAL TRANSACTION.                           | Both                    |
|                    | 0592            | DOCUMENTATION ALWAYS REQUIRED FOR THIS DE25 MESSAGE REASON CODE.                                | Both                    |
|                    | 0593            | DE25 MESSAGE REASON CODE/TERMINAL TYPE COMBINATION INVALID.                                     | Both                    |
|                    | 0638            | ISSUER CANNOT CHARGEBACK FOR DE25 MESSAGE REASON CODE 4801 OR 4802.                             | GCMS                    |
|                    | 0677            | DE25 MESSAGE REASON CODE SHOULD HAVE BEEN 4802.                                                 | GCMS                    |
|                    | 0704            | IMAGE REVIEW STILL PENDING.                                                                     | GCMS                    |
|                    | 0735            | DE25 MESSAGE REASON CODE MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0741            | THE ISSUER HAS NOT ACCEPTED/REJECTED THE FULFILLMENT.                                                                                           | GCMS                    |
|                    | 2260            | DE25 MESSAGE REASON CODE MUST BE PRESENT AND IN LIST OF ALLOWED VALUES.                                                                         | GCMS                    |
|                    | 2286            | ISSUER CANNOT CHARGEBACK CAT LEVEL 1, 2, OR 3 TRANSACTIONS.                                                                                     | Both                    |
|                    | 2324            | DE25 MESSAGE REASON CODE INVALID FOR PURCHASE WITH CASH BACK CHARGEBACK.                                                                        | Both                    |
|                    | 2336            | DE25 MESSAGE REASON CODE VALUE IS RESERVED FOR MDS USE.                                                                                         | Both                    |
|                    | 2434            | DE25 MESSAGE REASON CODE CANNOT EQUAL 4802 OR 4837.                                                                                             | Both                    |
|                    | 2460            | DE25 MESSAGE REASON CODE IS NOT ALLOWED BETWEEN THE ACQUIRER AND ISSUER COUNTRIES.                                                              | Both                    |
|                    | 2462            | DE25 MESSAGE REASON CODE INVALID FOR UCAF TRANSACTIONS.                                                                                         | Both                    |
|                    | 2469            | DE25 MESSAGE REASON CODE INVALID FOR UCAF TRANSACTION.                                                                                          | Both                    |
|                    | 2549            | DE25 MESSAGE REASON CODE INVALID FOR MOBILE REMOTE PAYMENTS TRANSACTIONS FOR CARD PROGRAM IDENTIFIER AND PDS 0194 REMOTE PAYMENTS PROGRAM DATA. | Both                    |
|                    | 2629            | DE25 MESSAGE REASON CODE INVALID FOR UCAF TRANSACTION.                                                                                          | Both                    |
|                    | 2665            | DE25 MESSAGE REASON CODE MUST BE VALID FOR THE BRAND PRODUCT.                                                                                   | Both                    |
| DE 26              | 0161            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID.                                                                                                      | Both                    |
|                    | 0735            | DE26 ACCEPTOR BUSINESS CODE (MCC) MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                              | Both                    |
|                    | 0986            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6011 AUTOMATED CASH DISBURSEMENT FOR DE3S1, PROCESSING CODE 01.                              | Both                    |
|                    | 0988            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE DESIGNATED AS UNIQUE FOR DE3S1, PROCESSING CODE 18.                                          | Both                    |
|                    | 1138            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6010 MANUAL CASH DISBURSEMENT FOR DE3S1, PROCESSING CODE 12.                                 | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2223            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                          | Both                    |
|                    | 2224            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.  | Both                    |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                    |
|                    | 2281            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT AND INTERCHANGE PROGRAM.                                                                 | Both                    |
|                    | 2282            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                          | Both                    |
|                    | 2283            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT AND ACCEPTANCE BRAND ID CODE FOR INTERCHANGE PROGRAM.                                    | Both                    |
|                    | 2284            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                          | Both                    |
|                    | 2536            | DE26 ACCEPTOR BUSINESS CODE INVALID FOR ATM FUNDING TRANSACTION.                                                                                                    | Both                    |
| DE 30              | 0077            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                     | Both                    |
|                    | 0078            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                                    | Both                    |
|                    | 0735            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                                                             | Both                    |
|                    | 1016            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT AND NONZERO IN FIRST CHARGEBACK (FULL) OR FIRST CHARGEBACK (PARTIAL) MESSAGES.                                               | Both                    |
|                    | 1019            | DE30 AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                                                                             | Both                    |
|                    | 2546            | DE30 AMOUNTS, ORIGINAL INVALID. AMOUNT IS LESS THAN OR EQUAL TO THE CHARGEBACK PROTECTION AMOUNT.                                                                   | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                               | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 30, s1          | 2814            | DE30S1 ORIGINAL AMOUNT, TRANSACTION INVALID FOR PRODUCT CODE MCP.                                           | GCMS                    |
| DE 30, s2          | 0076            | DE30S2 ORIGINAL AMOUNT, RECONCILIATION MUST BE ZERO-FILLED.                                                 | Both                    |
| DE 31              | 0735            | DE31 ACQUIRER REFERENCE DATA MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.               | Both                    |
|                    | 2181            | DE31 ACQUIRER REFERENCE DATA MUST BE A FIXED LENGTH OF 23.                                                  | Both                    |
|                    | 2328            | ACQUIRER MEMBER ID NOT REGISTERED FOR GAMING SERVICE.                                                       | Both                    |
|                    | 2723            | LIFE CYCLE MESSAGES NOT ALLOWED FOR INSTALLMENT SPLIT TRANSACTIONS.                                         | Both                    |
| DE 31, s1          | 0080            | DE31S1 FILLER MUST BE NUMERIC.                                                                              | Both                    |
|                    | 3019            | DE31SF1 MUST BE A VALID VALUE STARTING WITH "7"                                                             | Both                    |
| DE 31, s2          | 0081            | DE31S2 ACQUIRER'S REFERENCE MUST BE NUMERIC.                                                                | Both                    |
|                    | 1087            | DE31S2 ACQUIRER'S BIN NOT A VALID ACQUIRER BIN.                                                             | Both                    |
|                    | 2261            | DE31S2 ACQUIRER'S BIN MUST BE POS EMV COMPLIANT.                                                            | Both                    |
|                    | 2262            | DE31S2 ACQUIRER'S BIN MUST BE MERCHANT UCAF ELIGIBLE.                                                       | Both                    |
|                    | 2289            | ACQUIRER MUST HAVE POS TERMINAL THAT IS EMV COMPLIANT.                                                      | Both                    |
|                    | 2290            | ACQUIRER MUST HAVE ATM TERMINAL THAT IS EMV COMPLIANT.                                                      | Both                    |
|                    | 2939            | DE31S2 IS NOT REGISTERED FOR EMBEDDED NEGOTIATED INTERCHANGE.                                               | Both                    |
| DE 31, s3          | 0086            | DE31S3 JULIAN PROCESSING DATE YDDD OF DE31 ACQUIRER REFERENCE DATA MUST BE A VALID DATE IN THE FORMAT YDDD. | Both                    |
| DE 31, s4          | 0083            | DE31S4 ACQUIRER'S SEQUENCE NUMBER MUST BE NUMERIC.                                                          | Both                    |
| DE 31, s5          | 0085            | DE31S5 CHECK DIGIT MUST BE NUMERIC.                                                                         | Both                    |
|                    | 0087            | DE31S5 CHECK DIGIT DOES NOT MOD-CHECK.                                                                      | Both                    |
| DE 32              | 0089            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC.                                                         | Both                    |
|                    | 0090            | DE32 ACQUIRING INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 01-11.                                   | Both                    |
|                    | 2196            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                 | Both                    |
| DE 33              | 0735            | DE33 FORWARDING INSTITUTION ID CODE MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL), MESSAGES.       | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                 | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0790            | INVALID DE33 FORWARDING INSTITUTION ID CODE FOR FIRST CHARGEBACK (FULL) MESSAGES.                             | Both                    |
|                    | 0808            | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                                          | Both                    |
|                    | 2180            | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                   | Both                    |
| DE 37              | 0091            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                  | Both                    |
|                    | 2208            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                            | Both                    |
| DE 38              | 0093            | DE38 APPROVAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                               | Both                    |
|                    | 0094            | DE38 APPROVAL CODE CONTAINS EMBEDDED SPACES.                                                                  | Both                    |
|                    | 0095            | DE38 APPROVAL CODE MUST BE LEFT JUSTIFIED.                                                                    | Both                    |
|                    | 0780            | DE38 APPROVAL CODE MUST BE PRESENT.                                                                           | Both                    |
|                    |                 | DE38 APPROVAL CODE MUST BE PRESENT WHEN DE22S7 EQUAL TO 2, A, OR B.                                           | Both                    |
|                    | 2198            | DE38 APPROVAL CODE CANNOT BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE CONTAINS AN F.                         | Both                    |
| DE 40              | 0053            | DE40 SERVICE CODE INVALID. MUST BE <VALLIST>.                                                                 | Both                    |
|                    | 2183            | DE40 SERVICE CODE MUST BE NUMERIC.                                                                            | Both                    |
| DE 41              | 0096            | DE41 ACCEPTOR TERMINAL ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                        | Both                    |
|                    | 2182            | DE41 ACCEPTOR TERMINAL ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                  | Both                    |
| DE 42              | 0098            | DE42 ACCEPTOR ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                            | Both                    |
|                    | 0766            | DE42 ACCEPTOR ID CODE MUST BE PRESENT.                                                                        | Both                    |
|                    | 2182            | DE42 ACCEPTOR ID CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                      | Both                    |
| DE 43              | 0100            | DE43 ACCEPTOR NAME/LOCATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                      | Both                    |
|                    | 0101            | DE43 ACCEPTOR NAME/LOCATION MUST BE 20-99.                                                                    | Both                    |
|                    | 0107            | WITHIN DE43 ACCEPTOR NAME/LOCATION, 3 BACKSLASH CHARACTERS ARE REQUIRED TO DELIMIT NAME\STREET ADDRESS\CITY\. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0340            | DE43 ACCEPTOR NAME/LOCATION MUST BE PRESENT.                                                                                        | Both                    |
| DE 43, s1          | 0069            | DE43S1 ACCEPTOR NAME IS REQUIRED AND MUST CONTAIN A VALID VALUE.                                                                    | Both                    |
|                    | 0102            | DE43S1 ACCEPTOR NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                    |
|                    | 0103            | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1–22.                                                                                           | Both                    |
|                    | 0108            | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                          | Both                    |
|                    | 0735            | DE43S1 ACCEPTOR NAME MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                               | Both                    |
|                    | 2229            | DE43S1 ACCEPTOR NAME INVALID. MUST CONTAIN ABBREVIATED AIRLINE NAME FOLLOWED BY DELIMITER, OR SPACES AND DELIMITER.                 | Both                    |
|                    | 2574            | DE43S1 ACCEPTOR NAME MUST CONTAIN A VALID VALUE.                                                                                    | Both                    |
| DE 43, s2          | 0625            | DE43S2 ACCEPTOR STREET ADDRESS REQUIRED.                                                                                            | Both                    |
| DE 43, s3          | 0539            | DE43S3 ACCEPTOR CITY MUST BE PRESENT.                                                                                               | Both                    |
|                    | 0104            | DE43S3 ACCEPTOR CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                    |
|                    | 0105            | DE43S3 ACCEPTOR CITY LENGTH CANNOT EXCEED 13.                                                                                       | Both                    |
|                    | 0539            | DE43S3 ACCEPTOR CITY MUST BE PRESENT.                                                                                               | Both                    |
|                    | 2182            | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                             | Both                    |
| DE 43, s4          | 0109            | DE43S4 ACCEPTOR POSTAL (ZIP) CODE NOT LEFT JUSTIFIED.                                                                               | Both                    |
| DE 43, s5          | 0623            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                           | Both                    |
|                    | 2167            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                           | Both                    |
| DE 43, s6          | 0112            | DE43S6 ACCEPTOR COUNTRY CODE MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                        | Both                    |
|                    | 0405            | INVALID TRANSACTION FOR THE COUNTRY/REGION.                                                                                         | GCMS                    |
|                    | 0589            | DE43S6 ACCEPTOR COUNTRY CODE MUST BE COMPATIBLE WITH DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE.                               | Both                    |
|                    | 2269            | DE43S6 ACCEPTOR COUNTRY CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID AND TYPE> ACCEPTANCE BRAND ID CODE <AB>. | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2979            | DE43S6 EQUALS CHN AND ACQUIRER BIN COUNTRY MUST BE CHINA AND ISSUER DE2 IS ASSOCIATED TO REGION C BUT COUNTRY CODE NOT EQUAL CHINA.                | Both                    |
|                    | 3010            | IRD NOT APPLICABLE. TRANSACTION ORIGINATION COUNTRY AND DESTINATION COUNTRY DOES NOT FIT THE CRITERIA.                                             | Both                    |
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                  | Both                    |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008-999.                                                                                                       | Both                    |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62.          | Both                    |
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                                              | Both                    |
| DE 49              | 0119            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                           | Both                    |
|                    | 0120            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                          | Both                    |
|                    | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE49 CURRENCY CODE, TRANSACTION, MUST BE PROVIDED.                                                          | Both                    |
|                    | 0735            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                                   | Both                    |
|                    | 1086            | DE49 CURRENCY CODE, TRANSACTION FOR FIRST CHARGEBACK MESSAGES MUST CONTAIN A VALUE OF 840 OR THE INTRACURRENCY AGREEMENT SETTLEMENT CURRENCY CODE. | GCMS                    |
|                    | 2670            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                           | GCMS                    |
| DE 50              | 0123            | DE50 CURRENCY CODE, RECONCILIATION MUST BE NUMERIC.                                                                                                | Both                    |
|                    | 0124            | DE50 CURRENCY CODE, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                              | Both                    |
|                    | 0126            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE50 CURRENCY CODE, RECONCILIATION MUST BE PROVIDED.                                                        | Both                    |
|                    | 0129            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                        | Both                    |
|                    | 2670            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                        | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------|-------------------------|
| DE 54              | 2311            | DE54 AMOUNTS, ADDITIONAL NOT PRESENT FOR PURCHASE WITH CASH BACK TRANSACTION.                       | Both                    |
| DE 54, s2          | 2265            | DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE INVALID.                                                      | Both                    |
|                    | 2312            | DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE VALUE NOT PERMITTED.                                          | Both                    |
|                    | 2436            | DE54S2 VALUE INVALID FOR THE INTERCHANGE PROGRAM                                                    | Both                    |
|                    | 2711            | SUM OF VAT TAX, IAC TAX, AND TIP MUST BE LESS THAN DE 4 (AMOUNT, TRANSACTION).                      | Both                    |
| DE 54, s3          | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE PROVIDED.    | Both                    |
|                    | 2292            | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE EQUAL TO DE49 CURRENCY CODE TRANSACTION.            | Both                    |
|                    | 2469            | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST NOT EQUAL THE VALUE IN DE49.                           | Both                    |
| DE 54, s4          | 2185            | DE54S4 ADDITIONAL AMOUNT, AMOUNT SIGN MUST BE D OR C.                                               | Both                    |
|                    | 2313            | AMOUNT SIGN MUST BE D (DEBIT TO RECIPIENT) FOR A CASH BACK OR SURCHARGE AMOUNT.                     | Both                    |
| DE 54, s5          | 2183            | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE NUMERIC.                                                   | Both                    |
|                    | 2294            | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE LESS THAN DE4 AMOUNT, TRANSACTION.                         | Both                    |
|                    | 2479            | DE54S5 ADDITIONAL AMOUNT, AMOUNT SUM OF OCCURRENCES MUST BE LESS THAN OR EQUAL TO DE4.              | Both                    |
| DE 55              | 1057            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM-RELATED DATA LENGTH MUST BE 1-255.                        | Both                    |
|                    | 2184            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                    |
|                    | 2200            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA CANNOT BE ALL ZEROS OR ALL SPACES.           | GCMS                    |
| DE 62              | 0165            | DE62 ADDITIONAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                    |
|                    | 0166            | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008-999.                                                      | Both                    |
|                    | 0168            | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                        | Both                    |
|                    | 0169            | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                      | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 63              | 2181            | DE63 TRANSACTION LIFE CYCLE ID LENGTH MUST BE A FIXED LENGTH OF 016.                                                                                                             | Both                    |
|                    | 2184            | DE63 TRANSACTION LIFE CYCLE ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                      | Both                    |
| DE 63, s1          | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE A SPACE.                                                                                                                             | Both                    |
| DE 63, s2          | 0141            | DE63S2 TRACE ID POSITIONS 10–13 MUST BE A VALID DATE IN THE FORMAT MMDD.                                                                                                         | Both                    |
|                    | 0142            | THE FIRST NINE POSITIONS OF DE63S2 TRACE ID CANNOT CONTAIN EMBEDDED SPACES.                                                                                                      | Both                    |
|                    | 2801            | INELIGIBLE CHARGEBACK REJECT REASON CODES 'FNS DATE EXCEEDED'                                                                                                                    | GCMS                    |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                                                                                             | Both                    |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 MESSAGE NUMBER OF THE PREVIOUS MESSAGE.                                                                                        | Both                    |
|                    | 0735            | DE71 MESSAGE NUMBER MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                                                                             | Both                    |
| DE 72              | 0151            | DE72 DATA RECORD CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                    | Both                    |
|                    | 0603            | DE72 DATA RECORD LENGTH CANNOT EXCEED 999.                                                                                                                                       | Both                    |
|                    | 2180            | DE72 DATA RECORD LENGTH MUST BE 001–100.                                                                                                                                         | Both                    |
|                    | 2208            | DE72 DATA RECORD CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                                              | Both                    |
| DE 93              | 0155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE NUMERIC.                                                                                                                | Both                    |
|                    | 0157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID.                                                                                                                        | Both                    |
|                    | 1155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE CANNOT BE FLAGGED FOR INTERNAL USE ONLY.                                                                                        | GCMS                    |
|                    | 1157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE A SUPERMARKET INTERCHANGE ACQUIRER IF THE TRANSACTION IS SUBMITTED FOR THE U.S. REGION SUPERMARKET INTERCHANGE PROGRAM. | GCMS                    |
|                    | 1159            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                                                                                  | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 1162            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE A WAREHOUSE ACQUIRER IF THE TRANSACTION IS SUBMITTED FOR THE U.S. REGION WAREHOUSE INTERCHANGE PROGRAM. | GCMS                    |
|                    | 1209            | DE93/DE94 MUST NOT BE A PSEUDO ICA FOR OTHER THAN ONBEHALF WALLET FEE COLLECTION MESSAGE                                                                         | GCMS                    |
|                    | 2180            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                                                         | Both                    |
|                    | 2630            | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                                                                          | GCMS                    |
|                    | 2668            | TRANSACTION BLOCKED FOR RECEIVER.                                                                                                                                | GCMS                    |
|                    | 2669            | TRANSACTION BLOCKED FOR RECEIVER.                                                                                                                                | GCMS                    |
|                    | 3009            | INVALID TRANSACTION. DE 93 TRANSACTION DESTINATION INSITUION ID CODE CANNOT CONTAIN ICA ASSOCIATED WITH RPPS.                                                    |                         |
| DE 94              | 0159            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                                                                 | Both                    |
|                    | 0161            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                                                                         | Both                    |
|                    | 0547            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE/DE2 PRIMARY ACCOUNT NUMBER (PAN) COMBINATION INVALID.                                                            | Both                    |
|                    | 0609            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                                                                 | Both                    |
|                    | 0735            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                                 | Both                    |
|                    | 1175            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SENDING PROCESSOR ID IN PARAMETER MASTER.                                                            | GCMS                    |
|                    | 2180            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                                                          | Both                    |
|                    | 2666            | TRANSACTION BLOCKED FOR SENDER.                                                                                                                                  | GCMS                    |
|                    | 2667            | TRANSACTION BLOCKED FOR SENDER.                                                                                                                                  | GCMS                    |
| DE 95              | 0649            | DUPLICATE DE95 CARD ISSUER REFERENCE DATA.                                                                                                                       | GCMS                    |
|                    | 0726            | PREVIOUS CYCLE NOT ON FILE.                                                                                                                                      | GCMS                    |
|                    | 0735            | DE95 CARD ISSUER REFERENCE DATA MUST BE PRESENT IN FIRST CHARGEBACK/FULL AND PARTIAL MESSAGES.                                                                   | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 1177            | DE95 CARD ISSUER REFERENCE DATA MUST BE NUMERIC.                                                                                                               | Both                    |
|                    | 2177            | DE 95 CARD ISSUER REFERENCE DATA MUST BE A FIXED LENGTH OF 10.                                                                                                 | Both                    |
| DE 123             | 0171            | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008–999.                                                                                                                | Both                    |
|                    | 0173            | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124.                 | Both                    |
|                    | 0174            | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                                    | Both                    |
| DE 124             | 0179            | DE124 ADDITIONAL DATA 4 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, AND DE123 ADDITIONAL DATA 3 ARE PRESENT.                          | Both                    |
|                    | 2151            | DE124 ADDITIONAL DATA 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 2152            | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008–999.                                                                                                                | Both                    |
|                    | 2154            | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125.                 | Both                    |
| DE 125             | 0175            | DE125 ADDITIONAL DATA 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 0176            | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008–999.                                                                                                                | Both                    |
|                    | 0178            | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED.                | Both                    |
|                    | 2155            | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                    |
| PDS 0001           | 0503            | PDS0001 MASTERCARD MAPPING SERVICE ACCOUNT NUMBER NOT ALLOWED IN <MSGTYPE>.                                                                                    | GCMS                    |
| PDS 0001,<br>s1    | 2879            | PDS0001S1 MUST BE EQUAL TO 'C', OR 'CC' OR 'H' OR 'HC'.                                                                                                        | GCMS                    |
|                    | 2881            | PDS0001S1 MUST BE EQUAL TO 'C' OR 'CC' OR 'H' OR 'HC' OR 'O' OR 'OC'.                                                                                          | GCMS                    |
| PDS 0021           | 2873            | PDS021 INVALID. MUST BE IP2201T1.                                                                                                                              | Both                    |
|                    | 2874            | PDS021 MUST BE A FIXED LENGTH OF 001.                                                                                                                          | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                 | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0022           | 0428            | PDS0022 MUST BE FIXED LENGTH OF 001.                                                                                                                                                                          | Both                    |
| PDS 0023           | 0022            | PDS0023 TERMINAL TYPE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                                                                         | Both                    |
|                    | 0181            | PDS0023 TERMINAL TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                            | Both                    |
|                    | 0182            | PDS0023 TERMINAL TYPE MUST BE A FIXED LENGTH OF 003.                                                                                                                                                          | Both                    |
|                    | 0184            | PDS0023 TERMINAL TYPE MUST CONTAIN A VALID VALUE OF ATM, CT1, CT2, CT3, CT4, CT6, CT7, MAN, NA, OR POI.                                                                                                       | Both                    |
|                    | 0596            | PDS0023 TERMINAL TYPE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                                                                         | Both                    |
|                    | 1092            | PDS0023 TERMINAL TYPE MISSING. MUST BE PRESENT IN NON-REVERSAL FIRST CHARGEBACK (FULL) MESSAGES.                                                                                                              | Both                    |
|                    | 2286            | ISSUER CANNOT CHARGEBACK CAT LEVEL 1, 2, OR 3 TRANSACTIONS.                                                                                                                                                   | Both                    |
|                    | 2519            | PDS0023 TERMINAL TYPE INVALID FOR MOBILE TOP-UP TRANSACTION.                                                                                                                                                  | GCMS                    |
|                    | 2715            | PDS0023 TERMINAL TYPE INVALID, MUST BE 1, 2, 5, or 6.                                                                                                                                                         | Both                    |
|                    | 2842            | PDS0023 INVALID FOR A NON-E-COMMERCE TRANSACTION.                                                                                                                                                             | Both                    |
|                    | 2919            | PDS0023/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT FOR THE E-COMMERCE TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                | Both                    |
|                    | 2928            | PDS0023 MUST BE MAN OR NA IF PRESENT WHEN DE22S5 IS 1, 2, 3, 4; DE22S6 IS 0; AND DE22S7 IS 1 OR 7 FOR THE NON E-COMMERCE TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 8581            | PDS0023 TERMINAL TYPE NOT VALID FOR E-COMMERCE TRANSACTION/CHIP SECURED REMOTE PAYMENTS. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                         | Both                    |
|                    | 8677            | PDS0023 TERMINAL TYPE INVALID FOR A NON E-COMMERCE TRANSACTION/CHIP SECURED REMOTE PAYMENTS.                                                                                                                  | Both                    |
| PDS 0025           | 0187            | PDS0025 MESSAGE REVERSAL INDICATOR LENGTH FIELD MUST BE A VALUE OF 001-007.                                                                                                                                   | Both                    |
| PDS 0025,<br>s1    | 0185            | PDS0025S1 MESSAGE REVERSAL INDICATOR MUST BE EQUAL TO R OR A SPACE IF PRESENT.                                                                                                                                | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                              | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0025,<br>s2    | 0186            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.          | Both                    |
|                    | 0190            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.     | Both                    |
| PDS 0028           | 2870            | MPQR RECEIVING ACCOUNT NUMBER LENGTH MUST BE 001-034.                                                                      | Both                    |
|                    | 2871            | MPQR RECEIVING ACCOUNT NUMBER CONTAINS LEADING SPACES, OR NOT LEFT JUSTIFIED, OR CONTAINS ALL ZEROS.                       | Both                    |
| PDS 0029           | 2872            | MPQR DNAMIC QR DATA LENGTH MUST BE 001-237.                                                                                | Both                    |
| PDS 0042           | 2661            | MERCHANT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                            | Both                    |
| PDS 0043           | 0194            | PDS0043 TRANSACTION TYPE ID MUST BE A FIXED LENGTH OF 003.                                                                 | Both                    |
|                    | 2208            | PDS0043 TRANSACTION TYPE ID CANNOT BE ALL ZEROS OR ALL SPACES.                                                             | Both                    |
|                    | 2436            | TRANSACTION TYPE ID VALUE INVALID FOR THE INTERCHANGE PROGRAM.                                                             | Both                    |
|                    | 2811            | PDS0043 MUST EQUAL TO C91, C92, C93, OR C94, THE PROCESSING CODE MUST BE 00 OR 20, AND THE TRANSACTION MUST BE DOMESTIC.   | GCMS                    |
|                    | 2862            | IRD submitted on PDS0158S4 is not correct for Utility Payments Transaction Type ID submitted on PDS0043.                   | GCMS                    |
|                    | 2863            | IRD submitted on PDS0158S4 is not correct for Coupon Booklet Payments Transaction Type ID submitted on PDS0043.            | GCMS                    |
|                    | 2864            | IRD submitted on PDS0158S4 is not correct for Government Services Transaction Type ID submitted on PDS0043.                | GCMS                    |
|                    | 2865            | IRD submitted on PDS0158S4 is not correct for Mobile Phone Top-Ups Transaction Type ID submitted on PDS0043.               | GCMS                    |
| PDS 0052           | 2181            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE A FIXED LENGTH OF 3.                                          | Both                    |
|                    | 2183            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE NUMERIC.                                                      | Both                    |
|                    | 2356            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE IS EQUAL TO S OR 7. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2714            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR, POSITION 2 CANNOT BE EQUAL TO VALUE 4 FOR THE IRD PROVIDED.                                                                                                                                                                                   | Both                    |
|                    | 2914            | PDS0052 MUST BE PRESENT AND EQUAL TO 211 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT SUPPORTS 3DS OR TOKENIZATION; ISSUER DOES NOT SUPPORT. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                   | Both                    |
|                    | 2915            | FOR AUTHENTICATED ECOMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 212 OR 217 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2916            | FOR NONAUTHENTICATED DSRP TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 246 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS T FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.               | Both                    |
|                    | 2917            | FOR AUTHENTICATED DSRP ECOMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 242 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.        | Both                    |
|                    | 2918            | FOR E-COMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 210 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                     | Both                    |
|                    | 2922            | PDS0052 INVALID FOR THE PARTIAL SHIPMENT E-COMMERCE TRANSACTION WHEN DE22S5 IS 5, DE22S6 IS 0, DE22S7 IS S OR 7. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                                                             | Both                    |
|                    | 2923            | PDS0052 INVALID FOR THE DSRP TRANSACTION WHEN DE22S5 IS 5, DE22S6 IS 0, AND DE22S7 IS S OR 7. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                                                                                | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2926            | PDS0052 MUST BE 247 AND PDS0023 (IF PRESENT) MUST BE MAN OR NA FOR THE RECURRING PAYMENT DSRP CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.              | Both                    |
|                    | 2927            | PDS0052 MUST BE 210 OR 217 AND PDS0023 (IF PRESENT) MUST BE MAN OR NA FOR THE RECURRING PAYMENT E-COMMERCE CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 3111            | PDS 0052 MUST BE PRESENT AND NOT EQUAL 210 AND/OR PDS 0059 POSITIONS 1-3 MUST BE PRESENT AND NOT EQUAL 000                                                                                                       | GCMS                    |
| PDS 0052,<br>s3    | 0008            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID. MUST BE 1.                                                                                                                                                          | Both                    |
|                    | 0008            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID. MUST BE 1.<br><b>(Applies only to Europe region acquirers.)</b>                                                                                                     | Both                    |
|                    | 0019            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 2, 3, OR 5.                                                                                                                                                 | Both                    |
|                    | 0019            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1.<br><b>(Applies to only Europe region acquirers.)</b>                                                                                                     | Both                    |
|                    | 2185            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1, 2, 3, 4, 5, OR 6.                                                                                                                                        | Both                    |
|                    | 2420            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1 OR 2.                                                                                                                                                     | Both                    |
|                    | 2462            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID FOR UCAF TRANSACTIONS.                                                                                                                                               | Both                    |
|                    | 2629            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID FOR UCAF TRANSACTION.                                                                                                                                                | Both                    |
|                    | 2836            | PDS0052S3 UCAF COLLECTION INDICATOR MUST BE PRESENT AND CONTAIN THE VALUE OF 2 OR 5.                                                                                                                             | Both                    |
|                    | 2952            | PDS0052S3 UCAF COLLECTION INDICATOR MUST BE PRESENT AND EQUAL TO 1 OR 2 or 4.                                                                                                                                    | Both                    |
| PDS 0057           | 2227            | PDS0057 TRANSACTION CATEGORY INDICATOR INVALID. MUST BE 01, 02, 03, or 04                                                                                                                                        | Both                    |
| PDS 0058           | 2183            | PDS0058 TOKEN ASSURANCE LEVEL MUST BE NUMERIC.                                                                                                                                                                   | Both                    |
| PDS 0059           | 2183            | PDS0059 TOKEN REQUESTOR ID MUST BE NUMERIC.                                                                                                                                                                      | Both                    |
| PDS 0080           | 0242            | PDS0080 AMOUNT, TAX INVALID.                                                                                                                                                                                     | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2470            | PDS0080 AMOUNT, TAX LENGTH MUST BE <MIN-MAX>AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 20.             | GCMS                    |
| PDS 0080,<br>s3    | 0395            | PDS0080S3 CURRENCY CODE MUST CONTAIN NUMERIC ISO-STANDARD CURRENCY CODE OCCURENCE <00>.                           | GCMS                    |
| PDS 0080,<br>s5    | 2185            | PDS0080S5 DEBIT/CREDIT INDICATOR MUST BE D OR C.                                                                  | GCMS                    |
| PDS 0105           | 2998            | PDS0105 TRANSACTION NOT ORIGINATED THROUGH MASTERCOM.                                                             | Both                    |
| PDS 0137           | 0756            | PDS0137 FEE COLLECTION CONTROL NUMBER LENGTH MUST BE 17-20.                                                       | Both                    |
| PDS 0146           | 0381            | PDS0146 AMOUNTS, TRANSACTION FEE LENGTH MUST BE 036-432 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 36. | Both                    |
|                    | 1023            | PDS0146 AMOUNTS, TRANSACTION FEE MUST BE PRESENT.                                                                 | Both                    |
|                    | 2557            | PDS0146 AMOUNTS, TRANSACTION FEE MUST BE IN MEXICAN PESOS (484).                                                  | Both                    |
| PDS 0146,<br>s1    | 0386            | PDS0146S1 FEE TYPE CODE MUST BE 00-99. OCCURRENCE INDICATOR <XX>.                                                 | Both                    |
| PDS 0146,<br>s2    | 0387            | PDS0146S2 FEE PROCESSING CODE MUST BE 00, 19, OR 29. OCCURRENCE INDICATOR <XX>.                                   | Both                    |
| PDS 0146,<br>s3    | 1102            | PDS0146S3 FEE SETTLEMENT INDICATOR MUST BE 00 OR 01.                                                              | Both                    |
| PDS 0146,<br>s4    | 1059            | PDS0146S4 CURRENCY CODE, FEE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.            | Both                    |
|                    | 2658            | PDS0146S4 CURRENCY CODE, FEE MUST BE PRESENT AND CONTAIN COLOMBIA PESOS (170).                                    | Both                    |
| PDS 0146,<br>s5    | 0385            | PDS0146S5 AMOUNT, FEE NOT NUMERIC. OCCURRENCE <XX>.                                                               | Both                    |
| PDS 0148           | 0393            | PDS0148 CURRENCY EXPONENTS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                           | Both                    |
|                    | 0394            | PDS0148 CURRENCY EXPONENTS LENGTH MUST BE 04-60 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 04.         | Both                    |
|                    | 0735            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN FIRST CHARGEBACK (FULL AND PARTIAL) MESSAGES.                       | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0148,<br>s1    | 0395            | PDS0148S1 CURRENCY CODE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                        | Both                    |
| PDS 0148,<br>s2    | 0396            | PDS0148S2 CURRENCY EXPONENT MUST BE VALID FOR THE CORRESPONDING CURRENCY CODE IN SUBFIELD 1. OCCURRENCE <XX>.            | Both                    |
| PDS 0149           | 0398            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                               | Both                    |
|                    | 0399            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL LENGTH MUST BE A FIXED LENGTH OF 006.                                          | Both                    |
|                    | 0402            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT PDS0148 CURRENCY EXPONENTS IS NOT PRESENT.                      | Both                    |
|                    | 0404            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT DE30 AMOUNT, ORIGINAL IS NOT PRESENT.                           | Both                    |
|                    | 0735            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT.                                                               | Both                    |
| PDS 0149,<br>s1    | 0400            | PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.            | Both                    |
|                    | 0403            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MISSING. MUST BE PROVIDED. | Both                    |
| PDS 0149,<br>s2    | 0401            | PDS0149S2 CURRENCY CODE, ORIGINAL RECONCILIATION AMOUNT MUST BE ALL ZEROS.                                               | Both                    |
| PDS 0157           | 2181            | PDS0157 ALTERNATE PROCESSOR INDICATOR MUST BE A FIXED LENGTH OF 4.                                                       | Both                    |
|                    | 2227            | PDS0157 ALTERNATE PROCESSOR INDICATOR INVALID. MUST BE ALTC                                                              | Both                    |
|                    | 2531            | PDS0157 ALTERNATE PROCESSOR INDICATOR ONLY VALID FOR COLLECTION ONLY TRANSACTIONS.                                       | Both                    |
| PDS 0158           | 0407            | PDS0158 BUSINESS ACTIVITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                   | Both                    |
|                    | 0735            | PDS0158 BUSINESS ACTIVITY MUST BE PRESENT IN FIRST CHARGEBACK/FULL AND PARTIAL MESSAGES.                                 | Both                    |
|                    | 2180            | PDS0158 BUSINESS ACTIVITY LENGTH MUST BE 003-029.                                                                        | Both                    |
| PDS 0158,<br>s1    | 2007            | ACCEPTANCE BRAND ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                     | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2227            | PDS0158S1 ACCEPTANCE BRAND ID CODE INVALID. MUST BE CIR, CLP, DDB, DMC, MAV, MCC, MSI, PRO, PVL, VIS, or SPACES/BLANK                                                                             | Both                    |
|                    | 2287            | PDS158S1 CARD PROGRAM IDENTIFIER MUST CONTAIN ALL SPACES.                                                                                                                                         | Both                    |
|                    | 2504            | CARD PROGRAM IDENTIFIER <AB> IS INVALID FOR THE PRIMARY ACCOUNT NUMBER.                                                                                                                           | Both                    |
| PDS 0158,<br>s2    | 2009            | NO BUSINESS SERVICE ARRANGEMENT EXISTS FOR THE MEMBER PAIR.                                                                                                                                       | Both                    |
|                    | 2451            | SUBMITTED BUSINESS SERVICE ARRANGEMENT IS NOT VALID. MUST BE SUBMITTED FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>.                                                    | Both                    |
| PDS 0158,<br>s3    | 2010            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                                                                                              | Both                    |
|                    | 2217            | PDS0158S3 BUSINESS SERVICE ID CODE MUST BE PRESENT AND VALID WHEN PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE IS PRESENT.                                                                    | Both                    |
|                    | 2218            | PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE MUST BE PRESENT AND VALID WHEN PDS0158S3 BUSINESS SERVICE ID CODE IS PRESENT.                                                                    | Both                    |
| PDS 0158,<br>s4    | 0631            | PDS0158S4 INTERCHANGE RATE DESIGNATOR AND PROCESSING CODE/REVERSAL INDICATOR COMBINATION INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Both                    |
|                    | 0670            | PDS0158S4 INTERCHANGE RATE DESIGNATOR DOES NOT MEET TIMELINESS CRITERIA AND/OR DE12S1 DATE CONTAINS INVALID DATA.                                                                                 | Both                    |
|                    | 0769            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR FLEET TRANSACTION AT FUEL LOCATION.                                                                                                             | Both                    |
|                    | 2221            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MISSING FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                                    | Both                    |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.                               | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                        | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2265            | DE03 PROCESSING CODE INVALID. DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE INVALID. PDS0159S8 SETTLEMENT DATE INVALID. PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID.                                       | GCMS                    |
|                    | 2341            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID. FOR ACCOUNT RANGES STARTING WITH 36 AND HAVE A MERCHANT COUNTRY (DE43S6) IN THE CARIBBEAN OR U.S. TERRITORIES THEN THE TRANSACTION MUST BE <VALLIST>. | Both                    |
|                    | 2425            | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT VALID FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                         | Both                    |
|                    | 2538            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN ASSOCIATED PAN IS A PAY WITH REWARDS CARD.                                                                                                        | GCMS                    |
|                    | 2622            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MUST EQUAL LF OR LT, OR LC, OR LP WHEN THE TRANSACTION QUALIFIES FOR REGULATED FRAUD ADJUSTED INTERCHANGE.                                                     | Both                    |
|                    | 2691            | PDS158SF4 IS INVALID FOR THE ISSUER COUNTRY KOREA.                                                                                                                                                   | Both                    |
|                    | 2709            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN MERCHANT OR ACQUIRER COUNTRY IS NOT CHINA OR ISSUER COUNTRY IS CHINA.                                                                             | Both                    |
|                    | 2730            | IRD CO VALID ONLY FOR CASH ACCESS TRANSACTION DE3S1 EQUALS 09.                                                                                                                                       | Both                    |
|                    | 2815            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST NOT BE EQUAL TO EB OR EG WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD PRESENT EEA RESTRICTED RATES.                                          | Both                    |
|                    | 2821            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST BE EQUAL TO EB OR EG WHEN THE TRANSACTION QUALIFIES FOR THE CARD PRESENT EEA RESTRICTED RATES.                                                     | Both                    |
|                    | 2891            | PDS0158S54 AND DE22S5, DE22S6, AND DE22S7 IRD MUST BE EQUAL TO EV OR EW WHEN THE TRANSACTION QUALIFIES FOR CARD NOT PRESENT EEA RESTRICTED RATES.                                                    | Both                    |
|                    | 2892            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST NOT BE EQUAL TO EV OR EW WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD NOT PRESENT EEA RESTRICTED RATES.                                      | Both                    |
|                    | 2977            | INVALID IRD IN PDS 158SF4                                                                                                                                                                            | Both                    |
|                    | 2999            | PDS0158S4 MUST CONTAIN IRD FI WHEN EMBEDDED NEGOTIATED INTERCHANGE SUBMITTED FROM MASTERCOM.                                                                                                         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                        | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 3088            | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS ONLY PERMITTED IF THE MERCHANT COUNTRY, ACQUIRER COUNTRY, AND ISSUER ACCOUNT RANGE COUNTRY ARE ALL THE U.S. | Both                    |
|                    | 3089            | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT PERMITTED IF THE MERCHANT COUNTRY, ACQUIRER COUNTRY, AND ISSUER ACCOUNT RANGE COUNTRY ARE ALL THE U.S.  | Both                    |
|                    | 3107            | INVALID IRD IN PDS 158SF4 FOR NONDOMESTIC TRANSACTIONS                                                                                               | Both                    |
| PDS 0158,<br>s5    | 0648            | LESS THAN MINIMUM TIMELINESS VALUE OF 3 DAYS.                                                                                                        | GCMS                    |
|                    | 0686            | FIRST CHARGEBACK RECEIVED AFTER 45 DAYS.                                                                                                             | GCMS                    |
| PDS 0159           | 0735            | PDS0159 SETTLEMENT DATA MUST BE PRESENT.                                                                                                             | GCMS                    |
| PDS 0159,<br>s8    | 2186            | PDS0159S8 SETTLEMENT DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                 | GCMS                    |
|                    | 2265            | PDS0159S8 SETTLEMENT DATE INVALID.                                                                                                                   | GCMS                    |
| PDS 0165           | 0412            | PDS0165 SETTLEMENT INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                            | Both                    |
|                    | 0735            | PDS0165 SETTLEMENT INDICATOR MUST BE PRESENT IN FIRST CHARGEBACK/FULL AND PARTIAL MESSAGES.                                                          | Both                    |
|                    | 2180            | PDS0165 SETTLEMENT INDICATOR LENGTH MUST BE 001-030.                                                                                                 | Both                    |
| PDS 0165,<br>s1    | 0414            | PDS0165S1 SETTLEMENT INDICATOR MUST BE M, B, OR C.                                                                                                   | Both                    |
|                    | 0416            | NO BILATERAL AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.             | Clearing<br>Optimizer   |
|                    | 1066            | DE3 PROCESSING CODE AND PDS0165S1 SETTLEMENT INDICATOR COMBINATION INVALID.                                                                          | Both                    |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.  | GCMS                    |
| PDS 0170           | 0378            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                    | Both                    |
|                    | 0433            | PDS0170 ACCEPTOR INQUIRY INFORMATION LENGTH MUST BE 16-57.                                                                                           | Both                    |
|                    | 2208            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL ZEROS OR ALL SPACES.                                                                              | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                              | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0170,<br>s1    | 2181            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE A FIXED LENGTH OF 16                                                                       | Both                    |
|                    | 2244            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.                        | Both                    |
|                    | 2259            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                    |
| PDS 0170,<br>s2    | 2181            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST BE A FIXED LENGTH OF 16.                                                                              | Both                    |
|                    | 2244            | PDS0170S2 ACCEPTOR PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000)-000-0000 OR 000 000 0000.                                | Both                    |
|                    | 2259            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.         | Both                    |
| PDS 0171           | 0419            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                        | Both                    |
|                    | 0420            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION LENGTH MUST BE 4-201.                                                                               | Both                    |
| PDS 0171,<br>s1    | 0421            | PDS0171S1 CHARACTER SET INDICATOR INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HEB, HIR, HAN, KAN, KAT, ROM, THI, OR VIE.                     | Both                    |
| PDS 0172           | 0591            | PDS0172 SOLE PROPRIETOR NAME LENGTH MUST BE 001-030.                                                                                       | Both                    |
|                    | 1151            | PDS0172 SOLE PROPRIETOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                    |
| PDS 0173           | 0699            | PDS0173 LEGAL CORPORATE NAME LENGTH MUST BE 001-030.                                                                                       | Both                    |
|                    | 1152            | PDS0173 LEGAL CORPORATE NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                    |
| PDS 0174           | 1163            | PDS0174 DUN & BRADSTREET NUMBER MUST BE NUMERIC.                                                                                           | Both                    |
|                    | 2181            | PDS0174 DUN & BRADSTREET NUMBER LENGTH MUST BE 1-15.                                                                                       | Both                    |
| PDS 0175           | 2160            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                 | Both                    |
|                    | 2165            | PDS0175 ACCEPTOR URL LENGTH MUST BE 1-255.                                                                                                 | Both                    |
|                    | 2181            | PDS0174 DUN & BRADSTREET NUMBER LENGTH MUST BE 1-15.                                                                                       | Both                    |
|                    | 2182            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0176           | 2430            | PDS0176 MASTERCARD ASSIGNED ID IF PRESENT MUST CONTAIN A VALID VALUE.                                                    | Both                    |
| PDS 0178           | 2180            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 LENGTH MUST BE 004–201.                                                    | Both                    |
|                    | 2184            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                    |
| PDS 0178,<br>s1    | 2227            | PDS0178S1 CHARACTER SET INDICATOR 2 INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HAN, HEB, HIR, KAN, KAT, ROM, THI, or VIE. | Both                    |
| PDS 0181,<br>s1    | 2594            | PDS0181S1 TYPE OF INSTALLMENT INVALID, MUST BE <VALLIST>.                                                                | Both                    |
| PDS 0181,<br>s2    | 2595            | PDS0181S2 NUMBER OF INSTALLMENTS INVALID. MUST BE NUMERIC.                                                               | Both                    |
| PDS 0181,<br>s3    | 2596            | PDS0181S3 INTEREST RATE INVALID, MUST BE NUMERIC OR ALL SPACES.                                                          | Both                    |
| PDS 0181,<br>s4    | 2597            | PDS0181S4 FIRST INSTALLMENT AMOUNT INVALID, MUST BE NUMERIC OR ALL SPACES.                                               | Both                    |
| PDS 0181,<br>s5    | 2598            | PDS0181S5 SUBSEQUENT INSTALLMENT AMOUNT INVALID, MUST BE NUMERIC OR ALL SPACES.                                          | Both                    |
| PDS 0181,<br>s6    | 2721            | PDS0181S6 ANNUAL PERCENTAGE RATE INVALID. MUST BE NUMERIC OR ALL SPACES.                                                 | Both                    |
| PDS 0181,<br>s7    | 2722            | PDS0181S7 INSTALLMENT FEE INVALID. MUST BE NUMERIC OR ALL SPACES.                                                        | Both                    |
| PDS 0183           | 2810            | POST-DATED TRANSACTIONS MUST BE DOMESTIC.                                                                                | GCMS                    |
| PDS 0183,<br>s1    | 2204            | PDS0183S1 SERVICE CODE INVALID.                                                                                          | GCMS                    |
| PDS 0183,<br>s2    | 0008            | PDS0183S2 NUMBER OF INSTALLMENTS INVALID, MUST BE 1.                                                                     | GCMS                    |
| PDS 0183,<br>s3    | 2204            | PDS0183S3 GUARANTEE INVALID.                                                                                             | GCMS                    |
| PDS 0183,<br>s4    | 2595            | PDS0183S4 GUARANTEE AMOUNT INVALID, MUST BE NUMERIC.                                                                     | GCMS                    |
| PDS 0188           | 0503            | PDS0188 PRIVATE DATA—PROPRIETARY INCONROL DATA NOT ALLOWED IN <MSGTYPE>.                                                 | GCMS                    |
| PDS 0189           | 0422            | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0423            | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA LENGTH MUST BE A FIXED LENGTH OF 41.                                        | Both                    |
| PDS 0189,<br>s1    | 0424            | PDS0189S1 FORMAT NUMBER MUST BE 0, 1, 2, 3, OR 4.                                                                         | Both                    |
| PDS 0189,<br>s2    | 2259            | PDS0189S2 PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                    |
| PDS 0190           | 0425            | PDS0190 PARTNER ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                    |
|                    | 0426            | PDS0190 PARTNER ID CODE LENGTH MUST BE 1–6.                                                                               | Both                    |
|                    | 2208            | PDS0190 PARTNER ID CODE CANNOT BE ALL ZEROS OR ALL SPACES.                                                                | Both                    |
| PDS 0191           | 0528            | PDS0191 ORIGINATING MESSAGE FORMAT INVALID. MUST BE 2 OR 6.                                                               | GCMS                    |
|                    | 0823            | PDS0191 ORIGINATING MESSAGE FORMAT LENGTH MUST BE A FIXED LENGTH OF 001.                                                  | Both                    |
|                    | 3034            | PDS0191 MUST EQUAL ZERO                                                                                                   | Both                    |
|                    | 3047            | Channel of routing Mexico Domestic transactions is invalid                                                                | Both                    |
| PDS 0194           | 2227            | PDS0194 REMOTE PAYMENTS PROGRAM DATA INVALID. MUST BE <VALLIST>                                                           | Both                    |
|                    | 2552            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 1.                                                      | Both                    |
|                    | 2626            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 2.                                                      | Both                    |
|                    | 2644            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 1 OR 2.                                                 | Both                    |
| PDS 0195           | 2264            | PDS0195 INSTALLMENT DATA MUST BE PRESENT.                                                                                 | Both                    |
| PDS 0195,<br>s1    | 2183            | PDS0195S1 TOTAL NUMBER OF INSTALLMENTS MUST BE NUMERIC.                                                                   | Both                    |
|                    | 2264            | PDS0195S1 TOTAL NUMBER OF INSTALLMENTS MUST BE PRESENT.                                                                   | Both                    |
|                    | 2866            | THE NUMBER OF INSTALLMENTS IN PDS0195S1 CANNOT BE LESS THAN OR EQUAL TO 001.                                              | Both                    |
| PDS 0195,<br>s2    | 2227            | PDS0195S2 INSTALLMENT OPTION INVALID. MUST BE 10, 21, 31, 34, 61, or 80                                                   | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2264            | PDS0195S2 INSTALLMENT OPTION MUST BE PRESENT.                                                                   | Both                    |
| PDS 0195,<br>s3    | 2183            | PDS0195S3 INSTALLMENT NUMBER MUST BE NUMERIC.                                                                   | Both                    |
| PDS 0195,<br>s4    | 2227            | PDS0195S4 BONUS CODE INVALID. MUST BE 0.                                                                        | Both                    |
|                    | 2442            | PDS0195S4 BONUS CODE MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 21.                                     | Both                    |
| PDS 0195,<br>s5    | 2227            | PDS0195S5 BONUS MONTH CODE INVALID. MUST BE A, B, C, 1, 2, 3, 4, 5, 6, 7, 8, 9, or SPACE/BLANK..                | Both                    |
|                    | 2443            | PDS0195S5 BONUS MONTH CODE MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                               | Both                    |
| PDS 0195,<br>s6    | 2227            | PDS0195S6 NUMBER OF BONUS PAYMENTS PER YEAR INVALID. MUST BE 1 or 2                                             | Both                    |
|                    | 2443            | PDS0195S6 NUMBER OF BONUS PAYMENTS PER YEAR MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.              | Both                    |
| PDS 0195,<br>s7    | 2232            | PDS0195S7 BONUS AMOUNT MUST BE NUMERIC AND GREATER THAN OR EQUAL TO ZERO                                        | Both                    |
|                    | 2443            | PDS0195S7 BONUS AMOUNT MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                                   | Both                    |
| PDS 0195,<br>s8    | 0045            | PDS0195S8 FIRST MONTH OF BONUS PAYMENT MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                | Both                    |
|                    | 2443            | PDS0195S8 FIRST MONTH OF BONUS PAYMENT MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                   | Both                    |
| PDS 0196           | 2180            | PDS0196 MOBILE PHONE RELOAD DATA LENGTH MUST BE 001–047.                                                        | Both                    |
| PDS 0196,<br>s1    | 0109            | PDS0196S1 MOBILE PHONE NUMBER NOT LEFT JUSTIFIED.                                                               | Both                    |
|                    | 2182            | PDS 0196, SUBFIELD 1 MOBILE PHONE NUMBER MUST BE LEFT-JUSTIFIED OR CONTAINS ALL SPACES OR ALL ZEROS.            | Both                    |
|                    | 2184            | PDS0196S1 MOBILE PHONE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                      | Both                    |
|                    | 2264            | PDS0196S1 MOBILE PHONE NUMBER MUST BE PRESENT.                                                                  | Both                    |
| PDS 0196,<br>s2    | 2182            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2184            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.        | Both                    |
|                    | 2264            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME MUST BE PRESENT.                                    | Both                    |
| PDS 0197           | 2181            | PDS0197 NATIONAL USE TAX DATA LENGTH MUST BE A FIXED LENGTH OF 053.                              | Both                    |
| PDS 0197,<br>s1    | 2183            | PDS0197S1 TAX AMOUNT 1 MUST BE NUMERIC.                                                          | Both                    |
| PDS 0197,<br>s2    | 2183            | PDS0197S2 TAX AMOUNT 2 MUST BE NUMERIC.                                                          | Both                    |
| PDS 0197,<br>s3    | 2183            | PDS0197S3 TAX PERCENTAGE MUST BE NUMERIC.                                                        | Both                    |
| PDS 0197,<br>s4    | 2183            | PDS0197S4 TAX BASE AMOUNT MUST BE NUMERIC.                                                       | Both                    |
| PDS 0197,<br>s5    | 2183            | PDS0197S5 TAX AMOUNT 3 MUST BE NUMERIC.                                                          | Both                    |
| PDS 0198           | 2627            | PDS0198 DEVICE TYPE MUST BE PRESENT AND EQUAL TO 01.                                             | Both                    |
| PDS 0205           | 1023            | PDS0205 SYNTAX RETURN, MESSAGE ERROR INDICATOR MUST BE PRESENT.                                  | Both                    |
| PDS 0205,<br>s2    | 3050            | PDS205SF2 MUST BE A VALID CHAPTER III SYNTAX ERROR RETURN REASON CODE.                           | Both                    |
| PDS 0206           | 0503            | PDS0206 LATE PRESENTMENT INDICATOR NOT ALLOWED IN <MSGTYPE>.                                     | Both                    |
| PDS 0207           | 2645            | PDS0207 WALLET IDENTIFIER INVALID. MUST BE ALPHANUMERIC.                                         | Both                    |
|                    | 2651            | PDS0207 WALLET IDENTIFIER INVALID. MUST EQUAL 101 OR 102.                                        | Both                    |
|                    | 2988            | PDS0207 MUST CONTAIN APPROPRIATE VALUE.                                                          | GCMS                    |
| PDS 0208           | 2696            | PDS0208 ADDITIONAL MERCHANT DATA LENGTH MUST BE <MIN-MAX>.                                       | Both                    |
| PDS 0208,<br>s1    | 2694            | PDS0208S1 PAYMENT FACILITATOR ID INVALID. MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS.          | Both                    |
| PDS 0208,<br>s2    | 2695            | PDS0208S2 SUB-MERCHANT ID CANNOT BE ALL ZEROES OR ALL SPACES.                                    | Both                    |
| PDS 0209           | 2694            | PDS0209 INDEPENDENT SALES ORGANIZATION ID INVALID. MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                          | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0210           | 2183            | PDS0210 MUST BE NUMERIC                                                                                                | Both                    |
| PDS 0210,<br>s1    | 2878            | PDS0210S1 must be present and equal to 03.                                                                             | GCMS                    |
| PDS 0216           | 2181            | ADDITIONAL ACCEPTOR DATA MUST BE A FIXED LENGTH OF 029 TO 069.                                                         |                         |
| PDS 0216,<br>s5    | 3063            | ACCEPTOR GEOGRAPHIC COORDINATES INCORRECTLY FORMATTED.                                                                 | Both                    |
| PDS 0216,<br>s6    | 3063            | SERVICE LOCATION GEOGRAPHIC COORDINATES INCORRECTLY FORMATTED.                                                         | Both                    |
| PDS 0218           | 2994            | PDS0218 SUB 1 MUST HAVE A VALUE OF C1, M1 OR M2                                                                        | Both                    |
|                    | 2995            | PDS0218 MUST HAVE A LENGTH OF 4                                                                                        | Both                    |
|                    | 3005            | PDS0218 SUB 2 MUST BE NUMERIC                                                                                          | Both                    |
| PDS 0225           | 1023            | PDS0225 SYNTAX RETURN, ORIGINAL MESSAGE REASON CODE MUST BE PRESENT.                                                   | Both                    |
| PDS 0235           | 2181            | PDS 0235 MUST BE A FIXED LENGTH OF 3.                                                                                  | GCMS                    |
| PDS 0241           | 1084            | PDS0241 MASTERCOM CONTROL NUMBER MUST BE A FIXED LENGTH OF 002.                                                        | Both                    |
|                    | 2208            | PDS0241 MASTERCOM CONTROL NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                                    | Both                    |
| PDS 0260           | 0435            | PDS0260 EDIT EXCLUSION INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                          | Both                    |
|                    | 0436            | PDS0260 EDIT EXCLUSION INDICATOR LENGTH MUST BE 2–4.                                                                   | Both                    |
| PDS 0260,<br>s1    | 0437            | PDS0260S1 EXCLUSION REQUEST CODE INVALID. MUST BE Y, B0–B9, BA–BZ, OR SPACES.                                          | Both                    |
| PDS 0262           | 0441            | PDS0262 DOCUMENTATION INDICATOR MUST BE A FIXED LENGTH OF 001.                                                         | Both                    |
|                    | 0442            | PDS0262 DOCUMENTATION INDICATOR MUST BE 0 OR 1.                                                                        | Both                    |
|                    | 0735            | PDS0262 DOCUMENTATION INDICATOR MUST BE PRESENT IN FIRST CHARGEBACK/FULL AND PARTIAL MESSAGES.                         | Both                    |
| PDS 0268           | 0487            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN PDS0268 AMOUNT, PARTIAL TRANSACTION IS PROVIDED. | Both                    |
|                    | 1132            | PDS0268 AMOUNT, PARTIAL TRANSACTION LENGTH MUST BE A FIXED LENGTH OF 15.                                               | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0268,<br>s1    | 0482            | PDS0268S1 AMOUNT, PARTIAL TRANSACTION MUST BE NUMERIC AND GREATER THAN ZEROS.                                    | Both                    |
| PDS 0268,<br>s2    | 0451            | PDS0268S2 CURRENCY CODE, PARTIAL TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.            | Both                    |
|                    | 0488            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0268S2 CURRENCY CODE, PARTIAL TRANSACTION MISSING. MUST BE PROVIDED. | Both                    |
| PDS 0375           | 2180            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 LENGTH MUST BE 001–050.                                                | Both                    |
|                    | 2182            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.     | Both                    |
|                    | 2184            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                           | Both                    |
| PDS 0634           | 2183            | PDS0634 TAX AMOUNT 1 MUST BE NUMERIC.                                                                            | Both                    |
|                    | 2266            | PDS0634 TAX AMOUNT 1 IS GREATER THAN OR EQUAL TO DE4 AMOUNT, TRANSACTION.                                        | Both                    |
| PDS 0635           | 2183            | PDS0635 TAX AMOUNT 2 MUST BE NUMERIC.                                                                            | Both                    |
|                    | 2266            | PDS0635 TAX AMOUNT 2 IS GREATER THAN OR EQUAL TO DE4 AMOUNT, TRANSACTION.                                        | Both                    |
| PDS 0674           | 2868            | ADDITIONAL TRACE REFERENCE NUMBER USED BY ACCEPTOR LENGTH MUST BE 001-019.                                       | Both                    |
|                    | 2869            | ADDITIONAL TRACE REFERENCE NUMBER CONTAINS LEADING SPACES, OR NOT LEFT JUSTIFIED, OR CONTAINS ALL ZEROS.         | Both                    |
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                           | Both                    |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                                                       | Both                    |
| PDS 1001           | 2840            | <FLDNAME> INVALID. MUST BE NUMERIC AND MUST BE A FIXED LENGTH OF 12.                                             | Both                    |
| PDS 1002           | 1163            | PDS 1002 VALUE-ADDED TAX MUST BE NUMERIC.                                                                        | Both                    |
| PDS 1018           | 1163            | PDS 1018 CONSUMPTION TAX MUST BE NUMERIC.                                                                        | Both                    |

## Arbitration Chargeback (Full)/1442-451 and (Partial)/1442-454 messages

This section contains the error numbers and message texts by field and subfield for Arbitration Chargeback (Full)/1442-451 and (Partial)/1442-454 messages.

### Arbitration Chargeback (Full)/1442-451 and (Partial)/1442-454

Error numbers and message texts are organized by field and subfield for Arbitration Chargeback (Full)/1442-451 and (Partial)/1442-454 messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

#### MTI/Function Code: Arbitration Chargeback (Full)/1442-451 and (Partial)/1442-454

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                    | Edit<br>performe<br>d By... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 2               | 0009            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE NUMERIC.                                                                                                                                                                                | Both                        |
|                    | 0010            | DE2 PRIMARY ACCOUNT NUMBER (PAN) LENGTH MUST BE 6–19.                                                                                                                                                                            | Both                        |
|                    | 0011            | DE2 PRIMARY ACCOUNT NUMBER (PAN) ACCOUNT RANGE<br>INVALID.                                                                                                                                                                       | Both                        |
|                    | 0735            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE PRESENT IN<br>ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                                                                                                       | Both                        |
|                    | 2225            | GCMS PRODUCT ID INVALID FOR BUSINESS SERVICE<br>ARRANGEMENT AND ACCEPTANCE BRAND ID CODE                                                                                                                                         | Both                        |
|                    | 2226            |                                                                                                                                                                                                                                  | Both                        |
|                    | 2329            | ISSUER COUNTRY NOT REGISTERED FOR GAMING<br>SERVICE.GCMS PRODUCT ID <DERIVED FROM DE2> INVALID<br>FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID<br>& TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR<br>INTERCHANGE PROGRAM. | GCMS                        |
|                    | 2537            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE A PAY WITH<br>REWARDS CARD FOR THE SUBMITTED INTERCHANGE<br>PROGRAM.                                                                                                                    | GCMS                        |
|                    |                 | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE A<br>REDEMPTION CARD FOR THE SUBMITTED INTERCHANGE<br>PROGRAM                                                                                                                           | GCMS                        |
|                    | 2639            | CARD MUST BE CONTACTLESS ENABLED                                                                                                                                                                                                 | Both                        |
|                    | 2641            | CARD CANNOT BE CONTACTLESS ENABLED.                                                                                                                                                                                              | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>performed By... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2802            | GCMS PRODUCT ID INELIGIBLE CHARGEBACK REJECT REASON CODES 'FNS COUNTER EXCEEDED'                                             | GCMS                    |
|                    | 2809            | CARD NOT ENABLED FOR POST-DATED TRANSACTION.                                                                                 | GCMS                    |
|                    | 2921            | IRD INVALID FOR THE TOKENIZED TRANSACTION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.            | Both                    |
|                    | 2991            | ISSUER ACCOUNT RANGE NOT REGISTERED FOR GAMING SERVICE.                                                                      | Both                    |
| DE 3               | 0012            | DE3 PROCESSING CODE MUST BE NUMERIC.                                                                                         | Both                    |
|                    | 1160            | DE3 PROCESSING CODE MUST BE 01 IF THE RECEIVER IS AN ATM ACQUIRER.                                                           | GCMS                    |
|                    | 0735            | DE3 PROCESSING CODE MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                   | Both                    |
|                    | 2220            | DE3 PROCESSING CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Both                    |
|                    | 2265            | DE3 PROCESSING CODE INVALID.                                                                                                 | Both                    |
|                    | 2331            | ISSUER IS NOT A PURCHASE WITH CASH BACK PARTICIPANT.                                                                         | Both                    |
| DE 3, s1           | 0013            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE 00, 01, 09, 12, 17, 18, 20, 28, OR 50.                                    | Both                    |
|                    | 0016            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR ATM CASH WITHDRAWAL ACCEPTOR BUSINESS CODE (MCC) 6011.                         | Both                    |
|                    | 0017            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR CASH ADVANCE ACCEPTOR BUSINESS CODE (MCC) 6010.                                | Both                    |
|                    | 0018            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR UNIQUE TRANSACTION ACCEPTOR BUSINESS CODE (MCC). MUST BE EQUAL TO 18.          | Both                    |
|                    | 1140            | ATM CHARGEBACKS MUST BE SENT TO ATM ACQUIRERS.                                                                               | Both                    |
|                    | 2285            | DE3S1 PROCESSING CODE MUST MATCH THE PROCESSING CODE FROM THE PREVIOUS CYCLE.                                                | GCMS                    |
|                    | 2536            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR ATM FUNDING TRANSACTION.                                                       | Both                    |
|                    | 2727            | PURCHASE WITH CASH BACK FOR DE4 GREATER THAN DE54S5 AMOUNT FOR S2 EQUAL TO 40 IS NOT ALLOWED FOR BRAZIL DOMESTIC ACTIVITY.   | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                            | Edit<br>performed By... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2729            | PRODUCT CODES MLE, MBF, OR MBM ARE NOT ALLOWED WHEN DE3S1 EQUALS 09.                                                                                                                                                                                     | Both                    |
| DE 3, s2           | 0014            | DE3S2 CARDHOLDER FROM--ACCOUNT TYPE CODE MUST BE 00, 10, 20, 30, 39, 60.                                                                                                                                                                                 | Both                    |
| DE 3, s3           | 0015            | DE3S3 CARDHOLDER TO--ACCOUNT TYPE CODE MUST BE 00.                                                                                                                                                                                                       | Both                    |
| DE 4               | 0020            | DE4 AMOUNT, TRANSACTION MUST BE NUMERIC AND GREATER THAN 0.                                                                                                                                                                                              | Both                    |
|                    | 0023            | DE4 AMOUNT, TRANSACTION MUST BE PRESENT WHEN DE49 CURRENCY CODE, TRANSACTION IS PROVIDED.                                                                                                                                                                | Both                    |
|                    | 0024            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                                                                                                               | Both                    |
|                    | 0735            | DE4 AMOUNT, TRANSACTION MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                                                                                                                                           | Both                    |
|                    | 1174            | TRANSACTION AMOUNT EXCEEDS RESTRICTED THRESHOLD.                                                                                                                                                                                                         | GCMS                    |
|                    | 2317            | DE4 AMOUNT, TRANSACTION CANNOT BE GREATER THAN USD 60.00 FOR THIS AB CODE. TRANSACTIONS OVER USD 60.00 MUST BE SUBMITTED WITH THE WORLD PRODUCT T&E INTERCHANGE PROGRAM.                                                                                 | GCMS                    |
|                    | 2330            | DE4 AMOUNT, TRANSACTION MUST BE LESS THAN OR EQUAL TO THE PERMITTED AMOUNT LIMIT.                                                                                                                                                                        | GCMS                    |
|                    | 2332            | DE4 AMOUNT, TRANSACTION INVALID. MUST BE WITHIN THE ACCEPTED AMOUNT RANGE FOR THE INTERCHANGE PROGRAM.                                                                                                                                                   | GCMS                    |
| DE 5               | 0025            | DE5 AMOUNT, RECONCILIATION MUST BE NUMERIC.                                                                                                                                                                                                              | Both                    |
|                    | 0027            | DE5 AMOUNT, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE50 CURRENCY CODE, RECONCILIATION IS PROVIDED.                                                                                                                                    | Both                    |
|                    | 0028            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                                                                                                                                                     | Both                    |
| DE 12              | 0735            | DE12 MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), OR RETRIEVAL REQUEST MESSAGES. | Both                    |
| DE 12, s1          | 0043            | DE12S1 DATE CANNOT BE GREATER THAN THE DATE IN PDS0105S2 FILE REFERENCE DATE.                                                                                                                                                                            | Both                    |
|                    | 2186            | DE12S1 DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                                                                                                                                   | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                      | Edit<br>performed By... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 12, s2          | 0040            | DE12S2 TIME MUST BE IN THE RANGE 00–23.                                                                                                            | Both                    |
|                    | 0042            | DE12S2 TIME INVALID. MINUTES AND SECONDS MUST BE IN RANGE 00–59.                                                                                   | Both                    |
| DE 14              | 0045            | DE14 EXPIRATION DATE MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                                                                     | Both                    |
| DE 22, s1          | 0047            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                       | Both                    |
|                    | 2373            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                    |
|                    | 2374            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2382            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2388            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND NOT EQUAL TO 5, C, D, E, OR M, OR ACQUIRER MUST NOT BE EMV COMPLIANT.         | Both                    |
|                    | 2390            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 1, 2, 4, 6, A, B, OR V OR ACQUIRER MUST NOT BE POS EMV COMPLIANT. | Both                    |
|                    | 2392            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2393            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND NOT EQUAL TO 5 OR ACQUIRER MUST NOT BE POS EMV COMPLIANT.                     | Both                    |
|                    | 2395            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                    |
|                    | 2414            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2415            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                    |
|                    | 2416            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2432            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO M.                                                                   | Both                    |
|                    | 2444            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO A OR M.                                                              | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                          | Edit<br>performed By... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2465            | DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT.                                                                                                                                                       | Both                    |
|                    | 2475            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, A, OR B.                                                                                                              | Both                    |
|                    | 2647            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                                  | Both                    |
|                    | 2659            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, OR E.                                                                                                           | Both                    |
|                    | 2660            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, B, C, D, OR E.                                                                                                     | Both                    |
| DE 22, s2          | 0048            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY INVALID. MUST BE 0, 1, 2, 5, 6, OR 9.                                                                                                       | Both                    |
|                    | 2375            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                        | Both                    |
|                    | 2386            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                        | Both                    |
|                    | 2389            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 2, 5, 6, OR 9 AND DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 0, 2, 6, S, 9, OR 5. | Both                    |
|                    | 2396            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                        | Both                    |
|                    | 2397            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 9 OR DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 9 OR 5.                              | Both                    |
|                    | 2407            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1.                                                                                                             | Both                    |
|                    | 2991            | DE22S2 MUST BE PRESENT AND EQUAL TO 0, 1 OR 3                                                                                                                                                          | Both                    |
| DE 22, s3          | 0049            | DE22S3 TERMINAL DATA: CARD CAPTURE CAPABILITY INVALID. MUST BE 0, 1, OR 9.                                                                                                                             | Both                    |
| DE 22, s4          | 0050            | DE22S4 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                                                                                                                      | Both                    |
|                    | 2134            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE 4 OR 8. <b>(Applies only to Europe region member-to-member transactions.)</b>                                                                            | Both                    |
|                    | 2378            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                                             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                            | Edit<br>performed By... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2381            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 9.                                                                                    | Both                    |
|                    | 2410            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                               | Both                    |
|                    | 2413            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 9.                                                                                    | Both                    |
| DE 22, s5          | 0051            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                               | Both                    |
|                    | 0053            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                               | Both                    |
|                    | 2273            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND CANNOT EQUAL 0.                                                                                       | Both                    |
|                    | 2370            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                           | Both                    |
|                    | 2383            | DE22S5 MUST BE PRESENT AND EQUAL TO 0.                                                                                                                   | Both                    |
|                    | 2398            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                           | Both                    |
|                    | 2404            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                           | Both                    |
|                    | 2447            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD.                                                              | Both                    |
|                    | 2448            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD.                                                              | Both                    |
|                    | 2449            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD. <b>(Applies only to U.K. member-to-member transactions.)</b> | Both                    |
|                    | 2480            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL 4.                                                                                          | Both                    |
|                    | 2507            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO 0.                                                                                       | Both                    |
|                    | 2530            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 5.                                                                                           | Both                    |
|                    | 2635            | DE22S5 MUST BE PRESENT AND EQUAL TO 0.                                                                                                                   | Both                    |
|                    | 2653            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST EQUAL 5.                                                                                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                            | Edit<br>performed By... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2903            | DE22S5 MUST BE PRESENT AND EQUAL TO 5 FOR THE APPLICABLE CARD NOT PRESENT IRD. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                    | Both                    |
|                    | 2904            | DE22S5 MUST BE PRESENT AND EQUAL TO 1, 2, 3, 4, OR 5 FOR THE CARD NOT PRESENT IRDS-MERCHANT DOES NOT SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2911            | DE22S5 MUST CONTAIN THE VALUE 1, 2, 3, 4, OR 5 FOR THE IRD SUBMITTED.                                                                                                                                    | Both                    |
|                    | 2967            | DE22S5 MUST BE PRESENT AND EQUAL TO 4.                                                                                                                                                                   | Both                    |
|                    | 8532            | DE22S5 CARDHOLDER PRESENT DATA NOT VALID FOR E-COMMERCE INPUT MODE.                                                                                                                                      | Both                    |
|                    | 8679            | DE22S5 CARDHOLDER PRESENT DATA INVALID FOR A NON E-COMMERCE INPUT MODE/CHIP SECURED REMOTE PAYMENTS.                                                                                                     | Both                    |
| DE 22, s6          | 0052            | DE22S6 CARD PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                                                                                     | Both                    |
|                    | 2197            | WHEN DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA IS PRESENT DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT AND DE22S7 CARD DATA: INPUT MODE MUST CONTAIN AN F, C, OR M.                      | Both                    |
|                    | 2372            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                 | Both                    |
|                    | 2380            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                                 | Both                    |
|                    | 2384            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                 | Both                    |
|                    | 2399            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                 | Both                    |
|                    | 2406            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                 | Both                    |
|                    | 2412            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                                 | Both                    |
|                    | 2508            | DE22S6 MUST BE PRESENT AND CANNOT EQUAL TO 1.                                                                                                                                                            | Both                    |
|                    | 2636            | DE22S6 MUST BE PRESENT AND EQUAL TO 1.                                                                                                                                                                   | Both                    |
|                    | 2902            | DE22S6 MUST BE PRESENT AND EQUAL TO 0 FOR THE CARD NOT PRESENT IRDS, THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                              | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                           | Edit<br>performed By... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2912            | DE22S6 MUST CONTAIN THE VALUE 0 FOR THE IRD SUBMITTED.                                                                                                                                  | Both                    |
|                    | 2920            | DE22S6 MUST BE PRESENT AND EQUAL TO 1 FOR CARD PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                             | Both                    |
|                    | 2924            | DE22S5 MUST BE 4 AND DE22SF7 MUST BE 7 FOR RECURRING PAYMENT CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                      | Both                    |
| DE 22, s7          | 0022            | DE22S7 CARD DATA: INPUT MODE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                                            | GCMS                    |
|                    | 2197            | WHEN DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA IS PRESENT DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT AND DE22S7 CARD DATA: INPUT MODE MUST BE AN F, OR C, OR M, OR S. | Both                    |
|                    | 2260            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES.                                                                                                           | Both                    |
|                    | 2260            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                                          | Both                    |
|                    | 2267            | DE22S7 INVALID FOR THIS CHARGEBACK.                                                                                                                                                     | Both                    |
|                    | 2315            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND IN LIST OF ALLOWED VALUES.                                                                                                             | Both                    |
|                    | 2356            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE IS EQUAL TO S OR 7.                                                              | Both                    |
|                    | 2376            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                                          | Both                    |
|                    | 2379            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 6.                                                                                                                            | Both                    |
|                    | 2385            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S.                                                                                                                        | Both                    |
|                    | 2400            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                                          | Both                    |
|                    | 2401            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                                   | Both                    |
|                    | 2402            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S, T, OR 7, AND DE22S6 CARD PRESENT DATA MUST NOT CONTAIN 1 OR DE22S5 CARDHOLDER PRESENT DATA MUST NOT CONTAIN 0.         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                             | Edit<br>performed By... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2408            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO 2, A, B, C, F, OR M.                                                                                                        | Both                    |
|                    | 2411            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 6.                                                                                                                              | Both                    |
|                    | 2417            | DE22S7 MUST BE PRESENT AND EQUAL TO C, F, OR M.                                                                                                                                           | Both                    |
|                    | 2433            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO M.                                                                                                                              | Both                    |
|                    | 2445            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                                         | Both                    |
|                    | 2446            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 1, 6, OR 7.                                                                                                                     | Both                    |
|                    | 2467            | DE22S7 MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                                                               | Both                    |
|                    | 2477            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, OR B.                                                                                                                     | Both                    |
|                    | 2500            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                                     | Both                    |
|                    | 2506            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO S, T, OR 7.                                                                                                                     | Both                    |
|                    | 2551            | DE22S7 POINT OF SERVICE DATA MODE MUST BE PRESENT AND EQUAL TO T WHEN PDS0194 REMOTE PAYMENTS PROGRAM DATA IS PRESENT.                                                                    | Both                    |
|                    | 2593            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2 OR B.                                                                                                                         | Both                    |
|                    | 2662            | DE22S7 CARD DATA: INPUT MODE INVALID. MUST BE EQUAL TO 2, B, C, OR F.                                                                                                                     | Both                    |
|                    | 2685            | DE22S4 TERMINAL OPERATING ENVIRONMENT AND DE22S7 CARD DATA: INPUT MODE VALUE COMBINATION INVALID.                                                                                         | Both                    |
|                    | 2817            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO A OR M.                                                                                                                     | Both                    |
|                    | 2880            | DE22S7 MUST BE EQUAL TO S.                                                                                                                                                                | Both                    |
|                    | 2905            | DE22S7 MUST BE PRESENT AND EQUAL S OR 7 FOR THE CARD NOT PRESENT IRDS-ISSUER DOES NOT SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2907            | DE22S7 MUST CONTAIN A VALUE OF C, OR F FOR THE IRD SUBMITTED.                                                                                                                             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                     | Edit<br>performed By... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2908            | DE22S7 MUST BE PRESENT AND EQUAL S, T, OR 7 FOR THE CARD NOT PRESENT IRDS-MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2909            | DE22S7 MUST BE PRESENT AND EQUAL S, 1, OR 7 FOR THE CARD NOT PRESENT IRDS-MERCHANT DOESN'T SUPPORT 3DS AND TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.   | Both                    |
|                    | 2910            | DE22S7 MUST CONTAIN A VALUE OF 2, A, B, C, F, OR M FOR THE IRD SUBMITTED.                                                                                                                         | Both                    |
|                    | 2913            | DE 22S7 MUST CONTAIN A VALUE OF 6, 7, R, S, OR T.                                                                                                                                                 | Both                    |
|                    | 2965            | DE22S7 CARD DATA: INPUT MODE MUST CONTAIN A VALUE OF C OR F.                                                                                                                                      | Both                    |
|                    | 2974            | DE22S7 MUST BE PRESENT AND EQUAL TO S OR 7.                                                                                                                                                       | Both                    |
| DE 22, s8          | 0019            | INVALID UCAF COLLECTION INDICATOR OR DE22S8 NOT EQUAL TO 1.                                                                                                                                       | Both                    |
|                    | 0019            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 2, 3, OR 5 (OR) DE22S8 CARD HOLDER AUTHENTICATION METHOD.                                                                                    | Both                    |
|                    | 0054            | DE22S8 CARDHOLDER AUTHENTICATION METHOD INVALID. MUST BE 0, 1, 2, 5, 6, 9, OR S.                                                                                                                  | Both                    |
|                    | 2377            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2387            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2403            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2409            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                                                                                                           | Both                    |
|                    | 2426            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 0.                                                                                                                           | Both                    |
| DE 22, s9          | 0055            | DE22S9 CARDHOLDER AUTHENTICATION ENTITY INVALID. MUST BE <VALLIST>.                                                                                                                               | Both                    |
| DE 22, s10         | 0056            | DE22S10 CARD DATA OUTPUT CAPABILITY INVALID. MUST BE 0, 1, 2, 3, OR S.                                                                                                                            | Both                    |
| DE 22, s11         | 0057            | DE22S11 TERMINAL DATA OUTPUT CAPABILITY INVALID. MUST BE 0, 1, 2, 3, OR 4.                                                                                                                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>performed By... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 22, s12         | 0058            | DE22S12 PIN CAPTURE CAPABILITY INVALID. MUST BE 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, OR C.                                    | Both                    |
| DE 23              | 0022            | DE23 CARD SEQUENCE NUMBER/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT                                                     | Both                    |
|                    | 0059            | DE23 CARD SEQUENCE NUMBER MUST BE NUMERIC.                                                                                   | Both                    |
|                    | 0437            | DE23 CARD SEQUENCE NUMBER CONTAINS A VALUE IN THE RANGE OF 000-099.                                                          | Both                    |
| DE 24              | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                                                          | Both                    |
|                    | 0687            | DE24 FUNCTION CODE AND PDS0025 REVERSAL INDICATOR COMBINATION INVALID.                                                       | GCMS                    |
|                    | 0735            | DE24 FUNCTION CODE MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                    | Both                    |
| DE 25              | 0064            | DE25 MESSAGE REASON CODE MUST BE NUMERIC.                                                                                    | Both                    |
|                    | 0148            | DE25 MESSAGE REASON CODE INVALID FOR THIS CHARGEBACK.                                                                        | GCMS                    |
|                    | 0575            | ISSUER HAS ACCEPTED THE ACQUIRER'S RESPONSE.                                                                                 | GCMS                    |
|                    | 0588            | DE25 MESSAGE REASON CODE INVALID FOR ATM CASH WITHDRAWAL TRANSACTION.                                                        | Both                    |
|                    | 0735            | DE25 MESSAGE REASON CODE MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                              | Both                    |
|                    | 0753            | REQUIRED SUPPORT DOCUMENTATION PROVIDED.                                                                                     | GCMS                    |
|                    | 2219            | DE25 MESSAGE REASON CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT (BUSINESS SERVICE ID & TYPE) AND ACCEPTANCE BRAND ID CODE. | Both                    |
|                    | 2260            | DE25 MESSAGE REASON CODE MUST BE PRESENT AND IN LIST OF ALLOWED VALUES.                                                      | GCMS                    |
|                    | 2267            | DE25 MESSAGE REASON CODE INVALID FOR THIS CHARGEBACK.                                                                        | Both                    |
|                    | 2286            | ISSUER CANNOT CHARGEBACK CAT LEVEL 1, 2, OR 3 TRANSACTIONS.                                                                  | Both                    |
|                    | 2336            | DE25 MESSAGE REASON CODE VALUE IS RESERVED FOR MDS USE.                                                                      | Both                    |
|                    | 2460            | DE25 MESSAGE REASON CODE IS NOT ALLOWED BETWEEN THE ACQUIRER AND ISSUER COUNTRIES.                                           | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                      | Edit<br>performed By... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2462            | DE25 MESSAGE REASON CODE INVALID FOR UCAF TRANSACTIONS.                                                                                                            | Both                    |
|                    | 2469            | DE25 MESSAGE REASON CODE INVALID FOR UCAF TRANSACTION.                                                                                                             | Both                    |
|                    | 2549            | DE25 MESSAGE REASON CODE INVALID FOR MOBILE REMOTE PAYMENTS TRANSACTIONS FOR CARD PROGRAM IDENTIFIER AND PDS 0194 REMOTE PAYMENTS PROGRAM DATA.                    | Both                    |
|                    | 2629            | DE25 MESSAGE REASON CODE INVALID FOR UCAF TRANSACTION.                                                                                                             | Both                    |
|                    | 2665            | DE25 MESSAGE REASON CODE MUST BE VALID FOR THE BRAND PRODUCT.                                                                                                      | Both                    |
| DE 26              | 0161            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID.                                                                                                                         | Both                    |
|                    | 0735            | DE26 ACCEPTOR BUSINESS CODE (MCC) MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                                           | Both                    |
|                    | 0986            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6011 AUTOMATED CASH DISBURSEMENT FOR DE3S1, PROCESSING CODE 01.                                                 | Both                    |
|                    | 0988            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE DESIGNATED AS UNIQUE FOR DE3S1 PROCESSING CODE 18.                                                              | Both                    |
|                    | 1138            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6010 MANUAL CASH DISBURSEMENT FOR DE3S1 PROCESSING CODE 12.                                                     | Both                    |
|                    | 2223            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                         | Both                    |
|                    | 2224            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                    |
|                    | 2281            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT AND INTERCHANGE PROGRAM.                                                                | Both                    |
|                    | 2282            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                              | Edit<br>performed By... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2283            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT AND ACCEPTANCE BRAND ID CODE FOR INTERCHANGE PROGRAM.           | Both                    |
|                    | 2284            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Both                    |
|                    | 2536            | DE26 ACCEPTOR BUSINESS CODE INVALID FOR ATM FUNDING TRANSACTION.                                                                           | Both                    |
| DE 30              | 0077            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                            | Both                    |
|                    | 0078            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                           | Both                    |
|                    | 0735            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                              | Both                    |
|                    | 1016            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT AND NONZERO IN ARBITRATION CHARGEBACK (FULL) MESSAGES.                                              | Both                    |
|                    | 1019            | DE30 AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                                                    | Both                    |
|                    | 2546            | DE30 AMOUNTS, ORIGINAL INVALID. AMOUNT IS LESS THAN OR EQUAL TO THE CHARGEBACK PROTECTION AMOUNT.                                          | GCMS                    |
| DE 30, s1          | 2814            | DE30S1 ORIGINAL AMOUNT, TRANSACTION INVALID FOR PRODUCT CODE MCP.                                                                          | GCMS                    |
| DE 30, s2          | 0076            | DE30S2 ORIGINAL AMOUNT, RECONCILIATION MUST BE ZERO-FILLED.                                                                                | Both                    |
| DE 31              | 0735            | DE31 ACQUIRER REFERENCE DATA MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                        | Both                    |
|                    | 2181            | DE31 ACQUIRER REFERENCE DATA MUST BE A FIXED LENGTH OF 23.                                                                                 | Both                    |
|                    | 2328            | ACQUIRER MEMBER ID NOT REGISTERED FOR GAMING SERVICE.                                                                                      | Both                    |
|                    | 2723            | LIFE CYCLE MESSAGES NOT ALLOWED FOR INSTALLMENT SPLIT TRANSACTIONS.                                                                        | Both                    |
| DE 31, s1          | 0080            | DE31S1 FILLER MUST BE NUMERIC.                                                                                                             | Both                    |
|                    | 3019            | DE31SF1 MUST BE A VALID VALUE STARTING WITH "7"                                                                                            | Both                    |
| DE 31, s2          | 0081            | DE31S2 ACQUIRER'S REFERENCE MUST BE NUMERIC.                                                                                               | Both                    |
|                    | 1087            | DE31S2 ACQUIRER'S BIN NOT A VALID ACQUIRER BIN.                                                                                            | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                               | Edit<br>performed By... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2261            | DE31S2 ACQUIRER'S BIN MUST BE POS EMV COMPLIANT.                                                            | Both                    |
|                    | 2262            | DE31S2 ACQUIRER'S BIN MUST BE MERCHANT UCAF ELIGIBLE.                                                       | Both                    |
|                    | 2289            | ACQUIRER MUST HAVE POS TERMINAL THAT IS EMV COMPLIANT.                                                      | Both                    |
|                    | 2290            | ACQUIRER MUST HAVE ATM TERMINAL THAT IS EMV COMPLIANT.                                                      | Both                    |
| DE 31, s3          | 0086            | DE31S3 JULIAN PROCESSING DATE YDDD OF DE31 ACQUIRER REFERENCE DATA MUST BE A VALID DATE IN THE FORMAT YDDD. | Both                    |
| DE 31, s4          | 0083            | DE31S4 ACQUIRER'S SEQUENCE NUMBER MUST BE NUMERIC.                                                          | Both                    |
| DE 31, s5          | 0085            | DE31S5 CHECK DIGIT MUST BE NUMERIC.                                                                         | Both                    |
|                    | 0087            | DE31S5 CHECK DIGIT DOES NOT MOD-CHECK.                                                                      | Both                    |
| DE 32              | 0089            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC.                                                         | Both                    |
|                    | 0090            | DE32 ACQUIRING INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 01-11.                                   | Both                    |
|                    | 2196            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                 | Both                    |
| DE 33              | 0735            | DE33 FORWARDING INSTITUTION ID CODE MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.  | Both                    |
|                    | 0790            | INVALID DE33 FORWARDING INSTITUTION ID CODE FOR ARBITRATION CHARGEBACK (FULL) MESSAGES.                     | Both                    |
|                    | 0808            | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                                        | Both                    |
|                    | 2180            | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                 | Both                    |
| DE 37              | 0091            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                    |
|                    | 2208            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                          | Both                    |
| DE 38              | 0093            | DE38 APPROVAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                             | Both                    |
|                    | 0094            | DE38 APPROVAL CODE CONTAINS EMBEDDED SPACES.                                                                | Both                    |
|                    | 0095            | DE38 APPROVAL CODE MUST BE LEFT JUSTIFIED.                                                                  | Both                    |
|                    | 0780            | DE38 APPROVAL CODE MUST BE PRESENT.                                                                         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                       | Edit<br>performed By... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2198            | DE38 APPROVAL CODE CANNOT BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE CONTAINS AN F.                               | Both                    |
|                    | 2431            | TRANSACTION DOES NOT QUALIFY FOR ALM INTERCHANGE.                                                                   | GCMS                    |
| DE 40              | 0053            | DE40 SERVICE CODE INVALID. MUST BE <VALLIST>.                                                                       | Both                    |
|                    | 2183            | DE40 SERVICE CODE MUST BE NUMERIC.                                                                                  | Both                    |
| DE 41              | 0096            | DE41 ACCEPTOR TERMINAL ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                              | Both                    |
|                    | 2182            | DE41 ACCEPTOR TERMINAL ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                        | Both                    |
| DE 42              | 0098            | DE42 ACCEPTOR ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                  | Both                    |
|                    | 0766            | DE42 ACCEPTOR ID CODE MUST BE PRESENT.                                                                              | Both                    |
|                    | 2182            | DE42 ACCEPTOR ID CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                            | Both                    |
| DE 43              | 0100            | DE43 ACCEPTOR NAME/LOCATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                            | Both                    |
|                    | 0101            | DE43 ACCEPTOR NAME/LOCATION MUST BE 20-99.                                                                          | Both                    |
|                    | 0107            | WITHIN DE43 ACCEPTOR NAME/LOCATION, 3 BACKSLASH CHARACTERS ARE REQUIRED TO DELIMIT NAME\STREET ADDRESS\CITY\.       | Both                    |
|                    | 0340            | DE43 ACCEPTOR NAME/LOCATION MUST BE PRESENT.                                                                        | Both                    |
| DE 43, s1          | 0069            | DE43S1 ACCEPTOR NAME IS REQUIRED AND MUST CONTAIN A VALID VALUE.                                                    | Both                    |
|                    | 0102            | DE43S1 ACCEPTOR NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                   | Both                    |
|                    | 0103            | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1-22.                                                                           | Both                    |
|                    | 0108            | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                          | Both                    |
|                    | 0735            | DE43S1 ACCEPTOR NAME MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                         | Both                    |
|                    | 2229            | DE43S1 ACCEPTOR NAME INVALID. MUST CONTAIN ABBREVIATED AIRLINE NAME FOLLOWED BY DELIMITER, OR SPACES AND DELIMITER. | Both                    |
| DE 43, s2          | 0625            | DE43S2 ACCEPTOR STREET ADDRESS REQUIRED.                                                                            | Both                    |
| DE 43, s3          | 0539            | DE43S3 ACCEPTOR CITY MUST BE PRESENT.                                                                               | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                             | Edit<br>performed By... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0104            | DE43S3 ACCEPTOR CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                    |
|                    | 0105            | DE43S3 ACCEPTOR CITY LENGTH CANNOT EXCEED 13.                                                                                             | Both                    |
|                    | 0539            | DE43S3 ACCEPTOR CITY MUST BE PRESENT.                                                                                                     | Both                    |
|                    | 2182            | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                   | Both                    |
| DE 43, s4          | 0109            | DE43S4 ACCEPTOR POSTAL (ZIP) CODE NOT LEFT JUSTIFIED.                                                                                     | Both                    |
| DE 43, s5          | 0623            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                                 | Both                    |
|                    | 2167            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                                 | Both                    |
| DE 43, s6          | 0112            | DE43S6 ACCEPTOR COUNTRY CODE MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                              | Both                    |
|                    | 0405            | INVALID TRANSACTION FOR THE COUNTRY/REGION.                                                                                               | GCMS                    |
|                    | 0589            | DE43S6 ACCEPTOR COUNTRY CODE MUST BE COMPATIBLE WITH DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE.                                     | Both                    |
|                    | 2269            | DE43S6 ACCEPTOR COUNTRY CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID AND TYPE> ACCEPTANCE BRAND ID CODE <AB>.       | Both                    |
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                    |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008-999.                                                                                              | Both                    |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62. | Both                    |
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                               | Both                    |
| DE 49              | 0119            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                  | Both                    |
|                    | 0120            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                 | Both                    |
|                    | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE49 CURRENCY CODE, TRANSACTION, MUST BE PROVIDED.                                                 | Both                    |
|                    | 0735            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                      | Edit<br>performed By... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 1086            | DE49 CURRENCY CODE FOR ARBITRATION CHARGEBACK (FULL) MESSAGES MUST CONTAIN A VALUE OF 840 OR THE INTRACURRENCY AGREEMENT SETTLEMENT CURRENCY CODE. | GCMS                    |
|                    | 2670            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                           | GCMS                    |
| DE 50              | 0123            | DE50 CURRENCY CODE, RECONCILIATION MUST BE NUMERIC.                                                                                                | Both                    |
|                    | 0124            | DE50 CURRENCY CODE, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                              | Both                    |
|                    | 0126            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE50 CURRENCY CODE, RECONCILIATION MUST BE PROVIDED.                                                        | Both                    |
|                    | 0129            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                        | Both                    |
|                    | 2670            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                        | GCMS                    |
| DE 54              | 2311            | DE54 AMOUNTS, ADDITIONAL NOT PRESENT FOR PURCHASE WITH CASH BACK TRANSACTION.                                                                      | Both                    |
| DE 54, s2          | 2265            | DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE INVALID.                                                                                                     | Both                    |
|                    | 2312            | DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE VALUE NOT PERMITTED.                                                                                         | Both                    |
|                    | 2711            | SUM OF VAT TAX, IAC TAX, AND TIP MUST BE LESS THAN DE 4 (AMOUNT, TRANSACTION).                                                                     | Both                    |
| DE 54, s3          | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE PROVIDED.                                                   | Both                    |
|                    | 2292            | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE EQUAL TO DE49 CURRENCY CODE TRANSACTION.                                                           | Both                    |
|                    | 2469            | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST NOT EQUAL THE VALUE IN DE49.                                                                          | Both                    |
| DE 54, s4          | 2185            | DE54S4 ADDITIONAL AMOUNT, AMOUNT SIGN MUST BE D OR C.                                                                                              | Both                    |
|                    | 2313            | AMOUNT SIGN MUST BE D (DEBIT TO RECIPIENT) FOR A CASH BACK OR SURCHARGE AMOUNT.                                                                    | Both                    |
| DE 54, s5          | 2183            | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE NUMERIC.                                                                                                  | Both                    |
|                    | 2294            | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE LESS THAN DE4 AMOUNT, TRANSACTION.                                                                        | Both                    |
|                    | 2479            | DE54S5 ADDITIONAL AMOUNT, SUM OF OCCURRENCES MUST BE LESS THAN OR EQUAL TO DE4.                                                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                     | Edit<br>performed By... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------|-------------------------|
| DE 55              | 1057            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM-RELATED DATA LENGTH MUST BE 1-255.                      | Both                    |
|                    | 2184            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA CANNOT BE ALL LOW-VALUES, ALL HIGH-VALUES. | Both                    |
|                    | 2200            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA CANNOT BE ALL ZEROS OR ALL SPACES.         | GCMS                    |
| DE 62              | 0165            | DE62 ADDITIONAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                    |
|                    | 0166            | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008-999.                                                    | Both                    |
|                    | 0168            | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                      | Both                    |
|                    | 0169            | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                    | Both                    |
| DE 63              | 2181            | DE63 TRANSACTION LIFE CYCLE ID LENGTH MUST BE A FIXED LENGTH OF 016.                              | Both                    |
|                    | 2184            | DE63 TRANSACTION LIFE CYCLE ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
| DE 63, s1          | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE A SPACE.                                              | Both                    |
| DE 63, s2          | 0141            | DE63S2 TRACE ID POSITIONS 10-13 MUST BE A VALID DATE IN THE FORMAT MMDD.                          | Both                    |
|                    | 0142            | THE FIRST NINE POSITIONS OF DE63S2 TRACE ID CANNOT CONTAIN EMBEDDED SPACES.                       | Both                    |
|                    | 2488            | DE63S2 TRACE ID INCORRECTLY FORMATTED, NOT VALID FOR ACCOUNT LEVEL MANAGEMENT PROCESSING.         | Both                    |
|                    | 2801            | INELIGIBLE CHARGEBACK REJECT REASON CODES 'FNS DATE EXCEEDED'                                     | GCMS                    |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                              | Both                    |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 MESSAGE NUMBER VALUE IN THE PREVIOUS MESSAGE.   | Both                    |
|                    | 0735            | DE71 MESSAGE NUMBER MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.        | Both                    |
| DE 72              | 0151            | DE72 DATA RECORD CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                     | Both                    |
|                    | 0603            | DE72 DATA RECORD LENGTH CANNOT EXCEED 999.                                                        | Both                    |
|                    | 2180            | DE72 DATA RECORD LENGTH MUST BE 001-100.                                                          | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                    | Edit<br>performed By... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2208            | DE72 DATA RECORD CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                                              | Both                    |
| DE 93              | 0155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE NUMERIC.                                                                                                                | Both                    |
|                    | 0157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID.                                                                                                                        | Both                    |
|                    | 1155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE CANNOT BE FLAGGED FOR INTERNAL USE ONLY.                                                                                        | GCMS                    |
|                    | 1157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE A SUPERMARKET INTERCHANGE ACQUIRER IF THE TRANSACTION IS SUBMITTED FOR THE U.S. REGION SUPERMARKET INTERCHANGE PROGRAM. | GCMS                    |
|                    | 1159            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                                                                                  | GCMS                    |
|                    | 1162            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE A WAREHOUSE ACQUIRER IF THE TRANSACTION IS SUBMITTED FOR THE U.S. REGION WAREHOUSE INTERCHANGE PROGRAM.                 | GCMS                    |
|                    | 1209            | DE93/DE94 MUST NOT BE A PSEUDO ICA FOR OTHER THAN ONBEHALF WALLET FEE COLLECTION MESSAGE                                                                                         | GCMS                    |
|                    | 2180            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                                                                         | Both                    |
|                    | 2181            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                                                                         | Both                    |
|                    | 2630            | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                                                                                          | GCMS                    |
|                    | 2668            | TRANSACTION BLOCKED FOR RECEIVER.                                                                                                                                                | GCMS                    |
|                    | 2669            | TRANSACTION BLOCKED FOR RECEIVER.                                                                                                                                                | GCMS                    |
| DE 94              | 0159            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                                                                                 | Both                    |
|                    | 0161            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                                                                                         | Both                    |
|                    | 0547            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE/DE2 PRIMARY ACCOUNT NUMBER (PAN) COMBINATION INVALID.                                                                            | Both                    |
|                    | 0609            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                                                                                 | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                  | Edit<br>performed By... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0735            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                         | Both                    |
|                    | 1175            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SENDING PROCESSOR ID IN PARAMETER MASTER.                                          | GCMS                    |
|                    | 2180            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                                        | Both                    |
|                    | 2666            | TRANSACTION BLOCKED FOR SENDER.                                                                                                                | GCMS                    |
|                    | 2667            | TRANSACTION BLOCKED FOR SENDER.                                                                                                                | GCMS                    |
| DE 95              | 0649            | DUPLICATE DE95 CARD ISSUER REFERENCE DATA.                                                                                                     | GCMS                    |
|                    | 0726            | PREVIOUS CYCLE NOT ON FILE.                                                                                                                    | GCMS                    |
|                    | 0735            | DE95 CARD ISSUER REFERENCE DATA MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                         | Both                    |
|                    | 1177            | DE95 CARD ISSUER REFERENCE DATA MUST BE NUMERIC.                                                                                               | Both                    |
|                    | 2177            | DE 95 CARD ISSUER REFERENCE DATA MUST BE A FIXED LENGTH OF 10.                                                                                 | Both                    |
| DE 123             | 0170            | DE123 ADDITIONAL DATA 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                           | Both                    |
|                    | 0171            | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008-999.                                                                                                | Both                    |
|                    | 0173            | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124. | Both                    |
|                    | 0174            | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                    | Both                    |
| DE 124             | 0179            | DE124 ADDITIONAL DATA 4 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, AND DE123 ADDITIONAL DATA 3 ARE PRESENT.          | Both                    |
|                    | 2151            | DE124 ADDITIONAL DATA 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                           | Both                    |
|                    | 2152            | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008-999.                                                                                                | Both                    |
|                    | 2154            | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125. | Both                    |
| DE 125             | 0175            | DE125 ADDITIONAL DATA 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                           | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>performed By... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0176            | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008-999.                                                                                                                | Both                    |
|                    | 0178            | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED.                | Both                    |
|                    | 2155            | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                    |
| PDS 0001           | 0503            | PDS0001 MASTERCARD MAPPING SERVICE ACCOUNT NUMBER NOT ALLOWED IN <MSGTYPE>.                                                                                    | GCMS                    |
| PDS 0001,<br>s1    | 2879            | PDS0001S1 MUST BE EQUAL TO 'C', OR 'CC' OR 'H' OR 'HC'.                                                                                                        | GCMS                    |
|                    | 2881            | PDS0001S1 MUST BE EQUAL TO 'C' OR 'CC' OR 'H' OR 'HC' OR 'O' OR 'OC'.                                                                                          | GCMS                    |
| PDS 0021           | 2873            | PDS021 INVALID. MUST BE IP2201T1.                                                                                                                              | Both                    |
|                    | 2874            | PDS021 MUST BE A FIXED LENGTH OF 001.                                                                                                                          | Both                    |
| PDS 0022           | 0428            | PDS0022 MUST BE FIXED LENGTH OF 001.                                                                                                                           | Both                    |
| PDS 0023           | 0022            | PDS0023 TERMINAL TYPE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                          | Both                    |
|                    | 0181            | PDS0023 TERMINAL TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                             | Both                    |
|                    | 0182            | PDS0023 TERMINAL TYPE MUST BE A FIXED LENGTH OF 003.                                                                                                           | Both                    |
|                    | 0184            | PDS0023 TERMINAL TYPE MUST CONTAIN A VALID VALUE OF ATM, CT1, CT2, CT3, CT4, CT6, CT7, MAN, NA, OR POI.                                                        | Both                    |
|                    | 0596            | PDS0023 TERMINAL TYPE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                          | Both                    |
|                    | 1092            | PDS0023 TERMINAL TYPE MISSING. MUST BE PRESENT IN NON-REVERSAL ARBITRATION CHARGEBACK (FULL) MESSAGES.                                                         | Both                    |
|                    | 2519            | PDS0023 TERMINAL TYPE INVALID FOR MOBILE TOP-UP TRANSACTION.                                                                                                   | GCMS                    |
|                    | 2715            | PDS0023 TERMINAL TYPE INVALID, MUST BE 1, 2, 5, or 6.                                                                                                          | Both                    |
|                    | 2842            | PDS0023 TERMINAL TYPE INVALID FOR A NON-E-COMMERCE TRANSACTION.                                                                                                | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                 | Edit<br>performed By... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2919            | PDS0023/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT FOR THE E-COMMERCE TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                | Both                    |
|                    | 2928            | PDS0023 MUST BE MAN OR NA IF PRESENT WHEN DE22S5 IS 1, 2, 3, 4; DE22S6 IS 0; AND DE22S7 IS 1 OR 7 FOR THE NON E-COMMERCE TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 8581            | PDS0023 TERMINAL TYPE NOT VALID FOR E-COMMERCE TRANSACTION/CHIP SECURED REMOTE PAYMENTS. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                         | Both                    |
|                    | 8677            | PDS0023 TERMINAL TYPE INVALID FOR A NON E-COMMERCE TRANSACTION/CHIP SECURED REMOTE PAYMENTS.                                                                                                                  | Both                    |
| PDS 0025           | 0187            | PDS0025 MESSAGE REVERSAL INDICATOR LENGTH FIELD MUST BE A VALUE OF 001-007.                                                                                                                                   | Both                    |
| PDS 0025,<br>s1    | 0185            | PDS0025S1 MESSAGE REVERSAL INDICATOR MUST BE EQUAL TO R OR A SPACE IF PRESENT.                                                                                                                                | Both                    |
| PDS 0025,<br>s2    | 0186            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.                                                                                             | Both                    |
|                    | 0190            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.                                                                                        | Both                    |
| PDS 0028           | 2870            | MPQR RECEIVING ACCOUNT NUMBER LENGTH MUST BE 001-034.                                                                                                                                                         | Both                    |
|                    | 2871            | MPQR RECEIVING ACCOUNT NUMBER CONTAINS LEADING SPACES, OR NOT LEFT JUSTIFIED, OR CONTAINS ALL ZEROS.                                                                                                          | Both                    |
| PDS 0029           | 2872            | MPQR DNAMIC QR DATA LENGTH MUST BE 001-237.                                                                                                                                                                   | Both                    |
| PDS 0042           | 2661            | MERCHANT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                                                                                                               | Both                    |
| PDS 0043           | 0194            | PDS0043 TRANSACTION TYPE ID MUST BE A FIXED LENGTH OF 003.                                                                                                                                                    | Both                    |
|                    | 2208            | PDS0043 TRANSACTION TYPE ID CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                                                                | Both                    |
|                    | 2436            | TRANSACTION TYPE ID VALUE INVALID FOR THE INTERCHANGE PROGRAM.                                                                                                                                                | Both                    |
|                    | 2811            | PDS0043 MUST EQUAL TO C91, C92, C93, OR C94, THE PROCESSING CODE MUST BE 00 OR 20, AND THE TRANSACTION MUST BE DOMESTIC.                                                                                      | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                                                                       | Edit<br>performe<br>d By... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2862            | IRD submitted on PDS0158S4 is not correct for Utility Payments Transaction Type ID submitted on PDS0043.                                                                                                                                                                                            | GCMS                        |
|                    | 2863            | IRD submitted on PDS0158S4 is not correct for Coupon Booklet Payments Transaction Type ID submitted on PDS0043.                                                                                                                                                                                     | GCMS                        |
|                    | 2864            | IRD submitted on PDS0158S4 is not correct for Government Services Transaction Type ID submitted on PDS0043.                                                                                                                                                                                         | GCMS                        |
|                    | 2865            | IRD submitted on PDS0158S4 is not correct for Mobile Phone Top-Ups Transaction Type ID submitted on PDS0043.                                                                                                                                                                                        | GCMS                        |
| PDS 0052           | 2181            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE A FIXED LENGTH OF 3.                                                                                                                                                                                                                   | Both                        |
|                    | 2183            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE NUMERIC.                                                                                                                                                                                                                               | Both                        |
|                    | 2356            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE IS EQUAL TO S OR 7.                                                                                                                                                                          | Both                        |
|                    | 2714            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR, POSITION 2 CANNOT BE EQUAL TO VALUE 4 FOR THE IRD PROVIDED.                                                                                                                                                                                   | Both                        |
|                    | 2914            | PDS0052 MUST BE PRESENT AND EQUAL TO 211 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT SUPPORTS 3DS OR TOKENIZATION; ISSUER DOES NOT SUPPORT. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                   | Both                        |
|                    | 2915            | FOR AUTHENTICATED ECOMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 212 OR 217 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                        |
|                    | 2916            | FOR NONAUTHENTICATED DSRP TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 246 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS T FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.               | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                                                                | Edit<br>performed By... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2917            | FOR AUTHENTICATED DSRP ECOMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 242 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2918            | FOR E-COMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 210 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.              | Both                    |
|                    | 2922            | PDS0052 INVALID FOR THE PARTIAL SHIPMENT E-COMMERCE TRANSACTION WHEN DE22S5 IS 5, DE22S6 IS 0, DE22S7 IS S OR 7. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                                                      | Both                    |
|                    | 2923            | PDS0052 INVALID FOR THE DSRP TRANSACTION WHEN DE22S5 IS 5, DE22S6 IS 0, AND DE22S7 IS S OR 7. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                                                                         | Both                    |
|                    | 2926            | PDS0052 MUST BE 247 AND PDS0023 (IF PRESENT) MUST BE MAN OR NA FOR THE RECURRING PAYMENT DSRP CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                                          | Both                    |
|                    | 2927            | PDS0052 MUST BE 210 OR 217 AND PDS0023 (IF PRESENT) MUST BE MAN OR NA FOR THE RECURRING PAYMENT E-COMMERCE CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                             | Both                    |
| PDS 0052,<br>s3    | 0008            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID. MUST BE 1.                                                                                                                                                                                                                                      | Both                    |
|                    | 0008            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID. MUST BE 1. <b>(Applies only to Europe region acquirers.)</b>                                                                                                                                                                                    | Both                    |
|                    | 0019            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 2, 3, OR 5.                                                                                                                                                                                                                             | Both                    |
|                    | 0019            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1. <b>(Applies only to Europe region acquirers.)</b>                                                                                                                                                                                    | Both                    |
|                    | 2185            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1, 2, 3, 4, 5, OR 6.                                                                                                                                                                                                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                     | Edit<br>performed By... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2420            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1 OR 2.                                                      | Both                    |
|                    | 2462            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID FOR UCAF TRANSACTIONS.                                                | Both                    |
|                    | 2629            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID FOR UCAF TRANSACTION.                                                 | Both                    |
|                    | 2836            | PDS0052S3 UCAF COLLECTION INDICATOR MUST BE PRESENT AND CONTAIN THE VALUE OF 2 OR 5.                              | Both                    |
|                    | 2952            | PDS0052S3 UCAF COLLECTION INDICATOR MUST BE PRESENT AND EQUAL TO 1 OR 2 or 4.                                     | Both                    |
| PDS 0057           | 2227            | PDS0057 TRANSACTION CATEGORY INDICATOR INVALID. MUST BE 01, 02, 03, or 04                                         | Both                    |
| PDS 0058           | 2183            | PDS0058 TOKEN ASSURANCE LEVEL MUST BE NUMERIC.                                                                    | Both                    |
| PDS 0059           | 2183            | PDS0059 TOKEN REQUESTOR ID MUST BE NUMERIC.                                                                       | Both                    |
| PDS 0080           | 0242            | PDS0080 AMOUNT, TAX INVALID.                                                                                      | Both                    |
|                    | 2470            | PDS0080 AMOUNT, TAX LENGTH MUST BE <MIN-MAX>AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 20.             | GCMS                    |
| PDS 0080, s3       | 0395            | PDS0080S3 CURRENCY CODE MUST CONTAIN NUMERIC ISO-STANDARD CURRENCY CODE OCCURENCE <00>.                           | GCMS                    |
| PDS 0080, s5       | 2185            | PDS0080S5 DEBIT/CREDIT INDICATOR MUST BE D OR C.                                                                  | GCMS                    |
| PDS 0137           | 0756            | PDS0137 FEE COLLECTION CONTROL NUMBER LENGTH MUST BE 17-20.                                                       | Both                    |
| PDS 0146           | 0381            | PDS0146 AMOUNTS, TRANSACTION FEE LENGTH MUST BE 036-432 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 36. | Both                    |
|                    | 1023            | PDS0146 AMOUNTS, TRANSACTION FEE MUST BE PRESENT.                                                                 | Both                    |
|                    | 2557            | PDS0146 AMOUNTS, TRANSACTION FEE MUST BE IN MEXICAN PESOS (484).                                                  | Both                    |
| PDS 0146, s1       | 0386            | PDS0146S1 FEE TYPE CODE MUST BE 00-99. OCCURRENCE INDICATOR <XX>.                                                 | Both                    |
| PDS 0146, s2       | 0387            | PDS0146S2 FEE PROCESSING CODE MUST BE 00, 19, OR 29. OCCURRENCE INDICATOR <XX>.                                   | Both                    |
| PDS 0146, s3       | 1102            | PDS0146S3 FEE SETTLEMENT INDICATOR MUST BE 00 OR 01.                                                              | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                            | Edit<br>performed By... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0146,<br>s4    | 1059            | PDS0146S4 CURRENCY CODE, FEE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                   | Both                    |
|                    | 2658            | PDS0146S4 CURRENCY CODE, FEE MUST BE PRESENT AND CONTAIN COLOMBIA PESOS (170).                                           | Both                    |
| PDS 0146,<br>s5    | 0385            | PDS0146S5 AMOUNT, FEE NOT NUMERIC. OCCURRENCE <XX>.                                                                      | Both                    |
| PDS 0148           | 0393            | PDS0148 CURRENCY EXPONENTS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                  | Both                    |
|                    | 0394            | PDS0148 CURRENCY EXPONENTS LENGTH MUST BE 04-60 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 04.                | Both                    |
|                    | 0735            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                        | Both                    |
| PDS 0148,<br>s1    | 0395            | PDS0148S1 CURRENCY CODE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                        | Both                    |
| PDS 0148,<br>s2    | 0396            | PDS0148S2 CURRENCY EXPONENT MUST BE VALID FOR THE CORRESPONDING CURRENCY CODE IN SUBFIELD 1. OCCURRENCE <XX>.            | Both                    |
| PDS 0149           | 0398            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                               | Both                    |
|                    | 0399            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL LENGTH MUST BE A FIXED LENGTH OF 006.                                          | Both                    |
|                    | 0402            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT PDS0148 CURRENCY EXPONENTS IS NOT PRESENT.                      | Both                    |
|                    | 0404            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT DE30 AMOUNT, ORIGINAL IS NOT PRESENT.                           | Both                    |
|                    | 0735            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT.                                                               | Both                    |
|                    | 0735            | PDS0149 CURRENCY CODES, AMOUNTS MISSING. MUST BE PRESENT IN ARBITRATION CHARGEBACKS (FULL AND PARTIAL).                  | Both                    |
| PDS 0149,<br>s1    | 0400            | PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.            | Both                    |
|                    | 0403            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MISSING. MUST BE PROVIDED. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                  | Edit<br>performed By... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0149,<br>s2    | 0401            | PDS0149S2 CURRENCY CODE, ORIGINAL RECONCILIATION AMOUNT MUST BE ALL ZEROS.                                                                     | Both                    |
| PDS 0157           | 2181            | PDS0157 ALTERNATE PROCESSOR INDICATOR MUST BE A FIXED LENGTH OF 4.                                                                             | Both                    |
|                    | 2227            | PDS0157 ALTERNATE PROCESSOR INDICATOR INVALID. MUST BE ALTC                                                                                    | Both                    |
|                    | 2531            | PDS0157 ALTERNATE PROCESSOR INDICATOR ONLY VALID FOR COLLECTION ONLY TRANSACTIONS.                                                             | Both                    |
| PDS 0158           | 0407            | PDS0158 BUSINESS ACTIVITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                    |
|                    | 0735            | PDS0158 BUSINESS ACTIVITY MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                               | Both                    |
|                    | 2180            | PDS0158 BUSINESS ACTIVITY LENGTH MUST BE 003–029.                                                                                              | Both                    |
| PDS 0158,<br>s1    | 2007            | ACCEPTANCE BRAND IS NOT VALID FOR THE MEMBER PAIR.                                                                                             | Both                    |
|                    | 2227            | PDS0158S1 ACCEPTANCE BRAND ID CODE INVALID. MUST BE CIR, CLP, DDB, DMC, MAV, MCC, MSI, PRO, PVL, VIS, or SPACES/ BLANK.                        | Both                    |
|                    | 2504            | CARD PROGRAM IDENTIFIER <AB> IS INVALID FOR THE PRIMARY ACCOUNT NUMBER.                                                                        | Both                    |
| PDS 0158,<br>s2    | 2009            | NO BUSINESS SERVICE ARRANGEMENT EXISTS FOR THE MEMBER PAIR.                                                                                    | Both                    |
|                    | 2451            | SUBMITTED BUSINESS SERVICE ARRANGEMENT IS NOT VALID. MUST BE SUBMITTED FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>. | Both                    |
| PDS 0158,<br>s3    | 2010            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                                           | Both                    |
|                    | 2217            | PDS0158S3 BUSINESS SERVICE ID CODE MUST BE PRESENT AND VALID WHEN PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE IS PRESENT.                 | Both                    |
|                    | 2218            | PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE MUST BE PRESENT AND VALID WHEN PDS0158S3 BUSINESS SERVICE ID CODE IS PRESENT.                 | Both                    |
| PDS 0158,<br>s4    | 0670            | PDS0158S4 INTERCHANGE RATE DESIGNATOR DOES NOT MEET TIMELINESS CRITERIA AND/OR DE12S1 DATE CONTAINS INVALID DATA.                              | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                        | Edit<br>performe<br>d By... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0769            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR FLEET TRANSACTION AT FUEL LOCATION.                                                                                                                | Both                        |
|                    | 2221            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MISSING FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                                       | Both                        |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.                                  | Both                        |
|                    | 2265            | DE03 PROCESSING CODE INVALID. DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE INVALID. PDS0159S8 SETTLEMENT DATE INVALID. PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID.                                       | GCMS                        |
|                    | 2341            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID. FOR ACCOUNT RANGES STARTING WITH 36 AND HAVE A MERCHANT COUNTRY (DE43S6) IN THE CARIBBEAN OR U.S. TERRITORIES THEN THE TRANSACTION MUST BE <VALLIST>. | Both                        |
|                    | 2425            | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT VALID FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                         | Both                        |
|                    | 2538            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN ASSOCIATED PAN IS A PAY WITH REWARDS CARD.                                                                                                        | GCMS                        |
|                    | 2709            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN MERCHANT OR ACQUIRER COUNTRY IS NOT CHINA OR ISSUER COUNTRY IS CHINA.                                                                             | Both                        |
|                    | 2730            | IRD CO VALID ONLY FOR CASH ACCESS TRANSACTION DE3S1 EQUALS 09.                                                                                                                                       | Both                        |
|                    | 2815            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST NOT BE EQUAL TO EB OR EG WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD PRESENT EEA RESTRICTED RATES.                                          | Both                        |
|                    | 2821            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST BE EQUAL TO EB OR EG WHEN THE TRANSACTION QUALIFIES FOR THE CARD PRESENT EEA RESTRICTED RATES.                                                     | Both                        |
|                    | 2891            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST BE EQUAL TO EV OR EW WHEN THE TRANSACTION QUALIFIES FOR CARD NOT PRESENT EEA RESTRICTED RATES.                                                     | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                   | Edit<br>performed By... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2892            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST NOT BE EQUAL TO EV OR EW WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD NOT PRESENT EEA RESTRICTED RATES. | Both                    |
| PDS 0158,<br>s5    | 0648            | LESS THAN MINIMUM TIMELINESS VALUE OF 3 DAYS.                                                                                                                   | GCMS                    |
|                    | 0686            | BUSINESS DATE RECEIVED AFTER 45 DAYS.                                                                                                                           | GCMS                    |
| PDS 0159           | 0735            | PDS0159 SETTLEMENT DATA MUST BE PRESENT.                                                                                                                        | GCMS                    |
| PDS 0159,<br>s8    | 0009            | PDS0159S8 SETTLEMENT DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                            | GCMS                    |
|                    | 2265            | PDS0159S8 SETTLEMENT DATE INVALID.                                                                                                                              | GCMS                    |
| PDS 0165           | 0412            | PDS0165 SETTLEMENT INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                       | Both                    |
|                    | 0735            | PDS0165 SETTLEMENT INDICATOR MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                                                             | Both                    |
|                    | 2180            | PDS0165 SETTLEMENT INDICATOR LENGTH MUST BE 001-030.                                                                                                            | Both                    |
| PDS 0165,<br>s1    | 0414            | PDS0165S1 SETTLEMENT INDICATOR MUST BE M, B, OR C.                                                                                                              | Both                    |
|                    | 0416            | NO BILATERAL AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.                        | Clearing<br>Optimizer   |
|                    | 1066            | DE3 PROCESSING CODE AND PDS0165S1 SETTLEMENT INDICATOR COMBINATION INVALID.                                                                                     | Both                    |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.             | GCMS                    |
| PDS 0170           | 0378            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                               | Both                    |
|                    | 0433            | PDS0170 ACCEPTOR INQUIRY INFORMATION LENGTH MUST BE 16-57.                                                                                                      | Both                    |
|                    | 2208            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                         | Both                    |
| PDS 0170,<br>s1    | 2181            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE A FIXED LENGTH OF 16                                                                                            | Both                    |
|                    | 2244            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.                                             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                              | Edit<br>performed By... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2259            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                    |
| PDS 0170,<br>s2    | 2181            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST BE A FIXED LENGTH OF 16.                                                                              | Both                    |
|                    | 2244            | PDS 0170S2 ACCEPTOR PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000)-000-0000 OR 000 000 0000.                               | Both                    |
|                    | 2259            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.         | Both                    |
| PDS 0171           | 0419            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                        | Both                    |
|                    | 0420            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION LENGTH MUST BE 4-201.                                                                               | Both                    |
| PDS 0171,<br>s1    | 0421            | PDS0171S1 CHARACTER SET INDICATOR INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HEB, HIR, HAN, KAN, KAT, ROM, THI, OR VIE.                     | Both                    |
| PDS 0172           | 0591            | PDS0172 SOLE PROPRIETOR NAME LENGTH MUST BE 001-030.                                                                                       | Both                    |
|                    | 1151            | PDS0172 SOLE PROPRIETOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                    |
| PDS 0173           | 0699            | PDS0173 LEGAL CORPORATE NAME LENGTH MUST BE 001-030.                                                                                       | Both                    |
|                    | 1152            | PDS0173 LEGAL CORPORATE NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                         | Both                    |
| PDS 0174           | 1163            | PDS0174 DUN & BRADSTREET NUMBER MUST BE NUMERIC.                                                                                           | Both                    |
|                    | 2181            | PDS0174 DUN & BRADSTREET NUMBER LENGTH MUST BE 1-15.                                                                                       | Both                    |
| PDS 0175           | 2160            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                 | Both                    |
|                    | 2165            | PDS0175 ACCEPTOR URL LENGTH MUST BE 1-255.                                                                                                 | Both                    |
|                    | 2182            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                    | Both                    |
| PDS 0176           | 2430            | PDS0176 MASTERCARD ASSIGNED ID IF PRESENT MUST CONTAIN A VALID VALUE.                                                                      | Both                    |
| PDS 0178           | 2180            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 LENGTH MUST BE 004-201.                                                                      | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                            | Edit<br>performed By... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2184            | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                    |
| PDS 0178,<br>s1    | 2227            | PDS0178S1 CHARACTER SET INDICATOR 2 INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HAN, HEB, HIR, KAN, KAT, ROM, THI, or VIE. | Both                    |
| PDS 0181,<br>s1    | 2594            | PDS0181S1 TYPE OF INSTALLMENT INVALID, MUST BE <VALLIST>.                                                                | Both                    |
| PDS 0181,<br>s2    | 2595            | PDS0181S2 NUMBER OF INSTALLMENTS INVALID. MUST BE NUMERIC.                                                               | Both                    |
| PDS 0181,<br>s3    | 2596            | PDS0181S3 INTEREST RATE INVALID, MUST BE NUMERIC OR ALL SPACES.                                                          | Both                    |
| PDS 0181,<br>s4    | 2597            | PDS0181S4 FIRST INSTALLMENT AMOUNT INVALID, MUST BE NUMERIC OR ALL SPACES.                                               | Both                    |
| PDS 0181,<br>s5    | 2598            | PDS0181S5 SUBSEQUENT INSTALLMENT AMOUNT INVALID, MUST BE NUMERIC OR ALL SPACES.                                          | Both                    |
| PDS 0181,<br>s6    | 2721            | PDS0181S6 ANNUAL PERCENTAGE RATE INVALID. MUST BE NUMERIC OR ALL SPACES.                                                 | Both                    |
| PDS 0181,<br>s7    | 2722            | PDS0181S7 INSTALLMENT FEE INVALID. MUST BE NUMERIC OR ALL SPACES.                                                        | Both                    |
| PDS 0183           | 2810            | POST-DATED TRANSACTIONS MUST BE DOMESTIC.                                                                                | GCMS                    |
| PDS 0183,<br>s1    | 2204            | PDS0183S1 SERVICE CODE INVALID.                                                                                          | GCMS                    |
| PDS 0183,<br>s2    | 0008            | PDS0183S2 NUMBER OF INSTALLMENTS INVALID, MUST BE 1.                                                                     | GCMS                    |
| PDS 0183,<br>s3    | 2204            | PDS0183S3 GUARANTEE INVALID.                                                                                             | GCMS                    |
| PDS 0183,<br>s4    | 2595            | PDS0183S4 GUARANTEE AMOUNT INVALID, MUST BE NUMERIC.                                                                     | GCMS                    |
| PDS 0188           | 0503            | PDS0188 PRIVATE DATA—PROPRIETARY INCONTROL DATA NOT ALLOWED IN <MSGTYPE>.                                                | GCMS                    |
| PDS 0189           | 0422            | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                    |
|                    | 0423            | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA LENGTH MUST BE A FIXED LENGTH OF 41.                                       | Both                    |
| PDS 0189,<br>s1    | 0424            | PDS0189S1 FORMAT NUMBER MUST BE 0, 1, 2, 3, OR 4.                                                                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>performed By... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0189,<br>s2    | 2259            | PDS0189S2 PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                    |
| PDS 0190           | 0425            | PDS0190 PARTNER ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                    |
|                    | 0426            | PDS0190 PARTNER ID CODE LENGTH MUST BE 1–6.                                                                               | Both                    |
|                    | 2208            | PDS0190 PARTNER ID CODE CANNOT BE ALL ZEROS OR ALL SPACES.                                                                | Both                    |
| PDS 0191           | 0528            | PDS0191 ORIGINATING MESSAGE FORMAT MUST BE 1 OR 2.                                                                        | Both                    |
|                    | 0823            | PDS0191 ORIGINATING MESSAGE FORMAT LENGTH MUST BE A FIXED LENGTH OF 001.                                                  | Both                    |
|                    | 3034            | PDS0191 MUST EQUAL ZERO                                                                                                   |                         |
|                    | 3047            | Channel of routing Mexico Domestic transactions is invalid                                                                | Both                    |
| PDS 0194           | 2227            | PDS0194 REMOTE PAYMENTS PROGRAM DATA INVALID. MUST BE <VALLIST>                                                           | Both                    |
|                    | 2552            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 1.                                                      | Both                    |
|                    | 2626            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 2.                                                      | Both                    |
|                    | 2644            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 1 OR 2.                                                 | Both                    |
| PDS 0195           | 2264            | PDS0195 INSTALLMENT DATA MUST BE PRESENT.                                                                                 | Both                    |
| PDS 0195,<br>s1    | 2183            | PDS0195S1 TOTAL NUMBER OF INSTALLMENTS MUST BE NUMERIC.                                                                   | Both                    |
|                    | 2264            | PDS0195S1 TOTAL NUMBER OF INSTALLMENTS MUST BE PRESENT.                                                                   | Both                    |
|                    | 2866            | THE NUMBER OF INSTALLMENTS IN PDS0195S1 CANNOT BE LESS THAN OR EQUAL TO 001.                                              | Both                    |
| PDS 0195,<br>s2    | 2227            | PDS0195S2 INSTALLMENT OPTION INVALID. MUST BE 10, 21, 31, 34, 61, or 80                                                   | Both                    |
|                    | 2264            | PDS0195S2 INSTALLMENT OPTION MUST BE PRESENT.                                                                             | Both                    |
| PDS 0195,<br>s3    | 2183            | PDS0195S3 INSTALLMENT NUMBER MUST BE NUMERIC.                                                                             | Both                    |
| PDS 0195,<br>s4    | 2227            | PDS0195S4 BONUS CODE INVALID. MUST BE 0.                                                                                  | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                   | Edit<br>performed By... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2442            | PDS0195S4 BONUS CODE MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 21.                                     | Both                    |
| PDS 0195,<br>s5    | 2227            | PDS0195S5 BONUS MONTH CODE INVALID. MUST BE A, B, C, 1, 2, 3, 4, 5, 6, 7, 8, 9, or SPACE/BLANK.                 | Both                    |
|                    | 2443            | PDS0195S5 BONUS MONTH CODE MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                               | Both                    |
| PDS 0195,<br>s6    | 2227            | PDS0195S6 NUMBER OF BONUS PAYMENTS PER YEAR INVALID. MUST BE 1 or 2                                             | Both                    |
|                    | 2443            | PDS0195S6 NUMBER OF BONUS PAYMENTS PER YEAR MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.              | Both                    |
| PDS 0195,<br>s7    | 2232            | PDS0195S7 BONUS AMOUNT MUST BE NUMERIC AND GREATER THAN OR EQUAL TO ZERO                                        | Both                    |
|                    | 2443            | PDS0195S7 BONUS AMOUNT MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                                   | Both                    |
| PDS 0195,<br>s8    | 0045            | PDS0195S8 FIRST MONTH OF BONUS PAYMENT MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                | Both                    |
|                    | 2443            | PDS0195S8 FIRST MONTH OF BONUS PAYMENT MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                   | Both                    |
| PDS 0196           | 2180            | PDS0196 MOBILE PHONE RELOAD DATA LENGTH MUST BE 001–047.                                                        | Both                    |
| PDS 0196,<br>s1    | 0109            | PDS0196S1 MOBILE PHONE NUMBER NOT LEFT JUSTIFIED.                                                               | Both                    |
|                    | 2182            | PDS 0196, SUBFIELD 1 MOBILE PHONE NUMBER MUST BE LEFT-JUSTIFIED OR CONTAINS ALL SPACES OR ALL ZEROS.            | Both                    |
|                    | 2184            | PDS0196S1 MOBILE PHONE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                      | Both                    |
|                    | 2264            | PDS0196S1 MOBILE PHONE NUMBER MUST BE PRESENT.                                                                  | Both                    |
| PDS 0196,<br>s2    | 2182            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME MUST BE LEFT-JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
|                    | 2264            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME MUST BE PRESENT.                                                   | Both                    |
| PDS 0197           | 2181            | PDS0197 NATIONAL USE TAX DATA LENGTH MUST BE A FIXED LENGTH OF 053.                                             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                    | Edit<br>performed By... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0197,<br>s1    | 2183            | PDS0197S1 TAX AMOUNT 1 MUST BE NUMERIC.                                                          | Both                    |
| PDS 0197,<br>s2    | 2183            | PDS0197S2 TAX AMOUNT 2 MUST BE NUMERIC.                                                          | Both                    |
| PDS 0197,<br>s3    | 2183            | PDS0197S3 TAX PERCENTAGE MUST BE NUMERIC.                                                        | Both                    |
| PDS 0197,<br>s4    | 2183            | PDS0197S4 TAX BASE AMOUNT MUST BE NUMERIC.                                                       | Both                    |
| PDS 0197,<br>s5    | 2183            | PDS0197S5 TAX AMOUNT 3 MUST BE NUMERIC.                                                          | Both                    |
| PDS 0198           | 2627            | PDS0198 DEVICE TYPE MUST BE PRESENT AND EQUAL TO 01.                                             | Both                    |
| PDS 0205           | 1012            | PDS0205 MUST BE PRESENT.                                                                         | Both                    |
| PDS 0205,<br>s2    | 3050            | PDS205SF2 MUST BE A VALID CHAPTER III SYNTAX ERROR RETURN REASON CODE.                           | Both                    |
| PDS 0206           | 0503            | PDS0206 LATE PRESENTMENT INDICATOR NOT ALLOWED IN <MSGTYPE>.                                     | Both                    |
| PDS 0207           | 2645            | PDS0207 WALLET IDENTIFIER INVALID. MUST BE ALPHANUMERIC.                                         | Both                    |
|                    | 2651            | PDS0207 WALLET IDENTIFIER INVALID. MUST EQUAL 101 OR 102.                                        | Both                    |
| PDS 0208           | 2696            | PDS0208 ADDITIONAL MERCHANT DATA LENGTH MUST BE <MIN-MAX>.                                       | Both                    |
| PDS 0208,<br>s1    | 2694            | PDS0208S1 PAYMENT FACILITATOR ID INVALID. MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS.          | Both                    |
| PDS 0208,<br>s2    | 2695            | PDS0208S2 SUB-MERCHANT ID CANNOT BE ALL ZEROES OR ALL SPACES.                                    | Both                    |
| PDS 0209           | 2694            | PDS0209 INDEPENDENT SALES ORGANIZATION ID INVALID. MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS. | Both                    |
| PDS 0210           | 2183            | PDS0210 MUST BE NUMERIC                                                                          | Both                    |
| PDS 0210,<br>s1    | 2878            | PDS0210S1 must be present and equal to 03.                                                       | GCMS                    |
| PDS 0216           | 2181            | ADDITIONAL ACCEPTOR DATA MUST BE A FIXED LENGTH OF 029 TO 069.                                   | Both                    |
| PDS 0216,<br>s5    | 3063            | ACCEPTOR GEOGRAPHIC COORDINATES INCORRECTLY FORMATTED.                                           | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                          | Edit<br>performed By... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0216,<br>s6    | 3063            | SERVICE LOCATION GEOGRAPHIC COORDINATES INCORRECTLY FORMATTED.                                                         | Both                    |
| PDS 0218           | 2994            | PDS0218 SUB 1 MUST HAVE A VALUE OF C1, M1 OR M2                                                                        | Both                    |
|                    | 2995            | PDS0218 MUST HAVE A LENGTH OF 4                                                                                        | Both                    |
|                    | 3005            | PDS0218 SUB 2 MUST BE NUMERIC                                                                                          | Both                    |
| PDS 0225           | 1023            | PDS0225 SYNTAX RETURN, ORIGINAL MESSAGE REASON CODE MUST BE PRESENT.                                                   | Both                    |
| PDS 0241           | 1084            | PDS0241 MASTERCOM CONTROL NUMBER MUST BE A FIXED LENGTH OF 002.                                                        | Both                    |
|                    | 2208            | PDS0241 MASTERCOM CONTROL NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                                    | Both                    |
| PDS 0260           | 0435            | PDS0260 EDIT EXCLUSION INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                          | Both                    |
|                    | 0436            | PDS0260 EDIT EXCLUSION INDICATOR LENGTH MUST BE 2-4.                                                                   | Both                    |
| PDS 0260,<br>s1    | 0437            | PDS0260S1 EXCLUSION REQUEST CODE INVALID. MUST BE Y, B0-B9, BA-BZ, OR SPACES.                                          | Both                    |
| PDS 0262           | 0441            | PDS0262 DOCUMENTATION INDICATOR MUST BE A FIXED LENGTH OF 001.                                                         | Both                    |
|                    | 0442            | PDS0262 DOCUMENTATION INDICATOR MUST BE 0 OR 1.                                                                        | Both                    |
|                    | 0612            | PDS0262 DOCUMENTATION INDICATOR 0 ON PREVIOUS CYCLE.                                                                   | GCMS                    |
|                    | 0735            | PDS0262 DOCUMENTATION INDICATOR MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.                 | Both                    |
| PDS 0268           | 0487            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN PDS0268 AMOUNT, PARTIAL TRANSACTION IS PROVIDED. | Both                    |
|                    | 1132            | PDS0268 AMOUNT, PARTIAL TRANSACTION LENGTH MUST BE A FIXED LENGTH OF 15.                                               | Both                    |
| PDS 0268,<br>s1    | 0482            | PDS0268S1 AMOUNT, PARTIAL TRANSACTION MUST BE NUMERIC AND GREATER THAN ZEROS.                                          | Both                    |
| PDS 0268,<br>s2    | 0451            | PDS0268S2 CURRENCY CODE, PARTIAL TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                  | Both                    |
|                    | 0488            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0268S2 CURRENCY CODE, PARTIAL TRANSACTION MISSING. MUST BE PROVIDED.       | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                | Edit<br>performed By... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0375           | 2180            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 LENGTH MUST BE 001-050.                                            | Both                    |
|                    | 2182            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
| PDS 0634           | 2183            | PDS0634 TAX AMOUNT 1 MUST BE NUMERIC.                                                                        | Both                    |
|                    | 2266            | PDS0634 TAX AMOUNT 1 IS GREATER THAN OR EQUAL TO DE4 AMOUNT, TRANSACTION.                                    | Both                    |
| PDS 0635           | 2183            | PDS0635 TAX AMOUNT 2 MUST BE NUMERIC.                                                                        | Both                    |
|                    | 2266            | PDS0635 TAX AMOUNT 2 IS GREATER THAN OR EQUAL TO DE4 AMOUNT, TRANSACTION.                                    | Both                    |
| PDS 0674           | 2868            | ADDITIONAL TRACE REFERENCE NUMBER USED BY ACCEPTOR LENGTH MUST BE 001-019.                                   | Both                    |
|                    | 2869            | ADDITIONAL TRACE REFERENCE NUMBER CONTAINS LEADING SPACES, OR NOT LEFT JUSTIFIED, OR CONTAINS ALL ZEROS.     | Both                    |
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                                                   | Both                    |
| PDS 1001           | 2840            | <FLDNAME> INVALID. MUST BE NUMERIC AND MUST BE A FIXED LENGTH OF 12.                                         | Both                    |
| PDS 1002           | 1163            | PDS 1002 VALUE-ADDED TAX MUST BE NUMERIC.                                                                    | Both                    |
| PDS 1018           | 1163            | PDS 1018 CONSUMPTION TAX MUST BE NUMERIC.                                                                    | Both                    |

## Second Presentment (Full)/1240-205, and (Partial)/1240-282 messages

This chapter contains the error numbers and message texts by field and subfield for Second Presentment (Full)/1240-205, and (Partial)/1240-282 messages.

### Second Presentment (Full)/1240-205, and (Partial)/1240-282

Error numbers and message texts are organized by field and subfield for Second Presentment (Full)/1240-205 and (Partial)/1240-282 messages. The edit process that presents the

message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

**MTI/Function Code: Second Presentment (Full)/1240-205 and (Partial)/1240-282**

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                       | Edit<br>performe<br>d by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 2               | 0009            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE NUMERIC.                                                                                                                   | Both                        |
|                    | 0010            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE 6–19.                                                                                                                      | Both                        |
|                    | 0011            | DE2 PRIMARY ACCOUNT NUMBER (PAN) ACCOUNT RANGE INVALID.                                                                                                             | Both                        |
|                    | 0735            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE PRESENT SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                                                    | Both                        |
|                    | 1158            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                                                                   | Both                        |
|                    | 2225            | GCMS PRODUCT ID INVALID FOR BUSINESS SERVICE ARRANGEMENT AND ACCEPTANCE BRAND ID CODE                                                                               | Both                        |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                        |
|                    | 2328            | ACQUIRER MEMBER ID NOT REGISTERED FOR GAMING SERVICE.                                                                                                               | GCMS                        |
|                    | 2329            | ISSUER COUNTRY NOT REGISTERED FOR GAMING SERVICE.                                                                                                                   | GCMS                        |
|                    | 2537            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE A PAY WITH REWARDS CARD FOR THE SUBMITTED INTERCHANGE PROGRAM.                                                             | GCMS                        |
|                    |                 | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE A REDEMPTION CARD FOR THE SUBMITTED INTERCHANGE PROGRAM                                                                    | GCMS                        |
|                    | 2639            | CARD MUST BE CONTACTLESS ENABLED                                                                                                                                    | Both                        |
|                    | 2641            | CARD CANNOT BE CONTACTLESS ENABLED.                                                                                                                                 | Both                        |
|                    | 2809            | CARD NOT ENABLED FOR POST-DATED TRANSACTION.                                                                                                                        | GCMS                        |
|                    | 2921            | IRD INVALID FOR THE TOKENIZED TRANSACTION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                   | Both                        |
|                    | 2938            | DE02 IS NOT REGISTERED FOR EMBEDDED NEGOTIATED INTERCHANGE.                                                                                                         | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2991            | ISSUER ACCOUNT RANGE NOT REGISTERED FOR GAMING SERVICE.                                                                      | Both                    |
| DE 3               | 0012            | DE3 PROCESSING CODE MUST BE NUMERIC.                                                                                         | Both                    |
|                    | 0523            | ACQUIRER NOT CERTIFIED BY MASTERCARD TO PROCESS ATM CASH WITHDRAWAL TRANSACTIONS.                                            | Both                    |
|                    | 0735            | DE3 PROCESSING CODE MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                       | Both                    |
|                    | 2220            | DE3 PROCESSING CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Both                    |
|                    | 2265            | DE3 PROCESSING CODE INVALID.                                                                                                 | Both                    |
|                    | 2331            | ISSUER IS NOT A PURCHASE WITH CASH BACK PARTICIPANT.                                                                         | Both                    |
| DE 3, s1           | 0013            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE 00, 01, 09, 12, 17, 18, 20, 28, OR 50.                                    | Both                    |
|                    | 0016            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR ATM CASH WITHDRAWAL ACCEPTOR BUSINESS CODE (MCC) 6011.                         | Both                    |
|                    | 0017            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR CASH ADVANCE ACCEPTOR BUSINESS CODE (MCC) 6010.                                | Both                    |
|                    | 0018            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR UNIQUE TRANSACTION ACCEPTOR BUSINESS CODE (MCC). MUST BE EQUAL TO 18.          | Both                    |
|                    | 0523            | ACQUIRER NOT CERTIFIED BY MASTERCARD TO PROCESS ATM CASH WITHDRAWAL TRANSACTIONS.                                            | Both                    |
|                    | 2285            | DE3S1 PROCESSING CODE MUST MATCH THE PROCESSING CODE FROM THE PREVIOUS CYCLE.                                                | GCMS                    |
|                    | 2536            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID FOR ATM FUNDING TRANSACTION.                                                       | Both                    |
|                    | 2727            | PURCHASE WITH CASH BACK FOR DE4 GREATER THAN DE54S5 AMOUNT FOR S2 EQUAL TO 40 IS NOT ALLOWED FOR BRAZIL DOMESTIC ACTIVITY.   | Both                    |
|                    | 2729            | PRODUCT CODES MLE, MBF, OR MBM ARE NOT ALLOWED WHEN DE3S1 EQUALS 09.                                                         | Both                    |
| DE 3, s2           | 0014            | DE3S2 CARDHOLDER FROM--ACCOUNT TYPE CODE MUST BE 00, 10, 20, 30, 39, 60.                                                     | Both                    |
| DE 3, S3           | 0015            | DE3S3 CARDHOLDER TO--ACCOUNT TYPE CODE MUST BE 00.                                                                           | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 4               | 0020            | DE4 AMOUNT, TRANSACTION MUST BE NUMERIC AND GREATER THAN 0.                                                                                                                                                                                              | Both                    |
|                    | 0023            | DE4 AMOUNT, TRANSACTION MUST BE PRESENT WHEN DE49 CURRENCY CODE, TRANSACTION IS PROVIDED.                                                                                                                                                                | Both                    |
|                    | 0024            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                                                                                                               | Both                    |
|                    | 0735            | DE4 AMOUNT, TRANSACTION MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                                                                                                                                               | Both                    |
|                    | 1174            | TRANSACTION AMOUNT EXCEEDS RESTRICTED THRESHOLD.                                                                                                                                                                                                         | GCMS                    |
|                    | 2317            | DE4 AMOUNT, TRANSACTION CANNOT BE GREATER THAN \$60.00 FOR THIS AB CODE. TRANSACTIONS OVER \$60.00 MUST BE SUBMITTED WITH THE WORLD PRODUCT T&E INTERCHANGE PROGRAM.                                                                                     | GCMS                    |
|                    | 2330            | DE4 AMOUNT, TRANSACTION MUST BE LESS THAN OR EQUAL TO THE PERMITTED AMOUNT LIMIT.                                                                                                                                                                        | GCMS                    |
|                    | 2332            | DE4 AMOUNT, TRANSACTION INVALID. MUST BE WITHIN THE ACCEPTED AMOUNT RANGE FOR THE INTERCHANGE PROGRAM.                                                                                                                                                   | GCMS                    |
|                    | 2363            | DE4 AMOUNT, TRANSACTION INVALID. MUST BE NUMERIC AND MUST BE LESS THAN OR EQUAL TO <VALLIST>.                                                                                                                                                            | Both                    |
|                    |                 |                                                                                                                                                                                                                                                          |                         |
| DE 5               | 0025            | DE5 AMOUNT, RECONCILIATION MUST BE NUMERIC.                                                                                                                                                                                                              | Both                    |
|                    | 0027            | DE5 AMOUNT, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE50 CURRENCY CODE, RECONCILIATION IS PROVIDED.                                                                                                                                    | Both                    |
|                    | 0028            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                                                                                                                                                     | Both                    |
| DE 6               | 0034            | DE6 AMOUNT, CARDHOLDER BILLING MUST BE NUMERIC.                                                                                                                                                                                                          | Both                    |
|                    | 0036            | DE6 AMOUNT, CARDHOLDER BILLING MUST BE PRESENT IN A MESSAGE WHEN DE51 CURRENCY CODE, CARDHOLDER BILLING IS PROVIDED.                                                                                                                                     | Both                    |
|                    | 0037            | PDS 0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE6 AMOUNT, CARDHOLDER BILLING IS PROVIDED.                                                                                                                                       | Both                    |
| DE 12              | 0735            | DE12 MUST BE PRESENT IN FIRST PRESENTMENT, FIRST CHARGEBACK (FULL), FIRST CHARGEBACK (PARTIAL), SECOND PRESENTMENT (FULL), SECOND PRESENTMENT (PARTIAL), ARBITRATION CHARGEBACK (FULL), ARBITRATION CHARGEBACK (PARTIAL), OR RETRIEVAL REQUEST MESSAGES. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 12, s1          | 0043            | DE12S1 DATE CANNOT BE GREATER THAN THE DATE IN PDS0105S2 FILE REFERENCE DATE.                                                                      | Both                    |
|                    | 2186            | DE12S1 DATE AND TIME, LOCAL TRANSACTION/DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                            | Both                    |
| DE 12, s2          | 0040            | DE12S2 TIME MUST BE IN THE RANGE 00–23.                                                                                                            | Both                    |
|                    | 0042            | DE12S2 TIME INVALID. MINUTES AND SECONDS MUST BE IN RANGE 00–59.                                                                                   | Both                    |
| DE 14              | 0045            | DE14 EXPIRATION DATE MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.                                                                     | Both                    |
| DE 21, s2          | 0022            | <FLDNAME>/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                          | GCMS                    |
| DE 22              | 2465            | DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT.                                                                                                   | Both                    |
|                    | 3075            | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO A VALID COMBINATION FOR THE CARD PRESENT TRANSACTIONS  | Both                    |
|                    | 3076            | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO A VALID COMBINATION FOR CARD PRESENT TRANSACTION   | Both                    |
|                    | 3112            | CARD INPUT MODE, CARD PRESENT DATA AND CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO A VALID COMBINATION FOR CARD PRESENT TRANSACTION   | GCMS                    |
| DE 22, s1          | 0047            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                       | Both                    |
|                    | 2273            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND CANNOT EQUAL 0.                                                               | Both                    |
|                    | 2373            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                    |
|                    | 2374            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2382            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2388            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND NOT EQUAL TO 5, C, D, E, OR M, OR ACQUIRER MUST NOT BE EMV COMPLIANT.         | Both                    |
|                    | 2390            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 1, 2, 4, 6, A, B, OR V OR ACQUIRER MUST NOT BE POS EMV COMPLIANT. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2392            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2393            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND NOT EQUAL TO 5 OR ACQUIRER MUST NOT BE POS EMV COMPLIANT.                     | Both                    |
|                    | 2394            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 1, 2, 4, 6, A, B, OR V OR ACQUIRER MUST NOT BE POS EMV COMPLIANT. | Both                    |
|                    | 2395            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                    |
|                    | 2414            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2415            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, A, B, C, D, E, OR M.                                           | Both                    |
|                    | 2416            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, E, OR M.                                                    | Both                    |
|                    | 2432            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO M.                                                                   | Both                    |
|                    | 2444            | DE22S1 MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                        | Both                    |
|                    | 2475            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, A, OR B.                                                          | Both                    |
|                    | 2639            | CARD MUST BE CONTACTLESS-ENABLED.                                                                                                                  | Both                    |
|                    | 2640            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND CONTAIN A VALID VALUE.                                                        | Both                    |
|                    | 2647            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO A OR M.                                                              | Both                    |
|                    | 2659            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 5, C, D, OR E.                                                       | Both                    |
|                    | 2660            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY MUST BE PRESENT AND EQUAL TO 2, 5, B, C, D, OR E.                                                 | Both                    |
| DE 22, s2          | 0048            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY INVALID. MUST BE 0, 1, 2, 5, 6, OR 9.                                                   | Both                    |
|                    | 2375            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                    | Both                    |
|                    | 2386            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                         | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2389            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 0, 2, 5, 6, OR 9 OR DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 0, 2, 6, S, 9, OR 5. | Both                    |
|                    | 2396            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                       | Both                    |
|                    | 2397            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 9 OR DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 9 OR 5.                             | Both                    |
|                    | 2407            | DE22S2 TERMINAL DATA: CARDHOLDER AUTHENTICATION CAPABILITY MUST BE PRESENT AND EQUAL TO 1.                                                                                                            | Both                    |
|                    | 2991            | DE22S2 MUST BE PRESENT AND EQUAL TO 0, 1 OR 3.                                                                                                                                                        | Both                    |
| DE 22, s3          | 0049            | DE22S3 TERMINAL DATA: CARD CAPTURE CAPABILITY INVALID. MUST BE 0, 1, OR 9.                                                                                                                            | Both                    |
| DE 22, s4          | 0050            | DE22S4 TERMINAL OPERATING ENVIRONMENT INVALID. MUST BE <VALLIST>.                                                                                                                                     | Both                    |
|                    | 2134            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE 4 OR 8.<br><b>(Applies only to Europe region member-to-member transactions.)</b>                                                                        | Both                    |
|                    | 2378            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                                            | Both                    |
|                    | 2381            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 9.                                                                                                                                 | Both                    |
|                    | 2410            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 1 OR 3.                                                                                                                            | Both                    |
|                    | 2413            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST BE PRESENT AND EQUAL TO 9.                                                                                                                                 | Both                    |
|                    | 2423            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST NOT BE A 4 OR 8.                                                                                                                                           | Both                    |
|                    | 2424            | DE22S4 TERMINAL OPERATING ENVIRONMENT MUST NOT BE A 4 OR 8.                                                                                                                                           | Both                    |
| DE 22, s5          | 0051            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                                                                            | Both                    |
|                    | 0053            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                                                                            | Both                    |
|                    | 2370            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2383            | DE22S5 MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                                                   | Both                    |
|                    | 2398            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                           | Both                    |
|                    | 2404            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                           | Both                    |
|                    | 2447            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD.                                                                                                              | Both                    |
|                    | 2448            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD.                                                                                                              | Both                    |
|                    | 2449            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND IN A LIST OF ALLOWED VALUES FOR THE IRD. <b>(Applies only to U.K. member-to-member transactions.)</b>                                                 | Both                    |
|                    | 2480            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL 4.                                                                                                                                          | Both                    |
|                    | 2497            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                           | Both                    |
|                    | 2507            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND NOT EQUAL TO 0.                                                                                                                                       | Both                    |
|                    | 2530            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 5.                                                                                                                                           | Both                    |
|                    | 2535            | DE22S5 CARDHOLDER PRESENT DATA MUST BE PRESENT AND EQUAL TO 2 OR 3.                                                                                                                                      | Both                    |
|                    | 2635            | DE22S5 MUST BE PRESENT AND EQUAL TO 0.                                                                                                                                                                   | Both                    |
|                    | 2653            | DE22S5 CARDHOLDER PRESENT DATA INVALID. MUST EQUAL 5.                                                                                                                                                    | Both                    |
|                    | 2903            | DE22S5 MUST BE PRESENT AND EQUAL TO 5 FOR THE APPLICABLE CARD NOT PRESENT IRD. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                    | Both                    |
|                    | 2904            | DE22S5 MUST BE PRESENT AND EQUAL TO 1, 2, 3, 4, OR 5 FOR THE CARD NOT PRESENT IRDS-MERCHANT DOES NOT SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2911            | DE22S5 MUST CONTAIN THE VALUE 1, 2, 3, 4, OR 5 FOR THE IRD SUBMITTED.                                                                                                                                    | Both                    |
|                    | 2967            | DE22S5 CARD HOLDER PRESENT DATA MUST BE PRESENT AND BE EQUAL TO 4.                                                                                                                                       | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 8532            | DE22S5 CARDHOLDER PRESENT DATA NOT VALID FOR E-COMMERCE INPUT MODE.                                                                                               | Both                    |
|                    | 8679            | DE22S5 CARDHOLDER PRESENT DATA INVALID FOR A NON E-COMMERCE INPUT MODE/CHIP SECURED REMOTE PAYMENTS.                                                              | Both                    |
| DE 22, s6          | 0052            | DE22S6 CARD PRESENT DATA INVALID. MUST BE <VALLIST>.                                                                                                              | Both                    |
|                    | 2372            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                          | Both                    |
|                    | 2380            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                          | Both                    |
|                    | 2384            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                          | Both                    |
|                    | 2399            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                          | Both                    |
|                    | 2406            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                          | Both                    |
|                    | 2412            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 0.                                                                                                          | Both                    |
|                    | 2498            | DE22S6 CARD PRESENT DATA MUST BE PRESENT AND EQUAL TO 1.                                                                                                          | Both                    |
|                    | 2508            | DE22S6 MUST BE PRESENT AND CANNOT EQUAL TO 1.                                                                                                                     | Both                    |
|                    | 2636            | DE22S6 MUST BE PRESENT AND EQUAL TO 1.                                                                                                                            | Both                    |
|                    | 2902            | DE22S6 MUST BE PRESENT AND EQUAL TO 0 FOR THE CARD NOT PRESENT IRDS, THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                       | Both                    |
|                    | 2912            | DE22S6 MUST CONTAIN THE VALUE 0 FOR THE IRD SUBMITTED.                                                                                                            | Both                    |
|                    | 2920            | DE22S6 MUST BE PRESENT AND EQUAL TO 1 FOR CARD PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                       | Both                    |
|                    | 2924            | DE22S5 MUST BE 4 AND DE22S7 MUST BE 7 FOR RECURRING PAYMENT CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
| DE 22, s7          | 0022            | DE22S7 CARD DATA: INPUT MODE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                      | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                           | Edit<br>performe<br>d by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2197            | WHEN DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA IS PRESENT DE22 POINT OF SERVICE DATA CODE MUST BE PRESENT AND DE22S7 CARD DATA: INPUT MODE MUST BE AN F, OR C, OR M, OR S. | Both                        |
|                    | 2227            | DE22S7 CARD DATA: INPUT MODE INVALID. MUST BE <VALLIST>.                                                                                                                                | GCMS                        |
|                    | 2260            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                                          | Both                        |
|                    | 2315            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND IN LIST OF ALLOWED VALUES.                                                                                                             | Both                        |
|                    | 2356            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE IS EQUAL TO S OR 7.                                                              | Both                        |
|                    | 2376            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F OR M.                                                                                                           | Both                        |
|                    | 2379            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 6.                                                                                                                            | Both                        |
|                    | 2385            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S.                                                                                                                        | Both                        |
|                    | 2400            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, B, C, F, OR M.                                                                                                          | Both                        |
|                    | 2401            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                                   | Both                        |
|                    | 2402            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S, T, OR 7 AND DE22S6 CARD PRESENT DATA MUST NOT CONTAIN 1 OR DE22S5 CARDHOLDER PRESENT DATA MUST NOT CONTAIN 0.          | Both                        |
|                    | 2408            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO 2, A, B, C, F, OR M.                                                                                                      | Both                        |
|                    | 2411            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 6.                                                                                                                            | Both                        |
|                    | 2417            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO C, F, OR M.                                                                                                                   | Both                        |
|                    | 2433            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO M.                                                                                                                            | Both                        |
|                    | 2445            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                                       | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2446            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 1, 6, OR 7.                                                                                                                             | Both                    |
|                    | 2467            | DE22S7 MUST BE PRESENT AND EQUAL TO A OR M.                                                                                                                                                       | Both                    |
|                    | 2477            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2, A, OR B.                                                                                                                             | Both                    |
|                    | 2500            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO S OR T.                                                                                                                             | Both                    |
|                    | 2506            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO S, T, OR 7.                                                                                                                             | Both                    |
|                    | 2551            | DE22S7 POINT OF SERVICE DATA MODE MUST BE PRESENT AND EQUAL TO T WHEN PDS0194 REMOTE PAYMENTS PROGRAM DATA IS PRESENT.                                                                            | Both                    |
|                    | 2593            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND EQUAL TO 2 OR B.                                                                                                                                 | Both                    |
|                    | 2662            | DE22S7 CARD DATA: INPUT MODE INVALID. MUST BE EQUAL TO 2, B, C, OR F.                                                                                                                             | Both                    |
|                    | 2685            | DE22S4 TERMINAL OPERATING ENVIRONMENT AND DE22S7 CARD DATA: INPUT MODE VALUE COMBINATION INVALID.                                                                                                 | Both                    |
|                    | 2686            | DE22S7 CARD DATA INVALID. SHOULD NOT BE A VALUE OF 'O'.                                                                                                                                           | GCMS                    |
|                    | 2817            | DE22S7 CARD DATA: INPUT MODE MUST BE PRESENT AND NOT EQUAL TO A OR M.                                                                                                                             | Both                    |
|                    | 2880            | DE22S7 MUST BE EQUAL TO S or 7.                                                                                                                                                                   | Both                    |
|                    | 2905            | DE22S7 MUST BE PRESENT AND EQUAL S OR 7 FOR THE CARD NOT PRESENT IRDS-ISSUER DOES NOT SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.         | Both                    |
|                    | 2907            | DE22S7 MUST CONTAIN A VALUE OF C, OR F FOR THE IRD SUBMITTED.                                                                                                                                     | Both                    |
|                    | 2908            | DE22S7 MUST BE PRESENT AND EQUAL S, T, OR 7 FOR THE CARD NOT PRESENT IRDS-MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2909            | DE22S7 MUST BE PRESENT AND EQUAL S, 1, OR 7 FOR THE CARD NOT PRESENT IRDS-MERCHANT DOESN'T SUPPORT 3DS AND TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.   | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2910            | DE22S7 MUST BE PRESENT AND CONTAIN A VALUE OF 2, A, B, C, F, OR M FOR THE IRD SUBMITTED.                       | Both                    |
|                    | 2913            | DE 22S7 MUST CONTAIN A VALUE OF 6, 7, R, S, OR T.                                                              | Both                    |
|                    | 2965            | DE22S7 CARD DATA: INPUT MODE MUST CONTAIN A VALUE OF C OR F.                                                   | Both                    |
|                    | 2974            | DE22S7 MUST BE PRESENT AND EQUAL TO S OR 7.                                                                    | Both                    |
|                    | 3011            | DE22S7 MUST CONTAIN THE APPROPRIATE VALUE.                                                                     | Both                    |
| DE 22, s8          | 0019            | INVALID UCAF COLLECTION INDICATOR OR DE22S8 NOT EQUAL TO 1.                                                    | Both                    |
|                    | 0019            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 2, 3, OR 5 (OR) DE22S8 CARD HOLDER AUTHENTICATION METHOD. | Both                    |
|                    | 0054            | DE22S8 CARDHOLDER AUTHENTICATION METHOD INVALID. MUST BE 0, 1, 2, 5, 6, 9, OR S.                               | Both                    |
|                    | 2377            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                        | Both                    |
|                    | 2387            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                        | Both                    |
|                    | 2403            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                        | Both                    |
|                    | 2409            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 1.                                        | Both                    |
|                    | 2426            | DE22S8 CARDHOLDER AUTHENTICATION METHOD MUST BE PRESENT AND EQUAL TO 0.                                        | Both                    |
| DE 22, s9          | 0055            | DE22S9 CARDHOLDER AUTHENTICATION ENTITY INVALID. MUST BE <VALLIST>.                                            | Both                    |
| DE 22, s10         | 0056            | DE22S10 CARD DATA OUTPUT CAPABILITY INVALID. MUST BE 0, 1, 2, 3, OR S.                                         | Both                    |
| DE 22, s11         | 0057            | DE22S11 TERMINAL DATA OUTPUT CAPABILITY INVALID. MUST BE 0, 1, 2, 3, OR 4.                                     | Both                    |
| DE 22, s12         | 0058            | DE22S12 PIN CAPTURE CAPABILITY INVALID. MUST BE 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, A, B, OR C.                      | Both                    |
| DE 23              | 0022            | DE23 CARD SEQUENCE NUMBER/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT                                       | Both                    |
| DE 23              | 0059            | DE23 CARD SEQUENCE NUMBER MUST BE NUMERIC.                                                                     | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0437            | DE23 CARD SEQUENCE NUMBER CONTAINS A VALUE IN THE RANGE OF 000-099.                                                          | Both                    |
| DE 24              | 0735            | DE24 FUNCTION CODE MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                        | Both                    |
|                    | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                                                          | Both                    |
| DE 25              | 0064            | DE25 MESSAGE REASON CODE MUST BE NUMERIC.                                                                                    | Both                    |
|                    | 0592            | DOCUMENTATION ALWAYS REQUIRED FOR THIS DE25 MESSAGE REASON CODE.                                                             | Both                    |
|                    | 0595            | DE25 MESSAGE REASON CODE NOT ALLOWED IF FIRST CHARGEBACK WAS FOR REQUESTED TRANSACTION INFORMATION NOT RECEIVED.             | GCMS                    |
|                    | 0711            | SUPPORT DOCUMENTATION NOT REQUIRED.                                                                                          | GCMS                    |
|                    | 0735            | DE25 MESSAGE REASON CODE MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                  | Both                    |
|                    | 0753            | REQUIRED SUPPORT DOCUMENTATION PROVIDED.                                                                                     | GCMS                    |
|                    | 2219            | DE25 MESSAGE REASON CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT (BUSINESS SERVICE ID & TYPE) AND ACCEPTANCE BRAND ID CODE. | Both                    |
|                    | 2260            | DE25 MESSAGE REASON CODE MUST BE PRESENT AND IN LIST OF ALLOWED VALUES.                                                      | GCMS                    |
|                    | 2272            | SECOND PRESENTMENT NOT ALLOWED FOR FIRST CHARGEBACK MESSAGE REASON CODE OF 4804, 4809, OR 4811.                              | GCMS                    |
|                    | 2460            | DE25 MESSAGE REASON CODE IS NOT ALLOWED BETWEEN THE ACQUIRER AND ISSUER COUNTRIES.                                           | Both                    |
| DE 26              | 0161            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID.                                                                                   | Both                    |
|                    | 0735            | DE26 ACCEPTOR BUSINESS CODE (MCC) MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                         | Both                    |
|                    | 0986            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6011 AUTOMATED CASH DISBURSEMENT FOR DE3S1, PROCESSING CODE 01.           | Both                    |
|                    | 0988            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE DESIGNATED AS UNIQUE FOR DE3S1, PROCESSING CODE 18.                       | Both                    |
|                    | 1138            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID. MUST BE 6010 MANUAL CASH DISBURSEMENT FOR DE3S1, PROCESSING CODE 12.              | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2223            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                          | Both                    |
|                    | 2224            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.  | Both                    |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                    |
|                    | 2281            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT AND INTERCHANGE PROGRAM.                                                                 | Both                    |
|                    | 2282            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                          | Both                    |
|                    | 2283            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT AND ACCEPTANCE BRAND ID CODE FOR INTERCHANGE PROGRAM.                                    | Both                    |
|                    | 2284            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                          | Both                    |
|                    | 2536            | DE26 ACCEPTOR BUSINESS CODE INVALID FOR ATM FUNDING TRANSACTION.                                                                                                    | Both                    |
| DE 30              | 0077            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                     | Both                    |
|                    | 0078            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                                    | Both                    |
|                    | 0735            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                                                           | Both                    |
|                    | 1016            | DE30 AMOUNTS, ORIGINAL MUST BE PRESENT AND NONZERO IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                                               | Both                    |
|                    | 1019            | DE30 AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                                                                             | Both                    |
| DE 30, S2          | 0076            | DE30S2 ORIGINAL AMOUNT, RECONCILIATION MUST BE ZERO-FILLED.                                                                                                         |                         |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 31              | 0735            | DE31 ACQUIRER REFERENCE DATA MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                     | Both                    |
|                    | 2181            | DE31 ACQUIRER REFERENCE DATA MUST BE A FIXED LENGTH OF 23.                                                          | Both                    |
|                    | 2328            | ACQUIRER MEMBER ID NOT REGISTERED FOR GAMING SERVICE.                                                               | Both                    |
|                    | 2723            | LIFE CYCLE MESSAGES NOT ALLOWED FOR INSTALLMENT SPLIT TRANSACTIONS.                                                 | Both                    |
| DE 31, s1          | 0080            | DE31S1 FILLER MUST BE NUMERIC.                                                                                      | Both                    |
|                    | 3019            | DE31SF1 MUST BE A VALID VALUE STARTING WITH "7"                                                                     | Both                    |
| DE 31, s2          | 0081            | DE31S2 ACQUIRER'S REFERENCE MUST BE NUMERIC.                                                                        | Both                    |
|                    | 1087            | DE31S2 ACQUIRER'S BIN NOT A VALID ACQUIRER BIN.                                                                     | Both                    |
|                    | 2261            | DE31S2 ACQUIRER'S BIN MUST BE POS EMV COMPLIANT.                                                                    | Both                    |
|                    | 2262            | DE31S2 ACQUIRER'S BIN MUST BE MERCHANT UCAF ELIGIBLE.                                                               | Both                    |
|                    | 2289            | ACQUIRER MUST HAVE POS TERMINAL THAT IS EMV COMPLIANT.                                                              | Both                    |
|                    | 2290            | ACQUIRER MUST HAVE ATM TERMINAL THAT IS EMV COMPLIANT.                                                              | Both                    |
|                    | 2939            | DE31S2 IS NOT REGISTERED FOR EMBEDDED NEGOTIATED INTERCHANGE.                                                       | Both                    |
| DE 31, s3          | 0086            | DE31S3 JULIAN PROCESSING DATE YDDD OF DE31 ACQUIRER REFERENCE DATA MUST BE A VALID DATE IN THE FORMAT YDDD.         | Both                    |
| DE 31, s4          | 0083            | DE31S4 ACQUIRER'S SEQUENCE NUMBER MUST BE NUMERIC.                                                                  | Both                    |
| DE 31, s5          | 0085            | DE31S5 CHECK DIGIT MUST BE NUMERIC.                                                                                 | Both                    |
|                    | 0087            | DE31S5 CHECK DIGIT DOES NOT MOD-CHECK.                                                                              | Both                    |
| DE 32              | 0089            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC.                                                                 | Both                    |
|                    | 0090            | DE32 ACQUIRING INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 01-11.                                           | Both                    |
|                    | 2196            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                         | Both                    |
| DE 33              | 0735            | DE33 FORWARDING INSTITUTION ID CODE MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.              | Both                    |
|                    | 0790            | INVALID DE33 FORWARDING INSTITUTION ID CODE FOR SECOND PRESENTMENT (FULL) OR SECOND PRESENTMENT (PARTIAL) MESSAGES. | Both                    |
|                    | 0808            | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                                                | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                 | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2180            | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                   | Both                    |
| DE 37              | 0091            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                  | Both                    |
|                    | 2208            | DE37 RETRIEVAL REFERENCE NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                                            | Both                    |
| DE 38              | 0093            | DE38 APPROVAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                               | Both                    |
|                    | 0094            | DE38 APPROVAL CODE CONTAINS EMBEDDED SPACES.                                                                  | Both                    |
|                    | 0095            | DE38 APPROVAL CODE MUST BE LEFT JUSTIFIED.                                                                    | Both                    |
|                    | 0780            | DE38 APPROVAL CODE MUST BE PRESENT.                                                                           | Both                    |
|                    | 2198            | DE38 APPROVAL CODE CANNOT BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE CONTAINS AN F.                         | Both                    |
|                    | 2431            | TRANSACTION DOES NOT QUALIFY FOR ALM INTERCHANGE.                                                             | GCMS                    |
| DE 40              | 0053            | DE40 SERVICE CODE INVALID. MUST BE <VALLIST>.                                                                 | Both                    |
|                    | 2183            | DE40 SERVICE CODE MUST BE NUMERIC.                                                                            | Both                    |
|                    | 2625            | DE40 SERVICE CODE MUST BE PRESENT AND EQUAL TO <VALLIST>.                                                     | Both                    |
| DE 41              | 0096            | DE41 ACCEPTOR TERMINAL ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                        | Both                    |
|                    | 2182            | DE41 ACCEPTOR TERMINAL ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                  | Both                    |
| DE 42              | 0098            | DE42 ACCEPTOR ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                            | Both                    |
|                    | 0766            | DE42 ACCEPTOR ID CODE MUST BE PRESENT.                                                                        | Both                    |
|                    | 2182            | DE42 ACCEPTOR ID CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                      | Both                    |
| DE 43              | 0100            | DE43 ACCEPTOR NAME/LOCATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                      | Both                    |
|                    | 0101            | DE43 ACCEPTOR NAME/LOCATION MUST BE 20-99.                                                                    | Both                    |
|                    | 0107            | WITHIN DE43 ACCEPTOR NAME/LOCATION, 3 BACKSLASH CHARACTERS ARE REQUIRED TO DELIMIT NAME\STREET ADDRESS\CITY\. | Both                    |
|                    | 0340            | DE43 ACCEPTOR NAME/LOCATION MUST BE PRESENT.                                                                  | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 43, s1          | 0069            | DE43S1 ACCEPTOR NAME IS REQUIRED AND MUST CONTAIN A VALID VALUE.                                                                    | Both                    |
|                    | 0102            | DE43S1 ACCEPTOR NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                    |
|                    | 0103            | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1–22.                                                                                           | Both                    |
|                    | 0108            | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                          | Both                    |
|                    | 0735            | DE43S1 ACCEPTOR NAME MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                             | Both                    |
|                    | 2229            | DE43S1 ACCEPTOR NAME INVALID. MUST CONTAIN ABBREVIATED AIRLINE NAME FOLLOWED BY DELIMITER, OR SPACES AND DELIMITER.                 | Both                    |
| DE 43, s2          | 0625            | DE43S2 ACCEPTOR STREET ADDRESS REQUIRED.                                                                                            | Both                    |
| DE 43, s3          | 0539            | DE43S3 ACCEPTOR CITY MUST BE PRESENT.                                                                                               | Both                    |
|                    | 0104            | DE43S3 ACCEPTOR CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                    |
|                    | 0105            | DE43S3 ACCEPTOR CITY LENGTH CANNOT EXCEED 13.                                                                                       | Both                    |
|                    | 0539            | DE43S3 ACCEPTOR CITY MUST BE PRESENT.                                                                                               | Both                    |
|                    | 2182            | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                             | Both                    |
| DE 43, s4          | 0109            | DE43S4 ACCEPTOR POSTAL (ZIP) CODE NOT LEFT JUSTIFIED.                                                                               | Both                    |
| DE 43, s5          | 0623            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                           | Both                    |
|                    | 2167            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                           | Both                    |
| DE 43, s6          | 0112            | DE43S6 ACCEPTOR COUNTRY CODE MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                        | Both                    |
|                    | 0405            | INVALID TRANSACTION FOR THE COUNTRY/REGION.                                                                                         | Both                    |
|                    | 0589            | DE43S6 ACCEPTOR COUNTRY CODE MUST BE COMPATIBLE WITH DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE.                               | Both                    |
|                    | 2269            | DE43S6 ACCEPTOR COUNTRY CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID AND TYPE> ACCEPTANCE BRAND ID CODE <AB>. | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2979            | DE43S6 EQUALS CHN AND ACQUIRER BIN COUNTRY MUST BE CHINA AND ISSUER DE2 IS ASSOCIATED TO REGION C BUT COUNTRY CODE NOT EQUAL CHINA.                 | Both                    |
|                    | 3010            | IRD NOT APPLICABLE. TRANSACTION ORIGINATION COUNTRY AND DESTINATION COUNTRY DOES NOT FIT THE CRITERIA.                                              | Both                    |
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                   | Both                    |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008–999.                                                                                                        | Both                    |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62.           | Both                    |
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                                             | Both                    |
| DE 49              | 0119            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                            | Both                    |
|                    | 0120            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                           | Both                    |
|                    | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE49 CURRENCY CODE, TRANSACTION MUST BE PROVIDED.                                                            | Both                    |
|                    | 0735            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                                  | Both                    |
|                    | 1086            | DE49 CURRENCY CODE, TRANSACTION FOR SECOND PRESENTMENT MESSAGE MUST CONTAIN A VALUE OF 840 OR THE INTRACURRENCY AGREEMENT SETTLEMENT CURRENCY CODE. | GCMS                    |
|                    | 2670            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                            | GCMS                    |
| DE 50              | 0123            | DE50 CURRENCY CODE, RECONCILIATION MUST BE NUMERIC.                                                                                                 | Both                    |
|                    | 0124            | DE50 CURRENCY CODE, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                               | Both                    |
|                    | 0126            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE50 CURRENCY CODE, RECONCILIATION MUST BE PROVIDED.                                                         | Both                    |
|                    | 0129            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                         | Both                    |
|                    | 2670            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                         | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                        | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 51              | 0133            | DE51 CURRENCY CODE, CARDHOLDER BILLING MUST BE NUMERIC.                                                              | Both                    |
|                    | 0134            | DE51 CURRENCY CODE, CARDHOLDER BILLING MUST BE PRESENT IN A MESSAGE WHEN DE6 AMOUNT, CARDHOLDER BILLING IS PROVIDED. | Both                    |
|                    | 0136            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE51 CURRENCY CODE, CARDHOLDER BILLING MUST BE PROVIDED.                      | Both                    |
|                    | 2670            | DE51 CURRENCY CODE, CARDHOLDER BILLING MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                      | GCMS                    |
| DE 54              | 2311            | DE54 AMOUNTS, ADDITIONAL NOT PRESENT FOR PURCHASE WITH CASH BACK TRANSACTION.                                        | Both                    |
| DE 54, s2          | 2265            | DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE INVALID.                                                                       | Both                    |
|                    | 2312            | DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE VALUE NOT PERMITTED.                                                           | Both                    |
|                    | 2436            | DE54S2 VALUE INVALID FOR THE INTERCHANGE PROGRAM                                                                     | Both                    |
|                    | 2711            | SUM OF VAT TAX, IAC TAX, AND TIP MUST BE LESS THAN DE 4 (AMOUNT, TRANSACTION).                                       | Both                    |
| DE 54, s3          | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE PROVIDED.                     | Both                    |
|                    | 2292            | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST BE EQUAL TO DE49 CURRENCY CODE TRANSACTION.                             | Both                    |
|                    | 2469            | DE54S3 ADDITIONAL AMOUNT, CURRENCY CODE MUST NOT EQUAL THE VALUE IN DE49.                                            | Both                    |
| DE 54, s4          | 2185            | DE54S4 ADDITIONAL AMOUNT, AMOUNT SIGN MUST BE D OR C.                                                                | Both                    |
|                    | 2313            | AMOUNT SIGN MUST BE D (DEBIT TO RECIPIENT) FOR A CASH BACK OR SURCHARGE AMOUNT.                                      | Both                    |
| DE 54, s5          | 2183            | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE NUMERIC.                                                                    | Both                    |
|                    | 2294            | DE54S5 ADDITIONAL AMOUNT, AMOUNT MUST BE LESS THAN DE4 AMOUNT, TRANSACTION.                                          | Both                    |
|                    | 2479            | DE54S5 ADDITIONAL AMOUNT, SUM OF OCCURRENCES MUST BE LESS THAN OR EQUAL TO DE4.                                      | Both                    |
| DE 55              | 1057            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM-RELATED DATA LENGTH MUST BE 1–255.                                         | Both                    |
|                    | 1023            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM-RELATED DATA MUST BE PRESENT.                                              | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                         | Edit<br>performed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2184            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA CANNOT BE ALL LOW-VALUES, ALL HIGH-VALUES.     | Both                    |
|                    | 2200            | DE55 INTEGRATED CIRCUIT CARD (ICC) SYSTEM RELATED DATA CANNOT BE ALL ZEROS OR ALL SPACES.             | GCMS                    |
| DE 62              | 0165            | DE62 ADDITIONAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                   | Both                    |
|                    | 0166            | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008–999.                                                        | Both                    |
|                    | 0168            | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                          | Both                    |
|                    | 0169            | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                        | Both                    |
| DE 63              | 2181            | DE63 TRANSACTION LIFE CYCLE ID LENGTH MUST BE A FIXED LENGTH OF 016.                                  | Both                    |
|                    | 2184            | DE63 TRANSACTION LIFE CYCLE ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                           | Both                    |
|                    | 2489            | DE63 TRANSACTION LIFE CYCLE ID MISSING OR INVALID. TRANSACTION CANNOT BE SUBMITTED FOR PRIVATE LABEL. | GCMS                    |
| DE 63, s1          | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE A SPACE.                                                  | Both                    |
| DE 63, s2          | 0141            | DE63S2 TRACE ID POSITIONS 10–13 MUST BE A VALID DATE IN THE FORMAT MMDD.                              | Both                    |
|                    | 0142            | THE FIRST NINE POSITIONS OF DE63S2 TRACE ID CANNOT CONTAIN EMBEDDED SPACES.                           | Both                    |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                  | Both                    |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 VALUE FROM THE PREVIOUS MESSAGE.                    | Both                    |
|                    | 0735            | DE71 MESSAGE NUMBER MUST BE PRESENT IN ARBITRATION CHARGEBACK (FULL AND PARTIAL) MESSAGES.            | Both                    |
| DE 72              | 0151            | DE72 DATA RECORD CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                         | Both                    |
|                    | 0603            | DE72 DATA RECORD LENGTH CANNOT EXCEED 999.                                                            | Both                    |
|                    | 2180            | DE72 DATA RECORD LENGTH MUST BE 001–100.                                                              | Both                    |
|                    | 2208            | DE72 DATA RECORD CANNOT BE ALL ZEROS OR ALL SPACES.                                                   | Both                    |
| DE 93              | 0155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE NUMERIC.                                     | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID.                                                          | Both                    |
|                    | 1155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE CANNOT BE FLAGGED FOR INTERNAL USE ONLY.                          | Both                    |
|                    | 1158            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED AS AN ACQUIRER ONLY BY MASTERCARD.                  | GCMS                    |
|                    | 1209            | DE93/DE94 MUST NOT BE A PSEUDO ICA FOR OTHER THAN ONBEHALF WALLET FEE COLLECTION MESSAGE                           | GCMS                    |
|                    | 2180            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE LENGTH MUST BE 006–011.                                           | Both                    |
|                    | 2630            | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                            | GCMS                    |
|                    | 2668            | TRANSACTION BLOCKED FOR RECEIVER.                                                                                  | GCMS                    |
|                    | 2669            | TRANSACTION BLOCKED FOR RECEIVER.                                                                                  | GCMS                    |
| DE 94              | 0159            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                   | Both                    |
|                    | 0161            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                           | Both                    |
|                    | 0546            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE/ ACQUIRER BIN (DE31S2) COMBINATION INVALID.                        | Both                    |
|                    | 0550            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                     | Both                    |
|                    | 0735            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES. | Both                    |
|                    | 1175            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SENDING PROCESSOR ID IN PARAMETER MASTER.              | Both                    |
|                    | 2180            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006–011.                                            | Both                    |
|                    | 2666            | TRANSACTION BLOCKED FOR SENDER.                                                                                    | GCMS                    |
|                    | 2667            | TRANSACTION BLOCKED FOR SENDER.                                                                                    | GCMS                    |
| DE 95              | 0649            | DUPLICATE DE95 CARD ISSUER REFERENCE DATA.                                                                         | GCMS                    |
|                    | 0726            | PREVIOUS CYCLE NOT ON FILE.                                                                                        | Both                    |
|                    | 0735            | DE95 CARD ISSUER REFERENCE DATA MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                 | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 1177            | DE95 CARD ISSUER REFERENCE DATA MUST BE NUMERIC.                                                                                                               | Both                    |
|                    | 2177            | DE95 CARD ISSUER REFERENCE DATA MUST BE A FIXED LENGTH OF 010.                                                                                                 | Both                    |
| DE 123             | 0170            | DE123 ADDITIONAL DATA 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 0171            | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008-999.                                                                                                                | Both                    |
|                    | 0173            | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124.                 | Both                    |
|                    | 0174            | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                                    | Both                    |
| DE 124             | 0179            | DE124 ADDITIONAL DATA 4 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, AND DE123 ADDITIONAL DATA 3 ARE PRESENT.                          | Both                    |
|                    | 2151            | DE124 ADDITIONAL DATA 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 2152            | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008-999.                                                                                                                | Both                    |
|                    | 2154            | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125.                 | Both                    |
|                    | 0175            | DE125 ADDITIONAL DATA 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 0176            | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008-999.                                                                                                                | Both                    |
|                    | 0178            | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED.                | Both                    |
|                    | 2155            | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                    |
| PDS 0001           | 0503            | PDS0001 MASTERCARD MAPPING SERVICE ACCOUNT NUMBER NOT ALLOWED IN <MSGTYPE>.                                                                                    | GCMS                    |
| PDS 0001,<br>s1    | 2879            | PDS0001S1 MUST BE EQUAL TO 'C', OR 'CC' OR 'H' OR 'HC'.                                                                                                        | GCMS                    |
|                    | 2881            | PDS0001S1 MUST BE EQUAL TO 'C' OR 'CC' OR 'H' OR 'HC' OR 'O' OR 'OC'.                                                                                          | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                 | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0021           | 2873            | PDS021 INVALID. MUST BE IP2201T1.                                                                                                                                                                             | Both                    |
|                    | 2874            | PDS021 MUST BE A FIXED LENGTH OF 001.                                                                                                                                                                         | Both                    |
| PDS 0022           | 0428            | PDS0022S MUST BE FIXED LENGTH OF 001.                                                                                                                                                                         | Both                    |
| PDS 0023           | 0022            | PDS0023 TERMINAL TYPE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                                                                         | Both                    |
|                    | 0181            | PDS0023 TERMINAL TYPE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                                            | Both                    |
|                    | 0182            | PDS0023 TERMINAL TYPE MUST BE A FIXED LENGTH OF 003.                                                                                                                                                          | Both                    |
|                    | 0184            | PDS0023 TERMINAL TYPE MUST CONTAIN A VALID VALUE OF ATM, CT1, CT2, CT3, CT4, CT6, CT7, MAN, NA, OR POI.                                                                                                       | Both                    |
|                    | 0596            | PDS0023 TERMINAL TYPE/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT.                                                                                                                                         | Both                    |
|                    | 1092            | PDS0023 TERMINAL TYPE MISSING. MUST BE PRESENT IN NON-REVERSAL SECOND PRESENTMENT (FULL) OR SECOND PRESENTMENT (PARTIAL) MESSAGES.                                                                            | Both                    |
|                    | 2519            | PDS0023 TERMINAL TYPE INVALID FOR MOBILE TOP-UP TRANSACTION.                                                                                                                                                  | GCMS                    |
|                    | 2715            | PDS0023 TERMINAL TYPE INVALID, MUST BE 1, 2, 5, or 6.                                                                                                                                                         | Both                    |
|                    | 2842            | PDS0023 INVALID FOR A NON-E-COMMERCE TRANSACTION.                                                                                                                                                             | Both                    |
|                    | 2919            | PDS0023/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT FOR THE E-COMMERCE TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                | Both                    |
|                    | 2928            | PDS0023 MUST BE MAN OR NA IF PRESENT WHEN DE22S5 IS 1, 2, 3, 4; DE22S6 IS 0; AND DE22S7 IS 1 OR 7 FOR THE NON E-COMMERCE TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 8581            | PDS0023 TERMINAL TYPE NOT VALID FOR E-COMMERCE TRANSACTION/CHIP SECURED REMOTE PAYMENTS. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                         | Both                    |
|                    | 8677            | PDS0023 TERMINAL TYPE INVALID FOR A NON E-COMMERCE TRANSACTION/CHIP SECURED REMOTE PAYMENTS.                                                                                                                  | Both                    |
| PDS 0025           | 0187            | PDS0025 MESSAGE REVERSAL INDICATOR LENGTH FIELD MUST BE A VALUE OF 001-007.                                                                                                                                   | Both                    |
| PDS 0025,<br>s1    | 0185            | PDS0025S1 MESSAGE REVERSAL INDICATOR MUST BE EQUAL TO R OR A SPACE IF PRESENT.                                                                                                                                | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0025,<br>s2    | 0186            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.        | Both                    |
|                    | 0190            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.   | Both                    |
| PDS 0028           | 2870            | MPQR RECEIVING ACCOUNT NUMBER LENGTH MUST BE 001-034.                                                                    | Both                    |
|                    | 2871            | MPQR RECEIVING ACCOUNT NUMBER CONTAINS LEADING SPACES, OR NOT LEFT JUSTIFIED, OR CONTAINS ALL ZEROS.                     | Both                    |
| PDS 0029           | 2872            | MPQR DNAMIC QR DATA LENGTH MUST BE 001-237.                                                                              | Both                    |
| PDS 0042           | 2661            | MERCHANT CAPABILITY INVALID. MUST BE <VALLIST>.                                                                          | Both                    |
| PDS 0043           | 0194            | PDS0043 TRANSACTION TYPE ID MUST BE A FIXED LENGTH OF 003.                                                               | Both                    |
|                    | 2208            | PDS0043 TRANSACTION TYPE ID CANNOT BE ALL ZEROS OR ALL SPACES.                                                           | Both                    |
|                    | 2811            | PDS0043 MUST EQUAL TO C91, C92, C93, OR C94, THE PROCESSING CODE MUST BE 00 OR 20, AND THE TRANSACTION MUST BE DOMESTIC. | GCMS                    |
|                    | 2436            | TRANSACTION TYPE ID VALUE INVALID FOR THE INTERCHANGE PROGRAM.                                                           | Both                    |
|                    | 2862            | IRD submitted on PDS0158S4 is not correct for Utility Payments Transaction Type ID submitted on PDS0043.                 | GCMS                    |
|                    | 2863            | IRD submitted on PDS0158S4 is not correct for Coupon Booklet Payments Transaction Type ID submitted on PDS0043.          | GCMS                    |
|                    | 2864            | IRD submitted on PDS0158S4 is not correct for Government Services Transaction Type ID submitted on PDS0043.              | GCMS                    |
|                    | 2865            | IRD submitted on PDS0158S4 is not correct for Mobile Phone Top-Ups Transaction Type ID submitted on PDS0043.             | GCMS                    |
|                    | 0503            | PDS0044 PROGRAM PARTICIPATION INDICATOR NOT ALLOWED IN <MSGTYPE>.                                                        | Both                    |
| PDS 0052           | 2181            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE A FIXED LENGTH OF 3.                                        | Both                    |
|                    | 2183            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE NUMERIC.                                                    | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2356            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR MUST BE PRESENT WHEN DE22S7 CARD DATA: INPUT MODE IS EQUAL TO S OR 7.                                                                                                                                                                          | Both                    |
|                    | 2714            | PDS0052 ELECTRONIC COMMERCE SECURITY LEVEL INDICATOR, POSITION 2 CANNOT BE EQUAL TO VALUE 4 FOR THE IRD PROVIDED.                                                                                                                                                                                   | Both                    |
|                    | 2914            | PDS0052 MUST BE PRESENT AND EQUAL TO 211 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT SUPPORTS 3DS OR TOKENIZATION; ISSUER DOES NOT SUPPORT. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                   | Both                    |
|                    | 2915            | FOR AUTHENTICATED ECOMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 212 OR 217 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 2916            | FOR NONAUTHENTICATED DSRP TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 246 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS T FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.               | Both                    |
|                    | 2917            | FOR AUTHENTICATED DSRP ECOMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 242 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.        | Both                    |
|                    | 2918            | FOR E-COMMERCE TRANSACTIONS, PDS0052 MUST BE PRESENT AND EQUAL TO 210 WHEN DE22S6 IS 0, DE22S5 IS 5, AND DE22S7 IS S OR 7 FOR THE CARD NOT PRESENT IRDS—MERCHANT AND ISSUER SUPPORT 3DS OR TOKENIZATION. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                     | Both                    |
|                    | 2922            | PDS0052 INVALID FOR THE PARTIAL SHIPMENT E-COMMERCE TRANSACTION WHEN DE22S5 IS 5, DE22S6 IS 0, DE22S7 IS S OR 7. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                                                                                             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2923            | PDS0052 INVALID FOR THE DSRP TRANSACTION WHEN DE22S5 IS 5, DE22S6 IS 0, AND DE22S7 IS S OR 7. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.                                             | Both                    |
|                    | 2926            | PDS0052 MUST BE 247 AND PDS0023 (IF PRESENT) MUST BE MAN OR NA FOR THE RECURRING PAYMENT DSRP CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY.              | Both                    |
|                    | 2927            | PDS0052 MUST BE 210 OR 217 AND PDS0023 (IF PRESENT) MUST BE MAN OR NA FOR THE RECURRING PAYMENT E-COMMERCE CARD NOT PRESENT TRANSACTIONS. THIS EDIT IS APPLICABLE WITHIN REGION E TO REGION E TRANSACTIONS ONLY. | Both                    |
|                    | 3111            | PDS 0052 MUST BE PRESENT AND NOT EQUAL 210 AND/OR PDS 0059 POSITIONS 1-3 MUST BE PRESENT AND NOT EQUAL 000                                                                                                       | GCMS                    |
| PDS 0052,<br>s3    | 0008            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID. MUST BE 1.                                                                                                                                                          | Both                    |
|                    | 0008            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID. MUST BE 1.<br><b>(Applies only to Europe region acquirers.)</b>                                                                                                     | Both                    |
|                    | 0019            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 2, 3, OR 5.                                                                                                                                                 | Both                    |
|                    | 0019            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID. MUST BE 1.<br><b>(Applies only to Europe region acquirers.)</b>                                                                                                     | Both                    |
|                    | 2185            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1, 2, 3, 4, 5, OR 6.                                                                                                                                        | Both                    |
|                    | 2420            | PDS0052S3 UCAF COLLECTION INDICATOR INVALID, MUST BE 1 OR 2.                                                                                                                                                     | Both                    |
|                    | 2836            | PDS0052S3 UCAF COLLECTION INDICATOR MUST BE PRESENT AND CONTAIN THE VALUE OF 2 OR 5.                                                                                                                             | Both                    |
|                    | 2952            | PDS0052S3 UCAF COLLECTION INDICATOR MUST BE PRESENT AND EQUAL TO 1 OR 2 or 4                                                                                                                                     | Both                    |
| PDS 0057           | 2227            | PDS0057 TRANSACTION CATEGORY INDICATOR INVALID. MUST BE 01, 02, 03, or 04                                                                                                                                        | Both                    |
| PDS 0058           | 2183            | PDS0058 TOKEN ASSURANCE LEVEL MUST BE NUMERIC.                                                                                                                                                                   | Both                    |
| PDS 0059           | 2183            | PDS0059 TOKEN REQUESTOR ID MUST BE NUMERIC.                                                                                                                                                                      | Both                    |
| PDS 0080           | 0242            | PDS0080 AMOUNT, TAX INVALID.                                                                                                                                                                                     | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                            | Edit<br>performe<br>d by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2470            | PDS0080 AMOUNT, TAX LENGTH MUST BE <MIN-MAX>AND<br>MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 20.                 | GCMS                        |
| PDS 0080,<br>s3    | 0395            | PDS0080S3 CURRENCY CODE MUST CONTAIN NUMERIC ISO-<br>STANDARD CURRENCY CODE OCCURENCE <00>.                              | GCMS                        |
| PDS 080, s5        | 2185            | PDS0080S5 DEBIT/CREDIT INDICATOR MUST BE D OR C.                                                                         | GCMS                        |
| PDS 0105           | 2998            | PDS0105 TRANSACTION NOT ORIGINATED THROUGH<br>MASTERCOM.                                                                 | Both                        |
| PDS 0137           | 0756            | PDS0137 FEE COLLECTION CONTROL NUMBER LENGTH MUST<br>BE 17-20.                                                           | Both                        |
| PDS 0146           | 0381            | PDS0146 AMOUNTS, TRANSACTION FEE LENGTH MUST BE 036-<br>432 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE<br>LENGTH OF 36. | Both                        |
|                    | 1023            | PDS0146 AMOUNTS, TRANSACTION FEE MUST BE PRESENT.                                                                        | Both                        |
|                    | 2557            | PDS0146 AMOUNTS, TRANSACTION FEE MUST BE IN MEXICAN<br>PESOS (484).                                                      | Both                        |
| PDS 0146,<br>s1    | 0386            | PDS0146S1 FEE TYPE CODE MUST BE 00-99. OCCURRENCE<br>INDICATOR <XX>.                                                     | Both                        |
| PDS 0146,<br>s2    | 0387            | PDS0146S2 FEE PROCESSING CODE MUST BE 00, 19, OR 29.<br>OCCURRENCE INDICATOR <XX>.                                       | Both                        |
| PDS 0146,<br>s3    | 1102            | PDS0146S3 FEE SETTLEMENT INDICATOR MUST BE 00 OR 01.                                                                     | Both                        |
| PDS 0146,<br>s4    | 1059            | PDS0146S4 CURRENCY CODE, FEE MUST CONTAIN A VALID<br>NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE<br><XX>.             | Both                        |
|                    | 2658            | PDS0146S4 CURRENCY CODE, FEE MUST BE PRESENT AND<br>CONTAIN COLOMBIA PESOS (170).                                        | Both                        |
| PDS 0146,<br>s5    | 0385            | PDS0146S5 AMOUNT, FEE NOT NUMERIC. OCCURRENCE <XX>.                                                                      | Both                        |
| PDS 0148           | 0393            | PDS0148 CURRENCY EXPONENTS CANNOT BE ALL LOW-<br>VALUES OR ALL HIGH-VALUES.                                              | Both                        |
|                    | 0394            | PDS0148 CURRENCY EXPONENTS LENGTH MUST BE 04-60 AND<br>MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 04.             | Both                        |
|                    | 0735            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN<br>SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                         | Both                        |
|                    | 2310            | PDS0148 CURRENCY EXPONENTS INVALID FIELD LENGTH.                                                                         | Clearing<br>Optimizer       |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0148,<br>s1    | 0395            | PDS0148S1 CURRENCY CODE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                        | Both                    |
| PDS 0148,<br>s2    | 0396            | PDS0148S2 CURRENCY EXPONENT MUST BE VALID FOR THE CORRESPONDING CURRENCY CODE IN SUBFIELD 1. OCCURRENCE <XX>.            | Both                    |
| PDS 0149           | 0398            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                               | Both                    |
|                    | 0399            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL LENGTH MUST BE A FIXED LENGTH OF 006.                                          | Both                    |
|                    | 0402            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT PDS0148 CURRENCY EXPONENTS IS NOT PRESENT.                      | Both                    |
|                    | 0404            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT DE30 AMOUNT, ORIGINAL IS NOT PRESENT.                           | Both                    |
|                    | 0735            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT.                                                               | Both                    |
| PDS 0149,<br>s1    | 0400            | PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.            | Both                    |
|                    | 0403            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MISSING. MUST BE PROVIDED. | Both                    |
| PDS 0149,<br>s2    | 0401            | PDS0149S2 CURRENCY CODE, ORIGINAL RECONCILIATION AMOUNT MUST BE ALL ZEROS.                                               | Both                    |
| PDS 0157           | 2181            | PDS0157 ALTERNATE PROCESSOR INDICATOR MUST BE A FIXED LENGTH OF 4.                                                       | Both                    |
|                    | 2227            | PDS0157 ALTERNATE PROCESSOR INDICATOR INVALID. MUST BE ALTC.                                                             | Both                    |
|                    | 2531            | PDS0157 ALTERNATE PROCESSOR INDICATOR ONLY VALID FOR COLLECTION ONLY TRANSACTIONS.                                       | Both                    |
| PDS 0158           | 0407            | PDS0158 BUSINESS ACTIVITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                   | Both                    |
|                    | 0735            | PDS0158 BUSINESS ACTIVITY MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                             | Both                    |
|                    | 2180            | PDS0158 BUSINESS ACTIVITY LENGTH MUST BE 003-029.                                                                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2808            | TRANSACTION INVALID WHEN TRANSACTION QUALIFIES FOR THE IRD ON-BEHALF SERVICE AND PDS0158 (BUSINESS ACTIVITY) S1, S2, OR S3 ARE NOT SPACE FILLED VALUES AND S4 IS SPACE FILLED.                    | Both                    |
| PDS 0158,<br>s1    | 2007            | ACCEPTANCE BRAND ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                                                                                              | Both                    |
|                    | 2227            | PDS0158S1 ACCEPTANCE BRAND ID CODE INVALID. MUST BE CIR, CLP, DDB, DMC, MAV, MCC, MSI, PRO, PVL, VIS, or SPACES/ BLANK                                                                            | Both                    |
|                    | 2504            | CARD PROGRAM IDENTIFIER <AB> IS INVALID FOR THE PRIMARY ACCOUNT NUMBER.                                                                                                                           | Both                    |
| PDS 0158,<br>s2    | 2009            | NO BUSINESS SERVICE ARRANGEMENT EXISTS FOR THE MEMBER PAIR.                                                                                                                                       | Both                    |
|                    | 2366            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR WHEN THE CENTRAL ACQUIRING FLAG IS SET TO Y.                                                                                  | Both                    |
|                    | 2451            | SUBMITTED BUSINESS SERVICE ARRANGEMENT IS NOT VALID. MUST BE SUBMITTED FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>.                                                    | Both                    |
| PDS 0158,<br>s3    | 2010            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                                                                                              | Both                    |
|                    | 2218            | PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE MUST BE PRESENT AND VALID WHEN PDS0158S3 BUSINESS SERVICE ID CODE IS PRESENT.                                                                    | Both                    |
|                    | 2217            | PDS0158S3 BUSINESS SERVICE ID CODE MUST BE PRESENT AND VALID WHEN PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE IS PRESENT.                                                                    | Both                    |
|                    | 2288            | <BUSINESS SERVICE ID & TYPE> BUSINESS SERVICE ARRANGEMENT NOT ALLOWED IN GCMS. BUSINESS SERVICE ARRANGEMENT VALID ONLY IN CLEARING OPTIMIZER.                                                     | GCMS                    |
| PDS 0158,<br>s4    | 0631            | PDS0158S4 INTERCHANGE RATE DESIGNATOR AND PROCESSING CODE/REVERSAL INDICATOR COMBINATION INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Both                    |
|                    | 0670            | PDS0158S4 INTERCHANGE RATE DESIGNATOR DOES NOT MEET TIMELINESS CRITERIA AND/OR DE12S1 DATE CONTAINS INVALID DATA.                                                                                 | Both                    |
|                    | 0769            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID FOR FLEET TRANSACTION AT FUEL LOCATION.                                                                                                             | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                        | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2221            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MISSING FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                                       | Both                    |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.                                  | Both                    |
|                    | 2265            | DE03 PROCESSING CODE INVALID. DE54S2 ADDITIONAL AMOUNT, AMOUNT TYPE INVALID. PDS0159S8 SETTLEMENT DATE INVALID. PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID.                                       | GCMS                    |
|                    | 2341            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID. FOR ACCOUNT RANGES STARTING WITH 36 AND HAVE A MERCHANT COUNTRY (DE43S6) IN THE CARIBBEAN OR U.S. TERRITORIES THEN THE TRANSACTION MUST BE <VALLIST>. | Both                    |
|                    | 2425            | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT VALID FOR ENFORCED BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                         | Both                    |
|                    | 2459            | PDS0158S4 INTERCHANGE RATE DESIGNATOR NOT VALID FOR APPROVAL CODE AND CONSUMER BRAND PRODUCT COMBINATION.                                                                                            | Both                    |
|                    | 2538            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN ASSOCIATED PAN IS A PAY WITH REWARDS CARD.                                                                                                        | GCMS                    |
|                    | 2664            | ISSUER CONTACTLESS INDICATOR VALUE/IRD COMBINATION IS NOT VALID.                                                                                                                                     | Both                    |
|                    | 2691            | PDS158SF4 IS INVALID FOR THE ISSUER COUNTRY KOREA.                                                                                                                                                   | Both                    |
|                    | 2709            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID WHEN MERCHANT OR ACQUIRER COUNTRY IS NOT CHINA OR ISSUER COUNTRY IS CHINA.                                                                             | Both                    |
|                    | 2730            | IRD CO VALID ONLY FOR CASH ACCESS TRANSACTION DE3S1 EQUALS 09.                                                                                                                                       | Both                    |
|                    | 2815            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST NOT BE EQUAL TO EB OR EG WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD PRESENT EEA RESTRICTED RATES.                                          | Both                    |
|                    | 2821            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST BE EQUAL TO EB OR EG WHEN THE TRANSACTION QUALIFIES FOR THE CARD PRESENT EEA RESTRICTED RATES.                                                     | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2891            | PDS0158S54 AND DE22S5, DE22S6, AND DE22S7 IRD MUST BE EQUAL TO EV OR EW WHEN THE TRANSACTION QUALIFIES FOR CARD NOT PRESENT EEA RESTRICTED RATES.               | Both                    |
|                    | 2892            | PDS0158S4 AND DE22S5, DE22S6, AND DE22S7 IRD MUST NOT BE EQUAL TO EV OR EW WHEN THE TRANSACTION DOES NOT QUALIFY FOR THE CARD NOT PRESENT EEA RESTRICTED RATES. | Both                    |
|                    | 2999            | PDS0158S4 MUST CONTAIN IRD FI WHEN EMBEDDED NEGOTIATED INTERCHANGE SUBMITTED FROM MASTERCOM.                                                                    | Both                    |
|                    | 3088            | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS ONLY PERMITTED IF THE MERCHANT COUNTRY, ACQUIRER COUNTRY, AND ISSUER ACCOUNT RANGE COUNTRY ARE ALL THE U.S.            | Both                    |
|                    | 3089            | PDS0158S4 INTERCHANGE RATE DESIGNATOR IS NOT PERMITTED IF THE MERCHANT COUNTRY, ACQUIRER COUNTRY, AND ISSUER ACCOUNT RANGE COUNTRY ARE ALL THE U.S.             | Both                    |
| PDS 0158,<br>s5    | 0648            | LESS THAN MINIMUM TIMELINESS VALUE OF 3 DAYS.                                                                                                                   | GCMS                    |
|                    | 0686            | BUSINESS DATE RECEIVED AFTER 45 DAYS.                                                                                                                           | GCMS                    |
|                    | 2701            | BUSINESS DATE RECEIVED AFTER 5 DAYS.                                                                                                                            | GCMS                    |
| PDS 0159           | 0735            | PDS0159 SETTLEMENT DATA MUST BE PRESENT.                                                                                                                        | GCMS                    |
| PDS 0159,<br>s8    | 2186            | PDS0159S8 SETTLEMENT DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                            | GCMS                    |
|                    | 2265            | PDS0159S8 SETTLEMENT DATE INVALID.                                                                                                                              | GCMS                    |
| PDS 0165           | 0412            | PDS0165 SETTLEMENT INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                       | Both                    |
|                    | 0735            | PDS0165 SETTLEMENT INDICATOR MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                                                                 | Both                    |
|                    | 2180            | PDS0165 SETTLEMENT INDICATOR LENGTH MUST BE 001-030.                                                                                                            | Both                    |
| PDS 0165,<br>s1    | 0414            | PDS0165S1 SETTLEMENT INDICATOR MUST BE M, B, OR C.                                                                                                              | Both                    |
|                    | 0416            | NO BILATERAL AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.                        | Clearing<br>Optimizer   |
|                    | 1066            | DE3 PROCESSING CODE AND PDS0165S1 SETTLEMENT INDICATOR COMBINATION INVALID.                                                                                     | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE. | GCMS                    |
| PDS 0170           | 0378            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                   | Both                    |
|                    | 0433            | PDS0170 ACCEPTOR INQUIRY INFORMATION LENGTH MUST BE 16-57.                                                                                          | Both                    |
|                    | 2208            | PDS0170 ACCEPTOR INQUIRY INFORMATION CANNOT BE ALL ZEROS OR ALL SPACES.                                                                             | Both                    |
| PDS 0170,<br>s1    | 2181            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE A FIXED LENGTH OF 16                                                                                | Both                    |
|                    | 2244            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000) 000-0000 OR 000 000 0000.                                 | Both                    |
|                    | 2259            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.          | Both                    |
| PDS 0170,<br>s2    | 2181            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST BE A FIXED LENGTH OF 16.                                                                                       | Both                    |
|                    | 2244            | PDS 0170S2 ACCEPTOR PHONE NUMBER CANNOT CONTAIN ALL ZEROS OR 000-000-0000 OR (000)-000-0000 OR 000 000 0000.                                        | Both                    |
|                    | 2259            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC.                  | Both                    |
| PDS 0171           | 0419            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                 | Both                    |
|                    | 0420            | PDS0171 ALTERNATE ACCEPTOR DESCRIPTION LENGTH MUST BE 4-201.                                                                                        | Both                    |
| PDS 0171,<br>s1    | 0421            | PDS0171S1 CHARACTER SET INDICATOR INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HEB, HIR, HAN, KAN, KAT, ROM, THI, OR VIE.                              | Both                    |
| PDS 0172           | 0591            | PDS0172 SOLE PROPRIETOR NAME LENGTH MUST BE 001-030.                                                                                                | Both                    |
|                    | 1151            | PDS0172 SOLE PROPRIETOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                  | Both                    |
| PDS 0173           | 0699            | PDS0173 LEGAL CORPORATE NAME LENGTH MUST BE 001-030.                                                                                                | Both                    |
|                    | 1152            | PDS0173 LEGAL CORPORATE NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                  | Both                    |



| <b>Field/<br/>Subfield</b> | <b>Error<br/>number</b> | <b>Error message</b>                                                                                                     | <b>Edit<br/>performed by...</b> |
|----------------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| PDS 0174                   | 1163                    | PDS0174 DUN & BRADSTREET NUMBER MUST BE NUMERIC.                                                                         | Both                            |
|                            | 2181                    | PDS0174 DUN & BRADSTREET NUMBER LENGTH MUST BE 1–15.                                                                     | Both                            |
| PDS 0175                   | 2160                    | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                               | Both                            |
|                            | 2165                    | PDS0175 ACCEPTOR URL LENGTH MUST BE 1–255.                                                                               | Both                            |
|                            | 2182                    | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                  | Both                            |
| PDS 0176                   | 2430                    | PDS0176 MASTERCARD ASSIGNED ID IF PRESENT MUST CONTAIN A VALID VALUE.                                                    | Both                            |
| PDS 0178                   | 2180                    | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 LENGTH MUST BE 004–201.                                                    | Both                            |
|                            | 2184                    | PDS0178 ALTERNATE ACCEPTOR DESCRIPTION DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                               | Both                            |
| PDS 0178,<br>s1            | 2227                    | PDS0178S1 CHARACTER SET INDICATOR 2 INVALID. MUST BE ARA, CHS, CHT, CYR, GRK, HAN, HEB, HIR, KAN, KAT, ROM, THI, or VIE. | Both                            |
| PDS 0181,<br>s1            | 2594                    | PDS0181S1 TYPE OF INSTALLMENT INVALID, MUST BE <VALLIST>.                                                                | Both                            |
| PDS 0181,<br>s2            | 2595                    | PDS0181S2 NUMBER OF INSTALLMENTS INVALID. MUST BE NUMERIC.                                                               | Both                            |
| PDS 0181,<br>s3            | 2596                    | PDS0181S3 INTEREST RATE INVALID, MUST BE NUMERIC OR ALL SPACES.                                                          | Both                            |
| PDS 0181,<br>s4            | 2597                    | PDS0181S4 FIRST INSTALLMENT AMOUNT INVALID, MUST BE NUMERIC OR ALL SPACES.                                               | Both                            |
| PDS 0181,<br>s5            | 2598                    | PDS0181S5 SUBSEQUENT INSTALLMENT AMOUNT INVALID, MUST BE NUMERIC OR ALL SPACES.                                          | Both                            |
| PDS 0181,<br>s6            | 2721                    | PDS0181S6 ANNUAL PERCENTAGE RATE INVALID. MUST BE NUMERIC OR ALL SPACES.                                                 | Both                            |
| PDS 0181,<br>s7            | 2722                    | PDS0181S7 INSTALLMENT FEE INVALID. MUST BE NUMERIC OR ALL SPACES.                                                        | Both                            |
| PDS 0183                   | 2810                    | POST-DATED TRANSACTIONS MUST BE DOMESTIC.                                                                                | GCMS                            |
| PDS 0183,<br>s1            | 2204                    | PDS0183S1 SERVICE CODE INVALID.                                                                                          | GCMS                            |
| PDS 0183,<br>s2            | 0008                    | PDS0183S2 NUMBER OF INSTALLMENTS INVALID, MUST BE 1.                                                                     | GCMS                            |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                             | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0183,<br>s3    | 2204            | PDS0183S3 GUARANTEE INVALID.                                                                                              | GCMS                    |
| PDS 0183,<br>s4    | 2595            | PDS0183S4 GUARANTEE AMOUNT INVALID, MUST BE NUMERIC.                                                                      | GCMS                    |
| PDS 0188           | 0503            | PDS0188 PRIVATE DATA—PROPRIETARY INCONROL DATA NOT ALLOWED IN <MSGTYPE>.                                                  | GCMS                    |
| PDS 0189           | 0422            | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                | Both                    |
|                    | 0423            | PDS0189 POINT-OF-INTERACTION (POI) PHONE DATA LENGTH MUST BE A FIXED LENGTH OF 41.                                        | Both                    |
| PDS 0189,<br>s1    | 0424            | PDS0189S1 FORMAT NUMBER MUST BE 0, 1, 2, 3, OR 4.                                                                         | Both                    |
| PDS 0189,<br>s2    | 2259            | PDS0189S2 PHONE NUMBER MUST CONTAIN 10 CHARACTERS FOLLOWED BY TRAILING SPACES. THE FIRST THREE POSITIONS MUST BE NUMERIC. | Both                    |
| PDS 0190           | 0425            | PDS0190 PARTNER ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                    |
|                    | 0426            | PDS0190 PARTNER ID CODE LENGTH MUST BE 1–6.                                                                               | Both                    |
|                    | 2208            | PDS0190 PARTNER ID CODE CANNOT BE ALL ZEROS OR ALL SPACES.                                                                | Both                    |
| PDS 0191           | 0528            | PDS0191 ORIGINATING MESSAGE FORMAT INVALID. MUST BE 2 OR 6.                                                               | GCMS                    |
|                    | 0823            | PDS0191 ORIGINATING MESSAGE FORMAT LENGTH MUST BE A FIXED LENGTH OF 001.                                                  | Both                    |
|                    | 3034            | PDS0191 MUST EQUAL ZERO                                                                                                   | Both                    |
|                    | 3035            | PDS0191 MUST EQUAL ZERO                                                                                                   | B                       |
|                    | 3047            | Channel of routing Mexico Domestic transactions is invalid                                                                | Both                    |
| PDS 0194           | 2227            | PDS0194 REMOTE PAYMENTS PROGRAM DATA INVALID. MUST BE <VALLIST>                                                           | Both                    |
|                    | 2552            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 1.                                                      | Both                    |
|                    | 2626            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 2.                                                      | Both                    |
|                    | 2644            | PDS0194 REMOTE PAYMENTS PROGRAM DATA MUST BE PRESENT AND EQUAL TO 1 OR 2.                                                 | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0195           | 2264            | PDS0195 INSTALLMENT DATA MUST BE PRESENT.                                                          | Both                    |
| PDS 0195,<br>s1    | 2183            | PDS0195S1 TOTAL NUMBER OF INSTALLMENTS MUST BE NUMERIC.                                            | Both                    |
|                    | 2264            | PDS0195S1 TOTAL NUMBER OF INSTALLMENTS MUST BE PRESENT.                                            | Both                    |
|                    | 2866            | THE NUMBER OF INSTALLMENTS IN PDS0195S1 CANNOT BE LESS THAN OR EQUAL TO 001.                       | Both                    |
| PDS 0195,<br>s2    | 2227            | PDS0195S2 INSTALLMENT OPTION INVALID. MUST BE 10, 21, 31, 34, 61, or 80                            | Both                    |
|                    | 2264            | PDS0195S2 INSTALLMENT OPTION MUST BE PRESENT.                                                      | Both                    |
| PDS 0195,<br>s3    | 2183            | PDS0195S3 INSTALLMENT NUMBER MUST BE NUMERIC.                                                      | Both                    |
| PDS 0195,<br>s4    | 2227            | PDS0195S4 BONUS CODE INVALID. MUST BE 0                                                            | Both                    |
|                    | 2442            | PDS0195S4 BONUS CODE MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 21.                        | Both                    |
| PDS 0195,<br>s5    | 2227            | PDS0195S5 BONUS MONTH CODE INVALID. MUST BE A, B, C, 1, 2, 3, 4, 5, 6, 7, 8, 9, or SPACE/BLANK..   | Both                    |
|                    | 2443            | PDS0195S5 BONUS MONTH CODE MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                  | Both                    |
| PDS 0195,<br>s6    | 2227            | PDS0195S6 NUMBER OF BONUS PAYMENTS PER YEAR INVALID. MUST BE 1 or 2                                | Both                    |
|                    | 2443            | PDS0195S6 NUMBER OF BONUS PAYMENTS PER YEAR MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34. | Both                    |
| PDS 0195,<br>s7    | 2232            | PDS0195S7 BONUS AMOUNT MUST BE NUMERIC AND GREATER THAN OR EQUAL TO ZERO                           | Both                    |
|                    | 2443            | PDS0195S7 BONUS AMOUNT MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.                      | Both                    |
| PDS 0195,<br>s8    | 0045            | PDS0195S8 FIRST MONTH OF BONUS PAYMENT MUST BE NUMERIC AND HAVE A VALID DATE IN THE FORMAT YYMM.   | Both                    |
|                    | 2443            | PDS0195S8 FIRST MONTH OF BONUS PAYMENT MUST BE PRESENT WHEN PDS0195S2 CONTAINS A VALUE OF 34.      | Both                    |
| PDS 0196           | 2180            | PDS0196 MOBILE PHONE RELOAD DATA LENGTH MUST BE 001-047.                                           | Both                    |
| PDS 0196,<br>s1    | 0109            | PDS0196S1 MOBILE PHONE NUMBER NOT LEFT JUSTIFIED.                                                  | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2182            | PDS 0196, SUBFIELD 1 MOBILE PHONE NUMBER MUST BE LEFT-JUSTIFIED OR CONTAINS ALL SPACES OR ALL ZEROS.            | Both                    |
|                    | 2184            | PDS0196S1 MOBILE PHONE NUMBER CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                      | Both                    |
|                    | 2264            | PDS0196S1 MOBILE PHONE NUMBER MUST BE PRESENT.                                                                  | Both                    |
| PDS 0196,<br>s2    | 2182            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                    |
|                    | 2184            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                       | Both                    |
|                    | 2264            | PDS0196S2 MOBILE PHONE SERVICE PROVIDER NAME MUST BE PRESENT.                                                   | Both                    |
| PDS 0197           | 2181            | PDS0197 NATIONAL USE TAX DATA LENGTH MUST BE A FIXED LENGTH OF 053.                                             | Both                    |
| PDS 0197,<br>s1    | 2183            | PDS0197S1 TAX AMOUNT 1 MUST BE NUMERIC.                                                                         | Both                    |
| PDS 0197,<br>s2    | 2183            | PDS0197S2 TAX AMOUNT 2 MUST BE NUMERIC.                                                                         | Both                    |
| PDS 0197,<br>s3    | 2183            | PDS0197S3 TAX PERCENTAGE MUST BE NUMERIC.                                                                       | Both                    |
| PDS 0197,<br>s4    | 2183            | PDS0197S4 TAX BASE AMOUNT MUST BE NUMERIC.                                                                      | Both                    |
| PDS 0197,<br>s5    | 2183            | PDS0197S5 TAX AMOUNT 3 MUST BE NUMERIC.                                                                         | Both                    |
| PDS 0198           | 2627            | PDS0198 DEVICE TYPE MUST BE PRESENT AND EQUAL TO 01.                                                            | Both                    |
| PDS 0205           | 1023            | PDS0205 SYNTAX RETURN, MESSAGE ERROR INDICATOR MUST BE PRESENT.                                                 | Both                    |
| PDS 0205,<br>s2    | 3050            | PDS205SF2 MUST BE A VALID CHAPTER III SYNTAX ERROR RETURN REASON CODE.                                          | Both                    |
| PDS 0206           | 0503            | PDS0206 LATE PRESENTMENT INDICATOR NOT ALLOWED IN <MSGTYPE>.                                                    | Both                    |
| PDS 0207           | 0022            | PDS0207/PDS0158S4 INTERCHANGE RATE DESIGNATOR CONFLICT                                                          | GCMS                    |
|                    | 2645            | PDS0207 WALLET IDENTIFIER INVALID. MUST BE ALPHANUMERIC.                                                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                    | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2651            | PDS0207 WALLET IDENTIFIER INVALID. MUST EQUAL 101 OR 102.                                        | Both                    |
|                    | 2988            | PDS0207 MUST CONTAIN APPROPRIATE VALUE.                                                          | GCMS                    |
| PDS 0208           | 2696            | PDS0208 ADDITIONAL MERCHANT DATA LENGTH MUST BE <MIN-MAX>.                                       | Both                    |
| PDS 0208,<br>s1    | 2694            | PDS0208S1 PAYMENT FACILITATOR ID INVALID. MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS.          | Both                    |
| PDS 0208,<br>s2    | 2695            | PDS0208S2 SUB-MERCHANT ID CANNOT BE ALL ZEROES OR ALL SPACES.                                    | Both                    |
| PDS 0209           | 2694            | PDS0209 INDEPENDENT SALES ORGANIZATION ID INVALID. MUST BE NUMERIC AND CANNOT CONTAIN ALL ZEROS. | Both                    |
| PDS 0210           | 2183            | PDS0210 MUST BE NUMERIC                                                                          | Both                    |
| PDS 0210,<br>s1    | 2878            | PDS0210S1 must be present and equal to 03.                                                       | GCMS                    |
| PDS 0216           | 2181            | ADDITIONAL ACCEPTOR DATA MUST BE A FIXED LENGTH OF 029 TO 069.                                   |                         |
| PDS 0216,<br>s5    | 3063            | ACCEPTOR GEOGRAPHIC COORDINATES INCORRECTLY FORMATTED.                                           | Both                    |
| PDS 0216,<br>s6    | 3063            | SERVICE LOCATION GEOGRAPHIC COORDINATES INCORRECTLY FORMATTED.                                   | Both                    |
| PDS 0218           | 2994            | PDS0218 SUB 1 MUST HAVE A VALUE OF C1, M1 OR M2                                                  | Both                    |
|                    | 2995            | PDS0218 MUST HAVE A LENGTH OF 4                                                                  | Both                    |
|                    | 3005            | PDS0218 SUB 2 MUST BE NUMERIC                                                                    | Both                    |
| PDS 0225           | 1023            | PDS0225 SYNTAX RETURN, ORIGINAL MESSAGE REASON CODE MUST BE PRESENT.                             | Both                    |
| PDS 0235           | 2181            | PDS 0235 MUST BE A FIXED LENGTH OF 3.                                                            | GCMS                    |
| PDS 0241           | 1084            | PDS0241 MASTERCOM CONTROL NUMBER MUST BE A FIXED LENGTH OF 002.                                  | Both                    |
|                    | 2208            | PDS0241 MASTERCOM CONTROL NUMBER CANNOT BE ALL ZEROS OR ALL SPACES.                              | Both                    |
| PDS 0260           | 0435            | PDS0260 EDIT EXCLUSION INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                    | Both                    |
|                    | 0436            | PDS0260 EDIT EXCLUSION INDICATOR LENGTH MUST BE 2–4.                                             | Both                    |
| PDS 0260,<br>s1    | 0437            | PDS0260S1 EXCLUSION REQUEST CODE INVALID. MUST BE Y, B0–B9, BA–BZ, OR SPACES.                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                          | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0262           | 0441            | PDS0262 DOCUMENTATION INDICATOR MUST BE A FIXED LENGTH OF 001.                                                         | Both                    |
|                    | 0442            | PDS0262 DOCUMENTATION INDICATOR MUST BE 0 OR 1.                                                                        | Both                    |
|                    | 0612            | PDS0262 DOCUMENTATION INDICATOR 0 ON PREVIOUS CYCLE.                                                                   | GCMS                    |
|                    | 0735            | PDS0262 DOCUMENTATION INDICATOR MUST BE PRESENT IN SECOND PRESENTMENT (FULL AND PARTIAL) MESSAGES.                     | Both                    |
| PDS 0268           | 0487            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN PDS0268 AMOUNT, PARTIAL TRANSACTION IS PROVIDED. | Both                    |
|                    | 1132            | PDS0268 AMOUNT, PARTIAL TRANSACTION LENGTH MUST BE A FIXED LENGTH OF 15.                                               | Both                    |
| PDS 0268,<br>s1    | 0482            | PDS0268S1 AMOUNT, PARTIAL TRANSACTION MUST BE NUMERIC AND GREATER THAN ZEROS.                                          | Both                    |
| PDS 0268,<br>s2    | 0451            | PDS0268S2 CURRENCY CODE, PARTIAL TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                  | Both                    |
|                    | 0488            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0268S2 CURRENCY CODE, PARTIAL TRANSACTION MISSING. MUST BE PROVIDED.       | Both                    |
| PDS 0375           | 2180            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 LENGTH MUST BE 001–050.                                                      | Both                    |
|                    | 2182            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.           | Both                    |
|                    | 2184            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                 | Both                    |
| PDS 0634           | 2183            | PDS0634 TAX AMOUNT 1 MUST BE NUMERIC.                                                                                  | Both                    |
|                    | 2266            | PDS0634 TAX AMOUNT 1 IS GREATER THAN OR EQUAL TO DE4 AMOUNT, TRANSACTION.                                              | Both                    |
| PDS 0635           | 2183            | PDS0635 TAX AMOUNT 2 MUST BE NUMERIC.                                                                                  | Both                    |
|                    | 2266            | PDS0635 TAX AMOUNT 2 IS GREATER THAN OR EQUAL TO DE4 AMOUNT, TRANSACTION.                                              | Both                    |
| PDS 0674           | 2868            | ADDITIONAL TRACE REFERENCE NUMBER USED BY ACCEPTOR LENGTH MUST BE 001-019.                                             | Both                    |
|                    | 2869            | ADDITIONAL TRACE REFERENCE NUMBER CONTAINS LEADING SPACES, OR NOT LEFT JUSTIFIED, OR CONTAINS ALL ZEROS.               | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                          | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------|-------------------------|
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES. | Both                    |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                             | Both                    |
| PDS 1001           | 2840            | <FLDNAME> INVALID. MUST BE NUMERIC AND MUST BE A FIXED LENGTH OF 12.                   | Both                    |
| PDS 1002           | 1163            | PDS 1002 VALUE-ADDED TAX MUST BE NUMERIC.                                              | Both                    |
| PDS 1018           | 1163            | PDS 1018 CONSUMPTION TAX MUST BE NUMERIC.                                              | Both                    |

## Fee Collection (Other)/1740-700, 780, 781, and 782 messages

This chapter contains the error numbers and message texts by field and subfield for Fee Collection (Other)/1740-700, 780, 781, and 782 messages.

### Fee Collection (Other)/1740-700, 780, 781, and 782

Error numbers and message texts are organized by field and subfield for Fee Collection (Other)/1740-700, 780, 781, and 782 messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

#### MTI/Function Code: Fee Collection (Other)/1740-700, 780, 781, and 782

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 2               | 0009            | DE2 PRIMARY ACCOUNT NUMBER (PAN) MUST BE NUMERIC.                                                                                                                   | Both                    |
|                    | 0010            | DE2 PRIMARY ACCOUNT NUMBER (PAN) LENGTH MUST BE 6-19.                                                                                                               | Both                    |
|                    | 2225            | GCMS PRODUCT ID INVALID FOR BUSINESS SERVICE ARRANGEMENT AND ACCEPTANCE BRAND ID CODE                                                                               | Both                    |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                    |
|                    | 2358            | DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID. THE MAPPING SERVICE CANNOT MAP DE2 TO ANOTHER ACCOUNT NUMBER.                                                             | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                               | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 8116            | THE PAN IS CONDITIONALLY REQUIRED IN A FEE COLLECTION GENERATED BY THE MEMBER. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer   |
|                    | 8507            | BIN/ACCOUNT RANGE DOES NOT BELONG TO THE SPECIFIED ISSUER. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                     | Clearing<br>Optimizer   |
| DE 3               | 0012            | DE3 PROCESSING CODE MUST BE NUMERIC.                                                                                                        | Both                    |
|                    | 0735            | DE3 PROCESSING CODE MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                            | Both                    |
|                    | 2220            | DE3 PROCESSING CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                | Both                    |
| DE 3, s1           | 1015            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE EQUAL TO 19 OR 29 FOR FEE COLLECTION (OTHER) MESSAGES.                                   | Both                    |
| DE 3, s2           | 0014            | DE3S2 CARDHOLDER FROM--ACCOUNT TYPE CODE MUST BE 00, 10, 20, 30, 39, 60.                                                                    | Both                    |
| DE 3, s3           | 0015            | DE3S3 CARDHOLDER TO--ACCOUNT TYPE CODE MUST BE 00.                                                                                          | Both                    |
| DE 4               | 0020            | DE4 AMOUNT, TRANSACTION MUST BE NUMERIC AND GREATER THAN 0.                                                                                 | Both                    |
|                    | 0023            | DE4 AMOUNT, TRANSACTION MUST BE PRESENT WHEN DE49 CURRENCY CODE, TRANSACTION IS PROVIDED.                                                   | Both                    |
|                    | 0024            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                  | Both                    |
|                    | 0735            | DE4 AMOUNT, TRANSACTION MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                        | Both                    |
|                    | 0738            | DE4 AMOUNT, TRANSACTION EXCEEDS MAXIMUM AMOUNT SPECIFIED FOR THE GIVEN DE25 MESSAGE REASON CODE.                                            | GCMS                    |
|                    | 2176            | DE4 AMOUNT, TRANSACTION MUST BE NUMERIC.                                                                                                    | Both                    |
| DE 5               | 0025            | DE5 AMOUNT, RECONCILIATION MUST BE NUMERIC.                                                                                                 | Both                    |
|                    | 0027            | DE5 AMOUNT, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE50 CURRENCY CODE, RECONCILIATION IS PROVIDED.                       | Both                    |
|                    | 0028            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                                        | Both                    |
| DE 12, s1          | 2186            | DE12S1 DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                      | Both                    |
| DE 23              | 0059            | DE23 CARD SEQUENCE NUMBER MUST BE NUMERIC.                                                                                                  | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 24              | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                                                                                                 | Both                    |
|                    | 0735            | DE24 FUNCTION CODE MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                                                     | Both                    |
| DE 25              | 0064            | DE25 MESSAGE REASON CODE MUST BE NUMERIC.                                                                                                                           | Both                    |
|                    | 0735            | DE25 MESSAGE REASON CODE MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                                               | Both                    |
|                    | 2205            | DE25 MESSAGE REASON CODE AND DE 3 PROCESSING CODE COMBINATION INVALID.                                                                                              | Both                    |
|                    | 2219            | DE25 INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                                       | Both                    |
| DE 26              | 2223            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                          | Both                    |
|                    | 2224            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.  | Both                    |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM. | Both                    |
| DE 30              | 0077            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                     | Both                    |
|                    | 0078            | PDS0148 CURRENCY EXPONENTS MUST BE PRESENT IN A MESSAGE WHEN DE30 AMOUNTS, ORIGINAL IS PROVIDED.                                                                    | Both                    |
|                    | 1019            | DE30 AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                                                                                             | Both                    |
| DE 30, s2          | 0076            | DE30S2 ORIGINAL AMOUNT, RECONCILIATION MUST BE ZERO-FILLED.                                                                                                         | Both                    |
| DE 31              | 2181            | DE31 ACQUIRER REFERENCE DATA MUST BE A FIXED LENGTH OF 23.                                                                                                          | Both                    |
| DE 31, s1          | 0080            | DE31S1 FILLER MUST BE NUMERIC.                                                                                                                                      | Both                    |
| DE 31, s2          | 0081            | DE31S2 ACQUIRER'S BIN MUST BE NUMERIC.                                                                                                                              | Both                    |
|                    | 1087            | DE31S2 ACQUIRER'S BIN NOT A VALID ACQUIRER BIN.                                                                                                                     | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                   | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 31, s3          | 0086            | DE31S3 JULIAN PROCESSING DATE YDDD OF DE31 ACQUIRER REFERENCE DATA MUST BE A VALID DATE IN THE FORMAT YDDD.                     | Both                    |
| DE 31, s4          | 0083            | DE31S4 ACQUIRER'S SEQUENCE NUMBER MUST BE NUMERIC.                                                                              | Both                    |
| DE 31, s5          | 0085            | DE31S5 CHECK DIGIT MUST BE NUMERIC.                                                                                             | Both                    |
|                    | 0087            | DE31S5 CHECK DIGIT DOES NOT MOD-CHECK.                                                                                          | Both                    |
| DE 32              | 0089            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC.                                                                             | Both                    |
|                    | 0090            | DE32 ACQUIRING INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 01-11.                                                       | Both                    |
| DE 33              | 0735            | DE33 FORWARDING INSTITUTION ID CODE MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                | Both                    |
|                    | 0790            | INVALID DE33 FORWARDING INSTITUTION ID CODE FOR FEE COLLECTION (OTHER) MESSAGES.                                                | Both                    |
|                    | 0808            | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                                                            | Both                    |
|                    | 2180            | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006-011.                                                                     | Both                    |
|                    | 8554            | THE FORWARDING INSTITUTION ID IS NOT THE SAME THROUGHOUT THE FILE. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer   |
| DE 38              | 0093            | DE38 APPROVAL CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                 | Both                    |
|                    | 0094            | DE38 APPROVAL CODE CONTAINS EMBEDDED SPACES.                                                                                    | Both                    |
|                    | 0095            | DE38 APPROVAL CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                        | Both                    |
|                    | 2431            | TRANSACTION DOES NOT QUALIFY FOR ALM INTERCHANGE.                                                                               | GCMS                    |
| DE 40              | 2183            | DE40 MUST BE NUMERIC                                                                                                            | Both                    |
| DE 41              | 0096            | DE41 ACCEPTOR TERMINAL ID CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                          | Both                    |
|                    | 2182            | DE41 ACCEPTOR TERMINAL ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                    | Both                    |
| DE 42              | 0098            | DE42 ACCEPTOR ID CODE CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                              | Both                    |
|                    | 0766            | DE42 ACCEPTOR ID CODE MUST BE PRESENT.                                                                                          | Both                    |
|                    | 2182            | DE42 ACCEPTOR ID CODE MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                        | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                     | Edit<br>performed by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 43              | 0100            | DE43 ACCEPTOR NAME/LOCATION CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                          | Both                    |
|                    | 0101            | DE43 ACCEPTOR NAME/LOCATION MUST BE 20-99.                                                                                                        | Both                    |
|                    | 0107            | WITHIN DE43 ACCEPTOR NAME/LOCATION, 3 BACKSLASH CHARACTERS ARE REQUIRED TO DELIMIT NAME\STREET ADDRESS\CITY\.                                     | Both                    |
|                    | 2269            | DE43 INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                     | Both                    |
| DE 43, s1          | 0102            | DE43S1 ACCEPTOR NAME CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                 | Both                    |
|                    | 0103            | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1-22.                                                                                                         | Both                    |
|                    | 0103            | DE43S1 ACCEPTOR NAME LENGTH MUST BE 1-80. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                            | Clearing<br>Optimizer   |
|                    | 0108            | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                        | Both                    |
|                    | 2229            | DE43S1 ACCEPTOR NAME INVALID. MUST CONTAIN ABBREVIATED AIRLINE NAME FOLLOWED BY DELIMITER OR SPACES AND DELIMITER.                                | Both                    |
| DE 43, s2          | 0625            | DE43S2 ACCEPTOR STREET ADDRESS REQUIRED.                                                                                                          | Both                    |
|                    | 2233            | DE43S2 ACCEPTOR STREET ADDRESS MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer   |
| DE 43, s3          | 0104            | DE43S3 ACCEPTOR CITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                 | Both                    |
|                    | 0105            | DE43S3 ACCEPTOR CITY LENGTH CANNOT EXCEED 13.                                                                                                     | Both                    |
|                    | 2182            | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                           | Both                    |
|                    | 2233            | DE43S3 ACCEPTOR CITY MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>           | Clearing<br>Optimizer   |
| DE 43, s4          | 0109            | DE43S4 ACCEPTOR POSTAL (ZIP) CODE NOT LEFT JUSTIFIED.                                                                                             | Both                    |
|                    | 2167            | DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE REQUIRED.                                                                                         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 43, s6          | 0112            | DE43S6 ACCEPTOR COUNTRY CODE MUST CONTAIN A VALID ISO STANDARD COUNTRY CODE.                                                                             | Both                    |
|                    | 0589            | DE43S6 ACCEPTOR COUNTRY CODE MUST BE COMPATIBLE WITH DE43S5 ACCEPTOR STATE, PROVINCE, OR REGION CODE.                                                    | Both                    |
|                    | 2204            | DE43S6 ACCEPTOR COUNTRY CODE INVALID. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                                       | Clearing<br>Optimizer   |
|                    | 2204            | DE43S6 ACCEPTOR COUNTRY CODE INVALID.                                                                                                                    | Both                    |
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                        | Both                    |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008-999.                                                                                                             | Both                    |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62.                | Both                    |
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                                                 | Both                    |
| DE 49              | 0119            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                                 | Both                    |
|                    | 0120            | DE49 CURRENCY CODE, TRANSACTION MUST BE PRESENT WHEN DE4 AMOUNT, TRANSACTION IS PROVIDED.                                                                | Both                    |
|                    | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE49 CURRENCY CODE, TRANSACTION, MUST BE PROVIDED.                                                                | Both                    |
|                    | 0735            | DE49 CURRENCY CODE, TRANSACTION MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                             | Both                    |
|                    | 1086            | DE49 CURRENCY CODE, TRANSACTION FOR FEE COLLECTION (OTHER) MESSAGES MUST CONTAIN A VALUE OF 840 OR THE INTRACURRENCY AGREEMENT SETTLEMENT CURRENCY CODE. | GCMS                    |
|                    | 2670            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                                 | GCMS                    |
|                    | 8502            | INVALID CURRENCY CODE FOR U.K. DOMESTIC MAESTRO. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                                            | Clearing<br>Optimizer   |
| DE 50              | 0123            | DE50 CURRENCY CODE, RECONCILIATION MUST BE NUMERIC.                                                                                                      | Both                    |
|                    | 0124            | DE50 CURRENCY CODE, RECONCILIATION MISSING. MUST BE PRESENT IN A MESSAGE WHEN DE5 AMOUNT, RECONCILIATION IS PROVIDED.                                    | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                      | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0126            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE50 CURRENCY CODE, RECONCILIATION MUST BE PROVIDED.                                        | Both                    |
|                    | 0129            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                        | Both                    |
|                    | 2670            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                        | GCMS                    |
| DE 54              | 2470            | DE54 AMOUNTS, ADDITIONAL LENGTH MUST BE <20-120> AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 20.                         | Both                    |
| DE 62              | 0165            | DE62 ADDITIONAL DATA 2 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                | Both                    |
|                    | 0166            | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008-999.                                                                                     | Both                    |
|                    | 0168            | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                                                       | Both                    |
|                    | 0169            | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                                                     | Both                    |
| DE 63              | 2181            | DE63 TRANSACTION LIFE CYCLE ID LENGTH MUST BE A FIXED LENGTH OF 016.                                                               | Both                    |
| DE 63, s1          | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE A SPACE.                                                                               | Both                    |
|                    | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE 7. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                        | Clearing<br>Optimizer   |
| DE 63, s2          | 0141            | DE63S2 TRACE ID POSITIONS 10-13 MUST BE A VALID DATE IN THE FORMAT MMDD.                                                           | Both                    |
|                    | 0142            | THE FIRST NINE POSITIONS OF DE63S2 TRACE ID CANNOT CONTAIN EMBEDDED SPACES.                                                        | Both                    |
|                    | 2233            | DE63S2 TRACE ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer   |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                                               | Both                    |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 MESSAGE NUMBER VALUE IN THE PREVIOUS MESSAGE.                                    | Both                    |
|                    | 0735            | DE71 MESSAGE NUMBER MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                   | Both                    |
| DE 72              | 0151            | DE72 DATA RECORD CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                      | Both                    |
|                    | 0603            | DE72 DATA RECORD LENGTH CANNOT EXCEED 999.                                                                                         | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                          | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2180            | DE72 DATA RECORD LENGTH MUST BE 001–100.                                                                                                               | Both                    |
|                    | 2208            | DE72 DATA RECORD CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                    | Both                    |
|                    | 2233            | DE72 DATA RECORD MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                    | Clearing<br>Optimizer   |
| DE 73              | 0747            | INVALID DATE, ACTION. MUST BE VALID YYMMDD, YYMM00, OR ALL ZEROS.                                                                                      | Both                    |
|                    | 2186            | DE73 DATE, ACTION MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                           | Clearing<br>Optimizer   |
|                    | 8574            | ACTION DATE CANNOT BE GREATER THAN THE FILE REFERENCE DATE IN FILE-ID. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                    | Clearing<br>Optimizer   |
| DE 93              | 0155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE NUMERIC.                                                                                      | Both                    |
|                    | 0157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID.                                                                                              | Both                    |
|                    | 0544            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED FOR INTERNAL USE BY MASTERCARD.                                                         | Both                    |
|                    | 0735            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER THAN RETRIEVAL FEE BILLING/HANDLING FEES) MESSAGES. | Both                    |
|                    | 1209            | DE93/DE94 MUST NOT BE A PSEUDO ICA FOR OTHER THAN ONBEHALF WALLET FEE COLLECTION MESSAGE                                                               | GCMS                    |
|                    | 2180            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE LENGTH FIELD MUST BE 006–011.                                                                         | Both                    |
|                    | 2490            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID. VALUE NOT ALLOWED FOR THE <MSGTYPE>/MESSAGE REASON CODE COMBINATION.                         | Both                    |
|                    | 2668            | TRANSACTION BLOCKED FOR RECEIVER.                                                                                                                      | GCMS                    |
|                    | 2669            | TRANSACTION BLOCKED FOR RECEIVER.                                                                                                                      | GCMS                    |
|                    | 3009            | INVALID TRANSACTION. DE 93 TRANSACTION DESTINATION INSTITUTION ID CODE CANNOT CONTAIN ICA ASSOCIATED WITH RPPS.                                        |                         |
| DE 94              | 0159            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                                                       | Both                    |
|                    | 0161            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                                                               | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0735            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                        | Both                    |
|                    | 1175            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID FOR SENDING PROCESSOR ID IN PARAMETER MASTER.                                                          | GCMS                    |
|                    | 2180            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006–011.                                                                                        | Both                    |
|                    | 2666            | TRANSACTION BLOCKED FOR SENDER.                                                                                                                                | GCMS                    |
|                    | 2667            | TRANSACTION BLOCKED FOR SENDER.                                                                                                                                | GCMS                    |
| DE 123             | 0170            | DE123 ADDITIONAL DATA 3 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 0171            | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008–999.                                                                                                                | Both                    |
|                    | 0173            | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124.                 | Both                    |
|                    | 0174            | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                                    | Both                    |
| DE 124             | 0179            | DE124 ADDITIONAL DATA 4 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, AND DE123 ADDITIONAL DATA 3 ARE PRESENT.                          | Both                    |
|                    | 2151            | DE124 ADDITIONAL DATA 4 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 2152            | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008–999.                                                                                                                | Both                    |
|                    | 2154            | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125.                 | Both                    |
| DE 125             | 0175            | DE125 ADDITIONAL DATA 5 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                           | Both                    |
|                    | 0176            | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008–999.                                                                                                                | Both                    |
|                    | 0178            | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED.                | Both                    |
|                    | 2155            | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                    |
| PDS 0001           | 0503            | PDS0001 MASTERCARD MAPPING SERVICE ACCOUNT NUMBER NOT ALLOWED IN <MSGTYPE>.                                                                                    | GCMS                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0021           | 2873            | PDS021 INVALID. MUST BE IP2201T1.                                                                                            | Both                    |
|                    | 2874            | PDS021 MUST BE A FIXED LENGTH OF 001.                                                                                        | Both                    |
| PDS 0025           | 0187            | PDS0025 MESSAGE REVERSAL INDICATOR LENGTH FIELD MUST BE A VALUE OF 001–007.                                                  | Both                    |
| PDS 0025,<br>s1    | 0185            | PDS0025S1 MESSAGE REVERSAL INDICATOR MUST BE EQUAL TO R OR A SPACE IF PRESENT.                                               | Both                    |
| PDS 0025,<br>s2    | 0186            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE MUST BE NUMERIC AND A VALID DATE IN THE FORMAT YYMMDD.            | Both                    |
|                    | 0190            | PDS0025S2 CENTRAL SITE PROCESSING DATE OF ORIGINAL MESSAGE INVALID. CANNOT BE GREATER THAN THE SYSTEM PROCESSING DATE.       | Both                    |
| PDS 0057           | 2227            | PDS0057 TRANSACTION CATEGORY INDICATOR INVALID. MUST BE 01, 02, 03, or 04                                                    | Both                    |
| PDS 0058           | 2183            | PDS0058 TOKEN ASSURANCE LEVEL MUST BE NUMERIC.                                                                               | GCMS                    |
| PDS 0059           | 2183            | PDS0059 TOKEN REQUESTOR ID MUST BE NUMERIC.                                                                                  | GCMS                    |
| PDS 0080           | 0242            | PDS0080 AMOUNT, TAX INVALID.                                                                                                 | Both                    |
| PDS 0080,<br>s5    | 2185            | PDS0080S5 DEBIT/CREDIT INDICATOR MUST BE D OR C.                                                                             | GCMS                    |
| PDS 0137           | 0375            | PDS0137 FEE COLLECTION CONTROL NUMBER MUST BE NUMERIC.                                                                       | Both                    |
|                    | 0735            | PDS0137 FEE COLLECTION CONTROL NUMBER MUST BE PRESENT.                                                                       | Both                    |
|                    | 0756            | PDS0137 FEE COLLECTION CONTROL NUMBER LENGTH MUST BE 17–20.                                                                  | Both                    |
|                    | 0757            | PDS0137 FEE COLLECTION CONTROL NUMBER MUST BE PRESENT.                                                                       | Both                    |
|                    | 2180            | PDS0137 FEE COLLECTION CONTROL NUMBER LENGTH MUST BE 1–20. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>      | Clearing<br>Optimizer   |
|                    | 2228            | PDS0137 FEE COLLECTION CONTROL NUMBER CANNOT CONTAIN ALL ZEROS. <b>(Applies only to U.K. Domestic Maestro transactions.)</b> | Clearing<br>Optimizer   |
| PDS 0148           | 0393            | PDS0148 CURRENCY EXPONENTS CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                      | Both                    |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                            | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0394            | PDS0148 CURRENCY EXPONENTS LENGTH MUST BE 04-60 AND MUST BE DIVISIBLE BY MINIMUM OCCURRENCE LENGTH OF 04.                | Both                    |
|                    | 0735            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                  | Both                    |
|                    | 2310            | PDS0148 CURRENCY EXPONENTS INVALID FIELD LENGTH.                                                                         | Clearing<br>Optimizer   |
| PDS 0148,<br>s1    | 0395            | PDS0148S1 CURRENCY CODE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                        | Both                    |
|                    | 8502            | INVALID CURRENCY CODE FOR U.K. DOMESTIC MAESTRO.<br><b>(Applies only to U.K. Domestic Maestro transactions.)</b>         | Clearing<br>Optimizer   |
| PDS 0148,<br>s2    | 0396            | PDS0148S2 CURRENCY EXPONENT MUST BE VALID FOR THE CORRESPONDING CURRENCY CODE IN SUBFIELD 1. OCCURRENCE <XX>.            | Both                    |
| PDS 0149           | 0398            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL MUST BE NUMERIC.                                                               | Both                    |
|                    | 0399            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL LENGTH MUST BE A FIXED LENGTH OF 006.                                          | Both                    |
|                    | 0402            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT PDS0148 CURRENCY EXPONENTS IS NOT PRESENT.                      | Both                    |
|                    | 0404            | PDS0149 CURRENCY CODES, AMOUNTS, ORIGINAL IS PRESENT BUT DE30 AMOUNT, ORIGINAL IS NOT PRESENT.                           | Both                    |
| PDS 0149,<br>s1    | 0400            | PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.            | Both                    |
|                    | 0403            | PDS0148 CURRENCY EXPONENT OCCURRENCE FOR PDS0149S1 CURRENCY CODE, ORIGINAL TRANSACTION AMOUNT MISSING. MUST BE PROVIDED. | Both                    |
| PDS 0149,<br>s2    | 0401            | PDS0149S2 CURRENCY CODE, ORIGINAL RECONCILIATION AMOUNT MUST BE ALL ZEROS.                                               | Both                    |
| PDS 0158           | 0407            | PDS0158 BUSINESS ACTIVITY CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                   | Both                    |
|                    | 2180            | PDS0158 BUSINESS ACTIVITY LENGTH MUST BE 003-029.                                                                        | Both                    |
| PDS 0158,<br>s1    | 2007            | ACCEPTANCE BRAND IS NOT VALID FOR THE MEMBER PAIR.                                                                       | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                                                        | Edit<br>performed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 2227            | PDS158S1 CARD PROGRAM IDENTIFIER INVALID. MUST BE <VALLIST>.                                                                                                                                         | Both                    |
|                    | 2288            | ACCEPTANCE BRAND ID CODE NOT ALLOWED IN GCMS. VALUE PERMITTED ONLY IN CLEARING OPTIMIZER.                                                                                                            | GCMS                    |
| PDS 0158,<br>s2    | 2009            | NO BUSINESS SERVICE ARRANGEMENT EXISTS FOR THE MEMBER PAIR.                                                                                                                                          | Both                    |
| PDS 0158,<br>s3    | 2010            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                                                                                                 | Both                    |
|                    | 2217            | PDS0158S3 BUSINESS SERVICE ID CODE MUST BE PRESENT AND VALID WHEN PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE IS PRESENT.                                                                       | Both                    |
|                    | 2218            | PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE MUST BE PRESENT AND VALID WHEN PDS0158S3 BUSINESS SERVICE ID CODE IS PRESENT.                                                                       | Both                    |
|                    | 2288            | <BUSINESS SERVICE ID & TYPE> BUSINESS SERVICE ARRANGEMENT NOT ALLOWED IN GCMS. BUSINESS SERVICE ARRANGEMENT VALID ONLY IN CLEARING OPTIMIZER.                                                        | GCMS                    |
|                    | 0670            | PDS0158S4 INTERCHANGE RATE DESIGNATOR DOES NOT MEET TIMELINESS CRITERIA AND/OR DE12S1 DATE CONTAINS INVALID DATA.                                                                                    | Both                    |
|                    | 2221            | PDS0158S4 INTERCHANGE RATE DESIGNATOR MISSING FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>.                                                       | Both                    |
|                    | 2226            | GCMS PRODUCT ID <DERIVED FROM DE2> INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB> FOR INTERCHANGE PROGRAM.                                  | Both                    |
|                    | 2341            | PDS0158S4 INTERCHANGE RATE DESIGNATOR INVALID. FOR ACCOUNT RANGES STARTING WITH 36 AND HAVE A MERCHANT COUNTRY (DE43S6) IN THE CARIBBEAN OR U.S. TERRITORIES THEN THE TRANSACTION MUST BE <VALLIST>. | Both                    |
| PDS 0159           | 0735            | PDS0159 SETTLEMENT DATA MUST BE PRESENT.                                                                                                                                                             | GCMS                    |
| PDS 0159,<br>s8    | 2186            | PDS0159S8 SETTLEMENT DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                                                                                                 | GCMS                    |
|                    | 2265            | PDS0159S8 SETTLEMENT DATE INVALID.                                                                                                                                                                   | GCMS                    |
| PDS 0165           | 0412            | PDS0165 SETTLEMENT INDICATOR CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                                                                            | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                       | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
|                    | 0735            | PDS0165 SETTLEMENT INDICATOR MISSING. MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                           | Both                    |
|                    | 2180            | PDS0165 SETTLEMENT INDICATOR LENGTH MUST BE <MIN-MAX>.                                                                                              | Both                    |
| PDS 0165,<br>s1    | 0414            | PDS0165S1 SETTLEMENT INDICATOR MUST BE M, B, OR C.                                                                                                  | Both                    |
|                    | 0416            | NO BILATERAL AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE.            | Clearing<br>Optimizer   |
|                    | 2227            | PDS0165S1 SETTLEMENT INDICATOR INVALID. MUST BE <VALLIST>. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                             | Clearing<br>Optimizer   |
|                    | 2280            | NO BILATERAL SETTLEMENT AGREEMENT ON FILE FOR DE93 TRANSACTION DESTINATION INSTITUTION ID CODE AND DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE. | GCMS                    |
| PDS 0170,<br>s1    | 2181            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE A FIXED LENGTH OF 16                                                                                | Both                    |
| PDS 0170,<br>s2    | 2181            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST BE A FIXED LENGTH OF 16.                                                                                       | Both                    |
| PDS 0175           | 2160            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                                          | Both                    |
|                    | 2165            | PDS0175 ACCEPTOR URL LENGTH MUST BE 1-255.                                                                                                          | Both                    |
|                    | 2182            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                                             | Both                    |
| PDS 0188           | 0503            | PDS0188 PRIVATE DATA—PROPRIETARY INCONROL DATA NOT ALLOWED IN <MSGTYPE>.                                                                            | GCMS                    |
| PDS 0191           | 0528            | PDS0191 ORIGINATING MESSAGE FORMAT MUST BE 1 OR 2.                                                                                                  | Both                    |
|                    | 0823            | PDS0191 ORIGINATING MESSAGE FORMAT LENGTH MUST BE A FIXED LENGTH OF 001.                                                                            | Both                    |
|                    | 3034            | PDS0191 MUST EQUAL ZERO                                                                                                                             | Both                    |
|                    | 3035            | PDS0191 MUST EQUAL ZERO                                                                                                                             | Both                    |
|                    | 3047            | Channel of routing Mexico Domestic transactions is invalid                                                                                          | Both                    |
| PDS 0207           | 2645            | PDS0207 WALLET IDENTIFIER INVALID. MUST BE ALPHANUMERIC.                                                                                            | Both                    |
| PDS 0262           | 0441            | PDS0262 DOCUMENTATION INDICATOR MUST BE A FIXED LENGTH OF 001.                                                                                      | Both                    |
|                    | 0442            | PDS0262 DOCUMENTATION INDICATOR MUST BE 0 OR 1.                                                                                                     | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                  | Edit<br>performed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------|-------------------------|
| PDS 0265           | 0446            | PDS0265 INITIAL PRESENTMENT/FEE COLLECTION DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                   | Both                    |
|                    | 0447            | PDS0265 INITIAL PRESENTMENT/FEE COLLECTION DATA LENGTH MUST BE 004–110.                                        | Both                    |
| PDS 0265,<br>s1    | 0448            | PDS0265S1 INITIAL MESSAGE REASON CODE MUST BE A VALID MESSAGE REASON CODE.                                     | Both                    |
| PDS 0265,<br>s2    | 0449            | PDS0265S2 DATE, INITIAL PRESENTMENT BUSINESS MUST BE VALID YYMMDD OR ZEROS IN FEE COLLECTION (OTHER) MESSAGES. | Both                    |
| PDS 0265,<br>s3    | 2208            | PDS0265S3 DATA RECORD, INITIAL CANNOT BE ALL ZEROS OR ALL SPACES.                                              | Both                    |
| PDS 0266           | 0268            | PDS0266 FIRST CHARGEBACK/FEE COLLECTION RETURN DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.               | Both                    |
|                    | 0826            | PDS0266 FIRST CHARGEBACK/FEE COLLECTION RETURN DATA MUST BE 004–127.                                           | Both                    |
| PDS 0266,<br>s1    | 0505            | PDS0266S1 MESSAGE REASON CODE MUST BE A VALID MESSAGE REASON CODE OR ZEROS.                                    | Both                    |
| PDS 0266,<br>s7    | 2208            | PDS0266S7 DATA RECORD FIRST RETURN CANNOT BE ALL ZEROS OR ALL SPACES.                                          | Both                    |
| PDS 0267           | 0468            | PDS0267 SECOND PRESENTMENT/FEE COLLECTION RESUBMISSION DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.       | Both                    |
|                    | 0469            | PDS0267 SECOND PRESENTMENT/FEE COLLECTION RESUBMISSION DATA MUST BE 004–127.                                   | Both                    |
| PDS 0267,<br>s1    | 0269            | PDS0267S1 MESSAGE REASON CODE MUST BE A VALID MESSAGE REASON CODE OR ZEROS.                                    | Both                    |
| PDS 0375           | 2180            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 LENGTH MUST BE 001–050.                                              | Both                    |
|                    | 2184            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                    |
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                         | Both                    |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                                                     | Both                    |

## Fee Collection (Funds Transfer)/1740-790 messages

This section contains the error numbers and message texts by field and subfield for Fee Collection (Funds Transfer)/1740-790 messages.

### Fee Collection (Funds Transfer)/1740-790

Error numbers and message texts are organized by field and subfield for Fee Collection Funds Transfer)/1740–790 messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

**NOTE: The error codes in this section apply only to U.K. Domestic Maestro transactions.**

#### MTI/Function: Fee Collections (Funds Transfer)/1740-790

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                | Edit<br>perform<br>ed by... |
|--------------------|-----------------|------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 2               | 2358            | DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID. THE MAPPING SERVICE CANNOT MAP DE2 TO ANOTHER ACCOUNT NUMBER.                      | GCMS                        |
| DE 3               | 0735            | DE3 PROCESSING CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                                      | Clearing<br>Optimize<br>r   |
|                    | 2220            | DE3 PROCESSING CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE> AND ACCEPTANCE BRAND ID CODE <AB>. | Clearing<br>Optimize<br>r   |
| DE 3, s1           | 1015            | DE3S1 CARDHOLDER TRANSACTION TYPE INVALID. MUST BE EQUAL TO 19 OR 29 FOR FEE COLLECTION (OTHER) MESSAGES.                    | Both                        |
| DE 3, s2           | 0014            | DE3S2 CARDHOLDER FROM ACCOUNT TYPE CODE MUST BE 00, 10, 20, 30, 39, 60.                                                      | Both                        |
|                    | 0015            | DE3S3 CARDHOLDER TO---ACCOUNT TYPE CODE MUST BE 00.                                                                          | Both                        |
| DE 3, s3           | 0015            | DE3S3 CARDHOLDER TO---ACCOUNT TYPE CODE MUST BE 00.                                                                          | Clearing<br>Optimize<br>r   |
| DE 4               | 0020            | DE4 AMOUNT, TRANSACTION MUST BE NUMERIC AND GREATER THAN 0.                                                                  | Both                        |
|                    | 0735            | DE4 AMOUNT, TRANSACTION MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                                  | Clearing<br>Optimize<br>r   |
| DE 12              | 0735            | DE12 DATE AND TIME, LOCATION TRANSACTION MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                 | Clearing<br>Optimize<br>r   |

| Field/<br>Subfield | Error<br>number | Error message                                                                                               | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------|-----------------------------|
| DE 12, s1          | 0043            | DE12S1 DATE CANNOT BE GREATER THAN THE DATE IN PDS0105S2 FILE REFERENCE DATE.                               | Both                        |
|                    | 2186            | DE12S1 DATE MUST BE A VALID DATE IN THE FORMAT YYMMDD.                                                      | Both                        |
| DE 12, s2          | 0040            | DE12S2 TIME HOURS MUST BE IN THE RANGE 00-23.                                                               | Both                        |
|                    | 0042            | DE12S2 TIME INVALID. MINUTES AND SECONDS MUST BE IN RANGE 00-59.                                            | Both                        |
| DE 24              | 0735            | DE24 FUNCTION CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                      | Clearing<br>Optimize<br>r   |
| DE 25              | 0735            | DE25 MESSAGE REASON CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                | Clearing<br>Optimize<br>r   |
|                    | 2219            | DE25 MESSAGE REASON CODE INVALID FOR BUSINESS SERVICE ARRANGEMENT AND ACCEPTANCE BRAND ID CODE.             | Both                        |
| DE 26              | 2223            | DE26 ACCEPTOR BUSINESS CODE (MCC) INVALID FOR BUSINESS SERVICE ARRANGEMENT AND ACCEPTANCE BRAND ID CODE.    | Both                        |
| DE 31              | 2181            | DE31 ACQUIRER REFERENCE DATA MUST BE A FIXED LENGTH OF 23.                                                  | Both                        |
| DE 31, s1          | 0080            | DE31S1 FILLER MUST BE NUMERIC.                                                                              | Both                        |
| DE 31, s2          | 0081            | DE31S2 ACQUIRER'S REFERENCE MUST BE NUMERIC.                                                                | Both                        |
|                    | 1087            | DE31S2 ACQUIRER'S BIN NOT A VALID ACQUIRER BIN.                                                             | Both                        |
| DE 31, s3          | 0086            | DE31S3 JULIAN PROCESSING DATE YDDD OF DE31 ACQUIRER REFERENCE DATA MUST BE A VALID DATE IN THE FORMAT YDDD. | Both                        |
| DE 31, s4          | 0083            | DE31S4 ACQUIRER'S SEQUENCE NUMBER MUST BE NUMERIC.                                                          | Both                        |
| DE 31, s5          | 0085            | DE31S5 CHECK DIGIT MUST BE NUMERIC.                                                                         | Both                        |
|                    | 0087            | DE31S5 CHECK DIGIT DOES NOT MOD-CHECK.                                                                      | Both                        |
| DE 32              | 0089            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC.                                                         | Both                        |
|                    | 0090            | DE32 ACQUIRING INSTITUTION ID CODE LENGTH FIELD MUST BE A VALUE OF 01-11.                                   | Both                        |
|                    | 2196            | DE32 ACQUIRING INSTITUTION ID CODE MUST BE NUMERIC AND CANNOT BE ALL ZEROS.                                 | Both                        |
| DE 33              | 0735            | DE33 FORWARDING INSTITUTION ID CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.     | Clearing<br>Optimize<br>r   |
|                    | 0808            | DE33 FORWARDING INSTITUTION ID CODE MUST BE NUMERIC.                                                        | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                             | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2180            | DE33 FORWARDING INSTITUTION ID CODE LENGTH MUST BE 006–011.                                                                               | Both                        |
|                    | 8554            | THE FORWARDING INSTITUTION ID IS NOT THE SAME THROUGHOUT THE FILE. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>           | Clearing<br>Optimize<br>r   |
| DE 37              | 0735            | DE37 RETRIEVAL REFERENCE NUMBER MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                                       | Clearing<br>Optimize<br>r   |
|                    | 2208            | DE37 CANNOT BE ALL ZEROS OR ALL SPACES.                                                                                                   | Both                        |
| DE 41              | 2182            | DE41 ACCEPTOR TERMINAL ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                              | Both                        |
| DE 42              | 0735            | DE42 ACCEPTOR ID CODE MUST BE PRESENT IN 1740/790, 791 MESSAGES.                                                                          | Both                        |
| DE 43              | 0589            | DE43 MUST BE COMPATIBLE WITH DE43S5 STATE/PROVINCE/ REGION CODE                                                                           | Both                        |
| DE 48              | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008–999.                                                                                              | Both                        |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62. | Both                        |
|                    | 0735            | DE48 ADDITIONAL DATA MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                                                  | Clearing<br>Optimize<br>r   |
| DE 49              | 0119            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                  | Both                        |
|                    | 0122            | PDS0148S1 CURRENCY CODE OCCURRENCE FOR DE49 CURRENCY CODE, TRANSACTION, MUST BE PROVIDED.                                                 | Both                        |
|                    | 0735            | DE49 CURRENCY CODE, TRANSACTION MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                                       | Clearing<br>Optimize<br>r   |
|                    | 2670            | DE49 CURRENCY CODE, TRANSACTION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                                  | GCMS                        |
|                    | 8502            | INVALID CURRENCY CODE FOR U.K. DOMESTIC MAESTRO. <b>(Applies only to U.K. Domestic Maestro transactions.)</b>                             | Clearing<br>Optimize<br>r   |
| DE 50              | 2670            | DE50 CURRENCY CODE, RECONCILIATION MUST CONTAIN A VALID ISO STANDARD NUMERIC CURRENCY CODE.                                               | GCMS                        |
| DE 62              | 0166            | DE62 ADDITIONAL DATA 2 LENGTH MUST BE 008–999.                                                                                            | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                        | Edit<br>perform<br>ed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0168            | INCORRECT PDS ENCODING SCHEME WITHIN DE62 ADDITIONAL DATA 2.                                                         | Both                        |
|                    | 0169            | DE62 ADDITIONAL DATA 2 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA IS PRESENT.                                       | Both                        |
| DE 63              | 2181            | DE63 TRANSACTION LIFE CYCLE ID MUST BE A FIXED LENGTH OF 16.                                                         | Both                        |
| DE 63, s1          | 0139            | DE63S1 LIFE CYCLE SUPPORT INDICATOR MUST BE 7.                                                                       | Both                        |
| DE 63, s2          | 2233            | DE63S2 TRACE ID MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                | Clearing<br>Optimize<br>r   |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                                 | Both                        |
|                    | 0735            | DE71 MESSAGE NUMBER MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                              | Clearing<br>Optimize<br>r   |
| DE 93              | 0155            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MUST BE NUMERIC.                                                    | Both                        |
|                    | 0157            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE INVALID.                                                            | Both                        |
|                    | 0544            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE IS DESIGNATED FOR INTERNAL USE BY MASTERCARD.                       | Both                        |
|                    | 0735            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES. | Clearing<br>Optimize<br>r   |
|                    | 2180            | DE93 TRANSACTION DESTINATION INSTITUTION ID CODE LENGTH MUST BE 006-011.                                             | Both                        |
|                    | 2630            | RECEIVER OF THE TRANSACTION NOT SETUP FOR 7TH CLEARING.                                                              | GCMS                        |
| DE 94              | 0159            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MUST BE NUMERIC.                                                     | Both                        |
|                    | 0161            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE INVALID.                                                             | Both                        |
|                    | 0550            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE IS DESIGNATED AS AN ISSUER ONLY BY MASTERCARD.                       | Both                        |
|                    | 0735            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.  | Clearing<br>Optimize<br>r   |
|                    | 2180            | DE94 TRANSACTION ORIGINATOR INSTITUTION ID CODE LENGTH MUST BE 006-011.                                              | Both                        |



| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                                  | Edit<br>perform<br>ed by... |
|--------------------|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2666            | CUSTOMER RISK MANAGEMENT TRANSACTION BLOCKED FOR SENDER.                                                                                                       | GCMS                        |
| DE 123             | 0171            | DE123 ADDITIONAL DATA 3 LENGTH MUST BE 008-999.                                                                                                                | Both                        |
|                    | 0173            | INCORRECT PDS ENCODING SCHEME WITHIN DE123 ADDITIONAL DATA 3. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE123 OR BE MOVED TO DE124.                 | Both                        |
|                    | 0174            | DE123 ADDITIONAL DATA 3 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA AND DE62 ADDITIONAL DATA 2 ARE PRESENT.                                                    | Both                        |
| DE 124             | 0179            | DE124 ADDITIONAL DATA 4 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, AND DE123 ADDITIONAL DATA 3 ARE PRESENT.                          | Both                        |
|                    | 2152            | DE124 ADDITIONAL DATA 4 LENGTH MUST BE 008-999.                                                                                                                | Both                        |
|                    | 2154            | INCORRECT PDS ENCODING SCHEME WITHIN DE124 ADDITIONAL DATA 4. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE124 OR BE MOVED TO DE125.                 | Both                        |
| DE 125             | 0176            | DE125 ADDITIONAL DATA 5 LENGTH MUST BE 008-999.                                                                                                                | Both                        |
|                    | 0178            | INCORRECT PDS ENCODING SCHEME WITHIN DE125 ADDITIONAL DATA 5. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE125 OR IT CANNOT BE ADDED.                | Both                        |
|                    | 2155            | DE125 ADDITIONAL DATA 5 CAN BE PRESENT ONLY IF DE48 ADDITIONAL DATA, DE62 ADDITIONAL DATA 2, DE123 ADDITIONAL DATA 3, AND DE124 ADDITIONAL DATA 4 ARE PRESENT. | Both                        |
| PDS 0001           | 0503            | PDS0001 MASTERCARD MAPPING SERVICE ACCOUNT NUMBER NOT ALLOWED IN <MSGTYPE>.                                                                                    | GCMS                        |
| PDS 0021           | 2873            | PDS021 INVALID. MUST BE IP2201T1.                                                                                                                              | Both                        |
|                    | 2874            | PDS021 MUST BE A FIXED LENGTH OF 001.                                                                                                                          | Both                        |
| PDS 0057           | 2227            | PDS0057 TRANSACTION CATEGORY INDICATOR INVALID. MUST BE 01, 02, 03, or 04                                                                                      | Both                        |
| PDS 0058           | 2183            | PDS0058 TOKEN ASSURANCE LEVEL MUST BE NUMERIC.                                                                                                                 | GCMS                        |
| PDS 0059           | 2183            | PDS0059 TOKEN REQUESTOR ID MUST BE NUMERIC.                                                                                                                    | GCMS                        |
| PDS 0080           | 2185            | PDS0080 AMOUNT, TAX MUST BE D OR C.                                                                                                                            | GCMS                        |
| PDS 0148           | 0735            | PDS0148 CURRENCY EXPONENTS MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                                                                 | Clearing<br>Optimize<br>r   |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                 | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 2310            | PDS0148 CURRENCY EXPONENTS INVALID FIELD LENGTH.                                                                                              | Clearing<br>Optimize<br>r   |
| PDS 0148,<br>s1    | 0395            | PDS0148S1 CURRENCY CODE MUST CONTAIN A VALID NUMERIC ISO-STANDARD CURRENCY CODE. OCCURRENCE <XX>.                                             | Both                        |
|                    | 8502            | INVALID CURRENCY CODE FOR U.K. DOMESTIC MAESTRO.                                                                                              | Clearing<br>Optimize<br>r   |
| PDS 0148,<br>s2    | 0396            | PDS0148S2 CURRENCY EXPONENT MUST BE VALID FOR THE CORRESPONDING CURRENCY CODE IN SUBFIELD 1. OCCURRENCE <XX>.                                 | Both                        |
| PDS 0158           | 2180            | PDS0158 BUSINESS ACTIVITY LENGTH MUST BE 003–025.                                                                                             | Both                        |
| PDS 0158,<br>s1    | 2007            | ACCEPTANCE BRAND IS NOT VALID FOR THE MEMBER PAIR.                                                                                            | Both                        |
|                    | 2227            | CARD PROGRAM IDENTIFIER INVALID. MUST BE <VALLIST>.                                                                                           | Both                        |
|                    | 2288            | ACCEPTANCE BRAND ID CODE NOT ALLOWED IN GCMS. VALUE PERMITTED ONLY IN CLEARING OPTIMIZER.                                                     | GCMS                        |
|                    | 2504            | CARD PROGRAM IDENTIFIER <AB> IS INVALID FOR THE PRIMARY ACCOUNT NUMBER.                                                                       | Both                        |
| PDS 0158,<br>s2    | 2217            | PDS0158S3 BUSINESS SERVICE ID CODE MUST BE PRESENT AND VALID WHEN PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE IS PRESENT.                | Both                        |
| PDS 0158,<br>s3    | 2010            | BUSINESS SERVICE ID CODE SUBMITTED IS NOT VALID FOR THE MEMBER PAIR.                                                                          | Both                        |
|                    | 2218            | PDS0158S2 BUSINESS SERVICE ARRANGEMENT TYPE CODE MUST BE PRESENT AND VALID WHEN PDS0158S3 BUSINESS SERVICE ID CODE IS PRESENT.                | Both                        |
|                    | 2288            | <BUSINESS SERVICE ID & TYPE> BUSINESS SERVICE ARRANGEMENT NOT ALLOWED IN GCMS. BUSINESS SERVICE ARRANGEMENT VALID ONLY IN CLEARING OPTIMIZER. | GCMS                        |
| PDS 0165           | 0735            | PDS0165 SETTLEMENT INDICATOR MISSING. MUST BE PRESENT IN FUNDS TRANSFER FEE COLLECTION MESSAGES.                                              | Clearing<br>Optimize<br>r   |
|                    | 2180            | PDS0165 SETTLEMENT INDICATOR LENGTH MUST BE 001–030.                                                                                          | Both                        |
| PDS 0165,<br>s1    | 0414            | PDS0165S1 SETTLEMENT INDICATOR MUST BE M, B, OR C.                                                                                            | Both                        |

| Field/<br>Subfield | Error<br>number | Error message                                                                           | Edit<br>perform<br>ed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------|-----------------------------|
|                    | 2227            | PDS0165S1 SETTLEMENT INDICATOR INVALID. MUST BE <VALLIST>.                              | Clearing<br>Optimize<br>r   |
| PDS 0170,<br>s1    | 2181            | PDS0170S1 CUSTOMER SERVICE PHONE NUMBER MUST BE A FIXED LENGTH OF 16                    | Both                        |
| PDS 0170,<br>s2    | 2181            | PDS0170S2 ACCEPTOR PHONE NUMBER MUST BE A FIXED LENGTH OF 16.                           | Both                        |
| PDS 0175           | 2165            | PDS0175 ACCEPTOR URL LENGTH MUST BE 1-255.                                              | Both                        |
|                    | 2182            | PDS0175 ACCEPTOR URL MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS. | Both                        |
| PDS 0188           | 0503            | PDS0188 PRIVATE DATA—PROPRIETARY INCONROL DATA NOT ALLOWED IN <MSGTYPE>.                | GCMS                        |
| PDS 0191           | 3034            | PDS0191 MUST EQUAL ZERO                                                                 | Both                        |
|                    | 3035            | PDS0191 MUST EQUAL ZERO                                                                 | Both                        |
| PDS 0205,<br>s2    | 3050            | PDS205SF2 MUST BE A VALID CHAPTER III SYNTAX ERROR RETURN REASON CODE                   | Both                        |
| PDS 0207           | 2645            | PDS0207 WALLET IDENTIFIER INVALID. MUST BE ALPHANUMERIC.                                | Both                        |
| PDS 0375           | 2180            | PDS0375 MEMBER RECONCILIATION INDICATOR 1 LENGTH MUST BE 001-050.                       | Both                        |
| PDS 1000-<br>1099  | 2156            | PDS1000 CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                    | Both                        |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                              | Both                        |

## File Trailer/1644-695 messages

This section contains the error numbers and message texts by field and subfield for File Trailer/1644-695 messages.

### File Trailer/1644-695

Error numbers and message texts are organized by field and subfield for File Trailer/1644-695 messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

#### MTI/Function: File Trailer/1644-695

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                             | Edit<br>performed<br>by... |
|--------------------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| DE 24              | 0061            | DE24 FUNCTION CODE MUST BE NUMERIC.                                                                                                       | Both                       |
|                    | 0735            | DE24 FUNCTION CODE MUST BE PRESENT IN FILE TRAILER MESSAGES.                                                                              | Both                       |
| DE 48              | 0114            | DE48 ADDITIONAL DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                         | Both                       |
|                    | 0115            | DE48 ADDITIONAL DATA LENGTH MUST BE 008-999.                                                                                              | Both                       |
|                    | 0117            | INCORRECT PDS ENCODING SCHEME WITHIN DE48 ADDITIONAL DATA. PDS TAG PLUS LENGTH PLUS DATA MUST FIT ENTIRELY INTO DE48 OR BE MOVED TO DE62. | Both                       |
|                    | 0735            | DE48 ADDITIONAL DATA MUST BE PRESENT IN FILE TRAILER MESSAGES.                                                                            | Both                       |
| DE 71              | 0070            | DE71 MESSAGE NUMBER MUST BE NUMERIC.                                                                                                      | Both                       |
|                    | 0149            | DE71 MESSAGE NUMBER MUST BE GREATER THAN THE DE71 MESSAGE NUMBER VALUE IN THE PREVIOUS MESSAGE.                                           | Both                       |
|                    | 0735            | DE71 MESSAGE NUMBER MUST BE PRESENT IN FEE COLLECTION (OTHER) MESSAGES.                                                                   | Both                       |
| PDS 0001           | 0503            | PDS0001 NOT ALLOWED IN <MSGTYPE>.                                                                                                         | GCMS                       |
| PDS 0025           | 0503            | PDS0025 MESSAGE REVERSAL INDICATOR NOT ALLOWED IN FILE TRAILER.                                                                           | Both                       |
| PDS 0105           | 0351            | PDS0105 FILE ID MUST BE A FIXED LENGTH OF 025.                                                                                            | Both                       |
|                    | 0507            | IPM FILE TRAILER/1644-695 MESSAGE MUST BE THE LAST MESSAGE IN A PHYSICAL TRANSMISSION.                                                    | Both                       |
|                    | 0508            | IPM FILE TRAILER/1644-695 MESSAGE MISSING.                                                                                                | Both                       |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                                           | Edit<br>performe<br>d by... |
|--------------------|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
|                    | 0510            | FILE TRAILER REJECTED BECAUSE ALL DETAILS IN FILE REJECTED. <b>(Does not apply to 7th Clearing transactions)</b>                                        | Both                        |
|                    | 0517            | INVALID PDS0105 FILE ID IN FILE TRAILER/1644-695. SHOULD BE THE SAME AS THAT IN THE FILE HEADER.                                                        | Both                        |
|                    | 0735            | PDS0105 FILE ID MISSING. MUST BE PRESENT IN FILE TRAILER MESSAGES.                                                                                      | Both                        |
|                    | 1012            | THRESHOLDS EXCEEDED. FILE REJECTED.                                                                                                                     | Clearing<br>Optimizer       |
| PDS 0301           | 0489            | PDS0301 FILE AMOUNT, CHECKSUM MUST BE NUMERIC.                                                                                                          | Both                        |
|                    | 0490            | PDS0301 FILE AMOUNT, CHECKSUM LENGTH MUST BE A FIXED LENGTH OF 16.                                                                                      | Both                        |
|                    | 0519            | PDS0301 FILE AMOUNT, CHECKSUM IS NOT ZEROS, AND DOES NOT EQUAL THE TOTAL OF DE4 AMOUNT, TRANSACTION FROM EACH DETAIL MESSAGE.                           | Both                        |
|                    | 0735            | PDS0301 FILE AMOUNT, CHECKSUM MUST BE PRESENT IN FILE TRAILER MESSAGES.                                                                                 | Both                        |
| PDS 0306           | 0453            | PDS0306 FILE MESSAGE COUNTS MUST BE NUMERIC.                                                                                                            | Both                        |
|                    | 0454            | PDS0306 FILE MESSAGE COUNTS LENGTH MUST BE A FIXED LENGTH OF 8.                                                                                         | Both                        |
|                    | 0456            | PDS0306 FILE MESSAGE COUNTS IS NOT ZEROS, AND DOES NOT EQUAL THE TOTAL NUMBER OF MESSAGES (INCLUDING FILE HEADER AND FILE TRAILER) IN THE LOGICAL FILE. | Both                        |
|                    | 0735            | PDS0306 FILE MESSAGE COUNTS MUST BE PRESENT IN FILE TRAILER MESSAGES.                                                                                   | Both                        |
| PDS 1000           | 2156            | PDS10XX MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT BE ALL LOW-VALUES OR ALL HIGH-VALUES.                                                                  | Both                        |
|                    | 2159            | MEMBER-TO-MEMBER PROPRIETARY DATA CANNOT EXCEED 999 BYTES.                                                                                              | Both                        |

## Syntax error messages

This section contains the error numbers and message texts by field and subfield for Syntax Error messages.

### Syntax errors

Error numbers and message texts are organized by field and subfield for Syntax Error messages. The edit process that presents the message is performed by the Clearing Optimizer software, the Global Clearing Management System (GCMS), or both.

#### MTI/Function: Syntax Errors

| Field/<br>Subfield | Error<br>number | Error message                                                                                                               | Edit<br>performed by... |
|--------------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 2               | 2561            | DE2 PRIMARY ACCOUNT NUMBER (PAN) INVALID.                                                                                   | Both                    |
|                    | 2562            | DE2 PRIMARY ACCOUNT NUMBER (PAN) CANNOT CONTAIN NON-NUMERIC VALUE.                                                          | Both                    |
|                    | 2563            | DE2 PRIMARY ACCOUNT NUMBER (PAN) CHECK DIGIT INVALID.                                                                       | Both                    |
| DE 4               | 2564            | DE4 AMOUNT, TRANSACTION CONTAINS ALL ZEROS OR IS NON-NUMERIC.                                                               | Both                    |
| DE 12              | 2567            | DE12 DATE AND TIME, LOCAL TRANSACTION POSITIONS 3–6 CONTAIN ALL ZEROS OR SPACE(S) OR IS NON-NUMERIC.                        | Both                    |
|                    | 2568            | DE12 DATE AND TIME, LOCAL TRANSACTION GREATER THAN PROCESSING DATE.                                                         | Both                    |
|                    | 2569            | DE12 DATE AND TIME, LOCAL TRANSACTION POSITIONS 3–6 ARE IN A FORMAT OTHER THAN MMDD.                                        | Both                    |
|                    | 2570            | THE PROCESS DATE IS GREATER THAN 120 DAYS FROM DE12 DATE AND TIME, LOCAL TRANSACTION.                                       | Both                    |
|                    | 2571            | DE12 DATE AND TIME, LOCAL TRANSACTION IS GREATER THAN 30 DAYS FROM THE PROCESSING DATE.                                     | Both                    |
| DE 22, s1          | 2621            | DE22S1 TERMINAL DATA: CARD DATA INPUT CAPABILITY INVALID FOR THE BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>. | Both                    |
| DE 22, s7          | 2621            | DE22S7 CARD DATA: INPUT MODE INVALID FOR THE BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>.                     | Both                    |
| DE 31, s3          | 2572            | DE31S3 JULIAN PROCESSING DATE MUST BE A VALID DATE IN THE FORMAT YDDD.                                                      | Both                    |

| Field/<br>Subfield | Error<br>number | Error message                                                                                                                        | Edit<br>performed by... |
|--------------------|-----------------|--------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| DE 31, s4          | 2566            | DE31S4 ACQUIRER SEQUENCE NUMBER CONTAINS SPACE(S), ALL ZEROS OR NON-NUMERIC.                                                         | Both                    |
| DE 31, s5          | 2563            | DE31S5 CHECK DIGIT NUMERIC CHECK DIGIT INVALID.                                                                                      | Both                    |
| DE 38              | 2565            | DE38 APPROVAL CODE CONTAINS SPACE(S) OR IS NON-NUMERIC.                                                                              | Both                    |
|                    | 2566            | DE38 APPROVAL CODE CONTAINS SPACES OR ALL ZEROS OR IS NON-NUMERIC.                                                                   | Both                    |
| DE 40              | 2621            | DE40 SERVICE CODE INVALID FOR THE BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>.                                         | Both                    |
| DE 42              | 2576            | DE42 ACCEPTOR ID CODE MUST BE LEFT-JUSTIFIED AND CANNOT CONTAIN ALL SPACES OR ALL ZEROS.                                             | Both                    |
| DE 43, s1          | 2573            | DE43S1 ACCEPTOR NAME MUST BE LEFT JUSTIFIED AND CANNOT CONTAIN ALL SPACES.                                                           | Both                    |
|                    | 2574            | DE43S1 ACCEPTOR NAME MUST CONTAIN A VALUE WITHIN THE RANGE OF 0-9, A-Z, OR SPACES.                                                   | Both                    |
| PDS 0146, s5       | 2562            | PDS0146S5 AMOUNT, FEE CANNOT CONTAIN A NON-NUMERIC VALUE.                                                                            | Both                    |
| PDS 0663           | 2621            | PDS0663 FREE-FORM DESCRIPTION POSITION 1-2 TYPE OF CREDIT INVALID FOR THE BUSINESS SERVICE ARRANGEMENT <BUSINESS SERVICE ID & TYPE>. | Both                    |

## Duplicate Dual Message Clearing System files, postings, and potential duplicate rejects

A duplicate file occurs when the [Dual Message Clearing System](#) processes a file more than once. The Dual Message Clearing System has edits and built-in controls to detect and reject complete duplicate files or individual transactions when submitted by acquirers. A potential duplicate transaction reject occurs when the Dual Message Clearing System detects the transaction is a potential duplicate of a transaction that was previously processed.

### Dual Message Clearing System editing for duplicate files

To prevent a duplicate file from being processed, the Dual Message Clearing System rejects the entire file if PDS 0105 (File ID) in the File Header/1644 message matches one that was processed within the last 180 days for the customer or processor (specified in PDS 0105, subfield 3 [Processor ID]).

For example, suppose that customer 1234 sends file ID number 0022504150000000123400001. If the Dual Message Clearing System File ID History File contains the same file ID number within the last 180 days of file IDs from customer 1234, the Dual Message Clearing System rejects that second file 0022504150000000123400001 as a duplicate file.

## **Reasons for duplicate Dual Message Clearing System files or postings**

Duplicate postings may occur for various reasons, such as:

- An operator changes the file ID number on a previously processed file and resends it
- Previously processed merchant transactions are processed again, or
- The merchant submits the same transaction more than once

Mastercard recommends that customers establish controls to prevent and detect these and other errors to help prevent duplicate files and postings.

## **Identification of duplicate Dual Message Clearing System postings**

If a duplicate posting does occur, either the sending customer or the receiving customer may identify it.

If the receiving customer discovers a duplicate posting, it must notify the sending customer. The sending customer must inform the Mission Control and Operations Command Center by telephone and then take action to correct the duplicate postings by submitting reversals.

When the sending customer notifies Mastercard about a duplicate posting, the customer must provide for both the original and duplicated postings the following:

- File ID numbers
- Net amounts

## **Potential duplicate clearing transaction rejections**

The Dual Message Clearing System rejects 1240/200 First Presentment transactions if it is determined to be a potential duplicate of a previously processed transaction. A specific process must be followed to resubmit the transaction if the acquirer determines the transaction not to be a duplicate.

### **Potential duplicate rejection**

Mastercard has logic designed to identify potential duplicate First Presentment/1240/200 clearing messages by performing matching logic against the associated authorization message, and a comparison against other 1240/200 messages. There will be occasions where a false-positive is identified. When those instances occur, acquirers have the ability to resubmit the rejected clearing message.



Mastercard's goal is to reject as many potential duplicate clearing messages as possible, but issuers might still receive some duplicate clearing messages.

Acquirers receive 1644/691 rejection messages indicating the transaction rejected due to a potential duplication.

### Potential duplicate resubmission process

A rejected transaction that is verified to be a non-duplicate can be reprocessed by retaining and returning information from the reject message. PDS 0444: Resubmission Code will be included in the Message Exception/1644 message. PDS 0444 contains a resubmission code that must be included in any resubmitted First Presentment/1240 message that was previously identified as a potential duplicate. The presence of a valid value in PDS 0444 allows the resubmitted First Presentment/1240 message to bypass the potential duplicate detection and rejection process.

Mastercard accommodates the additional time taken to receive, research, and respond to rejected potential duplicate clearing transactions. Resubmitted First Presentment/1240 messages that contain a valid resubmission code are not subject to any interchange program timeliness requirements that may be required to qualify for some interchange programs.

As a reminder, Mastercard can identify up to 10 error codes, which are reasons for which a transaction is being rejected. Acquirers must ensure they are not only submitting PDS 0444 on the resubmission, but also that they are correcting any other identified reasons for which the transaction was rejected.

## Full File Reversal Utility

The IPM File Reversal Utility can be used for building a full file reversal.

### About IPM File Reversal Utility

Customers inadvertently send duplicate [IPM](#) clearing files to Mastercard, and it is critical that the duplicate files are reversed quickly to avoid processing and financial impact. To reverse the duplicated files, customers can use the IPM file reversal utility to easily create a full file reversal and validate the file using the Clearing Optimizer software before submitting the clearing file to Mastercard.

For example, if a customer inadvertently sent duplicate clearing files for [Dual Message Clearing System](#) processing date 29 August 2024, the impacted customer can now use the IPM file reversal utility to create a full file reversal using the processing date of 29 August 2024.

The IPM file reversal utility inserts PDS 0026 (File Reversal Indicator) in the file header with the information provided from the processing date on the Reversal Processing Date Selection field. Using the noted example, the values in PDS 0026 will be PDS 0026, subfield 1 (File Reversal Indicator) = R and PDS 0026, subfield (Central Site Processing Date of Original File) = 190829.

**NOTE: The IPM file reversal utility can be used on a clearing file with one header and one trailer. Clearing files with multiple logical files (multiple headers and trailer) cannot be used.**

For more information regarding reversals and PDS 0026, refer to [PDS 0026 \(File Reversal Indicator\)](#). It is critical to select the correct processing date for the reversal files and validate the reversal files before submitting the files to the Mastercard central site.

## Having Mastercard reverse files

Mastercard submits full file reversals at the customer's request.

Customers that want to request this service must provide the File ID of the file to be reversed and the original [Dual Message Clearing System](#) processing date of that file to their Global Customer Service team, regional office representative, or Technical Account Management representative. Mastercard uses this information to create and submit a full-file reversal as documented in the [How to send reversal files: full files](#) section.

## Editing reversal messages

The [Dual Message Clearing System](#) automatically excludes reversal messages from most interchange qualification edits. For example, the Dual Message Clearing System excludes reversal First Presentment/1240 messages from interchange timeliness and industry-related addendum requirements.

The Dual Message Clearing System does edit the file ID in all full-file reversals to ensure that it has not been previously reversed. As noted, the file ID in a reversal file does not have to be the original file ID, but it cannot be a file ID that has been used in a previous full-file reversal.

## Reporting reversal rejects

The [Dual Message Clearing System](#) generates Message Exception/1644 or File Reject/1644 messages for all rejected messages or files. Within these error messages, the Dual Message Clearing System designates reversal transactions by the presence of PDS 0025 (Message Reversal Indicator) in the individual message for individual transaction reversals and PDS 0026 (File Reversal Indicator) in the header message for full file reversals.

## Chapter 7 System functionality and services

*This section describes functionality or services that are fundamental to clearing processing. This section also includes information about requesting and using these services.*

---

|                                                                                            |      |
|--------------------------------------------------------------------------------------------|------|
| Automated fuel dispenser completion.....                                                   | 1857 |
| Bilateral settlement activity.....                                                         | 1857 |
| Definition of bilateral settlement agreement.....                                          | 1857 |
| Identification of bilateral settlement transactions.....                                   | 1858 |
| Editing bilateral transactions.....                                                        | 1858 |
| Bilateral transactions in relation to reconciliation messages.....                         | 1858 |
| Business service arrangements.....                                                         | 1858 |
| Definition of business service.....                                                        | 1858 |
| Types of business service arrangements.....                                                | 1859 |
| Criteria details.....                                                                      | 1861 |
| Additional features for business service arrangements.....                                 | 1862 |
| Business service calendar and transaction timeliness.....                                  | 1862 |
| Interchange rates and fees structure.....                                                  | 1863 |
| Manual cash disbursement accommodation fee.....                                            | 1863 |
| Contents of PDS 0158 (Business Activity).....                                              | 1863 |
| Claims Manager.....                                                                        | 1864 |
| Currency conversion.....                                                                   | 1865 |
| Overview of currency conversion service performed during the clearing process.....         | 1865 |
| Amount definitions.....                                                                    | 1866 |
| Rates used for currency conversion.....                                                    | 1866 |
| Data elements calculated during currency conversion process.....                           | 1873 |
| Currency conversion for first presentments qualifying for regional settlement service..... | 1873 |
| Acquirer side data elements.....                                                           | 1873 |
| Other acquirer calculation considerations: computed cross rates and fixed interchange..... | 1883 |
| Issuer side data elements.....                                                             | 1883 |
| Rounding of Dual Message Clearing System currency conversion.....                          | 1892 |
| Customer currency conversion for chargebacks (all cycles).....                             | 1893 |
| Customer requirements for submitting first chargeback amounts.....                         | 1893 |
| Acquirer processing of second presentments.....                                            | 1897 |
| Processing of pre-arbitration and arbitration case filings.....                            | 1897 |
| Currency conversion for settlement of fee collection messages.....                         | 1897 |
| Currency conversion for reversals.....                                                     | 1898 |
| Currency Update/1644-640 Messages.....                                                     | 1898 |

|                                                                                              |      |
|----------------------------------------------------------------------------------------------|------|
| T057 Currency Conversion Rate File.....                                                      | 1899 |
| Acquirer Currency Conversion Rate File.....                                                  | 1902 |
| Originating Institution Payment Transaction Currency Conversion Rate File.....               | 1902 |
| Clearing Detail File (IP755120-AA) to facilitate acquirer reconciliation.....                | 1903 |
| Duplicate Dual Message Clearing System files, postings, and potential duplicate rejects..... | 1904 |
| Dual Message Clearing System editing for duplicate files.....                                | 1904 |
| Reasons for duplicate Dual Message Clearing System files or postings.....                    | 1904 |
| Identification of duplicate Dual Message Clearing System postings.....                       | 1905 |
| Potential duplicate clearing transaction rejections.....                                     | 1905 |
| Settlement service.....                                                                      | 1906 |
| Definition of Settlement Service.....                                                        | 1906 |
| Calculating net positions.....                                                               | 1907 |
| Settlement service levels.....                                                               | 1909 |
| Settlement service selection process.....                                                    | 1911 |
| Settlement service selection.....                                                            | 1912 |
| Settlement service parameters.....                                                           | 1912 |
| Settlement service participation and criteria selection.....                                 | 1914 |
| Intracurrency settlement service selection.....                                              | 1914 |
| Regional settlement service selection.....                                                   | 1918 |
| Settlement date cycle calculation.....                                                       | 1920 |
| Fee calculation routines for settlement service levels.....                                  | 1921 |
| System-provided data in PDS 0159 (Settlement Data).....                                      | 1921 |
| Settlement service advisements.....                                                          | 1921 |
| Customer settlement advisements.....                                                         | 1922 |
| Reversals.....                                                                               | 1922 |
| How to create reversals.....                                                                 | 1922 |
| Identification of reversal messages.....                                                     | 1922 |
| Identification of reversal files.....                                                        | 1922 |
| How to send individual reversal messages.....                                                | 1923 |
| How to send reversal files: full files.....                                                  | 1923 |
| How to send reversal files: partial files.....                                               | 1924 |
| Using the Clearing Optimizer Message Selection Utility to create reversals.....              | 1925 |
| Full File Reversal Utility.....                                                              | 1925 |
| Having Mastercard reverse files.....                                                         | 1926 |
| Editing reversal messages.....                                                               | 1926 |
| Reporting reversal rejects.....                                                              | 1926 |

## Automated fuel dispenser completion

*Automated Fuel Dispensers (AFDs)* are self-service fuel pumps equipped with card payment systems at fuel stations, enabling the cardholder to purchase fuel without requiring an attendant. AFDs preauthorize a fixed amount, then the acquirer sends an authorization advice and clearing for the final purchase amount.

AFD merchants authorize a fuel transaction from an unattended pump by submitting the preauthorization amount as either one unit of currency (1.00), or a maximum amount. The "1.00 AFD" method is used in countries that have established chargeback liability limits for AFD transactions (for example, USD 100 in the U.S. region).

Acquirers use the Authorization Advice/0120 messages to advise the issuer of the total amount of the AFD transaction. Acquirers then submit a clearing record to the Dual Message Clearing System for the amount in the authorization advice.

An AFD transaction is identified with MCC 5542 and may have occurred at a *cardholder activated terminal (CAT)* or as an e-commerce transaction.

**NOTE: The *Data Integrity Monitoring Program* guide describes the Data Integrity AFD edit for acquirers of AFD merchants that are located in the U.S. region.**

## Bilateral settlement activity

This section describes what bilateral settlement is and how the *Dual Message Clearing System* processes these transactions.

### Definition of bilateral settlement agreement

A bilateral settlement agreement is an arrangement between two Mastercard customers to settle transactions directly, rather than through the Mastercard *Settlement Account Management (S.A.M.)* system.

If this arrangement is in place, Mastercard clears transaction data between the participating customers but does not perform settlement on the data.

Customers interested in establishing a bilateral settlement agreement with other customers should contact their Global Customer Service team.

**NOTE: For more information about participation in bilateral agreements, refer to the *Settlement Manual*.**

## Identification of bilateral settlement transactions

Customers requesting bilateral settlement for a given transaction must indicate this by populating PDS 0165 (Settlement Indicator), subfield 1 (Settlement Indicator) with a value of B to denote bilateral settlement.

This causes the Dual Message Clearing System to edit and clear the transactions but not initiate settlement. Customers may combine bilateral transactions with all other transactions in the same file.

These customers may also optionally populate PDS 0165, subfield 2 (Settlement Agreement Information) with additional information related to the bilateral settlement.

## Editing bilateral transactions

The Dual Message Clearing System edits bilateral settlement transactions to ensure that a bilateral settlement agreement is on file between the sending and receiving Customer IDs.

Tables indicating bilateral settlement agreements and customer participation are available in the [IPM Mastercard Parameter Extract \(MPE\)](#).

The Dual Message Clearing System automatically excludes bilateral settlement chargeback transactions from:

- Chargeback timeliness edits
- Cycle appropriateness edits

## Bilateral transactions in relation to reconciliation messages

For information on bilateral transactions in relation to reconciliation messages, refer to the [Bilateral transactions in relation to reconciliation messages](#) section in the Reconciliation chapter.

## Business service arrangements

This section defines business service arrangements and describes the types of business service options Mastercard offers.

## Definition of business service

A business service is an arrangement with Mastercard between two or more customers that defines customized business rules and interchange processing requirements for transactions occurring between the participating customers. This arrangement must be consistent with Mastercard Standards or the standards of the other applicable brand.

Within each business service arrangement, Mastercard defines a set of qualification criteria and editing rules for each card program identifier. Card program identifiers include any of the Mastercard family of brands, including, but not limited to, Mastercard, Cirrus, and Maestro.

Mastercard may agree to add additional brands (that are not Mastercard brands) as business needs dictate.

Business service criteria, editing rules, interchange fee structures, and all other qualification criteria are parameter-based and maintained in tables. Business service arrangement parameters are maintained within Mastercard's internal parameter system and are reflected in the Dual Message Clearing System MPE.

**NOTE: Most major changes, such as changes that affect all customers globally or all customers within a specific region, are implemented in a standard release schedule.**

**NOTE: For further information on initiating a business service arrangement, contact the Global Customer Service team or the appropriate Mastercard regional office.**

## Types of business service arrangements

There are six types of business service arrangements, each with a defined hierarchy or priority to determine how the system processes transactions. Customers can participate in multiple business service arrangements under a single Customer ID.

All customers participate in a minimum number of business service arrangements to facilitate activity within their region as well as interregional activity. Customers may also participate in additional business service arrangements where relevant.

Mastercard defines the types of arrangements in the following table.

### Types of Arrangements

| Business service arrangement                                                                                                                                                                                                           | Description                                                                                                                                       | System selection hierarchy | Geography | Arrangement type code (PDS 0158s2) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------|------------------------------------|
| Customer-to-Customer                                                                                                                                                                                                                   | An arrangement involving a pair of customers, or group of customers (this business service type has no geographic or business region boundaries). | First priority             | None      | 8                                  |
| <b>NOTE: If both Business-to-Business and Customer-to-Customer Business Service arrangements are valid, then the Customer-to-Customer Business Service Arrangement has priority over the Business-to-Business Service Arrangement.</b> |                                                                                                                                                   |                            |           |                                    |

| Business service arrangement        | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | System selection hierarchy | Geography                        | Arrangement type code (PDS 0158s2) |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------------------------|------------------------------------|
| Business-to-Business                | An arrangement between all the customers ( <i>acquirers</i> and <i>issuers</i> ) that participate in a given business initiative. The interchange is defined by Mastercard. This business service type has no geographic or business region boundaries.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | First priority             | None                             | 8                                  |
| Intracountry                        | An arrangement involving all customers within a single country.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Second priority            | Single Country                   | 4                                  |
| Intercountry (formerly Subregional) | An arrangement involving customers in multiple countries or business regions. Participants are not required to be within a single business region.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Third priority             | Two or more Countries or Regions | 3                                  |
| Intraregional                       | An arrangement involving all customers within a business region.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Fourth priority            | Single Region                    | 2                                  |
| Interregional                       | <p>An arrangement involving all customers in different business regions.</p> <p>The geographic designation for interregional arrangements consists of a "from" region and a "to" region:</p> <ul style="list-style-type: none"> <li>The "from" region is defined as the region associated to the value in <i>data element (DE) 31</i> (Acquirer Reference Data), subfield 2 (Acquirer Reference ID), or in the absence of DE 31, the value in DE 94 (Transaction Originator Institution ID Code) of the message.</li> <li>The "to" region is defined as the region associated to the value in the DE 2 (Primary Account Number [PAN]), or in the absence of DE 2 the value in DE 93 (Transaction Destination Institution ID Code) of the message</li> </ul> <p>When the acquirer and issuer are in the same region and the merchant is in a different region, the "from" region is defined as the region associated to the merchant identified in DE 43 (Acceptor Name/ Location), subfield 6 (Acceptor Country Code).</p> | Fifth priority             | Two Regions: From and To         | 1                                  |



**NOTE: Business service arrangements are established in accordance with local laws and regulations. For questions about participation in, or the hierarchy of business arrangement qualification, contact your Mastercard representative.**

## Criteria details

Interchange rate designators (IRDs) are defined within the arrangement, each with its own unique set of qualification criteria and corresponding interchange fee structure. The criteria available for customization within an arrangement are described in the following table.

### Criteria Details

| Qualification Criteria                               | Description                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Card Program Identifier                              | The set of card program identifiers in PDS 0158 (Business Activity), subfield 1 (Card Program Identifier) that are valid for the arrangement. Each of the remaining business service setup parameters have unique values for each card program identifier.                                                                                                                                             |
| Global Clearing Management System Product Identifier | The set of clearing product codes in PDS 0002 (Global Clearing Management System Product Identifier), derived from DE 2 (Primary Account Number [PAN]) that are valid for the card program identifier within the business service arrangement.                                                                                                                                                         |
| Transaction Function                                 | The set of transaction functions (Message Type Identifier plus DE 24 [Function Code]) that are valid for the card program identifier within the business service arrangement.                                                                                                                                                                                                                          |
| Processing Code/<br>Reversal Indicator               | The set of Processing Codes in DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type) that is valid for each transaction function established for the card program identifier within the business service arrangement. Also defines whether reversals as identified in PDS 0025 (Message Reversal Indicator), subfield 1 (Message Reversal Indicator) are permitted for the processing code. |
| Cardholder From Account ID                           | The set of Cardholder From Account ID codes in DE 3 (Processing Code), subfield 2 (Cardholder From Account Type Code) that is valid for each transaction function established for the card program identifier within the business service arrangement.                                                                                                                                                 |
| Cardholder To Account ID                             | The set of Cardholder To Account ID codes in DE 3 (Processing Code), subfield 3 (Cardholder To Account Type Code) that is valid for each transaction function established for the card program identifier within the business service arrangement.                                                                                                                                                     |

| Qualification Criteria                      | Description                                                                                                                                                                                                                          |
|---------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Message Reason Codes/<br>Reversal Indicator | The set of Message Reason Codes in DE 25 (Message Reason Code) that is valid for each card program identifier within the business service arrangement. Defines whether reversals are permitted for the <a href="#">reason code</a> . |
| Geography                                   | The valid geographical usage for the brand, expressed as a set of valid regions, country codes, or a combination of both.                                                                                                            |
| Acceptor Business (AB)<br>Programs          | The set of AB programs that are valid for each card program identifier within the business service arrangement.                                                                                                                      |

## Additional features for business service arrangements

Options such as timeliness editing and authorization code requirements may be defined for a business service. In addition, interchange fee structures and optional addendum message requirements must be defined for transactions to be exchanged within the arrangement.

### Business service calendar and transaction timeliness

A business service calendar is established by the participants of each arrangement, defining the processing days and holidays to be observed within the arrangement. The Dual Message Clearing System uses the information in the calendar for calculating transaction timeliness, when applicable.

If requested, the Dual Message Clearing System performs transaction timeliness editing according to the number of days permitted, considering any excluded days as specified in the business service calendar. Several types of dates may be excluded from the interchange timeliness calculation, such as:

- Non-processing days (holidays)
- Holidays
- Transaction date
- File header date

**NOTE: When two or more conditions occur on the same day (for example, Holiday = excluded date, and Processing Date = not excluded), exclusions take precedence, and the day will not be counted in the timeliness calculation.**

## Interchange rates and fees structure

Customer arrangements define, in accordance with Mastercard Standards, [interchange rate designators \(IRDs\)](#) and corresponding interchange rate structures to be applied to transactions exchanged between participating customers.

In addition, participating customers can specify whether the [Dual Message Clearing System](#) should calculate interchange fees for bilaterally settled transactions that qualify for the business service. For more information about bilaterally settled transactions, refer to the *Settlement Manual*.

## Manual cash disbursement accommodation fee

Customers that participate in an intracountry business service arrangement may establish an accommodation fee for manual (non-ATM) cash disbursements. The issuer pays an accommodation fee to the acquirer for transactions involving a manual (non-ATM) cash disbursement.

Customer-defined manual cash disbursement fees may be calculated as a percentage of the transaction amount, a unit fee in local currency or U.S. dollars, a minimum cash disbursement accommodation fee, or any combination thereof.

**NOTE: Customers that require additional assistance to support unique local requirements should contact the appropriate regional office.**

## Contents of PDS 0158 (Business Activity)

The [Dual Message Clearing System](#) selects or validates the values in PDS 0158 (Business Activity) for each applicable financial transaction.

The first four subfields are:

### Subfields

| Subfield | Description                            | Definition                                                                                                                | For example... |   |                  |
|----------|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------|----------------|---|------------------|
| 1        | Card Program Identifier                | Three-position code that identifies Mastercard or other applicable brand under whose umbrella transactions are processed. | MCC            | = | Mastercard® Card |
| 2        | Business Service Arrangement Type Code | One-position code that identifies the interchange relationship for the business arrangement.                              | 2              | = | Intraregional    |

| Subfield | Description                 | Definition                                                                                                  | For example...                                     |
|----------|-----------------------------|-------------------------------------------------------------------------------------------------------------|----------------------------------------------------|
| 3        | Business Service ID Code    | Unique, six-position code that identifies the specific interchange arrangement assigned to the transaction. | 010001 = U.S. intraregional business service       |
| 4        | Interchange Rate Designator | Code that specifies the interchange rate to apply to the transaction.                                       | 70 = U.S. intraregional Merit III interchange rate |

When sending transactions to the Dual Message Clearing System, customers must submit an interchange rate designator (IRD) in subfield 4 and may populate subfields 1, 2, and 3 with either spaces or the appropriate business service data. The Dual Message Clearing System rejects any transaction that contains invalid data in PDS 0158, subfields 1 through 4. For all other valid transactions, the Dual Message Clearing System populates subfields:

- 1, 2, and 3 with the system-selected information
- 5 through 12 of PDS 0158 before forwarding the transaction to the receiving customer.

The Dual Message Clearing System derives the information according to evaluation of the message contents against the qualification criteria for business service arrangements in common between the acquirer and issuer. If the Dual Message Clearing System cannot find a business service in which to process the transaction, the Dual Message Clearing System rejects the transaction.

For more information, refer to PDS 0158 in [Data element and private data subelement definitions and details](#).

## Claims Manager

Mastercom® Claims Manager offers complete end-to-end functionality for processing and managing disputes.

Claims Manager groups dispute events related to a single first presentment under a single claim, allowing the acquirers and issuers to track the progress of the claim through the dispute resolution cycle. Claims Manager groups the claims into queues according to their progress in the dispute resolution cycle.

Claims Manager supports the following use cases for the Dual Message System disputes.

## Dispute use cases

| Entity             | Use case                                                                                                                                                                                                                                                                                                                                                |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issuer             | <ul style="list-style-type: none"> <li>• Research a first presentment and open a claim.</li> <li>• Create a collaboration request manually (claims for transactions involving U.S. healthcare only).</li> <li>• Create a first chargeback.</li> <li>• Receive a second presentment.</li> <li>• Create a pre-arbitration or arbitration case.</li> </ul> |
| Acquirer           | <ul style="list-style-type: none"> <li>• View claims created by the issuer.</li> <li>• Receive and respond to a collaboration request.</li> <li>• Receive a first chargeback.</li> <li>• Create a second presentment.</li> <li>• Receive a pre-arbitration or arbitration case.</li> </ul>                                                              |
| Acquirer or issuer | <ul style="list-style-type: none"> <li>• Add supporting documentation to a dispute event.</li> <li>• Create a pre-compliance or compliance case.</li> <li>• Send and receive a fee collection message.</li> <li>• Generate reports.</li> </ul>                                                                                                          |

Claims Manager submits dispute events to the [Dual Message Clearing System](#) on behalf of the acquirers and issuers. For more information on Claims Manager, see the *Mastercom User Guide*.

## Currency conversion

This section describes the currency conversion process, including how the Dual Message Clearing System calculates and rounds amounts during currency conversion.

### Overview of currency conversion service performed during the clearing process

Currency conversion is a service that Mastercard performs to convert transaction amounts to cardholder billing amounts and reconciliation amounts whenever the transaction currency is different from the currency of the cardholder or the currency of reconciliation.

This process enables customers to:

- Acquire transactions in multiple currencies and issue cards that are billed in the currencies preferred by [cardholders](#). For each transaction, Mastercard converts the acquired transaction amounts from the transaction currency to the issuer-designated cardholder billing currency.
- Settle in currencies that best align with the local business practices of the acquirers and issuers.

Mastercard buys and sells currencies to support settlement in multiple currencies for customers. Mastercard uses currency conversion rates for calculating acquirer and issuer reconciliation amounts.

Mastercard guarantees the Mastercard-issued currency conversion rates for each supported currency. See the definitions in the following table.

### Currency conversion definitions

| Term                          | Description                                                                                                                          |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Base Amount                   | Transaction amount converted to U.S. dollars.                                                                                        |
| Computed Cross Rates          | An exchange rate between two non-U.S. dollar currencies is computed by reference to the U.S. dollar.                                 |
| Mastercard-issued Cross Rates | Buy, mid, and sell rates for certain non-U.S. dollar currency pairs set by Mastercard (applies to regional settlement service only). |
| Mastercard-issued USD Rates   | Buy, mid, and sell rates against the U.S. dollar set by Mastercard.                                                                  |
| Reference Currency            | Reference currency is quoted as one unit per a certain amount of foreign currency.                                                   |

**NOTE: Currency conversion and foreign exchange are used interchangeably in the context of the information presented in this section.**

### Amount definitions

Cardholder billing amount and transaction amount are defined here:

- Cardholder billing amount (DE 6): The cardholder billing amount is the transaction amount in the currency that has been designated as the cardholder billing currency by the issuer, which Mastercard transmits to the issuer in this data element. Issuers have the relationship with the cardholder and determine the eventual billing to the cardholder.
- Transaction amount (DE 4): Mastercard transmits the transaction amount. The transaction amount is in the currency appearing on the [Transaction information document \(TID\)](#) in a first presentment. If no currency is identified on the TID, the transaction is deemed to have occurred in the currency that is legal tender at the point of interaction.

### Rates used for currency conversion

Except as otherwise provided in the Mastercard Standards, Mastercard converts all transaction amounts processed through the [Dual Message Clearing System](#) into the equivalent reconciliation currency amount for settlement. When necessary, Mastercard converts the transaction using

the appropriate rates to calculate acquirer reconciliation, cardholder billing, and issuer reconciliation amounts.

### **Mastercard-issued USD rates**

The Mastercard-issued USD Rates support currency conversion involving currencies that are managed against the U.S. dollar. In this case, the U.S. dollar is considered as the reference currency. With this manual, the Rate Class M (value M) description indicates that a Mastercard-issued USD rate was used in the currency conversion process (for example, to convert from the transaction currency to the cardholder billing and/or reconciliation currency).

For all Mastercard-issued USD rates, the U.S. dollar is the reference currency whereby the rates are quoted in units of foreign currency per U.S. dollar.

### **Mastercard-issued cross rates**

The Mastercard-issued cross rates support currency conversion involving currencies that are managed against currencies other than the U.S. dollar. For each cross rate, there is a non-U.S. dollar reference currency (for example, EUR and GBP) whereby the cross rates are quoted in units of foreign currency per reference currency. The Rate Class F (value F) indicates that a Mastercard-issued cross rate was used in the currency conversion process.

In addition to enhancing the global capabilities of the Mastercard Network, this rate class aids Mastercard in complying with these monetary policies.

- European Monetary Union (EMU) regulations requiring conversion of currencies transitioning to the euro at the fixed rate to the euro that is established by the EMU for the transition period.
- Other policies as defined from time to time by the monetary authorities in the countries where Mastercard does business and Mastercard has been informed of said policies.

The T057 production and T058 test bulk files contain the Currency Conversion Rate Detail Records; Mastercard-issued cross rates (Rate Class F) and Mastercard-issued USD rates (Rate Class M). For each Mastercard-issued rate, the reference currency is indicated in field 3 of the T057 file.

Mastercard communicates the availability of any new Mastercard-issued cross rates through a *Global Operations Bulletin*.

The Dual Message Clearing System selects the Mastercard-issued cross rates, class record (Rate Class F), only when the source and target currencies match the source and reference currency pair identified in the rate record.

All other currency conversions occur using the Mastercard-Issued USD Rates, class records (Rate Class M), for the source currency to the target currency. In cases where the target currency is not USD, the source currency is converted to USD and then to the target currency (for example, a computed cross rate).

For example, assume that the Dual Message Clearing System processes a transaction where the:

- Transaction currency is GBP

- Acquirer's reconciliation currency is USD
- Cardholder billing currency is EUR

Also assume that a Mastercard-issued cross rate has been established for the currency pair GBP: EUR and that EUR is the reference currency for this currency pair.

The Dual Message Clearing System calculates:

- USD acquirer's reconciliation amount using the GBP: USD Mastercard-Issued USD Rate.
- EUR cardholder billing amount using the GBP: EUR Mastercard-Issued Cross Rate.

Refer to examples further in this chapter for calculations.

### Application of currency conversion rates

The Dual Message Clearing System uses the currency conversion rates in effect at the time of authorization for eligible transactions requiring currency conversions.

Under certain circumstances, transactions are not eligible for use of the rates in effect at the time of authorization. This table provides an explanation of the special cases that can apply.

### Special cases

| Special Case                                 | Description                                                                                                                                                                                                                                                                                                                        | Impact                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special Case 1: Delayed clearing submissions | <p>Transactions submitted for clearing for a Central Site Business Date more than 9 calendar days after the authorization (not including the original authorization day).</p> <p>For additional details on this scenario, see the next section <i>Additional information for special case 1: delayed clearing submissions</i>.</p> | <p>These transactions are not eligible for the rates effective at the time of authorization</p> <p>The Mastercard-issued rates as published in the Currency Conversion Rate File T057 for the current clearing processing day apply.</p> <p>PDS 0015, subfield 1 (Currency Conversion Date) = Date of Currency Conversion Rate File T057 for current clearing process day.</p> <p>PDS 0015, subfield 2 (Currency Conversion Indicator) = Value 2</p> |



| Special Case                                                  | Description                                                                                                                    | Impact                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special Case 2: Multiple authorizations, one clearing message | Transaction contains multiple authorizations, for example, an initial authorization and subsequent incremental authorizations. | <p>If the clearing record was submitted within nine calendar days of the initial authorization, the Mastercard-issued rates as published in the Currency Conversion Rate File T057 used for the initial authorization apply.</p> <p>PDS 0015, subfield 1 (Currency Conversion Date) = Date of Currency Conversion Rate File T057 at the time of authorization.</p> <p>PDS 0015, subfield 2 (Currency Conversion Indicator) = Value 1</p> |

| Special Case                                                  | Description                                                                                                                                                                                                                | Impact                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|---------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special Case 3: One authorization, multiple clearing messages | There are multiple clearing messages associated with a single authorization message. For example, a transaction for GBP 100 is authorized, but two messages are presented for clearing: one for GBP 80 and one for GBP 20. | <p>If any of the clearing messages were presented within nine calendar days of the authorization, the Dual Message Clearing System uses the currency conversion rates from the Currency Conversion Rate File T057 in effect at the time of the authorization.</p> <p>PDS 0015, subfield 1 (Currency Conversion Date) = Date of Currency Conversion Rate File T057 at the time of authorization.</p> <p>PDS 0015, subfield 2 (Currency Conversion Indicator) = Value 1.</p> <p>If a clearing record is submitted after the nine calendar day (U.S. Central date) period from authorization, the Mastercard-issued rates as published in Currency Conversion Rate File T057 on the day of clearing, apply for this clearing record.</p> <p>PDS 0015, subfield 1 (Currency Conversion Date) = Date of Currency Conversion Rate File T057 for current clearing process day.</p> <p>PDS 0015, subfield 2 (Currency Conversion Indicator) = Value 2.</p> |
| Special Case 4: Cleared, not authorized                       | Transaction was presented for clearing without authorization (that is, transaction was cleared but not authorized).                                                                                                        | <p>The Mastercard-issued rates as published in the Currency Conversion Rate File T057 on the day of clearing apply.</p> <p>PDS 0015, subfield 1 (Currency Conversion Date) = Date of Currency Conversion Rate File T057 for current clearing process day.</p> <p>PDS 0015, subfield 2 (Currency Conversion Indicator) = Value 2.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

| Special Case                                                              | Description                                                                                            | Impact                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special Case 5: Partial authorizations                                    | The transaction was partially authorized.                                                              | <p>If any of the clearing messages were presented within nine calendar days of the authorization, the Dual Message Clearing System uses the currency conversion rates from the Currency Conversion Rate File T057 in effect at the time of the authorization.</p> <p>PDS 0015, subfield 1 (Currency Conversion Date) = Date of Currency Conversion Rate File T057 at the time of authorization.</p> <p>PDS 0015, subfield 2 (Currency Conversion Indicator) = Value 1 .</p> |
| Special Case 6: Specific MCCs, transaction types, and authorization types | Transactions classified under certain <a href="#">MCCs</a> , authorization types or transaction types. | <p>At this time, all MCCs, transaction types, and authorization types for first presentment transactions benefit from the rates effective at the time of authorization.</p> <p>Chargebacks and second presentments continue to use the rates applicable at the time of clearing.</p>                                                                                                                                                                                        |

| Special Case                                                                                                                                                                                           | Description                                                                                             | Impact                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Special Case 7: Transactions submitted for clearing for a Central Site Business Date within 9 calendar days (not including the original authorization day) but are unmatched to authorization records. | Clearing transactions submitted with an invalid trace ID and/or does not match an authorization record. | <p>These transactions are not eligible for the rates effective at the time of authorization, which require the matching of the clearing record to the authorization record to determine the applicable date of the currency conversion rate. Therefore, acquirers must submit all clearing records with identical trace IDs from the authorization record.</p> <p>PDS 0015, subfield 1 (Currency Conversion Date) = Date of Currency Conversion Rate File T057 for current clearing process day.</p> <p>PDS 0015, subfield 2 (Currency Conversion Indicator) = Value 2</p> |

#### Additional information for special case 1: delayed clearing submissions

Transactions presented for clearing within 9 calendar days (not including the original authorization day) and the Central Site Business Date will be eligible for the rate at the time of authorization. Refer to the chart for the eligibility window.

#### Transaction eligibility window

| Transactions authorized between 00:00 St Louis Time to 23:59 St. Louis Time | And submitted for clearing for the Central Site Business Date use the rate from the time of authorization |
|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Sunday                                                                      | Tuesday (Authorization date+9)                                                                            |
| Monday                                                                      | Wednesday (Authorization date+9)                                                                          |
| Tuesday                                                                     | Thursday (Authorization date+9)                                                                           |
| Wednesday                                                                   | Friday (Authorization date+9)                                                                             |
| Thursday                                                                    | Saturday (Authorization date+9)                                                                           |
| Friday                                                                      | Sunday (Authorization date+9)                                                                             |
| Saturday                                                                    | Monday (Authorization date+9)                                                                             |

### Example

Transaction A was authorized on Tuesday, 1 December at 23:00 St. Louis time.

Transaction B was authorized on Wednesday, 2 December at 01:00 St. Louis time.

Both Transaction A and B were submitted for the clearing Central Site Business Date of Friday, 11 December.

Transaction A will not be eligible for the rate at the time of authorization because the transaction was submitted more than 9 calendar days (not including the original authorization day) (that is, Tuesday, 1 December) and the Central Site Business Date (that is, Friday, 11 December). Therefore, the Mastercard-issued rates as published in the Currency Conversion Rate File T057 for the current clearing business day apply to Transaction A.

Transaction B uses the rate at the time of authorization because the transaction was submitted within 9 calendar days (not including the original authorization day) (that is, Wednesday, 2 December) and the Central Site Business Date (that is, Friday, 11 December).

## Data elements calculated during currency conversion process

The Dual Message Clearing System calculates a number of data elements for each transaction during the currency conversion process to calculate acquirer and issuer reconciliation amounts and cardholder billing amounts.

### Currency conversion for first presentments qualifying for regional settlement service

This section provides details and some examples related to the currency conversion approach used for transactions processed under a regional settlement service. To see a full list of the currencies that Mastercard offers for regional settlement, refer to the *Settlement Manual*.

### Acquirer side data elements

To calculate the acquirer settlement amount, the Dual Message Clearing System calculates and uses various [data elements \(DEs\)](#).

- Transaction Amount (DE 4): Each transaction is conducted in a currency agreed upon by a merchant and a cardholder. The value of the transaction in the transaction currency is referred to as the Transaction Amount.
- Total Acquirer Reconciliation Amount: The Transaction Amount is converted to acquirer reconciliation currency using the applicable rate associated with the transaction currency and the acquirer reconciliation currency. The Transaction Amount in acquirer reconciliation currency is referred to as the Total Acquirer Reconciliation Amount.

### Transaction Amount conversion flow



- Fixed Interchange Amount (PDS 0146): Fixed component of interchange fee applicable for a transaction is referred to as Fixed Interchange Amount in fixed interchange amount currency. This portion of the interchange fee does not change with the Transaction Amount. The Fixed Interchange Amount is converted from fixed interchange currency to acquirer reconciliation currency.



- Variable Interchange Amount (PDS 0146): Variable component of interchange fee applicable for a transaction is referred to as Variable Interchange Amount. This amount is calculated in transaction currency by multiplying the percentage Interchange Rate and the Transaction Amount. The calculated Variable Interchange Amount is then converted from transaction currency to acquirer reconciliation currency.



- Total Interchange Amount: Fixed Interchange Amount and Variable Interchange Amount in acquirer reconciliation currency are added to calculate Total Interchange Amount in acquirer reconciliation currency.
- Acquirer Net Reconciliation Amount: Total Interchange Amount is subtracted/added from Total Acquirer Reconciliation Amount to calculate Acquirer Net Reconciliation Amount in acquirer reconciliation currency.

**NOTE: Mastercard provides the T057 Currency Conversion Rate File, the Acquirer Currency Conversion Files (TQQ4: Regional First Presentments, TQQ8: Regional Second Presentments, and TQX2: Intracurrency Presentments), and the Clearing Detail File (IP755120-AA) to facilitate acquirer reconciliation. The Acquirer Currency Conversion Rate File provides the effective currency conversion rate of all possible [International Organization for Standardization \(ISO\)](#) currency codes between the transaction currency code and the acquirer reconciliation currency code and is available at the same time as the T057 file. The Clearing Detail File provides transaction-level details for the acquirer after each clearing cycle. Details regarding all the data elements provided in these files and how customers can register for them are provided at the end of this chapter.**

All the above-mentioned data elements are shown in the Clearing Detail File (IP755120-AA). See [Reports and files](#) for more information.

Timing of the applicable Mastercard-issued rates used in the clearing calculations aligns with the Mastercard-issued rates applied during the authorization of the transaction based on transaction eligibility as described in section "Application of Currency Conversion Rates."

The following example illustrates two methods that can be used in determining the applicable currency conversion rate.

**Example**

An acquirer submits two transactions to Mastercard Clearing for Dual Message Clearing System processing date 3 December 2024 which were authorized successfully on 1 December 2024 at 17:00 St. Louis time:

- Based on the nature of the transaction, Transaction A is eligible for use of the rates in effect at the time of authorization for clearing.
- Based on the nature of the transaction, Transaction B is not eligible to use the rates in effect at the time of authorization for clearing.

Acquirers can use the following methods to determine which effective date rates are applied for currency conversion during clearing processing.

**Acquirers that use the IP755120-AA Clearing Detail File**

For each transaction cleared, refer to PDS 0015 in each IP755120-AA record to determine the date of the rate file used by the Dual Message Clearing System during clearing processing and the reason why that date was used.

See [Reports and files](#) for more information.

**Example**

| Transaction   | PDS 0015, Subfield 1 | PDS 0015, Subfield 2                                                                                                                                                                                                                                   |
|---------------|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Transaction A | 201201               | Value 1<br>Matched with authorization information and authorization date rates applied for currency conversion.                                                                                                                                        |
| Transaction B | 201202               | Value 0<br>Not Applicable (for example, transaction not eligible/ applicable for currency conversion rate effective at the time of authorization) and Dual Message Clearing System Central site processing date rates applied for currency conversion. |

**Acquirers using an internal method instead of using the IP755120-AA Clearing Detail File**

For each transaction cleared, match with its corresponding authorization message. Acquirers should determine the most effective method for matching; one approach would be to use the

Banknet Reference Number found in the [Dual Message Authorization System](#) DE 63 (Network Data), subfield 2 (Banknet Reference Number).

If the transaction is eligible to use the rate in effect at the time of authorization, then use DE 16 (Date, Conversion) of the corresponding authorization message to determine which day's rate file to use for clearing message reconciliation.

If not, the rate files in effect on the clearing business processing date applies. The date in DE 16 is not used in this case.

### Example

| Transaction   | Value to Use                                 | Explanation                                                                                                                                                                                    |
|---------------|----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Transaction A | 201201 from DE 16                            | The currency conversion rates in effect on 1 December 2024 will be applicable in clearing (even though the clearing business processing date is 3 December 2024).                              |
| Transaction B | Clearing business processing date 3 Dec 2024 | Because the transaction is not eligible to use the rates in effect at the time of authorization, the currency conversion rates effective on the clearing business processing date are applied. |

The following examples show currency conversion calculations on the acquirer side of transactions with each using Mastercard-issued USD Rates and Mastercard-issued Cross Rates.

**NOTE: For simplicity, all examples are presented with rounding to the second decimal point. To see precise rounding conventions and calculations of the system, refer to the [Rounding of Dual Message Clearing System currency conversion](#).**

### Example 1: acquirers currency conversion examples for point-of-sale (POS) transactions, transaction and reconciliation currency are the same

The following example illustrates currency conversion calculations for a POS transaction where the transaction currency and acquirer reconciliation currency are the same. In this case, the transaction currency and acquirer reconciliation currency are the Canadian dollar (CAD). Other assumptions are listed as:

#### Assumptions

- Transaction Amount: CAD 50.00
- Acquirer Reconciliation Currency: CAD
- Fixed Interchange Amount: CAD 0.10
- Mastercard-issued USD Rate (USD-CAD): 1 USD = 1.25 CAD; Reference Currency: USD
- Interchange Rate = 1.00%



## Operation method using Clearing Detail File

The following table contains the transaction-level details through the Clearing Detail File.

| Data Element/Private Data Subelement | Value     |
|--------------------------------------|-----------|
| DE 4                                 | CAD 50.00 |
| DE 5                                 | CAD 50.00 |
| PDS 0146, subfield 7                 | CAD 0.60  |
| DE 9                                 | 1.0000    |

1. Obtain DE 4 and DE 9 from the Clearing Detail File.
2. Determine Total Acquirer Reconciliation Amount (DE 5) by multiplying DE 4 and DE 9.  
Total Acquirer Reconciliation Amount (DE 5) = Transaction Amount (DE 4) x Conversion Rate (DE 9)

$$\text{CAD } 50.00 \times 1.0000 = \text{CAD } 50.00$$

## Operational method using acquirer Currency Conversion Rate File

| Field 2 (Transaction Currency Code) | Field 3 (Acquirer Recon Currency Code) | Field 5 (Effective Currency Conversion Rate) |
|-------------------------------------|----------------------------------------|----------------------------------------------|
| CAD                                 | CAD                                    | 1.00                                         |

1. Locate the record in the Acquirer Currency Conversion Rate File where the Transaction Currency matches the currency in field 2 and the Acquirer Reconciliation Currency matches the currency in field 3 and extract the corresponding Conversion Rate in field 5.  
Conversion Rate (field 5) = 1.00
2. Determine the total acquirer reconciliation amount (DE 5) by multiplying the transaction amount (DE 4) by the conversion rate (field 5).  
Total Acquirer Reconciliation Amount (DE 5) = Transaction Amount (DE 4) x Conversion Rate (field 5)

$$\text{CAD } 50.00 \times 1.0000 = \text{CAD } 50.00$$

## Illustrative method with formulas

1. Total Acquirer Reconciliation Amount

**NOTE: Since transaction currency and acquirer reconciliation currency are the same, Total Acquirer Reconciliation Amount and Transaction Amount are equal.**

$$\text{Total Acquirer Reconciliation Amount} = \text{Transaction Amount} = \text{CAD } 50.00$$

2. Variable Interchange Amount

**NOTE: Since transaction currency and acquirer reconciliation currency are the same, Variable Interchange Amount in acquirer reconciliation currency is the same as the amount in transaction currency.**

Variable Interchange Amount in acquirer reconciliation currency = Variable Interchange Amount in transaction currency = Transaction Amount x Interchange Rate

CAD 50.00 x 1.00% = CAD 0.50

3. Fixed Interchange Amount

**NOTE: Since fixed interchange amount currency and acquirer reconciliation currency are the same, Fixed Interchange Amount in acquirer reconciliation currency is the same as the amount in fixed interchange amount currency.**

Fixed Interchange Amount in acquirer reconciliation currency = Fixed Interchange Amount in fixed interchange amount currency = CAD 0.10

4. Total Interchange Amount

Total Interchange Amount in acquirer reconciliation currency = Variable Interchange Amount in acquirer reconciliation currency + Fixed Interchange Amount in acquirer reconciliation currency

CAD 0.50 + CAD 0.10 = CAD 0.60

5. Acquirer Net Reconciliation Amount

Acquirer Net Reconciliation Amount = Total Acquirer Reconciliation Amount – Total Interchange Amount

CAD 50.00 – CAD 0.60 = CAD 49.40

**Example 2: acquirers POS transactions (Mastercard-issued rates), the transaction currency and the reconciliation currency are different, the transaction currency is the reference currency**

The following example illustrates currency conversion calculations for a POS card transaction where the transaction currency does not equal the acquirer reconciliation currency. In this case, the transaction currency is in British pounds (GBP), and the acquirer reconciliation currency is in Australian dollars (AUD).

The calculations in this example would apply for any transaction where a Mastercard-issued Rate (USD and Cross Rate) and the transaction amount are in the Reference Currency (in this case, GBP), and the reconciliation amount is not in the Reference Currency. This includes any transactions where the transaction amount is in U.S. dollars, and the reconciliation currency is something other than U.S. dollars, since the U.S. dollar is the Reference Currency for all Mastercard-issued USD Rates (Rate Class M currency pairs).

In such cases, Mastercard uses the currency conversion rate in field 7 of the T057 file (that is, the buy rate) to convert from transaction currency to reconciliation currency. In the example below, the GBP-AUD rate of 2.0000 AUD per 1 GBP represents the rate in field 7 of the Rate Class F table in the T057 file. This same rate will also be seen in the corresponding matching record in the Acquirer Currency Conversion Rate File delivered during the same period as the

T057 file and in DE 9 for the transaction as presented in the Clearing Detail File once the transaction is processed.

Other assumptions are listed as:

### Assumptions

- Transaction Amount: GBP 30.00
- Acquirer Reconciliation Currency: AUD
- Mastercard-issued Cross Rate (GBP-AUD): GBP 1 = AUD 2.0000; Reference Currency GBP
- Interchange Rate = 1.20%
- Fixed Interchange Amount = AUD 0.10

### Operation method using Clearing Detail File

The following table contains the transaction level details through the Clearing Detail File.

| Data Element/Private Data Subelement | Value     |
|--------------------------------------|-----------|
| DE 4                                 | GBP 30.00 |
| DE 5                                 | AUD 60.00 |
| PDS 0146, subfield 7                 | AUD 0.82  |
| DE 9                                 | 2.0000    |

1. Obtain DE 4 and DE 9 from the Clearing Detail File.
2. Determine Total Acquirer Reconciliation Amount (DE 5) by multiplying DE 4 and DE 9.

Total Acquirer Reconciliation Amount (DE 5) = Transaction Amount (DE 4) x Conversion Rate (DE 9)

GBP 30.00 x 2.0000 = AUD 60.00

### Operational method using acquirer Currency Conversion File

The following table contains the effective currency conversion rate in the Acquirer Currency Conversion Rate File

| Field 2 (Transaction Currency Code) | Field 3 (Acquirer Recon Currency Code) | Field 5 (Effective Currency Conversion Rate) |
|-------------------------------------|----------------------------------------|----------------------------------------------|
| GBP                                 | AUD                                    | 2.00                                         |

1. Locate the record in the Acquirer Currency Conversion Rate File where the Transaction Currency (GBP) matches the currency in field 2 and the Acquirer Reconciliation Currency (AUD) matches the currency in field 3 and extract the corresponding Conversion Rate in field 5.  
Conversion Rate (field 5) = 2.00

2. Determine Total Acquirer Reconciliation Amount (DE 5) by multiplying Transaction Amount (DE 4) by Conversion Rate (field 5)  
Total Acquirer Reconciliation Amount (DE 5) = Transaction Amount (DE 4) x Conversion Rate (field 5)

$$\text{GBP } 30.00 \times 2.0000 = \text{AUD } 60.00$$

#### Illustrative method with formulas

1. Total Acquirer Reconciliation Amount  
Total Acquirer Reconciliation Amount = Transaction Amount x Conversion Rate (GBP-AUD)

$$\text{GBP } 30.00 \times \text{GBP-AUD } 2.0000 = \text{AUD } 60.00$$

2. Variable Interchange Amount  
Variable Interchange Amount in transaction currency = Transaction Amount x Interchange Rate

$$\text{GBP } 30.00 \times 1.20\% = \text{GBP } 0.36$$

$$\text{Variable Interchange Amount in acquirer reconciliation currency} = \text{Variable Interchange Amount in transaction currency} \times \text{Conversion Rate (GBP-AUD)}$$

$$\text{GBP } 0.36 \times \text{GBP-AUD } 2.0000 = \text{AUD } 0.72$$

3. Fixed Interchange Amount

**NOTE: Since fixed interchange amount currency and acquirer reconciliation currency are the same, Fixed Interchange Amount in acquirer reconciliation currency is the same as the amount in fixed interchange amount currency.**

$$\text{Fixed Interchange Amount in acquirer reconciliation currency} = \text{Fixed Interchange Amount in fixed interchange amount currency} = \text{AUD } 0.10$$

4. Total Interchange Amount  
Total Interchange Amount in acquirer reconciliation currency = Variable Interchange Amount in acquirer reconciliation currency + Fixed Interchange Amount in acquirer reconciliation currency

$$\text{AUD } 0.72 + \text{AUD } 0.10 = \text{AUD } 0.82$$

5. Acquirer Net Reconciliation Amount  
Acquirer Net Reconciliation Amount = Total Acquirer Reconciliation Amount – Total Interchange Amount in acquirer reconciliation currency

$$\text{AUD } 60.00 - \text{AUD } 0.82 = \text{AUD } 59.18$$

#### **Example 3: acquirers POS transactions (Mastercard-issued rates), the transaction currency and the reconciliation currency are different, the reconciliation currency is the reference currency**

The example illustrates currency conversion calculations for a POS transaction where a Mastercard-issued Rate was applied and the transaction currency does not equal the acquirer reconciliation currency. In this case, the transaction currency is in Japanese yen (JPY), and the acquirer reconciliation currency is in U.S. dollars (USD).

The calculations in this example would apply for any transaction where the Reconciliation amount is in the Reference Currency (in this case, USD), and the Transaction Amount is not in the Reference Currency (in this case, JPY).

In such cases, in calculating the acquirer reconciliation amount on transactions for which Mastercard does offer a regional settlement currency, Mastercard uses the currency conversion rate in field 9 of the T057 file (that is, the sell rate) to convert from transaction currency to reconciliation currency. In the example below, the USD-JPY rate of 108.3300 JPY per 1 USD represents the rate in field 9 of the Rate Class M table in the T057 file.

Otherwise, in calculating the acquirer reconciliation amount on transactions for which Mastercard does not offer a regional settlement currency, Mastercard uses the currency conversion rate in field 8 of the T057 file (that is, the mid rate) to convert from transaction currency to reconciliation currency. In both cases, this same rate can also be seen in the corresponding matching record in the Acquirer Currency Conversion Rate File delivered during the same period as the T057 file and in DE 9 for the transaction as presented in the Clearing Detail File once the transaction is processed.

### Assumptions

- Transaction Amount: JPY 3,500
- Acquirer Reconciliation Currency: USD
- Mastercard-issued USD Rate: USD 1 = JPY 108.3300; Reference Currency USD
- Interchange Rate = 1.20%
- Fixed Interchange Amount = USD 0.15

### Operation Method Using Clearing Detail File

The following table contains the transaction level details through the Clearing Detail File.

| Data element/private data subelement | Value     |
|--------------------------------------|-----------|
| DE 4                                 | JPY 3,500 |
| DE 5                                 | USD 32.31 |
| PDS 0146, subfield 7                 | USD 0.54  |
| DE 9                                 | 0.009231  |

1. Obtain DE 4 and DE 9 from the Clearing Detail File.
2. Determine Total Acquirer Reconciliation Amount (DE 5) by multiplying DE 4 and DE 9.

Total Acquirer Reconciliation Amount (DE 5) = Transaction Amount (DE 4) x Conversion Rate (DE 9)

JPY 3,500 x 0.009231 = USD 32.31

## Operational method using acquirer currency conversion file

| Field 2 (Transaction Currency Code) | Field 3 (Acquirer Recon Currency Code) | Field 5 (Effective Currency Conversion Rate) |
|-------------------------------------|----------------------------------------|----------------------------------------------|
| JPY                                 | USD                                    | 0.009231                                     |

1. Locate the record in the Acquirer Currency Conversion Rate File where the Transaction Currency (JPY) matches the currency in field 2 and the Acquirer Reconciliation Currency (USD) matches the currency in field 3 and extract the corresponding Conversion Rate in field 5.  
Conversion Rate (field 5) = 0.009231
2. Determine Total Acquirer Reconciliation Amount (DE 5) by multiplying Transaction Amount (DE 4) by Conversion Rate (field 5)  
Total Acquirer Reconciliation Amount (DE 5) = Transaction Amount (DE 4) x Conversion Rate (field 5)  
 $JPY\ 3,500 \times 0.009231 = USD\ 32.31$

## Illustrative method with formulas

1. Total Acquirer Reconciliation Amount  
Total Acquirer Reconciliation Amount = Transaction Amount / Conversion Rate (USD-JPY)  
 $JPY\ 3,500 / USD-JPY\ 108.3300 = USD\ 32.31$
2. Variable Interchange Amount  
Variable Interchange Amount in transaction currency = Transaction Amount x Interchange Rate  
 $JPY\ 3,500 \times 1.20\% = JPY\ 42$   
Variable Interchange Amount in acquirer reconciliation currency = Variable Interchange Amount in transaction currency / Conversion Rate (USD-JPY)  
 $JPY\ 42 / USD-JPY\ 108.3300 = USD\ 0.39$
3. Fixed Interchange Amount

**NOTE: Since fixed interchange amount currency and acquirer reconciliation currency are the same, Fixed Interchange Amount in acquirer reconciliation currency is the same as the amount in fixed interchange amount currency.**

Fixed Interchange Amount in acquirer reconciliation currency = Fixed Interchange Amount in fixed interchange amount currency = USD 0.15

4. Total Interchange Amount  
Total Interchange Amount in acquirer reconciliation currency = Variable Interchange Amount in acquirer reconciliation currency + Fixed Interchange Amount in acquirer reconciliation currency  
 $USD\ 0.39 + USD\ 0.15 = USD\ 0.54$

5. Acquirer Net Reconciliation Amount

Acquirer Net Reconciliation Amount = Total Acquirer Reconciliation Amount – Total Interchange Amount in acquirer reconciliation currency

USD 32.31 – USD 0.54 = USD 31.77

## Other acquirer calculation considerations: computed cross rates and fixed interchange

For transactions where a Mastercard-issued rate is not applicable (that is, none of the currencies are U.S. dollar or the currency pair is not a Mastercard-issued cross rate), the Dual Message Clearing System performs currency conversion by going through the U.S. dollar and using two Mastercard-issued rates to calculate a cross rate (computed cross rate).

First, the system calculates a cross rate by dividing the currency conversion rate for the reconciliation currency as published in field 7 of the T057 file by the currency conversion rate for the transaction currency published in field 8. Then, this computed cross rate is used to multiply the transaction amount to obtain the reconciliation amount in the reconciliation currency. Similarly, the computed cross rate is used to convert the variable interchange from the transaction currency to the reconciliation currency. The computed cross rate is also provided in the Acquirer Currency Conversion Rate File. In addition, the Clearing Detail File provides the computed cross rate for each transaction in DE 9 and can be used for reconciliation.

Regarding fixed interchange, any time the fixed interchange currency is different from the acquirer reconciliation currency, the currency conversion process follows the same process as described in the examples above where the fixed interchange amount is converted as any other transaction amount.

## Issuer side data elements

To calculate the issuer reconciliation and cardholder billing amounts, the Dual Message Clearing System calculates various data elements.

- Transaction Amount (DE 4): Each transaction is conducted in a currency agreed upon by a merchant and a cardholder. The value of the transaction in the transaction currency is referred to as the Transaction Amount.
- Initial Cardholder Billing Amount: This amount is calculated by converting the Transaction Amount from transaction currency to cardholder billing currency.



- Currency Conversion Assessment (CCA): The Initial Cardholder Billing Amount is multiplied by the Currency Conversion Assessment Rate (CCA Rate) to calculate the Currency Conversion Assessment in cardholder billing currency. This amount is then converted to issuer reconciliation currency.



- Issuer Currency Conversion Amount: This amount is calculated in cardholder billing currency by multiplying Initial Cardholder Billing Amount and Issuer Currency Conversion Rate (ICCR or Cross Border Fee Manager Rate).
- Total Cardholder Billing Amount: This amount is calculated in cardholder billing currency by adding Initial Cardholder Billing Amount and Issuer Currency Conversion Amount.
- Initial Issuer Reconciliation Amount: This amount is calculated by converting the cardholder billing amount based on the default cardholder billing currency to the issuer reconciliation currency.



- Total Issuer Reconciliation Amount: This amount is calculated in issuer reconciliation currency by adding Initial Issuer Reconciliation Amount and Currency Conversion Assessment in issuer reconciliation currency.
- Fixed Interchange Amount (PDS 0146): The Fixed component of the interchange fee applicable for a transaction is referred to as Fixed Interchange Amount in fixed interchange amount currency. This portion of the interchange fee does not change with the Transaction Amount. The Fixed Interchange Amount is converted from fixed interchange currency to issuer reconciliation currency.



- Variable Interchange Amount (PDS 0146): The Variable component of the interchange fee applicable for a transaction is referred to as the Variable Interchange Amount. This amount is calculated in transaction currency by multiplying the percentage Interchange Rate and the Transaction Amount. The calculated Variable Interchange Amount is then converted from transaction currency to issuer reconciliation currency.



- Total Interchange Amount: Fixed Interchange Amount and Variable Interchange Amount in issuer reconciliation currency are added to calculate Total Interchange Amount in issuer reconciliation currency.
- Issuer Net Reconciliation Amount: Total Interchange Amount in issuer reconciliation currency is subtracted/added from Total Issuer Reconciliation Amount to calculate Issuer Net Reconciliation Amount in issuer reconciliation currency.



The above-mentioned data elements (DEs) are shown in the [IPM](#) File as:

### DE descriptions

| Description                                                                  | Data Element/Private Data Subelement                                                           | Notes                                                                                                                                   |
|------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Transaction Amount                                                           | DE 4                                                                                           |                                                                                                                                         |
| Total Issuer Reconciliation Amount                                           | DE 5                                                                                           | Inclusive of CCA if applicable                                                                                                          |
| Total Cardholder Billing Amount                                              | DE 6                                                                                           | Inclusive of Issuer Currency Conversion Rate (ICCR) Amount or Cross Border Fee Manager Amount if applicable                             |
| Currency Conversion Rate: Transaction Amount to Issuer Reconciliation Amount | DE 9 (Conversion Rate, Reconciliation)                                                         | Effective conversion rate (inclusive of CCA if applicable)                                                                              |
| Currency Conversion Rate: Transaction Amount to Cardholder Billing Amount    | DE 10 (Conversion Rate, Cardholder Billing)                                                    | Effective conversion rate (Inclusive of Issuer Currency Conversion Rate [ICCR] Amount or Cross Border Fee Manager Amount if applicable) |
| Currency Conversion Assessment in issuer cardholder billing currency         | DE 111 (Amount, Currency Conversion Assessment)                                                |                                                                                                                                         |
| Total Interchange Amount in issuer reconciliation currency                   | PDS 0146, subfield 7                                                                           |                                                                                                                                         |
| Currency Conversion Date                                                     | PDS 0015 (Clearing Currency Conversion Identifier), subfield 1 (Currency Conversion Date)      |                                                                                                                                         |
| Currency Conversion Indicator                                                | PDS 0015 (Clearing Currency Conversion Identifier), subfield 2 (Currency Conversion Indicator) |                                                                                                                                         |

For issuers using the T112 Bulk File Type to reconcile, the applicable currency conversion rate and related DEs (for example, DE 9 [Conversion Rate, Reconciliation] and DE 10 [Conversion Rate, Cardholder Billing]) are included in this file.

Timing of the applicable Mastercard-issued rates used in the clearing calculations aligns with the Mastercard-issued rates applied during the authorization of the transaction based on transaction eligibility as described in the section titled "Application of Currency Conversion Rates."

For issuers that want to determine the date of the rate file used by the Dual Message Clearing System during clearing processing for each transaction, and the reason why that date was used, refer to PDS 0015. Below is an example of how PDS 0015 may be populated.

Example

An acquirer submits two transactions to Mastercard Clearing for Dual Message Clearing System processing date 3 December 2023, which were authorized successfully on 1 December 2023.

- Based on the nature of the transaction, Transaction A is eligible for use of the rates in effect at the time of authorization for clearing processing.
- Based on the nature of the transaction, Transaction B is not eligible for use of the rates in effect at the time of authorization for clearing processing.

Examples

| Transaction   | PDS 0015, subfield 1<br>(Currency Conversion Date) | PDS 0015, subfield 2 (Currency Conversion Indicator)                                                                                                                                                                                                          |
|---------------|----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Transaction A | 201201                                             | Value 1<br>(Matched with authorization information and authorization date rates applied for currency conversion.)                                                                                                                                             |
| Transaction B | 201202                                             | Value 0<br>Not Applicable (for example, transaction not eligible/ applicable for currency conversion rate effective at the time of authorization) and <i>Dual Message Clearing System</i> Central site processing date rates applied for currency conversion. |

The following are examples that illustrate how interchange, CCA, and *Issuer Currency Conversion Rate (ICCR)* or Cross Border Fee Manager Rates are calculated throughout the transaction flow. For the specific currency conversion rates for any transaction scenario, issuers can use the transaction IPM message, in particular DE 9 and DE 10 as described above. The currency conversion rates in these data elements will be the same, or derived from, the rates in the T057 file, which are wholesale market rates.

**Example 4: issuers currency conversion examples for Point-of-Sale transactions, Mastercard-issued USD rates**

The following example illustrates currency conversion calculations for a POS transaction where the transaction currency does not equal the cardholder billing currency. In this case, the transaction currency is in Mexican pesos (MXN), and the cardholder billing currency is in U.S. dollars (USD). Other assumptions are listed as:

**Assumptions**

- Transaction Amount: MXN 180.00
- Cardholder Billing Currency Default: USD
- Issuer Reconciliation Currency: USD
- Mastercard-Issued USD Rate (USD-MXN): USD 1 = MXN 18.0000
- CCA Rate = 0.20%
- ICCR or Cross Border Fee Manager Rate = 0%
- Interchange Rate = 1.00%
- Fixed Interchange Amount = USD 0.10

The table contains the transaction level details through Mastercard's outbound IPM file.

| <b>Data Element/Private Data Subelement</b> | <b>Value</b> | <b>Notes</b>                                                                                                                            |
|---------------------------------------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| DE 4                                        | MXN 180.00   |                                                                                                                                         |
| DE 5                                        | USD 10.02    | Inclusive of CCA if applicable                                                                                                          |
| DE 6                                        | USD 10.00    | Inclusive of Issuer Currency Conversion Rate (ICCR) Amount or Cross Border Fee Manager Amount if applicable                             |
| DE 9                                        | 0.055667     | Effective conversion rate (inclusive of CCA if applicable)                                                                              |
| DE 10                                       | 0.055556     | Effective conversion rate (Inclusive of Issuer Currency Conversion Rate [ICCR] Amount or Cross Border Fee Manager Amount if applicable) |
| DE 111                                      | USD 0.02     |                                                                                                                                         |
| PDS 0146, subfield 7                        | USD 0.20     |                                                                                                                                         |

**Operational method**

1. Obtain DE 4, DE 9, and DE 10 from the outbound IPM file.
2. Determine Total Cardholder Billing Amount (DE 6) by multiplying DE 4 and DE 10.  
Total Cardholder Billing Amount (DE 6) = Transaction Amount (DE 4) x Conversion Rate (DE 10)

$\text{MXN } 180.00 \times 0.055556 = \text{USD } 10.00$  (Inclusive of Issuer Currency Conversion Rate [ICCR] Amount or Cross Border Fee Manager Amount if applicable)

3. Determine Total Issuer Reconciliation Amount (DE 5) by multiplying DE 4 and DE 9.  
Total Issuer Reconciliation Amount (DE 5) = Transaction Amount (DE 4) x Conversion Rate (DE 9)

$\text{MXN } 180.00 \times 0.055667 = \text{USD } 10.02006$ , rounded to USD 10.02 (inclusive of CCA if applicable)

### Illustrative method with formulas

1. Variable Interchange Amount  
Variable Interchange Amount in transaction currency = Transaction Amount x Interchange Rate

$\text{MXN } 180.00 \times 1.00\% = \text{MXN } 1.80$

Variable Interchange Amount in issuer reconciliation currency = Variable Interchange Amount in transaction currency / Conversion Rate (USD-MXN)

$\text{MXN } 1.80 / \text{USD-MXN } 18.0000 = \text{USD } 0.10$

2. Fixed Interchange Amount

**NOTE: Since fixed interchange amount currency and issuer reconciliation currency are the same, the Fixed Interchange Amount in issuer reconciliation currency is the same as the amount in fixed interchange amount currency.**

Fixed Interchange Amount in issuer reconciliation currency = Fixed Interchange Amount in fixed interchange amount currency = USD 0.10

3. Total Interchange Amount  
Total Interchange Amount = Variable Interchange Amount + Fixed Interchange Amount

$\text{USD } 0.10 + \text{USD } 0.10 = \text{USD } 0.20$

4. Initial Cardholder Billing Amount  
Initial Cardholder Billing Amount in cardholder billing currency = Transaction Amount / Conversion Rate (USD-MXN)

$\text{MXN } 180.00 / \text{USD-MXN } 18.0000 = \text{USD } 10.00$

5. Currency Conversion Assessment  
Currency Conversion Assessment in cardholder billing currency = Initial Cardholder Billing Amount x CCA Rate

$\text{USD } 10.00 \times 0.20\% = \text{USD } 0.02$

6. Issuer Currency Conversion Amount  
Issuer Currency Conversion Amount in cardholder billing currency = Initial Cardholder Billing Amount x ICCR or Cross Border Fee Manager Rate

$\text{USD } 10.00 \times 0.00\% = \text{USD } 0.00$

7. Total Cardholder Billing Amount

Total Cardholder Billing Amount in cardholder billing currency = Initial Cardholder Billing Amount + Issuer Currency Conversion Amount

USD 10.00 + USD 0.00 = USD 10.00

8. Initial Issuer Reconciliation Amount

**NOTE: Since cardholder billing currency and issuer reconciliation currency are the same, Initial Issuer Reconciliation Amount in issuer reconciliation currency is the same as Initial Cardholder Billing Amount in cardholder billing currency.**

Initial Issuer Reconciliation Amount in issuer reconciliation currency = Initial Cardholder Billing Amount in cardholder billing currency = USD 10.00

9. Currency Conversion Assessment in issuer reconciliation currency

**NOTE: Since cardholder billing currency and issuer reconciliation currency are the same, Currency Conversion Assessment in issuer reconciliation currency is the same as Currency Conversion Assessment in cardholder billing currency.**

Currency Conversion Assessment in issuer reconciliation currency = Currency Conversion Assessment in cardholder billing currency = USD 0.02

10. Total Issuer Reconciliation Amount

Total Issuer Reconciliation Amount = Initial Issuer Reconciliation Amount + Currency Conversion Assessment in issuer reconciliation currency

USD 10.00 + USD 0.02 = USD 10.02

11. Issuer Net Reconciliation Amount

Issuer Net Reconciliation Amount = Total Issuer Reconciliation Amount – Total Interchange Amount in issuer reconciliation currency

USD 10.02 – USD 0.20 = USD 9.82

#### **Example 5: issuers currency conversion examples, Point-of-Sale transactions, Mastercard-issued cross rates**

The following example illustrates currency conversion calculations for a POS transaction where the transaction currency does not equal the cardholder billing currency. In this case, the transaction currency is in Polish zloty (PLN), and the cardholder billing currency is in euros (EUR). Other assumptions are listed as:

##### **Assumptions**

- Transaction Amount: PLN 600.00
- Cardholder Billing Currency Default: EUR
- Issuer Reconciliation Currency: EUR
- Mastercard-Issued Cross Rate (EUR-PLN): EUR 1 = PLN 5.0000; Reference Currency is EUR
- ICCR or Cross Border Fee Manager Rate = 3.00%
- CCA Rate = 0.20%
- Interchange Rate = 1.20%
- Fixed Interchange Amount = EUR 0.10

The table contains the transaction level details through Mastercard's outbound IPM file.

| Data Element/Private Data Subelement | Value      | Notes                                                                                                                                   |
|--------------------------------------|------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| DE 4                                 | PLN 600.00 |                                                                                                                                         |
| DE 5                                 | EUR 120.24 | Inclusive of CCA if applicable                                                                                                          |
| DE 6                                 | EUR 123.60 | Inclusive of Issuer Currency Conversion Rate (ICCR) Amount or Cross Border Fee Manager Amount if applicable                             |
| DE 9                                 | 0.20040    | Effective conversion rate (inclusive of CCA if applicable)                                                                              |
| DE 10                                | 0.20600    | Effective conversion rate (Inclusive of Issuer Currency Conversion Rate [ICCR] Amount or Cross Border Fee Manager Amount if applicable) |
| DE 111                               | EUR 0.24   |                                                                                                                                         |
| PDS 0146, subfield 7                 | EUR 1.54   |                                                                                                                                         |

### Operational method

1. Obtain DE 4, DE 9, and DE 10 from the outbound IPM file.
2. Determine Total Cardholder Billing Amount (DE 6) by multiplying DE 4 and DE 10.  
Total Cardholder Billing Amount (DE 6) = Transaction Amount (DE 4) x Conversion Rate (DE 10)  
  
PLN 600.00 x 0.20600 = EUR 123.60 (Inclusive of Issuer Currency Conversion Rate [ICCR] Amount or Cross Border Fee Manager Amount if applicable)
3. Determine Total Issuer Reconciliation Amount (DE 5) by multiplying DE 4 and DE 9.  
Total Issuer Reconciliation Amount (DE 5) = Transaction Amount (DE 4) x Conversion Rate (DE 9)  
  
PLN 600.00 x 0.20040 = EUR 120.24 (inclusive of CCA if applicable)

### Illustrative method with formulas

1. Variable Interchange Amount  
Variable Interchange Amount in transaction currency = Transaction Amount x Interchange Rate  
  
PLN 600.00 x 1.20% = PLN 7.20  
  
Variable Interchange Amount in issuer reconciliation currency = Variable Interchange Amount in transaction currency / Conversion Rate (EUR-PLN)  
  
PLN 7.20 / EUR-PLN 5.0000 = EUR 1.44
2. Fixed Interchange Amount

**NOTE: Since fixed interchange amount currency and issuer reconciliation currency are the same, the Fixed Interchange Amount in issuer reconciliation currency is the same as the amount in fixed interchange amount currency.**

Fixed Interchange Amount in issuer reconciliation currency = Fixed Interchange Amount in fixed interchange amount currency = EUR 0.10

3. Total Interchange Amount

Total Interchange Amount = Variable Interchange Amount + Fixed Interchange Amount

EUR 1.44 + EUR 0.10 = EUR 1.54

4. Initial Cardholder Billing Amount

Initial Cardholder Billing Amount in cardholder billing currency = Transaction Amount / Conversion Rate (EUR-PLN)

PLN 600.00 / EUR-PLN 5.0000 = EUR 120.00

5. Currency Conversion Assessment

Currency Conversion Assessment in cardholder billing currency = Initial Cardholder Billing Amount x CCA Rate

EUR 120.00 x 0.20% = EUR 0.24

6. Issuer Currency Conversion Amount

Issuer Currency Conversion Amount in cardholder billing currency = Initial Cardholder Billing Amount x ICCR or Cross Border Fee Manager Rate

EUR 120.00 x 3.00% = EUR 3.60

7. Total Cardholder Billing Amount

Total Cardholder Billing Amount in cardholder billing currency = Initial Cardholder Billing Amount + Issuer Currency Conversion Amount

EUR 120.00 + EUR 3.60 = EUR 123.60

8. Initial Issuer Reconciliation Amount

**NOTE: Since cardholder billing currency and issuer reconciliation currency are the same, Initial Issuer Reconciliation Amount in issuer reconciliation currency is the same as Initial Cardholder Billing Amount in cardholder billing currency.**

Initial Issuer Reconciliation Amount in issuer reconciliation currency = Initial Cardholder Billing Amount in cardholder billing currency = EUR 120.00

9. Currency Conversion Assessment in Issuer Reconciliation Currency

**NOTE: Since cardholder billing currency and issuer reconciliation currency are the same, Currency Conversion Assessment in issuer reconciliation currency is the same as Currency Conversion Assessment in cardholder billing currency.**

Currency Conversion Assessment in issuer reconciliation currency = Currency Conversion Assessment in cardholder billing currency = EUR 0.24

10. Total Issuer Reconciliation Amount

Total Issuer Reconciliation Amount = Initial Issuer Reconciliation Amount + Currency Conversion Assessment in issuer reconciliation currency

EUR 120 + EUR 0.24 = EUR 120.24

11. Issuer Net Reconciliation Amount

Issuer Net Reconciliation Amount = Total Issuer Reconciliation Amount – Total Interchange Amount in issuer reconciliation currency

EUR 120.24 – EUR 1.54 = EUR 118.70

## Rounding of Dual Message Clearing System currency conversion

When the Dual Message Clearing System performs multiple currency conversion calculations before deriving a final amount, the Dual Message Clearing System performs the calculations on the interim amounts using the full six positions to the right of the decimal. The Dual Message Clearing System determines the final or target amount by rounding the amount to the currency exponent.

The [MPE](#) T067 (daily updates) and T068 (full file replacement), table IP0017T1: Currency Code and Exponents table provide customers with currency codes and associated currency exponents for each currency supported by Mastercard. The currency exponent indicates the number of significant digits to the right of the decimal point that are displayed when communicating amounts in the associated currency. This position (underlined in the examples that follow) is referred to as the minor currency unit position.

### Examples of currency exponent positioning

| Currency Description | Currency Code | Currency Exponent | Currency Amount |
|----------------------|---------------|-------------------|-----------------|
| Japanese Yen         | 392/JPN       | 0                 | 0               |
| U.S. Dollar          | 840/USD       | 2                 | 0.0 <u>0</u>    |
| Tunisian Dinar       | 788/TND       | 3                 | 0.00 <u>0</u>   |

- If the number in the low-order position is equal to or greater than 5, the number in the minor currency position is increased by a value of 1 to round the amount. For example, 17.559048 results in 17.56.
- If the number in the low-order position is less than 5, the low-order positions are truncated without rounding the amount. For example, 17.530011 results in 17.53.

The Dual Message Clearing System only rounds amounts to the number of positions to the right of the decimal point specified by the currency exponent once they are calculated in the final (issuer/acquirer reconciliation currency, cardholder billing currency) currency:

- After the Dual Message Clearing System calculates the currency conversion assessment in cardholder billing currency.
- After the Dual Message Clearing System completes the calculation of the total cardholder billing amount (Inclusive of [ICCR](#) Amount or Cross Border Fee Manager Amount if applicable).



- After the Dual Message Clearing System completes the calculation of acquirer and issuer reconciliation amounts in acquirer/issuer reconciliation currency.
- After the Dual Message Clearing System completes the calculation of an interchange fee in reconciliation currency.

## Customer currency conversion for chargebacks (all cycles)

Customers must meet specific requirements for submission of chargeback amounts (including currency conversion of chargeback amounts) depending on the phase of the chargeback life cycle.

### Customer requirements for submitting first chargeback amounts

These requirements apply to the amount that issuers may submit in first chargebacks.

- An issuer must not chargeback a transaction for an amount that exceeds the full amount of the transaction presented by the acquirer. The only exception is when the disputed amount must be converted to U.S. dollars, in which case, the chargeback may be for an amount greater than the transaction amount originally presented by the acquirer.
- An issuer may chargeback a transaction for less than the full amount of the transaction.
- The issuer should include the amount resulting from a currency conversion assessment (if applicable) in the chargeback amount that the issuer presents to Mastercard.
- Full chargebacks for ATM transactions (identified by a value of 01 in DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type Code):
  - May include the processing fee (less the decline fee).
  - Should include the surcharge amount (access fee, direct charging fee, or convenience fee), when applicable in DE 54 (Amounts Additional), subfield 2 (Additional Amount, Amount Type), value 42. When DE 54 is in a chargeback message, the surcharge amount must be provided in the same currency of the chargeback message as indicated in DE 49 (Currency Code, Transaction).
  - Should not include switch fees.
- Partial chargebacks for ATM transactions should not include:
  - Transaction processing fees (including the decline fee)
  - Surcharge amounts (such as ATM access fees, direct charging fees, or convenience fees)
  - Switch fees

### Customer requirements and guidelines for charging back a partial amount

The rules and guidelines that customers charging back a transaction for less than its full amount must abide by are:

First Chargeback/1442 messages for an amount less than the full amount of the transaction contain DE 24 (Function Code), value 453. This identifies the first chargeback as a partial chargeback, which indicates that the first chargeback amount differs from the original transaction amount. Customers must identify subsequent second presentments and arbitration chargebacks as partial when the previous transaction was a partial first chargeback or a partial

second presentment. The customer must include the partial currency conversion assessment in the chargeback amount.

### **Customer requirements for charging back a purchase with a cash back transaction**

A purchase with cash back transaction is a transaction in which a purchase was conducted, and cash was dispensed by the acceptor at the point of interaction.

In the First Presentment/1240 messages, the total amount of the transaction (purchase plus cash) must be submitted in DE 4 (Amount, Transaction). The cash back portion of the transaction must be identified in DE 54 (Amounts, Additional), subfield 5 (Additional Amount, Amount) in the same currency as the transaction amount contained in DE 4.

Customers should follow the chargeback procedures for Purchase with Cash Back transactions described in Processing Chargeback Messages. To chargeback all or part of the purchase amount but not the cash back amount of a purchase with cash Back transaction, the customer must subtract the cash back portion from the cardholder billing amount. If the currency of the cash back portion differs from the currency of the cardholder billing amount, the customer must perform the following calculation:

- Remove any assessments or fees added to the cardholder billing amount.
- Use the process described in the Currency Conversion Calculations section to convert the cash back portion in DE 54 to the cardholder billing currency, applying the same exchange rates used by the Dual Message Clearing System.
- Subtract the converted DE 54 amount from the DE 4 amount of the First Presentment/1240 message to obtain the purchase amount.
- The revised DE 4 will now contain the purchase amount only.

When charging back all or a part of the purchase portion but not the cash back portion of a Purchase with Cash Back transaction, the customer must submit a First Chargeback/1442 message containing DE 24 (Function Code), value 453.

### **Currency conversion for customers in the U.S. region processing a chargeback message**

A U.S. issuer processing a chargeback message will not convert the message nor indicate any conversion therein but will process it in U.S. dollars through the First Chargeback/1442 message.

The chargeback amount submitted in DE 4 should not exceed the transaction amount previously provided to the issuer in DE 4 of the First Presentment/1240 message.

For partial chargebacks, the chargeback amount submitted in DE 4 of the chargeback message should be less than the transaction amount previously provided to the issuer in DE 4 of the first presentment. If an issuer submits multiple partial chargebacks for one first presentment, the total of the partial chargebacks must not exceed the transaction amount previously provided to the issuer in DE 4 of the first

## Currency conversion for customers outside the U.S. region processing a chargeback message

An issuer not in the U.S. region processing a chargeback message determine the currency of the chargeback amount as defined in the table.

### Chargeback processing currency determination process

| If...                                                                                                                                                                                                                                      | And...                                                                                                                                                                                                                                                | Then...                                                                                                                                                                                                                                                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| The issuer sending the chargeback and the acquirer receiving the chargeback participate in the same intracurrency settlement agreement and the transaction qualifies for the intracurrency agreement based on customer specified criteria. | <p>The disputed amount is in the intracurrency reconciliation currency.</p> <p>The disputed amount is not in the intracurrency reconciliation currency (for example, it is stated in the transaction currency or in the issuer billing currency).</p> | <p>The issuer processes the chargeback in the currency of the intracurrency settlement agreement.</p> <p>The issuer is required to pre-convert the disputed amount to U.S. dollars and then to the intracurrency reconciliation currency. The rate used for the pre-conversion should be the current or previous day's mid rate.</p> |
| The issuer sending the chargeback and the acquirer receiving the chargeback do not participate in the same intracurrency settlement agreement, or if the issuer is in region D and the transaction is not intra-Europe.                    | <p>The disputed amount is in U.S. dollars.</p> <p>The disputed amount is not in U.S. dollars (for example, it is stated in the transaction currency or in the issuer billing currency).</p>                                                           | <p>The issuer processes the chargeback in U.S. dollars.</p> <p>The issuer is required to pre-convert the disputed amount to U.S. dollars. The rate used for the pre-conversion should be the current or previous day's mid rate.</p>                                                                                                 |

For intra-European and inter-European transactions only, issuers may process a chargeback for the same or lesser amount of the original presentment received from the acquirer either:

- In the original presentment reconciliation currency, as specified in DE 5 (Amount, Reconciliation) of the First Presentment/1240 message.
- In the amount debited in the issuer's payment currency used for settlement of the original presentment, as specified in DE 6 (Amount, Cardholder Billing) of the First Presentment/1240 message.

For example, if the transaction is in EUR and the cardholder's currency is GBP, the chargeback amount may be in either EUR or GBP.

### Rates To Be used for pre-conversion in chargeback processing

Customers should use the following rates when pre-converting chargeback amounts.

**NOTE: Customers must use Mastercard-published rates when pre-converting chargeback amounts.**

### Pre-conversion chargeback rates

| Chargeback Submitted for Global Clearing Management System Processing Day | FX Rate File Received Calendar Day | Currency Update/1644 Messages Received in Clearing Transmission with Processing Day |
|---------------------------------------------------------------------------|------------------------------------|-------------------------------------------------------------------------------------|
| Monday                                                                    | Saturday                           | Saturday                                                                            |
| Tuesday                                                                   | Monday                             | Monday                                                                              |
| Wednesday                                                                 | Tuesday                            | Tuesday                                                                             |
| Thursday                                                                  | Wednesday                          | Wednesday                                                                           |
| Friday                                                                    | Thursday                           | Thursday                                                                            |
| Saturday                                                                  | Friday                             | Friday                                                                              |

### Pre-conversion calculation for a chargeback in intracurrency reconciliation currency

If the issuer sending a chargeback and the acquirer receiving the chargeback participate in the same intracurrency settlement agreement, and the transaction qualifies for the agreement according to customer specified criteria, and the disputed amount is in the reconciliation currency, no pre-conversion is required.

The issuer may process the chargeback using the amount in intracurrency reconciliation currency.

If the disputed amount is not in the intracurrency reconciliation currency, the issuer should use the intracurrency reconciliation amount (represented in DE 5 [Amount, Reconciliation]).

To calculate a chargeback in the intracurrency reconciliation currency, the issuer first converts the disputed amount to U.S. dollars by dividing it by the appropriate mid rate. The issuer then multiplies the resulting U.S. dollar amount by the mid rate associated with the intracurrency reconciliation currency.

### Pre-conversion calculation for a chargeback in U.S. dollars

To perform a pre-conversion calculation of a chargeback in U.S. dollars, the issuer divides the disputed amount by the mid rate associated with the disputed amount.

**NOTE: The chargeback amount presented by the issuer to Mastercard in U.S. dollars should include amounts resulting from a Currency Conversion Assessment, if applicable.**

## Acquirer processing of second presentments

An acquirer processes a second presentment for the same or lesser amount of the chargeback received from the issuer in U.S. dollars, without any further currency conversion.

For intra-European and inter-European transactions only, an acquirer may process a second presentment for the same or lesser amount of the chargeback received from the issuer either:

- In the currency of the chargeback, as specified in DE 4 (Amount Transaction) of the First Chargeback/1442 message.
- In the acquirer payment currency used for reconciliation of the chargeback, as specified in DE 5 (Amount, Reconciliation) of the First Chargeback/1442 message.

Acquirers cannot process a second presentment for an amount greater than the issuer's chargeback, but the acquirer may process a second presentment for a lesser amount.

Acquirers can initiate partial amount second presentments when an issuer has charged back the full amount of the original financial presentment and, through communication with the merchant, the acquirer is accepting responsibility for a portion of the disputed amount.

Acquirers notify Mastercard and issuers that the second presentment is for less than the full amount of the initial chargeback by providing value 282 in DE 24 (Function Code) of the Second Presentment/1240 message.

## Processing of pre-arbitration and arbitration case filings

A pre-arbitration or arbitration case filing should use the same currency as the currency used in the second presentment. If the currency of the second presentment is not supported, the amount should be converted to USD by utilizing the Mastercard published midrate from the day prior to the submission of the first chargeback.

See the Mastercom User Guide for a list of supported currencies.

A pre-arbitration or arbitration case filing may not be for an amount in excess of the acquirers second presentment, but it may be for a lesser amount.

## Currency conversion for settlement of fee collection messages

When the transaction currency is not equal to the sender or receiver reconciliation currency, the transaction amount is converted to the appropriate reconciliation currency.

Customers may find the currency conversion rate used in DE 9 (Conversion Rate, Settlement) of the Clearing Detail File if the customer is the message originator, or in DE 9 of the *IPM* file if the customer is the message receiver.

## Currency conversion for reversals

This section includes details about the currency conversion of reversal transactions, including how the conversion rate type is determined and the elements in which customers must provide the original *Dual Message Clearing System* processing date.

The currency conversion rate types (buy, mid, and sell) used for processing reversal transactions are determined using the same rules outlined earlier in this chapter for presentments, chargebacks, and fee collection messages.

*Acquirers* submitting first presentment reversal messages are required to provide the original Dual Message Clearing System processing date when submitting a first presentment reversal transaction in:

- PDS 0025 (Message Reversal Indicator), subfield 2 (Central Site Processing Date of Original Message) (if reversing an individual message)
- PDS 0026 (File Reversal Indicator), subfield 2 (Central Site Processing Date of Original File) (if reversing an entire file)

If the current Dual Message Clearing System processing date is within 7 processing days (excluding the original processing date) of the historical Dual Message Clearing System processing date, then the Dual Message Clearing System uses the historical currency conversion rate that was applied during the original clearing of the transactions.

If the current Dual Message Clearing System processing date is more than 7 processing days (excluding the original processing date) before the historical Dual Message Clearing System processing date, then the Dual Message Clearing System uses the currency conversion rates on the current processing day (for example, the currency conversion rates available at the reversal submission date, when processing the reversals).

For all reversals other than first presentments, the Dual Message Clearing System continues to use the current processing day's currency conversion rates.

For chargeback and fee collection reversals, the Dual Message Clearing System uses the current processing day's currency conversion rates when calculating the settlement value of the reversal.

## Currency Update/1644-640 Messages

The Currency Update/1644-640 messages provide Mastercard-issued USD Rates. These rates are published rates (as opposed to cross-rates).

Customers may request Currency Update/1644-640 messages from Mastercard as part of their inbound clearing files. This option is available at the processor level with the ability to specify the clearing cycle in which the processor should receive the messages.

**NOTE: The Dual Message Clearing System sends the Currency Update/1644-640 messages once per processor endpoint to the lowest (first) occurring Customer ID in the logical file. The Dual Message Clearing System does not provide a set of these messages for each Customer ID associated with the same processor. Only one set is provided in a delivery file. For example, if the customer elects to have clearing cycles 3 and 4 delivered as one file after the fourth clearing, only one set of rate messages is sent, not one each from 3 and 4.**

Delivery options for the Currency Update/1644-640 messages:

- Do not deliver Currency Update/1644-640 messages
- Deliver mid rate Currency Update/1644-640 messages
- Deliver buy and sell rate Currency Update/1644-640 messages only
- Deliver buy, sell, and mid rate Currency Update/1644-640 messages

The customer or processor receives the Currency Update/1644-640 messages in the delivery cycles for which the customer or processor has elected to receive the rates. The Dual Message Clearing System does not generate Currency Update/1644-640 messages for customers when there is no financial activity for that customer for a processing day.

## T057 Currency Conversion Rate File

The Currency Conversion Rate File provides customers with Mastercard-Issued USD Rates and Mastercard-Issued Cross Rates, in effect for a given processing day.

For more information and format details about the Currency Conversion Rate File, see the [Reports and files](#) section.

### Currency conversion rate effective day and time

The currency conversion rates used by the Dual Message Clearing System are guaranteed for each Dual Message Clearing System processing day for transactions not eligible for rates effective at the time of authorization. For transactions eligible for rates effective at time of authorization, refer to the Transaction Eligibility Window table in [Rates used for currency conversion](#).

### Effective day and time for currency conversion rates not qualified for FX rates at the time of authorization in **UTC** and Central Standard Time (CST)

| Rates Effective for Dual Message Clearing System Processing Day |        | Rates Effective for Calendar Day/ Time |           |        |           |
|-----------------------------------------------------------------|--------|----------------------------------------|-----------|--------|-----------|
| FX Rate File Received Calendar Day                              |        | From                                   |           | To     |           |
|                                                                 |        |                                        |           |        |           |
| Monday                                                          | Sunday | Sunday                                 | 14:00 UTC | Monday | 14:00 UTC |
|                                                                 |        |                                        | 08:00 CST |        | 08:00 CST |

| Rates Effective for Dual Message Clearing System Processing Day |                                    | Rates Effective for Calendar Day/ Time |                        |           |                        |
|-----------------------------------------------------------------|------------------------------------|----------------------------------------|------------------------|-----------|------------------------|
|                                                                 | FX Rate File Received Calendar Day | From                                   |                        | To        |                        |
| Tuesday                                                         | Monday                             | Monday                                 | 14:00 UTC<br>08:00 CST | Tuesday   | 14:00 UTC<br>08:00 CST |
| Wednesday                                                       | Tuesday                            | Tuesday                                | 14:00 UTC<br>08:00 CST | Wednesday | 14:00 UTC<br>08:00 CST |
| Thursday                                                        | Wednesday                          | Wednesday                              | 14:00 UTC<br>08:00 CST | Thursday  | 14:00 UTC<br>08:00 CST |
| Friday                                                          | Thursday                           | Thursday                               | 14:00 UTC<br>08:00 CST | Friday    | 14:00 UTC<br>08:00 CST |
| Saturday                                                        | Friday                             | Friday                                 | 14:00 UTC<br>08:00 CST | Saturday  | 14:00 UTC<br>08:00 CST |
| Sunday                                                          | Saturday                           | Saturday                               | 14:00 UTC<br>08:00 CST | Sunday    | 14:00 UTC<br>08:00 CST |

Effective day and time for currency conversion rates not qualified for FX rates at the time of authorization in **UTC** and Central Daylight Time (CDT)

| Rates Effective for Dual Message Clearing System Processing Day |                                    | Rates Effective for Calendar Day/ Time |                        |           |                        |
|-----------------------------------------------------------------|------------------------------------|----------------------------------------|------------------------|-----------|------------------------|
|                                                                 | FX Rate File Received Calendar Day | From                                   |                        | To        |                        |
| Monday                                                          | Sunday                             | Sunday                                 | 13:00 UTC<br>08:00 CDT | Monday    | 13:00 UTC<br>08:00 CDT |
| Tuesday                                                         | Monday                             | Monday                                 | 13:00 UTC<br>08:00 CDT | Tuesday   | 13:00 UTC<br>08:00 CDT |
| Wednesday                                                       | Tuesday                            | Tuesday                                | 13:00 UTC<br>08:00 CDT | Wednesday | 13:00 UTC<br>08:00 CDT |



| Rates Effective for Dual Message Clearing System Processing Day |           | Rates Effective for Calendar Day/ Time |           |          |           |
|-----------------------------------------------------------------|-----------|----------------------------------------|-----------|----------|-----------|
|                                                                 |           | FX Rate File Received Calendar Day     | From      |          | To        |
| Thursday                                                        | Wednesday | Wednesday                              | 13:00 UTC | Thursday | 13:00 UTC |
|                                                                 |           |                                        | 08:00 CDT |          | 08:00 CDT |
| Friday                                                          | Thursday  | Thursday                               | 13:00 UTC | Friday   | 13:00 UTC |
|                                                                 |           |                                        | 08:00 CDT |          | 08:00 CDT |
| Saturday                                                        | Friday    | Friday                                 | 13:00 UTC | Saturday | 13:00 UTC |
|                                                                 |           |                                        | 08:00 CDT |          | 08:00 CDT |
| Sunday                                                          | Saturday  | Saturday                               | 13:00 UTC | Sunday   | 13:00 UTC |
|                                                                 |           |                                        | 08:00 CDT |          | 08:00 CDT |

Customers interested in receiving the currency conversion rate file should contact the Global Customer Service team for additional information.

The currency conversion rate file detail record provides the rate class in field 5. The values for rate class are defined in the following table.

#### Value rate class

| Valid Value                    | Description                                      | Comments                                                                                                                                                                                                                                                                                                                                   |
|--------------------------------|--------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| M = Mastercard-issued USD Rate | Buy, mid, and sell rates against the U.S. dollar | <p>The Mastercard-issued USD Rates reside in the Currency Conversion Rate File Detail Record as follows.</p> <ul style="list-style-type: none"> <li>Field 7 contains the BUY Currency Conversion Rate.</li> <li>Field 8 contains the MID Currency Conversion Rate.</li> <li>Field 9 contains the SELL Currency Conversion Rate.</li> </ul> |

| Valid Value                  | Description                                                 | Comments                                                                                                                                                                                                                                                                                   |
|------------------------------|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| F = Master-issued Cross Rate | Buy, mid, and sell rates against non-U.S. dollar currencies | <p>The cross rates reside in all three rate type fields.</p> <ul style="list-style-type: none"> <li>Field 7 contains the BUY Currency Conversion Rate.</li> <li>Field 8 contains the MID Currency Conversion Rate.</li> <li>Field 9 contains the SELL Currency Conversion Rate.</li> </ul> |

## Acquirer Currency Conversion Rate File

The Acquirer Currency Conversion Rate File provides the effective currency conversion rate of all possible [International Organization for Standardization \(ISO\)](#) currency codes between the transaction currency code and the acquirer reconciliation currency code.

The files are provided for the following presentments:

- Regional First Presentments (production bulk file TQQ4, test bulk file TQQ6)
- Regional Second Presentments (production bulk file TQQ8, test bulk file TQR0)
- Intracurrency Presentments (production bulk file TQX2, test bulk file TQX4)

For more information and format details about the Currency Conversion Rate File, see the [Reports and files](#) section.

**NOTE: The Acquirer Currency Conversion Rate File is applicable only to determine the acquirer reconciliation amount from the transaction currency. This file does not replace the existing T057 Currency Conversion Rate File. Customers continue to receive T057 rate files the same as before.**

### Acquirer Currency Conversion Rate effective day and time

The conversion rates in the Acquirer Currency Conversion Rate File follow the same effective times as the T057 Currency Conversion Rate File.

Customers interested in receiving the updated Acquirer Currency Conversion Rate File should contact the Global Customer Service team for additional information.

## Originating Institution Payment Transaction Currency Conversion Rate File

The Originating Institution Payment Transaction Currency Conversion Rate File gives customers the ability to determine the funding amount needed to reconcile with Mastercard specifically for cross-border payment transactions.

To assist customers in reconciling their payment transactions (DE 3 [Processing Code], subfield 1[Cardholder Transaction Type Code], value 28), this rate file contains all possible currency

conversion rates from the transaction currency to the Originating Institution's reconciliation currency code for regional First Presentment payment transactions.

**NOTE:** For more information and format details about the Currency Conversion Rate File, see the [Reports and files](#) section.

**NOTE:** The Originating Institution Payment Transaction Currency Conversion Rate File is applicable only for determining the Originating Institution's reconciliation amount to support cross-border payment transactions. This file does not replace the existing T057 Currency Conversion Rate File. Customers continue to receive T057 rate files.

Receiving institutions that reconcile must continue reconciling using currency conversion rate information provided in the First Presentment message and must not use the Originating Institution Payment Transaction Currency Conversion Rate File.

### Originating Institution Payment Transaction Currency Conversion Rate effective day and time

The Originating Institution Payment Transaction Currency Conversion Rate File conversion rates follow the same effective times as the T057 Currency Conversion Rate File conversion rates.

### Originating Institution Payment Transaction Currency Conversion Rate File format

Mastercard provides the Originating Institution Payment Transaction Currency Conversion Rate File for regional First Presentment Payment Transactions in production bulk file TS40, and test bulk file TS42.

## Clearing Detail File (IP755120-AA) to facilitate acquirer reconciliation

The Clearing Detail Report (IP755120-AA) provides transaction level details from the Dual Message System for the acquirer, including the currency conversion rate from the transaction amount to the acquirer reconciliation amount in DE 9 (Conversion Rate, Reconciliation). Mastercard uses bulk file TN70 (Production) and TN72 (Test) to deliver the IP755120-AA Clearing Detail File.

The report is generated and sent after each clearing cycle, including cycle seven.

To register for this file, acquirers must send an email to Global Customer Service at [customer\\_support@mastercard.com](mailto:customer_support@mastercard.com) designating which ICA(s) and endpoint(s) they would like to be set up for bulk file TN70/TN72 Clearing Detail Report IP755120-AA.

### Select data elements from the Clearing Detail File

| Data Element                  | Description                    |
|-------------------------------|--------------------------------|
| DE 5 (Amount, Reconciliation) | Acquirer Reconciliation Amount |

| Data Element                                                                                   | Description                                                                    |
|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|
| DE 9 (Conversion Rate, Reconciliation)                                                         | Currency Conversion Rate: Transaction Amount to Acquirer Reconciliation Amount |
| PDS 0146 (Amounts, Transaction Fee), subfield 7 (Amount, Fee, Reconciliation)                  | Total Interchange in Acquirer Reconciliation Currency                          |
| PDS 0015 (Clearing Currency Conversion Identifier), subfield 1 (Currency Conversion Date)      | Currency conversion date                                                       |
| PDS 0015 (Clearing Currency Conversion Identifier), subfield 2 (Currency Conversion Indicator) | Currency conversion indicator                                                  |

Refer to the [Reports and files](#) section for the layout of a Clearing Detail File.

## Duplicate Dual Message Clearing System files, postings, and potential duplicate rejects

A duplicate file occurs when the [Dual Message Clearing System](#) processes a file more than once. The Dual Message Clearing System has edits and built-in controls to detect and reject complete duplicate files or individual transactions when submitted by acquirers. A potential duplicate transaction reject occurs when the Dual Message Clearing System detects the transaction is a potential duplicate of a transaction that was previously processed.

### Dual Message Clearing System editing for duplicate files

To prevent a duplicate file from being processed, the Dual Message Clearing System rejects the entire file if PDS 0105 (File ID) in the File Header/1644 message matches one that was processed within the last 180 days for the customer or processor (specified in PDS 0105, subfield 3 [Processor ID]).

For example, suppose that customer 1234 sends file ID number 0022504150000000123400001. If the Dual Message Clearing System File ID History File contains the same file ID number within the last 180 days of file IDs from customer 1234, the Dual Message Clearing System rejects that second file 0022504150000000123400001 as a duplicate file.

### Reasons for duplicate Dual Message Clearing System files or postings

Duplicate postings may occur for various reasons, such as:

- An operator changes the file ID number on a previously processed file and resends it

- Previously processed merchant transactions are processed again, or
- The merchant submits the same transaction more than once

Mastercard recommends that customers establish controls to prevent and detect these and other errors to help prevent duplicate files and postings.

## Identification of duplicate Dual Message Clearing System postings

If a duplicate posting does occur, either the sending customer or the receiving customer may identify it.

If the receiving customer discovers a duplicate posting, it must notify the sending customer. The sending customer must inform the Mission Control and Operations Command Center by telephone and then take action to correct the duplicate postings by submitting reversals.

When the sending customer notifies Mastercard about a duplicate posting, the customer must provide for both the original and duplicated postings the following:

- File ID numbers
- Net amounts

## Potential duplicate clearing transaction rejections

The Dual Message Clearing System rejects 1240/200 First Presentment transactions if it is determined to be a potential duplicate of a previously processed transaction. A specific process must be followed to resubmit the transaction if the acquirer determines the transaction not to be a duplicate.

### Potential duplicate rejection

Mastercard has logic designed to identify potential duplicate First Presentment/1240/200 clearing messages by performing matching logic against the associated authorization message, and a comparison against other 1240/200 messages. There will be occasions where a false-positive is identified. When those instances occur, acquirers have the ability to resubmit the rejected clearing message.

Mastercard's goal is to reject as many potential duplicate clearing messages as possible, but issuers might still receive some duplicate clearing messages.

Acquirers receive 1644/691 rejection messages indicating the transaction rejected due to a potential duplication.

### Potential duplicate resubmission process

A rejected transaction that is verified to be a non-duplicate can be reprocessed by retaining and returning information from the reject message. PDS 0444: Resubmission Code will be included in the Message Exception/1644 message. PDS 0444 contains a resubmission code that must be included in any resubmitted First Presentment/1240 message that was previously identified as a potential duplicate. The presence of a valid value in PDS 0444 allows the resubmitted First Presentment/1240 message to bypass the potential duplicate detection and rejection process.

Mastercard accommodates the additional time taken to receive, research, and respond to rejected potential duplicate clearing transactions. Resubmitted First Presentment/1240 messages that contain a valid resubmission code are not subject to any interchange program timeliness requirements that may be required to qualify for some interchange programs.

As a reminder, Mastercard can identify up to 10 error codes, which are reasons for which a transaction is being rejected. Acquirers must ensure they are not only submitting PDS 0444 on the resubmission, but also that they are correcting any other identified reasons for which the transaction was rejected.

## Settlement service

This section defines the settlement service, various settlement service levels, and how the Dual Message Clearing System supports the settlement services.

### Definition of Settlement Service

Mastercard's settlement services provide the method by which Mastercard and customers transfer funds to complete settlement for clearing activities.

A settlement service is a facility within which funds are exchanged between customers and Mastercard to settle transaction and fee amounts. Each settlement service supports a reconciliation currency that Mastercard and its customers may exchange. Refer to the *Settlement Manual* for details about each settlement service.


Reconciliation currency is the currency in which a customer is paid or pays for the settlement of its activity. Reconciliation currency also is referred to as payment currency or settlement currency.

## Calculating net positions

This diagram shows how Mastercard settles transactions (in Central Time) among four customers: A, B, C, and D.

MasterCard receives incoming transaction data from each member between 08:00 and the end of the sixth clearing (08:00) the next day. In the below example, settlement occurs after 08:00 . MasterCard applies the interchange fees during each clearing to each applicable transaction. The boxes below show the net amount that each customer has submitted during processing.

After the Settlement Service cutoff MasterCard advises the global settlement bank of each member's net position and advises customers of their positions.





## Settlement service levels

Mastercard requires each customer to select the settlement service levels in which it wants to participate and to maintain a settlement account in the appropriate currency. The following explains settlement service functionality, which allows customers to customize settlement processing criteria for their transaction data.

The [Dual Message Clearing System](#) determines the settlement service, account, and associated currency for each payment party according to customer selected options.

Customers choose the settlement service levels and corresponding reconciliation currency that they want to support their specific settlement needs. Customers optionally may designate their participation in specific settlement services; however, all customers are required to participate in at least one regional settlement service. Clearing activity between two customers usually is settled at the lowest possible common settlement service level. If a customer pair does not settle in a common settlement service, the customers settle at their respective regional settlement service accounts. The defined regional default service for the customer is used if no other settlement service can be applied to the transaction.

The Dual Message Clearing System supports the settlement service levels listed in the following table.

### Supported settlement service levels

| Settlement Service Level | Description                                                                                                                                                                                                                                                                                           |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Bilateral                | Customers participating in a bilateral agreement instruct Mastercard to clear their transactions through the Dual Message Clearing System applying all appropriate business rules. The customers settle these transactions directly rather than through the Mastercard <a href="#">S.A.M.</a> system. |

| Settlement Service Level | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Intracurrency            | <p>Customers participating in an intracurrency settlement service adhere to a common settlement calendar, settlement cutoff, and reconciliation currency for their transactions. Mastercard settles these transactions for both parties on the same day. Interchange fees are calculated in the reconciliation currency, minimizing currency conversion impacts to the customers participating in the intracurrency settlement agreement.</p> <p>Customers that participate in intracountry interchange may settle transactions through intracurrency settlement services or regional settlement services. Transactions that qualify for intracountry interchange, but not intracurrency settlement service, are processed as regional settlement transactions; however, intracountry interchange still applies.</p> <p>A Customer ID may participate in multiple intracurrency settlement services. The participating customers must all agree on one reconciliation currency for each intracurrency service.</p> <p>Intracurrency settlement is an optional settlement service, and Mastercard must approve any agreements. However, based on some domestic transaction processing rules, Mastercard may require participating customers to enroll in the corresponding intracurrency settlement service.</p> |
| Regional                 | <p>A settlement agreement that allows customers to settle their activity in any regional settlement currency supported by Mastercard independent of the settlement currency of the other party to the transaction. This is the default agreement; that is, transactions settled by Mastercard that do not qualify for intracurrency settlement are automatically settled in a regional settlement service. Transactions that qualify for regional settlement are settled in U.S. dollars or a local currency approved by Mastercard, at a settlement bank defined by Mastercard.</p> <p>Each Customer ID must participate in at least one regional settlement service. If a customer participates in more than one regional settlement service, it must designate one regional settlement service as the default service, with no selection criteria. For the other regional settlement services, the customer must define specific settlement service selection criteria to indicate the circumstances in which the Dual Message Clearing System should select each of the other regional services.</p>                                                                                                                                                                                                        |

Base currency is the currency that Mastercard uses as the basis for settlement calculations. Most transaction currencies are converted against this currency when determining the customer reconciliation amount in the reconciliation currency. Summing these reconciliation amounts in base reconciliation currency will net to zero. For some transaction currencies, there is a direct cross rate to the customer reconciliation currency. These direct cross rates are represented in the standard T057 Rate File.

Customers may specify more than one account within each settlement service to segregate settlement activity according to criteria within the transaction, such as card program, account range, or [Bank Identification Number \(BIN\)](#). However, each account must be in the currency supported by the agreement.

**NOTE: The Global Settlement Services department must approve all settlement arrangements requested by a customer.**

## Settlement service selection process

The hierarchy for settlement service selection is bilateral, intracurrency, then regional.

The settlement service selection process evaluates customer participation in this order. If no intracurrency settlement service agreement exists in which both customers participate, Mastercard assigns each payment party's regional default settlement service and account information.

Transactions are qualified for a settlement service agreement that is in effect at the time that the Dual Message Clearing System processes the transaction. For financial exception items (chargebacks, second presentments, and fee collections) this may result in the assignment of a different settlement service from what was assigned at the time that the Dual Message Clearing System originally processed the transaction as a first presentment.

If, during the settlement service selection process, it is determined that the transaction qualifies for multiple settlement services within the same level, the Dual Message Clearing System uses the parameters with the most specific matching criteria; otherwise, the parameters with the most recent effective date and time are used.

To illustrate the settlement service selection process, assume that the following customers participate in settlement service agreements, with no additional criteria specified, as shown in the following table.

### Example customer participation

| Customer | Intracurrency | Regional |
|----------|---------------|----------|
| 001234   | X             | X        |
| 005678   | X             | X        |
| 009876   |               | X        |

Assume that customers 001234 and 005678 participate in the same intracurrency settlement agreement.

According to the information above, the following settlement services would be selected:

Transactions from 001234 to/from 005678⇒ Intracurrency settlement

Transactions from 005678 to/from 009876⇒ Regional settlement

Transactions from 009876 to/from 001234⇒ Regional settlement

## Settlement service selection

Customers may optionally use the following elements to specify how the [Dual Message Clearing System](#) should select the settlement service and associated account for their submitted clearing data.

- PDS 0158 (Business Activity), subfield 1 (Card Program Identifier)
- Account Range (DE 2 [Primary Account Number])
- DE 31 (Acquirer Reference Data), subfield 2 (Acquirer Reference ID)
- Issuing/Acquiring Activity (message type identifier [MTI] plus DE 24 [Function Code])

Settlement service selection criteria are communicated to Mastercard through the Net Settlement Information Form (Form 0339). These options may be applied for either of the Dual Message Clearing System supported settlement service levels: intracurrency and regional.

**NOTE: The Dual Message Clearing System does not perform settlement service selection for Global Collection Only transactions because these transactions are submitted for reporting purposes only.**

## Settlement service parameters

Customers may use optional parameters to specify how the Dual Message Clearing System should select the settlement account associated to the settlement service for their submitted clearing data.

### Optional parameters

| IPM Parameter           | Element                                                             | Usage                                                                                                                                                                                                      |
|-------------------------|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Card Program Identifier | PDS 0158 (Business Activity), subfield 1 (Card Program Identifier)  | If selected by the customer, this may be used for settlement service/TAA selection.                                                                                                                        |
| Account Range           | Derived from DE 2 (Primary Account Number [PAN])                    | If selected by the customer, this may be used for the settlement service/TAA selection.<br><br>This element identifies the account range associated with the cardholder account number of the transaction. |
| Acquiring BIN           | DE 31 (Acquirer Reference Data), subfield 2 (Acquirer Reference ID) | If selected by the customer, this may be used for settlement service/TAA selection.<br><br>This element identifies the acquiring BIN associated with the acquirer of the transaction.                      |

| IPM Parameter                   | Element                                               | Usage                                                                                                                                                                                                                                                                                                               |
|---------------------------------|-------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issuing/Acquiring/Both Activity | Transaction Function (MTI plus DE 24 [Function Code]) | <p>If selected by the customer, this may be used for settlement service/TAA selection.</p> <p>The transaction function is used to classify a transaction as issuing and acquiring activity.</p> <p>Fee collection messages are considered an acquirer transaction for the sending ICA when this option is used.</p> |

**NOTE: The customer's transfer agent may be the customer or a separate entity that the customer authorizes to settle with Mastercard on its behalf.**

The following is an example of the settlement service selection process. Assume both customers participate in an intracurrency service using Canada Dollars (CAD) as the reconciliation currency. Customer ID 001234 is both an acquirer and an issuer. This customer has criteria established for the Intracurrency 1 settlement service. The customer chooses to settle only its issuing activity submitted with an assigned card program identifier of Mastercard Credit (*acceptor business code (MCC)*). Customer ID 005678 is an issuer only and has not specified criteria in order for transactions to qualify in this service.

The transaction is a First Presentment/1240 message and assigned a card program identifier of MCC. The transaction is sent by Customer ID 001234 and received by Customer ID 005678.

### Example settlement service selection process

| Customer                                      | Settlement Service  | CPI | Acct Rg | Acq BIN | Iss/Acq Act | TAA   | Txn Qualify |
|-----------------------------------------------|---------------------|-----|---------|---------|-------------|-------|-------------|
| 001234                                        | Intracurrency 1 CAD | MCC | —       | —       | Issuing     | 11111 | No          |
| 005678                                        |                     | —   | —       | —       | —           | 22222 | Yes         |
| Transaction meets criteria for each customer? |                     | ✓   | —       | —       | No          | —     | No          |

The Dual Message Clearing System determines the classification of acquiring activity or issuing activity based on the Customer ID (sending or receiving) within the message:

- Sending: DE 94 (Transaction Originator Institution ID Code)
- Receiving: DE 93 (Transaction Destination Institution ID)

In first presentments the sending customer is identified as the acquirer and the receiving customer is identified as the issuer.

In the example above, the transaction does not qualify for the service, because it did not meet the criteria of Customer ID 001234 that only its issuing activity should be settled within this service. Since Customer ID 001234 is sending the first presentment, it is acting in the capacity of an acquirer.

In first chargebacks, the sending customer is identified as the issuer and the receiving customer is identified as the acquirer.

In the example above, the transaction qualifies for the service, because it meets the customer's criteria that only its issuing activity should be settled within this service. Since Customer ID 001234 is sending the first chargeback, it is acting in the capacity of an issuer.

## Settlement service participation and criteria selection

Customers designate new or changed settlement account information using the Net Settlement Information Form (NSIF) (Form 0339). Customers may also select criteria by which Mastercard selects an appropriate settlement service and transfer agent assignment for their transactions.

These criteria are on the NSIF. Selection criteria for existing settlement services or accounts may be submitted using the NSIF. The NSIF is in the *Settlement Manual*.

The bilateral and intracurrency settlement agreement information is distributed to customers through the [IPM MPE](#). Customers can use this information as the selection criteria in their own settlement service selection process. For example, by using the selection criteria, customers determine when they can submit chargeback transactions in their local currency as opposed to U.S. dollars.

## Intracurrency settlement service selection

The Dual Message Clearing System verifies the possible intracurrency settlement services in which both the sending and receiving customers participate. All criteria associated with each customer's participation are also used in the selection process.

The following information is applicable for customers participating in an intracurrency settlement service agreement. Customers who do not participate in an intracurrency settlement service agreement may disregard this section.

### Step 1: settlement service selection

The Dual Message Clearing System compares the possible intracurrency settlement services in which both the sender and receiver participate to determine whether there are any common intracurrency settlement service agreements, as follows:

- If the customer pair has only one common intracurrency settlement service agreement, that service is selected and used in the subsequent validation process.
- If the customer pair has multiple common intracurrency settlement service agreements, the common settlement service agreement with the most specific matching criteria is selected. Otherwise, the common settlement service agreement with the most recent effective date is selected and used in the subsequent validation process.

### Example 1

Customer 001234 and customer 005678 both participate in intracurrency settlement agreements with the specified criteria in the following table.

#### Example where customers participate in intracurrency settlement agreements

| Customer | Settlement Service ID | CPI           | Acct Rg       | Acq BIN       | Iss/Acq Act   | Effective Date |
|----------|-----------------------|---------------|---------------|---------------|---------------|----------------|
| 001234   | Intracurrency 1       | Not Specified | Not Specified | Not Specified | Not Specified | 1 Dec 2023     |
|          | Intracurrency 2       | MCC           | Not Specified | Not Specified | Not Specified | 15 May 2024    |
| 005678   | Intracurrency 1       | Not Specified | Not Specified | Not Specified | Not Specified | 1 Dec 2023     |
|          | Intracurrency 2       | MCC           | Not Specified | Not Specified | Not Specified | 15 May 2024    |
| 009012   | Intracurrency 3       | Not Specified | Not Specified | Not Specified | Not Specified | 1 Dec 2023     |

Transactions submitted between customer 001234 and customer 005678 with an assigned card program identifier of MCC and processed on or after May 15th 2024, will be qualified for the intracurrency 2 settlement agreement. These transactions could be qualified for either the intracurrency 1 or the intracurrency 2 settlement service agreement. However, the intracurrency 2 agreement specifying all transactions with an assigned card program identifier of MCC contains more specific criteria, and is thus the selected settlement service agreement.

Transactions submitted between customer 001234 and customer 005678 with an assigned card program identifier other than MCC will be qualified for the intracurrency 1 settlement agreement.

Transactions submitted between customer 001234 and customer 009012 do not have an intracurrency settlement agreement in common and, therefore, would use the regional settlement service selection.

### Example 2

Customer 001234 and customer 005678 both participate in intracurrency settlement agreements with the specified criteria in the following table.

| Customer | Settlement Service ID | CPI           | Acct Rg       | Acq BIN       | Iss/Acq Act   | Effective Date |
|----------|-----------------------|---------------|---------------|---------------|---------------|----------------|
| 001234   | Intracurrency 1       | Not Specified | Not Specified | Not Specified | Not Specified | 1 Dec 2023     |
|          | Intracurrency 2       | Not Specified | Not Specified | Not Specified | Not Specified | 15 May 2024    |
| 005678   | Intracurrency 1       | Not Specified | Not Specified | Not Specified | Not Specified | 1 Dec 2023     |
|          | Intracurrency 2       | Not Specified | Not Specified | Not Specified | Not Specified | 15 May 2024    |

Transactions submitted between customer 001234 and customer 005678 on or after 15 May 2024 could be qualified for either the intracurrency 1 or the intracurrency 2 settlement agreement. There are no criteria for either service to help the system decide. Therefore, the selection process uses the most recent effective date and qualify transactions between these customers in the intracurrency 2 service.

The above example (example 2) is included to explain Dual Message Clearing System functionality. In reality, customers would add specific criteria to one of these settlement service selection setups, or delete one, instead of defining two settlement services with no selection criteria.

## Step 2: settlement service and Transfer Agent Assignment (TAA) selection

For each payment party (the sender and the receiver), identify all TAAs that meet each customer's criteria specified within the common settlement services identified in step 1.

### Step 2a: settlement service and issuer TAA selection

Settlement service is assigned according to one of the following:

- If there is only one intracurrency settlement service in common and only one TAA for each payment party that matches the transaction data, the Dual Message Clearing System assigns that settlement service and TAA combination to the transaction for each payment party.
- If there are multiple settlement services and/or TAA combinations with customized assignment criteria that match the transaction data, the issuing customer's assignment that has the most specific criteria matching the transaction is used to determine the service and the issuing customer TAA.
- If there are multiple TAA assignments for the issuing customer that match the transaction data, the assignment with the most recent effective date is used.



## Step 2b: acquirer TAA selection

Once the settlement service and TAA are assigned for the issuing customer, the acquiring customer's TAA is selected from those identified within the selected settlement service that match the transaction criteria:

- If there is only one TAA for the acquirer within the selected settlement service, that assignment is used for the acquirer's settlement.
- If there are multiple TAA combinations with customized assignment criteria that match the transaction data, the assignment that has the most specific criteria matching the transaction is used to determine the acquiring customer's TAA.
- If there are multiple TAA assignments for the acquiring customer that match the transaction data, the assignment with the most recent effective date is used.

### Example

To illustrate the TAA selection process, assume that both customers participate in the intracurrency 1 service and that customer 001234 is the issuing customer with the specified criteria shown in the following table.

#### Example illustrating the TAA selection process

| Settlement Service ID | Customer | TAA Acct and Cur | CPI           | Acct Rg       | Acq BIN       | Iss/ Acq Act  | Effective Date |
|-----------------------|----------|------------------|---------------|---------------|---------------|---------------|----------------|
| Intracurrency 1       | 001234   | XXXX, HKD        | DMC           | Not Specified | Not Specified | Not Specified | 1 Dec 2024     |
| Intracurrency 2       | 001234   | YYYY, HKD        | MCC           | Not Specified | Not Specified | Not Specified | 1 Jan 2024     |
| Intracurrency 2       | 001234   | ZZZZ, HKD        | MCC, MSI      | Not Specified | Not Specified | Not Specified | 1 Feb 2024     |
| Intracurrency 1       | 005678   | AAAA, HKD        | MCC, MSI      | Not Specified | Not Specified | Not Specified | 1 Mar 2024     |
| Intracurrency 2       | 005678   | BBBB, HKD        | MCC           | Not Specified | Not Specified | Not Specified | 1 Jan 2024     |
| Intracurrency 2       | 005678   | CCCC, HKD        | Not Specified | Not Specified | Not Specified | Not Specified | 1 Feb 2024     |

Transactions submitted with a transaction currency of HKD that are assigned a card program identifier of MCC are assigned the settlement service ID intracurrency 2 for both customers, and TAA of ZZZ for customer 001234 because it is the assignment with the most recent effective date. Because the transaction meets both of the acquirer's TAA criteria for the intracurrency 2

agreement, the TAA of BBBB would be chosen because it has the acquirer's most specific criteria that match the transaction.

### Step 3: transaction amount and fee calculation

The transaction amount is converted to the intracurrency account currency (reconciliation currency), if necessary. Additionally, the interchange fees are calculated in the intracurrency account currency (reconciliation currency).

## Regional settlement service selection

Regional settlement services are qualified independently and do not require both the sender and receiver to participate in the same regional level settlement service. If the transaction does not qualify for intracurrency settlement, it is qualified for settlement at the regional level.

The regional settlement service level specific features include:

- Each regional service specifies a settlement calendar,
- Each regional service specifies settlement cutoff time(s),
- Each regional service specifies a settlement date interval, and
- Each regional service specifies a settlement value date interval.

### Step 1: settlement service and TAA selection

The settlement service selection process described in the previous section does not apply to transactions processed at the regional settlement service level. Regional level services are qualified independently for the sender and receiver against the customer's specified criteria, as follows:

- If only one regional settlement service and [transfer agent assignment \(TAA\)](#) combination is established for a payment party that matches the transaction data, the [Dual Message Clearing System](#) assigns that TAA and account currency to the transaction.
- If multiple settlement services and/or TAAs are established with customized assignment criteria for a payment party that matches the transaction data, the Dual Message Clearing System assigns the settlement service and TAA combination with the most specific criteria. If more than one settlement service and TAA combination have the same level of specificity, the TAA with the most recent effective date is selected.
- The default settlement service and TAA are selected when no selection criteria are defined that match the transaction.

### Example 1

To illustrate the service selection process, assume that a customer participates in settlement service agreements with the specified selection criteria shown in the following table.

### Example illustrating the service selection process

| Customer | Settlement Service ID | TAA Acct and Cur | CPI           | Acct Rg       | Acq BIN       | Iss/Acq Act   |
|----------|-----------------------|------------------|---------------|---------------|---------------|---------------|
| 001234   | Regional 1            | XXXX, USD        | Not Specified | Not Specified | Not Specified | Not Specified |
| 001234   | Regional 2            | YYYY, CAD        | MCC           | Not Specified | Not Specified | Not Specified |

Transactions submitted with an assigned card program identifier of MCC are assigned the settlement service ID regional 2 and account YYYY because it has the most specific criteria that match the transaction. Transactions submitted with an assigned card program identifier other than MCC would be assigned to the settlement service ID regional 1 and account XXXX.

### Example 2

To illustrate the settlement service TAA account selection process, assume that a customer participates in the regional settlement service agreements as specified in the following table.

### Example illustrating the settlement service TAA account selection process

| Customer | Settlement Service ID | TAA Acct and Cur | CPI           | Acct Rg       | Acq BIN       | Iss/Acq Act   | Effective Date |
|----------|-----------------------|------------------|---------------|---------------|---------------|---------------|----------------|
| 005678   | Regional 1            | VVVV, USD        | MCC           | Not Specified | Not Specified | Issuing       | 1 Jan 2024     |
|          | Regional 1            | XXXX, USD        | DMC           | Not Specified | Not Specified | Issuing       | 15 Jan 2024    |
|          | Regional 2            | YYYY, CAD        | Not Specified | Not Specified | Not Specified | Acquiring     | 1 Jan 2024     |
|          | Regional 2            | ZZZZ, CAD        | Not Specified | Not Specified | Not Specified | Acquiring     | 15 Jan 2024    |
|          | Regional 3            | AAAA, USD        | Not Specified | Not Specified | Not Specified | Not Specified | 1 Jan 2024     |

The optional settlement service selection criteria defined above can have multiple occurrences per customer and are used to determine or restrict settlement account selection. Each unique grouping represents the criteria used to select a specific Customer ID, TA, and TAA combination. The more specific the criteria defined by the customer, the more combinations of Customer ID, TA, and TAA exist.

Customer 005678 is an issuer or acquirer. In this example, all issuing transactions with a card program identifier of MCC or DMC and a transaction currency of USD is settled in USD through the Regional 1 service. However, transactions with a card program identifier of MCC are settled using VVVV and transactions with DMC are settled using account XXXX. All acquiring transactions are settled in CAD through the Regional 2 service in account YYYY before 15 Jan 2024 and are settled in account ZZZZ on or after 15 Jan 2024. All other issuing transactions settle in USD through the Regional 3 Service in account AAAA.

## Step 2: transaction amount and fee calculation

The transaction amount is converted through U.S. dollars to the TAA account currency (reconciliation currency). Interchange fees are calculated in U.S. dollars and converted to each TAA account currency.

## Settlement date cycle calculation

Once the appropriate settlement service has been identified for each payment party, the settlement date is assigned.

The settlement date is the date on which the [S.A.M.](#) system determines the customers' final net settlement positions and generates the settlement advisements for customers and transfer agents.

A single transaction may qualify for a different regional settlement service for each payment party, which may result in the use of a different settlement date for each customer. Transactions qualifying for the same intracurrency agreements always result in the same settlement date for each customer. The settlement date rules include the following:

- If the settlement bank is closed, [Dual Message Clearing System](#) does not assign that date as a settlement date. For regional services, the U.S. settlement holidays are used.
- Settlement holiday dates are expressed in relation to Central Site time, from a St. Louis, Missouri, USA perspective.
- Certain settlement agreements may optionally delay their settlement. Two methods are used to delay settlement:
  - Generate the settlement advisements a specific number of days after the transactions have been processed. The delayed settlement advisements result in delayed funds movement.
  - Generate the settlement advisements as scheduled, but delay the funds movement by a specific number of days after the advisement.

## Fee calculation routines for settlement service levels

The Dual Message Clearing System uses the settlement service level to determine the currency in which to calculate fees. The following table describes how the Dual Message Clearing System calculates fees for each settlement service level.

### Settlement service level fee calculations

| Settlement Service Level | Fee Calculation Method                                                                                                                                                                                                                                                                                                                    |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Intracurrency            | <ul style="list-style-type: none"><li>Transaction amounts and fixed fees are converted to the reconciliation currency (if necessary).</li><li>Fees are calculated in the reconciliation currency.</li><li>Fees are converted to U.S. dollars for reporting purposes.</li></ul>                                                            |
| Regional                 | <ul style="list-style-type: none"><li>Transaction amounts and fixed fees are converted to U.S. dollars (if necessary).</li><li>Fees are calculated in U.S. dollars.</li><li>Transaction amounts and calculated fees are converted to each customer's reconciliation currency and remain in U.S. dollars for reporting purposes.</li></ul> |

## System-provided data in PDS 0159 (Settlement Data)

The Dual Message Clearing System creates PDS 0159 (Settlement Data) in IPM-format messages sent to the receiving customer to provide reconciliation and settlement information for each clearing transaction that has settlement impact. This element contains nine subfields.

Refer to [PDS 0159 \(Settlement Data\)](#) for the data populated in each subfield.

## Settlement service advisements

Mastercard offers settlement reporting to the customer, the transfer agent, or both. The customer advisement provides a settlement report for each settlement date and settlement service. The transfer agent advisement provides a settlement report for each settlement date and settlement service and itemizes settlement positions by customer.

A unique settlement advisement is generated for each transfer agent assignment (TAA) within a settlement service. If a customer has the same settlement account designated for multiple intracurrency and regional settlement services, a unique settlement advisement is generated for each settlement service.

## Customer settlement advisements

Customers optionally receive settlement advisements for all settlement positions for clearing activity resulting from one settlement service date and cutoff cycle.

Customer settlement advisements serve as notification to a customer of outstanding settlement positions resulting from a settlement service cutoff. This either provides the customer a method to ensure that appropriate funds are in place to effect settlement or notifies the customer about funds that will be available.

**NOTE: For more information about settlement advisements and the Net Settlement Information Form (NSIF), refer to the *Settlement Manual*.**

## Reversals

This section describes how to create reversals and how the [Dual Message Clearing System](#) processes them.

### How to create reversals

A reversal message informs the receiver to disregard the original message.

Reversal messages may not be received within the same clearing cycle as the original message. Therefore, the netting of the settlement between the two actions may not occur in the same cycle and perhaps not the same processing day.

The settlement values for a reversal message and its original together produce a net settlement value of zero.

Customers can reverse one or more individual messages or an entire clearing file.

### Identification of reversal messages

Customers must identify a single reversal message by adding private data subelement (PDS) 0025 (Message Reversal Indicator) to the message and populating its subfields correctly.

PDS 0025 subfield 1 must contain a value of R and subfield 2 must contain the original Dual Message Clearing System processing date of the message being reversed.

### Identification of reversal files

Customers have two options for identifying a reversal file.

- Add PDS 0026 (File Reversal Indicator) to the File Header message of the file, and populate subfield 1 (File Reversal Indicator) with a value of R. In subfield 2 (Central Site Processing

Date of Original File), provide the original *Dual Message Clearing System* processing date of the file being reversed.

- Add PDS 0025 (Message Reversal Indicator) to every message in the file except for the File Header and File Trailer messages. Subfield 1 (Message Reversal Indicator) must contain a value of R. Subfield 2 (Central Site Processing Date of Original Message) must contain the original Dual Message Clearing System processing date of the message being reversed.

## How to send individual reversal messages

Customers should follow this procedure to reverse an individual message.

### Procedure

1. The customer realizes that it needs to reverse an individual message.
2. The customer extracts the message to be reversed. For example, if a customer wants to reverse a message containing a specific cardholder account number, the customer can use the Message Selection Criteria utility to select and extract the message containing that cardholder account number.
3. The customer adds PDS 0025 (Message Reversal Indicator) to the message, with the value R in subfield 1 (Message Reversal Indicator) and the original Dual Message Clearing System processing date in subfield 2.
4. The customer adds the reversal message to one of its outgoing clearing files.
5. If the customer's original message needs to be resent because it contained incorrect data, the customer corrects the data in the original message and resubmits it.

The Dual Message Clearing System recognizes and processes individual reversal messages submitted in a file. There is no requirement to isolate reversal messages or to send them in separate files.

## How to send reversal files: full files

The *Dual Message Clearing System* allows customers to send one original file and one reversal file using the same file ID. This allows customers to correct invalid files with minimal changes to the original file. Customers should follow the procedure to reverse full files.

### Procedure

1. The customer realizes that it needs to reverse an entire file.
2. The customer sends a full file reversal using the same file ID or a new file ID. The customer adds PDS 0026 (File Reversal Indicator) to the file header message with the value R in subfield 1 (File Reversal Indicator) and the original Dual Message Clearing System processing date in subfield 2 (Central Site Processing Date of Original File).

Because PDS 0026 is present in the File Header message, the Dual Message Clearing System recognizes the file as a full file reversal. The Dual Message Clearing System inserts PDS 0025 (Message Reversal Indicator) into each individual message in the file and processes and distributes each message as a single-item reversal.

3. If the customer's original file needs to be resent because it contained incorrect data, the customer corrects the data in the original file and resubmits it using a different file ID.

Allowing customers to reverse files using the same file ID simplifies the creation of reversal files. Customers only need to populate PDS 0026 in the File Header message with an R to indicate that the entire file is being reversed.

**NOTE: Customers do not receive an entire file that is a full file reversal file (that is, PDS 0026 will not be present in the customer inbound file header). In the receiving customer's clearing file, reversal messages are mixed with non-reversal messages.**

## How to send reversal files: partial files

To send a partial reversal file, follow the steps outlined in this section.

### Procedure

1. Extract the messages to be reversed into a new file. For example, if a customer wants to reverse all of the first chargebacks from a file, the customer can extract all first chargebacks from the original file.
2. Create a file header message with a value of R in PDS 0026 (File Reversal Indicator).
3. Create a file trailer containing zeros in PDS 0301 (File Amount, Checksum) and PDS 0306 (File Message Counts).
4. Submit the file for processing.

**ATTENTION: Customers must not combine messages from more than one processing date to be reversed because the date in subfield 2 (Central Site Processing Date of Original File) of PDS 0026 will allow specification of only one original processing date for the currency conversion rate history. The [Dual Message Clearing System](#) uses that date's currency conversion rate (if necessary) to apply to the reversal transactions.**

Customers submitting a full or partial reversal file (indicated by the presence of PDS 0026 in the File Header) are not required to use a File ID that has already been processed. For example, customers creating a partial reversal file may choose to assign a new File ID instead of using the original File ID.

If multiple partial reversals are required before clearing a transaction, each reversal should always reference the original transaction data. For example, within DE 48 (Additional Data: Private Use), subelement 63 (Trace ID), DE 90 (Original Data Elements) and DE 4 (Amount, Transaction) of the Reversal Request/0400 message, the amount value should be the authorized amount from the original transaction to support issuer matching (do not use the adjusted amount from DE 95 (Replacement Amounts) within a previous reversal, or the requested amount if a partial approval applies). If an incremental authorization has been submitted, a reversal should reference original transaction data and DE 4 should be the sum of the original authorized amount plus any incremental amounts.



## Using the Clearing Optimizer Message Selection Utility to create reversals

Mastercard's Clearing Optimizer software includes a number of useful utilities, one of which is the IPM Message Selection Criteria Utility that can be used to simplify the process of creating reversal messages and files.

This utility reads a given [IPM](#) clearing file and selects messages that match the customer-specified criteria. Its output is an [IPM](#) file containing a File Header message and the messages that match the selection criteria.

A customer can use the IPM Message Selection Criteria Utility to select the messages it wants to reverse. For example, if a customer needs to reverse all first presentments submitted for the U.S. region Merit III interchange program with a transaction date of 21 August 2003, the customer can create selection criteria for these conditions. The customer uses the selection criteria as input to the IPM Message Selection Criteria Utility, along with the original file.

The utility selects all messages that match the input criteria and puts them in an output file along with the file header message of the original file. The customer would then insert PDS 0026 (File Reversal Indicator) into this file header message and optionally change the value of PDS 0105 (File ID). Finally, the customer would add a file trailer message to the end of this file, with values of all zeros in PDS 0301 (File Amount, Checksum) and PDS 0306 (File Message Counts). Then the customer would send this file to Mastercard for processing within the [Dual Message Clearing System](#).

**NOTE: For more information about the IPM Message Selection Criteria, refer to either the *Clearing Optimizer Mainframe* guide or the *Clearing Optimizer AutoEdit* guide.**

## Full File Reversal Utility

The IPM File Reversal Utility can be used for building a full file reversal.

### About IPM File Reversal Utility

Customers inadvertently send duplicate [IPM](#) clearing files to Mastercard, and it is critical that the duplicate files are reversed quickly to avoid processing and financial impact. To reverse the duplicated files, customers can use the IPM file reversal utility to easily create a full file reversal and validate the file using the Clearing Optimizer software before submitting the clearing file to Mastercard.

For example, if a customer inadvertently sent duplicate clearing files for [Dual Message Clearing System](#) processing date 29 August 2024, the impacted customer can now use the IPM file reversal utility to create a full file reversal using the processing date of 29 August 2024.

The IPM file reversal utility inserts PDS 0026 (File Reversal Indicator) in the file header with the information provided from the processing date on the Reversal Processing Date Selection field. Using the noted example, the values in PDS 0026 will be PDS 0026, subfield 1 (File Reversal Indicator) = R and PDS 0026, subfield (Central Site Processing Date of Original File) = 190829.

**NOTE: The IPM file reversal utility can be used on a clearing file with one header and one trailer. Clearing files with multiple logical files (multiple headers and trailer) cannot be used.**

For more information regarding reversals and PDS 0026, refer to [PDS 0026 \(File Reversal Indicator\)](#). It is critical to select the correct processing date for the reversal files and validate the reversal files before submitting the files to the Mastercard central site.

## Having Mastercard reverse files

Mastercard submits full file reversals at the customer's request.

Customers that want to request this service must provide the File ID of the file to be reversed and the original [Dual Message Clearing System](#) processing date of that file to their Global Customer Service team, regional office representative, or Technical Account Management representative. Mastercard uses this information to create and submit a full-file reversal as documented in the [How to send reversal files: full files](#) section.

## Editing reversal messages

The [Dual Message Clearing System](#) automatically excludes reversal messages from most interchange qualification edits. For example, the Dual Message Clearing System excludes reversal First Presentment/1240 messages from interchange timeliness and industry-related addendum requirements.

The Dual Message Clearing System does edit the file ID in all full-file reversals to ensure that it has not been previously reversed. As noted, the file ID in a reversal file does not have to be the original file ID, but it cannot be a file ID that has been used in a previous full-file reversal.

## Reporting reversal rejects

The [Dual Message Clearing System](#) generates Message Exception/1644 or File Reject/1644 messages for all rejected messages or files. Within these error messages, the Dual Message Clearing System designates reversal transactions by the presence of PDS 0025 (Message Reversal Indicator) in the individual message for individual transaction reversals and PDS 0026 (File Reversal Indicator) in the header message for full file reversals.

## Chapter 8 Reports and files

Customers receive reports and files to supplement *Dual Message Clearing System* clearing flows and services.

---

|                                                                                               |      |
|-----------------------------------------------------------------------------------------------|------|
| Clearing submission and response.....                                                         | 1929 |
| Currency conversion-related files.....                                                        | 1929 |
| T057 Currency Conversion Rate File.....                                                       | 1929 |
| Acquirer Currency Conversion Rate File.....                                                   | 1932 |
| Originating Institution Payment Transaction Currency Conversion Rate File.....                | 1938 |
| Integrated Product Message (IPM) Mastercard Parameter Extract (MPE).....                      | 1940 |
| Customer-generated files in the IPM format.....                                               | 1942 |
| Mastercard generated files in the IPM format.....                                             | 1943 |
| Reconciliation-related reports and files.....                                                 | 1946 |
| Dual Message Clearing System reconciliation reports.....                                      | 1948 |
| IP727010-AA - Clearing Cycle Acknowledgment Report.....                                       | 1950 |
| IP727020-AA - Clearing Cycle Notification Report.....                                         | 1955 |
| IP728010-AA - Clearing Cycle Summary Reconciliation Report.....                               | 1961 |
| IP142110-AA - IPM Messages Created on Behalf of a Member.....                                 | 1963 |
| IP142520-AA - On-behalf Service Fee Collection Report.....                                    | 1970 |
| IP148320-AA - Miscellaneous Override Financial Adjustments Report.....                        | 1971 |
| IP755120-AA - Clearing Detail Report.....                                                     | 1974 |
| IP755220-AA-ALM Reconciliation Data Report .....                                              | 1980 |
| Operational reporting .....                                                                   | 1983 |
| Optional reports.....                                                                         | 1983 |
| IP857010-BB - Global Collection Only Error Detail – Input Sequence.....                       | 1985 |
| IP857010-AA - Error Detail -- Input Sequence.....                                             | 1995 |
| Dual Message Clearing System transaction and chargeback analysis reports.....                 | 2006 |
| Optional service-related reports.....                                                         | 2015 |
| IP714010-AA - Acquirer Accepted Errors Detail Report.....                                     | 2016 |
| IP755140-AA-Clearing Interchange Enhancement Reconciliation Report .....                      | 2022 |
| IP755220-AA - Account Level Management (ALM) Reconciliation Data Report.....                  | 2025 |
| IP170010-AA - Acquirer-funded Reward Presentments Created On Behalf of a Customer Report..... | 2027 |
| Consolidated on-request XML data file distribution.....                                       | 2028 |
| IP830010 - Issuer ICCR Report.....                                                            | 2030 |
| IP830020 - Cross-Border Fee Manager service reports.....                                      | 2032 |
| Region-specific reports.....                                                                  | 2034 |

|                                               |      |
|-----------------------------------------------|------|
| IP755020-AA - Interchange Detail Report.....  | 2035 |
| Mexico RedMx Scheme reports.....              | 2041 |
| Summary of reports within raw data files..... | 2041 |

## Overview

The Dual Message Clearing System provides reports and files to supplement various clearing flows and services. For example, a customer may want to check the Currency Conversion Rate file (T057) to confirm the daily conversion rate or investigate the settlement figure versus the authorization amount using a reconciliation related report.

This chapter details various reports:

- Clearing submission and response: Reports generated at various junctures during the clearing process including currency conversion, [IPM](#) data, early reconciliation, and so on.
- Reconciliation related: Reports generated to assist customers with reconciling their clearing and settlement data.
- Operational reporting: Reports that provide insights into card operations and clearing related services such as [Transaction Enablement Service \(TES\)](#), [Account Level Management \(ALM\)](#), [ICCR](#), and so on.

## Clearing submission and response

### Currency conversion-related files

Currency conversion is a service that Mastercard performs to convert transaction amounts to cardholder billing amounts and reconciliation amounts. Mastercard performs this service whenever the transaction currency is different from the currency of the cardholder or the currency of reconciliation. Mastercard guarantees the Mastercard-issued currency conversion rates for each supported currency.

For more detailed information on currency conversion as a service and its functionality, refer to the currency conversion section in [System functionality and services](#).

This section discusses these files:

- T057 Currency Conversion Rate
- Acquirer Currency Conversion Rate
- Originating Institution Payment Transaction Currency Conversion Rate

### T057 Currency Conversion Rate File

All the conversion rates are delivered in a given processing day to the customers through the bulk file T057, which contains the:

- Currency Conversion Rate Detail Records
- Mastercard-Issued Cross Rates (Rate Class F)
- Mastercard-Issued USD Rates (Rate Class M)

For each Mastercard-issued rate, the reference currency is indicated in field 3 of the T057 file. The Currency Conversion Rate File provides customers with Mastercard-Issued USD Rates and Mastercard-Issued Cross Rates, in effect for a given processing day.

Customers may choose to receive the Currency Conversion Rate File through either the:

- MIP (production bulk file T057, test bulk file T058)
- CONNECT:Direct
- Mastercard File Express

## Currency Conversion Rate File format

The Currency Conversion Rate File header, detail, and trailer record layouts are shown in the following tables.

### Currency Conversion Rate File header record

| Field Number and Name      | Position | Length | Format | Comments and Values                                                                                                                                         |
|----------------------------|----------|--------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 Header Description       | 1        | 1      | an     | Constant: H                                                                                                                                                 |
| 2 Date                     | 2-9      | 8      | n      | File creation date. YYYYMMDD                                                                                                                                |
| 3 Time                     | 10-15    | 6      | n      | The time the file was created. <a href="#">Universal Time (UTC)</a> ; six digits in military format HHMMSS. For example, 3:30:30 p.m. would show as 153030. |
| 4 Rate File Format Version | 16       | 1      | an     | This field identifies the file format version. The initial version is 1 and is incremented each time the file format changes.                               |
| 5 Filler                   | 17-125   | 109    | an     | Spaces                                                                                                                                                      |

### Currency Conversion Rate File detail record

| Field Number and Name  | Position | Length | Format | Comments and Values                                                                                                                     |
|------------------------|----------|--------|--------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 1 Detail Description   | 1        | 1      | an     | Constant: D                                                                                                                             |
| 2 Source Currency Code | 2-4      | 3      | n      | <a href="#">International Organization for Standardization (ISO)</a> currency code for the currency for which rates are being provided. |

| Field Number and Name           | Position | Length | Format | Comments and Values                                                                                                                                                                                                                                                                                                  |
|---------------------------------|----------|--------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3 Reference Currency Code       | 5-7      | 3      | n      | ISO code for the reference currency against which rates are quoted.<br><br><b>NOTE: This field continues to contain a value of U.S. dollars (840) for Mastercard-Issued USD Rates (Rate Class = M). However, for Mastercard-Issued Cross Rates (Rate Class = F), this field may contain any valid currency code.</b> |
| 4 Source Currency Exponent      | 8        | 1      | n      | Exponent of the currency code in field 2, positions 2-4.                                                                                                                                                                                                                                                             |
| 5 Rate Class                    | 9        | 1      | an     | M = Mastercard-Issued USD Rates<br>F = Mastercard-Issued Cross Rate                                                                                                                                                                                                                                                  |
| 6 Rate Format Indicator         | 10       | 1      | an     | Constant—D = Direct (only rate format currently supported)                                                                                                                                                                                                                                                           |
| 7 BUY Currency Conversion Rate  | 11-25    | 15     | n      | Eight numbers to the left of the decimal, seven numbers to the right of the decimal.                                                                                                                                                                                                                                 |
| 8 MID Currency Conversion Rate  | 26-40    | 15     | n      | Eight numbers to the left of the decimal, seven numbers to the right of the decimal.                                                                                                                                                                                                                                 |
| 9 SELL Currency Conversion Rate | 41-55    | 15     | n      | Eight numbers to the left of the decimal, seven numbers to the right of the decimal.                                                                                                                                                                                                                                 |
| 10 Reserved Field               | 56-70    | 15     | n      | Nine-filled                                                                                                                                                                                                                                                                                                          |
| 11 Filler                       | 71-125   | 55     | an     | Spaces                                                                                                                                                                                                                                                                                                               |

#### Currency Conversion Rate File trailer record

| Field Number and Name | Position | Length | Format | Comments and Values                                                                                                                                                       |
|-----------------------|----------|--------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 Trailer Description | 1        | 1      | an     | Constant: T                                                                                                                                                               |
| 2 Record Count        | 2-7      | 6      | n      | Total number of detail records. This count does not include the header or trailer records.                                                                                |
| 3 Hash Total          | 8-24     | 17     | n      | Hash total of all MID Currency Conversion Rate fields presented in the detail records. Ten numbers to the left of the decimal, seven numbers to the right of the decimal. |
| 4 Filler              | 25-125   | 101    | an     | Spaces                                                                                                                                                                    |

## Currency conversion rate effective day and time

The currency conversion rates used by the Dual Message Clearing System are guaranteed for each clearing processing day for transactions not eligible for rates effective at the time of authorization. For transactions eligible for rates effective at the time of authorization, refer to the Transaction Eligibility Window table in [Rates used for currency conversion](#).

## Acquirer Currency Conversion Rate File

The Acquirer Currency Conversion Rate File provides the effective currency conversion rate of all possible [International Organization for Standardization \(ISO\)](#) currency codes between the transaction currency code and the acquirer reconciliation currency code.

The files are provided for the following presentments:

- Regional First Presentments (production bulk file TQQ4, test bulk file TQQ6)
- Regional Second Presentments (production bulk file TQQ8, test bulk file TQR0)
- Intracurrency Presentments (production bulk file TQX2, test bulk file TQX4)

Customers may choose to receive the file through:

- MIP (production bulk files TQQ4, TQQ8, and TQX2; and test bulk files TQQ6, TQR0, and TQX4)
- CONNECT:Direct®
- Mastercard File Express

These files can be used when the transaction currency is not currency supported for regional settlement. This file does not replace the T057 file and customers continue to receive the T057 file. To see a full list of the currencies that Mastercard offers for regional settlement, refer to the *Settlement Manual*.

## Acquirer Currency Conversion Rate File format

The file header, detail, and trailer records for the Acquirer Currency Conversion Rate File are noted in the following tables.

### Acquirer Currency Conversion Rate File header record (Regional First Presentments)

| Field Number and Name | Position | Length | Format | Comments and Values          |
|-----------------------|----------|--------|--------|------------------------------|
| 1 Header Description  | 1        | 1      | an     | Constant: H                  |
| 2 Date                | 2-9      | 8      | n      | File creation date. YYYYMMDD |



| Field Number and Name      | Position | Length | Format | Comments and Values                                                                                                                     |
|----------------------------|----------|--------|--------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 3 Time                     | 10-15    | 6      | n      | The time the file was created. <i>UTC</i> ; six digits in military format HHMMSS. For example, 3:30:30 p.m. would show as 153030.       |
| 4 Rate File Format Version | 16       | 1      | an     | This field identifies the file format version. The initial version will be 2 and will be incremented each time the file format changes. |
| 5 Filler                   | 17-60    | 44     | an     | Spaces                                                                                                                                  |

**Acquirer Currency Conversion Rate File detail record (regional first presentments)**

| Field Number and Name          | Position | Length | Format | Comments and Values                                                                                                                                                      |
|--------------------------------|----------|--------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 Detail Description           | 1        | 1      | an     | Constant: R                                                                                                                                                              |
| 2 Transaction Currency Code    | 2-4      | 3      | n      | Represents transaction currency code.                                                                                                                                    |
| 3 Acquirer Recon Currency Code | 5-7      | 3      | n      | Represents acquirer reconciliation currency code.                                                                                                                        |
| 4 Rate Class                   | 8        | 1      | an     | <ul style="list-style-type: none"> <li>M = Mastercard-Issued U.S. Dollar Rates</li> <li>F = Mastercard-Issued Cross Rates</li> <li>X = Calculated Cross Rates</li> </ul> |

| Field Number and Name                | Position | Length | Format | Comments and Values                                                                  |
|--------------------------------------|----------|--------|--------|--------------------------------------------------------------------------------------|
| 5 Effective Currency Conversion Rate | 9-23     | 15     | n      | Eight numbers to the left of the decimal, seven numbers to the right of the decimal. |
| 6 Filler                             | 24-60    | 37     | an     | Spaces                                                                               |

#### Acquirer Currency Conversion Rate File trailer record (regional first presentments)

| Field Number and Name | Position | Length | Format | Comments and Values                                                                        |
|-----------------------|----------|--------|--------|--------------------------------------------------------------------------------------------|
| 1 Trailer Description | 1        | 1      | an     | Constant: T                                                                                |
| 2 Count               | 2-11     | 10     | n      | Total number of detail records. This count does not include the header or trailer records. |
| 3 Filler              | 12-60    | 49     | an     | Spaces                                                                                     |

#### Acquirer Currency Conversion Rate File header record (regional second presentments)

| Field Number and Name | Position | Length | Format | Comments and Values                                                                                                               |
|-----------------------|----------|--------|--------|-----------------------------------------------------------------------------------------------------------------------------------|
| 1 Header Description  | 1        | 1      | an     | Constant: H                                                                                                                       |
| 2 Date                | 2-9      | 8      | n      | File creation date. YYYYMMDD                                                                                                      |
| 3 Time                | 10-15    | 6      | n      | The time the file was created. <i>UTC</i> ; six digits in military format HHMMSS. For example, 3:30:30 p.m. would show as 153030. |

| Field Number and Name      | Position | Length | Format | Comments and Values                                                                                                                     |
|----------------------------|----------|--------|--------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 4 Rate File Format Version | 16       | 1      | an     | This field identifies the file format version. The initial version will be 3 and will be incremented each time the file format changes. |
| 5 Filler                   | 17-60    | 44     | an     | Spaces                                                                                                                                  |

#### Acquirer Currency Conversion Rate File detail record (regional second presentments)

| Field Number and Name                | Position | Length | Format | Comments and Values                                                                                                                                                            |
|--------------------------------------|----------|--------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 Detail Description                 | 1        | 1      | an     | Constant: I                                                                                                                                                                    |
| 2 Transaction Currency Code          | 2-4      | 3      | n      | Represents transaction currency code.                                                                                                                                          |
| 3 Acquirer Recon Currency Code       | 5-7      | 3      | n      | Represents acquirer reconciliation currency code.                                                                                                                              |
| 4 Rate Class                         | 8        | 1      | an     | <ul style="list-style-type: none"> <li>• M = Mastercard-Issued U.S. Dollar Rates</li> <li>• F = Mastercard-Issued Cross Rates</li> <li>• X = Calculated Cross Rates</li> </ul> |
| 5 Effective Currency Conversion Rate | 9-23     | 15     | n      | Eight numbers to the left of the decimal, seven numbers to the right of the decimal.                                                                                           |
| 6 Filler                             | 24-60    | 37     | an     | Spaces                                                                                                                                                                         |

### Acquirer Currency Conversion Rate File trailer record (regional second presentments)

| Field Number and Name | Position | Length | Format | Comments and Values                                                                        |
|-----------------------|----------|--------|--------|--------------------------------------------------------------------------------------------|
| 1 Trailer Description | 1        | 1      | an     | Constant: T                                                                                |
| 2 Count               | 2-11     | 10     | n      | Total number of detail records. This count does not include the header or trailer records. |
| 3 Filler              | 12-60    | 49     | an     | Spaces                                                                                     |

### Acquirer Currency Conversion Rate File header record (intracurrency presentments)

| Field Number and Name      | Position | Length | Format | Comments and Values                                                                                                                     |
|----------------------------|----------|--------|--------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 1 Header Description       | 1        | 1      | an     | Constant: H                                                                                                                             |
| 2 Date                     | 2-9      | 8      | n      | File creation date. YYYYMMDD                                                                                                            |
| 3 Time                     | 10-15    | 6      | n      | The time the file was created. <i>UTC</i> ; six digits in military format HHMMSS. For example, 3:30:30 p.m. would show as 153030.       |
| 4 Rate File Format Version | 16       | 1      | an     | This field identifies the file format version. The initial version will be 4 and will be incremented each time the file format changes. |
| 5 Filler                   | 17-60    | 44     | an     | Spaces                                                                                                                                  |

### Acquirer Currency Conversion Rate File detail record (intracurrency presentments)

| Field Number and Name                | Position | Length | Format | Comments and Values                                                                                                           |
|--------------------------------------|----------|--------|--------|-------------------------------------------------------------------------------------------------------------------------------|
| 1 Detail Description                 | 1        | 1      | an     | Constant: S                                                                                                                   |
| 2 Transaction Currency Code          | 2-4      | 3      | n      | Represents transaction currency code.                                                                                         |
| 3 Acquirer Recon Currency Code       | 5-7      | 3      | n      | Represents acquirer reconciliation currency code.                                                                             |
| 4 Rate Class                         | 8        | 1      | an     | <ul style="list-style-type: none"> <li>M = Mastercard-Issued U.S. Dollar Rates</li> <li>X = Calculated Cross Rates</li> </ul> |
| 5 Effective Currency Conversion Rate | 9-23     | 15     | n      | Eight numbers to the left of the decimal, seven numbers to the right of the decimal.                                          |
| 6 Filler                             | 24-60    | 37     | an     | Spaces                                                                                                                        |

### Acquirer Currency Conversion Rate File trailer record (intracurrency presentments)

| Field Number and Name | Position | Length | Format | Comments and Values                                                                        |
|-----------------------|----------|--------|--------|--------------------------------------------------------------------------------------------|
| 1 Trailer Description | 1        | 1      | an     | Constant: T                                                                                |
| 2 Count               | 2-11     | 10     | n      | Total number of detail records. This count does not include the header or trailer records. |
| 3 Filler              | 12-60    | 49     | an     | Spaces                                                                                     |

## Application of Acquirer Currency Conversion Rate File to determine acquirer reconciliation amount

Acquirers can determine the reconciliation amount within the Acquirer Currency Conversion Rate File by both:

- Locating the record in the Acquirer Currency Conversion Rate File where the transaction currency matches the currency in field 2 and the acquirer reconciliation currency matches the currency in field 3
- Multiplying the currency conversion rate in field 5 by the transaction amount to determine the acquirer reconciliation amount

## Originating Institution Payment Transaction Currency Conversion Rate File

The Originating Institution Payment Transaction Currency Conversion Rate File gives customers the ability to determine the funding amount needed to reconcile with Mastercard specifically for cross-border payment transactions.

To assist customers in reconciling their payment transactions (data element [DE] 3, Processing Code, subfield 1, Cardholder Transaction Type Code, value 28), this rate file contains all possible currency conversion rates, from the transaction currency to the Originating Institution's reconciliation currency code for regional First Presentment payment transactions.

Customers may receive this file through either the:

- MIP (production bulk files TS40, and test bulk files TS42)
- CONNECT:Direct
- Mastercard File Express

This file does not replace the existing T057 Currency Conversion Rate File and customers continue to receive T057 rate files.

Receiving institutions that reconcile must continue reconciling using currency conversion rate information provided in the First Presentment message and must not use the Originating Institution Payment Transaction Currency Conversion Rate File.

## Originating Institution Payment Transaction Currency Conversion Rate File format

The file header, detail, and trailer records for the Originating Institution Currency Conversion Rate File are noted in the following tables.

### Originating Institution Payment Transaction Currency Conversion Rate File header

| Field Number and Name | Position | Length | Format | Comments and Values |
|-----------------------|----------|--------|--------|---------------------|
| 1 Header Description  | 1        | 1      | an     | Constant: H         |

| Field Number and Name      | Position | Length | Format | Comments and Values                                                                                                                        |
|----------------------------|----------|--------|--------|--------------------------------------------------------------------------------------------------------------------------------------------|
| 2 Date                     | 2-9      | 8      | n      | File creation date. YYYYMMDD                                                                                                               |
| 3 Time                     | 10-15    | 6      | n      | The time the file was created. <a href="#">UTC</a> ; six digits in military format HHMMSS. For example, 3:30:29 p.m. would show as 153029. |
| 4 Rate File Format Version | 16       | 1      | an     | This file identifies the file format version. The initial version will be 2 and will be incremented each time the file format changes.     |
| 5 Filler                   | 17-60    | 44     | an     | Spaces                                                                                                                                     |

#### Originating Institution Payment Transaction Currency Conversion Rate File detail record

| Field Number and Name                         | Position | Length | Format | Comments and Values                                                                                                                                                     |
|-----------------------------------------------|----------|--------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 Detail Description                          | 1        | 1      | an     | Constant: R                                                                                                                                                             |
| 2 Transaction Type Identifier                 | 2-4      | 3      | an     | Transaction Type Identifier. Valid value is:<br>• CXX (default value)                                                                                                   |
| 3 Transaction Currency Code                   | 5-7      | 3      | n      | Represents the transaction currency code of the transaction.                                                                                                            |
| 4 Originating Institution Recon Currency Code | 8-10     | 3      | n      | Represents the originating institution reconciliation currency code of the transaction.                                                                                 |
| 5 Rate Class                                  | 11       | 1      | an     | Indicates the rate classification. Valid values are:<br>• M = Mastercard-Issued U.S. Dollar Rates<br>• F = Mastercard-Issued Cross Rates<br>• X = Calculated Cross Rate |
| 6 Effective Currency Conversion Rate          | 12-26    | 15     | n      | Conversion rate (Assumed decimal after position 19). Eight positions to the left of the decimal, seven positions to the right of the decimal.                           |
| 7 Filler                                      | 27-60    | 34     | an     | Spaces                                                                                                                                                                  |

### Originating Institution Payment Transaction Currency Conversion Rate File trailer record

| Field Number and Name | Position | Length | Format | Comments and Values                                                                        |
|-----------------------|----------|--------|--------|--------------------------------------------------------------------------------------------|
| 1 Trailer Description | 1        | 1      | an     | Constant: T                                                                                |
| 2 Record Count        | 2-11     | 10     | n      | Total number of detail records. This count does not include the header or trailer records. |
| 3 Filler              | 12-60    | 49     | an     | Spaces                                                                                     |

The following steps explain how originating institutions can determine the reconciliation amount using the Originating Institution Payment Transaction Currency Conversion Rate File:

1. Locate the record in the Originating Institution Payment Transaction Currency Conversion Rate File where the:
  - Transaction Type Identifier matches the value in field 2
  - Transaction currency matches the currency in field 3
  - Originating Institution reconciliation currency matches the currency in field 4

If there is no match in field 2, then use the default value of CXX (as the Transaction Type Identifier) to match.

2. Multiply the effective currency conversion rate in field 6 by the transaction amount to determine the originating institution's reconciliation amount.

## Integrated Product Message (IPM) Mastercard Parameter Extract (MPE)

The *IPM MPE* contains all the parameters that the Clearing Optimizer uses to edit the member's clearing files and run the IPM utilities.

Full file replacement files are only distributed during the Q2 and Q4 release implementations. These are the IPM MPE Bulk file types:

- T067 Production IPM MPE generated by Mastercard from Central Site (daily updates)
- T068 Production IPM MPE generated by Mastercard from Central Site (full file replacement)
- T167 Test IPM MPE generated by Mastercard from Central Site (daily updates)
- T168 Test IPM MPE generated by Mastercard from Central Site (full file replacement)

For the layout of the MPE files, refer to the *GCMS Parameter Table Layouts* guide.

### Acknowledgment bulk files

After having applied the *BIN* updates from the *IPM MPE* bulk files, acquirer must submit corresponding acknowledgment bulk files with these IPM bulk ID values to Mastercard:

- RMF5: Acknowledgment GCMS Parameter Extract Data (daily updates)



- RMF7: Acknowledgment GCMS Parameter Extract Data (full file replace)
- RMG5: Test-Acknowledgment GCMS Parameter Extract (file daily update)
- RMG7: Test-Acknowledgment GCMS Parameter Extract (full file replace)

**Layout of acknowledgment files: daily update MPE files**

| Field Name              | Positions | Attribute | Comments and Values                                                    |
|-------------------------|-----------|-----------|------------------------------------------------------------------------|
| IPM MPE File Identifier | 1-15      | an-15     | Constant value: UPDATE FILE followed by four spaces.                   |
| Date created            | 16-23     | n-8       | Date the IPM MPE Daily Update file was generated.<br>Format: YYYYMMDD. |
| Time created            | 24-27     | n-4       | Time the IPM MPE Daily Update file was generated.<br>Format: HHMM.     |
| Filler                  | 28-125    | an-98     | Spaces.                                                                |

**Layout of acknowledgment files: full file replace MPE files**

| Field Name              | Positions | Attribute | Comments and Values                                                                              |
|-------------------------|-----------|-----------|--------------------------------------------------------------------------------------------------|
| IPM MPE File Identifier | 1-17      | an-17     | Constant value: REPLACEMENT FILE followed by one space.                                          |
| Module Identifier       | 18-31     | an-14     | Module that generated the IPM MPE.                                                               |
| Filler                  | 32-45     | an-14     | Constant value: CURRENT-DATE= followed by one space.                                             |
| Date created            | 46-54     | an-9      | Date the IPM MPE Full File Replacement was generated.<br>Format: MM DD YY followed by one space. |
| Filler                  | 55-61     | an-7      | Constant value: TIME = followed by one space.                                                    |
| Time created            | 62-69     | an-8      | Time the IPM MPE Full File Replacement was generated.<br>Format: HH:MM:SS                        |
| Filler                  | 70-125    | an-56     | Spaces.                                                                                          |

## Customer-generated files in the IPM format

The [IPM](#) format provides a flexible structure for customer-generated logical and physical files.

### File types

| File type     | Description                                                                                                                                                                                            |
|---------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Logical file  | An offline file that contains a single file header, followed by various IPM clearing messages, followed by a single file trailer.                                                                      |
| Physical file | An offline transmission that is a single dataset or bulk file and that contains one or more logical files. There is no transmission header or transmission trailer to enclose an offline transmission. |

A [Dual Message Clearing System](#) limitation requires that the number of logical files within a physical file must not exceed 20,000. If the allowed limit is exceeded, then customers may be impacted by Mastercard actions to split the logical files between multiple physical files, not receiving reconciliation as expected and could miss the preferred settlement cycle.

The Dual Message Clearing System processes each logical file within a physical file independently. The transmission originator determines whether to submit a single logical file or multiple logical files within a physical file.

There are no requirements related to the grouping of IPM messages into logical files. For example, one transmission originator may choose to create a separate logical file for each ending Customer ID. Another transmission originator may choose to create one logical file for chargebacks and retrievals and another for presentments.

### Sequence of the customer-generated IPM files

Customers must adhere to certain rules when constructing IPM files.

There are relatively few sequencing rules for customer-generated logical files. The customer may construct its IPM outbound logical file using any message sequence, with the following exceptions:

- A file must begin with a file header message and end with a file trailer message.
- The file ID in the header must match the file ID in the trailer.
- DE 71 (Message Number) must contain 00000001 in the file header message. Subsequent DE 71 values must be incremented, so that each succeeding DE 71 value is greater than the previous.
- Financial detail addendum messages must immediately follow the associated first presentment messages.

### Bulk IDs for clearing data

Customers transmitting IPM clearing data through the [Mastercard interface processors](#) should use PDS 0122 (Processing Mode) and IPM bulk ID values:

- R111 Customer-generated production outbound IPM data to Central Site
- RSP1 Customer-generated production outbound IPM data to Central Site (Mexico RedMX scheme only)
- R119 Customer-generated test IPM data to Central Site
- RSP3 Customer-generated test IPM data to Central Site (Mexico RedMX scheme only)

See [Private data subelement definitions](#) for values used in PDS 0122.

## Mastercard generated files in the IPM format

Files generated by Mastercard (incoming to customers) have unique options, requirements, and structure.

These are the bulk IDs for clearing data from Mastercard:

- T112 Production IPM data generated by Mastercard from Central Site
- T120 Test IPM data generated by Mastercard from Central Site
- T113 Early Reconciliation Message file generated by Mastercard: If the customer chooses to receive this file, it provides early reconciliation and error message details after each logical file from a customer is processed
- T121 Test bulk ID for the Early Reconciliation Message file generated by Mastercard

### T112 - IPM Data File

Customers have multiple options from which they may choose to receive clearing files. These options involve timing and organization of the incoming clearing data. For more details on these options, refer to Appendix NEWXX.

### Dual Message Clearing System sequence of the IPM data file generated by Mastercard

Within a given Mastercard destination (a combination of endpoint and DE 93 [Destination ID]), the [Dual Message Clearing System](#) sequences files generated by Mastercard as shown in the table.

#### Sequence of files generated by Mastercard

|    | IPM Inbound Message Type                | IPM MTI-Function Code Combination |
|----|-----------------------------------------|-----------------------------------|
| 1. | File Header                             | 1644-697                          |
| 2. | Text Messages                           | 1644-693                          |
| 3. | Currency Updates                        | 1644-640                          |
| 4. | First Presentments                      | 1240-200                          |
| 5. | Financial Detail Addendum (if required) | 1644-696                          |

|     | IPM Inbound Message Type                                                                                                                | IPM MTI-Function Code Combination                        |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|
| 6.  | Retrieval Requests                                                                                                                      | 1644-603                                                 |
| 7.  | Fee Collections (Retrieval Fee Billing)                                                                                                 | 1740-700                                                 |
| 8.  | First Chargebacks, Full and Partial                                                                                                     | 1442-450<br>1442-453                                     |
| 9.  | Second Presentments, Full and Partial                                                                                                   | 1240-205<br>1240-282                                     |
| 10. | Arbitration Chargebacks, Full and Partial                                                                                               | 1442-451<br>1442-454                                     |
| 11. | Fee Collections (non-Retrieval Fee Billing): DDDD-generated, Returns, Resubmissions, Arbitration Returns, and Clearing System-Generated | 1740-700<br>1740-780<br>1740-781<br>1740-782<br>1740-783 |
| 12. | Message Exception and File Reject                                                                                                       | 1644-691<br>1644-699                                     |
| 13. | File Currency Summary, Financial Position Details, and Settlement Position Details                                                      | 1644-680<br>1644-685<br>1644-688<br>1644-698             |
| 14. | File Trailer                                                                                                                            | 1644-695                                                 |

### T113 - Early Reconciliation Files

Early Reconciliation Service helps customers expedite their clearing reconciliation process. It provides an early acknowledgment summary of clearing transactions submitted to the Dual Message Clearing System and error messages. This service:

- Provides balancing information
- Provides error records
- Helps customers and processors make merchant prefund decisions without waiting for the next Dual Message Clearing System cutoff and distribution of notification data

## Delivery of administrative messages following clearing cycles

Customers and processors that receive early reconciliation T113 files receive their early reconciliation files when the Dual Message Clearing System has processed their outgoing files. They receive their administrative messages, such as those from Mastercard to customers, after the next available delivery cycle.

Customers and processors that elect to receive early reconciliation files receive information after all six cycles.

Customers and processors that choose not to receive early reconciliation receive all of their reconciliation messages, error messages, and messages from Mastercard to customers after the next available clearing cycle.

## Sequence of the early reconciliation file

Guidelines and processes exist for the generation and exchange of early reconciliation files between Mastercard, Dual Message Clearing System, and customers.

Customers electing to receive early reconciliation files generated by Mastercard receive one physical file for each physical file sent to Mastercard for processing. If the customer sends a physical file containing two logical files, the Dual Message Clearing System returns one early reconciliation message file. The acknowledgment reconciliation messages for the two logical files sent to Mastercard are contained in the single early reconciliation message physical file.

## Sequencing of files generated by Mastercard early reconciliation

The table shows the sequence of the files generated by Mastercard early reconciliation.

### Sequence of files generated by Mastercard early reconciliation

| MTI-Function Code | Description               | Endpoint 1, to Customer ID (ICA) |
|-------------------|---------------------------|----------------------------------|
| 1644-697          | File Header               | 004444                           |
| 1644-680          | File Currency Summary     | 002222                           |
| 1644-685          | Financial Position Detail | 003333                           |
| 1644-691          | Message Exception         | 005555                           |
| 1644-685          | Financial Position Detail | 005555                           |
| 1644-691          | Message Exception         | 006666                           |
| 1644-685          | Financial Position Detail | 006666                           |
| 1644-695          | File Trailer              | 004444                           |

For additional information on early reconciliation files and sequencing, refer to the Appendix File and Best Practices.

## Reconciliation-related reports and files

### Overview

The *Dual Message Clearing System* provides reconciliation reports to assist customers with reconciling their clearing and settlement data. The Dual Message Clearing System reports supplement reconciliation messages and facilitate customers' internal reconciliation and balancing related to Mastercard. These reports provide detail and summary information of the customer's clearing and settlement financial activity totals.

Customers can use the reports for both financial data reporting and for customer statistical data capture for analysis within customer management information systems. Once these reports are generated, the Dual Message Clearing System sends them to the customers that have requested them.

Customers can request these reports in print image format. The print image format is a standard 133-character print format that contains a one-position carriage control. The Dual Message Clearing System separates the clearing reports for accepted transactions by acknowledgment and notification clearing data. Customers requesting the reports receive them for each clearing cycle.

The Dual Message Clearing System transmits these reports using the following bulk types:

- T140: Clearing Cycle Acknowledgment Report (production)
- T150: Clearing Cycle Acknowledgment Report (test)
- T140: Clearing Cycle Notification Report (production)
- T150: Clearing Cycle Notification Report (test)

Although reconciliation messages may vary depending on customer reconciliation category selections, the reports do not vary and always provide totals for all 11 of the reconciliation categories shown in the following table.

### Reconciliation report categories

|   | Category                                   | Examples of Items in the Category                                               |
|---|--------------------------------------------|---------------------------------------------------------------------------------|
| 1 | Card Program Identifier (Acceptance Brand) | Mastercard, private label.                                                      |
| 2 | Business Service Level                     | Customer-to-customer, intracountry, intercountry, intraregional, interregional. |

|    | Category                                 | Examples of Items in the Category                                                                                                                                                                    |
|----|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3  | Business Service ID                      | Business Service ID number.                                                                                                                                                                          |
| 4  | Interchange Rate Designator              | The ID assigned to the specific interchange program within the business agreement identified.                                                                                                        |
| 5  | Transaction Function                     | First presentment, first chargeback, second presentment.                                                                                                                                             |
| 6  | Processing Code                          | Purchase, ATM, Unique, Payment Transaction.                                                                                                                                                          |
| 7  | Original/Reversal Transactions           | Original transactions separated from reversal transactions.                                                                                                                                          |
| 8  | Settlement Indicator                     | Settled by Mastercard, Bilateral, Global Collection Only.                                                                                                                                            |
| 9  | Reconciliation Currency/Code             | Reconciliation Currency alpha and numeric codes. These totals reflect only Mastercard settled transactions. Bilateral and Global Collection Only totals are not provided in reconciliation currency. |
| 10 | Financial and Non-Financial Transactions | Financial transactions separated from non-financial transactions.<br><br><b>NOTE: Non-financial transactions include retrieval requests and financial detail addenda.</b>                            |
| 11 | Logical File ID                          | Customer outbound logical file ID or customer inbound logical file ID.                                                                                                                               |

Customers have the option to receive Dual Message Clearing System reconciliation reports for accepted clearing data and rejected clearing data.

If the customer chooses the option to receive reconciliation reports, detailed [IPM](#) clearing reports and a summary report are generated for each of the six clearing cycles.

## Dual Message Clearing System reconciliation reports

The following table describes the Dual Message Clearing System reconciliation reports.

### Dual Message Clearing System reconciliation reports

| Report number | Report name                                                                | Description                                                                          | Categorization                                                                                                                                                                                                | Delivery formats                                                                                                                         |
|---------------|----------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| IP727010-AA   | <a href="#">IP727010-AA - Clearing Cycle Acknowledgment Report</a>         | Transactions sent from customers to Mastercard                                       | <ul style="list-style-type: none"> <li>• Transactions settled by Mastercard</li> <li>• Bilateral Transactions</li> <li>• Global Collection Only Transactions</li> <li>• Non-Financial Transactions</li> </ul> | Report format through bulk file T140/T150                                                                                                |
| IP727020-AA   | <a href="#">IP727020-AA - Clearing Cycle Notification Report</a>           | Transactions sent from Mastercard to customers                                       | <ul style="list-style-type: none"> <li>• Transactions settled by Mastercard</li> <li>• Bilateral Transactions</li> <li>• Non-Financial Transactions</li> </ul>                                                | Report format through bulk file T140/T150                                                                                                |
| IP728010-AA   | <a href="#">IP728010-AA - Clearing Cycle Summary Reconciliation Report</a> | Summary by each clearing cycle by each clearing member ID of clearing cycle activity | N/A                                                                                                                                                                                                           | Report format through bulk file T140/T150                                                                                                |
| IP142110-AA   | <a href="#">IP142110-AA - IPM Messages Created on Behalf of a Member</a>   | Fee Collection/1740 messages created by Mastercard on behalf of the customer         | N/A                                                                                                                                                                                                           | Report format through bulk file T140/T150<br><br>Raw Data File through bulk file TN70/TN72<br><br>XML format through bulk file TN66/TN68 |



| Report number | Report name                                                                       | Description                                                                                                                                                         | Categorization | Delivery formats                                                                                                                         |
|---------------|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|------------------------------------------------------------------------------------------------------------------------------------------|
| IP142520-AA   | <a href="#">IP142520-AA - On-behalf Service Fee Collection Report</a>             | Summary of Fee Collection/1740 messages created on behalf of Europe ATM Acquirers for ATM non-financial transaction fees (for example, balance inquiry, PIN change) | N/A            | Report format through bulk file T140/T150<br><br>Raw Data File through bulk file TN70/TN72<br><br>XML format through bulk file TN66/TN68 |
| IP148320-AA   | <a href="#">IP148320-AA - Miscellaneous Override Financial Adjustments Report</a> | Details of Clearing System generated Fee Collection records for message reason code 7808 by BIN/Acct Range by each issuing member ID                                | N/A            | Report format through bulk file T140/T150<br><br>Raw Data File through bulk file TN70/TN72<br><br>XML format through bulk file TN66/TN68 |

| Report number | Report name                                          | Description                                                                                                                                                                                                 | Categorization | Delivery formats                          |
|---------------|------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------------------|
| IP755120-AA   | <a href="#">IP755120-AA - Clearing Detail Report</a> | For Presentment and Fee Collection messages sent in by acquirers, the Clearing Detail records are copies of those messages sent back to the acquirers with all the settlement and interchange data inserted | N/A            | Raw Data File through bulk file TN70/TN72 |

For more detailed information on reconciliation and its functionality, refer to the [Reconciliation](#) section.

## IP727010-AA - Clearing Cycle Acknowledgment Report

This sample of the Clearing Cycle Acknowledgment Report shows accepted totals. The report example shown represents a complete report for an example member for Clearing Cycle 001.

This report provides a detail view of activity, for which the page number restarts at page 1 when the Acceptance Brand and Business Service ID combination changes. After all the activity pages, it also provides a summary view of each Business Service ID by Acceptance Brand/Business Service Level combination.

The detail activity view pages of this report are divided into these sections:

- Mastercard Settled Transactions
- Global Collection Only
- Non-Financial Transactions

### Clearing Cycle Acknowledgment Report sample

These sample report pages show a complete sample report for a hypothetical customer of a Dual Message Clearing Cycle 001 - Acknowledgment report. This complete sample report contains one file with four different business service arrangement IDs for two acceptance brands (DMC and MCC). Page numbering restarts at page 1 for each Acceptance Band/Business Service Arrangement combination and for the report summary and the end of the report.

**Sample IP727010-AA Clearing Cycle 001 - Acknowledgment report for Acceptance Brand DMC for Business Service ID 040501 (activity detail view pages)**

IP727010-AA  
ACCEPTANCE BRAND: DMC  
BUSINESS SERVICE LEVEL: INTERREGIONAL  
BUSINESS SERVICE ID: 040501  
FILE ID: 002/250305/00088888888/00016  
MEMBER ID: 00088888888

MASTERCARD WORLDWIDE  
CLEARING CYCLE 001 - ACKNOWLEDGEMENT  
2025-03-05

RUN DATE: 03/04/25  
PAGE NO: 1

MASTERCARD SETTLED

| TRANS.                           | FUNC.    | PROC.CODE | IRD | COUNTS | RECON AMOUNT      | RECON CURR CODE | TRANS FEE       | FEE CURR CODE |
|----------------------------------|----------|-----------|-----|--------|-------------------|-----------------|-----------------|---------------|
| FIRST PRES.                      | PURCHASE | ORIG YA   |     | 2      | 15.28 CR 840-USD  |                 | 0.24 DR 840-USD |               |
|                                  | PURCHASE | ORIG YD   |     | 1      | 24.20 CR 840-USD  |                 | 0.27 DR 840-USD |               |
|                                  | PURCHASE | ORIG 61   |     | 8      | 204.24 CR 840-USD |                 | 4.16 DR 840-USD |               |
| FIRST PRES.                      | TOTAL    |           |     | 11     | 243.72 CR 840-USD |                 | 4.67 DR 840-USD |               |
| INTERREGIONAL MASTERCARD SETTLED |          |           |     |        |                   |                 |                 |               |
| BUSINESS SERVICE ID SUBTOTAL     |          |           |     | 11     | 243.72 CR 840-USD |                 | 4.67 DR 840-USD |               |

**Sample IP727010-AA Clearing Cycle 001 - Acknowledgment report for Acceptance Brand DMC for Business Service ID 040001**

IP727010-AA  
ACCEPTANCE BRAND: DMC  
BUSINESS SERVICE LEVEL: INTRAREGIONAL  
BUSINESS SERVICE ID: 040001  
FILE ID: 002/250305/00088888888/00016  
MEMBER ID: 00088888888

MASTERCARD WORLDWIDE  
CLEARING CYCLE 001 - ACKNOWLEDGEMENT  
2025-03-05

RUN DATE: 03/04/25  
PAGE NO: 1

MASTERCARD SETTLED

| TRANS.                           | FUNC.    | PROC.CODE | IRD | COUNTS | RECON AMOUNT     | RECON CURR CODE | TRANS FEE       | FEE CURR CODE |
|----------------------------------|----------|-----------|-----|--------|------------------|-----------------|-----------------|---------------|
| FIRST PRES.                      | PURCHASE | ORIG YD   |     | 1      | 36.61 CR 840-USD |                 | 0.46 DR 840-USD |               |
| FIRST PRES.                      | TOTAL    |           |     | 1      | 36.61 CR 840-USD |                 | 0.46 DR 840-USD |               |
| INTRAREGIONAL MASTERCARD SETTLED |          |           |     |        |                  |                 |                 |               |
| BUSINESS SERVICE ID SUBTOTAL     |          |           |     | 1      | 36.61 CR 840-USD |                 | 0.46 DR 840-USD |               |

**Sample IP727010-AA Clearing Cycle 001 - Acknowledgment report for Acceptance Brand DMC for Business Service ID 608001**

IP727010-AA  
ACCEPTANCE BRAND: DMC  
BUSINESS SERVICE LEVEL: INTRACOUNTRY  
BUSINESS SERVICE ID: 608001  
FILE ID: 002/250305/00088888888/00016  
MEMBER ID: 00088888888

MASTERCARD WORLDWIDE  
CLEARING CYCLE 001 - ACKNOWLEDGEMENT  
2025-03-05

RUN DATE: 03/04/25  
PAGE NO: 1

MASTERCARD SETTLED

| TRANS.                          | FUNC.    | PROC.CODE | IRD | COUNTS | RECON AMOUNT         | RECON CURR CODE | TRANS FEE         | FEE CURR CODE |
|---------------------------------|----------|-----------|-----|--------|----------------------|-----------------|-------------------|---------------|
| FIRST PRES.                     | PURCHASE | ORIG 24   |     | 7      | 17,512.07 CR 608-PHP |                 | 343.93 DR 608-PHP |               |
|                                 | PURCHASE | ORIG 75   |     | 11     | 19,215.73 CR 608-PHP |                 | 458.41 DR 608-PHP |               |
|                                 | PURCHASE | ORIG 85   |     | 1      | 73.25 CR 608-PHP     |                 | 1.75 DR 608-PHP   |               |
| FIRST PRES.                     | TOTAL    |           |     | 19     | 36,801.05 CR 608-PHP |                 | 804.09 DR 608-PHP |               |
| INTRACOUNTRY MASTERCARD SETTLED |          |           |     |        |                      |                 |                   |               |
| BUSINESS SERVICE ID SUBTOTAL    |          |           |     | 19     | 36,801.05 CR 608-PHP |                 | 804.09 DR 608-PHP |               |

**Sample IP727010-AA Clearing Cycle 001 - Acknowledgment report for Acceptance Brand MCC for Business Service ID 040301**

IP727010-AA  
ACCEPTANCE BRAND: MCC  
BUSINESS SERVICE LEVEL: INTERREGIONAL  
BUSINESS SERVICE ID: 040301  
FILE ID: 002/250305/0008888888/00016  
MEMBER ID: 0008888888

MASTERCARD WORLDWIDE  
CLEARING CYCLE 001 - ACKNOWLEDGEMENT  
2025-03-05

RUN DATE: 03/04/25  
PAGE NO: 1

MASTERCARD SETTLED

| TRANS.      | FUNC.    | PROC.CODE | IRD | COUNTS | RECON AMOUNT | RECON CURR CODE | TRANS FEE | FEE CURR CODE |
|-------------|----------|-----------|-----|--------|--------------|-----------------|-----------|---------------|
| FIRST PRES. | PURCHASE | ORIG YA   |     | 1      | 10.16 CR     | 840-USD         | 0.17 DR   | 840-USD       |
| FIRST PRES. | TOTAL    |           |     | 1      | 10.16 CR     | 840-USD         | 0.17 DR   | 840-USD       |

INTERREGIONAL  
MASTERCARD SETTLED  
BUSINESS SERVICE ID SUBTOTAL 1 10.16 CR 840-USD 0.17 DR 840-USD

**Sample IP727010-AA Clearing Cycle 001 - Acknowledgment report for Acceptance Brand MCC for Business Service ID 608001**

IP727010-AA  
ACCEPTANCE BRAND: MCC  
BUSINESS SERVICE LEVEL: INTRACOUNTRY  
BUSINESS SERVICE ID: 608001  
FILE ID: 002/250305/0008888888/00016  
MEMBER ID: 0008888888

MASTERCARD WORLDWIDE  
CLEARING CYCLE 001 - ACKNOWLEDGEMENT  
2025-03-05

RUN DATE: 03/04/25  
PAGE NO: 1

MASTERCARD SETTLED

| TRANS.      | FUNC.    | PROC.CODE | IRD | COUNTS | RECON AMOUNT  | RECON CURR CODE | TRANS FEE    | FEE CURR CODE |
|-------------|----------|-----------|-----|--------|---------------|-----------------|--------------|---------------|
| FIRST PRES. | PURCHASE | ORIG GE   |     | 7      | 64,957.77 CR  | 608-PHP         | 1,216.03 DR  | 608-PHP       |
|             | PURCHASE | ORIG PE   |     | 7      | 62,430.90 CR  | 608-PHP         | 1,274.10 DR  | 608-PHP       |
|             | PURCHASE | ORIG WE   |     | 1      | 11,476.83 CR  | 608-PHP         | 258.17 DR    | 608-PHP       |
|             | PURCHASE | ORIG 24   |     | 41     | 125,163.31 CR | 608-PHP         | 2,507.69 DR  | 608-PHP       |
|             | PURCHASE | ORIG 60   |     | 4      | 301,346.08 CR | 608-PHP         | 6,149.92 DR  | 608-PHP       |
|             | PURCHASE | ORIG 75   |     | 10     | 89,149.26 CR  | 608-PHP         | 2,126.74 DR  | 608-PHP       |
|             | PURCHASE | ORIG 85   |     | 3      | 19,339.63 CR  | 608-PHP         | 461.37 DR    | 608-PHP       |
|             | CREDIT   | ORIG 75   |     | 1      | 2,295.24 DR   | 608-PHP         | 54.76 CR     | 608-PHP       |
| FIRST PRES. | TOTAL    |           |     | 74     | 671,568.54 CR | 608-PHP         | 13,939.26 DR | 608-PHP       |

INTRACOUNTRY  
MASTERCARD SETTLED  
BUSINESS SERVICE ID SUBTOTAL 74 671,568.54 CR 608-PHP 13,939.26 DR 608-PHP

Sample IP727010-AA Clearing Cycle 001 - Acknowledgment report, page 1 (summary recap view pages)

IP727010-AA  
ACCEPTANCE BRAND : DMC  
BUSINESS SERVICE LEVEL : INTERREGIONAL  
MEMBER ID: 00088888888  
CURRENCY CODE : 840-USD

MASTERCARD WORLDWIDE  
CLEARING CYCLE 001 - ACKNOWLEDGEMENT  
2025-03-05

RUN DATE: 03/04/25  
PAGE NO: 1

| BUSINESS<br>SERVICE<br>ID | FILE ID                      | ORIG/<br>RVSL | RECON. AMOUNT | TRANSACTION FEE |
|---------------------------|------------------------------|---------------|---------------|-----------------|
| 040501                    | 002/250305/00088888888/00016 | ORIG          | 243.72 CR     | 4.67 DR         |
| GRAND TOTAL               |                              |               | 243.72 CR     | 4.67 DR         |

ACCEPTANCE BRAND : MCC  
BUSINESS SERVICE LEVEL : INTERREGIONAL  
MEMBER ID: 00088888888  
CURRENCY CODE : 840-USD

| BUSINESS<br>SERVICE<br>ID | FILE ID                      | ORIG/<br>RVSL | RECON. AMOUNT | TRANSACTION FEE |
|---------------------------|------------------------------|---------------|---------------|-----------------|
| 040301                    | 002/250305/00088888888/00016 | ORIG          | 10.16 CR      | 0.17 DR         |
| GRAND TOTAL               |                              |               | 10.16 CR      | 0.17 DR         |

ACCEPTANCE BRAND : DMC  
BUSINESS SERVICE LEVEL : INTRAREGIONAL  
MEMBER ID: 00088888888  
CURRENCY CODE : 840-USD

| BUSINESS<br>SERVICE<br>ID | FILE ID                      | ORIG/<br>RVSL | RECON. AMOUNT | TRANSACTION FEE |
|---------------------------|------------------------------|---------------|---------------|-----------------|
| 040001                    | 002/250305/00088888888/00016 | ORIG          | 36.61 CR      | 0.46 DR         |
| GRAND TOTAL               |                              |               | 36.61 CR      | 0.46 DR         |

Sample IP727010-AA Clearing Cycle 001 - Acknowledgment report, page 2

IP727010-AA  
ACCEPTANCE BRAND : DMC  
BUSINESS SERVICE LEVEL : INTRACOUNTRY  
MEMBER ID: 00088888888  
CURRENCY CODE : 608-PHP

MASTERCARD WORLDWIDE  
CLEARING CYCLE 001 - ACKNOWLEDGEMENT  
2025-03-05

RUN DATE: 03/04/25  
PAGE NO: 2

| BUSINESS<br>SERVICE<br>ID | FILE ID                      | ORIG/<br>RVSL | RECON. AMOUNT | TRANSACTION FEE |
|---------------------------|------------------------------|---------------|---------------|-----------------|
| 608001                    | 002/250305/00088888888/00016 | ORIG          | 36,801.05 CR  | 804.09 DR       |
| GRAND TOTAL               |                              |               | 36,801.05 CR  | 804.09 DR       |

ACCEPTANCE BRAND : MCC  
BUSINESS SERVICE LEVEL : INTRACOUNTRY  
MEMBER ID: 00088888888  
CURRENCY CODE : 608-PHP

| BUSINESS<br>SERVICE<br>ID | FILE ID                      | ORIG/<br>RVSL | RECON. AMOUNT | TRANSACTION FEE |
|---------------------------|------------------------------|---------------|---------------|-----------------|
| 608001                    | 002/250305/00088888888/00016 | ORIG          | 671,568.54 CR | 13,939.26 DR    |
| GRAND TOTAL               |                              |               | 671,568.54 CR | 13,939.26 DR    |

## Report IP727010-AA field descriptions

| Field                                                                                                                            | Description                                                                                                                                                                                                             |
|----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Run Date                                                                                                                         | The date on which this report was produced.                                                                                                                                                                             |
| Page No                                                                                                                          | The page number within the report.                                                                                                                                                                                      |
| Acceptance Brand (Card Program Identifier)                                                                                       | The code for the Mastercard or proprietary service marks under whose umbrella transactions are processed. As an example, MCC (Mastercard Credit) is a card program.                                                     |
| Business Service Level                                                                                                           | Identifies the interchange relationship for the business arrangement. Examples are intracountry, intraregional, and interregional.                                                                                      |
| Business Service ID                                                                                                              | A unique code that identifies the specific interchange agreement assigned to the transaction.                                                                                                                           |
| File ID                                                                                                                          | The logical file ID to which the data in this report pertains.                                                                                                                                                          |
| Member ID                                                                                                                        | The identifier that the association assigns to a customer (also referred to as ICA number).                                                                                                                             |
| Settlement Indicator                                                                                                             | Identifies the settlement disposition of the reported transactions. Values are Mastercard Settled, Global Collection Only (no settlement), and Bilateral (no settlement).                                               |
| Trans. Func. (Transaction Function)                                                                                              | The <i>IPM Message Type Identifiers</i> and Function Code combination that defines the transaction. Examples of transaction functions are first presentment, first chargeback, and second presentment.                  |
| Proc. Code (Processing Code)                                                                                                     | Describes the effect of a transaction on a customer account and the type of account affected. Examples are purchase, credit, and ATM cash withdrawal. All transactions are defined as either an original or a reversal. |
| IRD                                                                                                                              | The interchange rate designator defines the interchange program for which the transactions were presented.                                                                                                              |
| Counts                                                                                                                           | The number of transactions accumulated for the applicable processing code.                                                                                                                                              |
| Recon Amount (Reconciliation Amount)                                                                                             | The total net amount (with fees applied) of the transactions in reconciliation currency for the applicable processing code.                                                                                             |
| <b>NOTE: Mastercard does not settle Global Collection Only and Bilateral transactions; therefore, the field contains a zero.</b> |                                                                                                                                                                                                                         |

| Field                             | Description                                                                                                                                                                                                                                                                        |
|-----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Recon Currency Code               | The numeric and alpha <i>International Organization for Standardization (ISO)</i> currency code associated with the reconciliation currency (Always 840-USD for Global Collection Only and Bilateral).                                                                             |
| Trans Fee (Transaction Fee)       | The total of the transaction fees applicable to the transactions for the processing code.<br><br><b>NOTE: Mastercard does not settle Global Collection Only and Bilateral transactions; therefore, the field contains a zero.</b>                                                  |
| Fee Curr Code (Fee Currency Code) | The numeric and alpha ISO currency code associated with the fee currency (Always 840-USD for Global Collection Only and Bilateral).                                                                                                                                                |
| Total                             | The total count and net amount (with fees applied) of the transactions and <i>reconciliation</i> currency for the applicable transaction function.                                                                                                                                 |
| Subtotal                          | The subtotal of the Mastercard-settled, Global Collection Only, or Bilateral transaction amounts for the specified business service level.<br><br><b>NOTE: Mastercard does not settle Global Collection Only and Bilateral transactions; therefore, the field contains a zero.</b> |

## IP727020-AA - Clearing Cycle Notification Report

This sample of the Clearing Cycle Notification Report shows accepted totals. The report reflects Mastercard Settled Transactions. The report example shown represents a complete report for an example member for Clearing Cycle 001.

### Clearing Cycle Notification Report sample

These figures show a sample of a Mastercard-settled Clearing Cycle 001 - Acknowledgment report. This sample contains one file with seven different business service arrangement IDs. Page numbering restarts at page 1 for each new Business Service ID.

**Sample IP727020-AA Clearing Cycle 001 - Notification report for Business Service ID 010301**

```
IP727020-AA                                MASTERCARD WORLDWIDE                                RUN DATE: 03/03/25
ACCEPTANCE BRAND: MCC                      CLEARING CYCLE 001 - NOTIFICATION                                PAGE NO: 1
BUSINESS SERVICE LEVEL: INTERREGIONAL      2025-03-04
BUSINESS SERVICE ID: 010301
FILE ID: 001/250304/0007777777/01101
MEMBER ID: 00099999999
```

MASTERCARD SETTLED

| TRANS. FUNC. | PROC.CODE | IRD     | COUNTS | RECON AMOUNT | RECON CURR CODE | TRANS FEE | FEE CURR CODE |
|--------------|-----------|---------|--------|--------------|-----------------|-----------|---------------|
| FIRST PRES.  | ATM CASH  | ORIG 51 | 1      | 816.09 DR    | 36-AUD          | 0.48 DR   | 36-AUD        |
| FIRST PRES.  | TOTAL     |         | 1      | 816.09 DR    | 36-AUD          | 0.48 DR   | 36-AUD        |

INTERREGIONAL  
MASTERCARD SETTLED  
BUSINESS SERVICE ID SUBTOTAL 1 816.09 DR 36-AUD 0.48 DR 36-AUD

TRANS. FUNC. PROC.CODE IRD COUNTS RECON AMOUNT CURR CODE TRANS FEE CURR CODE

|             |          |         |     |             |         |           |         |
|-------------|----------|---------|-----|-------------|---------|-----------|---------|
| FIRST PRES. | PURCHASE | ORIG YB | 9   | 189.90 DR   | 840-USD | 3.58 CR   | 840-USD |
|             | PURCHASE | ORIG YE | 122 | 7,697.17 DR | 840-USD | 145.09 CR | 840-USD |
|             | PURCHASE | ORIG YH | 6   | 108.71 DR   | 840-USD | 2.04 CR   | 840-USD |
| FIRST PRES. | TOTAL    |         | 137 | 7,995.78 DR | 840-USD | 150.71 CR | 840-USD |

INTERREGIONAL  
MASTERCARD SETTLED  
BUSINESS SERVICE ID SUBTOTAL 137 7,995.78 DR 840-USD 150.71 CR 840-USD

**Sample IP727020-AA Clearing Cycle 001 - Notification report for Business Service ID 020301**

```
IP727020-AA                                MASTERCARD WORLDWIDE                                RUN DATE: 03/03/25
ACCEPTANCE BRAND: MCC                      CLEARING CYCLE 001 - NOTIFICATION                                PAGE NO: 1
BUSINESS SERVICE LEVEL: INTERREGIONAL      2025-03-04
BUSINESS SERVICE ID: 020301
FILE ID: 001/250304/0007777777/01101
MEMBER ID: 00099999999
```

MASTERCARD SETTLED

| TRANS. FUNC. | PROC.CODE | IRD     | COUNTS | RECON AMOUNT | RECON CURR CODE | TRANS FEE | FEE CURR CODE |
|--------------|-----------|---------|--------|--------------|-----------------|-----------|---------------|
| FIRST PRES.  | PURCHASE  | ORIG YB | 3      | 411.59 DR    | 124-CAD         | 7.68 CR   | 124-CAD       |
|              | PURCHASE  | ORIG YE | 51     | 772.78 DR    | 124-CAD         | 14.42 CR  | 124-CAD       |
|              | PURCHASE  | ORIG YH | 1      | 143.77 DR    | 124-CAD         | 2.68 CR   | 124-CAD       |
| FIRST PRES.  | TOTAL     |         | 55     | 1,328.14 DR  | 124-CAD         | 24.78 CR  | 124-CAD       |

INTERREGIONAL  
MASTERCARD SETTLED  
BUSINESS SERVICE ID SUBTOTAL 55 1,328.14 DR 124-CAD 24.78 CR 124-CAD



Sample IP727020-AA Clearing Cycle 001 - Notification report for Business Service ID 040301, page 1

|                                       |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
|---------------------------------------|--|--|--|-----------------------------------|--|---------|--|--------------------|--|--------------|--|-----------|--|-----------|--|-----------|--|
| IP727020-AA                           |  |  |  | MASTERCARD WORLDWIDE              |  |         |  | RUN DATE: 03/03/25 |  |              |  |           |  |           |  |           |  |
| ACCEPTANCE BRAND: MCC                 |  |  |  | CLEARING CYCLE 001 - NOTIFICATION |  |         |  | PAGE NO: 1         |  |              |  |           |  |           |  |           |  |
| BUSINESS SERVICE LEVEL: INTERREGIONAL |  |  |  | 2025-03-04                        |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| BUSINESS SERVICE ID: 040301           |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| FILE ID: 001/250304/0007777777/01101  |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| MEMBER ID: 00099999999                |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| MASTERCARD SETTLED                    |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
|                                       |  |  |  |                                   |  | RECON   |  |                    |  | FEE          |  |           |  |           |  |           |  |
| TRANS. FUNC.                          |  |  |  | PROC.CODE                         |  | IRD     |  | COUNTS             |  | RECON AMOUNT |  | CURR CODE |  | TRANS FEE |  | CURR CODE |  |
| -----                                 |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| FIRST PRES.                           |  |  |  | PURCHASE                          |  | ORIG YB |  | 1                  |  | 129.90 DR    |  | 36-AUD    |  | 2.42 CR   |  | 36-AUD    |  |
|                                       |  |  |  | PURCHASE                          |  | ORIG YE |  | 24                 |  | 506.38 DR    |  | 36-AUD    |  | 9.43 CR   |  | 36-AUD    |  |
| -----                                 |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| FIRST PRES.                           |  |  |  | TOTAL                             |  |         |  | 25                 |  | 636.28 DR    |  | 36-AUD    |  | 11.85 CR  |  | 36-AUD    |  |
| INTERREGIONAL                         |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| MASTERCARD SETTLED                    |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| BUSINESS SERVICE ID SUBTOTAL          |  |  |  |                                   |  |         |  | 25                 |  | 636.28 DR    |  | 36-AUD    |  | 11.85 CR  |  | 36-AUD    |  |
|                                       |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| TRANS. FUNC.                          |  |  |  | PROC.CODE                         |  | IRD     |  | COUNTS             |  | RECON AMOUNT |  | CURR CODE |  | TRANS FEE |  | CURR CODE |  |
| -----                                 |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| FIRST PRES.                           |  |  |  | PURCHASE                          |  | ORIG YE |  | 1                  |  | 6.95 DR      |  | 554-NZD   |  | 0.12 CR   |  | 554-NZD   |  |
| -----                                 |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| FIRST PRES.                           |  |  |  | TOTAL                             |  |         |  | 1                  |  | 6.95 DR      |  | 554-NZD   |  | 0.12 CR   |  | 554-NZD   |  |
| INTERREGIONAL                         |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| MASTERCARD SETTLED                    |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| BUSINESS SERVICE ID SUBTOTAL          |  |  |  |                                   |  |         |  | 1                  |  | 6.95 DR      |  | 554-NZD   |  | 0.12 CR   |  | 554-NZD   |  |
|                                       |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| TRANS. FUNC.                          |  |  |  | PROC.CODE                         |  | IRD     |  | COUNTS             |  | RECON AMOUNT |  | CURR CODE |  | TRANS FEE |  | CURR CODE |  |
| -----                                 |  |  |  |                                   |  |         |  |                    |  |              |  |           |  |           |  |           |  |
| FIRST PRES.                           |  |  |  | PURCHASE                          |  | ORIG YB |  | 3                  |  | 62.79 DR     |  | 840-USD   |  | 1.18 CR   |  | 840-USD   |  |
|                                       |  |  |  | PURCHASE                          |  | ORIG YE |  | 9                  |  | 134.13 DR    |  | 840-USD   |  | 2.50 CR   |  | 840-USD   |  |
|                                       |  |  |  | PURCHASE                          |  | ORIG YH |  | 1                  |  | 1.78 DR      |  | 840-USD   |  | 0.03 CR   |  | 840-USD   |  |
|                                       |  |  |  | CREDIT                            |  | ORIG YB |  | 1                  |  | 16.38 CR     |  | 840-USD   |  | 0.17 DR   |  | 840-USD   |  |

Sample IP727020-AA Clearing Cycle 001 - Notification report for Business Service ID 040301, page 2

|                                       |  |           |  |                                   |        |                   |  |                    |                 |
|---------------------------------------|--|-----------|--|-----------------------------------|--------|-------------------|--|--------------------|-----------------|
| IP727020-AA                           |  |           |  | MASTERCARD WORLDWIDE              |        |                   |  | RUN DATE: 03/03/25 |                 |
| ACCEPTANCE BRAND: MCC                 |  |           |  | CLEARING CYCLE 001 - NOTIFICATION |        |                   |  | PAGE NO: 2         |                 |
| BUSINESS SERVICE LEVEL: INTERREGIONAL |  |           |  | 2025-03-04                        |        |                   |  |                    |                 |
| BUSINESS SERVICE ID: 040301           |  |           |  |                                   |        |                   |  |                    |                 |
| FILE ID: 001/250304/0007777777/01101  |  |           |  |                                   |        |                   |  |                    |                 |
| MEMBER ID: 00099999999                |  |           |  |                                   |        |                   |  |                    |                 |
| MASTERCARD SETTLED                    |  |           |  | RECON CURR                        |        |                   |  | FEE CURR           |                 |
| TRANS. FUNC.                          |  | PROC.CODE |  | IRD                               | COUNTS | RECON AMOUNT      |  | CODE               | TRANS FEE       |
| -----                                 |  | -----     |  |                                   |        | -----             |  |                    | -----           |
| FIRST PRES.                           |  | TOTAL     |  |                                   | 14     | 182.32 DR 840-USD |  |                    | 3.54 CR 840-USD |
| INTERREGIONAL                         |  |           |  |                                   |        |                   |  |                    |                 |
| MASTERCARD SETTLED                    |  |           |  |                                   |        |                   |  |                    |                 |
| BUSINESS SERVICE ID                   |  | SUBTOTAL  |  |                                   | 14     | 182.32 DR 840-USD |  |                    | 3.54 CR 840-USD |

Sample IP727020-AA Clearing Cycle 001 - Notification report for Business Service ID  
050301, page 1

|                                       |           |         |        |                                   |                 |           |               |                    |  |
|---------------------------------------|-----------|---------|--------|-----------------------------------|-----------------|-----------|---------------|--------------------|--|
| P727020-AA                            |           |         |        | MASTERCARD WORLDWIDE              |                 |           |               | RUN DATE: 03/03/25 |  |
| ACCEPTANCE BRAND: MCC                 |           |         |        | CLEARING CYCLE 001 - NOTIFICATION |                 |           |               | PAGE NO: 1         |  |
| BUSINESS SERVICE LEVEL: INTERREGIONAL |           |         |        | 2025-03-04                        |                 |           |               |                    |  |
| BUSINESS SERVICE ID: 050301           |           |         |        |                                   |                 |           |               |                    |  |
| FILE ID: 001/250304/0007777777/01101  |           |         |        |                                   |                 |           |               |                    |  |
| MEMBER ID: 00099999999                |           |         |        |                                   |                 |           |               |                    |  |
| MASTERCARD SETTLED                    |           |         |        |                                   |                 |           |               |                    |  |
| TRANS. FUNC.                          | PROC.CODE | IRD     | COUNTS | RECON AMOUNT                      | RECON CURR CODE | TRANS FEE | FEE CURR CODE |                    |  |
| -----                                 |           |         |        |                                   |                 |           |               |                    |  |
| FIRST PRES.                           | PURCHASE  | ORIG EB | 29     | 776.30 DR                         | 826-GBP         | 1.39 CR   | 826-GBP       |                    |  |
|                                       | PURCHASE  | ORIG EW | 3      | 334.05 DR                         | 826-GBP         | 3.82 CR   | 826-GBP       |                    |  |
| -----                                 |           |         |        |                                   |                 |           |               |                    |  |
| FIRST PRES.                           | TOTAL     |         | 32     | 1,110.35 DR                       | 826-GBP         | 5.21 CR   | 826-GBP       |                    |  |
| INTERREGIONAL                         |           |         |        |                                   |                 |           |               |                    |  |
| MASTERCARD SETTLED                    |           |         |        |                                   |                 |           |               |                    |  |
| BUSINESS SERVICE ID SUBTOTAL          |           |         | 32     | 1,110.35 DR                       | 826-GBP         | 5.21 CR   | 826-GBP       |                    |  |
|                                       |           |         |        |                                   |                 |           |               |                    |  |
| TRANS. FUNC.                          | PROC.CODE | IRD     | COUNTS | RECON AMOUNT                      | CURR CODE       | TRANS FEE | CURR CODE     |                    |  |
| -----                                 |           |         |        |                                   |                 |           |               |                    |  |
| FIRST PRES.                           | PURCHASE  | ORIG EB | 4      | 85.38 DR                          | 840-USD         | 0.15 CR   | 840-USD       |                    |  |
|                                       | PURCHASE  | ORIG EW | 4      | 147.23 DR                         | 840-USD         | 1.67 CR   | 840-USD       |                    |  |
| -----                                 |           |         |        |                                   |                 |           |               |                    |  |
| FIRST PRES.                           | TOTAL     |         | 8      | 232.61 DR                         | 840-USD         | 1.82 CR   | 840-USD       |                    |  |
| INTERREGIONAL                         |           |         |        |                                   |                 |           |               |                    |  |
| MASTERCARD SETTLED                    |           |         |        |                                   |                 |           |               |                    |  |
| BUSINESS SERVICE ID SUBTOTAL          |           |         | 8      | 232.61 DR                         | 840-USD         | 1.82 CR   | 840-USD       |                    |  |
|                                       |           |         |        |                                   |                 |           |               |                    |  |
| TRANS. FUNC.                          | PROC.CODE | IRD     | COUNTS | RECON AMOUNT                      | CURR CODE       | TRANS FEE | CURR CODE     |                    |  |
| -----                                 |           |         |        |                                   |                 |           |               |                    |  |
| FIRST PRES.                           | PURCHASE  | ORIG EB | 83     | 5,335.75 DR                       | 978-EUR         | 10.18 CR  | 978-EUR       |                    |  |
|                                       | PURCHASE  | ORIG EW | 8      | 417.59 DR                         | 978-EUR         | 4.76 CR   | 978-EUR       |                    |  |
| -----                                 |           |         |        |                                   |                 |           |               |                    |  |

Sample IP727020-AA Clearing Cycle 001 - Notification report for Business Service ID  
050301, page 2

|                                       |  |           |  |                                   |  |        |  |                    |  |         |  |           |  |         |  |
|---------------------------------------|--|-----------|--|-----------------------------------|--|--------|--|--------------------|--|---------|--|-----------|--|---------|--|
| P727020-AA                            |  |           |  | MASTERCARD WORLDWIDE              |  |        |  | RUN DATE: 03/03/25 |  |         |  |           |  |         |  |
| ACCEPTANCE BRAND: MCC                 |  |           |  | CLEARING CYCLE 001 - NOTIFICATION |  |        |  | PAGE NO: 2         |  |         |  |           |  |         |  |
| BUSINESS SERVICE LEVEL: INTERREGIONAL |  |           |  | 2025-03-04                        |  |        |  |                    |  |         |  |           |  |         |  |
| BUSINESS SERVICE ID: 050301           |  |           |  |                                   |  |        |  |                    |  |         |  |           |  |         |  |
| FILE ID: 001/250304/0007777777/01101  |  |           |  |                                   |  |        |  |                    |  |         |  |           |  |         |  |
| MEMBER ID: 00099999999                |  |           |  |                                   |  |        |  |                    |  |         |  |           |  |         |  |
| MASTERCARD SETTLED                    |  |           |  |                                   |  |        |  |                    |  |         |  |           |  |         |  |
|                                       |  |           |  | RECON                             |  |        |  | FEE                |  |         |  |           |  |         |  |
|                                       |  |           |  | CURR                              |  |        |  | CURR               |  |         |  |           |  |         |  |
| TRANS. FUNC.                          |  | PROC.CODE |  | IRD                               |  | COUNTS |  | RECON AMOUNT       |  | CODE    |  | TRANS FEE |  | CODE    |  |
| -----                                 |  |           |  |                                   |  |        |  |                    |  |         |  |           |  |         |  |
| FIRST PRES.                           |  | TOTAL     |  |                                   |  | 91     |  | 5,753.34 DR        |  | 978-EUR |  | 14.94 CR  |  | 978-EUR |  |
| INTERREGIONAL                         |  |           |  |                                   |  |        |  |                    |  |         |  |           |  |         |  |
| MASTERCARD SETTLED                    |  |           |  |                                   |  |        |  |                    |  |         |  |           |  |         |  |
| BUSINESS SERVICE ID SUBTOTAL          |  |           |  |                                   |  | 91     |  | 5,753.34 DR        |  | 978-EUR |  | 14.94 CR  |  | 978-EUR |  |
|                                       |  |           |  |                                   |  |        |  |                    |  |         |  |           |  |         |  |

**Sample IP727020-AA Clearing Cycle 001 - Notification report for Business Service ID 060301**

IP727020-AA  
ACCEPTANCE BRAND: MCC  
BUSINESS SERVICE LEVEL: INTERREGIONAL  
BUSINESS SERVICE ID: 060301  
FILE ID: 001/250304/0007777777/01101  
MEMBER ID: 00099999999

MASTERCARD WORLDWIDE  
CLEARING CYCLE 001 - NOTIFICATION  
2025-03-04

RUN DATE: 03/03/25  
PAGE NO: 1

MASTERCARD SETTLED

| TRANS.      | FUNC.    | PROC.CODE | IRD | COUNTS | RECON AMOUNT | RECON CURR CODE | TRANS FEE | FEE CURR CODE |
|-------------|----------|-----------|-----|--------|--------------|-----------------|-----------|---------------|
| FIRST PRES. | PURCHASE | ORIG YE   |     | 11     | 194.24 DR    | 840-USD         | 3.62 CR   | 840-USD       |
| FIRST PRES. | TOTAL    |           |     | 11     | 194.24 DR    | 840-USD         | 3.62 CR   | 840-USD       |

INTERREGIONAL  
MASTERCARD SETTLED  
BUSINESS SERVICE ID SUBTOTAL

|  |  |  |  |    |           |         |         |         |
|--|--|--|--|----|-----------|---------|---------|---------|
|  |  |  |  | 11 | 194.24 DR | 840-USD | 3.62 CR | 840-USD |
|--|--|--|--|----|-----------|---------|---------|---------|

**Sample IP727020-AA Clearing Cycle 001 - Notification report for Business Service ID 076000**

IP727020-AA  
ACCEPTANCE BRAND: MCC  
BUSINESS SERVICE LEVEL: INTRACOUNTRY  
BUSINESS SERVICE ID: 076000  
FILE ID: 001/250304/0007777777/01101  
MEMBER ID: 00099999999

MASTERCARD WORLDWIDE  
CLEARING CYCLE 001 - NOTIFICATION  
2025-03-04

RUN DATE: 03/03/25  
PAGE NO: 1

MASTERCARD SETTLED

| TRANS.      | FUNC.    | PROC.CODE | IRD | COUNTS | RECON AMOUNT | RECON CURR CODE | TRANS FEE | FEE CURR CODE |
|-------------|----------|-----------|-----|--------|--------------|-----------------|-----------|---------------|
| FIRST PRES. | PURCHASE | ORIG HU   |     | 5      | 649.32 DR    | 840-USD         | 4.58 CR   | 840-USD       |
|             | PURCHASE | ORIG IA   |     | 3      | 85.04 DR     | 840-USD         | 0.59 CR   | 840-USD       |
|             | PURCHASE | ORIG JA   |     | 3      | 16.90 DR     | 840-USD         | 0.11 CR   | 840-USD       |
| FIRST PRES. | TOTAL    |           |     | 11     | 751.26 DR    | 840-USD         | 5.28 CR   | 840-USD       |

INTRACOUNTRY  
MASTERCARD SETTLED  
BUSINESS SERVICE ID SUBTOTAL

|  |  |  |  |    |           |         |         |         |
|--|--|--|--|----|-----------|---------|---------|---------|
|  |  |  |  | 11 | 751.26 DR | 840-USD | 5.28 CR | 840-USD |
|--|--|--|--|----|-----------|---------|---------|---------|

**Sample IP727020-AA Clearing Cycle 001 - Notification report for Business Service ID 030001**

IP727020-AA  
ACCEPTANCE BRAND: MCC  
BUSINESS SERVICE LEVEL: INTRAREGIONAL  
BUSINESS SERVICE ID: 030001  
FILE ID: 001/250304/0007777777/01101  
MEMBER ID: 00099999999

MASTERCARD WORLDWIDE  
CLEARING CYCLE 001 - NOTIFICATION  
2025-03-04

RUN DATE: 03/03/25  
PAGE NO: 1

MASTERCARD SETTLED

| TRANS.      | FUNC.    | PROC.CODE | IRD | COUNTS | RECON AMOUNT | RECON CURR CODE | TRANS FEE | FEE CURR CODE |
|-------------|----------|-----------|-----|--------|--------------|-----------------|-----------|---------------|
| FIRST PRES. | PURCHASE | ORIG YE   |     | 18     | 831.57 DR    | 840-USD         | 15.58 CR  | 840-USD       |
|             | PURCHASE | ORIG YH   |     | 3      | 173.32 DR    | 840-USD         | 3.27 CR   | 840-USD       |
|             | PURCHASE | ORIG 61   |     | 2      | 69.60 DR     | 840-USD         | 1.41 CR   | 840-USD       |
| FIRST PRES. | TOTAL    |           |     | 23     | 1,074.49 DR  | 840-USD         | 20.26 CR  | 840-USD       |

INTRAREGIONAL  
MASTERCARD SETTLED  
BUSINESS SERVICE ID SUBTOTAL

|  |  |  |  |    |             |         |          |         |
|--|--|--|--|----|-------------|---------|----------|---------|
|  |  |  |  | 23 | 1,074.49 DR | 840-USD | 20.26 CR | 840-USD |
|--|--|--|--|----|-------------|---------|----------|---------|

**NOTE: This report is not available for customers submitting only Global Collection Only transaction data.**

### Report IP727020-AA field descriptions

| Field                                               | Description                                                                                                                                                                                                                     |
|-----------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Run Date                                            | The date on which this report was produced.                                                                                                                                                                                     |
| Page                                                | The page number within the report.                                                                                                                                                                                              |
| Acceptance Brand (Card Program Identifier)          | The code for the Mastercard or proprietary service marks under whose umbrella transactions are processed. As an example, MCC (Mastercard Credit) is a card program.                                                             |
| Business Service Level                              | Identifies the interchange relationship for the business arrangement. Examples are intracountry, intraregional, and interregional.                                                                                              |
| Business Service ID                                 | A unique code that identifies the specific interchange agreement assigned to the transaction.                                                                                                                                   |
| File ID                                             | The logical file ID to which the data in this report pertains.                                                                                                                                                                  |
| Member ID                                           | The identifier that the association assigns to a customer (also referred to as ICA number).                                                                                                                                     |
| Settlement Indicator                                | Identifies the settlement disposition of the reported transactions. Values are M: Mastercard Settled and B: Bilateral (no settlement).                                                                                          |
| Trans. Func. (Transaction Function)                 | The <i>IPM MTI</i> and Function Code combination that defines the transaction. Examples of transaction functions are first presentment, first chargeback, and second presentment.                                               |
| Proc. Code (Processing Code)                        | Describes the effect of a transaction on a customer account and the type of account affected. Examples are purchase, payment credit, and ATM cash withdrawal. All transactions are defined as either an original or a reversal. |
| IRD                                                 | The interchange rate designator defines the interchange program for which the transactions were presented.                                                                                                                      |
| Counts                                              | The number of transactions accumulated for the applicable processing code.                                                                                                                                                      |
| Recon. Amount (Reconciliation Amount)               | The total net amount (with fees applied) of the transactions in reconciliation currency for the applicable processing code.                                                                                                     |
|                                                     | <b>NOTE: Mastercard does not settle Global Collection Only and Bilateral transactions; therefore, the field contains a zero.</b>                                                                                                |
| Recon. Currency Code (Reconciliation Currency Code) | The numeric and alpha <i>International Organization for Standardization (ISO)</i> currency code associated with the reconciliation currency (Always 840-USD for Global Collection Only and Bilateral).                          |

| Field                              | Description                                                                                                                                                                                                                                                                        |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Trans. Fee (Transaction Fee)       | The total of the transaction fees applicable to the transactions for the processing code.<br><br><b>NOTE: Mastercard does not settle Bilateral transactions; therefore, the field contains a zero.</b>                                                                             |
| Fee Curr. Code (Fee Currency Code) | The numeric and alpha <a href="#">ISO</a> currency code associated with the fee currency (always 840-USD for Bilateral).                                                                                                                                                           |
| Total                              | The total count and net amount (with fees applied) of the transactions in reconciliation currency for the applicable transaction function.                                                                                                                                         |
| Subtotal                           | The subtotal of the Mastercard settled, Global Collection Only, or bilateral transaction amounts for the specified Business Service level.<br><br><b>NOTE: Mastercard does not settle Global Collection Only and Bilateral transactions; therefore, the field contains a zero.</b> |

## IP728010-AA - Clearing Cycle Summary Reconciliation Report

The [Dual Message Clearing System](#) generates the Clearing Cycle Summary Reconciliation Report once per clearing cycle. This optional report gives customers an additional reconciliation tool by providing specific clearing totals summarized by the clearing cycle.

Summary information from the IP727010-AA Clearing Cycle Acknowledgment report shows under the heading of "File ID To Mastercard." Summary information from the IP727020-AA Clearing Cycle Notification report shows under the heading "File ID From Mastercard."

This report includes reconciliation totals for these categories:

- Acceptance Brand
- Business Service Level and ID
- Customer ID (sender or receiver)
- Logical file ID to Mastercard or logical file ID from Mastercard
- Totals in the appropriate reconciliation currency, including the reconciliation currency code

### Clearing Cycle Summary Reconciliation Report sample

These figures show samples of Clearing Cycle 001 summary reconciliation reports for when:

- The customer sends the logical file ID to Mastercard
- The customer receives the logical file ID from Mastercard

ICAs acting as both the sender and receiver may receive a report containing files with logical file IDs in both the File ID to Mastercard and File ID from Mastercard fields.

**Sample IP728010-AA Clearing Cycle 001 summary report, file ID sent to Mastercard**

|                                                                                                                                       |                                                          |                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------|
| IP728010-AA<br>ACCEPTANCE BRAND: DMC<br>BUSINESS SERVICE LEVEL: INTERREGIONAL<br>MEMBER ID: 000888888888<br>CURRENCY CODE : 840 - USD | MASTERCARD WORLDWIDE<br>CLEARING CYCLE 001<br>2025-03-05 | RUN DATE: 03/04/25<br>RUN TIME: 19.17.35<br>PAGE NO: 1 |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------|

| BUSINESS<br>SERVICE<br>ID | FILE ID<br>TO MASTERCARD      | FILE ID<br>FROM MASTERCARD | NET RECON<br>CURRENCY AMOUNT | RECON.<br>CURR.<br>CODE |
|---------------------------|-------------------------------|----------------------------|------------------------------|-------------------------|
| 040501                    | 002/250305/000888888888/00016 |                            | 243.72 CR                    | 840-USD                 |
| TOTAL                     |                               |                            | 243.72 CR                    | 840-USD                 |

**Sample IP728010-AA Clearing Cycle 001 summary report, file ID from Mastercard sent to members**

|                                                                                                                                       |                                                          |                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------|
| IP728010-AA<br>ACCEPTANCE BRAND: MCC<br>BUSINESS SERVICE LEVEL: INTERREGIONAL<br>MEMBER ID: 000999999999<br>CURRENCY CODE : 036 - AUD | MASTERCARD WORLDWIDE<br>CLEARING CYCLE 001<br>2025-03-04 | RUN DATE: 03/03/25<br>RUN TIME: 19.22.22<br>PAGE NO: 1 |
|---------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------|--------------------------------------------------------|

| BUSINESS<br>SERVICE<br>ID | FILE ID<br>TO MASTERCARD | FILE ID<br>FROM MASTERCARD  | NET RECON<br>CURRENCY AMOUNT | RECON.<br>CURR.<br>CODE |
|---------------------------|--------------------------|-----------------------------|------------------------------|-------------------------|
| 010301                    |                          | 001/250304/0007777777/01101 | 816.09 DR                    | 036-AUD                 |
| 040301                    |                          | 001/250304/0007777777/01101 | 636.28 DR                    | 036-AUD                 |
| TOTAL                     |                          |                             | 1,452.37 DR                  | 036-AUD                 |

BUSINESS SERVICE LEVEL: INTERREGIONAL  
CURRENCY CODE : 124 - CAD

| BUSINESS<br>SERVICE<br>ID | FILE ID<br>TO MASTERCARD | FILE ID<br>FROM MASTERCARD  | NET RECON<br>CURRENCY AMOUNT | RECON.<br>CURR.<br>CODE |
|---------------------------|--------------------------|-----------------------------|------------------------------|-------------------------|
| 020301                    |                          | 001/250304/0007777777/01101 | 1,328.14 DR                  | 124-CAD                 |
| TOTAL                     |                          |                             | 1,328.14 DR                  | 124-CAD                 |

BUSINESS SERVICE LEVEL: INTERREGIONAL  
CURRENCY CODE : 554 - NZD

| BUSINESS<br>SERVICE<br>ID | FILE ID<br>TO MASTERCARD | FILE ID<br>FROM MASTERCARD  | NET RECON<br>CURRENCY AMOUNT | RECON.<br>CURR.<br>CODE |
|---------------------------|--------------------------|-----------------------------|------------------------------|-------------------------|
| 040301                    |                          | 001/250304/0007777777/01101 | 6.95 DR                      | 554-NZD                 |
| TOTAL                     |                          |                             | 6.95 DR                      | 554-NZD                 |

**NOTE: This report is not available for customers submitting only Global Collection Only transaction data.**

**Report IP728010-AA field descriptions**

| Field                                      | Description                                                                                                                                                         |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Run Date                                   | The date on which this report was produced.                                                                                                                         |
| Page                                       | The page number within the report.                                                                                                                                  |
| Acceptance Brand (Card Program Identifier) | The code for the Mastercard or proprietary service marks under whose umbrella transactions are processed. As an example, MCC (Mastercard Credit) is a card program. |

| Field                                       | Description                                                                                                                                           |
|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Business Service Level                      | Identifies the interchange relationship for the business arrangement. Examples are intracountry, intraregional, and regional.                         |
| Business Service ID                         | A unique code that identifies the specific interchange agreement assigned to the transaction.                                                         |
| Member ID                                   | The identifier that the association assigns to a customer (also referred to as ICA number).                                                           |
| Cycle Activity                              | The clearing cycle in which the file was processed by the Dual Message Clearing System.                                                               |
| File ID To Mastercard                       | The logical file ID of the file sent by the customer to Mastercard to which the net amounts apply.                                                    |
| File ID From Mastercard                     | The logical file ID of the file sent by Mastercard to the customer to which the net amounts apply.                                                    |
| Net Reconciliation Currency Amount          | The total net amount (with fees applied) of the transactions in reconciliation currency for the applicable logical file ID.                           |
| Reconciliation Currency Code                | The numeric and alpha <a href="#">International Organization for Standardization (ISO)</a> currency code associated with the reconciliation currency. |
| Clearing Day Total As Of Clearing (001-006) | The grand total net amount (with fees applied) for the specified clearing day as of clearing cycle NNN.                                               |

## IP142110-AA - IPM Messages Created on Behalf of a Member

Customers that receive [IPM](#) Acknowledgment Reconciliation messages receive acknowledgments for Fee Collection/1740 messages that they did not generate.

Mastercard creates this report to assist customers in their reconciliation process. Mastercard generates this report in each clearing cycle only if the customer had activity.

The [Dual Message Clearing System](#) report IP142110-AA (IPM Clearing Messages Created On Behalf of a Customer) has two additional receipt options:

- Text file available in raw data, variable length version. The bulk types are TN70 (Production) and TN72 (Test) for outbound file delivery.
- XML data file available in variable length version. The bulk types are TN66 (Production) and TN68 (Test) for outbound file delivery.

The data files are created and distributed after each clearing cycle. The data files do not include summary totals. If no data is available, the customer receives a header and trailer only, with record count 0.

When multiple Customer IDs are packaged in a single file to the same endpoint, the data is sequenced by Customer ID. A header and trailer are provided for each Customer ID.

Both data files contain the same fields that are currently on the IP142110-AA report. In addition, the data files contain the following fields. These fields are not be added to the IP142110-AA print report.

#### IP142110-AA fields

| Name                                             | Description                                                                                                                                                                                                                                       |
|--------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Central Site Processing Date of Original Message | Contains the value in PDS 0025 (Message Reversal Indicator), subfield 2 (Central Site Processing Date of Original Message). If PDS 0025, subfield 2 is present because the transaction is being reversed, the original message date is displayed. |
| File ID                                          | For the IP142110-AA report and data files, the File ID is the Mastercard Source File ID. The File ID is found in PDS 0105 (File ID).                                                                                                              |

The XML file version of the report contains this data layout.

#### IP142110-AA XML data file distribution

| Record Type | Field Name      | Field Format | Field Value | Justification |
|-------------|-----------------|--------------|-------------|---------------|
| Header      | Record Type     | PIC X(1)     | H           | Left          |
|             | Distribution ID | PIC X(16)    | IP142110-AA | Left          |
|             | Member ID       | PIC 9(11)    |             | Right         |
|             | Endpoint        | PIC X(07)    |             | Left          |



| Record Type | Field Name                                       | Field Format | Field Value | Justification |
|-------------|--------------------------------------------------|--------------|-------------|---------------|
| Data        | Record Type                                      | PIC X(1)     | D           | Left          |
|             | Transaction Originator Institution ID Code       | PIC 9(11)    |             | Right         |
|             | MTI                                              | PIC 9(04)    |             | Right         |
|             | Function Code                                    | PIC 9(03)    |             | Right         |
|             | Message Reason Code                              | PIC 9(04)    |             | Right         |
|             | File ID                                          | PIC 9(25)    |             | Right         |
|             | CR DR Indicator                                  | PIC X(02)    |             | Left          |
|             | Central Site Processing Date of Original Message | PIC X(06)    |             | Left          |
|             | Transaction Type                                 | PIC X(02)    |             | Left          |
|             | Processing Code                                  | PIC 9(02)    |             | Right         |
|             | Transaction Amount                               | PIC 9(12)    |             | Right         |
|             | Transaction Currency Code                        | PIC 9(03)    |             | Right         |
|             | Currency Exponent                                | PIC X(01)    |             | Left          |
|             | Reconciliation Amount                            | PIC 9(12)    |             | Right         |
|             | Reconciliation Currency Code                     | PIC 9(03)    |             | Right         |
|             | Currency Exponent                                | PIC X(01)    |             | Left          |
|             | Transaction Destination Institution ID Code      | PIC 9(11)    |             | Right         |
|             | Forwarding Institution ID Code                   | PIC 9(11)    |             | Right         |
|             | Fee Collection Control Number                    | PIC 9(20)    |             | Right         |
|             | Card Program Identifier                          | PIC X(03)    |             | Left          |
|             | Receiving Institution ID Code                    | PIC 9(11)    |             | Right         |
|             | MasterCom Control Number                         | PIC X(07)    |             | Left          |

| Record Type | Field Name      | Field Format | Field Value                                                                                                                                        | Justification |
|-------------|-----------------|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|             | PAN             | PIC X(19)    | <b>NOTE: A sixteen-digit Primary Account Number (PAN) is left-justified with trailing spaces. If PAN is unavailable, the field contains PAN NA</b> | Left          |
| Trailer     | Record Type     | PIC X(01)    | T                                                                                                                                                  | Left          |
|             | Distribution ID | PIC X(16)    | IP142110-AA                                                                                                                                        | Left          |
|             | Member ID       | PIC 9(11)    |                                                                                                                                                    | Right         |
|             | Endpoint        | PIC X(07)    |                                                                                                                                                    | Left          |
|             | Count           | PIC 9(12)    | Count of XML data detail records<br><br><b>NOTE: Count does not include Header/Trailer records</b>                                                 | Right         |

The raw data version of the report contains this data layout.

#### IP142110-AA raw data distribution

| Record Type | Field Name      | Field Format | Field Value | Justification |
|-------------|-----------------|--------------|-------------|---------------|
| Header      | Record Type     | PIC X(01)    | H           | Left          |
|             | Distribution ID | PIC X(16)    | IP142110-AA | Left          |
|             | Member ID       | PIC 9(11)    |             | Right         |
|             | Endpoint        | PIC X(07)    |             | Left          |

| Record Type | Field Name                                       | Field Format | Field Value | Justification |
|-------------|--------------------------------------------------|--------------|-------------|---------------|
| Data        | Record Type                                      | PIC X(01)    | D           | Left          |
|             | Transaction Originator Institution ID Code       | PIC 9(11)    |             | Right         |
|             | MTI                                              | PIC 9(04)    |             | Right         |
|             | Function Code                                    | PIC 9(03)    |             | Right         |
|             | Message Reason Code                              | PIC 9(04)    |             | Right         |
|             | File ID                                          | PIC 9(25)    |             | Right         |
|             | CR DR Indicator                                  | PIC X(02)    |             | Left          |
|             | Central Site Processing Date of Original Message | PIC X(06)    |             | Left          |
|             | Transaction Type                                 | PIC X(02)    |             | Left          |
|             | Processing Code                                  | PIC 9(02)    |             | Right         |
|             | Transaction Amount                               | PIC 9(12)    |             | Right         |
|             | Transaction Currency Code                        | PIC 9(03)    |             | Right         |
|             | Currency Exponent                                | PIC X(01)    |             | Left          |
|             | Reconciliation Amount                            | PIC 9(12)    |             | Right         |
|             | Reconciliation Currency Code                     | PIC 9(03)    |             | Right         |
|             | Reconciliation currency exponent                 | PIC X(01)    |             | Left          |
|             | Transaction Destination Institution ID Code      | PIC 9(11)    |             | Right         |
|             | Forwarding Institution ID Code                   | PIC 9(11)    |             | Right         |
|             | Fee Collection Control Number                    | PIC 9(20)    |             | Right         |
|             | Card Program Identifier                          | PIC X(03)    |             | Left          |
|             | Receiving Institution ID Code                    | PIC 9(11)    |             | Right         |
|             | MasterCom Control Number                         | PIC X(07)    |             | Left          |

| Record Type | Field Name      | Field Format | Field Value                                                                                                                       | Justification |
|-------------|-----------------|--------------|-----------------------------------------------------------------------------------------------------------------------------------|---------------|
|             | PAN             | PIC X(19)    | <b>NOTE: A sixteen-digit <i>PAN</i> is left-justified with trailing spaces. If PAN is unavailable, the field contains PAN NA.</b> | Left          |
| Trailer     | Record Type     | PIC X(01)    | T                                                                                                                                 | Left          |
|             | Distribution ID | PIC X(16)    | IP142110-AA                                                                                                                       | Left          |
|             | Member ID       | PIC 9(11)    |                                                                                                                                   | Right         |
|             | Endpoint        | PIC X(07)    |                                                                                                                                   | Left          |
|             | Count           | PIC 9(12)    | Count of raw data detail records<br><br><b>NOTE: Count does not include Header/Trailer records.</b>                               | Right         |

Here is a sample of the IP142110-AA report.

### IP142110-AA report version

```

IP142110-AA                                MASTERCARD WORLDWIDE                                RUN DATE: 03/04/25
                                           IPM MESSAGES CREATED ON BEHALF OF A MEMBER        PAGE NO: 1
                                           2025-03-05

MEMBER ID: 00099999999
MTI/FUNC CD/RSN CD : 1740/700/7606
TRANS TYPE: FT - FUNDS TRANSFER
PROC  TRANS AMOUNT  - CUR  RECON AMOUNT  - CUR  TRANS DEST ICA  FORW INST ICA/  FEE COLL CNTL NO/  CARD PGM IDENT/
CODE  TRANS AMOUNT  - CUR  RECON AMOUNT  - CUR  TRANS DEST ICA  RCVG INST ICA  MCOM CNTL NO  PRIM ACCT NUMB
=====
19      45.00 CR - 978      42.05 CR - 756      00055667788      00099999999      00000000009284659944      MCC
                                           00055667788      51xxxxxxxxxxxxx1
19      45.00 CR - 978      42.05 CR - 756      00055667788      00099999999      00000000009284584717      MCC
                                           00055667788      51xxxxxxxxxxxxx7
19      45.00 CR - 978      42.05 CR - 756      00055667788      00099999999      00000000009284628508      MCC
                                           00055667788      51xxxxxxxxxxxxx6
19      45.00 CR - 978      42.05 CR - 756      00055667788      00099999999      00000000009284628494      MCC
                                           00055667788      51xxxxxxxxxxxxx9

S U M M A R Y
TRANS TYPE COUNT                                TOTAL
                                           4

TRANSACTION AMOUNTS                                CURRENCY CODE                                TOTAL
                                           978                                180.00 CR

RECONCILIATION AMOUNTS                                CURRENCY CODE                                TOTAL
                                           756                                168.20 CR

O V E R A L L S U M M A R Y
MEMBER TRANS COUNT                                TOTAL
                                           4

TRANSACTION AMOUNTS                                CURRENCY CODE                                TOTAL
                                           978                                180.00 CR

RECONCILIATION AMOUNTS                                CURRENCY CODE                                TOTAL
                                           756                                168.20 CR

```

### IP142110-AA field descriptions

| Field                         | Description                                                                                                                                                                                                                                                                               |
|-------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Run Date                      | The date on which this report was produced.                                                                                                                                                                                                                                               |
| Page No                       | The page number within the report.                                                                                                                                                                                                                                                        |
| Member ID                     | The identifier that the association assigns to a customer (also referred to as ICA number). DE 94 (Transaction Originator Institution ID Code).                                                                                                                                           |
| MTI/Function Code/Reason Code | <a href="#">Message Type Identifier (MTI)</a> , DE 24 (Function Code) and DE 25 (Message Reason Code).                                                                                                                                                                                    |
| Transaction Type              | Identifies the type of transaction: <ul style="list-style-type: none"> <li>RR = Retrieval Request</li> <li>CA = Case Filing/Member Mediation</li> <li>CO = Collection Letter</li> <li>FT = Funds Transfer</li> <li>UK = UK ATM On-behalf Service</li> <li>IV = Mexico IVA Fees</li> </ul> |
| Processing Code               | DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type).                                                                                                                                                                                                                         |
| Transaction Amount            | DE 4 (Amount, Transaction).                                                                                                                                                                                                                                                               |

| Field                                                        | Description                                                                                                                                                                  |
|--------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CR DR Indicator                                              | Indicates the amount as a credit or debit.                                                                                                                                   |
| Currency                                                     | The numeric <a href="#">International Organization for Standardization (ISO)</a> currency code associated with the transaction currency. DE 49 (Currency Code, Transaction). |
| Reconciliation Amount                                        | DE 5 (Amount, Reconciliation).                                                                                                                                               |
| CR DR Indicator                                              | Indicates the amount as a credit or debit.                                                                                                                                   |
| Credit Debit Indicator                                       | Indicates the amount credit or debit for the customer.                                                                                                                       |
| Currency                                                     | The numeric <a href="#">ISO</a> currency code associated with the reconciliation currency. DE 50 (Currency Code, Reconciliation).                                            |
| Transaction Destination ICA                                  | DE 93 (Transaction Destination Institution ID Code).                                                                                                                         |
| Forwarding Institution ICA/<br>Receiving Institution ICA     | DE 33 (Forwarding Institution ID Code)/DE 100 (Receiving Institution ID Code).                                                                                               |
| Fee Collection Control<br>Number/MasterCom Control<br>Number | PDS 0137 (Fee Collection Control Number)/PDS 0241 (MasterCom Control Number).                                                                                                |
| Card Program Identifier/PAN                                  | PDS 0158 (Business Activity), subfield 1 (Card Program Identifier)/DE 2 (Primary Account Number [PAN]).                                                                      |
| Transaction Amounts                                          | The net total amount of the transaction in transaction currency for the applicable logical ID file.                                                                          |
| Reconciliation Amounts                                       | The net total amount of the transaction in transaction currency for the applicable logical ID file.                                                                          |
| Currency Code                                                | The numeric <a href="#">ISO</a> currency code associated with the reconciliation currency. DE 50 (Currency Code, Reconciliation).                                            |

## IP142520-AA - On-behalf Service Fee Collection Report

Mastercard offers this [Dual Message Clearing System](#) reconciliation summary report (On-behalf Service Fee Collection Report) to acquirers in the Europe region to allow reconciliation and settlement of the ATM non-financial fee collection messages created on their behalf. Customers can sign up for this report.

Europe acquirers can receive the consolidated clearing report, On-behalf Service Fee Collection Report (IP142520-AA):

- In four clearing cycles per day (cycle 1, 2, 4, and 5) and distributed as part of bulk type T140 (Production) and T150 (Test).
- On the next clearing cycle if there is an issue with the generation of the report on one of the four cycles listed previously.

In addition to the On-behalf Service Fee Collection Report, acquirers can also request the text file or XML data file format:

- Text file: available in raw data, variable length version. The bulk types are TN70 (Production) and TN72 (Test) for outbound file delivery.
- XML Data file: available in variable length version. The bulk types are TN66 (Production) and TN68 (Test) for outbound file delivery.

Customers should indicate their format preference by contacting their account manager or the Mastercard Customer Implementation Services team.

### IP142520-AA report version

IP142520-AA

MASTERCARD WORLDWIDE

RUN DATE: 03/04/25

SUMMARY REPORT ON-BEHALF SERVICE SYSTEM-GENERATED

PAGE NO : 1

ATM NON-FINANCIAL FEE COLLECTION MESSAGES

CLEARING CYCLE: 00

2025-03-05

MEMBER ID: 00099999999

FILE ID : 90425030400077777799993

SETTLE SERVICE: EU000000008

RECONCILIATION CURRENCY: 978

| ACCEPTANCE BRAND | TRASACTION TYPE           | ACTION DATE | TOTAL COUNTS | SERVICE FEE AMOUNT |
|------------------|---------------------------|-------------|--------------|--------------------|
| CIR (CIRRUS)     | 7621-ATM BALANCE INQ.FEE  | 25-03-04    | 1            | 0.24 CR            |
| CIR TOTAL        |                           |             | 1            | 0.24 CR            |
| ACCEPTANCE BRAND | TRASACTION TYPE           | ACTION DATE | TOTAL COUNTS | SERVICE FEE AMOUNT |
| DMC (DEBIT)      | 7621-ATM BALANCE INQ.FEE  | 25-03-04    | 757          | 181.32 CR          |
|                  | 7625-ATM PIN CHG/UNBK FEE | 25-03-04    | 14           | 3.36 CR            |
|                  | 7629-ATM FIN. DECLINE FEE | 25-03-04    | 1            | 0.12 CR            |
| DMC TOTAL        |                           |             | 772          | 184.80 CR          |
| ACCEPTANCE BRAND | TRASACTION TYPE           | ACTION DATE | TOTAL COUNTS | SERVICE FEE AMOUNT |
| MCC (CREDIT)     | 7621-ATM BALANCE INQ.FEE  | 25-03-04    | 73           | 17.37 CR           |
|                  | 7625-ATM PIN CHG/UNBK FEE | 25-03-04    | 12           | 2.74 CR            |
|                  | 7629-ATM FIN. DECLINE FEE | 25-03-04    | 4            | 0.76 CR            |
| MCC TOTAL        |                           |             | 89           | 20.87 CR           |
| GRAND TOTAL      |                           |             | 862          | 205.91 CR          |

## IP148320-AA - Miscellaneous Override Financial Adjustments Report

The Miscellaneous Override Financial Adjustments report is available to customers each processing day and is distributed as part of bulk file type T140.

The report provides details about the Mastercard Fee Collection/1740 messages containing reason code 7808 in the Clearing Cycle Notification Report (IP727020-AA) that are generated at the account range level.

Issuers and processors can elect to receive the Miscellaneous Override Financial Adjustments Report. Customers should indicate their format preference by contacting their account manager or the Mastercard Customer Implementation Services team.

The *Dual Message Clearing System* Miscellaneous Override Financial Adjustments report (IP148320-AA) has two additional receipt options:

- The text file is available in raw data, variable length version. The bulk type is TN70 (Production).
- The XML data file is available in variable length version. The bulk type is TN66 (Production).

The data files are created and distributed after each processing day. The data files do not include summary totals. If no data is available, the customer receives a header and trailer only, with record count 0.

When multiple Customer IDs are packaged in a single file to the same endpoint, the data is sequenced by Customer ID. A header and trailer is provided for each Customer ID.

The Miscellaneous Override Financial Adjustments Report (IP148320-AA) includes Settlement Service and Submitted Fee Collection Amount.

The XML file version of the report contains the data shown in the following layout.

#### XML data file distribution

| Record Type | Field Name      | Field Format | Field Value | Justification |
|-------------|-----------------|--------------|-------------|---------------|
| Header      | Record Type     | PIC X(01)    | H           | Left          |
|             | Distribution ID | PIC X(16)    | IP148320-AA | Left          |
|             | Member ID       | PIC 9(11)    |             | Right         |
|             | Endpoint        | PIC X(07)    |             | Left          |



| Record Type | Field Name             | Field Format | Field Value                      | Justification |
|-------------|------------------------|--------------|----------------------------------|---------------|
| Detail      | Record Type            | PIC X(01)    | D                                | Left          |
|             | Member ID              | PIC X(11)    |                                  | Left          |
|             | FEE-ADJ-SETTLE-SERVICE | PIC X(10)    |                                  | Left          |
|             | FEE-ADJ-ACCT-RANGE     | PIC X(38)    |                                  | Left          |
|             | FEE-ADJ-CURR-CD        | PIC X(03)    |                                  | Left          |
|             | FEE-ADJ-CURR-EXP       | PIC X(01)    |                                  | Left          |
|             | FEE-TRX-CURR-CD        | PIC X(03)    |                                  | Left          |
|             | FEE-TRX-CURR-EXP       | PIC X(01)    |                                  | Left          |
|             | FEE-ADJ-ALIGN-EXP      | PIC X(01)    |                                  | Left          |
|             | FEE-ADJ-AMOUNT-DR      | PIC 9(18)    |                                  | Right         |
|             | FEE-ADJ-AMOUNT-CR      | PIC 9(18)    |                                  | Right         |
|             | FEE-ADJ-AMOUNT-NET     | PIC 9(18)    |                                  | Right         |
|             | FEE-ADJ-NET-DR-CR      | PIC X(02)    |                                  | Left          |
|             | FEE-TRX-AMOUNT-DR      | PIC 9(18)    |                                  | Right         |
|             | FEE-TRX-AMOUNT-CR      | PIC 9(18)    |                                  | Right         |
|             | FEE-TRX-AMOUNT-NET     | PIC 9(18)    |                                  | Right         |
|             | FEE-TRX-NET-DR-CR      | PIC X(02)    |                                  | Left          |
| Trailer     | Record Type            | PIC X(01)    | T                                | Left          |
|             | Distribution ID        | PIC X(16)    | IP148320-AA                      | Left          |
|             | Member ID              | PIC X(11)    |                                  | Left          |
|             | Endpoint               | PIC X(07)    |                                  | Left          |
|             | Count                  | PIC 9(12)    | Count of XML data detail records | Right         |

Here is a sample of the IP148320-AA report.

## Sample IP148320-AA Miscellaneous Override Financial Adjustments report

```

IP148320-AA                                MASTERCARD WORLDWIDE                                RUN DATE: 03/04/25
                                           MISCELLANEOUS OVERRIDE FINANCIAL ADJUSTMENTS          PAGE NO : 1

MTI/FUNCTION CODE/MESSAGE REASON CODE: 1740/783/7808
MEMBER ID: 000999999999

SETTLEMENT SERVICE      ACCOUNT RANGE      NET SETTLEMENT AMOUNT/DIRECTION/CURRENCY      SUBMITTED FEE COLLECTION AMOUNT/DIRECTION/CURRENCY
=====
US000000001      51000000000000000000 - 51999999999999999999      224.72 DR 840-USD      224.72 DR 840-USD
                                           55000000000000000000 - 55999999999999999999      521.77 DR 840-USD      521.77 DR 840-USD

SUMMARY FOR MEMBER ID 000999999999

SETTLEMENT SERVICE      SETTLEMENT AMOUNT DEBITS      SETTLEMENT AMOUNT CREDITS      NET SETTLEMENT AMOUNT/DIRECTION/CURRENCY
=====
US000000001      746.49      0.00      746.49 DR 840-USD
  
```

## IP755120-AA - Clearing Detail Report

The Clearing Detail Report (IP755120-AA) is offered to acquirers to facilitate acquirer reconciliation. Customers can sign up for this report delivered through bulk file TN70 (Production) and TN72 (Test).

Mastercard generates and sends the Clearing Detail Report at the end of each clearing cycle for all activity in that cycle.

If the Clearing Detail Report record does not contain data for the customer, then the customer only receives the header and trailer for the file.

The report (in the form of a raw data file) provides acquirers transaction-level details from the [Dual Message Clearing System](#), including the currency conversion rate from the transaction amount to the acquirer reconciliation amount in DE 9 (Conversion Rate, Reconciliation).

Per transaction, the report contains the Detail Record. For the corresponding DE and PDS, refer to [Data element and private data subelement definitions and details](#).

The report also includes header, detail, and trailer records (with the total number of records for detail records only).

### Header record

| Field ID | Length  | Comments             |
|----------|---------|----------------------|
| 1        | ans-17  | Value 'HIP755120-AA' |
| 2        | n-11    | ICA                  |
| 3        | n-07    | Endpoint             |
| 4        | ans-639 | Filler of spaces     |

## Detail record

| Field Name                               | DE           | PDS | Subfield | Length | Starting Position |
|------------------------------------------|--------------|-----|----------|--------|-------------------|
| D (Detail Record)                        | static value |     |          | 1      | 1                 |
| Distribution ICA                         |              |     |          | 11     | 2                 |
| Message Type Indicator                   | MTI          |     |          | 4      | 13                |
| Primary Account Number (PAN)             | 2            |     |          | 19     | 17                |
| Processing Code (includes all subfields) | 3            |     | 1, 2, 3  | 6      | 36                |
| Amount, Transaction                      | 4            |     |          | 12     | 42                |
| Reconciliation Amount                    | 5            |     |          | 12     | 54                |
| Reconciliation Conversion Rate           | 9            |     |          | 8      | 66                |
| Date and Time, Local Transaction         | 12           |     |          | 12     | 74                |
| Point of Service Data Code               | 22           |     | 1-12     | 12     | 86                |
| Function Code                            | 24           |     |          | 3      | 98                |
| Message Reason Code                      | 25           |     |          | 4      | 101               |
| Acceptor Business Code                   | 26           |     |          | 4      | 105               |
| Original Amount, Transaction             | 30           |     | 1        | 12     | 109               |
| Acquirer Reference Data                  | 31           |     |          | 23     | 121               |
| Approval Code                            | 38           |     |          | 6      | 144               |

| Field Name                                           | DE | PDS  | Subfield   | Length | Starting Position |
|------------------------------------------------------|----|------|------------|--------|-------------------|
| Service Code                                         | 40 |      |            | 3      | 150               |
| Acceptor Terminal ID                                 | 41 |      |            | 8      | 153               |
| Acceptor ID Code                                     | 42 |      |            | 15     | 161               |
| Acceptor Name and location                           | 43 |      | 1, 2, 3    | 83     | 176               |
| Acceptor Post Code                                   | 43 |      | 4          | 10     | 259               |
| Acceptor Country Subdivision Code                    | 43 |      | 5          | 3      | 269               |
| Acceptor Country Code                                | 43 |      | 6          | 3      | 272               |
| Global Clearing Management System Product Identifier |    | 0002 |            | 3      | 275               |
| Licensed Product Identifier                          |    | 0003 |            | 3      | 278               |
| Terminal Type                                        |    | 0023 |            | 3      | 281               |
| Message Reversal Indicator                           |    | 0025 | 1          | 1      | 284               |
| Electronic Commerce Security Level Indicator         |    | 0052 | 1, 2, 3    | 3      | 285               |
| File ID                                              |    | 0105 | 1, 2, 3, 4 | 25     | 288               |
| Fee Type Code                                        |    | 0146 | 1          | 2      | 313               |
| Fee Processing Code                                  |    | 0146 | 2          | 2      | 315               |
| Fee Settlement Indicator                             |    | 0146 | 3          | 2      | 317               |
| Currency Code                                        |    | 0146 | 4          | 3      | 319               |

| Field Name                                          | DE | PDS  | Subfield | Length | Starting Position |
|-----------------------------------------------------|----|------|----------|--------|-------------------|
| Amounts,<br>Transaction Fee                         |    | 0146 | 5        | 12     | 322               |
| Currency Code<br>Fee<br>Reconciliation              |    | 0146 | 6        | 3      | 334               |
| Amount Fee<br>Reconciliation                        |    | 0146 | 7        | 12     | 337               |
| Extended: Fee<br>Type Code                          |    | 0147 | 1        | 2      | 349               |
| Extended: Fee<br>Processing<br>Code                 |    | 0147 | 2        | 2      | 351               |
| Extended: Fee<br>Settlement<br>Indicator            |    | 0147 | 3        | 2      | 353               |
| Extended:<br>Currency Code,<br>Fee                  |    | 0147 | 4        | 3      | 355               |
| Extended:<br>Interchange<br>Amount, Fee             |    | 0147 | 5        | 18     | 358               |
| Extended:<br>Currency Code,<br>Fee, Recon.          |    | 0147 | 6        | 3      | 376               |
| Extended:<br>Interchange<br>Amount, Fee,<br>Recon.  |    | 0147 | 7        | 18     | 379               |
| Currency<br>Exponents                               |    | 0148 | 1, 2     | 4      | 397               |
| Currency Code,<br>Original<br>Transaction<br>Amount |    | 0149 | 1        | 3      | 401               |
| Card Program<br>Identifier                          |    | 0158 | 1        | 3      | 404               |
| Business<br>Service<br>Arrangement<br>Type Code     |    | 0158 | 2        | 1      | 407               |

| Field Name                                | DE | PDS  | Subfield | Length | Starting Position |
|-------------------------------------------|----|------|----------|--------|-------------------|
| Business Service ID Code                  |    | 0158 | 3        | 6      | 408               |
| Interchange Rate Designator               |    | 0158 | 4        | 2      | 414               |
| Central Site Business Date                |    | 0158 | 5        | 6      | 416               |
| Business Cycle                            |    | 0158 | 6        | 2      | 422               |
| Acceptor Classification Override Ind.     |    | 0158 | 7        | 1      | 424               |
| Product Class Override Indicator          |    | 0158 | 8        | 3      | 425               |
| Corporate Incentive Rates Apply Indicator |    | 0158 | 9        | 1      | 428               |
| Special Conditions Indicator              |    | 0158 | 10       | 1      | 429               |
| Mastercard Assigned ID Override Indicator |    | 0158 | 11       | 1      | 430               |
| ALM Account Category Code                 |    | 0158 | 12       | 1      | 431               |
| Rate Indicator                            |    | 0158 | 13       | 1      | 432               |
| MasterPass Incentive Indicator            |    | 0158 | 14       | 1      | 433               |
| Settlement Service Transfer Agent ID      |    | 0159 | 1        | 11     | 434               |
| Settlement Service Transfer Agent Account |    | 0159 | 2        | 28     | 445               |
| Settlement Service Level Code             |    | 0159 | 3        | 1      | 473               |

| Field Name                                    | DE | PDS  | Subfield | Length | Starting Position |
|-----------------------------------------------|----|------|----------|--------|-------------------|
| Settlement Service ID Code                    |    | 0159 | 4        | 10     | 474               |
| Settlement Foreign Exchange Rate Class Code   |    | 0159 | 5        | 1      | 484               |
| Reconciliation Date                           |    | 0159 | 6        | 6      | 485               |
| Reconciliation Cycle                          |    | 0159 | 7        | 2      | 491               |
| Settlement Date                               |    | 0159 | 8        | 6      | 493               |
| Settlement Cycle                              |    | 0159 | 9        | 2      | 499               |
| Transaction Currency Code                     | 49 |      |          | 3      | 501               |
| Reconciliation Currency Code                  | 50 |      |          | 3      | 504               |
| Additional Amount                             | 54 |      |          | 20     | 507               |
| Trace ID                                      | 63 |      | 2        | 15     | 527               |
| Transaction Destination Institution ID Code   | 93 |      |          | 11     | 542               |
| Transaction Originator Institution ID Code    | 94 |      |          | 11     | 553               |
| Data Record                                   | 72 |      |          | 100    | 564               |
| Digital Wallet Interchange Override Indicator |    | 0158 | 15       | 1      | 664               |
| Currency Conversion Date                      |    | 0015 | 1        | 6      | 665               |

| Field Name                             | DE | PDS  | Subfield | Length | Starting Position |
|----------------------------------------|----|------|----------|--------|-------------------|
| Currency Conversion Indicator          |    | 0015 | 2        | 1      | 671               |
| Original Transaction Information - SLI |    | 0052 |          | 3      | 672               |

#### Trailer record

| Field ID | Length  | Comments                     |
|----------|---------|------------------------------|
| 1        | ans-17  | Value of 'TIP755120-AA'      |
| 2        | n-11    | ICA                          |
| 3        | n-07    | Endpoint                     |
| 4        | n-12    | Total of detail records only |
| 5        | ans-627 | Filler of spaces             |

## IP755220-AA-ALM Reconciliation Data Report

### ALM Reconciliation Data Report (IP755220-AA)

The Account Level Management (ALM) Reconciliation Data Report is offered to acquirers to use with the Interchange Detail Report (IP755020-AA) and Clearing Detail Report (IP755120-AA) to help facilitate acquirer reconciliation. This report is generated and sent after each clearing cycle. Customers can sign up for this report delivered through bulk file TN70 (Production) and TN72 (Test).

The report (in the form of a raw data file) includes PDS 0275 (Account Level Management Service Data) and PDS 0276 (Fee Amounts, Additional), along with other IPM clearing data, and enables acquirers to match transaction records within their existing back-end systems, or by matching the transaction records within the IP755020/IP755120 reports.

The IP755220-AA report will contain records for any account range that participates in ALM and/or Mastercard One Credential, as well as ALM program/Business Service combinations that have migrated to the new ALM service. Transactions that contain a PAN not registered for the ALM or Mastercard One Credential service are not included in the report. In addition, ALM or Mastercard One Credential transactions for which the ALM Service Code indicates an error are not included in the report. Some processing conditions may create a record for transactions that did not have ALM or Mastercard One Credential Funding PAN interchange applied. For example,



purchase return and refund transactions within some countries that participate in ALM but do not apply to ALM interchange. Acquirers can determine if ALM interchange was applied to a transaction by referencing two PDS 0276 subfield values within the IP755220-AA records.

PDS 0276, subfield 2 (Override Hierarchy) will contain a non 00 value (01 through 11) if a product class override was applied for the ALM Product Graduation program.

PDS 0276, subfield 1 (Rate Type) will be populated with one of the 8nn Rate Type values directly associated with ALM when an adjustment is applied to the Base Rate amount (as shown in the PDS 0276 occurrence with subfield 1 (Rate Type) 001 for non-Product Graduation programs, for example, Enhanced Value.

The report includes header, detail, and trailer records (with the total number of records for detail records only). These records include the Global Clearing Management System Report ID, which will be IP755220-AA.

Per transaction, the new report will contain the following Detail Record. For the corresponding DE and PDS, refer to the *Mastercard Network Processing Dual Message Clearing System Guide*.

#### Header record

| Field ID | Length  | Comments           |
|----------|---------|--------------------|
| 1        | ans-17  | Value HIP755220-AA |
| 2        | n-11    | ICA                |
| 3        | n-07    | Endpoint           |
| 4        | ans-664 | Space Filler       |

#### Detail record

| Field name                   | DE           | PDS | Subfield | Length | Starting position |
|------------------------------|--------------|-----|----------|--------|-------------------|
| D (Detail record)            | Static value |     |          | 1      | 1                 |
| Distribution ICA             |              |     |          | 11     | 2                 |
| Message Type Indicator (MTI) |              |     |          | 4      | 13                |
| Primary Account Number (PAN) | 2            |     |          | 19     | 17                |
| Transaction Amount           | 4            |     |          | 12     | 36                |
| Recon Amount                 | 5            |     |          | 12     | 48                |
| Function Code                | 24           |     |          | 3      | 60                |

| Field name                                            | DE | PDS  | Subfield | Length | Starting position |
|-------------------------------------------------------|----|------|----------|--------|-------------------|
| Acquirer Reference Data                               | 31 |      |          | 23     | 63                |
| Transaction Currency                                  | 49 |      |          | 3      | 86                |
| Recon Currency                                        | 50 |      |          | 3      | 89                |
| Trace ID                                              | 63 |      | 2        | 15     | 92                |
| GCMS Product ID                                       |    | 0002 |          | 3      | 107               |
| Licensed Product ID                                   |    | 0003 |          | 3      | 110               |
| Transaction Fee Amount                                |    | 0146 |          | 36     | 113               |
| Extended Precision Amount                             |    | 0147 |          | 48     | 149               |
| Central Site Busn Date                                |    | 0158 | 5        | 6      | 197               |
| ALM Service Data                                      |    | 0275 | 1-5      | 15     | 203               |
| Additional Fee Amounts                                |    | 0276 |          | 384    | 218               |
| Processing Code                                       | 3  |      | 1        | 2      | 602               |
| Acceptor Business Code (MCC)                          | 26 |      |          | 4      | 604               |
| Approval Code                                         | 38 |      |          | 6      | 608               |
| Acceptor ID                                           | 42 |      |          | 15     | 614               |
| Transaction Originator ICA                            | 94 |      |          | 11     | 629               |
| File ID                                               |    | 0105 |          | 25     | 640               |
| Acquirer Submitted IRD                                |    |      |          | 2      | 665               |
| Mastercard Transaction Calculator Derived IRD         |    |      |          | 2      | 667               |
| Reversal Indicator                                    |    | 0025 | 1        | 1      | 669               |
| Mastercard Assigned ID (MAID)                         |    | 0176 |          | 6      | 670               |
| ALM Service Data Related to Mastercard One Credential |    | 0275 | 6-8      | 23     | 676               |
| Mastercard One Credential Exclusion Indicator         |    | 0217 | 1        | 1      | 699               |

**NOTE: PDS 0276 (Fee Amounts, Additional) provides all fee amounts associated with transactions that have processed for ALM. This PDS may accommodate one to eight fee amount occurrences. GCMS will populate PDS 0276 in the IP755220-AA detail record with all eight fee amounts and any unused occurrences will be space filled.**

**NOTE: PDS 0275, subfield 8 is a variable length field. GCMS will populate PDS 0275, subfield 8 in the IP755220-AA detail record with 19 positions, space-filled at the end.**

### Trailer record

| Field ID | Length  | Comments                     |
|----------|---------|------------------------------|
| 1        | ans-17  | Value of IP755220-AA         |
| 2        | n-11    | ICA                          |
| 3        | n-07    | Endpoint                     |
| 4        | n-12    | Total of detail records only |
| 5        | ans-652 | Space filler                 |

Mastercard sends the IP755220-AA Clearing Detail File at the end of each clearing cycle for all activity in that clearing cycle.

**NOTE: If the Clearing Detail File Record does not contain data for the customer, then the customer receives only the header and trailer for the Clearing detail file.**

## Operational reporting

Operational reports provide issuers, acquirers, and processors insights into their card operations.

This section discusses:

- Optional reports such as reports detailing rejected transaction data
- Dual Message Clearing System transaction and chargeback reports
- Optional service reports such as:
  - [Transaction Enablement Service \(TES\)](#), [Account Level Management \(ALM\)](#), [ICCR](#), and acquirer reward presentments created on behalf of a customer
  - Cross-border fee manager reports

## Optional reports

The [Dual Message Clearing System](#) provides rejected transaction data through the Error Detail: Input Sequence report and the Global Collection Only Error Detail: Input Sequence report. These

reports provide all DE of a rejected message, including data that fails edits and data that passes edits, highlighting the DE in an error.

These reports include rejected transaction details at the following levels:

- Logical file to Mastercard
- Processing Mode (Test or Production)
- Source Message Number
- Source Currency
- Source Amount
- Transaction Function
- Global Collection Only separated from non-Global Collection Only rejected transactions

The Error Detail: Input Sequence reports are optional. The Dual Message Clearing System transmits this report using bulk type T140 for production and bulk type T150 for test reports. Customers that request these reports receive them after each clearing cycle.

## **IP857010-BB - Global Collection Only Error Detail – Input Sequence**

The images show a sample of report IP857010-BB.

Global Collection Only Error Detail: Input Sequence Report (IP857010-BB), banner page (page 1)

1-----10-----+-----20-----+-----30-----+-----40-----+-----50-----+-----60-----+-----70-----+-----80-----+-----90-----+-----100-----+-----110-----+-----120-----+-----130-----  
IP857010-BB  
MASTERCARD WORLDWIDE  
COLLECTION ONLY-ERROR DETAIL - INPUT SEQUENCE  
MESSAGE LEVEL REJECT  
                  YYYY-MM-DD  
PAGE 01  
RUN DATE YYYY-MM-DD

FILE ID: XXX/YY-MM-DD/XXXXXXXXXXXX/9999  
PROCESSING MODE: X  
  
\*\*\* FILE PROCESSED - MESSAGE LEVEL ERRORS ENCOUNTERED \*\*\*  
\*\*\* FILE PROCESSED - MESSAGE LEVEL ERRORS ENCOUNTERED \*\*\*  
\*\*\* FILE PROCESSED - MESSAGE LEVEL ERRORS ENCOUNTERED \*\*\*  
\*\*\* FILE PROCESSED - MESSAGE LEVEL ERRORS ENCOUNTERED \*\*\*  
\*\*\* FILE PROCESSED - MESSAGE LEVEL ERRORS ENCOUNTERED \*\*\*

**Global Collection Only Error Detail: Input Sequence Report (IP857010-BB), banner page field descriptions**

| Field           | Description                                                                                                                          |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Run Date        | The date on which this report was produced.                                                                                          |
| Page            | The page number within the report.                                                                                                   |
| File ID         | The logical file ID of the customer-generated file to which the data in this report pertains.                                        |
| Processing Mode | Type of processing (Production or Test) performed on this file.                                                                      |
| Description     | A detailed description of the error encountered, or if no errors are encountered, the literal FILE PROCESSED: NO ERRORS ENCOUNTERED. |

### Global Collection Only Error Detail: Input Sequence Report (IP857010-BB), Message Level Reject

```

1-----10-----+---20-----+---30-----+---40-----+---50-----+---60-----+---70-----+---80-----+---90-----+---100-----+---110-----+---120-----+---130-----
IP857010-BB                                     RUN DATE: YYYY-MM-DD
                                                PAGE NO:
FILE ID: XXX/YYYY-MM-DD/XXXXXXXXXXXX/99999          MASTERCARD WORLDWIDE
PROCESSING MODE: X                                COLLECTION-ONLY ERROR DETAIL - INPUT SEQUENCE
                                                    MESSAGE LEVEL REJECT
                                                    YYYY-MM-DD
SOURCE MESSAGE #: 999999999    SOURCE AMOUNT:      999,999,999,999
MTI-FUNCTION CODE: 9999-999    SOURCE CURRENCY:     XXX
ERROR CODE   DESCRIPTION                SOURCE MESSAGE #    ELEMENT ID    INVALID DATA
9999  XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX  99999999999        PDS9999          XXXXXXXXXXXXXXXXXXXXXXXXXX
MESSAGE DETAILS
MTI
D0002    D0002    1442
D0003 S01    5999999999999999999
D0003 S02    00
D0003 S03    00
D0004    D0004    000000001326
D0012 S01    011105
D0012 S02    000000
D0024    D0024    450
*D0025    4801
D0026    D0026    5341
D0030 S01    000000001300
D0030 S02    000000000000
D0031 S01    99
D0031 S02    99999
D0031 S03    9999
D0031 S04    99999999999
D0031 S05    9
D0033    D0033    009999
D0038    D0038    385549
D0041    D0041    09140069
D0042    D0042    02807326
D0043 S01    YPF AVALOS
D0043 S02    VILLA URQUIZA
D0043 S03
D0043 S04
D0043 S05
D0043 S06    ARC
D0049    D0049    840
D0063 S01
D0063 S02    XXXXXXXXXXX9999
D0071    D0071    00000411
D0072    D0072    NO RECEIVE DOCTOS

```



Global Collection Only Error Detail: Input Sequence Report (IP857010-BB), continuation

|   |                                                                                                                                                                              |
|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | -----10-----+-----20-----+-----30-----+-----40-----+-----50-----+-----60-----+-----70-----+-----80-----+-----90-----+-----100-----+-----110-----+-----120-----+-----130----- |
|   | D0032 00399 999999999                                                                                                                                                        |
|   | D0034 00399 999999999                                                                                                                                                        |
|   | D0035 999999999                                                                                                                                                              |
|   | P0032 UT2 840                                                                                                                                                                |
|   | P0148 301 2                                                                                                                                                                  |
|   | P0148 302 032                                                                                                                                                                |
|   | P0149 301 000                                                                                                                                                                |
|   | P0149 302 000                                                                                                                                                                |
|   | P0158 301                                                                                                                                                                    |
|   | P0158 302                                                                                                                                                                    |
|   | P0158 303                                                                                                                                                                    |
|   | P0158 304 75                                                                                                                                                                 |
|   | P0165 301 C                                                                                                                                                                  |
|   | P0191 1                                                                                                                                                                      |
|   | P0262 1                                                                                                                                                                      |
|   | P0800 301 661                                                                                                                                                                |
|   | P0800 302 001417                                                                                                                                                             |
|   | P0805 301 1                                                                                                                                                                  |
|   | P0805 302 01                                                                                                                                                                 |
|   | P0805 303 1                                                                                                                                                                  |

Global Collection Only Error Detail: Input Sequence Report (IP857010-BB), Message Level Reject field descriptions

| Field    | Description                                 |
|----------|---------------------------------------------|
| Run Date | The date on which this report was produced. |

| Field                 | Description                                                                                                                                                                                          |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Page                  | The page number within the report.                                                                                                                                                                   |
| File ID               | The logical file ID of the customer-generated file to which the data in this report pertains.                                                                                                        |
| Processing Mode       | Type of processing (Production or Test) performed on this file.                                                                                                                                      |
| Source Message Number | Number of the original message that contains the error, from DE 71 (Message Number).                                                                                                                 |
| Source Amount         | Monetary amount of the rejected message. For messages without a DE 4 (Amount, Transaction) value (for example, retrieval fee billing or financial detail addendum messages), the field will be zero. |
| MTI: Function Code    | The <a href="#">Message Type Identifier (MTI)</a> and the Function Code associated with the rejected message.                                                                                        |
| Source Currency       | The alphabetic currency code associated with the monetary amount.                                                                                                                                    |
| Error Code            | A unique code (established by Mastercard) that identifies the type of error encountered.                                                                                                             |
| Description           | A detailed description of the error encountered.                                                                                                                                                     |
| Source Message Number | Number of the original message that contains the error, from DE 71 (Message Number).                                                                                                                 |
| Source Element ID     | Identifies the element for which Dual Message Clearing System encountered the reject condition.                                                                                                      |
| Invalid Data          | Listing of the contents of the element within the rejected message.                                                                                                                                  |
| Message Details       | Details about the message.                                                                                                                                                                           |

Global Collection Only Error Detail: Input Sequence Report (IP857010-BB), Message Level  
Reject (page 2)

|                                                                                                                                                      |  |  |  |  |  |  |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| -----10-----+---20-----+---30-----+---40-----+---50-----+---60-----+---70-----+---80-----+---90-----+---100-----+---110-----+---120-----+---130----- |  |  |  |  |  |  |  |  |  |
| :P857010-BB                                                                                                                                          |  |  |  |  |  |  |  |  |  |
| MASTERCARD WORLDWIDE                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| COLLECTION-ONLY ERROR DETAIL - INPUT SEQUENCE                                                                                                        |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| YYYY-MM-DD                                                                                                                                           |  |  |  |  |  |  |  |  |  |
| PAGE NO: 01 (ALT)                                                                                                                                    |  |  |  |  |  |  |  |  |  |
| RUN DATE: YYYY-MM-DD                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL                                                                                                                                        |  |  |  |  |  |  |  |  |  |

**Global Collection Only Error Detail: Input Sequence Report (IP857010-BB), Message Level Reject (alternate) field descriptions**

| Field                 | Description                                                                                                                                  |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Run Date              | The date on which this report was produced.                                                                                                  |
| Page                  | The page number within the report.                                                                                                           |
| File ID               | The logical file ID of the customer-generated file to which the data in this report pertains.                                                |
| Processing Mode       | Type of processing (Production or Test) to be performed on this file.                                                                        |
| Error Code            | A unique code (established by Mastercard) that identifies the type of error encountered.                                                     |
| Description           | A detailed description of the error encountered.                                                                                             |
| Source Message Number | Number of the original message that contains the error, from DE 71 (Message Number).                                                         |
| Element ID            | The number of the data element or private data subelement causing the error condition.                                                       |
| Invalid Data          | Listing of the contents of the data element or private data subelement in error, within the rejected message.                                |
| Message Unparseable   | Contains up to the first 200 positions of the rejected message when the Dual Message Clearing System cannot parse the message into elements. |

Global Collection Only Error Detail: Input Sequence Report (IP857010-BB), Message Level Reject (continuation)

|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| -----10-----+-----20-----+-----30-----+-----40-----+-----50-----+-----60-----+-----70-----+-----80-----+-----90-----+-----100-----+-----110-----+-----120-----+-----130----- |  |  |  |  |  |  |  |  |  |
| IP857010-BB                                                                                                                                                                  |  |  |  |  |  |  |  |  |  |
| MASTERCARD WORLDWIDE                                                                                                                                                         |  |  |  |  |  |  |  |  |  |
| COLLECTION-ONLY ERROR DETAIL - INPUT SEQUENCE                                                                                                                                |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                                         |  |  |  |  |  |  |  |  |  |
| YYYY-MM-DD                                                                                                                                                                   |  |  |  |  |  |  |  |  |  |
| RUN DATE: YYYY-MM-DD                                                                                                                                                         |  |  |  |  |  |  |  |  |  |
| PAGE NO: 02                                                                                                                                                                  |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |

**Global Collection Only Error Detail: Input Sequence Report (IP857010-BB), Message Level Reject, page 2 field descriptions**

| <b>Field</b>          | <b>Description</b>                                                                                                                                           |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Run Date              | The date on which this report was produced.                                                                                                                  |
| Page                  | The page number within the report.                                                                                                                           |
| File ID               | The logical file ID of the customer-generated file to which the data in this report pertains.                                                                |
| Processing Mode       | Type of processing (Production or Test) performed on this file.                                                                                              |
| Message Type          | Identifies whether the message has a settlement indicator of settled by Mastercard, bilateral (not settled by Mastercard), or Global Collection Only.        |
| Financial Detail      | Identifies messages that have monetary impact.                                                                                                               |
| Non-Financial Detail  | Identifies messages that do not have monetary impact.                                                                                                        |
| Unrecognizable Detail | Identifies messages that cannot be parsed.                                                                                                                   |
| Currency              | The alphabetic currency code of the source currency.                                                                                                         |
| Amount                | The net total of the source monetary amount of the messages. Messages that do not include a DE 4 (Amount, Transaction) value are not included in this field. |
| Count                 | The total number of messages.                                                                                                                                |

## IP857010-AA - Error Detail -- Input Sequence

The images show a sample of report IP857010-AA.

Error Detail: Input Sequence Report (IP857010-AA), Banner Page, page 1

```
1-----10-----+---20-----+---30-----+---40-----+---50-----+---60-----+---70-----+---80-----+---90-----+---100-----+---110-----+---120-----+---130---
IP857010-AA
MASTERCARD WORLDWIDE
ERROR DETAIL - INPUT SEQUENCE
MESSAGE LEVEL REJECT
      YYYY-MM-DD
FILE ID: XX/YY-MM-DD/XXXXXXXXXXXX/99999
PROCESSING MODE: X
*** FILE PROCESSED - MESSAGE LEVEL ERRORS ENCOUNTERED ***
*** FILE PROCESSED - MESSAGE LEVEL ERRORS ENCOUNTERED ***
*** FILE PROCESSED - MESSAGE LEVEL ERRORS ENCOUNTERED ***
*** FILE PROCESSED - MESSAGE LEVEL ERRORS ENCOUNTERED ***
*** FILE PROCESSED - MESSAGE LEVEL ERRORS ENCOUNTERED ***
```



**Error Detail: Input Sequence Report (IP857010-AA), banner page field descriptions**

| Field           | Description                                                                                                                          |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Run Date        | The date on which this report was produced.                                                                                          |
| Page            | The page number within the report.                                                                                                   |
| File ID         | The logical file ID of the customer-generated file to which the data in this report pertains.                                        |
| Processing Mode | Type of processing (Production or Test) to be performed on this file.                                                                |
| Description     | A detailed description of the error encountered, or if no errors are encountered, the literal FILE PROCESSED: NO ERRORS ENCOUNTERED. |

## Error Detail: Input Sequence Report (IP857010-AA), File Level Reject, page 2

[illegible]

**Error Detail: Input Sequence Report (IP857010-AA), File Level Reject, page 2 field descriptions**

| Field                 | Description                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Run Date              | The date on which this report was produced.                                                                                                       |
| Page                  | The page number within the report.                                                                                                                |
| File ID               | The logical file ID of the customer-generated file to which the data in this report pertains.                                                     |
| Processing Mode       | Type of processing (Production or Test) performed on this file.                                                                                   |
| Error Code            | A unique code (established by Mastercard) that identifies the type of error encountered.                                                          |
| Description           | A detailed description of the error encountered.                                                                                                  |
| Source Message Number | Number of the original message that contains the error, from DE 71 (Message Number).                                                              |
| Element ID            | The number of the data element or private data subelement causing the error condition.                                                            |
| Invalid Data          | (Does not print for file level rejects).                                                                                                          |
| File Information      | If parseable, contains up to the first 200 positions of data in a reject of an entire file (This information prints only for file-level rejects). |

### Error Detail: Input Sequence Report (IP857010-AA), Message Level Reject, page 3

```

1-----10-----20-----30-----40-----50-----60-----70-----80-----90-----100-----110-----120-----130-----
IP857010-AA                                RUN DATE YYYY-MM-DD
                                           PAGE 03

FILE ID: XX/YYY-MM-DD/XXXXXXXXXX/9999
PROCESSING MODE: X

SOURCE MESSAGE #: 99999999 SOURCE AMOUNT: 999,999,999,999
MTI-FUNCTION CODE: 9999-999 SOURCE CURRENCY: XXX

ERROR CODE DESCRIPTION MESSAGE # ELEMENT ID INVALID DATA
9999 XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
MESSAGE DETAILS
MTI 1442
D0002 D0003 S01 00 5999999999999999999
D0003 S02 00
D0003 S03 00
D0004 000000046901
D0012 S01 011015
D0012 S02 000000
D0024 450
*D0025 4801
D0026 5947
D0030 S01 000000368000
D0030 S02 000000000000
D0031 S01 75
D0031 S02 99999
D0031 S03 9999
D0031 S04 99999999999
D0031 S05 9
D0033 009999
D0038 033928
D0042 53025341007
INDUSTRIAS COBAR
GUATEMALA
D0043 S01
D0043 S02
D0043 S03
D0043 S04
D0043 S05
D0043 S06
D0049
D0063 S01
D0063 S02
D0071
D0072 NO RECEIVE DOCTOS

```

Error Detail: Input Sequence Report (IP857010-AA), continuation of page 3

|   |              |       |            |              |            |              |            |              |         |         |         |          |          |          |       |
|---|--------------|-------|------------|--------------|------------|--------------|------------|--------------|---------|---------|---------|----------|----------|----------|-------|
| 1 | -----10----- | D0092 | 003939     | -----20----- | 003939     | -----40----- | 003939     | -----60----- | 70----- | 80----- | 90----- | 100----- | 110----- | 120----- | 130-- |
|   |              | D0094 | 003939     |              | 003939     |              | 003939     |              |         |         |         |          |          |          |       |
|   |              | D0095 | 9939393939 |              | 9939393939 |              | 9939393939 |              |         |         |         |          |          |          |       |
|   |              | F0148 | S01        |              | M3         |              | 840        |              |         |         |         |          |          |          |       |
|   |              | F0148 | S02        |              | 2          |              |            |              |         |         |         |          |          |          |       |
|   |              | F0149 | S01        |              | 320        |              |            |              |         |         |         |          |          |          |       |
|   |              | F0149 | S02        |              | 000        |              |            |              |         |         |         |          |          |          |       |
|   |              | F0158 | S01        |              |            |              |            |              |         |         |         |          |          |          |       |
|   |              | F0158 | S02        |              |            |              |            |              |         |         |         |          |          |          |       |
|   |              | F0158 | S03        |              |            |              |            |              |         |         |         |          |          |          |       |
|   |              | F0158 | S04        |              | 75         |              |            |              |         |         |         |          |          |          |       |
|   |              | F0158 | S05        |              | M          |              |            |              |         |         |         |          |          |          |       |
|   |              | F0191 | S01        |              | 1          |              |            |              |         |         |         |          |          |          |       |
|   |              | F0262 |            |              | 1          |              |            |              |         |         |         |          |          |          |       |
|   |              | F0800 | S01        |              | 661        |              |            |              |         |         |         |          |          |          |       |
|   |              | F0800 | S02        |              | 001409     |              |            |              |         |         |         |          |          |          |       |
|   |              | F0805 | S01        |              | 1          |              |            |              |         |         |         |          |          |          |       |
|   |              | F0805 | S02        |              | 01         |              |            |              |         |         |         |          |          |          |       |
|   |              | F0805 | S03        |              | 1          |              |            |              |         |         |         |          |          |          |       |

Error Detail: Input Sequence Report (IP857010-AA), Message Level Reject, page 3 field descriptions

| Field    | Description                                 |
|----------|---------------------------------------------|
| Run Date | The date on which this report was produced. |
| Page     | The page number within the report.          |

| Field                 | Description                                                                                                                                                                                          |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| File ID               | The logical file ID of the customer-generated file to which the data in this report pertains.                                                                                                        |
| Processing Mode       | Type of processing (Production or Test) performed on this file.                                                                                                                                      |
| Source Message Number | Number of the original message that contains the error, from DE 71 (Message Number).                                                                                                                 |
| Source Amount         | Monetary amount of the rejected message. For messages without a DE 4 (Amount, Transaction) value (for example, retrieval fee billing or financial detail addendum messages), the field will be zero. |
| MTI-Function Code     | The <a href="#">Message Type Identifier (MTI)</a> and the DE 24 (Function Code) value associated with the rejected message.                                                                          |
| Source Currency       | The alphabetic currency code associated with the monetary amount.                                                                                                                                    |
| Error Code            | A unique code (established by Mastercard) that identifies the type of error encountered.                                                                                                             |
| Description           | A detailed description of the error encountered.                                                                                                                                                     |
| Source Message Number | Number of the original message that contains the error, from DE 71 (Message Number).                                                                                                                 |
| Element ID            | The number of the data element or private data subelement causing the error condition.                                                                                                               |
| Invalid Data          | Listing of the contents of the data element or private data subelement in error, within the rejected message (This information prints only for message level rejects).                               |
| Message Details       | Details about the message.                                                                                                                                                                           |

**Error Detail: Input Sequence Report (IP857010-AA), Message Level Reject, page 3 (alternate)**

[illegible]

**Error Detail: Input Sequence Report (IP857010-AA), Message Level Reject, page 3  
(alternate) field descriptions**

| <b>Field</b>          | <b>Description</b>                                                                                                                                                     |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Run Date              | The date on which this report was produced.                                                                                                                            |
| Page                  | The page number within the report.                                                                                                                                     |
| File ID               | The logical file ID of the customer-generated file to which the data in this report pertains.                                                                          |
| Processing Mode       | Type of processing (Production or Test) performed on this file.                                                                                                        |
| Error Code            | A unique code (established by Mastercard) that identifies the type of error encountered.                                                                               |
| Description           | A detailed description of the error encountered.                                                                                                                       |
| Source Message Number | Number of the original message that contains the error, from DE 71 (Message Number).                                                                                   |
| Element ID            | The number of the data element or private data subelement causing the error condition.                                                                                 |
| Invalid Data          | Listing of the contents of the data element or private data subelement in error, within the rejected message (This information prints only for message level rejects). |
| Message Unparseable   | Contains up to the first 200 positions of the rejected message when the Dual Message Clearing System cannot parse the message into elements.                           |



Error Detail: Input Sequence Report (IP857010-AA), Message Level Reject, page 4

|                                                                                                                                                                              |  |  |  |  |  |  |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| -----10-----+-----20-----+-----30-----+-----40-----+-----50-----+-----60-----+-----70-----+-----80-----+-----90-----+-----100-----+-----110-----+-----120-----+-----130----- |  |  |  |  |  |  |  |  |  |
| IP857010-AA                                                                                                                                                                  |  |  |  |  |  |  |  |  |  |
| MASTERCARD WORLDWIDE                                                                                                                                                         |  |  |  |  |  |  |  |  |  |
| ERROR DETAIL - INPUT SEQUENCE                                                                                                                                                |  |  |  |  |  |  |  |  |  |
| MESSAGE LEVEL REJECT                                                                                                                                                         |  |  |  |  |  |  |  |  |  |
| YYYY-MM-DD                                                                                                                                                                   |  |  |  |  |  |  |  |  |  |
| RUN DATE YYYY-MM-DD                                                                                                                                                          |  |  |  |  |  |  |  |  |  |
| PAGE 04                                                                                                                                                                      |  |  |  |  |  |  |  |  |  |
| ILE ID: XXX/YYYY-MM-DD/XXXXXXXXXXXX/99999                                                                                                                                    |  |  |  |  |  |  |  |  |  |
| PROCESSING MODE: X                                                                                                                                                           |  |  |  |  |  |  |  |  |  |
| MESSAGE TYPE                                                                                                                                                                 |  |  |  |  |  |  |  |  |  |
| REGULAR                                                                                                                                                                      |  |  |  |  |  |  |  |  |  |
| FINANCIAL DETAIL                                                                                                                                                             |  |  |  |  |  |  |  |  |  |
| NON-FINANCIAL DETAIL                                                                                                                                                         |  |  |  |  |  |  |  |  |  |
| UNRECOGNIZABLE DETAIL                                                                                                                                                        |  |  |  |  |  |  |  |  |  |
| CURRENCY                                                                                                                                                                     |  |  |  |  |  |  |  |  |  |
| XXX                                                                                                                                                                          |  |  |  |  |  |  |  |  |  |
| AMOUNT                                                                                                                                                                       |  |  |  |  |  |  |  |  |  |
| XXXXXXXXXXXXXXXXXXXX                                                                                                                                                         |  |  |  |  |  |  |  |  |  |
| COUNT                                                                                                                                                                        |  |  |  |  |  |  |  |  |  |
| XXXXXXXXXX                                                                                                                                                                   |  |  |  |  |  |  |  |  |  |
| NON-FINANCIAL DETAIL                                                                                                                                                         |  |  |  |  |  |  |  |  |  |
| UNRECOGNIZABLE DETAIL                                                                                                                                                        |  |  |  |  |  |  |  |  |  |
| COUNT                                                                                                                                                                        |  |  |  |  |  |  |  |  |  |
| XXXXXXXXXX                                                                                                                                                                   |  |  |  |  |  |  |  |  |  |
| ***END OF REPORT***                                                                                                                                                          |  |  |  |  |  |  |  |  |  |

**Error Detail: Input Sequence Report (IP857010-AA), Message Level Reject, page 4 field descriptions**

| Field                 | Description                                                                                                                                                  |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Run Date              | The date on which this report was produced.                                                                                                                  |
| Page                  | The page number within the report.                                                                                                                           |
| File ID               | The logical file ID of the customer-generated file to which the data in this report pertains.                                                                |
| Processing Mode       | Type of processing (Production or Test) performed on this file.                                                                                              |
| Message Type          | Identifies whether the message has a settlement indicator of settled by Mastercard, bilateral (not settled by Mastercard), or Global Collection Only.        |
| Financial Detail      | Identifies messages that have monetary impact.                                                                                                               |
| Non-Financial Detail  | Identifies messages that do not have monetary impact.                                                                                                        |
| Unrecognizable Detail | Identifies messages that cannot be parsed.                                                                                                                   |
| Currency              | The alphabetic currency code of the source currency.                                                                                                         |
| Amount                | The net total of the source monetary amount of the messages. Messages that do not include a DE 4 (Amount, Transaction) value are not included in this field. |
| Count                 | The total number of messages.                                                                                                                                |

## Dual Message Clearing System transaction and chargeback analysis reports

These tables and figures provide details about [Dual Message Clearing System](#) transaction and chargeback analysis reports, such as the bulk types through which they are transmitted, the versions in which they appear, and the descriptions of their fields.

The transaction and chargeback analysis reports include:

- Global Clearing Management System Transaction/Chargeback Analysis Report (IP776010-AA)
- Chargeback Activity Summary: Acquirer (IP776020-AA)
- Dollar/Volume Summary Report: Acquirer (IP776030-AA)

The Dual Message Clearing System uses the T783 (production) and T784 (test) bulk types to transmit these reports.

These three reports have three versions with the same layout.

### Report layouts

| Version... | Summarizes activity by...           |
|------------|-------------------------------------|
| -AA        | Acquirer                            |
| -BB        | Issuer                              |
| -CC        | Dual Message Clearing System totals |

Because the layouts are the same, the following samples show only the -AA version.

These reports are available in media types:

- Mastercard Network/Bulk
- Mastercard File Express
- CONNECT:Direct

To request these reports, contact your account manager or Mastercard Customer Implementation Services team.

Global Clearing Management System Transaction/Chargeback Analysis report (IP776010-AA)

|                                                                                                      |  |  |  |  |  |  |  |  |  |
|------------------------------------------------------------------------------------------------------|--|--|--|--|--|--|--|--|--|
| -----10-----20-----30-----40-----50-----60-----70-----80-----90-----100-----110-----120-----130----- |  |  |  |  |  |  |  |  |  |
| IP776010-RA                                                                                          |  |  |  |  |  |  |  |  |  |
| ORDER ID: 00000001002                                                                                |  |  |  |  |  |  |  |  |  |
| MERCE BANK & TRUST                                                                                   |  |  |  |  |  |  |  |  |  |
| MASTERCARD WORLDWIDE                                                                                 |  |  |  |  |  |  |  |  |  |
| GCMS TRANSACTION/CHARGEBACK ANALYSIS                                                                 |  |  |  |  |  |  |  |  |  |
| LIFE CYCLE VOLUME ANALYSIS - ACQUIRER                                                                |  |  |  |  |  |  |  |  |  |
| YEAR-TO-DATE FROM 01/01/02 THRU 05/31/02                                                             |  |  |  |  |  |  |  |  |  |
| PERIOD FROM 05/01/99 THRU 05/31/02                                                                   |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |
| -----                                                                                                |  |  |  |  |  |  |  |  |  |

### Report IP776010-AA field descriptions

| Field                                              | Description                                                                                                                                                                                  |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Report Name                                        | Constant; Value is always Mastercard Global Clearing Management System Transaction/Chargeback Analysis..                                                                                     |
| Report Number                                      | Constant; Value is always IP776010-AA.                                                                                                                                                       |
| Customer ID                                        | Received from the Dual Message Clearing System customer master file.                                                                                                                         |
| Customer Name                                      | Name of the customer associated with the above member ID.                                                                                                                                    |
| Report Subtitle                                    | Constant; Value is always Life Cycle Volume Analysis—Acquirer.                                                                                                                               |
| Run Date                                           | Current processing date.                                                                                                                                                                     |
| Page                                               | Incremental number starting at 1 for each new ICA number/customer ID.                                                                                                                        |
| Period From                                        | The specific beginning and end dates of the reporting month.                                                                                                                                 |
| Year-to-date                                       | Calendar year to date beginning with January through the current reporting month.                                                                                                            |
| Financial Detail Sent                              | Total number of First Presentments/1240-200.                                                                                                                                                 |
| Dollar Volume                                      | Total U.S. dollar amount of First Presentments/1240-200.                                                                                                                                     |
| First Chargeback Received                          | Total number of First Chargebacks/1442-450 (full) and 1442-453 (partial).                                                                                                                    |
| Chargeback Dollars                                 | Total U.S. dollar amount of 1442-450 (full) and 1442-453 (partial) messages.                                                                                                                 |
| Retrieval Reqst Recd                               | Total number of Retrieval Request/1644-603 messages.                                                                                                                                         |
| PCNT FNCL                                          | Value of the first Chargeback Received, Chargeback Dollars, and Retrieval Reqst Recd fields as a percentage of the total First Presentments/1240-200 messages sent/received by the customer. |
| PCNT Global Clearing Management System             | Value of fields 1 and 5 for the customer as compared with the total volume of corresponding activity processed by the Dual Message Clearing System for all customers (IP776010-CC report).   |
| Retrieval Volume                                   |                                                                                                                                                                                              |
| Retrieval ReqstRecd (by acquirer) Sent (by issuer) | Total number of Retrieval Request/1644-603 messages processed for Mastercom and manual (non-Mastercom) retrieval activity.                                                                   |
| Retrieval Volume                                   |                                                                                                                                                                                              |
| Fulfillments Sent                                  | Total number of fulfillments processed for Mastercom and manual (non-Mastercom) fulfillment activity.                                                                                        |

| Field                    | Description                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Retrieval Volume         |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| CgbkRecd                 | Total number of First Chargeback/1442-450 and 1442-453 messages sent/received. Both Mastercom and manual (non-Mastercom) chargeback activity is reported.                                                                                                                                                                                                                                                                        |
| vs Retvls Recd           | Total number of First Chargeback/1442-450 and 1442-453 messages as a percentage of total retrieval requests received (Retrieval Reqt Recd field). Percentages are shown in the report for Mastercom, manual (non-Mastercom), and total activity.                                                                                                                                                                                 |
| Reason Code              | Total number of First Chargeback/1442-450 and 1442-453 messages. Both Mastercom and manual (non-Mastercom) activity is reported.                                                                                                                                                                                                                                                                                                 |
| Retrieval Volume         |                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Retrvls Recd vs Fin Sent | Total number of Retr. Rqst. Rcd. (Retrieval Request/1644-603 messages) as a percentage of Financial Detail Sent (First Presentment/1240-200 messages) for Mastercom and manual (non-Mastercom) activity.                                                                                                                                                                                                                         |
| 1st Cgbk                 | <p>Number of 45-day, 120-day, and total First Chargeback/1442-450 (Full) and 1442-453 (Partial) messages for all reason codes received (by acquirer) or sent (by issuer).</p> <p><b>NOTE: Included in the 45-day count are transactions submitted with reason code, which are 60-day chargebacks, and included in the 120-day count are ATM transactions submitted with reason code 4859, which are 180-day chargebacks.</b></p> |
| 2nd Pres                 | Number of 45-day, 120-day, and Second Presentment/1240-205 (Full) for all <a href="#">reason codes</a> received (by issuer) or sent and 1240-282 (Partial) messages (by acquirer).                                                                                                                                                                                                                                               |
| Arbitration Chargeback   | Number of 45-day, 120-day, and total Arbitration Chargeback/1442-451(Full) and 1442-454 (Partial) messages for all reason codes received (by acquirer) or sent (by issuer).                                                                                                                                                                                                                                                      |
| Total Volume             | Number of all first chargeback, second presentment, and arbitration chargeback messages.                                                                                                                                                                                                                                                                                                                                         |
| Total                    | Total number of First Chargeback (1442-450 and 1442-453), Second Presentment (1240-205 and 1240-282), and Arbitration Chargeback (1442-451 and 1442-454) messages.                                                                                                                                                                                                                                                               |
| Average Ticket           | Total chargeback dollars divided by total chargeback volume. Total U.S. dollars can be derived by adding the net U.S. dollar amount for chargebacks and second presentments shown on the corresponding IP776030 Dollar Volume Summary report.                                                                                                                                                                                    |

Chargeback Activity Summary: Acquirer (IP776020-AA)

|                        |                                        |                   |                          |          |          |          |    |    |    |     |     |     |     |
|------------------------|----------------------------------------|-------------------|--------------------------|----------|----------|----------|----|----|----|-----|-----|-----|-----|
| 776020-AA              | 10                                     | 20                | 30                       | 40       | 50       | 60       | 70 | 80 | 90 | 100 | 110 | 120 | 130 |
| MEMBER ID: 00000001002 | RUN DATE: 01/31/01                     |                   |                          |          |          |          |    |    |    |     |     |     |     |
| MEMBER BANK & TRUST    | PAGE: 1                                |                   |                          |          |          |          |    |    |    |     |     |     |     |
|                        | MASTERCARD WORLDWIDE                   |                   |                          |          |          |          |    |    |    |     |     |     |     |
|                        | CCMS TRANSACTION/CHARGEBACK ANALYSIS   |                   |                          |          |          |          |    |    |    |     |     |     |     |
|                        | CHARGEBACK ACTIVITY SUMMARY - ACQUIRER |                   |                          |          |          |          |    |    |    |     |     |     |     |
|                        | PERIOD FROM 01/01/01 THRU 01/31/01     |                   |                          |          |          |          |    |    |    |     |     |     |     |
| PERSON CODE            | PERCENT OF CGBK                        | TOTAL CGBK VOLUME | TOTAL CGBK DOLLAR AMOUNT | 1ST CGBK | 2ND PRES | RRB CGBK |    |    |    |     |     |     |     |
| 4834                   | .571                                   | 4                 | \$210                    | 4        |          |          |    |    |    |     |     |     |     |
| 4837                   | .143                                   | 1                 | \$48                     | 1        |          |          |    |    |    |     |     |     |     |
| AND TOTAL              | 1.000                                  | 7                 | \$637                    | 7        |          |          |    |    |    |     |     |     |     |

### Report IP776020-AA field descriptions

| Field                   | Description                                                                                                                                                                                                           |
|-------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Report Name             | Constant; Value is always Mastercard Global Clearing Management System Transaction/Chargeback Analysis..                                                                                                              |
| Report Number           | Constant; Value is always IP776020-AA.                                                                                                                                                                                |
| Customer ID             | Received from the Dual Message Clearing System customer master file.                                                                                                                                                  |
| Customer Name           | Name of the customer associated with the above Customer ID.                                                                                                                                                           |
| Report Subtitle         | Constant; Value is always Chargeback Activity Summary–Acquirer.                                                                                                                                                       |
| Run Date                | Current processing date.                                                                                                                                                                                              |
| Page                    | Incremental number starting at 1 for each new ICA number/Customer ID.                                                                                                                                                 |
| Period From             | The specific beginning and end dates of the reporting month.                                                                                                                                                          |
| Reason Code             | All activity on this report is sorted by reason code. Reason codes 4834 and 4859 include both ATM and non-ATM activity. For a chargeback reason code, both Mastercom and manual (non-Mastercom) activity is reported. |
| Percent of Cgbk         | Percentage of Total Chargeback Volume (for reason code specified) to the grand total of total chargeback volume processed.                                                                                            |
| Total Cgbk Volume       | Total number of first chargebacks, second presentments, and arbitration chargebacks by reason code.                                                                                                                   |
| Total Cgbk DollarAmount | Total dollar amount of first chargebacks, second presentments, and arbitration chargebacks by reason code.                                                                                                            |
| 1st Cgbk                | Volume of First Chargeback/1442-450 (Full) and 1442–453 (Partial) messages.                                                                                                                                           |
| 2nd Pres                | Volume of Second Presentment/1240-205 (Full) and 1240-282 (Partial) messages.                                                                                                                                         |
| Arb Cgbk                | Volume of Arbitration Chargeback/1442-451 (Full) and 1442-454 (Partial) messages.                                                                                                                                     |
| Grand Total             | Grand totals for all chargeback, second presentment, and arbitration chargeback activity.                                                                                                                             |



Dollar/Volume Summary Report: Acquirer (IP776030-AA)

|                                          |  |  |  |  |  |  |  |  |  |
|------------------------------------------|--|--|--|--|--|--|--|--|--|
| 776030-AA                                |  |  |  |  |  |  |  |  |  |
| MEMO ID: 00000001002                     |  |  |  |  |  |  |  |  |  |
| MORCE BANK & TRUST                       |  |  |  |  |  |  |  |  |  |
| MASTERCARD WORLDWIDE                     |  |  |  |  |  |  |  |  |  |
| GCMS TRANSACTION/CHARGEBACK ANALYSIS     |  |  |  |  |  |  |  |  |  |
| DOLLAR/VOLUME SUMMARY - ACQUIRER         |  |  |  |  |  |  |  |  |  |
| PERIOD FROM 01/01/01 THRU 01/31/01       |  |  |  |  |  |  |  |  |  |
| YEAR-TO-DATE FROM 01/01/01 THRU 01/31/01 |  |  |  |  |  |  |  |  |  |
| RUN DATE: 01/31/01                       |  |  |  |  |  |  |  |  |  |
| PAGE: 1                                  |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |
|                                          |  |  |  |  |  |  |  |  |  |

### Report IP776030-AA field descriptions

| Field                             | Description                                                                                                                                                                                         |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Report Name                       | Constant; Value is always Mastercard Global Clearing Management System Transaction/Chargeback Analysis.                                                                                             |
| Report Number                     | Constant; Value is always IP776030-AA.                                                                                                                                                              |
| Customer ID                       | Received from the Dual Message Clearing System customer master file.                                                                                                                                |
| Report Subtitle                   | Constant; Value is always Dollar/Volume Summary: Acquirer.                                                                                                                                          |
| Run Date                          | Current processing date.                                                                                                                                                                            |
| Page                              | Incremental number starting at 1 for each new ICA number/customer ID.                                                                                                                               |
| Period From                       | The specific beginning and end dates of the reporting month.                                                                                                                                        |
| Year-to-date                      | Calendar year-to-date beginning with January through the current reporting month.                                                                                                                   |
| Transactions                      | The count of transactions.                                                                                                                                                                          |
| Dollar Amount                     | The dollar amount corresponding to the specified transactions.                                                                                                                                      |
| Financial Detail Debits           | Total number and associated dollar volume of First Presentment/1240-200 non-reversal debit messages.                                                                                                |
| Financial Detail Debit Reversals  | Total number and associated dollar volume of First Presentment/1240-200 reversal debit messages.                                                                                                    |
| Financial Detail Credits          | Total number and associated dollar volume of First Presentment/1240-200 non-reversal credit messages.                                                                                               |
| Financial Detail Credit Reversals | Total number and associated dollar volume of First Presentment/1240-200 credit reversal messages.                                                                                                   |
| * Net Total (Transactions)        | Debits + credits - debit reversals - credit reversals.                                                                                                                                              |
| * Net Total (Dollar Volume)       | Debits - credits - debit reversals + credit reversals.                                                                                                                                              |
| Chargeback Debits                 | Total number and associated dollar volume of non-reversal debit First Chargeback/1442-450 (Full) and 1442-453 (Partial) and Arbitration Chargeback/1442-451 (Full) and 1442-454 (Partial) messages. |
| Chargeback Debit Reversals        | Total number and associated dollar volume of reversal debit First Chargeback/1442-450 (Full) and 1442-453 (Partial), and Arbitration Chargeback/1442-451 (Full) and 1442-454 (Partial) messages.    |

| Field                                   | Description                                                                                                                                                                                          |
|-----------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Chargeback Credits                      | Total number and associated dollar volume of non-reversal credit First Chargeback/1442-450 (Full) and 1442-453 (Partial) and Arbitration Chargeback/1442-451 (Full) and 1442-454 (Partial) messages. |
| Chargeback Credit Reversals             | Total number and associated dollar volume of credit reversal First Chargeback/1442-450 (Full) and 1442-453 (Partial) and Arbitration Chargeback/1442-451 (Full) and 1442-454 (Partial) messages.     |
| Representment Debits                    | Total number and associated dollar volume of non-reversal debit Second Presentment/1240-205 (Full) and 1240-282 (Partial) messages.                                                                  |
| Representment Debit Reversals           | Total number and associated dollar volume of reversal debit Second Presentment/1240-205 (Full) and 1240-282 (Partial) messages.                                                                      |
| Representment Credits                   | Total number and associated dollar volume of non-reversal credit Second Presentment/1240-205 (Full) and 1240-282 (Partial) messages.                                                                 |
| Representment Credit Reversals          | Total number and associated dollar volume of reversal credit Second Presentment/1240-205 (Full) and 1240-282 (Partial) messages.                                                                     |
| Retrieval Requests                      | Total number and associated dollar volume of non-reversal Retrieval Request/1644-603 messages.                                                                                                       |
| Retrieval Request Reversals             | Total number and associated dollar volume of reversal Second presentment/1240-205 (Full) and 1240-282 (Partial) messages.                                                                            |
| Retrieval Request Fulfillments          | Total number and associated dollar volume of non-reversal Mastercom and manual (non-Mastercom) fulfillment activity.                                                                                 |
| Retrieval Request Fulfillment Reversals | Total number and associated dollar volume of reversal Mastercom and manual (non-Mastercom) fulfillment activity.                                                                                     |

## Optional service-related reports

Customers can sign up to receive reports for specific services.

This section describes the following reports:

- Acquirer Accepted Errors Detail Report - this report relates to [TES](#). For more information on TES, refer to the Mastercard Transaction Enablement Service section in [Services or products leveraging the system](#).
- Account Level Management (ALM) Reconciliation Data (IP755220-AA) - for more information on ALM, refer to the Account Level Management section in [Services or products leveraging the system](#).
- Acquirer-funded Reward Present Created on Behalf of a Customer Report (IP170010-AA)

- Issuer ICCR (IP830010) - for more information on [ICCR](#), refer to the ICCR section in [Services or products leveraging the system](#).
- Cross-Border Fee Manager service reports (IP830020) - for more information on Cross-Border Fee Manager service, refer to the Cross-Border Fee Manager service section in [Services or products leveraging the system](#).

## IP714010-AA - Acquirer Accepted Errors Detail Report

The [Transaction Enablement Service \(TES\)](#) is an optional service.

**NOTE: Currently, this service is only available for Brazil.**

TES aims to minimize clearing rejections due to edit validations by fixing these errors on behalf of acquirers, ensuring the integrity of the network by providing correct data to issuers based on Mastercard rules where possible.

If the [MCC](#) provided in DE 26 (Card Acceptor Business Code [MCC]) for domestic First Presentment/1240 messages submitted by the acquirer is not valid for the Merchant Tax ID provided in PDS 0220 (Brazil Merchant Tax ID), then Mastercard replaces it with a valid MCC to ensure that the transaction is not rejected with the Dual Message Clearing System error 3007.

All Dual Message acquirers in Brazil are automatically enrolled into the service, therefore there is no action acquirers need to take to benefit from the service.

The raw data file, IP714010-AA (Acquirer Accepted Errors Detail Report) transmitted within the existing TN70 (prod)/TN72 (test) bulk file types, contains reconciliation data for Transaction Enablement Service participants and is available to acquirers only by request through Customer Support.

The file contains the data elements and subelements adjusted by the Dual Message Clearing System. This file only contains data pertaining to First Presentment (1240-200) messages that cleared successfully.

This raw report date file can be differentiated by the header and trailer record of each report within the raw data bulk file.

The IRD field in this layout is not applicable for Brazil; therefore, the Original IRD field contains spaces. The Original MCC field applies to Brazil only.

### Header Record

| Field ID | Length | Comments           |
|----------|--------|--------------------|
| 1        | ans-17 | Value HIP714010-AA |
| 2        | n-11   | ICA                |
| 3        | n-07   | Endpoint           |

| Field ID | Length  | Comments         |
|----------|---------|------------------|
| 4        | ans-683 | Filler of spaces |

### Detail Record

| Field name                               | DE           | PDS | Subfield | Length | Starting position |
|------------------------------------------|--------------|-----|----------|--------|-------------------|
| D (Detail Record)                        | Static value |     |          | 1      | 1                 |
| Distribution ICA                         |              |     |          | 11     | 2                 |
| Message Type Indicator                   | MTI          |     |          | 4      | 13                |
| Primary Account Number (PAN)             | 2            |     |          | 19     | 17                |
| Processing Code (includes all subfields) | 3            |     | 1, 2, 3  | 6      | 36                |
| Amount, Transaction                      | 4            |     |          | 12     | 42                |
| Reconciliation Amount                    | 5            |     |          | 12     | 54                |
| Reconciliation Conversation Rate         | 9            |     |          | 8      | 66                |
| Date and Time, Local Transaction         | 12           |     |          | 12     | 74                |
| Point of Service Data Code               | 22           |     | 1-12     | 12     | 86                |
| Function Code                            | 24           |     |          | 3      | 98                |
| Message Reason Code                      | 25           |     |          | 4      | 101               |
| Acceptor Business Code                   | 26           |     |          | 4      | 105               |
| Original Amount, Transaction             | 30           |     | 1        | 12     | 109               |

| Field name                                           | DE | PDS  | Subfield   | Length | Starting position |
|------------------------------------------------------|----|------|------------|--------|-------------------|
| Acquirer Reference Data                              | 31 |      |            | 23     | 121               |
| Approval Code                                        | 38 |      |            | 6      | 144               |
| Service Code                                         | 40 |      |            | 3      | 150               |
| Card Acceptor Terminal ID                            | 41 |      |            | 8      | 153               |
| Card Acceptor ID Code                                | 42 |      |            | 15     | 161               |
| Card Acceptor Name and location                      | 43 |      | 1, 2, 3    | 83     | 176               |
| Card Acceptor post Code                              | 43 |      | 4          | 10     | 259               |
| Card Acceptor State, Province, or Region Code        | 43 |      | 5          | 3      | 269               |
| Card Acceptor Country Code                           | 43 |      | 6          | 3      | 272               |
| Global Clearing Management System Product Identifier |    | 0002 |            | 3      | 275               |
| Licensed Product Identifier                          |    | 0003 |            | 3      | 278               |
| Terminal Type                                        |    | 0023 |            | 3      | 281               |
| Message Reversal Indicator                           |    | 0025 | 1          | 1      | 284               |
| Electronic Commerce Security Level Indicator         |    | 0052 | 1, 2, 3    | 3      | 285               |
| File ID                                              |    | 0105 | 1, 2, 3, 4 | 25     | 288               |
| Fee Type Code                                        |    | 0146 | 1          | 2      | 313               |
| Fee Processing Code                                  |    | 0146 | 2          | 2      | 315               |

| Field name                                 | DE | PDS  | Subfield | Length | Starting position |
|--------------------------------------------|----|------|----------|--------|-------------------|
| Fee Settlement Indicator                   |    | 0146 | 3        | 2      | 317               |
| Currency Code                              |    | 0146 | 4        | 3      | 319               |
| Amounts, Transaction Fee                   |    | 0146 | 5        | 12     | 322               |
| Currency Code Fee Reconciliation           |    | 0146 | 6        | 3      | 334               |
| Amount Fee Reconciliation                  |    | 0146 | 7        | 12     | 337               |
| Extended: Fee Type Code                    |    | 0147 | 1        | 2      | 349               |
| Extended: Fee Processing Code              |    | 0147 | 2        | 2      | 351               |
| Extended: Fee Settlement Indicator         |    | 0147 | 3        | 2      | 353               |
| Extended: Currency Code, Fee               |    | 0147 | 4        | 3      | 355               |
| Extended: Interchange Amount, Fee          |    | 0147 | 5        | 18     | 358               |
| Extended: Currency Code, Recon.            |    | 0147 | 6        | 3      | 376               |
| Extended: Interchange Amount, Fee, Recon.  |    | 0147 | 7        | 18     | 379               |
| Currency Exponents                         |    | 0148 | 1, 2     | 4      | 397               |
| Currency Code, Original Transaction Amount |    | 0149 | 1        | 3      | 401               |
| Card Program Identifier                    |    | 0158 | 1        | 3      | 404               |

| Field name                                      | DE | PDS  | Subfield | Length | Starting position |
|-------------------------------------------------|----|------|----------|--------|-------------------|
| Business Service Arrangement Type Code          |    | 0158 | 2        | 1      | 407               |
| Business Service ID Code                        |    | 0158 | 3        | 6      | 408               |
| Interchange Rate Designator                     |    | 0158 | 4        | 2      | 414               |
| Central Site Business Date                      |    | 0158 | 5        | 6      | 416               |
| Business Cycle                                  |    | 0158 | 6        | 2      | 422               |
| Card Acceptor Classification Override Indicator |    | 0158 | 7        | 1      | 424               |
| Product Class Override Indicator                |    | 0158 | 8        | 3      | 425               |
| Corporate Incentive Rates Apply Indicator       |    | 0158 | 9        | 1      | 428               |
| Special Conditions Indicator                    |    | 0158 | 10       | 1      | 429               |
| Mastercard Assigned ID Override Indicator       |    | 0158 | 11       | 1      | 430               |
| ALM Account Category Code                       |    | 0158 | 12       | 1      | 431               |
| Rate Indicator                                  |    | 0158 | 13       | 1      | 432               |
| MasterPass Incentive Indicator                  |    | 0158 | 14       | 1      | 433               |
| Settlement Service Transfer Agent ID            |    | 0159 | 1        | 11     | 434               |



| Field name                                           | DE | PDS  | Subfield | Length | Starting position |
|------------------------------------------------------|----|------|----------|--------|-------------------|
| Settlement<br>Service Transfer<br>Agent Account      |    | 0159 | 2        | 28     | 445               |
| Settlement<br>Service Level<br>Code                  |    | 0159 | 3        | 1      | 473               |
| Settlement<br>Service ID Code                        |    | 0159 | 4        | 10     | 474               |
| Settlement<br>Foreign<br>Exchange Rate<br>Class Code |    | 0159 | 5        | 1      | 484               |
| Reconciliation<br>Date                               |    | 0159 | 6        | 6      | 485               |
| Reconciliation<br>Cycle                              |    | 0159 | 7        | 2      | 491               |
| Settlement<br>Date                                   |    | 0159 | 8        | 6      | 493               |
| Settlement<br>Cycle                                  |    | 0159 | 9        | 2      | 499               |
| Transaction<br>Currency Code                         | 49 |      |          | 3      | 501               |
| Reconciliation<br>Currency Code                      | 50 |      |          | 3      | 504               |
| Additional<br>Amount                                 | 54 |      |          | 20     | 507               |
| Trace ID                                             | 63 |      | 2        | 15     | 527               |
| Transaction<br>Destination<br>Institution ID<br>Code | 93 |      |          | 11     | 542               |
| Transaction<br>Originator<br>Institution ID<br>Code  | 94 |      |          | 11     | 553               |
| Data Record                                          | 72 |      |          | 100    | 564               |

| Field name                                    | DE | PDS  | Subfield | Length | Starting position |
|-----------------------------------------------|----|------|----------|--------|-------------------|
| Digital Wallet Interchange Override Indicator |    | 0158 | 15       | 1      | 664               |
| Currency Conversion Date                      |    | 0015 | 1        | 6      | 665               |
| Currency Conversion Indicator                 |    | 0015 | 2        | 1      | 671               |
| Original MCC                                  | 26 |      |          | 4      | 672               |
| Original IRD                                  |    | 0158 | 4        | 2      | 676               |
| Accepted Error Numbers                        |    | 0005 | 3        | 40     | 678               |

#### Trailer Record

| Field ID | Length  | Comments                     |
|----------|---------|------------------------------|
| 1        | ans-17  | Value of TIP714010-AA        |
| 2        | n-11    | ICA                          |
| 3        | n-07    | Endpoint                     |
| 4        | n-12    | Total of detail records only |
| 5        | ans-671 | Filler of spaces             |

## IP755140-AA-Clearing Interchange Enhancement Reconciliation Report

The Clearing Interchange Enhancement Reconciliation Data Report (IP755140-AA) is offered to acquirers to use in conjunction with the Clearing Detail Report (IP755120-AA) to help facilitate acquirer reconciliation. Customers can sign up for this report delivered within bulk files TN70 (Production) and TN72 (Test).

The IP755140-AA report contains specific details of clearing messages in which the acquirer-provided IRD in PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) is different than the IRD derived by the clearing system.

The report is generated and sent after each clearing cycle, including cycle seven.

The following tables contain record layouts for the header, detail, and trailer records within the TN70 and TN72 bulk files. The trailer record contains only the total number of detail records for the given ICA. The header and trailer records are not included in this total. These records include the GCMS Report ID, which will be IP755140-AA. For the corresponding data element (DE) and PDS details, refer to the *Mastercard Network Processing Dual Message Clearing System Guide*.

### Header record

| Field ID | Length | Comments           |
|----------|--------|--------------------|
| 1        | ans-17 | Value HIP755140-AA |
| 2        | n-11   | ICA                |
| 3        | n-07   | Endpoint           |

### Detail record

| Field name                               | DE           | PDS  | Subfield   | Length | Starting position |
|------------------------------------------|--------------|------|------------|--------|-------------------|
| D (Detail Record)                        | static value |      |            | 1      | 1                 |
| Distribution ICA                         |              |      |            | 11     | 2                 |
| Amount, Transaction                      | 4            |      |            | 12     | 13                |
| Amount, Reconciliation                   | 5            |      |            | 12     | 25                |
| Date and Time, Local Transaction         | 12           |      |            | 12     | 37                |
| Acquirer Reference Data                  | 31           |      |            | 23     | 49                |
| File ID                                  |              | 0105 | 1, 2, 3, 4 | 25     | 72                |
| Amount Fee Reconciliation                |              | 0146 | 7          | 12     | 97                |
| Extended: Interchange Amount, Fee, Recon |              | 0147 | 7          | 18     | 109               |
| Card Program Identifier                  |              | 0158 | 1          | 3      | 127               |

| Field name                                                               | DE  | PDS  | Subfield | Length | Starting position |
|--------------------------------------------------------------------------|-----|------|----------|--------|-------------------|
| Business Service Arrangement Type Code                                   |     | 0158 | 2        | 1      | 130               |
| Business Service ID Code                                                 |     | 0158 | 3        | 6      | 131               |
| IRD submitted by the acquirer                                            |     | 0158 | 4        | 2      | 137               |
| Enriched IRD (derived by Mastercard Transaction Enablement: Interchange) |     | 0158 | 4        | 2      | 139               |
| Currency Code, Transaction                                               | 49  |      |          | 3      | 141               |
| Currency Code, Reconciliation                                            | 50  |      |          | 3      | 144               |
| Trace ID                                                                 | 63  |      | 2        | 15     | 147               |
| Transaction Link ID                                                      | 105 |      | 001      | 22     | 162               |

### Trailer record

| Field ID | Length | Comments                     |
|----------|--------|------------------------------|
| 1        | ans-17 | Value TIP755140-AA           |
| 2        | n-11   | ICA                          |
| 3        | n-07   | Endpoint                     |
| 4        | n-12   | Total of detail records only |

Mastercard sends the Clearing Detail File at the end of each clearing cycle for all activity in that clearing cycle.

**NOTE: If the Clearing Detail File Record does not contain data for the customer, then the customer receives only the header and trailer for the Clearing detail file.**

## IP755220-AA - Account Level Management (ALM) Reconciliation Data Report

The Account Level Management (ALM) Reconciliation Data Report is offered to acquirers to use with the Interchange Detail Report (IP755020-AA) and Clearing Detail Report (IP755120-AA) to facilitate acquirer reconciliation.

This report is generated and sent after each clearing cycle. Customers can sign up for this report delivered through bulk file TN70 (Production) and TN72 (Test).

The report (in the form of a raw data file) includes PDS 0275 (Account Level Management Service Data) and PDS 0276 (Fee Amounts, Additional), along with other [IPM](#) clearing data, and enables acquirers to match transaction records within their existing back-end systems or by matching the transactions records within the IP755020/IP755120 reports.

The IP755220-AA report contains records for any account range that participates in ALM, as well as ALM program/Business Service combinations that have migrated to the new ALM service. ALM transactions with the 'PAN not registered' service code or service errors are not included. Some processing conditions may create a record for transactions that did not have ALM interchange applied. Acquirers can determine if ALM interchange was applied to a transaction by referencing two PDS 0276 subfield values within the IP755220-AA records.

Per transaction, the new report contains the following Detail Record. For the corresponding data element and private data subelement, see the [Data element and private data subelement definitions and details](#) section.

### Header record

| Field ID | Length  | Comments             |
|----------|---------|----------------------|
| 1        | ans-17  | Value 'HIP755220-AA' |
| 2        | n-11    | ICA                  |
| 3        | n-07    | Endpoint             |
| 4        | ans-566 | Space filler         |

### Detail record

| Field Name        | DE           | PDS | Subfield | Length | Starting Position |
|-------------------|--------------|-----|----------|--------|-------------------|
| D (Detail Record) | Static Value |     |          | 1      | 1                 |
| Distribution ICA  |              |     |          | 11     | 2                 |

| Field Name                   | DE | PDS  | Subfield | Length | Starting Position |
|------------------------------|----|------|----------|--------|-------------------|
| Message Type Indicator (MTI) |    |      |          | 4      | 13                |
| Primary Account Number (PAN) | 2  |      |          | 19     | 17                |
| Transaction Amount           | 4  |      |          | 12     | 36                |
| Recon Amount                 | 5  |      |          | 12     | 48                |
| Function Code                | 24 |      |          | 3      | 60                |
| Acquirer Ref Data            | 31 |      |          | 23     | 63                |
| Transaction Currency         | 49 |      |          | 3      | 86                |
| Recon Currency               | 50 |      |          | 3      | 89                |
| Trace ID                     | 63 |      | 2        | 15     | 92                |
| GCMS Product ID              |    | 0002 |          | 3      | 107               |
| Licensed Product ID          |    | 0003 |          | 3      | 110               |
| Transaction Fee Amount       |    | 0146 |          | 36     | 113               |
| Extended Precision Amount    |    | 0147 |          | 48     | 149               |
| Central Site Busn Date       |    | 0158 | 5        | 6      | 197               |
| ALM Service Data             |    | 0275 |          | 15     | 203               |
| * Additional Fee Amounts     |    | 0276 |          | 384    | 218               |

**NOTE: \* PDS 0276 (Fee Amounts, Additional) provides all fee amounts associated with transactions that have processed for ALM. This private data subelement may accommodate one to eight fee amount occurrences. The Dual Message Clearing System populates PDS 0276 in the IP755220-AA detail record with all eight fee amounts and any unused occurrences are space filled.**

### Trailer record

| Field ID | Length  | Comments                     |
|----------|---------|------------------------------|
| 1        | ans-17  | Value of 'TIP755220-AA'      |
| 2        | n-11    | ICA                          |
| 3        | n-07    | Endpoint                     |
| 4        | n-12    | Total of detail records only |
| 5        | ans-554 | Space filler                 |

## IP170010-AA - Acquirer-funded Reward Presentments Created On Behalf of a Customer Report

The Reward Presentments Created on Behalf of a Customer Report (IP170010-AA) aids acquirers in reconciling promotions that are merchant-funded, providing acquirers with a recap of the merchant-funded promotions.

Acquirers can receive the consolidated clearing report, Acquirer-funded Reward Presentments Created on Behalf of a Customer Report (IP170010-AA):

- In each clearing cycle, and distributed as part of bulk type T140 (Production) and T150 (Test) only if the customer had activity.
- By transaction origination, customer reconciliation indicator (reward program ID), acceptor, and transaction currency.

When the program is the Merchant Partner Program, the report ID is IP702010-AA.

Totals are provided by transaction currency and reconciliation currency.

In addition to the Acquirer-funded Reward Presentments Created on Behalf of a Customer Report, the customer can request the text file or XML data file format:

- Text file: available in raw data, variable length version. The bulk types are TN70 (Production) and TN72 (Test) for outbound file delivery.
- XML Data file: available in variable length version. The bulk types are TN66 (Production) and TN68 (Test) for outbound file delivery.

## Consolidated on-request XML data file distribution

Customers who request a raw data file version of a report receive the data using default layouts.

### Default layouts

| Record Type | Field Name        | Field Format             | Field Value                                           |
|-------------|-------------------|--------------------------|-------------------------------------------------------|
| Header      | Filler            | PIC X(01)                | H                                                     |
|             | Distribution File | PIC X(16)                | IP170010-AA: when<br>Funds Transfer Fee<br>Collection |
|             | Member ID         | PIC X(11)                |                                                       |
|             | Endpoint          | PIC X(07)                |                                                       |
| Data        | Filler            | PIC X(01)                | D                                                     |
|             | Raw Data          | PIC X (varies by layout) | Contains raw data for<br>the distribution file        |
| Trailer     | Filler            | PIC X(01)                | T                                                     |
|             | Distribution File | PIC X(16)                | IP170010-AA: when<br>Funds Transfer Fee<br>Collection |
|             | Member ID         | PIC X(11)                |                                                       |
|             | Endpoint          | PIC X(07)                | IP702010-AA: when<br>Merchant Partner<br>Program      |
|             | Count             | PIC X(12)                |                                                       |
|             |                   |                          | Count of raw data<br>records                          |

### Raw data layout

| Distribution File | Raw Data Format | Field             |
|-------------------|-----------------|-------------------|
| IP170010-AA       | FILLER          | PIC X(01) VALUE D |



| Distribution File | Raw Data Format        | Field             |
|-------------------|------------------------|-------------------|
|                   | TRAN-ORIG              | PIC X(11)         |
|                   | FILE-ID                | PIC X(25)         |
|                   | ACCEPTOR               | PIC X(15)         |
|                   | REWARD-PGM             | PIC X(11)         |
|                   | MTI                    | PIC X(04)         |
|                   | FUNC-CD                | PIC X(03)         |
|                   | PROC-CD                | PIC X(02)         |
|                   | TRAN-AMT               | PIC 9(12)         |
|                   | TRAN-CR-DR-IND         | PIC X(02)         |
|                   | TRAN-CUR               | PIC X(03)         |
|                   | RECON-AMT              | PIC 9(12)         |
|                   | RECON-CR-DR-IND        | PIC X(02)         |
|                   | FEE-IN-RECON-CUR       | PIC 9(12)         |
|                   | FEE-IN-RECON-CR-DR-IND | PIC X(02)         |
|                   | FEE-IN-CALC-CUR        | PIC 9(12)         |
|                   | FEE-CALC-CUR           | PIC X(03)         |
|                   | FEE-IN-CALC-CR-DR-IND  | PIC X(02)         |
|                   | RECON-CUR              | PIC X(03)         |
|                   | TRAN-DEST              | PIC X(11)         |
|                   | CARD-PGM-ID            | PIC X(03)         |
| IP1702010-AA      | FILLER                 | PIC X(01) VALUE D |

| Distribution File | Raw Data Format    | Field     |
|-------------------|--------------------|-----------|
|                   | MTI                | PIC X(04) |
|                   | FUNC-CD            | PIC X(03) |
|                   | PRIM-ACCT-NO       | PIC X(19) |
|                   | PROC-CD            | PIC X(02) |
|                   | TRANS-DATE         | PIC X(06) |
|                   | ACQ-REF-NO         | PIC X(23) |
|                   | IRD                | PIC X(02) |
|                   | FUNDS-DIRECTION    | PIC X(02) |
|                   | AMOUNT-RECON-FEE   | PIC X(12) |
|                   | CURRENCY-RECON-FEE | PIC X(03) |
|                   | EXPONENT-RECON-FEE | PIC X(01) |
|                   | AMOUNT-TRANS-FEE   | PIC 9(12) |
|                   | CURRENCY-TRANS-FEE | PIC X(03) |
|                   | EXPONENT-TRANS-FEE | PIC X(01) |

**NOTE:**

Customers that request an XML data file version of a report receive the same data as above but in XML format.

For customers that elect to receive the text file, when no data is present, the file consists of a header and trailer record with zero (0) for the record count.

## IP830010 - Issuer ICCR Report

Issuers participating in the [ICCR](#) service can choose to receive daily audit report files that align with each clearing cycle from the Dual Message Clearing System.

This audit report is transmitted within the existing TN70 (prod)/TN72 (test) bulk file types and is available for the clearing transactions for which the ICCR calculation was performed.

## Bulk File TN70 On Request Report Data File Transfer raw format

### Header record

| Field ID | Length | Comments          |
|----------|--------|-------------------|
| 1        | an-17  | Value 'HIP830010' |
| 2        | an-11  | ICA               |
| 3        | an-07  | Endpoint          |

### Detail record

| Field ID | Length | Comments                         |
|----------|--------|----------------------------------|
| 1        | a-01   | Value 'D'                        |
| 2        | an-11  | ICA                              |
| 3        | an-04  | MTI Code                         |
| 4        | an-03  | Function Code                    |
| 5        | an-08  | Processing Date                  |
| 6        | an-19  | PAN                              |
| 7        | n-02   | Process Code                     |
| 8        | n-11   | Issuer ICA                       |
| 9        | an-01  | Reversal Indicator               |
| 10       | an-03  | Filler                           |
| 11       | an-06  | Transaction Date                 |
| 12       | an-04  | Transaction Time                 |
| 13       | an-03  | Merchant Country Code            |
| 14       | an-09  | Banknet Reference Number         |
| 15       | n-12   | Transaction Amount               |
| 16       | an-03  | Transaction Currency Code        |
| 17       | an-01  | Transaction Currency Exponent    |
| 18       | n-12   | Reconciliation Amount            |
| 19       | an-03  | Reconciliation Currency Code     |
| 20       | an-01  | Reconciliation Currency Exponent |

| Field ID | Length | Comments                             |
|----------|--------|--------------------------------------|
| 21       | an-12  | Cardholder Billing Amount            |
| 22       | an-03  | Cardholder Billing Currency Code     |
| 23       | an-01  | Cardholder Billing Currency Exponent |
| 24       | an-08  | Filler                               |
| 25       | n-12   | ICCR Amount                          |
| 26       | n-15   | ICCR Rate                            |

#### Trailer record

| Field ID | Length | Comments                     |
|----------|--------|------------------------------|
| 1        | an-17  | Value of 'TIP830010'         |
| 2        | an-11  | ICA                          |
| 3        | an-07  | Endpoint                     |
| 4        | an-12  | Total of detail records only |

## IP830020 - Cross-Border Fee Manager service reports

Issuers participating in the Cross-Border Fee Manager service can choose to receive daily audit report files that align with each clearing cycle from the Dual Message Clearing System.

This audit report is transmitted within the existing TN70 (prod)/TN72 (test) bulk file types and is available for the clearing transactions for which the Cross-Border Fee Manager calculation was performed.

#### Header record

| Field ID | Length | Comments        |
|----------|--------|-----------------|
| 1        | an-17  | Value HIP830020 |
| 2        | an-11  | ICA             |
| 3        | an-07  | Endpoint        |

### Detail record

| Field ID | Length | Comments                                   |
|----------|--------|--------------------------------------------|
| 1        | a-01   | Value D                                    |
| 2        | an-11  | ICA                                        |
| 3        | an-04  | MTI Code                                   |
| 4        | an-03  | Function Code                              |
| 5        | an-08  | Processing Date                            |
| 6        | an-19  | Primary Account Number                     |
| 7        | n-02   | Process Code                               |
| 8        | n-11   | Issuer ICA                                 |
| 9        | an-01  | Reversal Indicator                         |
| 10       | an-03  | Filler                                     |
| 11       | an-06  | Transaction Date                           |
| 12       | an-04  | Transaction Time                           |
| 13       | an-03  | Merchant Country Code                      |
| 14       | an-09  | Banknet Reference Number                   |
| 15       | n-12   | Transaction Amount                         |
| 16       | an-03  | Transaction Currency Code                  |
| 17       | an-01  | Transaction Currency Exponent              |
| 18       | n-12   | Reconciliation Amount                      |
| 19       | an-03  | Reconciliation Currency Code               |
| 20       | an-01  | Reconciliation Currency Exponent           |
| 21       | an-12  | Cardholder Billing Amount                  |
| 22       | an-03  | Cardholder Billing Currency Code           |
| 23       | an-01  | Cardholder Billing Currency Exponent       |
| 24       | an-08  | Filler                                     |
| 25       | n-12   | Currency Conversion Method Amount (% Rate) |
| 26       | n-15   | Currency Conversion Method % Rate          |

| Field ID | Length | Comments                                       |
|----------|--------|------------------------------------------------|
| 27       | n-12   | Currency Conversion Method Amount (Fixed Rate) |
| 28       | n-12   | Currency Conversion Method Fixed Rate          |
| 29       | n-12   | Cross-Border Flex Method Amount (% Rate)       |
| 30       | n-15   | Cross-Border Flex Method % Rate                |
| 31       | n-12   | Cross-Border Flex Method Amount (Fixed Rate)   |
| 32       | n-12   | Cross Border Flex Method Fixed Rate            |
| 33       | n-12   | Cross-Border Cost Method Amount (% Rate)       |
| 34       | n-15   | Cross-Border Cost Method % Rate                |

Mastercard does not calculate a rate or amount if DE 22 (Point of Service [POS] Entry Mode)], subfield 6 (Card Present Data) contains value 9 (Unknown; data unavailable), but the transaction is included in report IP830020. This assists issuers with identification of why the markup was not applied.

### Trailer record

| Field ID | Length | Comments                     |
|----------|--------|------------------------------|
| 1        | an-17  | Value of TIP830020           |
| 2        | an-11  | ICA                          |
| 3        | an-07  | Endpoint                     |
| 4        | an-12  | Total of detail records only |

## Region-specific reports

This section discusses these region-specific reports:

- Interchange Detail Report
- Mexico RedMX scheme reports

## IP755020-AA - Interchange Detail Report

The Interchange Detail Report (IP755020-AA) is offered to acquirers in the Europe region and South Africa to comply with regulatory requirements by providing details regarding their fees, including the interchange amounts applied per transaction.

Customers can sign up for this report. This report is transmitted within the existing TN70 (prod) / TN72 (test) bulk file types.

The report (in the form of a raw data file) provides acquirers automated access to the following detailed information per transaction after each clearing cycle:

- [Primary Account Number \(PAN\)](#)
- Transaction and interchange amounts
- Interchange details including the interchange amount actually applied by the Dual Message Clearing System
- Merchant details
- Transaction identifiers to allow easy reconciliation with the acquirer's internal data
- PDS 0159: Settlement Data (Acquirer Settlement Data)

Per transaction, the report contains the following Detail Record. For the corresponding data element and private data subelement, refer to [Data element and private data subelement definitions and details](#).

The report uses fixed field lengths in fixed positions.

### Header record

| Field ID | Length | Comments             |
|----------|--------|----------------------|
| 1        | an-17  | Value 'HIP755020-AA' |
| 2        | an-11  | ICA                  |
| 3        | an-07  | Endpoint             |

### Detail record

| Field Name             | DE           | PDS | Subfield | Length | Starting Position |
|------------------------|--------------|-----|----------|--------|-------------------|
| D (Detail Record)      | static value |     |          | 1      | 1                 |
| Acquirer ICA           |              |     |          | 11     | 2                 |
| Message Type Indicator | MTI          |     |          | 4      | 13                |

| Field Name                                           | DE | PDS  | Subfield | Length | Starting Position |
|------------------------------------------------------|----|------|----------|--------|-------------------|
| PAN                                                  | 2  |      |          | 19     | 17                |
| Processing Code (includes all subfields)             | 3  |      | 1, 2, 3  | 6      | 36                |
| Amount, Transaction                                  | 4  |      |          | 12     | 42                |
| Reconciliation Amount                                | 5  |      |          | 12     | 54                |
| Date and Time, Local Transaction                     | 12 |      |          | 12     | 66                |
| Point of Service Data Code                           | 22 |      | 1-12     | 12     | 78                |
| Function Code                                        | 24 |      |          | 3      | 90                |
| Message Reason Code                                  | 25 |      |          | 4      | 93                |
| Acceptor Business Code                               | 26 |      |          | 4      | 97                |
| Acquirer Reference Data                              | 31 |      |          | 23     | 101               |
| Approval Code                                        | 38 |      |          | 6      | 124               |
| Service Code                                         | 40 |      |          | 3      | 130               |
| Acceptor Terminal ID                                 | 41 |      |          | 8      | 133               |
| Acceptor ID Code                                     | 42 |      |          | 15     | 141               |
| Acceptor Name and Location                           | 43 |      | 1, 2, 3  | 83     | 156               |
| Acceptor Post Code                                   | 43 |      | 4        | 10     | 239               |
| Global Clearing Management System Product Identifier |    | 0002 |          | 3      | 249               |
| Licensed Product Identifier                          |    | 0003 |          | 3      | 252               |



| Field Name                                   | DE | PDS  | Subfield | Length | Starting Position |
|----------------------------------------------|----|------|----------|--------|-------------------|
| Terminal Type                                |    | 0023 |          | 3      | 255               |
| Message Reversal Indicator                   |    | 0025 | 1        | 1      | 258               |
| Electronic Commerce Security Level Indicator |    | 0052 | 1, 2, 3  | 3      | 259               |
| File ID: File Reference Date                 |    | 0105 | 2        | 6      | 262               |
| Fee Type Code                                |    | 0146 | 1        | 2      | 268               |
| Fee Processing Code                          |    | 0146 | 2        | 2      | 270               |
| Fee Settlement Indicator                     |    | 0146 | 3        | 2      | 272               |
| Currency Code                                |    | 0146 | 4        | 3      | 274               |
| Amounts, Transaction Fee                     |    | 0146 | 5        | 12     | 277               |
| Currency Code Fee Reconciliation             |    | 0146 | 6        | 3      | 289               |
| Amount Fee Reconciliation                    |    | 0146 | 7        | 12     | 292               |
| Extended: Fee Type Code                      |    | 0147 | 1        | 2      | 304               |
| Extended: Fee Processing Code                |    | 0147 | 2        | 2      | 306               |
| Extended: Fee Settlement indicator           |    | 0147 | 3        | 2      | 308               |
| Extended: Currency Code, Fee                 |    | 0147 | 4        | 3      | 310               |
| Extended: Interchange Amount, Fee            |    | 0147 | 5        | 18     | 313               |

| Field Name                                         | DE | PDS  | Subfield | Length | Starting Position |
|----------------------------------------------------|----|------|----------|--------|-------------------|
| Extended:<br>Currency Code,<br>Fee, Recon.         |    | 0147 | 6        | 3      | 331               |
| Extended:<br>Interchange<br>Amount, Fee,<br>Recon. |    | 0147 | 7        | 18     | 334               |
| Currency<br>Exponents                              |    | 0148 | 1, 2     | 4      | 352               |
| Card Program<br>Identifier                         |    | 0158 | 1        | 3      | 356               |
| Business<br>Service<br>Arrangement<br>Type Code    |    | 0158 | 2        | 1      | 359               |
| Business<br>Service ID Code                        |    | 0158 | 3        | 6      | 360               |
| Interchange<br>Rate<br>Designator                  |    | 0158 | 4        | 2      | 366               |
| Central Site<br>Business Date                      |    | 0158 | 5        | 6      | 368               |
| Business Cycle                                     |    | 0158 | 6        | 2      | 374               |
| Acceptor<br>Classification<br>Override Ind.        |    | 0158 | 7        | 1      | 376               |
| Product Class<br>Override<br>Indicator             |    | 0158 | 8        | 3      | 377               |
| Corporate<br>Incentive Rates<br>Apply Indicator    |    | 0158 | 9        | 1      | 380               |
| Special<br>Conditions<br>Indicator                 |    | 0158 | 10       | 1      | 381               |
| Mastercard<br>Assigned ID<br>Override<br>Indicator |    | 0158 | 11       | 1      | 382               |

| Field Name                                  | DE | PDS  | Subfield | Length | Starting Position |
|---------------------------------------------|----|------|----------|--------|-------------------|
| ALM Account Category Code                   |    | 0158 | 12       | 1      | 383               |
| Rate Indicator                              |    | 0158 | 13       | 1      | 384               |
| MasterPass Incentive Indicator              |    | 0158 | 14       | 1      | 385               |
| Settlement Service Transfer Agent ID        |    | 0159 | 1        | 11     | 386               |
| Settlement Service Transfer Agent Account   |    | 0159 | 2        | 28     | 397               |
| Settlement Service Level Code               |    | 0159 | 3        | 1      | 425               |
| Settlement Service ID Code                  |    | 0159 | 4        | 10     | 426               |
| Settlement Foreign Exchange Rate Class Code |    | 0159 | 5        | 1      | 436               |
| Reconciliation Date                         |    | 0159 | 6        | 6      | 437               |
| Reconciliation Cycle                        |    | 0159 | 7        | 2      | 443               |
| Settlement Date                             |    | 0159 | 8        | 6      | 445               |
| Settlement Cycle                            |    | 0159 | 9        | 2      | 451               |
| Transaction Currency Code                   | 49 |      |          | 3      | 453               |
| Reconciliation Currency Code                | 50 |      |          | 3      | 456               |
| Additional Amount                           | 54 |      |          | 20     | 459               |
| Trace ID                                    | 63 |      | 2        | 15     | 479               |

| Field Name                                    | DE | PDS  | Subfield | Length | Starting Position |
|-----------------------------------------------|----|------|----------|--------|-------------------|
| Digital Wallet Interchange Override Indicator |    | 0158 | 15       | 1      | 494               |

#### Trailer record

| Field ID | Length | Comments                     |
|----------|--------|------------------------------|
| 1        | an-17  | Value of 'TIP755020-AA'      |
| 2        | an-11  | ICA                          |
| 3        | an-07  | Endpoint                     |
| 4        | n-12   | Total of detail records only |

One report is sent at the end of each clearing cycle for all activity in that clearing cycle. If no activity has occurred in a clearing cycle, then an empty report is sent with just a Header and a Trailer record.

The report includes:

- Purchase transactions
- Refund transactions
- ATM cash withdrawal transactions
- Manual cash disbursement transactions
- Purchase with cash back transactions
- Payment Transactions (including Gaming Payment Transactions and MoneySend Payment Transactions)
- Unique transactions
- Clearing reversals (if this is accurate)

Acquirers can choose between two versions.

- Version 1: Acquirer only activity
  - First presentments and reversals
  - Second presentments and reversals
- Version 2: Acquirer and Issuer activity
  - First presentments and reversals
  - Second presentments and reversals
  - First chargebacks and reversals

## Mexico RedMx Scheme reports

For information on the IP714870-AA Misc. Fees Inbound from MxDS and IP714880-AA Misc. Fees Outbound to MxDS reports, refer to the *Mexico Domestic Switching Acquirer Implementation Guide*.

## Summary of reports within raw data files

This section lists the reports contained within raw data files mentioned throughout this chapter.

### Text file available in raw data, variable length version

The bulk types are TN70 (Production) and TN72 (Test) for outbound file delivery. These are the text files:

- IP142110-AA - IPM Clearing Messages Created On Behalf of a Customer
- IP142520-AA - On Behalf Service Fee Collection
- IP148320-AA - Miscellaneous Override Financial Adjustments
- IP755120-AA - Clearing Detail
- IP714010-AA - Acquirer Accepted Errors Detail
- IP755220-AA - ALM Reconciliation Data
- IP170010-AA - Acquirer-funded Reward Present Created On Behalf
- IP702010-AA - Acquirer-funded Reward Present Created On Behalf
- IP830010 - Issuer ICCR
- IP830020 Issuer Cross-Border Fee
- IP755020-AA Acquirer Interchange Detail (Europe, South Africa)

### XML data file available in variable length version

The bulk types are TN66 (Production) and TN68 (Test) for outbound file delivery. These are the XML files:

- IP142110-AA - IPM Clearing Messages Created On Behalf of a Customer
- IP142520-AA - On Behalf Service Fee Collection
- IP148320-AA - Miscellaneous Override Financial Adjustments
- IP170010-AA - Acquirer-funded Reward Present Created On Behalf
- IP702010-AA - Acquirer-funded Reward Present Created On Behalf

## Chapter 9 Reconciliation

*This section describes the [Dual Message Clearing System](#) reconciliation messages and reports and how they can be used in the reconciliation process.*

---

|                                                                                         |      |
|-----------------------------------------------------------------------------------------|------|
| Overview.....                                                                           | 2043 |
| Options for reconciliation of clearing and settlement data.....                         | 2043 |
| IPM reconciliation messages for clearing and settlement data.....                       | 2044 |
| Reconciliation messages generated by the Dual Message Clearing System.....              | 2044 |
| Financial messages considered in reconciliation.....                                    | 2045 |
| Acknowledgment reconciliation messages created by the Dual Message Clearing System..... | 2045 |
| Notification reconciliation messages created by the Dual Message Clearing System.....   | 2046 |
| Reconciliation message totals.....                                                      | 2046 |
| List of optional reconciliation categories.....                                         | 2048 |
| Account range reconciliation category.....                                              | 2057 |
| Transaction function reconciliation category.....                                       | 2057 |
| Customer Reconciliation Indicator 1 reconciliation category.....                        | 2058 |
| Functionality in the reconciliation messages.....                                       | 2059 |
| File Currency Summary/1644-680 message.....                                             | 2060 |
| Financial Position Detail/1644-685 message.....                                         | 2061 |
| Choosing clearing reconciliation categories.....                                        | 2061 |
| Settlement Position Detail/1644-688 message.....                                        | 2064 |
| Choosing settlement reconciliation categories.....                                      | 2065 |
| Dual Message Clearing System reconciliation reports.....                                | 2066 |
| Accumulating reconciliation totals.....                                                 | 2069 |
| Early Reconciliation Service Overview.....                                              | 2071 |
| Early Reconciliation Service Enrollment.....                                            | 2072 |
| IPM reconciliation split.....                                                           | 2072 |
| Bilateral transactions in relation to reconciliation messages.....                      | 2073 |

## Overview

Reconciliation can be a two-part process. First, for customers signed up to receive the reconciliation messages, reconciliation helps ensure that individual transactions, both received or sent, sum up to the intended summary amount as reported in the reconciliation messages.

Second, individual transactions that have been processed (or the Settlement Position Detail/ 1644-688 records) are then matched to the settlement amount that Mastercard executes to the customer, as shown of the customer's Mastercard Settlement Advisement.

The following chapter discusses reconciliation messages, reconciliation reports, and early reconciliation:

- The first section of this chapter, [Options for reconciliation of clearing and settlement data](#), defines these three categories.
- The remainder of the chapter provides further details, including relevant private data subelements (PDSs), data elements (DEs), layouts, and examples.

**NOTE: Reconciliation messages accumulate only accepted financial activity.**

## Options for reconciliation of clearing and settlement data

The Dual Message Clearing System provides several options to assist customers with reconciling their clearing and settlement data:

- Reconciliation messages provide detail and summary information of the customer's clearing and settlement financial activity totals.
- Reconciliation reports provide detail and summary information of the customer's clearing and settlement financial activity totals.
- Early Reconciliation allows customers to receive errors and acknowledgment reconciliation messages earlier than clearing cycle cutoff.
- Reconciliation Utility allows customers to submit the contents of amount fields in individual customer outgoing and incoming Integrated Product Messages (IPMs).

Each option is available for customers depending on the type of financial transaction activity received.

### Options for reconciliation

| Option                  | Clearing financial data | Clearing settlement data |
|-------------------------|-------------------------|--------------------------|
| Reconciliation Messages | Yes                     | Yes                      |
| Reconciliation Reports  | Yes                     |                          |
| Early Reconciliation    | Yes                     | Yes                      |

| Option                 | Clearing financial data | Clearing settlement data |
|------------------------|-------------------------|--------------------------|
| Reconciliation Utility | Yes                     | Yes                      |

For more information about the Reconciliation Utility, refer to the *Clearing Optimizer: Mainframe* manual.

## IPM reconciliation messages for clearing and settlement data

### Reconciliation messages generated by the Dual Message Clearing System

Reconciliation messages are optional for customers and are generated for each clearing cycle in which there is applicable transaction data.

Reconciliation messages available to customers are:

- File Currency Summary/1644-680 message
- Financial Position Detail/1644-685 message
- Settlement Position Detail/1644-688 message

The [Dual Message Clearing System](#) generates these messages as an acknowledgment message, a notification message, or both, depending on the type of data being accumulated and the options elected by the customer.

The term "Detail" in the Financial Position Detail/1644-685 title means this message provides "detail" financial information about the transactions summarized in this message. In addition, while summarized amounts in reconciliation currency are provided in this reconciliation message, PDS 0359 (Settlement Activity) containing the settlement and money movement information (Transfer Agent, Settlement Service ID, and Settlement Date) is not provided in this message.

The term "Detail" in the Settlement Position Detail/1644-688 title means this message provides "detail" settlement and money movement information about the transactions summarized in this message, including PDS 0359.

The messages include a four-position DE 25 (Message Reason Code), which identifies it as either an acknowledgment or a notification reconciliation message.

#### Values and messages

| If DE 25 contains a value of... | Then this message is a...             |
|---------------------------------|---------------------------------------|
| 6861                            | Acknowledgment Reconciliation message |



| If DE 25 contains a value of... | Then this message is a...           |
|---------------------------------|-------------------------------------|
| 6862                            | Notification Reconciliation message |

Acknowledgment is a type of [IPM](#) reconciliation message confirming the sending customer's outbound activity that the Dual Message Clearing System processed.

Notification is a type of IPM reconciliation message confirming the receiving customer's inbound activity that the Dual Message Clearing System processed.

## Financial messages considered in reconciliation

Only some of the IPM messages available for customers have a financial impact on reconciliation.

Financial activity messages that contribute to reconciliation message amount totals are:

- First Presentment/1240-200
- First Chargebacks (Full)/1442-450
- First Chargebacks (Partial)/1442-453
- Second Presentment (Full)/1240-205
- Second Presentment (Partial)/1240-282
- Arbitration Chargeback (Full)/1442-451 (Mexico RedMX scheme only)
- Arbitration Chargeback (Partial)/1442-454 (Mexico RedMx scheme only)
- Fee Collection (Retrieval Fee Billing)/1740-700, and
- Fee Collection (Other)/1740-700, 1740-780, 1740-781, 1740-782, 1740-783: all cycles

## Acknowledgment reconciliation messages created by the Dual Message Clearing System

Customers may optionally choose to receive acknowledgment reconciliation messages based on the activity received by the Dual Message Clearing System from the customer.

Acknowledgment reconciliation messages accumulate only accepted financial activity.

If Mastercard receives clearing files from the customer, the Dual Message Clearing System creates acknowledgment reconciliation messages for the financial activity included in each customer's logical files. If the files contained only non-financial activity, no acknowledgment reconciliation messages are created.

The Dual Message Clearing System provides acknowledgment reconciliation messages for files sent in by each customer based on the customer's profile options.

Acknowledgment reconciliation messages contain the Dual Message Clearing System-calculated totals for accepted financial activity sent in by each customer.

### Clearing acknowledgment messages

| If Mastercard...                                      | And the files...                                                                                                                               | Then the Dual Message Clearing System...                                                        |
|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|
| Receives clearing files from the customer             | Do not contain financial clearing data (for example, if all messages between the file header and file trailer messages are retrieval requests) | Does not create acknowledgment financial and settlement reconciliation messages.                |
|                                                       | Contain financial clearing data                                                                                                                | Creates acknowledgment financial and settlement reconciliation messages for the financial data. |
| Does not receive any clearing files from the customer |                                                                                                                                                | Does not generate any acknowledgment messages.                                                  |

## Notification reconciliation messages created by the Dual Message Clearing System

The Dual Message Clearing System provides notification reconciliation messages for files sent to each customer based on the customer's profile options.

Notification reconciliation messages contain the Dual Message Clearing System-calculated totals for financial activity contained in files sent to each customer.

## Reconciliation message totals

Based on the reconciliation categories that the customer chooses, the Dual Message Clearing System includes the totals in the following private data subelements (PDSs) of the File Currency Summary/1640-680, Financial Position Detail/1644-685, or Settlement Position Detail/1644-688 messages.

Refer to the three columns to the right to determine when the private data subelements are mandatory (M) or conditional (C) within the 1644-680, 1644-685 and 1644-688 messages.

## Location of reconciliation totals

| PDS  | Will include reconciliation totals for...   | In...                                                                                                                                                                                                                                                            | Presence of this PDS in |                  |                  |
|------|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------|------------------|
|      |                                             |                                                                                                                                                                                                                                                                  | 1644-680 message        | 1644-685 message | 1644-688 message |
| 0360 | Reconciled, Transaction Sequence Identifier | This indicates that a split has occurred in the reconciliation total reported in reconciliation messages. The subfields indicate the sequence and the total number of message splits. See the <a href="#">IPM reconciliation split</a> section for more details. | C                       | C                | C                |
| 0380 | Debits, transaction amount                  | Transaction currency                                                                                                                                                                                                                                             | M                       | C                | N/A              |
| 0381 | Credits, transaction amount                 | Transaction currency                                                                                                                                                                                                                                             | M                       | C                | N/A              |
| 0384 | Amount, net transaction                     | Transaction currency                                                                                                                                                                                                                                             | M                       | C                | N/A              |
| 0390 | Debits, transaction amount                  | Reconciliation currency                                                                                                                                                                                                                                          | N/A                     | M                | M                |
| 0391 | Credits, transaction amount                 | Reconciliation currency                                                                                                                                                                                                                                          | N/A                     | M                | M                |
| 0392 | Debits, fee amounts                         | Reconciliation currency                                                                                                                                                                                                                                          | N/A                     | M                | M                |
| 0393 | Credits, fee amounts                        | Reconciliation currency                                                                                                                                                                                                                                          | N/A                     | M                | M                |
| 0394 | Amount, net transaction                     | Reconciliation currency                                                                                                                                                                                                                                          | N/A                     | M                | M                |
| 0395 | Amount, net fee                             | Reconciliation currency                                                                                                                                                                                                                                          | N/A                     | M                | M                |
| 0396 | Amount, net total                           | Reconciliation currency                                                                                                                                                                                                                                          | N/A                     | M                | M                |
| 0400 | Debits, transaction number                  | This is a record count of all bilateral, and Global Collection Only transactions settled by Mastercard.                                                                                                                                                          | M                       | M                | N/A              |
| 0401 | Credits, transaction number                 | This is a record count of all bilateral, and Global Collection Only transactions settled by Mastercard.                                                                                                                                                          | M                       | M                | N/A              |

| PDS  | Will include reconciliation totals for... | In...                                                                                                   | Presence of this PDS in |                  |                  |
|------|-------------------------------------------|---------------------------------------------------------------------------------------------------------|-------------------------|------------------|------------------|
|      |                                           |                                                                                                         | 1644-680 message        | 1644-685 message | 1644-688 message |
| 0402 | Total, transaction number                 | This is a record count of all bilateral, and Global Collection Only transactions settled by Mastercard. | M                       | M                | N/A              |

**NOTE:** The term "transaction amount" refers to DE 4 (Amount, Transaction) or DE 5 (Amount, Reconciliation), depending on the currency type indicated. The term "fee amounts" refers to PDS 0146 (Amounts, Transaction Fee). The term "Transaction currency" refers to DE 49 (Currency Code, Transaction). The term "Reconciliation currency" refers to DE 50 (Currency Code, Reconciliation).

## List of optional reconciliation categories

Customers may select or change these reconciliation categories by contacting their account manager or Mastercard Customer Implementation Specialist.

These definitions are used in the Types of reconciliation message categories table:

- Transactions cleared and settled by Mastercard: Financial activity from customer to customer, from customer to Mastercard, and from Mastercard to customer for which the Mastercard settlement system completes settlement.
- Bilateral transactions: Transactions submitted for clearing that Mastercard does not settle because customers settle them through an interface outside of the Mastercard settlement system. These transactions are reported only in transaction currency; they are not reported in reconciliation currency, because they are not settled through Mastercard.
- Global Collection Only transactions: On-Us or intraprocessor transactions that customers cleared and settled outside of the Mastercard Dual Message Clearing System. Customers send these transactions to the Dual Message Clearing System for reporting purposes only (Customers never receive notification reconciliation messages with Global Collection Only totals because the Dual Message Clearing System does not forward the Global Collection Only messages; therefore, only acknowledgment reconciliation messages are created). These transactions are reported only in transaction currency; they are not reported in reconciliation currency, because they are not settled through Mastercard.
- In addition, full business service selection does not occur on Global Collection Only. Therefore, the Global Collection Only transactions are reported within the lowest level card program identifier, business service type, and business service ID in common for both customers.

Customers that want to receive reconciliation totals for Mastercard settled, bilateral settlement, and Global Collection Only activity should request both the transaction currency option and the settlement indicator option for Financial Position Detail/1644-685 reconciliation messages to differentiate amount totals for each of these types of transactions.

**NOTE:** These values in the following table indicate the presence of each type of reconciliation message in the Financial Position Detail/1644-685 and Settlement Position Detail/1644-688 messages:

- **D - Default:** If the customer elects to receive reconciliation messages, this category is provided automatically.
- **O - Optional:** The category is not required but may be included at the customer's option.
- **R - Recommended:** Unless the customer specifies otherwise, this category is provided.

## Types of reconciliation message categories

| Reconciliation<br>Message<br>Category  | Provides Totals of<br>Reconciliation<br>Amounts by: | Additional Information about this<br>Reconciliation Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | Available for:          |     |                         |
|----------------------------------------|-----------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|-----|-------------------------|
|                                        |                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1644-685<br>Fin Pos Dtl |     | 1644-688<br>Smt Pos Dtl |
|                                        |                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Ack                     | Not | Ack/Not                 |
| 1 PDS 0300<br>(Reconciled, File<br>ID) | PDS 0105 (Sending<br>File ID)                       | <p>The file originator must create a unique File ID for each File Header/1644-697 message in and across transmissions. The file originator accomplishes this by using unique values in the file ID in each File Header/1644-697 message and corresponding File Trailer/1644-695 message. This value appears in PDS 0300 of the reconciliation message.</p> <p>The value provided in the customer acknowledgment messages identifies the file ID in PDS 0105 submitted by the customer.</p> <p><b>NOTE: Customers sending a full file reversal using the same file ID, within the same clearing, may receive reconciliation messages with amount totals that net to zero as a result of the original file and the reversal file processing in the same clearing.</b></p> <p>The value provided in the customer notification messages identifies the clearing cycle and the delivery cycle within the file ID in PDS 0105 sent to the customer.</p> <p>These values can be used for reconciliation to the Settlement Advisement totals.</p> | R                       | R   | D                       |

|                                                  |                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |                      | Available for: |                      |  |
|--------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------|----------------------|--|
| Reconciliation Message Category                  | Provides Totals of Reconciliation Amounts by:                                                                                                                                 | Additional Information about this Reconciliation Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 1644-685 Fin Pos Dtl |                | 1644-688 Smt Pos Dtl |  |
|                                                  |                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Ack                  | Not            | Ack/Not              |  |
| 2 PDS 0165 (Settlement Indicator)                | <ul style="list-style-type: none"> <li>Transactions cleared and settled by Mastercard</li> <li>Bilateral transactions</li> <li>Global Collection Only transactions</li> </ul> | <p>Each reconciliation message contains totals only for a single settlement indicator, not a combined total for transactions settled by Mastercard, bilateral transactions, and Global Collection Only transactions.</p> <p>The Dual Message Clearing System reports bilateral and Global Collection Only transactions only in transaction currency because they are not settled through Mastercard. The Dual Message Clearing System reports only transactions settled through Mastercard in reconciliation currency, and additionally may report them in transaction currency or transaction counts depending on the reconciliation message type.</p> | R                    | R              | N/A                  |  |
| 3 PDS 0378 (Original/ Reversal Totals Indicator) | <ul style="list-style-type: none"> <li>Original transactions</li> <li>Reversal transactions</li> </ul>                                                                        | Customers receiving this category receive amount totals for original transaction activity and reversal transaction activity, each in separate reconciliation messages.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | R                    | R              | N/A                  |  |
| 4 PDS 0374 (Reconciled Processing Code)          | Processing Code                                                                                                                                                               | <p>The Processing Code describes the effect of a transaction on a customer account and the type of account affected.</p> <p>Customers that receive this reconciliation category receive amount totals for all processing codes for which there is activity. Customers cannot specify amount totals for only certain processing codes. Currently supported processing codes are:</p>                                                                                                                                                                                                                                                                     | R                    | R              | N/A                  |  |
|                                                  |                                                                                                                                                                               | 00 = Purchase (goods and services) transaction                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                      |                |                      |  |

Reconciliation  
List of optional reconciliation categories

|                                 |                                               |                                                           |                                                                                                                                                        |                                                            | Available for:       |     |                      |   |
|---------------------------------|-----------------------------------------------|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|----------------------|-----|----------------------|---|
| Reconciliation Message Category | Provides Totals of Reconciliation Amounts by: | Additional Information about this Reconciliation Category |                                                                                                                                                        |                                                            | 1644-685 Fin Pos Dtl |     | 1644-688 Smt Pos Dtl |   |
|                                 |                                               |                                                           |                                                                                                                                                        |                                                            | Ack                  | Not | Ack/Not              |   |
|                                 |                                               | 01                                                        | =                                                                                                                                                      | ATM transaction                                            |                      |     |                      |   |
|                                 |                                               | 09                                                        | =                                                                                                                                                      | Purchase with cash back transaction                        |                      |     |                      |   |
|                                 |                                               | 12                                                        | =                                                                                                                                                      | Cash disbursement transaction                              |                      |     |                      |   |
|                                 |                                               | 17                                                        | =                                                                                                                                                      | Convenience check (Global Collection Only specific)        |                      |     |                      |   |
|                                 |                                               | 18                                                        | =                                                                                                                                                      | Unique transaction                                         |                      |     |                      |   |
|                                 |                                               | 19                                                        | =                                                                                                                                                      | Fee collection (credit originator)                         |                      |     |                      |   |
|                                 |                                               | 20                                                        | =                                                                                                                                                      | Credit transaction                                         |                      |     |                      |   |
|                                 |                                               | 28                                                        | =                                                                                                                                                      | Payment transaction                                        |                      |     |                      |   |
|                                 |                                               | 29                                                        | =                                                                                                                                                      | Fee collection (debit originator)                          |                      |     |                      |   |
|                                 |                                               | 30                                                        | =                                                                                                                                                      | Balance Inquiry                                            |                      |     |                      |   |
|                                 |                                               | 50                                                        | =                                                                                                                                                      | Payment/balance transfer (Global Collection Only specific) |                      |     |                      |   |
|                                 |                                               | 91                                                        | =                                                                                                                                                      | PIN Unblock                                                |                      |     |                      |   |
|                                 |                                               | 92                                                        | =                                                                                                                                                      | PIN Change                                                 |                      |     |                      |   |
| 5                               | DE 49 (Currency Code, Transaction Currency)   | Transaction currency                                      | Customers that receive this reconciliation category receive amount totals for each unique combination of reconciliation and transaction currency pair. |                                                            |                      | O   | O                    | O |



|                                 |                                               |                                                                                                                                                                                                                            |                      | Available for: |                      |  |
|---------------------------------|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------|----------------------|--|
| Reconciliation Message Category | Provides Totals of Reconciliation Amounts by: | Additional Information about this Reconciliation Category                                                                                                                                                                  | 1644-685 Fin Pos Dtl |                | 1644-688 Smt Pos Dtl |  |
|                                 |                                               |                                                                                                                                                                                                                            | Ack                  | Not            | Ack/Not              |  |
| 6                               | PDS 0370<br>(Reconciled Account Range)        | Issuing account ranges                                                                                                                                                                                                     | O                    | O              | O                    |  |
|                                 |                                               | Customers may receive amount totals only for their own issuing account ranges up to 11 positions, as established at Mastercard.                                                                                            |                      |                |                      |  |
|                                 |                                               | Customers selecting this category must also select the Member Activity category to receive complete reconciliation information for their:                                                                                  |                      |                |                      |  |
|                                 |                                               | <ul style="list-style-type: none"> <li>• Issuing account ranges</li> <li>• Acquiring activity (at the member ID level), and</li> <li>• Fee collection activity (at the member ID level).</li> </ul>                        |                      |                |                      |  |
|                                 |                                               | When this category is selected, the issuer receives messages for each account range established for its member ID that had activity in the applicable file, clearing cycle, or both.                                       |                      |                |                      |  |
|                                 |                                               | Additional information on this reconciliation category is located in the following section titled Account Range Reconciliation Category.                                                                                   |                      |                |                      |  |
| 7                               | PDS 0302<br>(Reconciled, Member Activity)     | Any or all of the following: <ul style="list-style-type: none"> <li>• Acquiring activity</li> <li>• Issuing activity</li> <li>• Fee collection activity</li> </ul>                                                         | O                    | O              | C                    |  |
|                                 |                                               | If the customer selects the Account Range reconciliation category, the customer also must select this category so that the Dual Message Clearing System can provide the customer with complete reconciliation information. |                      |                |                      |  |
|                                 |                                               | If the customer selects the account range or Acquirer Reference ID settlement reconciliation categories, the customer activity is automatically included as a settlement reconciliation category.                          |                      |                |                      |  |

|                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                      | Available for: |                      |  |
|-------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|----------------|----------------------|--|
| Reconciliation Message Category                 | Provides Totals of Reconciliation Amounts by:                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Additional Information about this Reconciliation Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 1644-685 Fin Pos Dtl |                | 1644-688 Smt Pos Dtl |  |
|                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Ack                  | Not            | Ack/Not              |  |
| 8 PDS 0358<br>(Reconciled Business Activity)    | All of the following: <ul style="list-style-type: none"> <li>• Card Program Identifier</li> <li>• Business service level</li> <li>• Business service ID</li> <li>• Interchange rate designator</li> <li>• Business Date</li> <li>• Business Cycle</li> <li>• Acceptor Classification Override Indicator</li> <li>• Product Class Override Indicator</li> <li>• Corporate Incentive Rates Apply Indicator</li> <li>• Special Conditions Indicator</li> <li>• Mastercard Assigned ID Override Indicator</li> </ul> | <p>Customers that receive this reconciliation category receive amount totals for all business activity categories for which there is activity. Customers cannot specify to receive amount totals for only certain business activity categories.</p> <p>The Dual Message Clearing System takes this data from the business activity element of the original transaction.</p> <p>For customers processing transactions such as product class overrides or special conditions, if business activity is one of the reconciliation message categories being received, amount totals are based on the product class and special conditions being received.</p> | O                    | O              | N/A                  |  |
| 9 PDS 0359<br>(Reconciled, Settlement Activity) | <ul style="list-style-type: none"> <li>• Settlement service level</li> <li>• Settlement Service ID</li> <li>• Transfer agent</li> <li>• Transfer agent account</li> <li>• Foreign exchange rate class</li> <li>• Reconciliation date and cycle</li> <li>• Settlement date and cycle</li> </ul>                                                                                                                                                                                                                   | <p>Customers that elect to receive the settlement reconciliation messages always receive Settlement Position Detail/ 1644-688 messages grouped by this category. Customers receive settlement position detail totals based on the information that the Dual Message Clearing System populates in PDS 0159 (Settlement Activity) of each transaction settled by Mastercard.</p>                                                                                                                                                                                                                                                                           | N/A                  | N/A            | D                    |  |

|                                                 |                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | Available for:       |     |                      |
|-------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------|-----|----------------------|
| Reconciliation Message Category                 | Provides Totals of Reconciliation Amounts by:                                                                                                                                                                                  | Additional Information about this Reconciliation Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  | 1644-685 Fin Pos Dtl |     | 1644-688 Smt Pos Dtl |
|                                                 |                                                                                                                                                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  | Ack                  | Not | Ack/Not              |
| 10 PDS 0372 (Reconciled Transaction Function)   | Transaction functions that represent financial activity                                                                                                                                                                        | <p>Currently, the Dual Message Clearing System supports the financial transaction functions noted in the table titled Currently Supported Transaction Functions.</p> <p>The Dual Message Clearing System takes this data from the message type indicator (MTI) and function code of the original transaction.</p> <p>Additional information on this reconciliation category is located in the following section titled Transaction Function Reconciliation Category.</p>                                                                                                                                                                                                                                                                                                                                                |  | R                    | R   | N/A                  |
| 11 PDS 0375 (Member Reconciliation Indicator 1) | Customers that select this as an acknowledgment reconciliation option, and populate PDS 0375 in outgoing messages, receive totals based on the contents of PDS 0375 in Acknowledgment Financial Position Detail/1644 messages. | <p>Customers can populate PDS 0375 in their customer outgoing messages with any proprietary value up to 50 positions in length. When using this option, all financial records that do not contain PDS 0375 upon submission are accumulated and returned in acknowledgment reconciliation messages in which PDS 0375 contains the value undefined.</p> <p>Business service arrangements that qualify for the Extended Decimal Precision service have PDS 0375 populated with the value undefined. Additional information on this reconciliation category is located in the following section titled Member Reconciliation Indicator 1.</p> <p>Use of PDS 0375 in other business services arrangements is not affected. Refer to the <a href="#">Extended Decimal Precision service</a> section for more information.</p> |  | O                    | N/A | N/A                  |

|    |                                                       |                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Available for:       |     |                      |
|----|-------------------------------------------------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-----|----------------------|
|    | Reconciliation Message Category                       | Provides Totals of Reconciliation Amounts by:                   | Additional Information about this Reconciliation Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 1644-685 Fin Pos Dtl |     | 1644-688 Smt Pos Dtl |
|    |                                                       |                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Ack                  | Not | Ack/Not              |
| 12 | PDS 0367 (Reconciled Card Program Identifier)         | Card Program Identifier                                         | Customers that select this as a settlement reconciliation option receive totals based on the contents of PDS 0367 in the Acknowledgment Settlement Position/1644 message. The Dual Message Clearing System populates PDS 0367 based on PDS 0158 (Business Activity), subfield 1 (Card Program Identifier).                                                                                                                                                                                                                                                                                                                                                          | N/A                  | N/A | O                    |
| 13 | PDS 0368 (Reconciled Transaction Function Group Code) | Totals are provided for each unique Transaction Function group. | Customers that select this as a settlement reconciliation option receive totals based on the contents of PDS 0368 in the Acknowledgment Settlement Position/1644 message.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | N/A                  | N/A | O                    |
| 14 | PDS 0369 (Reconciled Acquirer Reference ID)           | Acquirer Reference ID                                           | <p>Customers may receive amount totals only for their own Acquirer Reference ID as established by Mastercard.</p> <p>Customers that select this as a settlement reconciliation category receive complete reconciliation information for their:</p> <ul style="list-style-type: none"> <li>• Acquirer Reference ID</li> <li>• Issuing activity (at the customer ID level), and</li> <li>• Fee collection activity (at the customer ID level)</li> </ul> <p>When this category is selected, the acquirer receives messages for each Acquirer Reference ID range established for its customer ID that had activity in the applicable file, clearing file, or both.</p> | N/A                  | N/A | O                    |

**NOTE:** Although these transactions are traditionally considered to be non-financial with respect to the processing code, they may be classified as financial transactions when they are originated containing an access fee collected by the ATM provider.

Account range reconciliation category

The initial population of account ranges uses the customer's issuer account range.

Account range building

|                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Global Clearing Management System, Clearing Optimizer, and IPM MPE will construct Customer ID and issuer account range as:</b>                       |
| Customer ID 009999 or 00000009999                                                                                                                       |
| <b>NOTE: The IPM MPE contains the 11-position representation. The IPM format supports a variable representation from six positions to 11 positions.</b> |
| Account Range Low 555555000000000000 (zero-filled)                                                                                                      |
| Account Range High 5555559999999999999 (nine-filled) (issuer only or both)                                                                              |

The account ranges initially allow specification by 11-position ranges; however, this field supports 19 positions for future use. The positions 12-19 in the Issuing Account Range reconciliation category element are zero-filled for the beginning account range and nine-filled for the ending account range.

Transaction function reconciliation category

The transaction functions currently supported for reconciliation messages are listed in the Currently Supported Transaction Functions table.

**NOTE:** If the customer chooses to receive reconciliation messages for transaction functions, Mastercard provides reconciliation detail only for the transaction functions for which financial detail activity has occurred.

Currently supported transaction functions

| Message Type Identifier | Function Code | Transaction Function      |
|-------------------------|---------------|---------------------------|
| 1240                    | 200           | First Presentment         |
| 1240                    | 205           | Second Presentment (full) |

| Message Type Identifier                                                                                                                                                              | Function Code | Transaction Function                                                                                              |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-------------------------------------------------------------------------------------------------------------------|
| 1240                                                                                                                                                                                 | 282           | Second Presentment (partial)                                                                                      |
| 1442                                                                                                                                                                                 | 450           | First Chargeback (full)                                                                                           |
| 1442                                                                                                                                                                                 | 451           | Arbitration Chargeback (full) (Mexico RedMX scheme only)                                                          |
| 1442                                                                                                                                                                                 | 453           | First Chargeback (partial)                                                                                        |
| 1442                                                                                                                                                                                 | 454           | Arbitration Chargeback (partial) (Mexico RedMX scheme only)                                                       |
| 1644                                                                                                                                                                                 | 603           | Retrieval Requests (Mexico RedMX scheme only)                                                                     |
| <b>NOTE: Customers selecting this option and submitting only 1644-603 (Retrieval Requests; non-financial messages) receive reconciliation messages with zero counts and amounts.</b> |               |                                                                                                                   |
| 1740                                                                                                                                                                                 | 700           | Fee Collection (customer-generated)                                                                               |
| 1740                                                                                                                                                                                 | 780           | Fee Collection Return                                                                                             |
| 1740                                                                                                                                                                                 | 781           | Fee Collection Resubmission                                                                                       |
| 1740                                                                                                                                                                                 | 782           | Fee Collection Arbitration Return                                                                                 |
| 1740                                                                                                                                                                                 | 783           | Fee Collection (Global Clearing Management System-generated)                                                      |
| 1740                                                                                                                                                                                 | 790           | Fee Collection (Funds Transfer applies only in the Clearing Optimizer system to UK Domestic Maestro transactions) |

## Customer Reconciliation Indicator 1 reconciliation category

The Customer Reconciliation Indicator 1 table provides details about PDS 0375.

### Customer Reconciliation Indicator 1

| IF the customer chooses the reconciliation category... | THEN...                                                                                                 |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------|
| Customer Reconciliation Indicator 1                    | 1. For each of the proprietary values present in clearing activity that includes the optional PDS 0375. |

| IF the customer chooses the reconciliation category... | THEN...                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|--------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                                        | <p>Example: A customer includes the value 1234 in PDS 0375 for several First Presentment messages and 5678 in PDS 0375 for several other First Presentment messages. In this case, the IPM reconciliation messages include totals of the clearing activity for all of the messages that have the value 1234 in PDS 0375 and separate totals for all the messages that have the value 5678 in PDS 0375.</p>                                                                                                                                                                                                                                                          |
| 2.                                                     | <p>For all financial activity when PDS 0375 is not provided.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|                                                        | <p>Example: A customer has chosen this reconciliation category but does not include PDS 0375 in several of the First Presentment clearing messages submitted. The Dual Message Clearing System creates an acknowledgment message with a Customer Reconciliation Indicator 1 value of undefined. This process ensures that the acknowledgment reconciliation provided represents 100 percent of the accepted financial activity of the customer for that file.</p>                                                                                                                                                                                                   |
| 3.                                                     | <p>Will not receive reconciliation totals based on PDS 0375 (Member Reconciliation Indicator 1) for reporting within any business service arrangement subject to the Extended Decimal Precision service, as the decimal portion of the interchange is not settled at the individual transaction level. For customers using this Financial Reconciliation Option, the totals within a business service arrangement subject to the Extended Decimal Precision Service are accumulated and returned in acknowledgment reconciliation messages where PDS 0375 contains the value undefined. Use of PDS 0375 in other business service arrangements is not affected.</p> |

## Functionality in the reconciliation messages

The reconciliation messages provide customers with detailed reconciliation data in reconciliation currency and, optionally, transaction currency. Customers do not receive totals in U.S. dollars unless the transaction currency or reconciliation currency is U.S. dollars.

- The File Currency Summary/1644-680 message always contains totals in transaction currency.
- The Financial Position Detail/1644-685 message always contains totals in the customer's reconciliation currency.

### Functionality in the reconciliation messages

| For...                              | Dual Message Clearing System provides amount totals in...                                             |
|-------------------------------------|-------------------------------------------------------------------------------------------------------|
| Global Collection Only transactions | Transaction currency only.                                                                            |
| Bilateral transactions              | Transaction currency only.                                                                            |
| All other transactions              | The customer's reconciliation currency and, if the customer selects it, also in transaction currency. |

When the reconciliation amounts are for bilateral totals, Global Collection Only totals, or both, the message elements related to reconciliation currency amounts are present in the reconciliation message, but zero-filled. However, elements related to transaction counts always contain totals for those settled by Mastercard, bilateral, and Global Collection Only count when there is activity for those transaction types.

The IPM format does not require customers to provide expected reconciliation totals. Customers may optionally provide hash totals for counts and amounts in PDS 0301 and PDS 0306 in their outbound File Trailer/1644-695 messages to activate file integrity checks. However, the Dual Message Clearing System does not use this data in PDS 0301 and PDS 0306 as part of the reconciliation process.

Reconciliation messages accumulate only accepted financial activity. Financial activity currently includes the transaction functions shown in the table Currently Supported Transaction Functions. The reconciliation messages report only accepted (not rejected) transaction message totals.

**NOTE: For more information about transaction functions, as identified by MTI and Function Code (DE 24), that qualify as financial activity, refer to [DE 24 \(Function Code\)](#).**

## File Currency Summary/1644-680 message

This message provides a summary by transaction currency of the customer's clearing financial activity totals. Customers that choose to receive this type of message receive one message for each transaction currency that occurs, by logical file.

File Currency Summary/1644-680 messages may be provided as acknowledgment messages (to reconcile a customer's previously submitted outgoing clearing file), notification messages (to reconcile a customer's incoming clearing file), or both.

Both credit and debit totals are provided by transaction currency. The Dual Message Clearing System determines the original amount and identifies it as a credit or a debit through the processing code. The Dual Message Clearing System then calculates the credit and debit sums for a given currency and places those sums in the appropriate amount elements in the File Currency Summary message.



For a layout and details of the data elements and private data subelements included in the File Currency Summary/1644-680 message, see [General message layout information](#).

## Financial Position Detail/1644-685 message

Customers may choose to receive the Financial Position Detail message. The Dual Message Clearing System generates this message for both acknowledgment and notification activity. Customers electing to receive these messages receive both types in the next T112 clearing file after each clearing cycle cutoff.

Customers submitting clearing files to the Dual Message Clearing System that have also selected the T113 Early Reconciliation file option receive acknowledgment Financial Position Detail/1644-685 messages after the Dual Message Clearing System completes the processing of the physical file. These totals are not repeated in the T112 clearing file after the clearing cycle cutoff.

The Financial Position Detail/1644-685 message provides details of the customer's clearing financial activity by reconciliation categories.

There are multiple reconciliation categories, and all are optional. Customers may select up to:

- Nine categories for reconciliation messages reflecting customer inbound data (referred to as Notification data)
- Ten categories for reconciliation messages reflecting customer outbound data (referred to as Acknowledgment data)

The Dual Message Clearing System automatically provides all message amount totals for the Financial Position Detail/1644-685 in the customer's reconciliation currency. If a customer selects the Transaction Currency reconciliation category, the message contains amount totals for each unique pair of transaction currency and reconciliation currency for which there was clearing activity.

For a layout and details of the data elements and private data subelements included in the Financial Position Detail/1644-685 message, see [General message layout information](#).

## Choosing clearing reconciliation categories

For clearing reconciliation messages, customers may choose reconciliation categories separately for acknowledgment messages and notification messages.

Customers that want to receive reconciliation totals for Mastercard settled, bilateral settlement, and global collection only activity should request both the transaction currency option and the settlement indicator option for Financial Position Detail/1644-685 reconciliation messages to differentiate amount totals for each of these types of transactions.

Customers may select category options by contacting their account manager or Mastercard Customer Implementation Specialist.

The Dual Message Clearing System generates a Financial Position Detail/1644-685 message for each unique combination of values for the selected reconciliation categories. For example, a

customer could select the reconciliation categories for acknowledgment and notification messages as shown in the following table titled Example of Customer Reconciliation Messages.

**Example of customer reconciliation messages**

| Acknowledgment or Notification | Reconciliation Category                                                                                                                                                                                                                                              |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Notification                   | Customer Activity                                                                                                                                                                                                                                                    |
|                                | Account Range:<br>54XXXXXXXXXXXXXXXXXX - 54XXXXXXXXXXXXXXXXXX                                                                                                                                                                                                        |
| Notification                   | <b>NOTE: Initially, account ranges will allow specification by 11-position ranges; however, this field supports 19 positions for future use. Refer to the previous table titled Account Range Building for additional information about building account ranges.</b> |
| Notification                   | Settlement Indicator (values B, C, and M)                                                                                                                                                                                                                            |
| Notification                   | Original/Reversal Transactions                                                                                                                                                                                                                                       |
| Notification                   | Processing Code                                                                                                                                                                                                                                                      |
| Acknowledgment                 | Customer Activity                                                                                                                                                                                                                                                    |
| Acknowledgment                 | File ID                                                                                                                                                                                                                                                              |
| Acknowledgment                 | Settlement Indicator (values B, C, and M)                                                                                                                                                                                                                            |
| Acknowledgment                 | Original/Reversal Transactions                                                                                                                                                                                                                                       |
| Acknowledgment                 | Processing Code                                                                                                                                                                                                                                                      |

For each combination of category, the Dual Message Clearing System generates a unique notification or acknowledgment Financial Position Detail/1644-685 message. For example, one Financial Position Detail/1644-685 reconciliation message would contain totals for the combination of one account range plus settlement indicator, another for a second account range plus settlement indicator, and so forth.

Within the reconciliation categories for account range, customer activity, settlement indicator, and processing code are multiple possible values. This can result in additional reconciliation category combinations, generating additional Financial Position Detail/1644-685 messages. This applies to all reconciliation categories.

For example, suppose that customer 001234 has selected the following reconciliation categories for acknowledgment and notification messages and has clearing data as shown.

### Reconciliation categories for acknowledgment or notification messages

| Acknowledgment or Notification | Reconciliation Category Selected                  | Clearing Data Received/Sent                                                         |
|--------------------------------|---------------------------------------------------|-------------------------------------------------------------------------------------|
| Notification                   | Business Activity                                 | MCC and DMC<br>U.S.-U.S.<br>IRDs:<br>70 (Merit III) for MCC<br>78 (Merit I) for DMC |
| Notification                   | Settlement Indicator (values B, C, and M)         | M (Mastercard Settled): both MCC and DMC                                            |
| Notification                   | Original/Reversal Transactions                    | O (original): MCC<br>R (reversal): DMC                                              |
| Notification                   | Processing Code (for example, purchase or unique) | Purchase: both MCC and DMC, USD 100 each                                            |
| Acknowledgment                 | File ID                                           | 00205290300123400001                                                                |
| Acknowledgment                 | Settlement Indicator (values B, C, and M)         | M (Mastercard Settled): both MCC and DMC                                            |
| Acknowledgment                 | Original/Reversal Transactions                    | O (original): both MCC and DMC                                                      |
| Acknowledgment                 | Processing Code (such as purchase and unique)     | Purchase: both MCC and DMC, USD 50 each<br>Unique: MCC, USD 25                      |

For each combination of categories, the Dual Message Clearing System generates a unique notification or acknowledgment Financial Position Detail/1644-685 message.

In addition, within the reconciliation categories for business activity, settlement indicator, original/reversal, and processing code are multiple possible values. These values can result in additional reconciliation category combinations, generating additional Financial Position Detail/1644-685 messages.

Using the selected reconciliation categories and specified values shown in the previous table, Dual Message Clearing System generates the following Financial Position Detail/1644-685 messages.

### Acknowledgment or notifications received

| Acknowledgment or Notification Received | Clearing Data Totals Reported                                                       |
|-----------------------------------------|-------------------------------------------------------------------------------------|
| Notification Message 1                  | USD 100: <b>credit, IRD 70</b> , Mastercard settled, original, purchase transaction |
| Notification Message 2                  | USD 100: <b>debit, IRD 78</b> , Mastercard settled, reversal, purchase transaction  |
| Acknowledgment Message 1                | USD 100: file ID, Mastercard settled, original, purchase transactions               |
| Acknowledgment Message 2                | USD 25: file ID, Mastercard settled, original, unique transaction                   |

In this example, when the customer does not select the business activity reconciliation category, the Dual Message Clearing System combines the reconciliation totals for consumer credit transactions and point-of-sale (POS) consumer debit transactions. The Dual Message Clearing System also combines the interchange fee amount totals for those transactions. Conversely, when the business activity reconciliation category is selected, the Dual Message Clearing System specifies the interchange fee amount totals with the associated credit or POS debit transaction amount totals in the reconciliation messages.

Customers may receive IPM acknowledgment and notification reconciliation messages for POS debit and credit activity within the same logical file. Customers selecting the Early Reconciliation file option may also see acknowledgment messages for both POS debit and credit activity in the same Early Reconciliation file from the Dual Message Clearing System.

## Settlement Position Detail/1644-688 message

Customers may choose to receive the Settlement Position Detail/1644-688 message. The Dual Message Clearing System generates this message for both acknowledgment and notification activity. Customers electing to receive these messages receive them after each clearing cycle cutoff.

The Settlement Position Detail/1644-688 message provides details of the customer's settlement financial activity by reconciliation categories giving the customer the ability to reconcile settlement positions and tie back to the Settlement Advisement received from the Mastercard [S.A.M.](#) system.

There are multiple settlement reconciliation categories. If a customer chooses to receive Settlement Position Detail/1644-688 messages, the two default categories of PDS 0300 (Reconciled, File ID) and PDS 0359 (Reconciled, Settlement Activity) must be selected. In addition to the default categories, customers may select up to five optional categories for reconciliation messages reflecting customer inbound notification and outbound acknowledgment data.

The Dual Message Clearing System provides all message amount totals for the Settlement Position Detail/1644-688 in the customer's reconciliation currency. If a customer selects the Transaction Currency reconciliation category, the message contains reconciliation amount totals for each unique pair of transaction currency and reconciliation currency for which there was settlement activity.

If the customer chooses this message option, a Settlement Position Detail message is generated only for transactions settled by Mastercard (PDS 0165 = M) after each clearing cycle.

For the layout and details of the data elements and private data subelements included in the Settlement Position Detail/1644-688, see [General message layout information](#).

**NOTE: The Settlement Position Detail/1644-688 Message is delivered along with the customers' normal activity at the end of each clearing cycle (Bulk Type T112) and included in the IPM Early Reconciliation File (Bulk Type T113) if the customer has requested it.**

### Choosing settlement reconciliation categories

For settlement reconciliation messages, customers choose reconciliation categories that apply to both acknowledgment messages and notification messages.

The Dual Message Clearing System generates a Settlement Position Detail/1644-688 message for each unique combination of values for the selected reconciliation categories. For example, a customer could select the reconciliation categories for messages as shown in the following table.

#### Example of customer settlement reconciliation messages

| Reconciliation Category                                                                                                                                                                                                                                              |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Account Range:<br>54XXXXXXXXXXXXXXXXXX - 54XXXXXXXXXXXXXXXXXX                                                                                                                                                                                                        |
| <b>NOTE: Initially, account ranges will allow specification by 11-position ranges; however, this field supports 19 positions for future use. Refer to the previous table titled Account Range Building for additional information about building account ranges.</b> |
| Reconciled, File (PDS 0300) default category                                                                                                                                                                                                                         |
| Reconciled, Settlement Activity (PDS 0359) default category                                                                                                                                                                                                          |

For each combination of categories, the Dual Message Clearing System generates a unique notification or acknowledgment Settlement Position Detail/1644-688 message. For example, one Settlement Position Detail/1644-688 reconciliation message would contain totals for the combination of one account range, one file ID, and settlement activity, another for a second account range, file ID, and settlement activity, and so forth.

Customers may receive IPM acknowledgment and notification settlement reconciliation messages for point-of-sale (POS) debit and credit activity within the same logical file.

## Dual Message Clearing System reconciliation reports

The Dual Message Clearing System reports supplement the reconciliation messages and facilitate customers' internal reconciliation and balancing related to Mastercard.

Customers can request these reports in print image format. The print image format is a standard 133-character print format that contains a one-position carriage control.

Customers can use the reports for both financial data reporting and for customer statistical data capture for analysis within customer management information systems (MIS).

The Dual Message Clearing System separates the clearing reports for accepted transactions by acknowledgment and notification clearing data. The Dual Message Clearing System generates these reports upon completion of the applicable clearing cycle. Once these reports are generated, the Dual Message Clearing System sends them to the customers that have requested them. These reports are optional.

Customers requesting the reports receive them for each clearing cycle. The Dual Message Clearing System transmits these reports using bulk types:

- T140: Clearing Cycle Acknowledgment Report (production)
- T150: Clearing Cycle Acknowledgment Report (test)
- T140: Clearing Cycle Notification Report (production)
- T150: Clearing Cycle Notification Report (test)

**NOTE: Customers that request these reports receive them after each clearing cycle.**

Although reconciliation messages may vary depending on customer reconciliation category selections, the reports do not vary and always provide totals for all 11 of the reconciliation categories shown in the following table.

Customers have the option to receive Dual Message Clearing System reconciliation reports for accepted clearing data and rejected clearing data.

### Reconciliation report categories

|   | Category                                   | Examples of Items in the Category                                               |
|---|--------------------------------------------|---------------------------------------------------------------------------------|
| 1 | Card Program Identifier (Acceptance Brand) | Mastercard, private label.                                                      |
| 2 | Business Service Level                     | Customer-to-customer, intracountry, intercountry, intraregional, interregional. |
| 3 | Business Service ID                        | Business Service ID number.                                                     |

| Category |                                          | Examples of Items in the Category                                                                                                                                                                    |
|----------|------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4        | Interchange Rate Designator              | The ID assigned to the specific interchange program within the business agreement identified.                                                                                                        |
| 5        | Transaction Function                     | First presentment, first chargeback, second presentment.                                                                                                                                             |
| 6        | Processing Code                          | Purchase, ATM, Unique, Payment Transaction.                                                                                                                                                          |
| 7        | Original/Reversal Transactions           | Original transactions separated from reversal transactions.                                                                                                                                          |
| 8        | Settlement Indicator                     | Settled by Mastercard, Bilateral, Global Collection Only.                                                                                                                                            |
| 9        | Reconciliation Currency/Code             | Reconciliation Currency alpha and numeric codes. These totals reflect only Mastercard settled transactions. Bilateral and Global Collection Only totals are not provided in reconciliation currency. |
| 10       | Financial and Non-Financial Transactions | Financial transactions separated from non-financial transactions.<br><b>NOTE: Non-financial transactions include retrieval requests and financial detail addenda.</b>                                |
| 11       | Logical File ID                          | Customer outbound logical file ID or customer inbound logical file ID.                                                                                                                               |

The reconciliation reports are available for distribution to the customers upon request. Customers can contact the Global Customer Service team or their regional office to request these reports, detailed in the Dual Message Clearing System Reconciliation Reports table and in the report samples that follow.

If the customer chooses the option to receive reconciliation reports, detail IPM clearing reports and a summary report are generated for each of the six clearing cycles. These reports supplement the IPM reconciliation messages and facilitate reconciliation and balancing for the customers.

A seventh clearing cycle exists exclusively for Mexico domestic switching transactions. For more information on the seven clearing cycles, refer to the Daily Clearing Cycle Schedule section.

## Dual Message Clearing System reconciliation reports

|               |                                          |                                                                                                                                                                     | <b>Medium and Bulk Type options:</b><br><br><b>132 column formatted report – T140/T150</b><br><br><b>Text data record – TN70/TN72</b><br><br><b>XML data record – TN66/TN68</b> |
|---------------|------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Report Number | Report Name                              | Description                                                                                                                                                         |                                                                                                                                                                                 |
| IP727010-AA   | Clearing Cycle Acknowledgment            | Transactions sent from customers to Mastercard                                                                                                                      | 132 column formatted report – T140/T150                                                                                                                                         |
| IP727020-AA   | Clearing Cycle Notification              | Transactions sent from Mastercard to customers                                                                                                                      | 132 column formatted report – T140/T150                                                                                                                                         |
| IP728010-AA   | Clearing Cycle Summary                   | Summary by each clearing cycle by each clearing member ID of clearing cycle activity                                                                                | 132 column formatted report – T140/T150                                                                                                                                         |
| IP142110-AA   | IPM Messages Created on Behalf of Member | Fee Collection/1740 messages created by Mastercard on behalf of the customer                                                                                        | 132 column formatted report – T140/T150<br><br>Text data record – TN70/TN72<br><br>XML data record – TN66/TN68                                                                  |
| IP142520-AA   | On Behalf Service ATM Non-Financial Fee  | Summary of Fee Collection/1740 messages created on behalf of Europe ATM Acquirers for ATM non-financial transaction fees (for example, balance inquiry, PIN change) | 132 column formatted report – T140/T150<br><br>Text data record – TN70/TN72<br><br>XML data record – TN66/TN68                                                                  |



|               |                                     |                                                                                                                                                                                                             | Medium and Bulk Type options:                                                                          |
|---------------|-------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|
|               |                                     |                                                                                                                                                                                                             | 132 column formatted report – T140/T150                                                                |
|               |                                     |                                                                                                                                                                                                             | Text data record – TN70/TN72                                                                           |
|               |                                     |                                                                                                                                                                                                             | XML data record – TN66/TN68                                                                            |
| Report Number | Report Name                         | Description                                                                                                                                                                                                 |                                                                                                        |
| IP148320-AA   | Misc. Override Financial Adjustment | Details of Clearing System generated Fee Collection records for message reason code 7808 by BIN/Acct Range by each Issuing member ID                                                                        | 132 column formatted report – T140/T150<br>Text data record – TN70/TN72<br>XML data record – TN66/TN68 |
| IP755120-AA   | Clearing Detail (Optional)          | For Presentment and Fee Collection messages sent in by Acquirers, the Clearing Detail records are copies of those messages sent back to the Acquirers with all the Settlement and Interchange data inserted | Text data record – TN70/TN72                                                                           |

## Accumulating reconciliation totals

Details about how to accumulate reconciliation messages for customers and processors receiving reconciliation messages by different categories are described here.

**NOTE: Customers and processors need to accumulate reconciliation messages to derive a grand total, by processor, for any of the reconciliation categories for the customers for which they process.**

For example, suppose that customer or processor 001111 processes for Customer ID 002222, Customer ID 003333, and Customer ID 004444 and that Mastercard has set up the customers' selected categories for notification messages in this way.

- Customer ID 002222: Set up to receive reconciliation totals by processing code and settlement indicator.
- Customer ID 004444: Set up to receive reconciliation totals by processing code and settlement indicator.

Although it is unlikely that a customer or processor would establish such a diverse set of categories for each Customer ID, this example illustrates the process for accumulating any set of reconciliation totals.

### Reconciliation totals

| Member ID                                                            | Processor<br>001111 Receives<br>Record... | Processing Code      | Settlement<br>Indicator  | Originals/<br>Reversals | Transaction<br>Function |
|----------------------------------------------------------------------|-------------------------------------------|----------------------|--------------------------|-------------------------|-------------------------|
| 002222                                                               | 1                                         | Purchase: USD 100.00 | Settled by<br>Mastercard |                         |                         |
| Subtotal of Purchase Processing<br>Code for Customer ID 2222         |                                           | USD 100.00           |                          |                         |                         |
|                                                                      | 2                                         | ATM: USD 50.00       | Settled by<br>Mastercard |                         |                         |
| Subtotal of ATM Processing Code<br>for Customer ID 2222              |                                           | USD 50.00            |                          |                         |                         |
| 004444                                                               | 9                                         | Purchase: USD 100.00 | Settled by<br>Mastercard |                         |                         |
| Subtotal of Purchase Processing<br>Code for Customer ID 4444         |                                           | USD 100.00           |                          |                         |                         |
|                                                                      | 10                                        | ATM: USD 50.00       | Settled by<br>Mastercard |                         |                         |
| Subtotal of ATM Processing Code<br>for Customer ID 4444              |                                           | USD 50.00            |                          |                         |                         |
| Grand Total of Purchase<br>Processing Code for Customer ID<br>001111 |                                           | USD 200.00           |                          |                         |                         |

To derive a total at the customer or processor level for any of the above reconciliation categories, the customer or processor needs to accumulate and total each applicable Customer ID's reconciliation category.

For example, to derive the notification totals by processing code of purchase for processor 001111, the processor must accumulate the notification totals by processing code of purchase for Customer ID 002222 and Customer ID 004444.

**NOTE: All summarization of totals occurs within the same currency.**

## Early Reconciliation Service Overview

Early Reconciliation Service helps customers sending files to Mastercard to expedite their clearing reconciliation process.

It provides an early acknowledgment summary of clearing transactions submitted to the Dual Message Clearing System and error messages. This service can provide balancing information, error records, and can help customers and processors make their merchant pre-funding decisions without waiting for the next Dual Message Clearing System cutoff and distribution of notification data.

It allows the customer to understand its settlement position for the file processed by Mastercard and to correct and resubmit any errors that may be present without the constraint of waiting for the next Dual Message Clearing System cutoff time.

As part of the Early Reconciliation Service customers can receive the Early Reconciliation file after the Dual Message Clearing System has processed their outbound IPM logical clearing files, without waiting until the clearing cutoff time to receive their reconciliation messages. This option is available at the processor level. If a customer is its own processor, the customer may also choose this option for itself.

The Early Reconciliation File (T113) provides:

- File Currency Summary/1644-680 message
- Financial Position Detail/1644-685 message
- Dual Message Clearing System rejects - Message Exception/1644-691 and File Reject/1644-699 messages

Customers also can optionally receive Settlement Position Detail/1644-688 messages in their Early Reconciliation file. If the customer has chosen to receive the File Currency Summary/1644-680 message, Financial Position Detail/1644-685 message, and Settlement Position Detail/1644-680 message, the Early Reconciliation file includes all these messages. All message formats are the same as the reconciliation messages sent in the customer inbound clearing file at cycle cutoff (Bulk Type T112).

Acquirers and issuers sending files to Mastercard can only select an acknowledgment message for their Early Reconciliation Service that has been selected for their reconciliation messages. For example, if a customer or processor has not chosen to receive the Settlement Position Detail/1644-688 message for their reconciliation messages, they cannot choose to receive Settlement Position Detail/1644-688 in their Early Reconciliation file.

**NOTE: The Dual Message Clearing System does not duplicate the messages provided in the Early Reconciliation files when it creates the customer inbound clearing files at cycle cutoff times. The customer receives the messages only once. The Early Reconciliation file is transmitted using bulk type T113. This differs from the normal clearing cycle cutoff file bulk types, to clearly distinguish the Early Reconciliation file from all other clearing files. Reconciliation messages not selected in Early Reconciliation are delivered within the customers inbound file from Mastercard (T112) based on customer selection.**

**NOTE: Refer to [Financial Position Detail/1644-685 message](#) to learn more about the various default, optional, and recommended reconciliation categories by which customers can receive Financial Position Detail/1644-685 message and Settlement Position Detail/1644-688 message.**

## Early Reconciliation Service Enrollment

Customers may enroll in the Early Reconciliation Service by contacting their account manager or Mastercard customer implementation specialist (CIS).

## IPM reconciliation split

PDS 0360 (Reconciled, Transaction Sequence Identifier) indicates that there has been a split in the reconciliation total amount reported in reconciliation messages. The subfields indicate the sequence and the total number of message splits.

For example: The Dual Message Clearing System calculates a reconciliation amount of 19,999,999,999,999,999 (17 digits or more). Then the Dual Message Clearing System splits that single reconciliation amount into multiple amounts (in this case, specifically three amounts) and includes each amount in three separate 1644-680/1644-685/1644-688 reconciliation messages. The sum total of those three amounts equals the total reconciliation amount.

Additionally, to simplify customer reconciliation processing, the Dual Message Clearing System inserts a new PDS 0360 into each of those reconciliation messages to provide the sequence number of each related message and the total number of messages pertaining to given split amount.

1. PDS 0360 subfield 1 = 00001, PDS 0360 subfield 2 = 00003 and Amount-PDSs\* = 9999999999999999 (16 positions)
2. PDS 0360 subfield 1 = 00002, PDS 0360 subfield 2 = 00003 and Amount-PDSs\* = 9999999999999999 (16 positions)
3. PDS 0360 subfield 1 = 00002, PDS 0360 subfield 2 = 00003 and Amount-PDSs\* = 9999999999999999 (16 positions)

The total reconciliation amount can then be calculated as: 9,999,999,999,999,999 + 9,999,999,999,999,999 + 0000000000000001 = 19,999,999,999,999,999.

All of the related 1644-680/1644-685/1644-688 messages for a given split are always sent in the proper order and always sent together sequentially. Mastercard never intermixes 1644-680/1644-685/1644-688 messages from unrelated splits, nor does Mastercard ever separate the messages belonging to a split with a single message that is not related to any split whatsoever.

**\*Amount-PDS:** Indicates amount PDS which are applicable for split like 0380/0381/0384/0390/0391/0392/0393/0394/0395/0396 for 1644 transactions. Customers should check for the presence of PDSs for different transactions in the table.

## Bilateral transactions in relation to reconciliation messages

Financial Position Detail/1644-685 reconciliation messages provide amount and fee totals in each customer's reconciliation currency. These totals are also optionally available in transaction currency.

Because Mastercard does not settle transactions processed pursuant to a bilateral agreement between two customers, Financial Position Detail/1644-685 reconciliation message totals for these transactions in the customer's reconciliation currency contain zeros. If the customer has requested the transaction currency option for reconciliation messages, Financial Position Detail/1644-685 reconciliation message totals for these transactions in the transaction currency are present and contain the correct (non-zero) amounts.

Customers that want to receive reconciliation totals for bilateral settlement activity should request both the transaction currency option and the settlement indicator option for Financial Position Detail/1644-685 reconciliation messages to differentiate amount totals for these transactions.

## Appendix A Message Data Elements Used by the Dual Message Clearing System

This table lists all data elements (DEs) implemented within the ISO 8583:1993 message standard that are used by the Dual Message Clearing System in numeric order.

### Data elements currently used

| Data Element | Data Element Title                  |
|--------------|-------------------------------------|
|              | Bit Map, Primary                    |
| DE 1         | Bit Map, Secondary                  |
| DE 2         | Primary Account Number [PAN]        |
| DE 3         | Processing Code                     |
| DE 4         | Amount, Transaction                 |
| DE 5         | Amount, Settlement                  |
| DE 6         | Amount, Cardholder Billing          |
| DE 9         | Conversion Rate, Settlement         |
| DE 10        | Conversion Rate, Cardholder Billing |
| DE 12        | Date and Time, Local Transaction    |
| DE 14        | Date, Expiration                    |
| DE 22        | Point-of-Service [POS] Entry Mode   |
| DE 23        | Card Sequence Number                |
| DE 24        | Function Code                       |
| DE 25        | Message Reason Code                 |
| DE 26        | Acceptor Business Code [MCC]        |
| DE 30        | Amounts, Original                   |
| DE 31        | Acquirer Reference Data             |
| DE 32        | Acquiring Institution ID Code       |
| DE 33        | Forwarding Institution ID Code      |
| DE 37        | Retrieval Reference Number          |
| DE 38        | Approval Code                       |
| DE 40        | Service Code                        |
| DE 41        | Acceptor Terminal ID                |

| <b>Data Element</b> | <b>Data Element Title</b>                         |
|---------------------|---------------------------------------------------|
| DE 42               | Acceptor ID                                       |
| DE 43               | Acceptor Name and Location                        |
| DE 48               | Additional Data                                   |
| DE 49               | Currency Code, Transaction                        |
| DE 50               | Currency Code, Reconciliation                     |
| DE 51               | Currency Code, Cardholder Billing                 |
| DE 54               | Additional Data                                   |
| DE 55               | Integrated Circuit Card [ICC] System-Related Data |
| DE 62               | Additional Data 2                                 |
| DE 63               | Transaction Life Cycle ID                         |
| DE 71               | Message Number                                    |
| DE 72               | Data Record                                       |
| DE 73               | Date, Action                                      |
| DE 93               | Transaction Destination Institution ID Code       |
| DE 94               | Transaction Originator Institution ID Code        |
| DE 95               | Card Issuer Reference Data                        |
| DE 100              | Receiving Institution ID Code                     |
| DE 105              | Multi-Use Transaction Identification Data         |
| DE 111              | Amount, Currency Conversion Assessment            |
| DE 123              | Additional Data 3                                 |
| DE 124              | Additional Data 4                                 |
| DE 125              | Additional Data 5                                 |
| DE 127              | Network Data                                      |

## Appendix B Message Data Elements Not Used by Dual Message Clearing System

This table lists all data elements (DEs) implemented within the ISO 8583:1993 message standard not used by the Dual Message Clearing System in numeric order.

### Data elements currently not used

| Data element | Data element title                        |
|--------------|-------------------------------------------|
| DE 7         | Transmission Date and Time                |
| DE 8         | Amount, Cardholder Billing Fee            |
| DE 11        | System Trace Audit Number [STAN]          |
| DE 13        | Date, Local Transaction                   |
| DE 16        | Date, Conversion                          |
| DE 17        | Date, Capture                             |
| DE 18        | Merchant Type                             |
| DE 19        | Acquiring Institution Country Code        |
| DE 20        | Primary Account Number [PAN] Country Code |
| DE 21        | Forwarding Institution Country Code       |
| DE 27        | Authorization ID Response Length          |
| DE 28        | Amount, Transaction Fee                   |
| DE 29        | Amount, Settlement Fee                    |
| DE 34        | Primary Account Number [PAN], Extended    |
| DE 35        | Track 2 Data                              |
| DE 36        | Track 3 Data                              |
| DE 39        | Response Code                             |
| DE 44        | Additional Response Data                  |
| DE 45        | Track 1 Data                              |
| DE 46        | Expanded Additional Amounts               |
| DE 47        | Additional Data: National Use             |
| DE 52        | Personal ID Number [PIN] Data             |
| DE 53        | Security-Related Control Information      |
| DE 56        | Payment Account Data                      |



| <b>Data element</b> | <b>Data element title</b>           |
|---------------------|-------------------------------------|
| DE 57- DE 59        | Reserved for National Use           |
| DE 60               | Advice Reason Code                  |
| DE 61               | Point-of-Service [POS] Data         |
| DE 64               | Message Authentication Code         |
| DE 65               | Bit Map, Extended                   |
| DE 66               | Settlement Code                     |
| DE 67               | Extended Payment Code               |
| DE 68               | Receiving Institution Country Code  |
| DE 69               | Settlement Institution Country Code |
| DE 70               | Network Management Information Code |
| DE 74               | Credits, Number                     |
| DE 75               | Credits, Reversal Number            |
| DE 76               | Debits, Number                      |
| DE 77               | Debits, Reversal Number             |
| DE 78               | Transfers, Number                   |
| DE 79               | Transfers, Reversal Number          |
| DE 80               | Inquiries, Number                   |
| DE 81               | Authorizations, Number              |
| DE 82               | Credits, Processing Fee Amount      |
| DE 83               | Credits, Transaction Fee Amount     |
| DE 84               | Debits, Processing Fee Amount       |
| DE 85               | Debits, Transaction Fee Amount      |
| DE 86               | Credits, Amount                     |
| DE 87               | Credits, Reversal Amount            |
| DE 88               | Debits, Amount                      |
| DE 89               | Debits, Reversal Amount             |
| DE 96               | Message Security Code               |
| DE 97               | Amount, Net Settlement              |
| DE 98               | Payee                               |
| DE 99               | Settlement Institution ID Code      |
| DE 101              | File Name                           |

| Data element     | Data element title                    |
|------------------|---------------------------------------|
| DE 102           | Account ID 1                          |
| DE 103           | Account ID 2                          |
| DE 104           | Digital Payment Data                  |
| DE 106           | Fleet Service Data                    |
| DE 107           | Reserved for Mastercard Use           |
| DE 108           | Additional Transaction Reference Data |
| DE 109           | Reserved for ISO Use                  |
| DE 110           | Additional Data–2                     |
| DE 110           | Encryption Data                       |
| DE 112           | Additional Data [National Use]        |
| DE 113 to DE 119 | Reserved for National Use             |
| DE 120           | Record Data                           |
| DE 121           | Authorizing Agent ID Code             |
| DE 122           | Additional Record Data                |
| DE 126           | Private Data                          |
| DE 128           | Message Authentication Code           |

## Appendix C Services or products leveraging the system

*Mastercard offers services and products that leverage the Dual Message Clearing System.*

---

|                                                                                                |      |
|------------------------------------------------------------------------------------------------|------|
| Account Level Management.....                                                                  | 2081 |
| Mastercard ATM Cash Pick-Up service.....                                                       | 2081 |
| Clearing Chip Processing service.....                                                          | 2082 |
| Collection-only transaction reporting.....                                                     | 2083 |
| Global Collection Only Program.....                                                            | 2083 |
| Collection-only activity in relation to reconciliation messages.....                           | 2085 |
| First Presentment/1240: Global Collection Only format.....                                     | 2085 |
| Global Collection Only mapping for Single Message System transactions.....                     | 2089 |
| Cross-Border Fee Manager service.....                                                          | 2096 |
| Cross-Border Fee Manager reports.....                                                          | 2096 |
| Electronic commerce.....                                                                       | 2097 |
| Process for an electronic commerce transaction.....                                            | 2097 |
| Security of electronic commerce transactions.....                                              | 2098 |
| Universal Cardholder Authentication Field.....                                                 | 2098 |
| Relationship between e-commerce and Mastercard Identity Check.....                             | 2099 |
| UCAF in Digital Secure Remote Payments.....                                                    | 2099 |
| Extended Decimal Precision service.....                                                        | 2099 |
| Extended Decimal Precision adjustment amount determination.....                                | 2100 |
| Fleet Card transactions.....                                                                   | 2104 |
| Issuer Currency Conversion Rate (ICCR) service.....                                            | 2104 |
| ICCR enrollment.....                                                                           | 2105 |
| ICCR reports.....                                                                              | 2105 |
| Mastercard In Control platform.....                                                            | 2105 |
| Dual Message Clearing System processing for the Mastercard In Control platform.....            | 2105 |
| Mastercard In Control mapping process.....                                                     | 2106 |
| Mastercard Contactless and PAN Mapping Service.....                                            | 2108 |
| Mastercard contactless Mapping Service participation guidelines.....                           | 2108 |
| PAN Mapping Service.....                                                                       | 2109 |
| Process flow of the Mastercard PAN Mapping Service.....                                        | 2109 |
| Identifying issuer account ranges with IPM MPE.....                                            | 2110 |
| Identifying PAN Mapping within IPM Messages.....                                               | 2111 |
| Contents of DE 22 (Point of Service [POS] Entry Mode), Subfield 7 (Card Data, Input Mode)..... | 2112 |
| Processing transactions through the Mastercard contactless Mapping Service.....                | 2112 |

|                                                                                                                         |      |
|-------------------------------------------------------------------------------------------------------------------------|------|
| DE 22 values identify contactless transactions to Dual Message Clearing System.....                                     | 2113 |
| Processing First Presentment/1240 messages through the Mastercard contactless Mapping Service.....                      | 2113 |
| Processing First Chargeback/1442 messages through the Mastercard contactless Mapping Service.....                       | 2114 |
| Processing Second Presentment/1240 messages through the Mastercard contactless Mapping Service.....                     | 2116 |
| Processing Fee Collection (Retrieval Fee Billing)/1740 messages through the Mastercard contactless Mapping Service..... | 2116 |
| Elements used by the Mastercard Contactless Mapping Service.....                                                        | 2117 |
| Interchange compliance processing.....                                                                                  | 2118 |
| Mastercom processing.....                                                                                               | 2119 |
| Mastercard Digital Enablement Service.....                                                                              | 2119 |
| Mastercard Digital Enablement Service authorization process flows.....                                                  | 2120 |
| Identifying issuer account ranges with IPM MPE.....                                                                     | 2121 |
| Identifying Mastercard Digital Enablement Service mapping within IPM messages.....                                      | 2121 |
| PDS 0001, subfield 2 (Account Number).....                                                                              | 2121 |
| PDS 0001, subfield 1 (Account Number Type).....                                                                         | 2122 |
| Processing First Presentment/1240 Messages through the Mastercard Digital Enablement Service Mapping Service.....       | 2123 |
| Processing First Chargeback/1442 messages through the Mastercard Digital Enablement Service.....                        | 2124 |
| Processing Second Presentment/1240 Messages through the Mastercard Digital Enablement Service.....                      | 2125 |
| Processing Fee Collection/1740 Messages through the Mastercard Digital Enablement Service.....                          | 2125 |
| Elements related to the Mastercard Digital Enablement Service.....                                                      | 2126 |
| Interchange compliance processing.....                                                                                  | 2127 |
| Mastercard Transaction Calculator.....                                                                                  | 2128 |
| Mastercom and Claims Manager.....                                                                                       | 2128 |
| Multiple clearing messages.....                                                                                         | 2129 |
| Payment Cancellation Service.....                                                                                       | 2130 |
| Private Label Program.....                                                                                              | 2130 |
| Private Label addendum.....                                                                                             | 2131 |
| Private Label card activation plus initial load.....                                                                    | 2131 |
| Mastercard Transaction Enablement Service.....                                                                          | 2131 |
| Service Requirements for Acquirers.....                                                                                 | 2132 |
| Processing Message Exception/1644-691 messages through the Mastercard Transaction Enablement Service.....               | 2132 |
| MCC Adjustments in Brazil.....                                                                                          | 2132 |

Some of the products in this chapter are optional. Mastercard does not require acquirers or issuers to enroll in these optional products and services unless Participation Requirements state otherwise. Acquirers and issuers must code their systems to support these fields to leverage such product and services in a timely manner in the event of a security issue.

## Account Level Management

Mastercard Account Level Management is a platform that enables specialized processing so that Mastercard can manage capabilities at the individual card account level.

Mastercard Account Level Management provides issuers the flexibility of qualifying cardholder accounts for competitive interchange as well as upgrading cardholder accounts to different products.

The following are the key capabilities of Account Level Management functionality:

- Enhanced Value
- Product Graduation Plus
- Product Graduation Select
- High Value
- Spend Shortfall (World Mastercard and World Elite Mastercard)
- Small Business Spend Processing

For more information, refer to the *Account Level Management Manual*.

## Mastercard ATM Cash Pick-Up service

The Mastercard ATM Cash Pick-Up service allows money to be sent to individual recipients who obtain their funds from an ATM that has been upgraded with the ATM Cash Pick-Up software.

Recipients receive a code (for example, Short Message Service [SMS] text message), which they enter into the ATM; therefore, they do not need a debit card or relationship with a bank to receive funds.

The Mastercard ATM Cash Pick-Up Service provides multiple use cases for customers engaging in the service, including:

- Relief Fund Disbursement
- Emergency Cash Assistance
- Cash Rewards
- Person-to-person Payments
- Small Insurance Claims
- Government Aid Payments/Social Benefits
- Compensation

Refer to the *Mastercard Cash Pick-up Program Guide* for more information.

## Clearing Chip Processing service

This section describes the optional Clearing Chip Processing service for issuers that choose the Chip to Magnetic Stripe Conversion service.

### Clearing Chip Processing service overview

Mastercard provides a Clearing Chip Processing service to assist issuers that want to migrate to Mastercard chip technology while minimizing the impact and cost of upgrading their host systems and operations. This On-behalf Service allows issuers to take advantage of the latest chip technology.

Chip to Magnetic Stripe Conversion Service is offered in both the Dual Message Clearing and Dual Message Authorization Systems. Clearing and Authorization System On-behalf Services are optional for issuers. Customers must request Clearing and Authorization System On-behalf Services individually.

### Chip to Magnetic Stripe Conversion

The Chip to Magnetic Stripe Conversion service removes chip-related data in DE 55 (Integrated Circuit Card [ICC] System-related Data) if it is present when DE 14 (Date Expiration) is greater than or equal to the floor expiration date.

The issuer receives the First Presentment/1240–200 message containing PDS 0071 (Chip to Magnetic Stripe Conversion Indicator), subfield 1 (On-behalf Service) with a value of 01, indicating chip to Magnetic Stripe Conversion, and subfield 2 (On-behalf [OB] Result 1) with a value of C, S, or M (based on value in DE 22 [Point of Service [POS] Entry Mode]), subfield 07 [Card Data, Input Mode]) indicating that the conversion of the chip transaction to a magnetic stripe transaction has been completed.

### Magnetic Stripe Conversion service.

The following lists the actions for the chip to Magnetic Stripe Conversion service.

| If Chip to Magnetic Stripe Conversion is Y for clearing issuer account range... | Then the Dual Message Clearing System will... |
|---------------------------------------------------------------------------------|-----------------------------------------------|
| DE 55                                                                           | Remove DE 55                                  |
| <b>PDS 0071 (Chip to Magnetic Stripe Conversion Indicator)</b>                  | <b>Will contain</b>                           |
| Subfield 1 (On-behalf Service)                                                  | 01 = Chip to Magnetic Stripe Conversion       |

|                                |                                                                                                                                                                                                                                                                                                                        |
|--------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Subfield 2 (On-behalf Service) | C = Conversion of the Chip transaction to magnetic transaction has been completed when DE 22 is 05<br><br>S = Conversion of the Chip transaction to magnetic transaction has been completed when DE 22 is 07<br><br>M = Conversion of the Chip transaction to magnetic transaction has been completed when DE 22 is 80 |
| Subfield 3 (On-behalf Service) | Blank = No value present                                                                                                                                                                                                                                                                                               |

**NOTE: The Chip to Magnetic Stripe Conversion service affects issuers only. This service does not affect acquirers .**

The Chip to Magnetic Stripe Conversion service is optional for issuers.

Issuers must contact their regional Mastercard representative to request this service and identify the account range that the Chip to Magnetic Stripe Conversion service will support.

## Collection-only transaction reporting

This section describes collection-only transactions and the Global Collection Only (GCO) Data Collection Program.

### Collection-only transactions

A collection-only transaction is a transaction that is reported to Mastercard through the Dual Message Clearing System, but which has not been cleared or settled through the Mastercard Network. A customer must identify each collection-only transaction by populating PDS 0165 (Settlement Indicator), subfield 1 (Settlement Indicator), value C (Collection Only). Any new customer processing infrastructure that generates and sends collection only messages on the Mastercard Network must provide separate files for GCO and Dual Message Clearing System financial activity.

## Global Collection Only Program

### Overview

To ensure compliance with the Global Collection Only (GCO) Program, a Mastercard customer must submit all purchase, purchase with cash back, unique/quasi-cash, ATM cash withdrawal, manual cash disbursement, payment transaction, and refund/credit transactions to Mastercard as collection only if:

- The transaction was initialized with a card or account issued under a Mastercard-assigned BIN and bearing any one or more of the Mastercard brands (including Mastercard, Debit Mastercard, Maestro, or Cirrus).
- The transaction was not switched on the Mastercard Network.

For the purposes of this program, switched on the Mastercard Network means the submission of a financial transaction message to the Single Message System or the Dual Message Clearing System in request for the settlement of an outstanding debit or credit position in connection with an original completed transaction.

Refer to the *Global Collection Only Program Handbook* for more information.

### **Collection-only transactions that are not permitted for Global Collection Only**

GCO reporting is only required for first presentment transactions. No GCO data should be sent for fee collection messages.

### **Reversing Collection-only data**

A customer should reverse collection-only data if:

- The previously submitted collection-only data was duplicated (same messages sent twice)
- The previously submitted collection-only data was incorrect

**NOTE: For instructions on reversing a single message or an entire file (applicable to both collection-only and non-collection-only activity), refer to [Reversals](#).**

### **Editing Collection-only data**

The Dual Message Clearing System automatically excludes collection-only transactions from most interchange qualification edits.

For example, the Dual Message Clearing System excludes collection-only First Presentment/1240 transactions from authorization code, interchange timeliness, and industry-related addendum requirements.

### **Reporting GCO Program rejects**

The Dual Message Clearing System generates Message Exception/1644 or File Reject/1644 messages for all rejected messages and files. Within these error messages, collection only activity is designated by a value of C in PDS 0165 (Settlement Indicator), subfield 1 (Settlement Indicator).

The Dual Message Clearing System reports rejected GCO Program data through the Global Collection Only Error Detail Report (IP857010-BB).



## Collection-only activity in relation to reconciliation messages

IPM Financial Position Detail Reconciliation messages provide amount and fee totals in each customer's reconciliation currency. These totals are also optionally available in transaction currency.

Because Mastercard does not clear or settle collection-only transactions, IPM Financial Position Detail Reconciliation message totals for these transactions in the customer's reconciliation currency will contain zeros. If the customer has requested the "transaction currency" option for reconciliation messages, IPM Financial Position Detail Reconciliation message totals for these transactions in the transaction currency will be present and will contain the correct (non-zero) amounts.

Customers that want to receive reconciliation totals for collection-only activity should request both the transaction currency option and the settlement indicator option for IPM Financial Position Detail Reconciliation messages to differentiate amount totals for these transactions.

Customers may select category options by contacting their account manager or Mastercard Customer Implementation Specialist.

The Dual Message Clearing System offers the Clearing Cycle Acknowledgment (IP727010-AA) report for the reconciliation of Global Collection Only clearing activity. However, because the Dual Message Clearing System does not calculate the reconciliation amount on these transactions, the amount fields will be zero. The counts field will contain the number of collection items processed.

## First Presentment/1240: Global Collection Only format

A customer must submit various data as collection-only using the First Presentment/1240 transaction format in order to comply with the GCO Data Collection Program, referred to in this section as the First Presentment/1240: Global Collection Only format.

The following table identifies all mandatory and optional data elements and private data subelements for the First Presentment/1240: Global Collection Only transactions.

### First Presentment/1240 Global Collection Only data elements

| Data Element: 1240 | Data Element Name: 1240 | M: Mandatory/O: Optional |
|--------------------|-------------------------|--------------------------|
| -                  | Message Type Identifier | M                        |
| -                  | Bit Map, Primary        | M                        |
| 1                  | Bit Map, Secondary      | M                        |
| 2                  | PAN                     | M                        |
| 3                  | Processing Code         | M                        |
| 4                  | Amount, Transaction     | M                        |

| <b>Data Element: 1240</b> | <b>Data Element Name: 1240</b>               | <b>M: Mandatory/O: Optional</b> |
|---------------------------|----------------------------------------------|---------------------------------|
| 5                         | Amount, Reconciliation                       | O                               |
| 6                         | Amount, Cardholder Billing                   | O                               |
| 12                        | Date and Time, Local Transaction             | M                               |
| 14                        | Date, Expiration                             | O                               |
| 22                        | Point of Service [POS] Entry Mode            | M                               |
| 23                        | Card Sequence Number                         | O                               |
| 24                        | Function Code                                | M                               |
| 25                        | Message Reason Code                          | O                               |
| 26                        | Acceptor Business Code                       | M                               |
| 30                        | Amounts, Original                            | O                               |
| 31                        | Acquirer Reference Data                      | O                               |
| 32                        | Acquiring Institution ID Code                | O                               |
| 33                        | Forwarding Institution ID Code               | M                               |
| 37                        | Retrieval Reference Number                   | O                               |
| 38                        | Approval Code                                | O                               |
| 40                        | Service Code                                 | O                               |
| 41                        | Acceptor Terminal ID                         | M                               |
| 42                        | Acceptor ID                                  | M                               |
| 43                        | Acceptor Name/Location                       | M                               |
| 48                        | Additional Data                              | M                               |
| p0023                     | Terminal Type                                | O                               |
| p0025                     | Message Reversal Indicator                   | O                               |
| p0043                     | Transaction Type Identifier                  | O                               |
| p0052                     | Electronic Commerce Security Level Indicator | O                               |
| p0057                     | Transaction Category Indicator               | O                               |
| p0058                     | Token Assurance Level                        | O                               |
| p0059                     | Token Requestor ID                           | O                               |
| p0080                     | Amount, Tax                                  | O                               |
| p0145                     | Amount, Alternate Transaction Fee            | O                               |
| p0146                     | Amounts, Transaction Fee                     | O                               |

| <b>Data Element: 1240</b> | <b>Data Element Name: 1240</b>               | <b>M: Mandatory/O: Optional</b> |
|---------------------------|----------------------------------------------|---------------------------------|
| p0148                     | Currency Exponents                           | M                               |
| p0149                     | Currency Codes, Amounts, Original            | O                               |
| p0157                     | Alternate Processor Indicator                | O                               |
| p0158                     | Business Activity                            | O                               |
| p0159                     | Settlement Data                              | O                               |
| p0165                     | Settlement Indicator                         | M                               |
| p0170                     | Acceptor Inquiry Information                 | O                               |
| p0171                     | Alternate Acceptor Description Data          | O                               |
| p0172                     | Sole Proprietor Name                         | O                               |
| p0173                     | Legal Corporate Name                         | O                               |
| p0174                     | Dun & Bradstreet Number                      | O                               |
| p0175                     | Acceptor URL Address                         | O                               |
| p0176                     | Mastercard Assigned ID                       | O                               |
| p0177                     | Cross-border                                 | O                               |
| p0178                     | Alternate Acceptor Description Data 2        | O                               |
| p0179                     | Long Running Transaction (LRT) Indicator     | O                               |
| p0180                     | Domestic Acceptor Tax ID                     | O                               |
| p0181                     | Installment Payment Data                     | O                               |
| p0189                     | Point-of-Interaction (POI) Phone Data        | O                               |
| p0190                     | Partner ID Code                              | O                               |
| p0191                     | Originating Message Format                   | O                               |
| p0194                     | Remote Payment Program Data                  | O                               |
| p0195                     | Installment Data                             | O                               |
| p0196                     | Mobile Phone Reload Data                     | O                               |
| p0197                     | National Use Tax Data                        | O                               |
| p0198                     | Device Type                                  | O                               |
| p0199                     | Funding Transaction Information              | O                               |
| p0202                     | Primary Account Number [PAN]<br>Syntax Error | O                               |

| <b>Data Element: 1240</b> | <b>Data Element Name: 1240</b>                          | <b>M: Mandatory/O: Optional</b> |
|---------------------------|---------------------------------------------------------|---------------------------------|
| p0204                     | Amount, Syntax Error                                    | O                               |
| p0205                     | Syntax Return, Message Error Indicator                  | O                               |
| p0207                     | Wallet Identifier                                       | O                               |
| p0208                     | Additional Merchant Data                                | O                               |
| p0209                     | Independent Sales Organization ID                       | O                               |
| p0210                     | Transit Program                                         | O                               |
| p0211                     | Terminal Compliant Indicator                            | O                               |
| p0220                     | Brazil Merchant Tax ID                                  | O                               |
| p0225                     | Syntax Return, Original Message Reason Code             | O                               |
| p0261                     | Risk Management Approval Code (Rejected by Mastercard)  | O                               |
| p0375                     | Member Reconciliation Indicator 1                       | O                               |
| p0446                     | Transaction Fee Amount, Syntax Error                    | O                               |
| p0502                     | Custom Identifier                                       | O                               |
| p0596                     | Acceptor Tax ID                                         | O                               |
| p0597                     | Total Tax Amount                                        | O                               |
| p0623                     | Motor Fuel Information                                  | O                               |
| p0629                     | Odometer Reading                                        | O                               |
| p0799                     | Test Case Traceability Identifiers                      | O                               |
| p10XX                     | Member-to-Member Proprietary Data (p1000 through p1099) | O                               |
| 49                        | Currency Code, Transaction                              | M                               |
| 50                        | Currency Code, Reconciliation                           | O                               |
| 51                        | Currency Code, Cardholder Billing                       | O                               |
| 54                        | Amounts, Additional                                     | O                               |
| 55                        | Integrated Circuit Card (ICC) System Related Data       | O                               |
| 62                        | Additional Data 2                                       | O                               |
| 63                        | Transaction Life Cycle ID                               | O                               |
| 71                        | Message Number                                          | M                               |

| <b>Data Element: 1240</b> | <b>Data Element Name: 1240</b>             | <b>M: Mandatory/O: Optional</b> |
|---------------------------|--------------------------------------------|---------------------------------|
| 94                        | Transaction Originator Institution ID Code | M                               |
| 123                       | Additional Data 3                          | O                               |
| 124                       | Additional Data 4                          | O                               |
| 125                       | Additional Data 5                          | O                               |

## Global Collection Only mapping for Single Message System transactions

This section shows how to map a Financial Transaction Request/0200 transaction to the IPM format using field mapping.

Single Message System Financial Transaction Request/0200 data can be mapped to First Presentment/1240: Global Collection Only transactions. Note that some data cannot be mapped from or may not exist in the 0200 message and must be populated directly into the 1240 message.. For example, the function code in DE 24 must be populated with 0200 and does not come from any element in the 0200 message.

This table provides an example of how to build an First Presentment/1240: Global Collection Only transaction using Mastercard Single Message System format as the source.

This may be useful for customers that switch their global or cross-border transactions through the Single Message System and are required to report collection-only transactions to the Dual Message Clearing System in the First Presentment/1240: Global Collection Only format. The Single Message System format may differ slightly from a customer's local switch; however, it should provide a general baseline for customers.

### Mapping 0200 to 1240

| <b>Data Element: 1240</b> | <b>Data Element Name: 1240</b> | <b>M:Mandatory / O:Optional</b> | <b>Guiding Comments or Maps to Value</b> | <b>Data Element No.: Single Message 0200</b> | <b>Data Element Name: Single Message System 0200</b> |
|---------------------------|--------------------------------|---------------------------------|------------------------------------------|----------------------------------------------|------------------------------------------------------|
| -                         | Message Type Identifier        | M                               | 1240                                     |                                              |                                                      |
| -                         | Bit Map, Primary               | M                               |                                          |                                              |                                                      |
| 1                         | Bit Map, Secondary             | M                               |                                          |                                              |                                                      |
| 2                         | PAN                            | M                               |                                          | 2                                            | PAN                                                  |
| 3                         | Processing Code                | M                               |                                          | 3                                            | Processing Code                                      |

Services or products leveraging the system  
Global Collection Only mapping for Single Message System transactions

| <b>Data Element:<br/>1240</b> | <b>Data Element<br/>Name: 1240</b>      | <b>M:Mandatory /<br/>O:Optional</b> | <b>Guiding<br/>Comments or<br/>Maps to Value</b> | <b>Data Element<br/>No.: Single<br/>Message 0200</b> | <b>Data Element<br/>Name: Single<br/>Message<br/>System 0200</b> |
|-------------------------------|-----------------------------------------|-------------------------------------|--------------------------------------------------|------------------------------------------------------|------------------------------------------------------------------|
| 4                             | Amount,<br>Transaction                  | M                                   |                                                  | 4                                                    | Amount,<br>Transaction                                           |
| 5                             | Amount,<br>Reconciliation               | O                                   |                                                  | 5                                                    | Amount,<br>Settlement                                            |
| 6                             | Amount,<br>Cardholder<br>Billing        | O                                   |                                                  | 6                                                    | Amount,<br>Cardholder<br>Billing                                 |
| 12                            | Date and Time,<br>Local<br>Transaction  | M                                   |                                                  | 13                                                   | Date, Local<br>Transaction                                       |
| 14                            | Date, Expiration                        | O                                   |                                                  | 14                                                   | Date, Expiration                                                 |
| 22                            | Point of Service<br>[POS] Entry<br>Mode | M                                   |                                                  | 22                                                   | Point-of-Service<br>Entry Mode                                   |
| -                             | s7 Card Data:<br>Input Mode             | M                                   |                                                  | 22/1                                                 | Point-of-Service<br>Entry Mode                                   |
| 23                            | Card Sequence<br>Number                 | O                                   |                                                  | 23                                                   | Card Sequence<br>Number                                          |
| 24                            | Function Code                           | M                                   | 200                                              |                                                      |                                                                  |
| 25                            | Message Reason<br>Code                  | O                                   |                                                  |                                                      |                                                                  |
| 26                            | Acceptor<br>Business Code               | M                                   |                                                  | 18                                                   | Merchant Type<br>(MCC)                                           |
| 30                            | Amounts,<br>Original                    | O                                   |                                                  | 4<br>5                                               | Amount,<br>Transaction<br><br>Amount,<br>Settlement              |
| 31                            | Acquirer<br>Reference Data              | M                                   |                                                  | 63/5                                                 | Network Data                                                     |
| 32                            | Acquiring<br>Institution ID<br>Code     | O                                   |                                                  | 32                                                   | Acquiring<br>Institution<br>Identification<br>Code               |

Services or products leveraging the system  
Global Collection Only mapping for Single Message System transactions

| <b>Data Element:<br/>1240</b> | <b>Data Element<br/>Name: 1240</b>                    | <b>M:Mandatory /<br/>O:Optional</b> | <b>Guiding<br/>Comments or<br/>Maps to Value</b> | <b>Data Element<br/>No.: Single<br/>Message 0200</b> | <b>Data Element<br/>Name: Single<br/>Message<br/>System 0200</b> |
|-------------------------------|-------------------------------------------------------|-------------------------------------|--------------------------------------------------|------------------------------------------------------|------------------------------------------------------------------|
| 33                            | Forwarding<br>Institution ID<br>Code                  | M                                   |                                                  | 33                                                   | Forwarding<br>Institution<br>Identification<br>Code              |
| 37                            | Retrieval<br>Reference<br>Number                      | O                                   |                                                  | 37                                                   | Retrieval<br>Reference<br>Number                                 |
| 38                            | Approval Code                                         | O                                   |                                                  |                                                      |                                                                  |
| 40                            | Service Code                                          | M                                   |                                                  | 35                                                   | Track 2 Data                                                     |
| 41                            | Acceptor<br>Terminal ID                               | M                                   |                                                  | 41                                                   | Acceptor<br>Terminal<br>Identification                           |
| 42                            | Acceptor ID                                           | M                                   |                                                  | 42                                                   | Acceptor<br>Identification                                       |
| 43                            | Acceptor Name/<br>Location                            | M                                   |                                                  | 43                                                   | Acceptor Name<br>and Location                                    |
| 48                            | Additional Data                                       | M                                   |                                                  | 48                                                   | Additional Data:<br>Private Use                                  |
| p0023                         | Terminal Type                                         | O                                   |                                                  | 61/10                                                | POS Data                                                         |
| p0025                         | Message<br>Reversal<br>Indicator                      | O                                   |                                                  |                                                      |                                                                  |
| p0043                         | Transaction Type<br>Identifier                        | O                                   |                                                  | 110/2                                                | Additional Data<br>- 2                                           |
| p0052                         | Electronic<br>Commerce<br>Security Level<br>Indicator | O                                   |                                                  | 48/42                                                | Additional Data:<br>Private Use                                  |
| p0057                         | Transaction<br>Category<br>Indicator                  | O                                   |                                                  | 48/61                                                | Additional Data:<br>Private Use                                  |
| p0058                         | Token Assurance<br>Level                              | O                                   |                                                  |                                                      |                                                                  |
| p0059                         | Token Requestor<br>ID                                 | O                                   |                                                  |                                                      |                                                                  |
| p0080                         | Amount, Tax                                           | O                                   |                                                  |                                                      |                                                                  |

| <b>Data Element:<br/>1240</b> | <b>Data Element<br/>Name: 1240</b>        | <b>M:Mandatory /<br/>O:Optional</b> | <b>Guiding<br/>Comments or<br/>Maps to Value</b>                                                                                                 | <b>Data Element<br/>No.: Single<br/>Message 0200</b> | <b>Data Element<br/>Name: Single<br/>Message<br/>System 0200</b> |
|-------------------------------|-------------------------------------------|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|------------------------------------------------------------------|
| p0145                         | Amount,<br>Alternate<br>Transaction Fee   | O                                   |                                                                                                                                                  |                                                      |                                                                  |
| p0146                         | Amounts,<br>Transaction Fee               | O                                   |                                                                                                                                                  | 28                                                   | Amount,<br>Transaction Fee                                       |
| p0148                         | Currency<br>Exponents                     | M                                   | ISO Currency<br>Exponent from<br>the FIT file or<br>Member<br>Parameter<br>Extract (MPE)<br>for each currency<br>code used in the<br>transaction |                                                      |                                                                  |
| p0149                         | Currency Codes,<br>Amounts,<br>Original   | O                                   |                                                                                                                                                  | 49<br>50                                             | Currency Code,<br>Transaction<br>Currency Code,<br>Settlement    |
| p0157                         | Alternate<br>Processor<br>Indicator       | O                                   |                                                                                                                                                  |                                                      |                                                                  |
| p0158                         | Business Activity                         | O                                   |                                                                                                                                                  | 110                                                  | Additional Data<br>- 2                                           |
| p0159                         | Settlement Data                           | O                                   |                                                                                                                                                  | 110/7                                                | Additional Data<br>- 2                                           |
| p0165                         | Settlement<br>Indicator                   | M                                   | C                                                                                                                                                |                                                      |                                                                  |
| p0170                         | Acceptor Inquiry<br>Information           | O                                   |                                                                                                                                                  |                                                      |                                                                  |
| p0171                         | Alternate<br>Acceptor<br>Description Data | O                                   |                                                                                                                                                  |                                                      |                                                                  |
| p0172                         | Sole Proprietor<br>Name                   | O                                   |                                                                                                                                                  |                                                      |                                                                  |
| p0173                         | Legal Corporate<br>Name                   | O                                   |                                                                                                                                                  |                                                      |                                                                  |



| <b>Data Element:<br/>1240</b> | <b>Data Element<br/>Name: 1240</b>             | <b>M:Mandatory /<br/>O:Optional</b> | <b>Guiding<br/>Comments or<br/>Maps to Value</b> | <b>Data Element<br/>No.: Single<br/>Message 0200</b> | <b>Data Element<br/>Name: Single<br/>Message<br/>System 0200</b> |
|-------------------------------|------------------------------------------------|-------------------------------------|--------------------------------------------------|------------------------------------------------------|------------------------------------------------------------------|
| p0174                         | Dun &<br>Bradstreet<br>Number                  | O                                   |                                                  |                                                      |                                                                  |
| p0175                         | Acceptor URL                                   | O                                   |                                                  |                                                      |                                                                  |
| p0176                         | Mastercard<br>Assigned ID                      | O                                   |                                                  | 48/32                                                | Additional Data:<br>Private Use                                  |
| p0177                         | Cross-border                                   | O                                   |                                                  | 126                                                  | Switch Private<br>Data                                           |
| p0178                         | Alternate<br>Acceptor<br>Description Data<br>2 | O                                   |                                                  |                                                      |                                                                  |
| p0179                         | Long Running<br>Transaction<br>(LRT) Indicator | O                                   |                                                  |                                                      |                                                                  |
| p0180                         | Domestic<br>Acceptor Tax ID                    | O                                   |                                                  |                                                      |                                                                  |
| p0181                         | Installment<br>Payment Data                    | O                                   |                                                  |                                                      |                                                                  |
| p0189                         | Point-of-<br>Interaction (POI)<br>Phone Data   | O                                   |                                                  |                                                      |                                                                  |
| p0190                         | Partner ID Code                                | O                                   |                                                  |                                                      |                                                                  |
| p0191                         | Originating<br>Message Format                  | O                                   |                                                  |                                                      |                                                                  |
| p0194                         | Remote<br>Payment<br>Program Data              | O                                   |                                                  |                                                      |                                                                  |
| p0195                         | Installment Data                               | O                                   |                                                  |                                                      |                                                                  |
| p0196                         | Mobile Phone<br>Reload Data                    | O                                   |                                                  |                                                      |                                                                  |
| p0197                         | National Use Tax<br>Data                       | O                                   |                                                  |                                                      |                                                                  |
| p0198                         | Device Type                                    | O                                   |                                                  |                                                      |                                                                  |

| <b>Data Element:<br/>1240</b> | <b>Data Element<br/>Name: 1240</b>                                 | <b>M:Mandatory /<br/>O:Optional</b> | <b>Guiding<br/>Comments or<br/>Maps to Value</b> | <b>Data Element<br/>No.: Single<br/>Message 0200</b> | <b>Data Element<br/>Name: Single<br/>Message<br/>System 0200</b> |
|-------------------------------|--------------------------------------------------------------------|-------------------------------------|--------------------------------------------------|------------------------------------------------------|------------------------------------------------------------------|
| p0199                         | Funding<br>Transaction<br>Information                              | O                                   |                                                  |                                                      |                                                                  |
| p0202                         | PAN Syntax<br>Error                                                | O                                   |                                                  |                                                      |                                                                  |
| p0204                         | Amount, Syntax<br>Error                                            | O                                   |                                                  |                                                      |                                                                  |
| p0205                         | Syntax Return,<br>Message Error<br>Indicator                       | O                                   |                                                  |                                                      |                                                                  |
| p0207                         | Wallet Identifier                                                  | O                                   |                                                  |                                                      |                                                                  |
| p0208                         | Additional<br>Merchant Data                                        | O                                   |                                                  |                                                      |                                                                  |
| p0209                         | Independent<br>Sales<br>Organization ID                            | O                                   |                                                  |                                                      |                                                                  |
| p0210                         | Transit Program                                                    | O                                   |                                                  |                                                      |                                                                  |
| p0211                         | Terminal<br>Compliant<br>Indicator                                 | O                                   |                                                  |                                                      |                                                                  |
| p0220                         | Brazil Merchant<br>Tax ID                                          | O                                   |                                                  |                                                      |                                                                  |
| p0225                         | Syntax Return,<br>Original<br>Message Reason<br>Code               | O                                   |                                                  |                                                      |                                                                  |
| p0261                         | Risk<br>Management<br>Approval Code<br>(Rejected by<br>Mastercard) | O                                   |                                                  |                                                      |                                                                  |
| p0375                         | Member<br>Reconciliation<br>Indicator 1                            | O                                   |                                                  |                                                      |                                                                  |
| p0446                         | Transaction Fee<br>Amount, Syntax<br>Error                         | O                                   |                                                  |                                                      |                                                                  |

Services or products leveraging the system  
Global Collection Only mapping for Single Message System transactions

| <b>Data Element:<br/>1240</b> | <b>Data Element<br/>Name: 1240</b>                      | <b>M:Mandatory /<br/>O:Optional</b> | <b>Guiding<br/>Comments or<br/>Maps to Value</b> | <b>Data Element<br/>No.: Single<br/>Message 0200</b> | <b>Data Element<br/>Name: Single<br/>Message<br/>System 0200</b> |
|-------------------------------|---------------------------------------------------------|-------------------------------------|--------------------------------------------------|------------------------------------------------------|------------------------------------------------------------------|
| p0502                         | Custom Identifier                                       | O                                   |                                                  |                                                      |                                                                  |
| p0596                         | Acceptor Tax ID                                         | O                                   |                                                  |                                                      |                                                                  |
| p0597                         | Total Tax Amount                                        | O                                   |                                                  |                                                      |                                                                  |
| p0623                         | Motor Fuel Information                                  | O                                   |                                                  |                                                      |                                                                  |
| p0629                         | Odometer Reading                                        | O                                   |                                                  |                                                      |                                                                  |
| p0799                         | Test Case Traceability Identifiers                      | O                                   |                                                  |                                                      |                                                                  |
| p10XX                         | Member-to-Member Proprietary Data (p1000 through p1099) | O                                   |                                                  |                                                      |                                                                  |
| 49                            | Currency Code, Transaction                              | M                                   |                                                  | 49                                                   | Currency Code, Transaction                                       |
| 50                            | Currency Code, Reconciliation                           | O                                   |                                                  | 50                                                   | Currency Code, Settlement                                        |
| 51                            | Currency Code, Cardholder Billing                       | O                                   |                                                  | 51                                                   | Currency Code, Cardholder Billing                                |
| 54                            | Amounts, Additional                                     | O                                   |                                                  | 54                                                   | Additional Amounts                                               |
| 55                            | Integrated Circuit Card (ICC) System Related Data       | O                                   |                                                  | 55                                                   | Integrated Circuit Card (ICC) System-Related Data                |
| 62                            | Additional Data 2                                       | O                                   |                                                  | 62                                                   | INF Data                                                         |
| 63                            | Transaction Life Cycle ID                               | O                                   |                                                  | 63                                                   | Network Data                                                     |
| 71                            | Message Number                                          | M                                   |                                                  |                                                      |                                                                  |

| <b>Data Element:<br/>1240</b> | <b>Data Element<br/>Name: 1240</b>                  | <b>M:Mandatory /<br/>O:Optional</b> | <b>Guiding<br/>Comments or<br/>Maps to Value</b> | <b>Data Element<br/>No.: Single<br/>Message 0200</b> | <b>Data Element<br/>Name: Single<br/>Message<br/>System 0200</b> |
|-------------------------------|-----------------------------------------------------|-------------------------------------|--------------------------------------------------|------------------------------------------------------|------------------------------------------------------------------|
| 94                            | Transaction<br>Originator<br>Institution ID<br>Code | M                                   |                                                  | 32                                                   | Acquiring<br>Institution<br>Identification<br>Code               |
| 123                           | Additional Data<br>3                                | O                                   |                                                  |                                                      |                                                                  |
| 124                           | Additional Data<br>4                                | O                                   |                                                  |                                                      |                                                                  |
| 125                           | Additional Data<br>5                                | O                                   |                                                  |                                                      |                                                                  |

## Cross-Border Fee Manager service

The Cross-Border Fee Manager service allows issuers to have the flexibility to set markup fees for both currency-conversion and cross-border transactions, taking into account various parameters.

- Issuer-identified account ranges or brands (for example, Mastercard®, Debit Mastercard, Maestro®, and Cirrus®)
- Transaction Group: Point-of-sale (POS), ATM, Card Present (Other), and Card Not Present
- Interregional versus intraregional transactions
- Transaction currency (cardholder versus other)

In combination with the default service in clearing, issuers can select authorization as an option. Markup fees are added to the cardholder billing amount (DE 6) without any impact to other data fields within the authorization. The markup amount provided within authorization serves as an estimate and may differ slightly from the amount within clearing due to fluctuations of the currency conversion rates used to calculate the final issuer markup.

Refer to the *Cross-Border Fee Manager Service Program Guide* for more information about this service.

## Cross-Border Fee Manager reports

Issuers can choose to receive daily audit report files that align with each clearing cycle from the Dual Message Clearing System.

This audit report will be available for the clearing transactions for which the Cross-Border Fee Manager calculation was performed.

Mastercard has added report IP830020 to bulk file TN70 for production and bulk file TN72 for testing.

For more information, refer to [Reports and files](#).

## Electronic commerce

Electronic commerce (e-commerce) transactions are non-face-to-face, online transactions that use electronic media over any public network such as the Internet, or private network. E-commerce processing allows transactions to be initiated from a cardholder-controlled device, such as a PC or mobile phone, for purchasing goods and services on the Internet.

### Customer requirements

To process e-commerce transactions:


- All issuers must be able to receive and process all e-commerce data present in the Authorization Request/0100 messages.
- All acquirers must properly identify e-commerce messages within the Authorization Request/0100 message.
- All acquirers must be able to receive and to process Authorization Request Response/0110 messages.

For detailed transaction flows and requirements associated with participation in the Identity Check program, refer to the *Mastercard Identity Check Program Guide*. For details about data requirements and transaction processing specifications authorization requests, refer to the *Mastercard Network Processing Dual Message Authorization System Guide*.

## Process for an electronic commerce transaction

The following diagram illustrates the flow of a typical e-commerce transaction.

### Electronic commerce transaction process



1. The cardholder accesses a merchant's website through the Internet and requests to make a purchase.
2. The merchant submits the cardholder's information to the acquirer.
3. The acquirer sends an Authorization Request/0100 message through the Mastercard Network to the issuer.
4. The issuer makes the authorization decision and replies using an Authorization Request Response/0110 message.

5. The acquirer responds to the merchant.
6. The merchant completes the transaction according to the authorization response returned.

## Security of electronic commerce transactions

There are various methods for securing e-commerce transactions that customers may process through the Mastercard Network.

Mastercard messaging requirements regarding e-commerce may vary depending on the security protocol involved in the transactions.

If a cardholder-initiated transaction (CIT) includes items unavailable for shipment when the order is placed, the merchant may initiate a subsequent transaction (MIT) identified as a partial shipment when those items are back in stock. For dispute purposes, in particular when cardholder authentication occurred at the time the order was placed, the partial shipment MIT may be linked or referenced back to the original CIT.

**NOTE: If UCAF data is not present, an e-commerce transaction must be presented within clearing for non-UCAF interchange (as applicable by region).**

For more information about Identity Check, including detailed transaction flows and participation requirements, refer to the *Mastercard Identity Check Program Guide*.

## Universal Cardholder Authentication Field

The Universal Cardholder Authentication Field (UCAF) is a standard, globally interoperable method of collecting cardholder authentication data at the point of interaction.

Within the Mastercard authorization networks, UCAF is a universal, multipurpose data transport infrastructure that is used to communicate authentication information between cardholders, merchants, acquirers, and issuers.

### Accountholder Authentication Value

The Accountholder Authentication Value (AAV) is a Mastercard Identity Check-specific implementation of UCAF related to issuer authentication platforms that incorporate the Secure Payment Application (SPA) algorithm. SPA is a Mastercard security method designed to authenticate cardholders when they pay online. All AAVs must be generated using the Mastercard SPA algorithm. With the EMV® 3-D Secure protocol and the Mastercard Identity Check program, Mastercard has created a SPA algorithm called SPA2. For more information about this algorithm, refer to the *SPA2 AAV and Verification Guide for the Mastercard Identity Check Program* on Mastercard Connect.

AAVs are generated by Mastercard and presented to the merchant for placement in the authorization request upon successful authentication of the cardholder or attempted authentication of the cardholder.

UCAF is used to transmit the AAV from the merchant to the issuer for authentication purposes during the authorization process.

Customers must perform AAV validation during the Authorization Request/0100 messages, either through their own self-validation process of their IAV (Issuer Authentication Value) or through the Mastercard Identity Check AAV Verification service.

All customers must participate in Mastercard Identity Check Dynamic AAV Verification in Stand-In Processing. This is now an automated rule-based process within Authorization for Stand-In Processing Authorization and Stand-In generated AAVs with Smart Authentication, IDC Insights, and IDC Express.

To implement the Mastercard Identity Check Dynamic AAV Verification service, login to the ISSM (Identity Solutions Services Management) application within Mastercard Connect. This is only for ACS enrolled account ranges for ACS authenticated AAVs.

**NOTE: All issuers globally that participate in Stand-In processing must have Mastercard Identity Check Dynamic AAV verification and Dynamic CVC 3 Validation in Stand-In performed during Stand-In processing.**

## Relationship between e-commerce and Mastercard Identity Check

Mastercard Identity Check builds upon the infrastructure requirements for channel encryption with the additional benefit of cardholder authentication.

When used in conjunction with components of the Mastercard payment infrastructure, Mastercard Identity Check provides a mechanism for online merchants to potentially receive an enhanced payment guarantee similar to what retailers (non-Internet) receive with qualifying physical point-of-sale transactions.

## UCAF in Digital Secure Remote Payments

The UCAF field is also used to support Digital Secure Remote Payments (DSRP) submitted as electronic commerce transactions that are initiated with MDES tokens.

In this case, the UCAF field contains an encoded list of data constructed according to UCAF format. .

## Extended Decimal Precision service

The Extended Decimal Precision (EDP) service provides participating customers with interchange calculated to six decimal positions for each transaction. Qualified transactions are totaled using a defined set of criteria, and then rounded. In the European Union countries, if the transactions are identified as regulated, the totaled amount is truncated.

Participation in the EDP service is established at the business service arrangement level. For more information on Business Service Arrangements, refer to [System functionality and services](#).

Transactions qualified for the EDP service have these attributes.

- EDP adjustment amounts are distributed in Fee Collection Messages with a message reason code of 7827 (Extended decimal precision adjustment amount).
- EDP adjustment amounts are applied to settlement on the next available settlement date.
- Customers receive PDS 0147 (Extended Precision Amounts).
- Customers can select to receive Reconciliation Messages, which provide EDP totals by
  - Debits, Extended Precision Amount in Reconciliation Currency (PDS 0397)
  - Credits, Extended Precision Amount in Reconciliation Currency (PDS 0398)
  - Amount, Net Extended Precision in Reconciliation Currency (PDS 0399)

**NOTE: Regardless of selected reconciliation options, customers receive separate reconciliation messages 1644-685 (Financial Position Detail) and 1644-688 (Settlement Position Detail) from Dual Message Clearing System for EDP and non-EDP transactions.**

## Extended Decimal Precision adjustment amount determination

Once daily, after the last clearing cycle, Mastercard calculates the EDP adjustment amount as follows.

- For each Transaction Originator (Sender)/Destination (Receiver) Institution ID pair and reconciliation currency, the amounts in PDS 0146 (Amounts, Transaction Fee), subfield 7 (Amount, Fee, Reconciliation) are summed.
- For each Transaction Originator (Sender)/Destination (Receiver) Institution ID pair and reconciliation currency, the amounts in PDS 0147 (Extended Precision Amounts), subfield 7 (Interchange Amount, Fee, Reconciliation) are summed.
- The totaled amounts of PDS 0146, subfield 7 are subtracted from the totaled amounts of PDS 0147, subfield 7 to calculate the EDP adjustment amount in sender and receiver reconciliation currency.

### EDP adjustment amount calculation example

All transactions in this example have these characteristics.

- First Presentment/1240 messages
- Transaction currency is EUR
- Sender Reconciliation Currency is EUR
- Receiver Reconciliation Currency is EUR
- Assume 1 EUR = 1.25 USD (mid currency conversion rate)



## EDP

| Transaction | Sender     | Receiver | Sender Fee Amount in Recon Currency (PDS 0146, SF 7) | Sender Interchange Amount, Fee, in Recon Currency (PDS 0147, SF 7) | Receiver Fee Amount in Recon Currency (PDS 0146, SF 7) | Receiver Interchange Amount, Fee, in Recon Currency (PDS 0147, SF 7) |
|-------------|------------|----------|------------------------------------------------------|--------------------------------------------------------------------|--------------------------------------------------------|----------------------------------------------------------------------|
| 1           | Acquirer 1 | Issuer 1 | -5.00                                                | -5.003987                                                          | 5.00                                                   | 5.003987                                                             |
| 2           | Acquirer 1 | Issuer 1 | -10.00                                               | -10.001234                                                         | 10.00                                                  | 10.001234                                                            |
| 3           | Acquirer 1 | Issuer 1 | -20.00                                               | -20.005841                                                         | 20.00                                                  | 20.005841                                                            |
| 4           | Acquirer 2 | Issuer 2 | -6.00                                                | -6.001223                                                          | 6.00                                                   | 6.001223                                                             |
| 5           | Acquirer 2 | Issuer 2 | -7.00                                                | -7.003589                                                          | 7.00                                                   | 7.003589                                                             |
| 6           | Acquirer 3 | Issuer 1 | -8.00                                                | -8.001899                                                          | 8.00                                                   | 8.001899                                                             |
| 7           | Acquirer 2 | Issuer 1 | -11.00                                               | -11.002651                                                         | 11.00                                                  | 11.002651                                                            |
| 8           | Acquirer 2 | Issuer 1 | -30.00                                               | -30.003877                                                         | 30.00                                                  | 30.003877                                                            |
| 9           | Acquirer 2 | Issuer 1 | -40.00                                               | -40.002445                                                         | 40.00                                                  | 40.002445                                                            |
| 10          | Acquirer 4 | Issuer 3 | -50.00                                               | -50.008511                                                         | 50.00                                                  | 50.008511                                                            |
| 11          | Acquirer 4 | Issuer 3 | -20.00                                               | -20.007688                                                         | 20.00                                                  | 20.007688                                                            |

EDP Calculation: PDS 0146, subfield 7 and PDS 0147, subfield 7 summed by Sender/Receiver pairs:

## EDP Calculations

| Sender     | Receiver | Sender Net Fee Amount in Recon Currency (PDS 0146, SF 7) | Sender Net Interchange Amount, Fee, in Recon Currency (PDS 0147, SF 7) | Sender Net Adjustment in Recon Currency (PDS 0147, SF 7 minus PDS 0146, SF 7) | Receiver Net Fee Amount in Recon Currency (PDS 0146, SF 7) | Receiver Net Interchange Amount, Fee, in Recon Currency (PDS 0147, SF 7) | Receiver Net Adjustment in Recon Currency (PDS 0147, SF 7 minus PDS 0146, SF 7) |
|------------|----------|----------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------------------------------|------------------------------------------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| Acquirer 1 | Issuer 1 | -35.00                                                   | -35.011062                                                             | -0.011062                                                                     | 35.00                                                      | 35.011062                                                                | 0.011062                                                                        |
| Acquirer 2 | Issuer 2 | -13.00                                                   | -13.004812                                                             | -0.004812                                                                     | 13.00                                                      | 13.004812                                                                | 0.004812                                                                        |
| Acquirer 3 | Issuer 1 | -8.00                                                    | -8.001899                                                              | -0.001899                                                                     | 8.00                                                       | 8.001899                                                                 | 0.001899                                                                        |

| Sender     | Receiver | Sender Net Fee Amount in Recon Currency (PDS 0146, SF 7) | Sender Net Interchange Amount, Fee, in Recon Currency (PDS 0147, SF 7) | Sender Net Adjustment in Recon Currency (PDS 0147, SF 7 minus PDS 0146, SF 7) | Receiver Net Fee Amount in Recon Currency (PDS 0146, SF 7) | Receiver Net Interchange Amount, Fee, in Recon Currency (PDS 0147, SF 7) | Receiver Net Adjustment in Recon Currency (PDS 0147, SF 7 minus PDS 0146, SF 7) |
|------------|----------|----------------------------------------------------------|------------------------------------------------------------------------|-------------------------------------------------------------------------------|------------------------------------------------------------|--------------------------------------------------------------------------|---------------------------------------------------------------------------------|
| Acquirer 2 | Issuer 1 | -81.00                                                   | -81.008973                                                             | -0.008973                                                                     | 81.00                                                      | 81.008973                                                                | 0.008973                                                                        |
| Acquirer 4 | Issuer 3 | -70.00                                                   | -70.016199                                                             | -0.016199                                                                     | 70.00                                                      | 70.016199                                                                | 0.016199                                                                        |

### Net EDP adjustment of the acquirer

Net EDP adjustment amount of Acquirer 1 in USD =  $0.011062 * 1.25 = 0.013827 = 0.01$  USD (DR)

Net EDP adjustment amount of Acquirer 2 in USD =  $0.013785 * 1.25 = 0.017231 = 0.01$  USD (DR)

Net EDP adjustment amount of Acquirer 3 in USD =  $0.001899 * 1.25 = 0.002373 = 0.00$  USD (DR)

Net EDP adjustment amount of Acquirer 4 in USD =  $0.016199 * 1.25 = 0.020248 = 0.02$  USD (DR)

### Net EDP adjustment of the issuer

Net EDP adjustment amount of Issuer 1 in USD =  $0.021934 * 1.25 = 0.027417 = 0.02$  USD (CR)

Net EDP adjustment amount of Issuer 2 in USD =  $0.004812 * 1.25 = 0.006015 = 0.00$  USD (CR)

Net EDP adjustment amount of Issuer 3 in USD =  $0.016199 * 1.25 = 0.020248 = 0.02$  USD (CR)

The EDP adjustment amounts are reported per Institution ID in Fee Collection Messages, Message Type Indicator (MTI) = 1740, and Function Code (DE 24) = 783, with Message Reason Code (DE 25) = 7827.

The Fee Collection Messages are processed through the Dual Message Clearing System on the following Dual Message Clearing System Central Site Business Date.

Using the example above, the Dual Message Clearing System builds Fee Collection Messages as follows.

### Example Fee Collection

| DE 93 (Transaction Destination Institution ID Code) | DE 3 (Processing Code), SF 1 (Cardholder Transaction Type) | DE 4 (Amount, Transaction) | DE 49 (Currency Code, Transaction) |
|-----------------------------------------------------|------------------------------------------------------------|----------------------------|------------------------------------|
| Acquirer 1                                          | 19                                                         | 0000000000001              | 840                                |
| Acquirer 2                                          | 19                                                         | 0000000000001              | 840                                |
| Acquirer 4                                          | 19                                                         | 0000000000002              | 840                                |
| Issuer 1                                            | 29                                                         | 0000000000002              | 840                                |
| Issuer 3                                            | 29                                                         | 0000000000002              | 840                                |

### Balancing reconciliation messages to transactions

- Accumulate financial transactions by selected reconciliation options and currency.
- Sum PDS 0146, subfield 7 debits and match to the debits' fee amount received in PDS 0392 (Debits, Fee Amounts in Reconciliation Currency).
- Sum PDS 0146, subfield 7 credits and match to the credits' fee amount received in PDS 0393 (Credits, Fee Amounts in Reconciliation Currency).
- Net PDS 0146, subfield 7 debits and credits and match to the net fee amount received in PDS 0395 (Amount, Net Fee in Reconciliation Currency).
- Sum PDS 0147, subfield 7 debits and match to the debits' fee amount received in PDS 0397 (Debits, Extended Precision Amount in Reconciliation Currency).
- Sum PDS 0147, subfield 7 credits and match to the credits' fee amount received in PDS 0398 (Credits, Extended Precision Amount in Reconciliation Currency).
- Net PDS 0147, subfield 7 debits and credits and match to the net fee amount received in PDS 0399 (Amount, Net Extended Precision in Reconciliation Currency).

### Balance reconciliation messages to Clearing Acknowledgment and Notification Cycle Reports

The net sum of PDS 0394 (Amount, Net Transaction in Reconciliation Currency) and PDS 0395 (Amount, Net Fee in Reconciliation Currency) will match to the IP727010-AA Clearing Cycle Acknowledgment and IP727020-AA Clearing Cycle Notification Reports.

## Fleet Card transactions

The Mastercard Corporate Fleet Card® is designed to monitor and control fuel and maintenance expenses. A Mastercard Corporate Fleet Card program can be assigned to an individual employee or to a vehicle.

Mastercard Corporate Fleet Card transactions are identified with a specific dedicated Primary Account Number, BIN range, and a Financial Network Code of MCF (Mastercard Corporate Fleet Card) or MGF (Mastercard Government Commercial Card).

For more information, refer to the *Fleet Implementation Guide Global* and *Fleet Implementation Guide For the U.S. Region*.

### Incentive interchange rates

Acquirers receive incentive interchange rates for transactions that support the data collection requirements of Mastercard Corporate Fleet Card® transactions.

To receive the incentive interchange rates for Fleet Card transactions, acquirers must capture specific data to support submission requirements for clearing records.

For clearing record requirements, refer to the appropriate regional interchange manual.

## Issuer Currency Conversion Rate (ICCR) service

The Issuer Currency Conversion Rate (ICCR) is a parameter-based service that charges cardholders by applying a mark-up called ICCR in clearing.

### Overview

Issuers in the Europe region have the option to enroll in the ICCR service, which charges the cardholder an additional fee for transactions that require currency conversion.

Issuers in the Europe region can add this supplemental fee to a transaction amount when the transaction currency is different from the cardholder billing currency. This fee is listed under DE 6 (Amount, Cardholder Billing).

Issuers can set their issuer currency conversion rate by account range, which will apply to first presentment messages. Issuers can also apply ICCR to first presentment reversals and credits.

Issuers have the option to apply a back-out process for the ICCR amount on first chargebacks (and reversals) in cases where the ICCR amount is included in the DE 4 (Amount, Transaction) amount on chargebacks.

Issuers can receive daily audit report files of the clearing transactions where the ICCR was applied.

ICCR applies to POS and ATM transactions acquired worldwide.

In the Dual Message Clearing System, all payment transactions (processing code = 28) are bypassed for ICCR.

## ICCR enrollment

All issuers in the Europe region that choose to enroll in the ICCR service must submit the correct enrollment form.

Contact your Mastercard representative for enrollment information.

## ICCR reports

Issuers can choose to receive daily audit report files that align with each clearing cycle from the Dual Message Clearing System.

This audit report will be available for the clearing transactions for which the ICCR calculation was performed.

For more information, refer to the [IP830010 - Issuer ICCR Report](#).

## Mastercard In Control platform

The Mastercard In Control platform is an optional service with the following capabilities:

- Enhanced authorization controls that direct how, when, and where cards may be used.
- Personalized real-time communication about transaction activities through a robust alert functionality.
- Enhanced levels of security, control, data capture, and traceability on every purchase through a limited use number feature that allows authorization, spending limits, and usability controls to be set on a transaction-by-transaction basis.
- The ability for cardholders to establish spend-control rules for their pre-existing payment cards to be applied during the authorization process.
- Enhanced purchase controls for Mastercard commercial cards. In addition to other capabilities, this service platform allows for the generation of a unique Mastercard In Control virtual card number for every transaction.

Refer to the *Mastercard In Control for Commercial Payments Issuer Application Specification Guide* for detailed information.

## Dual Message Clearing System processing for the Mastercard In Control platform

The Mastercard In Control service processes normally in the Dual Message Clearing System with certain exceptions.

- Transactions with the Mastercard In Control virtual card number (VCN) in DE 2 (Primary Account Number) are rejected back to the acquirer if mapping to the cardholder's real card

number (RCN) cannot be performed. An example would be an unauthorized, fraudulent clearing transaction using a Mastercard In Control account number.

- PDS 0001 (Mastercard Mapping Service Account Number) is included in the transaction messages sent to the issuer when PAN Mapping has been performed. PDS 0001 contains the Mastercard In Control VCN. PDS 0001 is not included in transaction messages sent to the acquirer when PAN mapping has been performed.
- Chargebacks are not rejected back to the issuer if there is no mapping for the transaction. Mastercard attempts to map every chargeback, and if this is not successful, processing will proceed as usual.
- A Spend Control RCN Switch is in the IPM MPE Table IP0040T1: Issuer Account Range. This switch is set to Y when the account range participates in Mastercard In Control Real Card Spend Control services. Rules for the Real Card Spend Control service are enforced during the authorization process.

For In Control First Presentment/1240 messages:

- If PDS 0502 (Custom Identifier) is present in the First Presentment/1240 message, then the values will be overlaid with the value OTHER1 in subfield 1 (Custom Identifier Type) and the Virtual Account Number in subfield 2 (Custom Identifier Detail).
- If PDS 0502 is not present in the First Presentment/1240 message, then PDS 0502 is added to the message and sent to the issuer. The values are OTHER1 in subfield 1 (Custom Identifier Type) and the Virtual Account Number in subfield 2 (Custom Identifier Detail).

## Mastercard In Control mapping process

The mapping processes for both acquirer-initiated and issuer-initiated transactions are described in the Mapping Process for Acquirer-initiated Transactions and Mapping Process for Issuer-initiated Transactions tables.

Mastercard supports a virtual card number (VCN) as an optional service for Mastercard In Control participants. This added layer of security protects issuers and cardholders against the risk of fraudulent acquisition and use of a Mastercard In Control account number.

Mastercard maps the VCN to the PAN for processing for acquirer-initiated transactions.

### Mapping process for acquirer-initiated transactions

| Stage | Description                                          |
|-------|------------------------------------------------------|
| 1.    | The VCN is sent to the Dual Message Clearing System. |

| Stage | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2.    | <p>The Dual Message Clearing System maps the VCN to the cardholder PAN.</p> <p>The PAN is used during the clearing process.</p> <ol style="list-style-type: none"><li>1. The first attempt to match to the mapping service authorization log according to the combination of VCN, Banknet Reference Number, and Banknet Date.<ul style="list-style-type: none"><li>– VCN is in DE 2 (Primary Account Number [PAN])</li><li>– The Banknet Reference Number and Date are present in DE 63 (Transaction Life Cycle ID), subfield 2 (Trace ID) in First Presentment/1240 messages.</li></ul></li><li>2. If the Dual Message Clearing System does not find a match in the mapping service authorization log, or if DE 63 is not present in the First Presentment/1240 message, Dual Message Clearing System attempts to match to the mapping service database using the VCN and registration flag.</li><li>3. If the Dual Message Clearing System cannot match the First Presentment/1240 message, Dual Message Clearing System rejects the transaction.</li></ol> |
| 3.    | <p>The issuer receives the cardholder's PAN in DE 2 (Primary Account Number [PAN]) and the VCN in PDS 0001 (Mastercard Mapping Service Account Number).</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |

### Mapping process for issuer-initiated transaction

| Stage | Description                                                                                                                                                                                                |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1.    | <p>The RCN is sent in DE 2.</p> <p>This DE 2 account number is used during the clearing process.</p>                                                                                                       |
| 2.    | <p>Clearing recognizes the transaction as a mapped transaction by checking the virtual presentment history table and maps the cardholder's PAN to the VCN.</p>                                             |
| 3.    | <p>The acquirer receives the VCN in DE 2.</p> <p><b>NOTE: The acquirer only receives the masked RCN in PDS 0001 (Mastercard Mapping Service Account Number) for retrieval and chargeback requests.</b></p> |

**NOTE: Transactions that contain the VCN in DE 2 and which cannot be mapped are rejected back to the sender.**

When acquirers receive PDS 0001, the subfield 2 (Account Number) always contains a masked card number. The real card number (RCN) is masked according to PCI guidelines by:

- Displaying the first six digits
- Filling the remaining digits of the real card number with zeros, and
- Displaying the final four digits (for example: 12345600000001234 for a 16-digit PAN or 12345600000000001234 for a 19-digit PAN).

## Mastercard Contactless and PAN Mapping Service

This section describes how the Dual Message Clearing System performs transaction processing for Mastercard contactless and the PAN Mapping Service.

### Overview

Mastercard supports account level processes for Mastercard contactless and PAN Mapping Service. Using proximity chip payment technology, consumers can pay for their purchases at the point of sale by tapping their Mastercard contactless card or non-card form factor on a Mastercard contactless terminal. The Mastercard contactless card or non-card form factor transmits the card information to the terminal. The Mastercard contactless terminal interacts with existing authorization mechanisms to initiate and complete the authorization.

## Mastercard contactless Mapping Service participation guidelines

Participation in the Mastercard contactless and PAN Mapping Service, including definitions of Mastercard contactless account number and primary account number (PAN), requires a user to follow various guidelines.

Mastercard contactless account number is a unique number encoded on the proximity chip of a Mastercard contactless card or non-card form factor that the Mastercard PAN Mapping Service associates with the PAN.

PAN is the number that is embossed, encoded, or both, on a Mastercard card that identifies the issuer and the particular cardholder account.

Mastercard recommends that a unique account number be used for Mastercard contactless transactions. This unique account number is the optimal way to avoid the risk of cross-contamination. Use of a unique account number in the Mastercard contactless chip is accepted by the issuer only if the value in DE 22 (Point of Service [POS] Entry Mode), subfield 7 (Card Data Input Mode) indicates proximity (for example, from a Mastercard contactless chip). This comparison allows blocking of the authorization for transactions presented through non-proximity channels such as magnetic stripe, mail order/telephone order (MO/TO), and the Internet.

Implementation of a separate Mastercard contactless account number requires the issuer to:

- Allocate an extra account number to provide Mastercard contactless functionality for an existing PAN.
- Establish a cross-reference between the PAN and the Mastercard contactless account number so that they are managed together, if required.

Mastercard recognizes that the use of a separate Mastercard contactless account number for some issuers may not be viable; therefore, Mastercard created the Mastercard PAN Mapping Service. This optional service helps issuers process Mastercard contactless transactions by translating Mastercard contactless account numbers into PANs that issuers can process with



minimal impact. Mastercard contactless account numbers eligible for the service may belong to a Mastercard issuer.

For a detailed overview of these guidelines, refer to the *Account Management System User Manual*.

## PAN Mapping Service

Through the Mastercard PAN Mapping Service, Mastercard can provide Mastercard contactless issuance and processing services as described in this section.

### Processing-only participation in the Mastercard contactless Mapping Service

Issuers may choose to offer the Mastercard contactless Mapping Service by creating the mapping file themselves. This choice is referred to as Processing-only participation.

In this scenario, the issuers provide Mastercard with a file mapping their cardholders' PAN to Mastercard contactless account numbers. The issuer or Mastercard then provides each cardholder with a Mastercard contactless card or non-card form factor containing a Mastercard contactless account number.

When the Mastercard contactless card or non-card form factor is used at a Mastercard contactless terminal, the transaction first comes to Mastercard, where the Mastercard contactless account number is replaced with the cardholder's PAN.

### Processing and issuance of non-card form factor participation

Individual consumers may request a Mastercard contactless card or non-card form factor from a secure website. This process is referred to as Processing and Issuance of Non-card Form Factor participation.

Cardholders use a secure website to request or register a Mastercard contactless card or non-card form factor and enter the PAN they would like to associate with it. The website performs some security checks on the information entered and then approves the request. Mastercard then provides the cardholder with the Mastercard contactless card or non-card form factor requested. Upon receipt, the cardholder returns to the website and registers the Mastercard contactless card or non-card form factor to activate the Mastercard contactless account number. Mastercard collects the information provided through the website and creates the file mapping of the Mastercard contactless account number to the PAN.

## Process flow of the Mastercard PAN Mapping Service

Mastercard maintains a Mastercard PAN Mapping Service database that maps Mastercard contactless account numbers to PANs.

The Mastercard contactless Mapping Service database is used by the Mastercard Network and the Dual Message Clearing System. This allows acquirers to process transactions using the Mastercard contactless account number and the issuer to process transactions using the PAN.

1. When a consumer taps an eligible Mastercard contactless card or non-card form factor on a Mastercard contactless terminal, the card or non-card form factor transmits the Mastercard contactless account number to the terminal.
2. The Mastercard contactless terminal passes the Mastercard contactless account number and other authorization information to the acquirer.
3. The acquirer initiates an authorization message containing the Mastercard contactless account number and sends it to the Mastercard Network.
4. The Mastercard Network maps the Mastercard contactless account number to the cardholder's PAN before sending the transaction to the issuer.
5. The issuer responds with an authorization response message containing the PAN.
6. The Mastercard Network maps the cardholder's PAN back to the Mastercard contactless account number and sends the response message on to the acquirer.
7. The acquirer forwards the Mastercard contactless account number and other authorization response information to the Mastercard contactless terminal.
8. The Mastercard Network logs all authorizations for which it performed the Mastercard PAN Mapping Service and makes this information available to the Dual Message Clearing System.
9. The acquirer sends the corresponding message containing the Mastercard contactless account number to the Dual Message Clearing System.
10. The Dual Message Clearing System maps the Mastercard contactless account number to the PAN using either the authorization logs or the Mastercard PAN Mapping Service database before sending the clearing message to the issuer for posting.
11. Issuers can send subsequent chargeback messages to the Dual Message Clearing System containing the cardholder's PAN, and the Dual Message Clearing System maps the cardholder's PAN to the Mastercard contactless account number before sending the message to the acquirer.

## Identifying issuer account ranges with IPM MPE

The IPM MPE table can identify issuer account ranges that participate in the contactless mapping service. IPM MPE table IP0040T1: Issuer Account Range contains the Mapping Service Indicator field. This field identifies issuer account ranges that require the Mastercard PAN Mapping Service.

This field contains one of the following values for each issuer account range.

### IPM MPE table IP0040T1: Issuer Account Range

| Value | Description                                                                                                                                                                                                         |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| space | The issuer account range does not participate in the Mastercard PAN Mapping Service.                                                                                                                                |
| 1     | The issuer account range consists of PAN account numbers owned by an issuer, in which the issuer actively participates in the PAN Mapping Service. Every transaction containing this account range is to be mapped. |

| Value | Description                                                                                                                                                                                                                                                                                                                        |
|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2     | The issuer account range consists of PAN account numbers owned by an issuer, in which the issuer actively participates in the PAN Mapping Service. Not all transactions containing this account range are to be mapped because the issuer is phasing in the PAN Mapping Service.                                                   |
| 3     | The issuer account range consists of contactless account numbers provided by Mastercard, assigned to an issuer that participates in the Processing Only option of the PAN Mapping Service.                                                                                                                                         |
| 4     | The issuer account range consists of PAN account numbers provided by Mastercard, assigned to an issuer that participates in the Processing and Issuance of non-card form factor option of the contactless Mapping Service by permitting its cardholders to request a contactless card or non-card form factor through the website. |
| 5     | The issuer account range consists of contactless account numbers provided by Mastercard, assigned to a merchant that sponsors the contactless card or non-card form factor. The issuer passively participates in the PAN Mapping Service.                                                                                          |
| 6     | The issuer account range consists of contactless account numbers provided by Mastercard, and Mastercard sponsors the contactless card or non-card form factor. The issuer passively participates in the PAN Mapping Service.                                                                                                       |

Before distributing contactless non-card form factors to consumers, Mastercard adds issuer account ranges that consist of contactless account numbers to the IPM MPE files. The IPM MPE file contains valid Dual Message Clearing System product IDs, country codes, and other fields necessary for processing for these issuer account ranges. They are assigned to participate in all the default interregional, intraregional, and intracountry business services that are relevant to their assigned country codes.

**NOTE: If an issuer account range contains a value of 1-6 in this new field in the IPM MPE, acquirers must send ALL transactions involving this issuer account range to Mastercard for authorization and clearing because only the Mastercard systems contain the data needed to map a contactless account number to a PAN. Transactions processed in an On-Us or intraprocessor mode will not have access to this mapping data.**

## Identifying PAN Mapping within IPM Messages

### Contents of PDS 0001 (Mastercard Mapping Service Account Number)

The Dual Message Clearing System provides PDS 0001 message in which it maps between a contactless account number and a PAN.

#### PDS 0001, subfield 1 (Account Number Type)

PDS 0001 (Mastercard Mapping Service Account Number), subfield 1 describes the type of account number contained in PDS 0001, subfield 2 (Account Number).

### **PDS 0001, subfield 2 (Account Number)**

Subfield 2 contains a virtual or real account number or a PAN. When issuers receive PDS 0001, the subfield 2 always contains a virtual account number.

This subfield is 6-19 digits in length.

For detailed information regarding the contents of PDS 0001, refer to [PDS 0001 \(Mastercard Mapping Service Account Number\)](#).

### **Contents of DE 22 (Point of Service [POS] Entry Mode), Subfield 7 (Card Data, Input Mode)**

Currently, issuers only receive values A or M when sent by the acquirer.

For the mapping of contactless M/Chip and Contact M/Chip transactions in the PAN Mapping Service, Mastercard will pass through the values (C and M) as provided by the acquirer.

The issuer must send the same values (either the C or M value), which are the original values sent by the acquirer, in any subsequent First Chargeback/1442 or Arbitration Chargeback/1442 messages.

### **Processing transactions through the Mastercard contactless Mapping Service**

Transactions involving Mastercard contactless account numbers must be sent to the Dual Message Authorization and Dual Message Clearing Systems, because these are the only systems that have access to the Mastercard PAN Mapping Service database needed to map between Mastercard contactless account numbers and PANs.

1. The Mastercard Network maps a Mastercard contactless account number to a PAN before sending the authorization message to the issuer, and it maps the PAN back to the Mastercard contactless account number before sending the authorization response to the acquirer. The acquirer then receives an authorization response message containing the Mastercard contactless account number.
2. The acquirer populates DE 2 in the First Presentment/1240 message with the Mastercard contactless account number captured by the Mastercard contactless terminal.
3. Dual Message Clearing System performs the Mastercard PAN Mapping Service for the First Presentment/1240 and any subsequent lifecycle transactions. All clearing messages received by the issuer contain the PAN in DE 2, the Mastercard contactless account number in PDS 0001 (Mastercard Mapping Service Account Number), and a value of A or M in DE 22 (Point of Service [POS] Entry Mode), subfield 7 (Card Data, Input Mode). All clearing messages received by the acquirer contain the Mastercard contactless account number in DE 2, the PAN in PDS 0001, and the acquirer's originally submitted value in DE 22, subfield 7.

## DE 22 values identify contactless transactions to Dual Message Clearing System

These are the requirements to perform the Mastercard contactless Mapping Service for various messages.

To perform the PAN Mapping Service for First Presentment/1240 messages, Dual Message Clearing System requires that the First Presentment/1240 contain DE 22 (Point of Service [POS] Entry Mode), subfield 7 (Card Data, Input Mode) with a value of A or M to indicate PAN entry through a contactless mode. The acquirer must provide one of these values in a First Presentment/1240 message when DE 2 contains a contactless account number.

To perform the PAN Mapping Service for First Chargeback/1442 and Arbitration Chargeback/1442 messages, Dual Message Clearing System requires that the chargeback message contain DE 22, subfield 7 with a value of A or M, which are the original values sent by the acquirer, to indicate that the Dual Message Clearing System performed the PAN Mapping Service for the first presentment. The issuer receives this value in the First Presentment/1240 message and must provide it in any subsequent chargeback message to identify to Dual Message Clearing System when to map a PAN back to a contactless account number.

Therefore, issuers that participate in PAN mapping must be able to receive and provide DE 22, subfield 7, value A (PAN auto-entry through contactless magnetic stripe) or M (PAN auto-entry through contactless M/Chip), which are the original values sent by the acquirer, in IPM clearing messages, even if they do not issue contactless cards.

## Processing First Presentment/1240 messages through the Mastercard contactless Mapping Service

When processing a First Presentment/1240, the Dual Message Clearing System validates the contents of DE 2 (Primary Account Number [PAN]) against IPM MPE table IP0040T1.

If the Mapping Service Indicator field in table IP0040T1 indicates that DE 2 contains a service-eligible Mastercard contactless account number (indicated by a value of 1 to 6 in the Mapping Service Indicator field), the Dual Message Clearing System checks DE 22 (Point of Service [POS] Entry Mode), subfield 7 (Card Data, Input Mode) to ensure that it is present and that it contains a value of A or M to indicate PAN entry through a contactless mode. If DE 22, subfield 7 contains A or M, the Dual Message Clearing System continues processing. If DE 22, subfield 7 does not contain A or M, the Dual Message Clearing System rejects the transaction because this would be a fraudulent use of the Mastercard contactless account number.

1. The Dual Message Clearing System first attempts to match to the Mastercard PAN Mapping Service authorization log according to the combination of Mastercard contactless account number and Banknet Reference Number and Date. The Mastercard contactless account number is in DE 2. The Banknet Reference Number and Date are present in DE 63 (Transaction Life Cycle ID), subfield 2 (Trace ID) in the First Presentment/1240.
2. If the Dual Message Clearing System does not find a match in the Mastercard PAN Mapping Service authorization log, or if DE 63 is not present in the First Presentment/1240, the Dual

Message Clearing System attempts to match to the Mastercard PAN Mapping Service database using the Mastercard contactless account number in DE 2.

3. If the Dual Message Clearing System cannot match the First Presentment/1240 message to either the Mastercard PAN Mapping Service authorization log or the Mastercard PAN Mapping Service database, the Dual Message Clearing System rejects the transaction.

After successfully mapping the Mastercard contactless account number to a PAN, the Dual Message Clearing System uses the PAN in its processing. For example, it uses business services in which the issuer of the PAN participates, and it delivers the transaction to the endpoint associated with the issuer of the PAN, as opposed to the Mastercard contactless account number. If the transaction contains no errors, the Dual Message Clearing System modifies the data before sending the First Presentment/1240 to the issuer by:

- Moving the Mastercard contactless account number from DE 2 to PDS 0001 (Mastercard Mapping Service Account Number), subfield 2 (Account Number)
- Populating DE 2 with the PAN
- Passing through the value received from the acquirer in DE 22, subfield 7

The Dual Message Clearing System also logs the mapped transaction to a Mastercard PAN Mapping Service First Presentment history file. Any acknowledgment reconciliation messages or reporting created for the acquirer is based on the Mastercard contactless account number. Any notification reconciliation messages or reporting created for the issuer is based on the PAN.

If the transaction is rejected for any existing Dual Message Clearing System error, the Dual Message Clearing System sends the rejected transaction back to the acquirer with the acquirer's originally submitted values in DE 2.

For chargebacks and retrieval requests, issuers should use:

- Value A (for Contactless Magnetic Stripe transactions)
- Value M (for Contactless M/Chip transactions)
- Value R (for Digital Secure Remote Payment containing EMV data transactions)
- Value S (for Digital Secure Remote Payment containing UCAF data transactions or Card on File, Electronic Commerce tokenization)
- Value T (for Card on File tokenization)

## **Processing First Chargeback/1442 messages through the Mastercard contactless Mapping Service**

The issuer populates DE 2 (Primary Account Number [PAN]) with the PAN in all chargeback messages.

In addition, for First Chargeback/1442 messages, the issuer must also populate DE 22 (Point of Service [POS] Entry Mode), subfield 7 (Card Data, Input Mode) with A or M. This value is needed to indicate that the Dual Message Clearing System must map the PAN in DE 2 to a Mastercard contactless account number.

For First Chargeback/1442 messages, the Dual Message Clearing System attempts to match the PAN in DE 2 to the Mastercard PAN Mapping Service First Presentment history file if DE 22, subfield 7 is present and contains a value of A or M.

The Dual Message Clearing System attempts to match to the history file using the following fields.

### Matching criteria for retrieval requests and chargebacks

| Dual Message Clearing System attempts to match this combination of fields in the chargeback message... | To this combination of fields in the Mastercard PAN Mapping Service First Presentment history file |
|--------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| DE 2 (Primary Account Number)                                                                          | PAN                                                                                                |
| DE 31 (Acquirer Reference Data)                                                                        | DE 31                                                                                              |
| DE 30 (Amounts, Original) subfield 1 (Original Amount, Transaction)                                    | DE 4 (Amount, Transaction)                                                                         |
| PDS 0149 (Currency Codes, Amounts, Original), subfield 1 (Currency Code, Original Transaction Amount)  | DE 49 (Currency Code, Transaction)                                                                 |
| DE 12 (Date and Time, Local Transaction), subfield 1 (Date)                                            | DE 12, subfield 1                                                                                  |

If the chargeback message does not contain DE 22, subfield 7 with a value of A, C, or M, the Dual Message Clearing System assumes that it did not perform the Mastercard PAN Mapping Service at the time of the First Presentment/1240. The Dual Message Clearing System continues processing the First Chargeback/1442 message as it normally does and delivers the message to the acquirer with the PAN in DE 2 and the issuer's submitted values in DE 22. If, upon receipt, the acquirer does not recognize the transaction because the First Presentment/1240 had actually been submitted with a Mastercard contactless account number, the acquirer must follow existing dispute resolution rules and procedures that apply when the PAN is not recognized.

If the Dual Message Clearing System does successfully match the message to the Mastercard PAN Mapping Service First Presentment history file, and the message is a First Chargeback/1442, Dual Message Clearing System validates that the chargeback amount is greater than the regional limit for reason code 4837.

If the mapped chargeback transaction contains no errors, the Dual Message Clearing System modifies the data before sending the message to the acquirer by:

- Moving the PAN from DE 2 to PDS 0001, subfield 2
- Populating DE 2 with the contactless account number

- Populating DE 94 (Transaction Originator Institution ID Code) and DE 33 (Forwarding Institution ID Code) with customer ID information related to the contactless account number
- Moving the value originally submitted by the acquirer in the First Presentment/1240 message to DE 22, subfield 7 if the issuer provided the other DE 22 subfields in the retrieval or chargeback

When the Dual Message Clearing System logs the First Chargeback/1442 message to its existing retrieval or chargeback history files, it logs both the PAN and the Mastercard contactless account number. Any acknowledgment reconciliation messages or reports created for the issuer are based on the PAN. Any notification reconciliation messages or reports created for the acquirer are based on the Mastercard contactless account number.

### **Processing Second Presentment/1240 messages through the Mastercard contactless Mapping Service**

Details about the processing of Second Presentment/1240 messages through the Mastercard contactless Mapping Service are described here.

The acquirer populates DE 2 (Primary Account Number [PAN]) with the Mastercard contactless account number in the Second Presentment/1240. The Dual Message Clearing System attempts to match all Second Presentment/1240 messages to the existing chargeback history file as usual. If the Dual Message Clearing System is unable to match the message to the chargeback history file, it rejects the Second Presentment/1240.

If the Dual Message Clearing System successfully matches the Second Presentment/1240 to the chargeback history file, and the chargeback history file indicates that DE 2 contains a Mastercard contactless account number, the Dual Message Clearing System maps it to the PAN and uses the PAN in its processing. For example, it uses business services in which the issuer of the (PAN) participates, and it delivers the transaction to the endpoint associated with the issuer of the PAN as opposed to the Mastercard contactless account number. If the transaction contains no errors, the Dual Message Clearing System modifies the data before sending the Second Presentment/1240 to the issuer by:

- Moving the Mastercard contactless account number from DE 2 to PDS 0001 (Mastercard Mapping Service Account Number), subfield 2 (Account Number)
- Populating DE 2 with the PAN

Any acknowledgment reconciliation messages or reports created for the acquirer are based on the Mastercard contactless account number. Any notification reconciliation messages or reports created for the issuer are based on the PAN.

### **Processing Fee Collection (Retrieval Fee Billing)/1740 messages through the Mastercard contactless Mapping Service**

A Fee Collection (Retrieval Fee Billing)/1740 message is used only when an issuer has requested a hardcopy retrieval document, the acquirer fulfills the request through Mastercom, and the acquirer seeks to collect the delivery fee from the issuer as reimbursement for costs associated with delivering the hardcopy document to the issuer.



The acquirer populates DE 2 (Primary Account Number [PAN]) with the service-eligible Mastercard contactless account number in the Fee Collection (Retrieval Fee Billing)/1740. The Dual Message Clearing System validates the contents of DE 2 against IPM MPE table IP0040T1, as usual. If the Mapping Service Indicator field in table IP0040T1 indicates that DE 2 contains a service-eligible Mastercard contactless account number, the Dual Message Clearing System maps the Mastercard contactless account number in DE 2 to the PAN using the Mastercard PAN Mapping Service First Presentment history file.

If the Dual Message Clearing System cannot match the Fee Collection (Retrieval Fee Billing)/1740 message to the Mastercard PAN Mapping Service First Presentment history file, the Dual Message Clearing System rejects the transaction.

After successfully mapping the Mastercard contactless account number to a PAN, the Dual Message Clearing System uses the PAN in its processing. For example, it uses business services in which the issuer of the PAN participates, and it delivers the transaction to the endpoint associated with the issuer of the PAN, as opposed to the Mastercard contactless account number. If the transaction contains no errors, the Dual Message Clearing System modifies the data before sending the message to the issuer by:

- Moving the Mastercard contactless account number from DE 2 to private data subelement (PDS) 0001 (Mastercard Mapping Service Account Number), subfield 2 (Account Number)
- Populating DE 2 with the PAN

Any acknowledgment reconciliation messages or reports created for the acquirer are based on the Mastercard contactless account number. Any notification reconciliation messages or reports created for the issuer are based on the PAN.

## Elements used by the Mastercard Contactless Mapping Service

This table summarizes the contents of the elements that are affected when the Dual Message Clearing System performs the Mastercard contactless Mapping Service.

### Elements used by the Mastercard Contactless Mapping Service

| Clearing Message       | Scenario                    | DE 2                       | PDS 0001, Subfield 2 | DE 22, subfield 7                                                  | DE 94 and DE 33                                             |
|------------------------|-----------------------------|----------------------------|----------------------|--------------------------------------------------------------------|-------------------------------------------------------------|
| First Presentment/1240 | From acquirer to Mastercard | contactless account number | Not present          | A or M                                                             | As provided by the acquirer                                 |
| Retrieval Request/1644 | From issuer to Mastercard   | PAN                        | Not present          | As provided by the issuer                                          | As provided by the issuer                                   |
|                        | From Mastercard to acquirer | contactless account number | PAN                  | A or M, if the issuer provided other DE 22 values in the retrieval | Customer IDs associated with the contactless account number |

| Clearing Message                            | Scenario                    | DE 2                       | PDS 0001, Subfield 2       | DE 22, subfield 7                                                       | DE 94 and DE 33                                             |
|---------------------------------------------|-----------------------------|----------------------------|----------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------|
| Fee Collection (Retrieval Fee Billing)/1740 | From acquirer to Mastercard | contactless account number | Not present                | DE 22 not in message layout                                             | As provided by the acquirer                                 |
|                                             | From Mastercard to issuer   | PAN                        | contactless account number | DE 22 not in message layout                                             | As provided by the acquirer                                 |
| First Chargeback/ 1442                      | From Mastercard to acquirer | contactless account number | PAN                        | A, C, or M, if issuer provided other DE 22 values in the chargeback     | Customer IDs associated with the contactless account number |
| Second Presentment/ 1240                    | From acquirer to Mastercard | contactless account number | Not present                | A or M                                                                  | As provided by the acquirer                                 |
|                                             | From Mastercard to issuer   | PAN                        | contactless account number | A or M                                                                  | As provided by the acquirer                                 |
| Arbitration Chargeback/ 1442                | From issuer to Mastercard   | PAN                        | Not present                | A or M                                                                  | As provided by the issuer                                   |
|                                             | From Mastercard to acquirer | contactless account number | PAN                        | A, C, or M, if the issuer provided other DE 22 values in the chargeback | Customer IDs associated with the contactless account number |

## Interchange compliance processing

Mastercard performs the Mastercard contactless Mapping Service for First Presentment/1240 messages, which are analyzed during the interchange compliance process.

As described in the *Mastercard Network Processing Dual Message Authorization System Guide*, transactions for which the Dual Message Authorization System performs the Mastercard PAN Mapping Service do not contain magnetic stripe data when they are sent to the issuer and logged by the Mastercard Network. Therefore, U.S.-acquired First Presentment/1240 messages for which Mastercard performs the Mastercard PAN Mapping Service may not pass the magnetic stripe quality test within the interchange compliance process. This test requires validation of the magnetic stripe presence at the time of the authorization for specific incentive interchange programs, unless the transaction is exempt.

Mastercard modified the interchange compliance magnetic stripe quality test to exempt transactions in which PDS 0001 is present in the First Presentment/1240 message. The presence of PDS 0001 indicates that Mastercard performed the Mastercard PAN Mapping

Service; and therefore, magnetic stripe data is not expected to be present in the authorization message.

## Mastercom processing

Acquirers and issuers use Mastercom to resolve disputed transactions by participating in Mastercom Collaboration and by creating chargebacks, second presentments, and cases as part of the dispute cycle.

Mastercom consists of two tabs within a single application: Claims Manager and Dispute Resolution. Mastercom helps facilitate efficient sharing of information and documentation during the dispute cycle to determine which party has financial responsibility for disputed transactions.

To use Mastercom and participate in the dispute resolution process, acquirers and issuers are required to have at least one Mastercom user account. Mastercard assigns all customers a Mastercom endpoint to help with the routing of chargeback documentation through the application.

## Mastercard Digital Enablement Service

This section describes the Mastercard Digital Enablement Service (MDES) as it pertains to the clearing process.

### Overview

MDES supports tokenization and card digitization for use during contactless e-commerce and Dynamic Magnetic Stripe Data transactions. Mastercard maintains a PAN mapping database that maps tokens to PANs. This database is used by both the Dual Message Authorization and Dual Message Clearing Systems, so that the acquirer can always process using the token and the issuer can always process using the PAN.

Transactions that would use a token include:

- Tapping a device to a contactless reader at a point-of-sale (POS) terminal
- Initiating a Digital Secure Remote Payment (DSRP) with a mobile wallet or web-based payment application that uses MDES
- Using a device provisioned with a token that is able to leverage the magnetic stripe reader at a POS terminal (for dynamic magnetic stripe data transactions)
- Initiating an e-commerce transaction with a payment application on a website hosted by a Digital Activity Customer (DAC), such as a wallet provider or token requestor that uses MDES static tokens that do not have dynamic payment credentials
- Initiating a credential-on-file transaction

Refer to *MDES Technical Specifications for Dual and Single Message Systems*, for detailed information.

## Mastercard Digital Enablement Service authorization process flows

The following explains the process flows when a transaction is generated using a token.

### Process flow for token or dynamic magnetic stripe data

1. The cardholder initiates a transaction with a token.
2. The acquirer initiates an authorization request containing the token and chip or dynamic magnetic stripe data and sends it to the Mastercard Network, providing DE 22 (POS [POS] Entry Mode), subfield 1 (Terminal Data, Card Data Input Capability) with a valid value.
3. For secure element and Mastercard Cloud-Based Payment tokens, the Dual Message Authorization System performs appropriate cryptographic data pre-validation, and maps the token to the primary account number.
4. If the cryptography validation and PAN mapping are successful, the Dual Message Authorization System then sends the issuer the authorization request.
5. The issuer responds with an authorization response message, and the Dual Message Authorization System maps the PAN back to the token and provides the response to the acquirer.
6. The acquirer forwards the token and other authorization response information to the contactless terminal or merchant payment gateway.
7. The Dual Message Authorization System logs all authorizations for which it performed MDES services and makes this information available to the Dual Message Clearing System.

### Process flow for static tokens

1. The cardholder initiates a transaction with a token.
2. For electronic commerce (e-commerce) transactions using static tokens, the acquirer initiates an authorization request containing the token and DE 22, subfield 1.

**NOTE: For static tokens, cryptography data is not present in transactions.**

3. The Dual Message Authorization System maps the token to the PAN.
4. If the cryptography validation and PAN mapping are successful, the Dual Message Authorization System then sends the issuer the authorization request.
5. The issuer responds with an authorization response message, and the Dual Message Authorization System maps the PAN back to the token and provides the response to the acquirer.
6. The acquirer forwards the token and other authorization response information to the contactless terminal or merchant payment gateway.
7. The Dual Message Authorization System logs all authorizations for which it performed MDES services and makes this information available to the Dual Message Clearing System.

### Suspended or deactivated tokens

When a token has been suspended or deactivated from use, Mastercard will permit these transactions to pass through to the issuer for clearing. If the cardholder disputes the transaction, the issuer can chargeback under message reason code 4808 (Requested/Required Authorization Not Obtained). This process is consistent with that applied for non-token

transactions. Mastercard will not block the transaction in clearing but rather allow the dispute resolution process to occur. For transactions including a token, Mastercard will not enforce an error indicating the PAN is invalid and will allow the deactivated or suspended tokens to pass through clearing.

## Identifying issuer account ranges with IPM MPE

The IPM MPE table can identify issuer account ranges that participate in the Mastercard Digital Enablement Service. IPM MPE table IP0040T1: Issuer Account Range contains the Mapping Service Indicator field. This field identifies issuer account ranges that require MDES with value C (Mastercard Digital Enablement Service Account Range).

Mastercard adds the applicable MDES token account ranges to the IPM MPE before generating tokens for use in smart devices. The IPM MPE file contains valid Dual Message Clearing System Product IDs, country codes, and other fields necessary for processing for these account ranges. They are assigned to participate in all the default interregional, intraregional, and intracountry business services that are relevant to their assigned country codes.

**NOTE: If an issuer account range contains a value of C in the Mapping Service Indicator field in the IPM MPE, acquirers must send ALL transactions involving this issuer account range to Mastercard for authorization and clearing because only the Mastercard systems contain the data needed to map an MDES token to a PAN. Transactions processed in an On-Us or intraprocessor mode will not have access to this mapping data.**

## Identifying Mastercard Digital Enablement Service mapping within IPM messages

This section identifies MDES mapping within IPM messages.

### Contents of PDS 0001 (Mastercard Mapping Service Account Number)

The Dual Message Clearing System provides PDS 0001 (Mastercard Mapping Service Account Number) in any message in which it maps between an MDES token and a PAN.

### PDS 0001, subfield 2 (Account Number)

PDS 0001 (Mastercard Mapping Service Account Number), subfield 2 (Account Number) technical details are listed here.

Subfield 2 contains a token or a PAN. When issuers receive PDS 0001, subfield 2 always contains a token. When acquirers receive PDS 0001, subfield 2 always contains a PAN.

This subfield is 6-19 digits in length.

## PDS 0001, subfield 1 (Account Number Type)

Technical details about PDS 0001 (Mastercard Mapping Service Account Number), subfield 1 (Account Number Type).

Position 1 of this subfield contains

- Value C if the number in subfield 2 is an MDES secure element token
- Value H if the number in subfield 2 is an MDES Cloud-Based Payments token
- Value O if the number in subfield 2 is a static token, or
- Value T if the account number in subfield 2 is a PAN.

Position 2 of this subfield contains a space if the Dual Message Clearing System performed the mapping service according to the authorization logs. It contains a C if the Dual Message Clearing System performed the mapping service according to a source other than the authorization logs (This position will contain a C in all retrieval and chargeback messages).

Values for this subfield are listed in the following table.

### PDS 0001, subfield 1 (Account Number Type) Values

| Value   | Description                                                                                                                                                                   |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| C Space | Subfield 2 contains the MDES token used at the point of sale. The issuer owns the account range. Mapping was based on the authorization log.                                  |
| CC      | Subfield 2 contains the MDES token used at the point of sale. The issuer owns the account range. Mapping was based on a source other than the authorization log.              |
| H Space | Subfield 2 contains the MDES token used at the point of sale. The issuer owns the account range. Mapping was based on the authorization log.                                  |
| TC      | Subfield 2 contains a PAN. Mapping was based on a source other than the authorization logs.                                                                                   |
| O       | Subfield 2 contains the MDES Card on File token submitted by the acquirer. Mastercard owns the account range. Mapping was based on the authorization log.                     |
| OC      | Subfield 2 contains the MDES Card on File token submitted by the acquirer. Mastercard owns the account range. Mapping was based on a source other than the authorization log. |

## Processing First Presentment/1240 Messages through the Mastercard Digital Enablement Service Mapping Service

When processing a First Presentment/1240, the Dual Message Clearing System validates the contents of DE 2 (Primary Account Number [PAN]) against IPM MPE table IP0040T1.

If the Mapping Service Indicator field in table IP0040T1 indicates that DE 2 contains a service-eligible MDES token (indicated by a value of C in the Mapping Service Indicator field):

1. The Dual Message Clearing System first attempts to match to the MDES authorization log according to the combination of MDES token and Banknet Reference Number and date. If the token PAN mapping information is identified, it removes the banknet reference number.
2. If the Dual Message Clearing System does not find a match in the MDES authorization log, the Dual Message Clearing System attempts to match to the PAN Mapping database using the MDES token in DE 2.
3. If the Dual Message Clearing System cannot match the First Presentment/1240 message, the Dual Message Clearing System rejects the transaction.
4. The Dual Message Clearing System validates and when incorrect, rejects the First Presentment/1240 message containing PDS 0052 (Electronic Commerce Security Level Indicator), subfield 1 (Security Protocol), subfield 2 (Cardholder Authentication), and subfield 3 (UCAF Collection Indicator) values if they do not match the correct security level indicator (SLI) value in DE 48 (Additional Data: Private Use), subelement 42 (Electronic Commerce Indicators), subfield 1 (Electronic Commerce Security Level Indicator and UCAF Collection Indicator) from the Authorization Request Response/110 message.

**NOTE: The Dual Message Clearing System can continue its validation including comparing data points to what occurred in dual message authorization processing.**

After successfully mapping the MDES token to the PAN, the Dual Message Clearing System uses the PAN in its processing. It uses business services in which the issuer of the PAN participates, and it delivers the transaction to the endpoint associated with the issuer of the PAN, as opposed to the MDES token. If the transaction contains no errors, the Dual Message Clearing System modifies the data before sending the First Presentment/1240 to the issuer by:

- Moving the MDES token from DE 2 to PDS 0001 (Mastercard Mapping Service Account Number), subfield 2 (Account Number)
- Populating DE 2 with the PAN, and
- Passing through the value received from the acquirer in DE 22 (POS [POS] Entry Mode), subfield 7 (Card Data, Input Mode).

The Dual Message Clearing System also logs the mapped transaction to an MDES First Presentment history file. Any acknowledgment reconciliation messages or reporting created for the acquirer is based on the MDES token. Any notification reconciliation messages or reporting created for the issuer is based on the PAN.

If the transaction is rejected for any existing Dual Message Clearing System error, the Dual Message Clearing System sends the rejected transaction back to the acquirer with the acquirer's originally submitted values in DE 2 and DE 22.

# Processing First Chargeback/1442 messages through the Mastercard Digital Enablement Service

For First Chargeback/1442 messages, the Dual Message Clearing System attempts to match the PAN in DE 2 to the MDES First Presentment history file. If a match is found, the Dual Message Clearing System maps the cardholder's PAN to the token before sending the message to the acquirer.

The Dual Message Clearing System attempts to match to the history file using the following fields.

## Matching criteria for chargebacks

| The Dual Message Clearing System attempts to match this combination of fields in the chargeback message... | To this combination of fields in the MDES First Presentment history file |
|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| DE 2 (Primary Account Number)                                                                              | PAN                                                                      |
| DE 31 (Acquirer Reference Data)                                                                            | DE 31                                                                    |
| DE 30 (Amounts, Original) subfield 1 (Original Amount, Transaction)                                        | DE 4 (Amount, Transaction)                                               |
| PDS 0149 (Currency Codes, Amounts, Original), subfield 1 (Currency Code, Original Transaction Amount)      | DE 49 (Currency Code, Transaction)                                       |
| DE 12 (Date and Time, Local Transaction), subfield 1 (Date)                                                | DE 12, subfield 1                                                        |

If the mapped chargeback transaction contains no errors, the Dual Message Clearing System modifies the data before sending the message to the acquirer by:

- Moving the PAN from DE 2 to PDS 0001 (Mastercard Mapping Service Account Number), subfield 2 (Account Number),
- Populating DE 2 with the MDES token, and
- Populating DE 94 (Transaction Originator Institution ID Code) and DE 33 (Forwarding Institution ID Code) with customer ID information related to the MDES token.

When the Dual Message Clearing System logs the First Chargeback/1442 message to its existing chargeback history files, it logs both the primary account number and the MDES token. Any acknowledgment reconciliation messages or reports created for the issuer are based on the PAN. Any notification reconciliation messages or reports created for the acquirer are based on the MDES token.

If DE 2 in the First Chargeback/1442 message cannot be matched to a First Presentment/1240 message in the MDES First Presentment history file, the Dual Message Clearing System assumes that it did not perform MDES at the time of the First Presentment/1240 message.



The Dual Message Clearing System continues processing the First Chargeback/1442 message and delivers the message to the acquirer with the PAN in DE 2. If, upon receipt, the acquirer does not recognize the transaction because the First Presentment/1240 message had actually been submitted with an MDES token, the acquirer must follow existing dispute resolution rules and procedures that apply when the PAN is not recognized.

## Processing Second Presentment/1240 Messages through the Mastercard Digital Enablement Service

Details about the processing of Second Presentment/1240 messages through MDES are described here.

The acquirer populates DE 2 (Primary Account Number [PAN]) with the MDES token in the Second Presentment/1240. The Dual Message Clearing System attempts to match all Second Presentment/1240 messages to the existing Chargeback history file. If the Dual Message Clearing System is unable to match the message to the Chargeback history file, it rejects the Second Presentment/1240.

If the Dual Message Clearing System successfully matches the Second Presentment/1240 to the Chargeback history file, and the Chargeback history file indicates that DE 2 contains an MDES token, the Dual Message Clearing System maps it to the PAN and uses the PAN in its processing. For example, it uses business services in which the issuer of the (PAN) participates, and it delivers the transaction to the endpoint associated with the issuer of the PAN as opposed to the MDES token. If the transaction contains no errors, the Dual Message Clearing System modifies the data before sending the Second Presentment/1240 to the issuer by:

- Moving the MDES token from DE 2 to PDS 0001 (Mastercard Mapping Service Account Number), subfield 2 (Account Number)
- Populating DE 2 with the PAN

Any acknowledgment reconciliation messages or reports created for the acquirer are based on the MDES token. Any notification reconciliation messages or reports created for the issuer are based on the PAN.

## Processing Fee Collection/1740 Messages through the Mastercard Digital Enablement Service

Fee Collection/1740 messages initiated with MDES tokens: The acquirer populates DE 2 (Primary Account Number [PAN]) with the service-eligible MDES token in the Fee Collection/1740.

The Dual Message Clearing System validates the contents of DE 2 against IPM MPE table IP0040T1, as usual. If the Mapping Service Indicator field in table IP0040T1 indicates that DE 2 contains a service-eligible MDES token, the Dual Message Clearing System maps the MDES token in DE 2 to the PAN using the MDES First Presentment history file.

If the Dual Message Clearing System cannot match the Fee Collection/1740 message to the MDES First Presentment history file, the Dual Message Clearing System rejects the transaction.

After successfully mapping the MDES token to a PAN, the Dual Message Clearing System uses the PAN in its processing. For example, it uses business services in which the issuer of the PAN participates, and it delivers the transaction to the endpoint associated with the issuer of the PAN, as opposed to the MDES token. If the transaction contains no errors, the Dual Message Clearing System modifies the data before sending the message to the issuer by:

- Moving the MDES token from DE 2 to PDS 0001 (Mastercard Mapping Service Account Number), subfield 2 (Account Number), and
- Populating DE 2 with the PAN.

Any acknowledgment reconciliation messages or reports created for the acquirer are based on the MDES token. Any notification reconciliation messages or reports created for the issuer are based on the PAN.

Fee Collection 1740/messages initiated with the PAN: The issuer populates DE 2 with the PAN in the Fee Collection/1740 message. The Dual Message Clearing System attempts to match the PAN in DE 2 to the MDES First Presentment history file. If a match is found, the Dual Message Clearing System will map the cardholder's PAN to the MDES token before sending the message to the acquirer. If the Dual Message Clearing System cannot match the Fee Collection/1740 message to the First Presentment history file, the Dual Message Clearing System will continue processing the Fee Collection/1740 message as a non-PAN mapped transaction. DE 2 in the Fee Collection/1740 message to the acquirer will contain the PAN.

## Elements related to the Mastercard Digital Enablement Service

This table summarizes the contents of the elements that are affected when the Dual Message Clearing System performs MDES processing.

### Contents of MDES Elements

| Clearing Message       | Scenario                    | DE 2  | PDS 0001, Subfield 2 | DE 22, subfield 7                                                              | DE 94 and DE 33                        |
|------------------------|-----------------------------|-------|----------------------|--------------------------------------------------------------------------------|----------------------------------------|
| First Presentment/1240 | From acquirer to Mastercard | Token | Not present          | A, B, M, R, S, or T                                                            | As provided by the acquirer            |
|                        | From Mastercard to issuer   | PAN   | Token                | A, B, M, R, S, or T                                                            | As provided by the acquirer            |
| Retrieval Request/1644 | From issuer to Mastercard   | PAN   | Not present          | As provided by the issuer                                                      | As provided by the issuer              |
|                        | From Mastercard to acquirer | Token | PAN                  | A, B, M, R, S, or T if the issuer provided other DE 22 values in the retrieval | Customer IDs associated with the token |

| Clearing Message                            | Scenario                    | DE 2  | PDS 0001, Subfield 2 | DE 22, subfield 7           | DE 94 and DE 33                        |
|---------------------------------------------|-----------------------------|-------|----------------------|-----------------------------|----------------------------------------|
| Fee Collection (Retrieval Fee Billing)/1740 | From acquirer to Mastercard | Token | Not present          | DE 22 not in message layout | As provided by the acquirer            |
|                                             | From Mastercard to issuer   | PAN   | Token                | DE 22 not in message layout | As provided by the acquirer            |
| First Chargeback/ 1442                      | From issuer to Mastercard   | PAN   | Not present          | A, B, M, R, S, or T         | As provided by the issuer              |
|                                             | From Mastercard to acquirer | Token | PAN                  | A, B, M, R, S, or T         | Customer IDs associated with the token |
| Second Presentment/ 1240                    | From acquirer to Mastercard | Token | Not present          | A, B, M, R, S, or T         | As provided by the acquirer            |
|                                             | From Mastercard to issuer   | PAN   | Token                | A, B, M, R, S, or T         | As provided by the acquirer            |
| Arbitration Chargeback/ 1442                | From issuer to Mastercard   | PAN   | Not present          | A, B, M, R, S, or T         | As provided by the issuer              |
|                                             | From Mastercard to acquirer | Token | PAN                  | A, B, M, R, S, or T         | Customer IDs associated with the token |

## Interchange compliance processing

MDES service is performed for First Presentment/1240 messages, which are analyzed during the interchange compliance process.

As described in the *Mastercard Network Processing Dual Message Authorization System Guide*, transactions for which the Dual Message Authorization System performs the MDES service do not contain magnetic stripe data when they are sent to the issuer and logged by the Dual Message Authorization System. Therefore, U.S.-acquired First Presentment/1240 messages for which Mastercard performs the MDES service may not pass the magnetic stripe quality test within the interchange compliance process. This test requires validation of the magnetic stripe presence at the time of the authorization for specific incentive interchange programs, unless the transaction is exempt.

Mastercard modified the interchange compliance magnetic stripe quality test to exempt transactions in which PDS 0001 (Mastercard Mapping Service Account Number) is present in the First Presentment/1240 message. The presence of PDS 0001 indicates that Mastercard performed a PAN mapping; and therefore, magnetic stripe data is not expected to be present in the authorization message.

## Mastercard Transaction Calculator

Mastercard Transaction Calculator derives the applicable interchange program based on acquirer-submitted clearing data.

### High-level process overview

The following is a high-level overview of how the interchange program is derived by Mastercard Transaction Calculator and applied to acquirer-submitted clearing data:

1. The acquirer sends PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) in the First Presentment/1240-200 clearing message with a value present or equal to space (blank).
2. Once Mastercard Transaction Calculator is enabled, Mastercard applies the applicable interchange program on behalf of customers based on customer-provided transaction data, within the First Presentment/1240-200 messages.
  - If the acquirer populates PDS 0158, subfield 4 with an interchange program value, Mastercard updates the value with the interchange program qualified under Mastercard Transaction Calculator.

### Service requirements for acquirers

Mastercard Transaction Calculator is currently enabled in select markets. For additional information, review the *Mastercard Transaction Calculator Product Guide* on the Technical Resource Center or contact Customer Support.

## Mastercom and Claims Manager

This section provides an overview of Mastercom and its components.

### Mastercom overview

Issuers and acquirers use Mastercom to resolve disputed transactions by participating in Mastercom Collaboration and by creating chargebacks, second presentments, and cases as part of the dispute cycle.

**IMPORTANT: To use Mastercom and participate in the dispute resolution process, issuers and acquirers are required to have at least one Mastercom user account.**

Mastercom helps facilitate efficient sharing of information and documentation during the dispute cycle to determine which party has financial responsibility for disputed transactions.

### Claims Manager overview

Mastercom Claims Manager offers complete end-to-end functionality for processing and managing disputes.

Claims Manager groups dispute events related to a single first presentment under a single claim, allowing issuers and acquirers to track the progress of the claim through the dispute resolution cycle. Claims Manager groups the claims into queues according to their progress in the dispute resolution cycle.

Claims Manager supports the following use cases for Dual Message System disputes:

| Entity             | Use case                                                                                                                                                                                                                                                                                                                                                      |
|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Issuer             | <ul style="list-style-type: none"><li>• Research a first presentment and open a claim.</li><li>• Create a Collaboration request manually (claims for transactions involving U.S. healthcare only)<sup>20</sup></li><li>• Create a first chargeback.</li><li>• Receive a second presentment.</li><li>• Create a pre-arbitration or arbitration case.</li></ul> |
| Acquirer           | <ul style="list-style-type: none"><li>• View claims created by the issuer.</li><li>• Receive and respond to a Collaboration request.</li><li>• Receive a first chargeback.</li><li>• Create a second presentment.</li><li>• Receive a pre-arbitration or arbitration case.</li></ul>                                                                          |
| Issuer or acquirer | <ul style="list-style-type: none"><li>• Add supporting documentation to a dispute event.</li><li>• Create a pre-compliance or compliance case.</li><li>• Send and receive a fee collection message.</li><li>• Generate reports.</li></ul>                                                                                                                     |

## Multiple clearing messages

An acquirer has the option of linking multiple presentments with partial amounts to one approved authorization identified as either a preauthorization or final authorization.

For detailed information on this process, please refer to the *Transaction Processing Rules*.

<sup>20</sup> If the issuer is not direct to Ethoca, Claims Manager automatically creates Collaboration requests when an issuer creates a first chargeback.

© 2025 Mastercard. Proprietary. All rights reserved.  
Mastercard Network Processing Dual Message Clearing System Guide— • 4 November 2025

2129

## Payment Cancellation Service

Payment Cancellation Service enables issuers to have Mastercard block unwanted card-not-present (CNP) transactions acquired on the Dual Message Authorization System and Dual Message Clearing System.

This includes issuers of Mastercard credit cards, Debit Mastercard, non-Mastercard Maestro, and other card products, such as private label. Payment Cancellation is available in the United States for issuers distributing non-Mastercard Maestro Cards.

Issuers use Payment Cancellation Service by sending a request to the Payment Cancellation Service database containing information identifying the cardholder's Primary Account Number (PAN), acquirer institution ID, merchant ID, and optionally, the transaction amount or transaction amount range. Additionally, in the United States, non-Mastercard Maestro CNP transactions the customer can request to block by Payment Facilitator and Sub Merchant ID as an alternative to merchant ID. Mastercard checks the Payment Cancellation Service database for entries, and CNP transactions are declined when a match is found during authorization and clearing. Once Mastercard blocks the transaction, future charges do not appear on the cardholder statement avoiding the costly chargeback process and helps to ensure a positive cardholder experience.

Issuers cannot use Payment Cancellation Service to stop a transaction after providing an authorization approval for the same transaction. If an issuer believes that an authorized transaction is fraudulent, the issuer must allow the transaction to clear. The issuer may then use the Mastercard chargeback process to have the transaction investigated.

This service helps global users to safeguard against payments which are no longer authorized and comply with national payment regulations.

For more information, refer to the *Payment Cancellation Program Guide*.

## Private Label Program

This section describes the Private Label Program that offers customers a superior private label transaction processing solution.

### Overview

The Private Label Program uses the existing Mastercard payment system infrastructure to provide authorization, clearing, and settlement services for private label card transactions, in addition to improved products and services that issuers may use, along with their private label programs.

These services are provided exclusively for transactions originating from the approved private label card portfolios of Mastercard issuers.

For more information, refer to the *Private Label Program Guide for Acquirers* or *Private Label Program Guide for Issuers*.

## Private Label addendum

Private Label Program participants require equivalent data when using Private Label processing that they receive in their closed-loop processing model.

The two addenda messages that support the Private Label Program are:

- Private Label Common Data, which supports data fields common to the transaction
- Private Label Line Item Detail, which supports data fields specific to the individual items being purchased and included in the transaction

The Private Label Common Data and Private Label Line Item Detail addenda messages are optional for Private Label First Presentment/1240 messages. The Private Label Common Data addendum message is conditionally required if the Private Label Line Item Detail addendum message is provided. In addition, the Private Label Common Data addendum message must precede the Private Label Line Item Detail addendum message. If the Private Label Common Data or Private Label Line Item Detail addendum messages are submitted and rejected, the corresponding First Presentment/1240 message is not rejected.

For more information on the layouts for the Private Label Common Data and Private Label Line Item Detail addendum messages, refer to [Data element definitions and details](#).

## Private Label card activation plus initial load

Mastercard has expanded the existing card activation at the point-of-sale terminal (POS) functionality to allow card activation messages to be submitted with an initial load. Customers can offer this functionality, making private label cards more attractive to their merchants, by enabling activation of prepaid cards with or without a predefined amount.

Acquirers that want to offer the private label card activation plus initial load functionality must be able to support and send value C09 (Card Activation) for PDS 0043 (Transaction Type Identifier) in First Presentment/1240 messages.

Issuers that want to offer the private label card activation plus initial load functionality must be able to support and receive value C09 for PDS 0043 in First Presentment/1240 messages.

## Mastercard Transaction Enablement Service

Mastercard Transaction Enablement Service (TES) is an optional service that ensures the correct submission of certain Data Elements (DEs) or Private Data Subelements (PDSs) by correcting DEs or PDSs on behalf of acquirers.

Acquirers participating in TES may obtain various benefits, including reduced settlement delays and operational impacts associated with the management of clearing rejects. Also, acquirers that would like to receive reconciliation report data associated with TES can request it from Mastercard.

Mastercard will make the reconciliation data available to acquirers through the raw data file upon request through Global Customer Support. The file contains the data elements and

subelements originally submitted by acquirers and were subsequently adjusted by the Dual Message Clearing System as a result of participating in the service. This file will only be sent to acquirers when First Presentment (1240-200) messages clear successfully.

## Service Requirements for Acquirers

All acquirers configuring new ICA number are automatically enrolled unless they choose to opt out at the time of onboarding.

However, the raw data file, IP714010-AA (Acquirer Accepted Errors Detail Report), containing reconciliation data from TES will be available to acquirers only by request.

**NOTE: TES is an opt-out service in Brazil.**

## Processing Message Exception/1644-691 messages through the Mastercard Transaction Enablement Service

This section describes processing message exceptions through TES.

### Contents of PDS 0445 (Original Transaction Information)

PDS 0445 (Original Transaction Information) contains one or more data elements (DE) and private data subelements (PDS) echoing the transaction information that was submitted by acquirers and adjusted by TES.

For more information, refer to [PDS 0445 \(Original Transaction Information\)](#)

## MCC Adjustments in Brazil

For acquirers participating in TES, Mastercard adjusts the submitted DE 26 (Acceptor Business Code [MCC]) within Brazilian intracountry First Presentment/1240-200 messages.

If the MCC submitted by the acquirer is not valid for the Merchant Tax ID provided in PDS 0220 (Brazil Merchant Tax ID), Mastercard will replace it with a valid MCC to ensure that the transaction is not rejected with Dual Message Clearing System error 3007.

When Mastercard rejects the original First Presentment for a reason other than error code 3007, Mastercard will return the message with an updated DE 26 (Acceptor Business Code [MCC]) value in First Presentment/1240-200 message and the originally submitted DE 26 value in PDS 0445 (Original Transaction Information) within the Message Exception/1644-691 message that accompanies the reject. For example, a customer submits MCC code (DE 26) 1234 to Mastercard in the First Presentment/1240-200 message and it is not valid for the Brazil Merchant Tax ID. When Mastercard applies TES, the MCC value is updated with 5678. Later in the process, the message is rejected with a different error code and must be returned to the acquirer.

Mastercard will include adjusted MCC 5678 in DE 26 within the First Presentment/1240-200 message, and the original, acquirer-provided MCC 1234 in PDS 0445 within the Message



Exception/1644-691 message in the T112 and T113 files. Refer to [PDS 0445 \(Original Transaction Information\)](#) for more information..

**NOTE: As a result of the MCC adjustment, the Dual Message Clearing System may derive an interchange fee amount that differs from the amount originally expected by the acquirer. This can occur because TES may modify the MCC but will not change the IRD. As a result, Dual Message Clearing System interchange overrides that are based on the MCC will be affected by the adjusted MCC.**

The Associação Brasileira das Empresas de Cartões de Crédito e Serviços (ABECS), of which Mastercard is an associated member, is enabling public access to their CNPJ/TAX ID and MCC database. ABECS will make updates to their CNPJ/TAX ID and MCCs database on the last business day of every month. In turn, Mastercard will provide the following one month for acquirers and processors to make their database updates as needed before changes are effective in Mastercard systems.


Accordingly, the effective date for changes or rejections due to incorrect MCCs will be the first of the month, based on data updates from the prior month. For example:

#### Example

| Step   | Description                                                                                                                        | Date                                                      |
|--------|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Step 1 | ABECS updates the database on the last business day of the month, which may or may not be the last calendar day of the month.      | Friday, September 29, 2023                                |
| Step 2 | ABECS provides the following month for acquirers and Mastercard to make updates to their databases.                                | Sunday, October 1, 2023 through Tuesday, October 31, 2023 |
| Step 3 | Clearing messages will be validated and modified by Mastercard using the latest updates made during the prior month by Mastercard. | Wednesday, November 1, 2023                               |
| Step 4 | The process repeats monthly.                                                                                                       |                                                           |


**NOTE: Mastercard is not responsible for the timing, availability, and content of the data made available on the ABECS website at <https://www.abecs.org.br/consulta-mcc-individual>. ABECS has sole discretion to alter the data as needed.**

## TES adjusts MCC in DE 26 and the message clears successfully



1. The acquirer submits a First Presentment/1240-200 message through the R111 bulk file for processing.
2. Dual Message Clearing System performs the Brazil Merchant Tax ID/MCC validation and it fails.
3. TES adjusts the MCC to a value corresponding to the Brazil Merchant Tax ID present in the First Presentment message.
4. Dual Message Clearing System performs the remaining edit validations and all edit validations pass.
5. Dual Message Clearing System passes the First Presentment/1240-200 to the Brazil issuer with the updated MCC.
6. If the Brazil acquirer opts to receive the report (IP714010-AA), then it will be sent to them.

## TES adjusts the MCC in DE 26 and the message is rejected



1. The acquirer submits a First Presentment/1240-200 message through the R111 bulk file for processing.

2. Dual Message Clearing System performs the Brazil Merchant Tax ID/MCC validation and it fails.
3. TES adjusts the MCC to a value corresponding to the Brazil Merchant Tax ID that was present in the first presentment message.
4. Dual Message Clearing System performs the remaining edit validations. One other validation fails, causing the message to be rejected.
5. Dual Message Clearing System rejects the First Presentment/1240-200 message.
6. TES populates the original MCC in PDS 0445 within the Message Exception/1644-691 message and the adjusted MCC in DE 26 within the First Presentment/1240-200 message.
7. Dual Message Clearing System sends this information either in T112 or T113 depending on the acquirer's participation in T113.

# Appendix D Transaction research

*A transaction research request is a request by a customer for Mastercard to provide information about a transaction.*

---

|                                                            |      |
|------------------------------------------------------------|------|
| Registering for Transaction Investigator.....              | 2137 |
| Accessing and using the Transaction Investigator tool..... | 2138 |
| Setting user preferences.....                              | 2138 |
| Global Collection-Only data in Transaction Research.....   | 2139 |

A customer submits a transaction research request to Mastercard when they need information about a transaction. This section outlines available methods to perform research and information about Transaction Investigator.

## Performing a transaction research request

Customers can use either of the following two methods to research information about previous transactions:

- Transaction Investigator tool to conduct research about specific transactions or a range of transactions for an account number. The report generated provides customers with transactional data such as card number, card validation code 2 (CVC 2) response, point-of-sale entry mode, cardholder present information, merchant advice code, and message type identifier (MTI). This tool allows customers to conduct research about specific transactions or a range of transactions for an account number.
- Customers can also contact the Global Customer Service team for assistance. To request this service, customers must complete the *Clearing Transaction Research Request* (Form 949) found on Mastercard Connect.

## Capabilities of the Transaction Investigator tool

The Mastercard Transaction Investigator tool enables users to complete a variety of unique tasks. The Mastercard Transaction Investigator tool allows users to search the Mastercard data warehouse for first presentment transactions that a customer has processed either as an acquirer or an issuer.

This capability:

- Provides secure access to proprietary clearing information
- Retrieves relevant transaction data elements online with the option to view all available data elements for a transaction message type
- Returns the data within seconds after the customer electronically submits the request for research

In addition, users can print the transaction data or export the information into a Microsoft Excel file.

The transaction data is stored in the Mastercard data warehouse and is available to customers for three years. Most transactions are available within 24 hours of the transaction time.

To access the Transaction Investigator Tool, customers must be licensed users of Mastercard Connect.

## Registering for Transaction Investigator

To register for the Transaction Investigator tool:

### Procedure

1. Log on to Mastercard Connect at [www.mastercardconnect.com](http://www.mastercardconnect.com).
2. Enter your **User ID** and **Password**.
3. On the Connect homepage main menu, click **Store**.
4. Scroll or search for **Transaction Investigator**.

5. Click **Add to Shopping**.  
A confirmation message displays.
6. Click **Cart** to display the cart.
7. Click **Checkout** to display the **Order Details** window.
8. Under **Order Details**, click **Review Order**.
9. Review the order and **Place Order**.

Once the Security Administrator approves the request, Transaction Investigator displays under the Applications menu on the Mastercard Connect homepage.

**NOTE: For any assistance with Mastercard Connect enrollment or product registration, contact Global Customer Support at [customer\\_support@mastercard.com](mailto:customer_support@mastercard.com).**

## Accessing and using the Transaction Investigator tool

To access the Transaction Investigator tool and view clearing summaries and details

### Procedure

1. Log on to Mastercard Connect using your Mastercard Connect user ID and SecurID.
2. From the Applications menu, click **Transaction Investigator**.

A new browser window opens and displays the Transaction Investigator home page.

**NOTE: Users can perform searches on this screen using a combination of account number and dates, or Auth only data.**

3. To search for clearing transaction data using additional criteria, click **Advanced Search**.
4. Select the criteria.
5. Select **Clearing View** on the left pane.  
A summary of clearing information displays based on the criteria entered in the search.
6. To expand the data elements that contain subfield data, click the corresponding plus sign.  
The subfield data is highlighted for the expanded data element.

## Setting user preferences

You can set user preferences to customize the display of information in each panel within the Transaction Investigator.

### Procedure

1. From the panel tool bar, click the **Customize**.
2. From the Customize window, select the data elements that you want to hide from view.
3. Click the **Move Left** arrow to move the selected data elements to the **Hidden from View** panel.

4. To change the display order of data elements, select the desired data element in the **My View** panel and click the **Up** or **Down** arrow .
5. Click **Save**.
6. To display all the data elements, click **Restore Default**.
7. Click **Search** after entering the cardholder's account number and the date range results to display results.  
The **Clearing Detail** displays the details corresponding to the highlighted transaction in the Clearing Summary grid.

## Global Collection-Only data in Transaction Research

Global Collection-Only data consists of Collection-only transactions neither issued nor acquired in the United States. A GCO transaction is a transaction that is cleared and settled outside the Mastercard Dual Message system.

This would include transactions that are either:

- acquired and issued by the same customer (On-Us)
- acquired and issued by customers processing through the same processor (intraprocessor)

When a collection-only transaction occurs, the transaction is sent to Mastercard's Global Collection Management System with a settlement indicator (PDS165S01) value C to indicate collection-only.

When the Global Collection Only option is selected, a query in Transaction Research searches for GCO transactions from the GCO data store. The Clearing summary and details grids display the GCO transaction records.

## Appendix E Transaction data classifications table

This section provides details on the transaction data classifications for the Dual Message Clearing System.

Category One: Transaction data that, when received by a customer or Service Provider, must only be used, or disclosed by the customer or Service Provider for the purpose of carrying out the customer's issuing program, acquiring program, or digital activities (for example, as relating to digital wallets and tokenization).

Category Two: Transaction data that, when received by a customer or Service Provider, must only be used, or disclosed in connection with the specific purpose for which it was provided (for example, as relating to participation in a program or service).

### Data element transaction data classifications

| Data element | Data element description                               | Category |
|--------------|--------------------------------------------------------|----------|
| DE 1         | Bit Map, Secondary                                     | One      |
| DE 2         | Primary Account Number [PAN]                           | One      |
| DE 3         | Processing Code                                        | One      |
| DE 3         | Subfield 1 (Cardholder Transaction Type Code)          | One      |
| DE 3         | Subfield 2 (Cardholder Account Type [From])            | One      |
| DE 3         | Subfield 3 (Cardholder Account Type [To])              | One      |
| DE 4         | Amount, Transaction                                    | One      |
| DE 5         | Amount, Reconciliation                                 | One      |
| DE 6         | Amount, Cardholder Billing                             | One      |
| DE 7         | Transmission Date and Time                             | One      |
| DE 8         | Amount, Cardholder Billing Fee                         | One      |
| DE 9         | Conversion Rate, Reconciliation                        | One      |
| DE 10        | Conversion Rate, Cardholder Billing                    | One      |
| DE 12        | Date and Time, Local Transaction                       | One      |
| DE 14        | Date, Expiration                                       | One      |
| DE 22        | Point of Service Entry Mode                            | One      |
| DE 22        | Subfield 1 (Terminal Data, Card Data Input Capability) | One      |



| Data element | Data element description                                         | Category |
|--------------|------------------------------------------------------------------|----------|
| DE 22        | Subfield 2 (Terminal Data, Cardholder Authentication Capability) | One      |
| DE 22        | Subfield 3 (Terminal Data, Card Capture Capability)              | One      |
| DE 22        | Subfield 4 (Terminal Operating Environment)                      | One      |
| DE 22        | Subfield 5 (Cardholder Present Data)                             | One      |
| DE 22        | Subfield 6 (Card Present Data)                                   | One      |
| DE 22        | Subfield 7 (Card Data, Input Mode)                               | One      |
| DE 22        | Subfield 8 (Cardholder Authentication Method)                    | One      |
| DE 22        | Subfield 9 (Cardholder Authentication Entity)                    | One      |
| DE 22        | Subfield 10 (Card Data Output Capability)                        | One      |
| DE 22        | Subfield 11 (Terminal Data Output Capability)                    | One      |
| DE 22        | Subfield 12 (PIN Capture Capability)                             | One      |
| DE 23        | Card Sequence Number                                             | One      |
| DE 24        | Function Code                                                    | One      |
| DE 25        | Message Reason Code                                              | One      |
| DE 26        | Acceptor Business Code [MCC]                                     | One      |
| DE30         | Amounts, Original                                                | One      |
| DE30         | DE 30 subfields                                                  | One      |
| DE31         | Acquirer Reference Data                                          | One      |
| DE32         | DE 31 subfields                                                  | One      |
| DE 33        | Forwarding Institution Identification Code                       | One      |
| DE 37        | Retrieval Reference Number                                       | Two      |
| DE 38        | Approval Code                                                    | One      |
| DE 40        | Service Code                                                     | One      |
| DE 41        | Acceptor Terminal ID                                             | One      |

| Data element | Data element description                          | Category |
|--------------|---------------------------------------------------|----------|
| DE 42        | Acceptor ID                                       | One      |
| DE 43        | Acceptor Name and Location                        | One      |
| DE 43        | Subfield 1 (Acceptor Name)                        | One      |
| DE 43        | Subfield 2 (Space)                                | One      |
| DE 43        | Subfield 3 (Acceptor City Name)                   | One      |
| DE 43        | Subfield 4 (Space)                                | One      |
| DE 43        | Subfield 5 (Acceptor Country Code)                | One      |
| DE 43        | Subfield 6 (Acceptor Country Code)                | One      |
| DE 48        | Additional Data                                   | One      |
| DE 49        | Currency Code, Transaction                        | One      |
| DE 50        | Currency Code, Reconciliation                     | One      |
| DE 51        | Currency Code, Cardholder Billing                 | One      |
| DE 54        | Additional Amounts                                | One      |
| DE 54        | Subfield 1 (Account Type)                         | One      |
| DE 54        | Subfield 2 (Amount Type)                          | One      |
| DE 54        | Subfield 3 (Currency Code)                        | One      |
| DE 54        | Subfield 4 (Debit or Credit Indicator)            | One      |
| DE 54        | Subfield 5 (Amount)                               | One      |
| DE 55        | Integrated Circuit Card [ICC] System-Related Data | One      |
| DE 62        | Additional Data 2                                 | One      |
| DE 63        | Transaction Life Cycle ID                         | One      |
| DE 63        | Subfield 1 (Life Cycle Support Indicator)         | One      |
| DE 63        | Subfield 2 (Trace ID)                             | One      |
| DE 71        | Message Number                                    | One      |
| DE 72        | Data Record                                       | One      |
| DE 73        | Date, Action                                      | One      |
| DE 93        | Transaction Destination Institution ID Code       | One      |
| DE 94        | Transaction Originator Institution ID Code        | One      |

| Data element | Data element description                  | Category |
|--------------|-------------------------------------------|----------|
| DE 95        | Card Issuer Reference Data                | One      |
| DE 100       | Receiving Institution Identification Code | One      |
| DE 105       | Multi-Use Transaction Identification Data | One      |
| DE 111       | Amount, Currency Conversion Assessment    | One      |
| DE 123       | Additional Data 3                         | One      |
| DE 124       | Additional Data 4                         | One      |
| DE 125       | Additional Data 5                         | One      |
| DE 127       | Network Data                              | Two      |

### Private data subelement classifications

| Private data Subelement | Private data subelement description        | Category |
|-------------------------|--------------------------------------------|----------|
| PDS0001                 | Mastercard Mapping Service Account Number  | One      |
| PDS0001                 | Subfield 1 (Account Number Type)           | One      |
| PDS0001                 | Subfield 2 (Account Number)                | One      |
| PDS0002                 | GCMS Product Identifier                    | One      |
| PDS0003                 | Licensed Product Identifier                | One      |
| PDS0004                 | Funding Account Information                | One      |
| PDS0004                 | Subfield 1 (Funding Source)                | One      |
| PDS0004                 | Subfield 2 (Sender Account Number)         | One      |
| PDS0005                 | Message Error Indicator                    | One      |
| PDS0005                 | PDS 0005 subfields                         | One      |
| PDS0006                 | Applied Business Service Arrangement       | One      |
| PDS0006                 | PDS 0006 subfields                         | One      |
| PDS0010                 | Currency Rate Service                      | One      |
| PDS0010                 | Subfield 1 (Currency Rate Service Applied) | One      |

| Private data Subelement | Private data subelement description                         | Category |
|-------------------------|-------------------------------------------------------------|----------|
| PDS0010                 | Subfield 2 (Currency Rate Date)                             | One      |
| PDS0011                 | Mastercard Mapping Service Virtual Card Number              | One      |
| PDS0011                 | Subfield 1 (Virtual Card Number Type)                       | One      |
| PDS0011                 | Subfield 2 (Virtual Card Number)                            | One      |
| PDS0014                 | Digital Account Reference Number                            | Two      |
| PDS0015                 | Clearing Currency Conversion Identifier                     | One      |
| PDS0015                 | Subfield 1 (Currency Conversion Date)                       | One      |
| PDS0015                 | Subfield 2 (Currency Conversion Indicator)                  | One      |
| PDS0016                 | Digital Service Provider                                    | Two      |
| PDS0016                 | Subfield 1 (Digital Service Provider ID 1)                  | Two      |
| PDS0016                 | Subfield 2 (Digital Service Provider ID 2)                  | Two      |
| PDS0017                 | Transaction Integrity Class                                 | One      |
| PDS0018                 | Acceptance Data                                             | One      |
| PDS0018                 | Subfield 1 (mPOS Acceptance Device Type)                    | One      |
| PDS0020                 | Digital Commerce Solutions Indicators                       | Two      |
| PDS0020                 | Subfield 1 (Digital Commerce Domain Identifier)             | Two      |
| PDS0020                 | Subfield 2 (Digital Commerce Program Type)                  | Two      |
| PDS0020                 | Subfield 3 (Digital Commerce Check-In Entity Type and Name) | Two      |
| PDS0020                 | Subfield 4 (Digital Commerce Check-In Method)               | Two      |
| PDS0021                 | Transaction Type Indicator                                  | One      |
| PDS0022                 | Additional Terminal Operating Environments                  | One      |

| Private data Subelement | Private data subelement description                              | Category |
|-------------------------|------------------------------------------------------------------|----------|
| PDS0023                 | Terminal Type                                                    | One      |
| PDS0025                 | Message Reversal Indicator                                       | One      |
| PDS0025                 | PDS 0025 subfields                                               | One      |
| PDS0026                 | File Reversal Indicator                                          | One      |
| PDS0026                 | PDS 0026 subfields                                               | One      |
| PDS0027                 | Flex Code                                                        | One      |
| PDS0028                 | Mastercard Merchant Presented QR [MPQR] Receiving Account Number | One      |
| PDS0029                 | QR Dynamic Code Data                                             | One      |
| PDS0042                 | Merchant Capability                                              | One      |
| PDS0043                 | Transaction Type Identifier                                      | One      |
| PDS0044                 | Program Participation Indicator                                  | Two      |
| PDS0044                 | Subfield 1 (CVC 2 Validation Program Indicator)                  | Two      |
| PDS0044                 | Subfield 2 (PayPass Chargeback Eligibility Indicator)            | Two      |
| PDS0045                 | Mastercard Generated Installment Identifier                      | Two      |
| PDS0046                 | Japan Common Merchant Code                                       | Two      |
| PDS0052                 | Electronic Commerce Security Level Indicator                     | Two      |
| PDS0052                 | Subfield 1 (Security Protocol)                                   | Two      |
| PDS0052                 | Subfield 2 (Cardholder Authentication)                           | Two      |
| PDS0052                 | Subfield 3 (UCAF Collection Indicator)                           | Two      |
| PDS0056                 | Mastercard Electronic Card Indicator                             | One      |
| PDS0057                 | Transaction Category Indicator                                   | One      |
| PDS0058                 | Token Assurance Level                                            | Two      |
| PDS0059                 | Token Requestor ID                                               | Two      |
| PDS0068                 | Financial Account Information                                    | Two      |

| Private data Subelement | Private data subelement description                                 | Category |
|-------------------------|---------------------------------------------------------------------|----------|
| PDS0068                 | Subfield 1 (Financial Account Identifier)                           | Two      |
| PDS0071                 | Chip to Magnetic Stripe Conversion Service Indicator                | One      |
| PDS0071                 | PDS 0071 subfields                                                  | One      |
| PDS0072                 | Authentication Indicator                                            | Two      |
| PDS0073                 | Additional Commercial Issuer Data                                   | Two      |
| PDS0080                 | Amount, Tax                                                         | One      |
| PDS0080                 | PDS 0080 subfields                                                  | One      |
| PDS0105                 | File ID                                                             | One      |
| PDS0105                 | PDS 0105 subfields                                                  | One      |
| PDS0106                 | Clearing Optimizer Information                                      | Two      |
| PDS0106                 | PDS 0106 subfields                                                  | Two      |
| PDS0110                 | Transmission ID                                                     | One      |
| PDS0110                 | PDS 0110 subfields                                                  | One      |
| PDS0122                 | Processing Mode                                                     | One      |
| PDS0137                 | Fee Collection Control Number                                       | One      |
| PDS0138                 | Source Message Number ID                                            | One      |
| PDS0140                 | Amount, Cardholder Billing Amounts USD                              | One      |
| PDS0140                 | PDS 0140 subfields                                                  | One      |
| PDS0141                 | Customer Currency Conversion Revenue Data                           | One      |
| PDS0141                 | Subfield 1 (Customer Currency Conversion Revenue Rate)              | One      |
| PDS0141                 | Subfield 2 (Customer Currency Conversion Revenue Amount)            | One      |
| PDS0142                 | Additional Service Data For Issuers                                 | One      |
| PDS0142                 | Subfield 01 (Reference Conversion Rate)                             | One      |
| PDS0142                 | Subfield 02 (Reference Conversion Rate Differential Sign Indicator) | One      |

| Private data Subelement | Private data subelement description                          | Category |
|-------------------------|--------------------------------------------------------------|----------|
| PDS0142                 | Subfield 03 (Reference Conversion Rate Percent Differential) | One      |
| PDS0145                 | Amount, Alternate Transaction Fee                            | One      |
| PDS0145                 | PDS 0145 subfields                                           | One      |
| PDS0146                 | Amounts, Transaction Fee                                     | One      |
| PDS0146                 | PDS 0146 subfields                                           | One      |
| PDS0147                 | Extended Precision Amounts                                   | One      |
| PDS0147                 | PDS 0147 subfields                                           | One      |
| PDS0148                 | Currency Exponents                                           | One      |
| PDS0148                 | PDS 0148 subfields                                           | One      |
| PDS0149                 | Currency Codes, Amounts, Original                            | One      |
| PDS0149                 | PDS 0149 subfields                                           | One      |
| PDS0150                 | Additional Recurring Payments Information                    | One      |
| PDS0157                 | Alternate Processor Indicator                                | One      |
| PDS0158                 | Business Activity                                            | One      |
| PDS0158                 | Subfield 1 (Card Program Identifier)                         | One      |
| PDS0158                 | Subfield 2 (Business Service Arrangement Type Code)          | One      |
| PDS0158                 | Subfield 3 (Business Service ID Code)                        | One      |
| PDS0158                 | Subfield 4 (Interchange Rate Designator)                     | Two      |
| PDS0158                 | Subfield 5 (Central Site Business Date)                      | One      |
| PDS0158                 | Subfield 6 (Business Cycle)                                  | One      |
| PDS0158                 | Subfield 7 (Acceptor Classification Override Indicator)      | Two      |
| PDS0158                 | Subfield 8 (Product Class Override Indicator)                | Two      |
| PDS0158                 | Subfield 9 (Corporate Incentive Rates Apply Indicator)       | Two      |

| Private data Subelement | Private data subelement description                          | Category |
|-------------------------|--------------------------------------------------------------|----------|
| PDS0158                 | Subfield 10 (Special Conditions Indicator)                   | Two      |
| PDS0158                 | Subfield 11 (Mastercard Assigned ID Override Indicator)      | Two      |
| PDS0158                 | Subfield 12 (Account Level Management Account Category Code) | Two      |
| PDS0158                 | Subfield 13 (Rate Indicator)                                 | Two      |
| PDS0158                 | Subfield 14 (Masterpass Incentive Indicator)                 | Two      |
| PDS0158                 | Subfield 15 (Digital Wallet Interchange Override Indicator)  | Two      |
| PDS0159                 | Settlement Data                                              | Two      |
| PDS0159                 | PDS 0159 subfields                                           | Two      |
| PDS0160                 | Settlement Data, Multiple                                    | Two      |
| PDS0160                 | PDS 0160 subfields                                           | Two      |
| PDS0164                 | Currency Cross Rates                                         | One      |
| PDS0164                 | PDS 0164 subfields                                           | One      |
| PDS0165                 | Settlement Indicator                                         | One      |
| PDS0165                 | PDS 0165 subfields                                           | One      |
| PDS0170                 | Acceptor Inquiry Information                                 | One      |
| PDS0170                 | PDS 0170 subfields                                           | One      |
| PDS0171                 | Alternate Acceptor Description Data                          | One      |
| PDS0171                 | PDS 0171 subfields                                           | One      |
| PDS0172                 | Sole Proprietor Name                                         | Two      |
| PDS0173                 | Legal Corporate Name                                         | Two      |
| PDS0174                 | Dun & Bradstreet Number                                      | Two      |
| PDS0175                 | Acceptor URL Address                                         | One      |
| PDS0176                 | Mastercard Assigned ID                                       | Two      |
| PDS0177                 | Cross-border                                                 | One      |
| PDS0177                 | PDS 0177 subfields                                           | One      |



| Private data Subelement | Private data subelement description             | Category |
|-------------------------|-------------------------------------------------|----------|
| PDS0178                 | Alternate Acceptor Description Data 2           | One      |
| PDS0178                 | PDS 0178 subfields                              | One      |
| PDS0179                 | Long Running Transaction [LRT] Indicator        | Two      |
| PDS0180                 | Domestic Acceptor Tax ID                        | Two      |
| PDS0181                 | Installment Payment Data                        | One      |
| PDS0181                 | Subfield 1 (Type of Installment)                | One      |
| PDS0181                 | Subfield 2 (Number of Installments)             | One      |
| PDS0181                 | Subfield 3 (Interest Rate)                      | One      |
| PDS0181                 | Subfield 4 (First Installment Amount)           | One      |
| PDS0181                 | Subfield 5 (Subsequent Installment Amount)      | One      |
| PDS0181                 | Subfield 6 (Annual Percentage Rate)             | One      |
| PDS0181                 | Subfield 7 (Installment Fee)                    | One      |
| PDS0181                 | Subfield 8 (Commission Rate)                    | One      |
| PDS0181                 | Subfield 9 (Commission Sign)                    | One      |
| PDS0181                 | Subfield 10 (Commission Amount)                 | One      |
| PDS0182                 | Installment Payment Cardholder Statement Data   | One      |
| PDS0182                 | Subfield 1 (Total Number of Installments)       | One      |
| PDS0182                 | Subfield 2 (Current Installment Number)         | One      |
| PDS0182                 | Subfield 3 (Original Cardholder Billing Amount) | One      |
| PDS0182                 | Subfield 4 (Installment Amount)                 | One      |
| PDS0182                 | Subfield 5 (Principal Amount)                   | One      |
| PDS0182                 | Subfield 6 (Interest Amount)                    | One      |
| PDS0182                 | Subfield 7 (Installment Fee)                    | One      |
| PDS0182                 | Subfield 8 (Interest Rate)                      | One      |

| Private data Subelement | Private data subelement description              | Category |
|-------------------------|--------------------------------------------------|----------|
| PDS0182                 | Subfield 9 (APR)                                 | One      |
| PDS0182                 | Subfield 10 (Total Amount Due)                   | One      |
| PDS0182                 | Subfield 11 (Installment Cancellation Indicator) | One      |
| PDS0183                 | Brazil Post-Dated Transaction Data               | One      |
| PDS0183                 | Subfield 1 (Service Code)                        | One      |
| PDS0183                 | Subfield 2 (Number of Installments)              | One      |
| PDS0183                 | Subfield 3 (Guarantee)                           | One      |
| PDS0183                 | Subfield 4 (Guarantee Amount)                    | One      |
| PDS0183                 | Subfield 5 (Post Settlement Date)                | One      |
| PDS0183                 | Subfield 6 (Original Authorization Request Date) | One      |
| PDS0183                 | Subfield 7 (Original Banknet Reference Number)   | One      |
| PDS0183                 | Subfield 8 (Authorization Code)                  | One      |
| PDS0184                 | Directory Server Transaction ID                  | Two      |
| PDS0185                 | Accountholder Authentication Value               | Two      |
| PDS0186                 | Program Protocol                                 | Two      |
| PDS0188                 | Private Data, Proprietary Service Data           | Two      |
| PDS0189                 | Point-of-Interaction [POI] Phone Data            | Two      |
| PDS0189                 | PDS 0189 subfields                               | Two      |
| PDS0190                 | Partner ID Code                                  | One      |
| PDS0191                 | Originating Message Format                       | One      |
| PDS0192                 | Payment Transaction Initiator                    | One      |
| PDS0194                 | Remote Payments Program Data                     | One      |
| PDS0195                 | Installment Data                                 | One      |
| PDS0195                 | Subfield 1 (Total Number of Installments)        | One      |

| Private data Subelement | Private data subelement description            | Category |
|-------------------------|------------------------------------------------|----------|
| PDS0195                 | Subfield 2 (Payment Option Code)               | One      |
| PDS0195                 | Subfield 3 (Installment Number)                | One      |
| PDS0195                 | Subfield 4 (Bonus Code)                        | One      |
| PDS0195                 | Subfield 5 (Bonus Month Code)                  | One      |
| PDS0195                 | Subfield 6 (Number of Bonus Payments per Year) | One      |
| PDS0195                 | Subfield 7 (Bonus Amount)                      | One      |
| PDS0195                 | Subfield 8 (First Month of Bonus Payment)      | One      |
| PDS0196                 | Mobile Phone Reload Data                       | Two      |
| PDS0196                 | PDS 0196 subfields                             | Two      |
| PDS0197                 | National Use Tax Data                          | Two      |
| PDS0197                 | PDS 0197 subfields                             | Two      |
| PDS0198                 | Device Type                                    | One      |
| PDS0199                 | Funding Transaction Information                | Two      |
| PDS0200                 | Fraud Notification Date                        | Two      |
| PDS0200                 | PDS 0200 subfields                             | Two      |
| PDS0202                 | Primary Account Number [PAN] Syntax Error      | One      |
| PDS0204                 | Amount, Syntax Error                           | One      |
| PDS0205                 | Syntax Return, Message Error Indicator         | One      |
| PDS0205                 | PDS 0205 subfields                             | One      |
| PDS0206                 | Late Presentment Indicator                     | One      |
| PDS0206                 | PDS 0206 subfields                             | One      |
| PDS0207                 | Wallet Identifier                              | Two      |
| PDS0208                 | Additional Merchant Data                       | Two      |
| PDS0208                 | Subfield 1 (Payment Facilitator ID)            | Two      |
| PDS0208                 | Subfield 2 (Sponsored Merchant ID)             | Two      |
| PDS0209                 | Independent Sales Organization ID              | Two      |
| PDS0210                 | Transit Program                                | Two      |

| Private data Subelement | Private data subelement description                                 | Category |
|-------------------------|---------------------------------------------------------------------|----------|
| PDS0210                 | PDS 0210 subfields                                                  | Two      |
| PDS0211                 | Terminal Compliant Indicator                                        | Two      |
| PDS0211                 | Subfield 1 (TLE Compliant)                                          | Two      |
| PDS0211                 | Subfield 2 (UKPT/DUKPT Compliant)                                   | Two      |
| PDS0213                 | Merchant Country of Origin                                          | One      |
| PDS0216                 | Additional Acceptor Data                                            | One      |
| PDS0216                 | Subfield 1 (Service Location City Name)                             | One      |
| PDS0216                 | Subfield 2 (Service Location Country Subdivision Code)              | One      |
| PDS0216                 | Subfield 3 (Service Location Country Code)                          | One      |
| PDS0216                 | Subfield 4 (Service Location Postal Code)                           | One      |
| PDS0218                 | Cardholder/Merchant Initiated Transaction Indicator                 | One      |
| PDS0218                 | PDS 0218 subfields                                                  | One      |
| PDS0220                 | Brazil Merchant Tax ID                                              | Two      |
| PDS0221                 | Domestic Merchant Tax ID                                            | Two      |
| PDS0222                 | Mexico Domestic Dispute Resolution Documentation Image-Related Data | Two      |
| PDS0222                 | PDS 0222 subfields                                                  | Two      |
| PDS0225                 | Syntax Return, Original Message Reason Code                         | One      |
| PDS0228                 | Retrieval Document Code                                             | Two      |
| PDS0230                 | Fulfillment Document Code                                           | Two      |
| PDS0235                 | Mastercard Assigned Incentive Identifier                            | Two      |
| PDS0241                 | MasterCom Control Number                                            | Two      |
| PDS0243                 | MasterCom Retrieval Response Data                                   | Two      |
| PDS0243                 | Subfield 1 (MasterCom Issuer Retrieval Request Date)                | Two      |

| Private data Subelement | Private data subelement description                          | Category |
|-------------------------|--------------------------------------------------------------|----------|
| PDS0243                 | Subfield 2 (MasterCom Acquirer Retrieval Response Code)      | Two      |
| PDS0243                 | Subfield 3 (MasterCom Acquirer Retrieval Response Sent Date) | Two      |
| PDS0243                 | Subfield 4 (MasterCom Issuer Response Code)                  | Two      |
| PDS0243                 | Subfield 5 (MasterCom Issuer Response Date)                  | Two      |
| PDS0243                 | Subfield 6 (MasterCom Issuer Reject Reasons)                 | Two      |
| PDS0243                 | Subfield 7 (MasterCom Image Review Decision)                 | Two      |
| PDS0243                 | Subfield 8 (MasterCom Image Review Date)                     | Two      |
| PDS0244                 | MasterCom Chargeback Support Documentation Dates             | Two      |
| PDS0244                 | PDS 0244 subfields                                           | Two      |
| PDS0245                 | MasterCom Arbitration Chargeback Sender Processing Date      | Two      |
| PDS0246                 | MasterCom Sender Memo                                        | Two      |
| PDS0247                 | MasterCom Receiver Memo                                      | Two      |
| PDS0248                 | MasterCom Image Review Memo                                  | Two      |
| PDS0249                 | MasterCom Record ID                                          | Two      |
| PDS0250                 | MasterCom Endpoints                                          | Two      |
| PDS0250                 | PDS 0250 subfields                                           | Two      |
| PDS0251                 | MasterCom Fulfillment Document Code                          | Two      |
| PDS0252                 | MasterCom Image Metadata                                     | Two      |
| PDS0252                 | PDS 0252 subfields                                           | Two      |
| PDS0253                 | MasterCom System Enhanced Data                               | Two      |
| PDS0254                 | MasterCom Member Enhanced Data                               | Two      |
| PDS0255                 | MasterCom Message Type                                       | Two      |

| Private data Subelement | Private data subelement description                   | Category |
|-------------------------|-------------------------------------------------------|----------|
| PDS0260                 | Edit Exclusion Indicator                              | Two      |
| PDS0260                 | PDS 0260 subfields                                    | Two      |
| PDS0261                 | Risk Management Approval Code                         | Two      |
| PDS0262                 | Documentation Indicator                               | Two      |
| PDS0264                 | Original Retrieval Reason for Request                 | Two      |
| PDS0265                 | Initial Presentment/Fee Collection Data               | Two      |
| PDS0265                 | PDS 0265 subfields                                    | Two      |
| PDS0266                 | First Chargeback/Fee Collection Return Data           | Two      |
| PDS0266                 | PDS 0266 subfields                                    | Two      |
| PDS0267                 | Second Presentment/Fee Collection Resubmission Data   | Two      |
| PDS0267                 | PDS 0267 subfields                                    | Two      |
| PDS0268                 | Amount, Partial Transaction                           | One      |
| PDS0268                 | PDS 0268 subfields                                    | One      |
| PDS0270                 | Embedded Interchange Data                             | Two      |
| PDS0270                 | PDS 0270 subfields                                    | Two      |
| PDS0275                 | Account Level Management [ALM] Service Data           | Two      |
| PDS0275                 | Subfield 1 (ALM Service Code)                         | Two      |
| PDS0275                 | Subfield 2 (ALM Graduated or Registered Product Code) | Two      |
| PDS0275                 | Subfield 3 (ALM Product Class)                        | Two      |
| PDS0275                 | Subfield 4 (ALM Rate Type)                            | Two      |
| PDS0275                 | Subfield 5 (ALM Data Source)                          | Two      |
| PDS0276                 | Fee Amounts, Additional                               | Two      |
| PDS0276                 | PDS 0276 subfields                                    | Two      |
| PDS0280                 | Source File ID                                        | One      |
| PDS0280                 | PDS 0280 subfields                                    | One      |
| PDS0300                 | Reconciled, File                                      | One      |

| Private data Subelement | Private data subelement description                 | Category |
|-------------------------|-----------------------------------------------------|----------|
| PDS0300                 | PDS 0300 subfields                                  | One      |
| PDS0301                 | File Amount, Checksum                               | One      |
| PDS0302                 | Reconciled, Member Activity                         | One      |
| PDS0306                 | File Message Counts                                 | One      |
| PDS0358                 | Reconciled, Business Activity                       | One      |
| PDS0358                 | PDS 0358 subfields                                  | One      |
| PDS0359                 | Reconciled, Settlement Activity                     | One      |
| PDS0359                 | PDS 0359 subfields                                  | One      |
| PDS0360                 | Reconciled, Transaction Sequence Identifier         | One      |
| PDS0360                 | PDS 0360 subfields                                  | One      |
| PDS0367                 | Reconciled, Card Program Identifier                 | One      |
| PDS0368                 | Reconciled, Transaction Function Group Code         | One      |
| PDS0369                 | Reconciled, Acquirer's BIN                          | One      |
| PDS0370                 | Reconciled, Account Range                           | One      |
| PDS0370                 | PDS 0370 subfields                                  | One      |
| PDS0372                 | Reconciled, Transaction Function                    | One      |
| PDS0372                 | PDS 0372 subfields                                  | One      |
| PDS0374                 | Reconciled, Processing Code                         | One      |
| PDS0375                 | Member Reconciliation Indicator 1                   | One      |
| PDS0378                 | Original/Reversal Totals Indicator                  | One      |
| PDS0380                 | Debits, Transaction Amount In Transaction Currency  | One      |
| PDS0380                 | PDS 0380 subfields                                  | One      |
| PDS0381                 | Credits, Transaction Amount in Transaction Currency | One      |
| PDS0381                 | PDS 0381 subfields                                  | One      |
| PDS0384                 | Amount, Net Transaction in Transaction Currency     | One      |
| PDS0384                 | PDS 0384 subfields                                  | One      |

| Private data Subelement | Private data subelement description                           | Category |
|-------------------------|---------------------------------------------------------------|----------|
| PDS0390                 | Debits, Transaction Amount in Reconciliation Currency         | One      |
| PDS0390                 | PDS 0390 subfields                                            | One      |
| PDS0391                 | Credits, Transaction Amount in Reconciliation Currency        | One      |
| PDS0391                 | PDS 0391 subfields                                            | One      |
| PDS0392                 | Debits, Fee Amounts in Reconciliation Currency                | One      |
| PDS0392                 | PDS 0392 subfields                                            | One      |
| PDS0393                 | Credits, Fee Amounts in Reconciliation Currency               | One      |
| PDS0393                 | PDS 0393 subfields                                            | One      |
| PDS0394                 | Amount, Net Transaction in Reconciliation Currency            | One      |
| PDS0394                 | PDS 0394 subfields                                            | One      |
| PDS0395                 | Amount, Net Fee in Reconciliation Currency                    | One      |
| PDS0395                 | PDS 0395 subfields                                            | One      |
| PDS0396                 | Amount, Net Total in Reconciliation Currency                  | One      |
| PDS0396                 | PDS 0396 subfields                                            | One      |
| PDS0397                 | Debits, Extended Precision Amount in Reconciliation Currency  | One      |
| PDS0397                 | PDS 0397 subfields                                            | One      |
| PDS0398                 | Credits, Extended Precision Amount in Reconciliation Currency | One      |
| PDS0398                 | PDS 0398 subfields                                            | One      |
| PDS0399                 | Amount, Net Extended Precision in Reconciliation Currency     | One      |
| PDS0399                 | PDS 0399 subfields                                            | One      |
| PDS0400                 | Debits, Transaction Number                                    | One      |
| PDS0401                 | Credits, Transaction Number                                   | One      |
| PDS0402                 | Total, Transaction Number                                     | One      |
| PDS0444                 | Resubmission Code                                             | One      |



| Private data Subelement | Private data subelement description  | Category |
|-------------------------|--------------------------------------|----------|
| PDS0445                 | Original Transaction Information     | One      |
| PDS0446                 | Transaction Fee Amount, Syntax Error | One      |
| PDS0501                 | Transaction Description              | Two      |
| PDS0501                 | PDS 0501 subfields                   | Two      |
| PDS0502                 | Custom Identifier                    | Two      |
| PDS0502                 | PDS 0502 subfields                   | Two      |
| PDS0503                 | Travel Agency Sequence Number        | Two      |
| PDS0504                 | Travel Agency Fee                    | Two      |
| PDS0504                 | PDS 0504 subfields                   | Two      |
| PDS0505                 | Passenger Name                       | Two      |
| PDS0506                 | Ticket Number                        | Two      |
| PDS0507                 | Issuing Carrier                      | Two      |
| PDS0508                 | Customer Code                        | Two      |
| PDS0509                 | Issue Date                           | Two      |
| PDS0510                 | Travel Agency Code                   | Two      |
| PDS0511                 | Travel Agency Name                   | Two      |
| PDS0512                 | Total Fare                           | Two      |
| PDS0513                 | Total Fees                           | Two      |
| PDS0514                 | Total Taxes                          | Two      |
| PDS0515                 | Additional Acceptor Information      | Two      |
| PDS0516                 | Austin-Tetra Number                  | Two      |
| PDS0517                 | NAICS Code                           | Two      |
| PDS0518                 | Line Item Date                       | Two      |
| PDS0519                 | Additional Fuel Location Information | Two      |
| PDS0519                 | PDS 0519 subfields                   | Two      |
| PDS0520                 | Travel Date                          | Two      |
| PDS0521                 | Carrier Code                         | Two      |
| PDS0522                 | Service Class Code                   | Two      |
| PDS0523                 | City of Origin Airport Code          | Two      |

| Private data Subelement | Private data subelement description | Category |
|-------------------------|-------------------------------------|----------|
| PDS0524                 | City of Destination Airport Code    | Two      |
| PDS0525                 | Stop Over Code                      | Two      |
| PDS0526                 | Conjunction Ticket                  | Two      |
| PDS0527                 | Exchange Ticket                     | Two      |
| PDS0528                 | Coupon Number                       | Two      |
| PDS0529                 | Fare Basis Code                     | Two      |
| PDS0530                 | Flight Number                       | Two      |
| PDS0531                 | Departure Time                      | Two      |
| PDS0531                 | PDS 0531 subfields                  | Two      |
| PDS0532                 | Total Charges                       | Two      |
| PDS0532                 | PDS 0532 subfields                  | Two      |
| PDS0533                 | Arrival Time                        | Two      |
| PDS0533                 | PDS 0533 subfields                  | Two      |
| PDS0534                 | Total Non-Room Charges              | Two      |
| PDS0534                 | PDS 0534 subfields                  | Two      |
| PDS0535                 | Fare                                | Two      |
| PDS0536                 | Fee                                 | Two      |
| PDS0537                 | Taxes                               | Two      |
| PDS0538                 | Endorsements/Restrictions           | Two      |
| PDS0539                 | Total Amount Charged on Card        | Two      |
| PDS0539                 | PDS 0539 subfields                  | Two      |
| PDS0540                 | Room Service Charges                | Two      |
| PDS0540                 | PDS 0540 subfields                  | Two      |
| PDS0541                 | Lounge/Bar Charges                  | Two      |
| PDS0541                 | PDS 0541 subfields                  | Two      |
| PDS0542                 | Transportation Charges              | Two      |
| PDS0542                 | PDS 0542 subfields                  | Two      |
| PDS0543                 | Gratuity Charges                    | Two      |
| PDS0543                 | PDS 0543 subfields                  | Two      |
| PDS0544                 | Rental Agreement Number             | Two      |

| Private data Subelement | Private data subelement description     | Category |
|-------------------------|-----------------------------------------|----------|
| PDS0545                 | Renter Name                             | Two      |
| PDS0546                 | Rental Return City                      | Two      |
| PDS0547                 | Rental Return State/Province            | Two      |
| PDS0548                 | Rental Return Country                   | Two      |
| PDS0549                 | Rental Return Location ID               | Two      |
| PDS0550                 | Rental Return Date                      | Two      |
| PDS0551                 | Rental Check-Out Date                   | Two      |
| PDS0552                 | Customer Service Toll-Free [800] Number | Two      |
| PDS0553                 | Rental Rate                             | Two      |
| PDS0553                 | PDS 0553 subfields                      | Two      |
| PDS0554                 | Conference Room Charges                 | Two      |
| PDS0554                 | PDS 0554 subfields                      | Two      |
| PDS0555                 | Rate Per Mile [or Per Kilometer]        | Two      |
| PDS0556                 | Total Miles [or Kilometers]             | Two      |
| PDS0557                 | Maximum Free Miles [or Kilometers]      | Two      |
| PDS0558                 | Miles/Kilometers Indicator              | Two      |
| PDS0559                 | Vehicle Insurance                       | Two      |
| PDS0559                 | PDS 0559 subfields                      | Two      |
| PDS0560                 | Audio Visual Charges                    | Two      |
| PDS0560                 | PDS 0560 subfields                      | Two      |
| PDS0561                 | Adjusted Amount                         | Two      |
| PDS0561                 | PDS 0561 subfields                      | Two      |
| PDS0562                 | Banquet Charges                         | Two      |
| PDS0562                 | PDS 0562 subfields                      | Two      |
| PDS0563                 | Program Code                            | Two      |
| PDS0564                 | Rental Location City                    | Two      |
| PDS0565                 | Rental Location State/Province          | Two      |
| PDS0566                 | Rental Location Country                 | Two      |
| PDS0567                 | Rental Location ID                      | Two      |

| Private data Subelement | Private data subelement description | Category |
|-------------------------|-------------------------------------|----------|
| PDS0568                 | Rental Class ID                     | Two      |
| PDS0569                 | Internet Access Charges             | Two      |
| PDS0569                 | PDS 0569 subfields                  | Two      |
| PDS0570                 | Early Departure Charges             | Two      |
| PDS0570                 | PDS 0570 subfields                  | Two      |
| PDS0571                 | Guest Name                          | Two      |
| PDS0572                 | Guest Number                        | Two      |
| PDS0573                 | Invoice Number                      | Two      |
| PDS0574                 | Arrival Date                        | Two      |
| PDS0575                 | Departure Date                      | Two      |
| PDS0576                 | Folio Number                        | Two      |
| PDS0577                 | Property Phone Number               | Two      |
| PDS0578                 | Billing Adjustment                  | Two      |
| PDS0578                 | PDS 0578 subfields                  | Two      |
| PDS0579                 | Invoice Date                        | Two      |
| PDS0580                 | Room Rate                           | Two      |
| PDS0580                 | PDS 0580 subfields                  | Two      |
| PDS0581                 | Total Room Tax                      | Two      |
| PDS0581                 | PDS 0581 subfields                  | Two      |
| PDS0582                 | Program Code                        | Two      |
| PDS0583                 | Phone Charges                       | Two      |
| PDS0583                 | PDS 0583 subfields                  | Two      |
| PDS0584                 | Restaurant Charges                  | Two      |
| PDS0584                 | PDS 0584 subfields                  | Two      |
| PDS0585                 | Mini-Bar Charges                    | Two      |
| PDS0585                 | PDS 0585 subfields                  | Two      |
| PDS0586                 | Gift Shop Charges                   | Two      |
| PDS0586                 | PDS 0586 subfields                  | Two      |
| PDS0587                 | Laundry and Dry Cleaning Charges    | Two      |
| PDS0587                 | PDS 0587 subfields                  | Two      |

| Private data Subelement | Private data subelement description | Category |
|-------------------------|-------------------------------------|----------|
| PDS0588                 | Other Services                      | Two      |
| PDS0588                 | PDS 0588 subfields                  | Two      |
| PDS0589                 | Invoice Creation Date/Time          | Two      |
| PDS0589                 | PDS 0589 subfields                  | Two      |
| PDS0590                 | Party Identification                | Two      |
| PDS0591                 | Party Name                          | Two      |
| PDS0591                 | PDS 0591 subfields                  | Two      |
| PDS0592                 | Party Address                       | Two      |
| PDS0592                 | PDS 0592 subfields                  | Two      |
| PDS0593                 | Party Postal Information            | Two      |
| PDS0593                 | PDS 0593 subfields                  | Two      |
| PDS0594                 | Party Contact                       | Two      |
| PDS0594                 | PDS 0594 subfields                  | Two      |
| PDS0595                 | Acceptor Type                       | Two      |
| PDS0595                 | PDS 0595 subfields                  | Two      |
| PDS0596                 | Acceptor Tax ID                     | Two      |
| PDS0596                 | PDS 0596 subfields                  | Two      |
| PDS0597                 | Total Tax Amount                    | Two      |
| PDS0597                 | PDS 0597 subfields                  | Two      |
| PDS0598                 | Total Tax Collected Indicator       | Two      |
| PDS0599                 | Corporation VAT Number              | Two      |
| PDS0600                 | Acceptor Reference Number           | Two      |
| PDS0601                 | Party Nature of Filing              | Two      |
| PDS0602                 | Party Supplemental Data 1           | Two      |
| PDS0602                 | PDS 0602 subfields                  | Two      |
| PDS0603                 | Party Supplemental Data 2           | Two      |
| PDS0603                 | PDS 0603 subfields                  | Two      |
| PDS0604                 | Transaction Supplemental Data 1     | Two      |
| PDS0604                 | PDS 0604 subfields                  | Two      |
| PDS0605                 | Transaction Supplemental Data 2     | Two      |

| Private data Subelement | Private data subelement description             | Category |
|-------------------------|-------------------------------------------------|----------|
| PDS0605                 | PDS 0605 subfields                              | Two      |
| PDS0606                 | Freight Amount                                  | Two      |
| PDS0606                 | PDS 0606 subfields                              | Two      |
| PDS0607                 | Duty Amount                                     | Two      |
| PDS0607                 | PDS 0607 subfields                              | Two      |
| PDS0608                 | Destination Postal Code                         | Two      |
| PDS0609                 | Destination State/Province Code                 | Two      |
| PDS0610                 | Destination Country Code                        | Two      |
| PDS0611                 | Sequence Number                                 | Two      |
| PDS0612                 | Ship Date                                       | Two      |
| PDS0613                 | Ship-From Postal Code                           | Two      |
| PDS0614                 | Order Date                                      | Two      |
| PDS0615                 | Medical Services Ship to Health Industry Number | Two      |
| PDS0616                 | Contract Number                                 | Two      |
| PDS0617                 | Medical Services Price Adjustment               | Two      |
| PDS0618                 | Medical Services Product Number Qualifier       | Two      |
| PDS0619                 | User Name                                       | Two      |
| PDS0620                 | Oil Company Brand Name                          | Two      |
| PDS0621                 | Purchase Time                                   | Two      |
| PDS0622                 | Motor Fuel Service Type                         | Two      |
| PDS0623                 | Motor Fuel Information                          | Two      |
| PDS0623                 | PDS 0623 subfields                              | Two      |
| PDS0624                 | User Account Number                             | Two      |
| PDS0625                 | User Telephone Number                           | Two      |
| PDS0626                 | Billing Statement Period                        | Two      |
| PDS0626                 | PDS 0626 subfields                              | Two      |
| PDS0627                 | Billing Event 1                                 | Two      |
| PDS0627                 | PDS 0627 subfields                              | Two      |
| PDS0628                 | Billing Event 2                                 | Two      |

| Private data Subelement | Private data subelement description | Category |
|-------------------------|-------------------------------------|----------|
| PDS0628                 | PDS 0628 subfields                  | Two      |
| PDS0629                 | Odometer Reading                    | Two      |
| PDS0630                 | Vehicle Number                      | Two      |
| PDS0631                 | Driver Number/ID Number             | Two      |
| PDS0632                 | Product Type Code                   | Two      |
| PDS0633                 | Coupon/Discount Amount              | Two      |
| PDS0634                 | Tax Amount 1                        | Two      |
| PDS0635                 | Tax Amount 2                        | Two      |
| PDS0636                 | Call Date                           | Two      |
| PDS0637                 | Call Time                           | Two      |
| PDS0638                 | Call To Information                 | Two      |
| PDS0638                 | PDS 0638 subfields                  | Two      |
| PDS0639                 | Call Duration                       | Two      |
| PDS0640                 | Call Time Period                    | Two      |
| PDS0641                 | Product Code                        | Two      |
| PDS0642                 | Item Description                    | Two      |
| PDS0643                 | Item Quantity                       | Two      |
| PDS0643                 | PDS 0643 subfields                  | Two      |
| PDS0644                 | Call From Information               | Two      |
| PDS0644                 | PDS 0644 subfields                  | Two      |
| PDS0645                 | Item Unit of Measure                | Two      |
| PDS0646                 | Unit Price                          | Two      |
| PDS0646                 | PDS 0646 subfields                  | Two      |
| PDS0647                 | Extended Item Amount                | Two      |
| PDS0647                 | PDS 0647 subfields                  | Two      |
| PDS0648                 | Item Discount                       | Two      |
| PDS0648                 | PDS 0648 subfields                  | Two      |
| PDS0649                 | Call Usage Amount                   | Two      |
| PDS0649                 | PDS 0649 subfields                  | Two      |
| PDS0650                 | Zero Cost to Customer Indicator     | Two      |

| Private data Subelement | Private data subelement description | Category |
|-------------------------|-------------------------------------|----------|
| PDS0651                 | Procedure ID                        | Two      |
| PDS0652                 | Service Type                        | Two      |
| PDS0652                 | PDS 0652 subfields                  | Two      |
| PDS0653                 | Service Amount                      | Two      |
| PDS0653                 | PDS 0653 subfields                  | Two      |
| PDS0654                 | Debit or Credit Indicator           | Two      |
| PDS0655                 | Call Long Distance Amount           | Two      |
| PDS0655                 | PDS 0655 subfields                  | Two      |
| PDS0656                 | Full VAT Amounts                    | Two      |
| PDS0656                 | PDS 0656 subfields                  | Two      |
| PDS0657                 | Half VAT Amounts                    | Two      |
| PDS0657                 | PDS 0657 subfields                  | Two      |
| PDS0658                 | Call Connect Amount                 | Two      |
| PDS0658                 | PDS 0658 subfields                  | Two      |
| PDS0659                 | Other Description                   | Two      |
| PDS0660                 | Customer Reference                  | Two      |
| PDS0660                 | PDS 0660 subfields                  | Two      |
| PDS0661                 | Traffic Code                        | Two      |
| PDS0662                 | Sample Number                       | Two      |
| PDS0663                 | Free-Form Description               | Two      |
| PDS0664                 | Start Station                       | Two      |
| PDS0665                 | Destination Station                 | Two      |
| PDS0667                 | Generic Data                        | Two      |
| PDS0667                 | PDS 0667 subfields                  | Two      |
| PDS0668                 | Reduction Data                      | Two      |
| PDS0668                 | PDS 0668 subfields                  | Two      |
| PDS0669                 | Transportation Other Code           | Two      |
| PDS0670                 | Payer/User Information              | Two      |
| PDS0670                 | PDS 0670 subfields                  | Two      |
| PDS0671                 | Date of Funds Requested             | Two      |



| Private data Subelement | Private data subelement description                | Category |
|-------------------------|----------------------------------------------------|----------|
| PDS0673                 | Date of Anticipated Receipt of Funds               | Two      |
| PDS0674                 | Additional Trace/Reference Number Used by Acceptor | Two      |
| PDS0675                 | Additional Transaction Description Data            | Two      |
| PDS0676                 | Acceptor VAT Number                                | Two      |
| PDS0677                 | Customer VAT Number                                | Two      |
| PDS0678                 | Unique Invoice Number                              | Two      |
| PDS0679                 | Commodity Code                                     | Two      |
| PDS0680                 | Authorized Contact Name                            | Two      |
| PDS0681                 | Authorized Contact Phone                           | Two      |
| PDS0682                 | Detail Tax Amount 1                                | Two      |
| PDS0682                 | PDS 0682 subfields                                 | Two      |
| PDS0683                 | Detail Tax Amount 2                                | Two      |
| PDS0683                 | PDS 0683 subfields                                 | Two      |
| PDS0684                 | Detail Tax Amount 3                                | Two      |
| PDS0684                 | PDS 0684 subfields                                 | Two      |
| PDS0685                 | Type of Supply                                     | Two      |
| PDS0686                 | Tax Exempt Indicator                               | Two      |
| PDS0687                 | Unique VAT Invoice Reference Number                | Two      |
| PDS0688                 | Acceptor Contact E-mail Address                    | Two      |
| PDS0689                 | Corporate Identifier                               | Two      |
| PDS0690                 | No Show Indicator                                  | Two      |
| PDS0691                 | Days Rented                                        | Two      |
| PDS0692                 | Weekly Rental Amount                               | Two      |
| PDS0693                 | Total Authorized Amount                            | Two      |
| PDS0693                 | PDS 0693 subfields                                 | Two      |
| PDS0694                 | One Way Drop Off Charge                            | Two      |
| PDS0695                 | Regular Mileage Charge                             | Two      |
| PDS0696                 | Extra Mileage Charge                               | Two      |

| Private data Subelement | Private data subelement description | Category |
|-------------------------|-------------------------------------|----------|
| PDS0697                 | Late Charge                         | Two      |
| PDS0698                 | Fuel Charge                         | Two      |
| PDS0699                 | Lodging Total Tax Amount            | Two      |
| PDS0699                 | PDS 0699 subfields                  | Two      |
| PDS0700                 | Towing Charges                      | Two      |
| PDS0701                 | Extra Charges                       | Two      |
| PDS0702                 | Other Charges                       | Two      |
| PDS0703                 | Total Room Nights                   | Two      |
| PDS0704                 | Prepaid Expenses                    | Two      |
| PDS0704                 | PDS 0704 subfields                  | Two      |
| PDS0705                 | Total Non-Room Tax Amount           | Two      |
| PDS0705                 | PDS 0705 subfields                  | Two      |
| PDS0706                 | Cash Advances                       | Two      |
| PDS0706                 | PDS 0706 subfields                  | Two      |
| PDS0707                 | Valet Charges                       | Two      |
| PDS0707                 | PDS 0707 subfields                  | Two      |
| PDS0708                 | Movie Charges                       | Two      |
| PDS0708                 | PDS 0708 subfields                  | Two      |
| PDS0709                 | Business Center Charges             | Two      |
| PDS0709                 | PDS 0709 subfields                  | Two      |
| PDS0710                 | Health Club Charges                 | Two      |
| PDS0710                 | PDS 0710 subfields                  | Two      |
| PDS0711                 | Fire Safety Act Indicator           | Two      |
| PDS0712                 | Net Fuel Price                      | Two      |
| PDS0712                 | PDS 0712 subfields                  | Two      |
| PDS0713                 | Restricted Ticket Indicator         | Two      |
| PDS0714                 | Exchange Ticket Amount              | Two      |
| PDS0715                 | Ancillary Service Charges           | Two      |
| PDS0715                 | PDS 0715 subfields                  | Two      |
| PDS0716                 | Travel Authorization Code           | Two      |

| Private data Subelement | Private data subelement description   | Category |
|-------------------------|---------------------------------------|----------|
| PDS0717                 | IATA Client Code                      | Two      |
| PDS0718                 | Employee/Temp Name/ID                 | Two      |
| PDS0719                 | Employee Social Security Number or ID | Two      |
| PDS0720                 | Job Description                       | Two      |
| PDS0721                 | Job Code                              | Two      |
| PDS0722                 | Flat Rate Indicator                   | Two      |
| PDS0723                 | Regular Hours Worked                  | Two      |
| PDS0723                 | PDS 0723 subfields                    | Two      |
| PDS0724                 | Regular Hours Rate                    | Two      |
| PDS0724                 | PDS 0724 subfields                    | Two      |
| PDS0725                 | Overtime Hours Worked                 | Two      |
| PDS0725                 | PDS 0725 subfields                    | Two      |
| PDS0726                 | Overtime Hours Rate                   | Two      |
| PDS0726                 | PDS 0726 subfields                    | Two      |
| PDS0727                 | Temp Start Date                       | Two      |
| PDS0728                 | Temp Week Ending                      | Two      |
| PDS0729                 | Requestor Name or ID                  | Two      |
| PDS0730                 | Supervisor/Reports to                 | Two      |
| PDS0731                 | Time Sheet Number                     | Two      |
| PDS0732                 | Discount Amount                       | Two      |
| PDS0732                 | PDS 0732 subfields                    | Two      |
| PDS0733                 | Subtotal Amount                       | Two      |
| PDS0733                 | PDS 0733 subfields                    | Two      |
| PDS0734                 | Miscellaneous Expenses                | Two      |
| PDS0734                 | PDS 0734 subfields                    | Two      |
| PDS0735                 | Service Descriptor Codes              | Two      |
| PDS0736                 | Tracking Number or Pickup Number      | Two      |
| PDS0737                 | Shipping Net Amounts                  | Two      |
| PDS0737                 | PDS 0737 subfields                    | Two      |

| Private data Subelement | Private data subelement description | Category |
|-------------------------|-------------------------------------|----------|
| PDS0738                 | Incentive Amount                    | Two      |
| PDS0738                 | PDS 0738 subfields                  | Two      |
| PDS0739                 | Pickup Date                         | Two      |
| PDS0740                 | Delivery Date                       | Two      |
| PDS0741                 | Number of Packages                  | Two      |
| PDS0742                 | Package Weight                      | Two      |
| PDS0743                 | Unit of Measure                     | Two      |
| PDS0744                 | Shipping Party Information          | Two      |
| PDS0744                 | PDS 0744 subfields                  | Two      |
| PDS0745                 | Shipping Party Address              | Two      |
| PDS0745                 | PDS 0745 subfields                  | Two      |
| PDS0746                 | Shipping Party Postal Information   | Two      |
| PDS0746                 | PDS 0746 subfields                  | Two      |
| PDS0747                 | Shipping Party Contact              | Two      |
| PDS0747                 | PDS 0747 subfields                  | Two      |
| PDS0748                 | Delivery Party Information          | Two      |
| PDS0748                 | PDS 0748 subfields                  | Two      |
| PDS0749                 | Delivery Party Address Information  | Two      |
| PDS0749                 | PDS 0749 subfields                  | Two      |
| PDS0750                 | Delivery Party Postal Information   | Two      |
| PDS0750                 | PDS 0750 subfields                  | Two      |
| PDS0751                 | Detail Tax Amount 4                 | Two      |
| PDS0751                 | PDS 0751 subfields                  | Two      |
| PDS0752                 | Detail Tax Amount 5                 | Two      |
| PDS0752                 | PDS 0752 subfields                  | Two      |
| PDS0753                 | Detail Tax Amount 6                 | Two      |
| PDS0753                 | PDS 0753 subfields                  | Two      |
| PDS0754                 | Delivery Party Contact              | Two      |
| PDS0754                 | PDS 0754 subfields                  | Two      |
| PDS0755                 | Line Item Total Amount              | Two      |

| Private data Subelement | Private data subelement description        | Category |
|-------------------------|--------------------------------------------|----------|
| PDS0755                 | PDS 0755 subfields                         | Two      |
| PDS0756                 | Passenger Description                      | Two      |
| PDS0756                 | PDS 0756 subfields                         | Two      |
| PDS0757                 | Transportation Service Provider            | Two      |
| PDS0758                 | Transportation Services Offered            | Two      |
| PDS0759                 | Delivery Order Number                      | Two      |
| PDS0760                 | Credit Card Slip Number                    | Two      |
| PDS0761                 | Travel Agency ID                           | Two      |
| PDS0762                 | Data Source                                | Two      |
| PDS0763                 | VAT Suppression Indicator                  | Two      |
| PDS0764                 | Healthcare Eligible Status Indicator       | Two      |
| PDS0765                 | MoneySend Receiver Data                    | Two      |
| PDS0765                 | Subfield 1 (Payee First Name)              | Two      |
| PDS0765                 | Subfield 2 (Payee Last Name)               | Two      |
| PDS0765                 | Subfield 3 (Payee Address)                 | Two      |
| PDS0765                 | Subfield 4 (Payee City)                    | Two      |
| PDS0765                 | Subfield 5 (Payee State/Province Code)     | Two      |
| PDS0765                 | Subfield 6 (Payee Country Code)            | Two      |
| PDS0765                 | Subfield 7 (Payee Postal Code)             | Two      |
| PDS0765                 | Subfield 8 (Payee Date of Birth)           | Two      |
| PDS0765                 | Subfield 9 (Payee Phone Number)            | Two      |
| PDS0770                 | Additional Acceptor Inquiry Information    | Two      |
| PDS0770                 | PDS 0770 subfields                         | Two      |
| PDS0771                 | Cost Center Information                    | Two      |
| PDS0771                 | PDS 0771 subfields                         | Two      |
| PDS0772                 | Driver License/State Issued ID Information | Two      |
| PDS0772                 | PDS 0772 subfields                         | Two      |
| PDS0773                 | Payment Method Information                 | Two      |

| Private data Subelement | Private data subelement description              | Category |
|-------------------------|--------------------------------------------------|----------|
| PDS0773                 | PDS 0773 subfields                               | Two      |
| PDS0774                 | Stock Keeping Unit (SKU) Description             | Two      |
| PDS0775                 | Department Code                                  | Two      |
| PDS0776                 | Alternate Custom Identifier                      | Two      |
| PDS0776                 | PDS 0776 subfields                               | Two      |
| PDS0777                 | Promotion Code                                   | Two      |
| PDS0781                 | Fleet Spend Control Enforced                     | Two      |
| PDS0782                 | Fleet Fuel Information                           | Two      |
| PDS0782                 | Subfield 1 (Fleet Fuel Product Code)             | Two      |
| PDS0782                 | Subfield 2 (Fleet Fuel Unit Price)               | Two      |
| PDS0782                 | Subfield 3 (Fleet Fuel Unit of Measure)          | Two      |
| PDS0782                 | Subfield 4 (Fleet Fuel Quantity)                 | Two      |
| PDS0782                 | Subfield 5 (Fleet Fuel Quantity Exponent)        | Two      |
| PDS0782                 | Subfield 6 (Fleet Fuel Sale Amount)              | Two      |
| PDS0783                 | Fleet Product Code                               | Two      |
| PDS0784                 | Fleet Item Description                           | Two      |
| PDS0785                 | Fleet Item Quantity                              | Two      |
| PDS0785                 | Subfield 1 (Fleet Item Quantity)                 | Two      |
| PDS0785                 | Subfield 2 (Fleet Item Quantity Exponent)        | Two      |
| PDS0786                 | Fleet Item Unit of Measure                       | Two      |
| PDS0787                 | Fleet Extended Item Amount                       | Two      |
| PDS0787                 | Subfield 1 (Fleet Extended Item Amount)          | Two      |
| PDS0787                 | Subfield 2 (Fleet Extended Item Amount Exponent) | Two      |
| PDS0787                 | Subfield 3 (Fleet Extended Item Amount Sign)     | Two      |
| PDS0790                 | Fleet Prompted Data 1                            | Two      |

| Private data Subelement | Private data subelement description | Category |
|-------------------------|-------------------------------------|----------|
| PDS0790                 | Subfield 1 (Prompt Code 1)          | Two      |
| PDS0790                 | Subfield 2 (Driver Related Data 1)  | Two      |
| PDS0791                 | Fleet Prompted Data 2               | Two      |
| PDS0791                 | Subfield 1 (Prompt Code 2)          | Two      |
| PDS0791                 | Subfield 2 (Driver Related Data 2)  | Two      |
| PDS0792                 | Fleet Prompted Data 3               | Two      |
| PDS0792                 | Subfield 1 (Prompt Code 3)          | Two      |
| PDS0792                 | Subfield 2 (Driver Related Data 3)  | Two      |
| PDS0793                 | Fleet Prompted Data 4               | Two      |
| PDS0793                 | Subfield 1 (Prompt Code 4)          | Two      |
| PDS0793                 | Subfield 2 (Driver Related Data 4)  | Two      |
| PDS0794                 | Fleet Prompted Data 5               | Two      |
| PDS0794                 | Subfield 1 (Prompt Code 5)          | Two      |
| PDS0794                 | Subfield 2 (Driver Related Data 5)  | Two      |
| PDS0799                 | Test Case Traceability Identifiers  | Two      |
| PDS0799                 | PDS 0799 subfields                  | Two      |
| PDS1000–1099            | Member-to-Member Proprietary Data   | Two      |

# Appendix F Fee collection

*Various IPM messages are used for fee collection.*

---

|                                                                                    |      |
|------------------------------------------------------------------------------------|------|
| Fee collection overview.....                                                       | 2173 |
| Fee collection messages for retrieval fee billing.....                             | 2173 |
| Fee collection messages for purposes other than retrieval fee billing.....         | 2173 |
| Presenting the Fee Collection/1740 message.....                                    | 2174 |
| Returning and resubmitting the Fee Collection/1740 message.....                    | 2174 |
| Reason codes for fee collection.....                                               | 2176 |
| Global Clearing Management System minimal rounding.....                            | 2176 |
| Fee Collection Return/1740–780 and Fee Collection Arbitration Return/1740–782..... | 2177 |
| Fee Collection (Clearing System-generated)/1740–783.....                           | 2196 |



## Fee collection overview

The Global Clearing Management System collects all fees through fee collection messages. This includes retrieval fee billing transactions, as well as all other fee types.

The combination of message type indicator (MTI), DE 24 (Function Code), and DE 25 (Message Reason Code) in the fee collection message indicates the fee that is being collected.

Fee collection messages are IPM messages used for the collection or disbursement of fees that require funds settlement between various payment parties. These messages include fees generated between pairs of customers and fees generated between Mastercard and customers.

**NOTE: Mastercard does not provide or validate history for fee collection messages, although the sender may optionally provide it.**

## Fee collection messages for retrieval fee billing

Customers are allowed to submit IPM Fee Collection (Retrieval Fee Billing)/1740 messages for specific document types.

Acquirers may not submit IPM Fee Collection (Retrieval Fee Billing)/1740 messages for

- Document type 2 (copy) and
- Document type 4 (substitute draft).

However, customers may continue to submit these messages for document type 1 (hard copy original document) at a rate of USD 15 each.

Fees for document types 2 (copy) and 4 (substitute draft) are collected through the Mastercard Consolidated Billing System (MCBS). The Mastercard electronic imaging system does not generate any fulfillment fee IPM messages or records.

Mastercard applies a tiered rate structure to fulfillment fee messages (applies to types 2 and 4), depending on the type of document and number of days for fulfillment.

## Fee collection messages for purposes other than retrieval fee billing

Customers must settle all miscellaneous fees and charges by use of the IPM Fee Collection/1740 message. The fee collection message is used for a number of diverse applications, and it contains the information required for customers to process the miscellaneous fees and charges identified in DE 25 (Message Reason Code).

Within the IPM Fee Collection/1740 message, DE 25 indicates the reason for, or type of, fee collection. DE 3 (Processing Code), subfield 1 (Cardholder Transaction Type) indicates the

direction of funds movement, such as debit to message originator or credit to message originator.

## Presenting the Fee Collection/1740 message

The message originator must submit the entire Fee Collection/1740 message with function code 700, providing the appropriate information for each element.

The message originator always must provide a control number for returns and resubmissions and must retain the control number for audit trail purposes. The message originator provides this control number in PDS 0137 (Fee Collection Control Number). The contents of PDS 0137 are assigned at the discretion of the message originator.

If the fee collection message requires supporting documentation, the message originator must mail the documentation according to the instructions on the specific ICA form or as specified in this chapter. The message originator should clearly note the PDS 0137 value on all of the documentation to allow the receiving customer to readily match the documentation to the applicable message and transaction.

If the transaction amount exceeds the U.S. dollar maximum for each message reason code, an additional message or messages reflecting the same DE 25 (Message Reason Code) value should be submitted for the excess amount.

**NOTE: Transaction amount maximum can be set in currencies other than U.S. dollar. All Fee Collection/1740 message with function code 700 transaction amount maximum settings can be viewed in the IPM MPE Table IP0097T1: Message Reason Code Restrictions for Card Program Identifier and Business Service Arrangement.**


## Returning and resubmitting the Fee Collection/1740 message

Reference these tables and figures for information regarding returning and resubmitting the Fee Collection/1740 message and the values that may be entered in DE 24 (Function Code).

Customers may return or resubmit a fee collection message by sending a Fee Collection/1740 message with one of these DE 24 values.

- 700 = First Submission
- 780 = Return
- 781 = Resubmission
- 782 = Arbitration Return

### Submitting the Fee Collection/1740 Message



1. The receiving customer may return a fee collection within 45 calendar days after receipt of the message for any of the following reasons. This is handled by sending a Fee Collection/1740 with the same data originally received, except that DE 24 must contain a value of 780 to indicate a return.
  - Supporting documentation not received. The receiving customer must wait 21 calendar days from the date the message is received before returning for this reason.
  - Missorted to wrong member.
  - The message text was not provided or was incomplete.
  - Fee charged exceeds amount allowed.
  - Fee inaccurate because of entry error.
  - Charged twice for same fee.
  - Past applicable time frame.
  - An erroneous or inappropriate progressive handling fee was received.
  - Unauthorized fee/charge: receiving member did not approve or agree to accept fee/charge. Applicable only to reason codes for good-faith acceptance (DE 25 = 7606) and for collection letters (DE 25=7607).
2. If a fee collection is returned for any of the previously-mentioned reasons, the receiving customer may resubmit it within 45 calendar days of receipt of the message but only if the

reason for return has been corrected (For example, the receiving customer has supplied the missing documentation or the correct amount). To resubmit the fee collection, the customer sends a Fee Collection/1740 with a DE 24 value of 781 to indicate a resubmission. The customer should indicate an explanation of the correction in DE 72 (Data Record).

3. If a fee collection is improperly resubmitted, it may be returned within 45 calendar days of receipt of the message, using the arbitration return. Before returning the fee collection for missing documentation, the receiving customer must wait 21 calendar days from the date the customer receives the message. To return the fee collection, the customer sends a Fee Collection/1740 with a DE 24 value of 782 to indicate an arbitration return. The customer should indicate an explanation in DE 72.

Mastercard does not permit a third submission (the second submission being in step 2, above). Any remaining unsolved disputes concerning the fee collection message may be pursued by the customer through a compliance case filing with Mastercard.

**NOTE: For case filings initiated for a violation of this subsection, the good-faith correspondence is not required. For more information about filing procedure, refer the *Chargeback Guide*.**

The sending customer must reverse any Fee Collection/1740 message that is duplicated in error. The customer handles this by processing a duplicate of the message originally processed, except that the customer enters the letter R in PDS 0025 (Message Reversal Indicator), subfield 1 (Message Reversal Indicator). This denotes a reversal transaction.

**NOTE: For more information about reversals, refer to the Reversals chapter of the *Global Clearing Management System Reference Manual*.**

## Reason codes for fee collection

The following tables describe the DE 25 (Message Reason Code) values that apply to fee collection messages.

## Global Clearing Management System minimal rounding

Global Clearing Management System rounds to the number of positions specified by the currency exponent.

- After Global Clearing Management System calculates a cash disbursement fee
- After Global Clearing Management System completes the calculation of acquirer and issuer payment amounts in acquirer/issuer payment currency
- After Global Clearing Management System completes the calculation of a cardholder billing amount
- After Global Clearing Management System completes the calculation of an interchange fee in issuer/acquirer payment currency

**NOTE: When Global Clearing Management System converts the transaction amount in transaction currency to the (euro) issuer/acquirer payment currency, Global Clearing Management System first converts the amount to the base currency (USD), and carries six positions to the right of the decimal (no rounding). Then Global Clearing Management System converts the USD base amount to the euro, and rounds to the euro currency exponent.**

Global Clearing Management System only rounds amounts to the number of positions to the right of the decimal point specified by the currency exponent, once they are calculated in the final (issuer/acquirer payment currency, cardholder billing currency) currency, as shown in the following table.

**Global Clearing Management System minimal rounding to currency exponent**

| <b>IF Global Clearing Management System has...</b>       | <b>THEN Global Clearing Management System rounding to the nearest currency exponent...</b>                                   |
|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Calculated interchange <b>fees in payment currencies</b> | Occurs after Global Clearing Management System has completed calculation of the interchange fee in acquirer/issuer currency. |
| Calculated an <b>Acquirer/Issuer payment</b>             | Occurs after Global Clearing Management System has completed calculation of the acquirer/issuer payment amount.              |
| Calculated a <b>Cardholder billing amount</b>            | Occurs after Global Clearing Management System has completed calculation of the cardholder billing amount.                   |

## Fee Collection Return/1740–780 and Fee Collection Arbitration Return/1740–782

This table describes the DE 25 (Message Reason Code) values that apply to Fee Collection Return/1740–780 and Fee Collection Arbitration Return/1740–782 messages.

**NOTE: Transaction amount maximum can be set in currencies other than U.S. dollar. All Fee Collection/1740 message transaction amount maximum settings can be viewed in the IPM MPE Table IP0097T1: Message Reason Code Restrictions for Card Program Identifier and Business Service Arrangement. For example, the maximum amount for MRC 7601 for Europe intraregional business services for MCC and DMC acceptance brand is EUR 115.**

| <b>DE 25</b>   | <b>7600</b>                                                                                                                                      |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
|                | Lost/stolen telex/phone fee; for collection of lost stolen report fee and phone or telex costs incurred for taking a lost or stolen card report. |
| Maximum Amount | USD 65                                                                                                                                           |

|                |                                                                                                                                     |        |                                                                                                                                                                |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DE 3           | 19 (credit to message originator)                                                                                                   |        |                                                                                                                                                                |
| DE 72          | Position                                                                                                                            | Length | Contents                                                                                                                                                       |
|                | 1-32                                                                                                                                | 32     | LOST/STOLEN CARD TRANSACTION FEE                                                                                                                               |
|                | 33                                                                                                                                  | 1      | Space                                                                                                                                                          |
|                | 34-100                                                                                                                              | 67     | When the cardholder number is absent, the cardholder name and address should be placed in this field.                                                          |
| DE 73          | Date lost/stolen report was taken                                                                                                   |        |                                                                                                                                                                |
| <b>DE 25</b>   | <b>7601</b>                                                                                                                         |        |                                                                                                                                                                |
|                | Recovered card award fee; for collection of reward for a acceptor or financial institution employee when a card has been recovered. |        |                                                                                                                                                                |
| Maximum Amount | USD 115                                                                                                                             |        |                                                                                                                                                                |
| DE 3           | 19 (credit to message originator)                                                                                                   |        |                                                                                                                                                                |
| DE 72          | Position                                                                                                                            | Length | Contents                                                                                                                                                       |
|                | Required Message Data:                                                                                                              |        |                                                                                                                                                                |
|                | 1                                                                                                                                   | 1      | Card type code:                                                                                                                                                |
|                |                                                                                                                                     | 1      | = Mastercard® Card                                                                                                                                             |
|                |                                                                                                                                     | 3      | = Gold Mastercard® Card                                                                                                                                        |
|                |                                                                                                                                     | 4      | = Mastercard BusinessCard® or Mastercard Corporate Card®                                                                                                       |
|                |                                                                                                                                     | 5      | = Mastercard Corporate Purchasing Card®                                                                                                                        |
|                |                                                                                                                                     | 6      | = Mastercard Corporate Fleet Card®                                                                                                                             |
|                |                                                                                                                                     | 7      | = Platinum Mastercard® Card                                                                                                                                    |
|                |                                                                                                                                     | 8      | = World Mastercard® Card                                                                                                                                       |
|                | 2                                                                                                                                   | 1      | Space                                                                                                                                                          |
| DE 72          | Position                                                                                                                            | Length | Contents                                                                                                                                                       |
|                | 3-6                                                                                                                                 | 4      | Valid MCC; refer to the <i>Quick Reference Booklet</i> for a current listing.<br>Valid MCC; refer to the <i>Quick Reference Booklet</i> for a current listing. |
|                | 7                                                                                                                                   | 1      | Space                                                                                                                                                          |
|                | 8                                                                                                                                   | 1      | Card recovery reason:                                                                                                                                          |

|                        |                                                                                                                                      |                                                                                                        |                                                                 |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|
|                        | 1                                                                                                                                    | =                                                                                                      | warning bulletin listing                                        |
|                        | 2                                                                                                                                    | =                                                                                                      | authorization response                                          |
|                        | 4                                                                                                                                    | =                                                                                                      | code                                                            |
|                        | 5                                                                                                                                    | =                                                                                                      | authenticator                                                   |
|                        | 6                                                                                                                                    | =                                                                                                      | non-hologram                                                    |
|                        | 0                                                                                                                                    | =                                                                                                      | other                                                           |
| Optional Message Data: |                                                                                                                                      |                                                                                                        |                                                                 |
| 9                      | 1                                                                                                                                    | Space                                                                                                  |                                                                 |
| 10-31                  | 22                                                                                                                                   | Name of acceptor recovering card; space-filled if not applicable                                       |                                                                 |
| 32                     | 1                                                                                                                                    | Space                                                                                                  |                                                                 |
| 33-45                  | 13                                                                                                                                   | Acceptor's City                                                                                        |                                                                 |
| 46                     | 1                                                                                                                                    | Space                                                                                                  |                                                                 |
| 47-49                  | 3                                                                                                                                    | Alphabetic; U.S. state or country code if outside the U.S. region; left-justified with trailing spaces |                                                                 |
| 50                     | 1                                                                                                                                    | Space                                                                                                  |                                                                 |
| 51-100                 | 50                                                                                                                                   | Message text                                                                                           |                                                                 |
| DE 73                  | Date card was recovered as recorded on ICA-6 form                                                                                    |                                                                                                        |                                                                 |
| DE 25                  | 7602                                                                                                                                 |                                                                                                        |                                                                 |
|                        | Emergency cash disbursement fee; for collection of fees associated with the handling of emergency cash disbursements to cardholders. |                                                                                                        |                                                                 |
| Maximum Amount         | USD 5,000                                                                                                                            |                                                                                                        |                                                                 |
| DE 3                   | 19 (credit to message originator)                                                                                                    |                                                                                                        |                                                                 |
| DE 72                  | Position                                                                                                                             | Length                                                                                                 | Contents                                                        |
|                        |                                                                                                                                      | Reason Code                                                                                            | Fee Description                                                 |
|                        | 1                                                                                                                                    | 1                                                                                                      | A USD 95 US ECA-\$65 BASE FEE, \$30 LOCATION FEE <sup>1</sup>   |
|                        |                                                                                                                                      | B                                                                                                      | USD 95 NON-US ECA-\$65 BASE FEE, \$30 LOCATION FEE <sup>1</sup> |
|                        |                                                                                                                                      | C                                                                                                      | USD 50 ECA REQUEST CANCELED/DENIED (US REGION)                  |

|                |                                                                                                                              |        |                                                   |        |                                             |
|----------------|------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------------------|--------|---------------------------------------------|
|                |                                                                                                                              |        | D                                                 | USD 50 | ECA REQUEST CANCELED/DENIED (NON-US REGION) |
|                |                                                                                                                              |        | E                                                 | USD 50 | REFERRED TO U.S. ISSUER BY REQUEST          |
|                |                                                                                                                              |        | F                                                 | USD 50 | REFERRED TO NON-U.S. ISSUER BY REQUEST      |
|                |                                                                                                                              |        | G                                                 | USD 95 | ECA AMOUNT TO CARD-HOLDER VIA WESTERN UNION |
|                |                                                                                                                              |        | H-Z                                               |        | Reserved for future use                     |
|                | 2-100                                                                                                                        | 99     | Spaces                                            |        |                                             |
| DE 73          | Emergency cash disbursement date                                                                                             |        |                                                   |        |                                             |
| DE 25          | 7603                                                                                                                         |        |                                                   |        |                                             |
|                | Compliance ruling settlement; for collection of a compliance ruling settlement amount.                                       |        |                                                   |        |                                             |
| Maximum Amount | USD 5,000                                                                                                                    |        |                                                   |        |                                             |
| DE 3           | 19 (credit to message originator)                                                                                            |        |                                                   |        |                                             |
| DE 72          | Position                                                                                                                     | Length | Contents                                          |        |                                             |
|                | 1-11                                                                                                                         | 11     | Mastercard case number (for example, 31234-001-9) |        |                                             |
|                | 12                                                                                                                           | 1      | Space                                             |        |                                             |
|                | 13-100                                                                                                                       | 88     | Optional message text as may be needed            |        |                                             |
| DE 73          | Compliance Ruling Date                                                                                                       |        |                                                   |        |                                             |
| DE 25          | 7604                                                                                                                         |        |                                                   |        |                                             |
|                | Emergency card replacement fee; for collection of fees associated with the Emergency Card Replacement Service (ECR Service). |        |                                                   |        |                                             |
| Maximum Amount | USD 25,000                                                                                                                   |        |                                                   |        |                                             |
| DE 3           | 19 (credit to message originator)                                                                                            |        |                                                   |        |                                             |
| DE 72          | Position                                                                                                                     | Length | Contents                                          |        |                                             |
|                | 1                                                                                                                            | 1      | Reason Code:                                      |        |                                             |
|                |                                                                                                                              |        | A                                                 | =      | issuance of emergency card                  |
|                |                                                                                                                              |        | B                                                 | =      | emergency cash disbursement not picked up   |
|                |                                                                                                                              |        | C                                                 | =      | emergency card cancelled                    |



|                |                                                                                                                                                   |        |                                                 |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------------------|
|                | D                                                                                                                                                 | =      | second location ECR request                     |
|                | E                                                                                                                                                 | =      | issuer denies ECR request                       |
|                | F                                                                                                                                                 | =      | referred to card issuer outside the U.S. region |
|                | G                                                                                                                                                 | =      | delivery of card within the U.S. region         |
|                | H                                                                                                                                                 | =      | delivery of card outside the U.S. region        |
|                | I                                                                                                                                                 | =      | initial member participation fee                |
|                | J                                                                                                                                                 | =      | monthly member participation fee                |
|                | K                                                                                                                                                 | =      | installation and training fee                   |
|                | L                                                                                                                                                 | =      | survey statistics                               |
|                | M-Z                                                                                                                                               |        | reserved for future use                         |
|                | 2-100                                                                                                                                             | 99     | Spaces                                          |
| DE 73          | Emergency card replacement date                                                                                                                   |        |                                                 |
| DE 25          | 7605                                                                                                                                              |        |                                                 |
|                | Warning bulletin handling fee: issuer originated; for settlement of warning bulletin handling fees in accordance with Mastercard operating rules. |        |                                                 |
| Maximum Amount | USD 25                                                                                                                                            |        |                                                 |
| DE 3           | 19 (credit to message originator)                                                                                                                 |        |                                                 |
| DE 72          | Position                                                                                                                                          | Length | Contents                                        |
|                | 1                                                                                                                                                 | 1      | Reason Code:                                    |
|                |                                                                                                                                                   |        | A = incorrect acceptor location                 |
|                |                                                                                                                                                   |        | B = incorrect transaction date                  |
|                |                                                                                                                                                   |        | C = combination of A and B                      |
|                | 2                                                                                                                                                 | 1      | Space                                           |
|                | 3-25                                                                                                                                              | 23     | Acquirer Reference Data (ARD)                   |
|                | 26                                                                                                                                                | 1      | Space                                           |
|                | 27-36                                                                                                                                             | 10     | Chargeback reference number                     |
|                | 37-100                                                                                                                                            | 64     | Spaces                                          |

|                |                                                                                                       |        |                                                                 |
|----------------|-------------------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------|
| DE 73          | Second presentment Central Site processing date                                                       |        |                                                                 |
| <b>DE 25</b>   | <b>7606</b>                                                                                           |        |                                                                 |
|                | Good-faith acceptance settlement; for settlement of the amount of a good-faith acceptance.            |        |                                                                 |
| Maximum Amount | USD 5,000                                                                                             |        |                                                                 |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                   |        |                                                                 |
| DE 72          | Position                                                                                              | Length | Contents                                                        |
|                | For both credit to message originator and debit to message originator                                 |        |                                                                 |
|                | 1-31                                                                                                  | 31     | Reference number and the name of the person who gave acceptance |
|                | 32                                                                                                    | 1      | Space                                                           |
|                | 33-100                                                                                                | 68     | Optional message text as may be needed                          |
| DE 73          | Good-faith date                                                                                       |        |                                                                 |
| <b>DE 25</b>   | <b>7607</b>                                                                                           |        |                                                                 |
|                | Collection letter handling fee; for settlement of the amount of a collection letter acceptance.       |        |                                                                 |
| Maximum Amount | USD 5,000                                                                                             |        |                                                                 |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                   |        |                                                                 |
| DE 72          | Position                                                                                              | Length | Contents                                                        |
|                | For both credit to message originator and debit to message originator:                                |        |                                                                 |
|                | 1-11                                                                                                  | 11     | Collection letter reference number                              |
|                | 12                                                                                                    | 1      | Space                                                           |
|                | 13-100                                                                                                | 88     | Optional message text as may be needed                          |
| DE 73          | Collection letter date                                                                                |        |                                                                 |
| <b>DE 25</b>   | <b>7608</b>                                                                                           |        |                                                                 |
|                | Telex authorization fee; for collection of fees associated with an international telex authorization. |        |                                                                 |
| Maximum Amount | USD 20                                                                                                |        |                                                                 |
| DE 3           | 19 (credit to message originator)                                                                     |        |                                                                 |
| DE 72          | Position                                                                                              | Length | Contents                                                        |

|                |                                                                                                                                                                                                                        |        |                                     |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------|
|                | 1-33                                                                                                                                                                                                                   | 33     | Telex reference number and response |
|                | 34-100                                                                                                                                                                                                                 | 67     | Spaces                              |
| DE 73          | Authorization Request Date                                                                                                                                                                                             |        |                                     |
| <b>DE 25</b>   | <b>7610</b>                                                                                                                                                                                                            |        |                                     |
|                | Investigation fee; for fee collection when an investigation report has been completed by an investigating member on behalf of the requesting member.                                                                   |        |                                     |
| Maximum Amount | USD 1,000                                                                                                                                                                                                              |        |                                     |
| DE 3           | 19 (credit to message originator)                                                                                                                                                                                      |        |                                     |
| DE 72          | Position                                                                                                                                                                                                               | Length | Contents                            |
|                | 1-19                                                                                                                                                                                                                   | 19     | INVESTIGATION FEES                  |
|                | 20-100                                                                                                                                                                                                                 | 81     | Spaces                              |
| DE 73          | Investigation request date from ICA-7A form                                                                                                                                                                            |        |                                     |
| <b>DE 25</b>   | <b>7611</b>                                                                                                                                                                                                            |        |                                     |
|                | Retrieval fee reversal; issuer-originated; acquirer may return. For acquirer use when returning an invalid or incorrect retrieval fee reversal; applicable only if the previous cycle message reason code was 7611, or |        |                                     |
|                | For issuer use when returning an invalid or incorrect non-MasterCom fulfillment fee settlement; applicable only if the previous cycle message reason code was 7614.                                                    |        |                                     |
| Maximum Amount | USD 15                                                                                                                                                                                                                 |        |                                     |
| DE 3           | 19 (credit to message originator)                                                                                                                                                                                      |        |                                     |
| DE 72          | Position                                                                                                                                                                                                               | Length | Contents                            |
|                | 1                                                                                                                                                                                                                      | 1      | Reason Code:                        |
|                |                                                                                                                                                                                                                        |        | A = nonreceipt of document          |
|                |                                                                                                                                                                                                                        |        | B = illegible document              |
|                |                                                                                                                                                                                                                        |        | C = invalid acceptor description    |
|                | 2                                                                                                                                                                                                                      | 1      | Space                               |
|                | 3-25                                                                                                                                                                                                                   | 23     | ARD                                 |
|                | 26                                                                                                                                                                                                                     | 1      | Space                               |
|                | 27-36                                                                                                                                                                                                                  | 10     | Issuer control number               |

|                |                                                                                                                                                                                                                                                                                                                              |        |                                                                                                                                                          |                               |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|
|                | 37-100                                                                                                                                                                                                                                                                                                                       | 64     | Spaces                                                                                                                                                   |                               |
| DE 73          | PDS 0105 (File ID), subfield 2 (File Reference Date) of the Central Site processed Retrieval Fee Billing/1740-700 message.                                                                                                                                                                                                   |        |                                                                                                                                                          |                               |
| DE 25          | 7612                                                                                                                                                                                                                                                                                                                         |        |                                                                                                                                                          |                               |
|                | Retrieval handling fee; issuer-originated; acquirer may return. For acquirer use when returning an invalid or incorrect retrieval handling fee; applicable only if the previous cycle message reason code was 7612, or                                                                                                       |        |                                                                                                                                                          |                               |
|                | For issuer use when returning an invalid or incorrect non-Mastercom fulfillment fee settlement; applicable only if the previous cycle message reason code was 7614, or for issuer use to assess the acquirer for incorrect information verified by the retrieval request document or a TID sent as chargeback documentation. |        |                                                                                                                                                          |                               |
|                | For issuer use to charge the acquirer for incorrect information verified by the retrieval request document or a TID sent as chargeback documentation.                                                                                                                                                                        |        |                                                                                                                                                          |                               |
| Maximum Amount | USD 25                                                                                                                                                                                                                                                                                                                       |        |                                                                                                                                                          |                               |
| DE 3           | 19 (credit to message originator)                                                                                                                                                                                                                                                                                            |        |                                                                                                                                                          |                               |
| DE 72          | Position                                                                                                                                                                                                                                                                                                                     | Length | Contents                                                                                                                                                 |                               |
|                | 1                                                                                                                                                                                                                                                                                                                            | 1      | Reason Code:                                                                                                                                             |                               |
|                |                                                                                                                                                                                                                                                                                                                              |        | A                                                                                                                                                        | = incorrect acceptor name     |
|                |                                                                                                                                                                                                                                                                                                                              |        | B                                                                                                                                                        | = incorrect acceptor location |
|                |                                                                                                                                                                                                                                                                                                                              |        | C                                                                                                                                                        | = incorrect transaction date  |
|                | 2                                                                                                                                                                                                                                                                                                                            | 1      | Space                                                                                                                                                    |                               |
|                | 3-25                                                                                                                                                                                                                                                                                                                         | 23     | ARD                                                                                                                                                      |                               |
|                | 26                                                                                                                                                                                                                                                                                                                           | 1      | Space                                                                                                                                                    |                               |
|                | If processing handling fee for TID received as a fulfillment, complete as follows:                                                                                                                                                                                                                                           |        |                                                                                                                                                          |                               |
|                | 27-36                                                                                                                                                                                                                                                                                                                        | 10     | Issuer control number                                                                                                                                    |                               |
|                | 37                                                                                                                                                                                                                                                                                                                           | 1      | Space                                                                                                                                                    |                               |
|                | 38-59                                                                                                                                                                                                                                                                                                                        | 22     | Incorrect A, B, or C condition; acceptor name, city, state, country, or transaction date from original acceptor description or Financial Detail message. |                               |
|                | 60                                                                                                                                                                                                                                                                                                                           | 1      | Space                                                                                                                                                    |                               |
|                | 61-82                                                                                                                                                                                                                                                                                                                        | 22     | Corrected A, B, or C condition; acceptor name, city, state, country, or transaction date from retrieval fulfillment                                      |                               |

|                |                                                                                                                                                                                                                                           |        |                                                                                                                                                              |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                | 83-100                                                                                                                                                                                                                                    | 18     | Spaces                                                                                                                                                       |
|                | Position                                                                                                                                                                                                                                  | Length | Content                                                                                                                                                      |
|                | If processing handling fee for TID received as a second presentment in response to a chargeback, complete as follows:                                                                                                                     |        |                                                                                                                                                              |
|                | 27-36                                                                                                                                                                                                                                     | 10     | Chargeback reference number                                                                                                                                  |
|                | 37                                                                                                                                                                                                                                        | 1      | Space                                                                                                                                                        |
|                | 38-59                                                                                                                                                                                                                                     | 22     | Incorrect A, B, or C condition; acceptor name, city, state, country, or transaction date from the original acceptor description or Financial Detail message. |
|                | 60                                                                                                                                                                                                                                        | 1      | Space                                                                                                                                                        |
|                | 61-82                                                                                                                                                                                                                                     | 22     | Corrected A, B, or C condition; acceptor name, city, state, country, or transaction date from retrieval fulfillment.                                         |
|                | 83-100                                                                                                                                                                                                                                    | 18     | Spaces                                                                                                                                                       |
| DE 73          | PDS 0105 (File ID), subfield 2 (File Reference Date) of the Central Site processed Retrieval Fee Billing/1740-700 or Second Presentment/1240-205 or 1240-282                                                                              |        |                                                                                                                                                              |
| <b>DE 25</b>   | <b>7616</b>                                                                                                                                                                                                                               |        |                                                                                                                                                              |
|                | Handling fee for second presentment of reason codes 12 and 35 for chip transactions where transaction certificate and DE 55 (Integrated Circuit Card [ICC] System-Related Data) are present in the clearing message. Acquirer-originated. |        |                                                                                                                                                              |
| Maximum Amount | USD 25                                                                                                                                                                                                                                    |        |                                                                                                                                                              |
| DE 3           | 19 (credit to message originator)                                                                                                                                                                                                         |        |                                                                                                                                                              |
| DE 72          | Position                                                                                                                                                                                                                                  | Length | Contents                                                                                                                                                     |
|                | 1                                                                                                                                                                                                                                         | 1      | Reason Code:                                                                                                                                                 |
|                |                                                                                                                                                                                                                                           |        | A = correct information previously provided with first presentment                                                                                           |
|                | 2                                                                                                                                                                                                                                         | 1      | Space                                                                                                                                                        |
|                | 3-25                                                                                                                                                                                                                                      | 23     | ARD                                                                                                                                                          |
|                | 26                                                                                                                                                                                                                                        | 1      | Space                                                                                                                                                        |
|                | 27-36                                                                                                                                                                                                                                     | 10     | Chargeback reference number                                                                                                                                  |
|                | 37-100                                                                                                                                                                                                                                    | 45     | Spaces                                                                                                                                                       |
| DE 73          | PDS 0105 (File ID), subfield 2 (File Reference Date) of the member-submitted Second Presentment/1240-205 or 1240-282                                                                                                                      |        |                                                                                                                                                              |

|                                                                        |                                                                              |        |                                                                                         |        |                                   |
|------------------------------------------------------------------------|------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------|--------|-----------------------------------|
| DE 25                                                                  | 7617                                                                         |        |                                                                                         |        |                                   |
| Adjustment for promotional transactions.                               |                                                                              |        |                                                                                         |        |                                   |
| Maximum Amount                                                         | None                                                                         |        |                                                                                         |        |                                   |
| DE 3                                                                   | 19 (credit to message originator), 29 (debit to message originator)          |        |                                                                                         |        |                                   |
| DE 72                                                                  | Position                                                                     | Length | Contents                                                                                |        |                                   |
| For both credit to message originator and debit to message originator: |                                                                              |        |                                                                                         |        |                                   |
|                                                                        | 1-38                                                                         | 38     | ADJUSTMENT FOR PROMOTIONAL TRANSACTIONS                                                 |        |                                   |
|                                                                        | 39-00                                                                        | 62     | Spaces                                                                                  |        |                                   |
| DE 73                                                                  | PDS 0105 (File ID), subfield 2 (File Reference Date) of the File Header/1644 |        |                                                                                         |        |                                   |
| DE 25                                                                  | 7618                                                                         |        |                                                                                         |        |                                   |
| Reversal of previously reimbursed State Fuel Tax.                      |                                                                              |        |                                                                                         |        |                                   |
| Maximum Amount                                                         | None                                                                         |        |                                                                                         |        |                                   |
| DE 3                                                                   | 19 (credit to message originator)                                            |        |                                                                                         |        |                                   |
| DE 72                                                                  | Position                                                                     | Length | Contents                                                                                |        |                                   |
|                                                                        | 1-86                                                                         | 86     | REVERSAL OF TAX REIMBURSE: FROM JURISDICTION SSSS VIA OIL AAA TO AGENCY NNN PERIOD YYMM |        |                                   |
|                                                                        | 87-100                                                                       | 14     | Spaces                                                                                  |        |                                   |
| DE 25                                                                  | 7619                                                                         |        |                                                                                         |        |                                   |
| Emergency card replacement center, cash advance lockbox fee.           |                                                                              |        |                                                                                         |        |                                   |
| Maximum Amount                                                         | USD 50                                                                       |        |                                                                                         |        |                                   |
| DE 3                                                                   | 19 (credit to message originator)                                            |        |                                                                                         |        |                                   |
| DE 72                                                                  | Position                                                                     | Length | Contents                                                                                |        |                                   |
|                                                                        | 1                                                                            | 1      | Reason Code                                                                             | Fee    | Description                       |
|                                                                        |                                                                              |        | A                                                                                       | USD 50 | U.S. ECR CENTER REIMBURSEMENT     |
|                                                                        |                                                                              |        | B                                                                                       | USD 30 | ECA LOCATION REIMBURSEMENT        |
|                                                                        |                                                                              |        | C                                                                                       | USD 50 | NON-U.S. ECR CENTER REIMBURSEMENT |
|                                                                        | 2-100                                                                        | 99     | Spaces                                                                                  |        |                                   |

|                |                                                                                                                                                                                                              |        |                                                                                                                                                   |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| DE 73          | Emergency card replacement date                                                                                                                                                                              |        |                                                                                                                                                   |
| <b>DE 25</b>   | <b>7621</b>                                                                                                                                                                                                  |        |                                                                                                                                                   |
|                | ATM Balance Inquiry Fee: Reserved for intra-European and inter-European use.                                                                                                                                 |        |                                                                                                                                                   |
| Maximum Amount | USD 50                                                                                                                                                                                                       |        |                                                                                                                                                   |
| DE 3           | 19 (credit to message originator)                                                                                                                                                                            |        |                                                                                                                                                   |
| DE 72          | Position                                                                                                                                                                                                     | Length | Contents                                                                                                                                          |
|                | 1-100                                                                                                                                                                                                        | 100    |                                                                                                                                                   |
| <b>DE 25</b>   | <b>7622</b>                                                                                                                                                                                                  |        |                                                                                                                                                   |
|                | Handling fee for Authorization Related Chargebacks (4807 and 4808). This fee is sent by the issuer after sending a First Chargeback/1442–450 or 1442–453 for one of the chargeback reasons identified above. |        |                                                                                                                                                   |
| Maximum Amount | USD 50                                                                                                                                                                                                       |        |                                                                                                                                                   |
| DE 3           | 19 (credit to message originator)                                                                                                                                                                            |        |                                                                                                                                                   |
| DE 72          | Position                                                                                                                                                                                                     | Length | Contents                                                                                                                                          |
|                | 1-2                                                                                                                                                                                                          | 2      | Values 07, 08, or 47 correspond to the IPM DE 25 (Message Reason Code) 4807 and 4808 of the related First Chargeback/1442                         |
|                | 3                                                                                                                                                                                                            | 1      | Constant Space                                                                                                                                    |
|                | 4                                                                                                                                                                                                            | 1      | Values for Condition indicator:                                                                                                                   |
|                |                                                                                                                                                                                                              | A      | = 4808 Authorization-related chargeback (declined)                                                                                                |
|                |                                                                                                                                                                                                              | B      | = 4808 Authorization-related chargeback                                                                                                           |
|                |                                                                                                                                                                                                              | D      | = 4807 Warning bulletin                                                                                                                           |
|                | 5                                                                                                                                                                                                            | 1      | Constant Space                                                                                                                                    |
|                | 6                                                                                                                                                                                                            | 1      | Constant 1 to denote the first chargeback                                                                                                         |
|                | 7                                                                                                                                                                                                            | 1      | Constant Space                                                                                                                                    |
|                | 8–17                                                                                                                                                                                                         | 10     | DE 95 (Card Issuer Reference Data). Chargeback reference number originally assigned by the issuer in the associated First Chargeback/1442 message |
|                | 18                                                                                                                                                                                                           | 1      | Constant Space                                                                                                                                    |

|                |                                                                                                                                                                                                                  |        |                                                                                                                                                   |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------|
|                | 19-24                                                                                                                                                                                                            | 6      | Date of the declined authorization associated with the disputed clearing record if position 4 of the DE 72 (Data Record) is A. MMDDYY or spaces.  |
|                | 25                                                                                                                                                                                                               | 1      | Constant Space                                                                                                                                    |
|                | 26-28                                                                                                                                                                                                            | 3      | Constant 700                                                                                                                                      |
|                | 29                                                                                                                                                                                                               | 1      | Constant Space                                                                                                                                    |
|                | 30-49                                                                                                                                                                                                            | 20     | PDS 0137 (Fee Collection Control Number) assigned by the issuer. Right justified, leading zeros.                                                  |
|                | 50-100                                                                                                                                                                                                           | 51     | Constant Space                                                                                                                                    |
| DE 73          | Date of the chargeback cycle with which the handling fee is associated                                                                                                                                           |        |                                                                                                                                                   |
| <b>DE 25</b>   | <b>7623</b>                                                                                                                                                                                                      |        |                                                                                                                                                   |
|                | Handling fee for Authorization Related Chargebacks (4807 and 4808). This fee is sent by the acquirer after sending a Second Presentment/1240-205 or 1240-282 for one of the chargeback reasons identified above. |        |                                                                                                                                                   |
| Maximum Amount | USD 100                                                                                                                                                                                                          |        |                                                                                                                                                   |
| DE 3           | 19 (credit to message originator)                                                                                                                                                                                |        |                                                                                                                                                   |
| DE 72          | Position                                                                                                                                                                                                         | Length | Contents                                                                                                                                          |
|                | 1-2                                                                                                                                                                                                              | 2      | Values 07, 08, or 47 correspond to the IPM Message Reason Code (DE 25) 4807 and 4808 of the related First Chargeback/1442                         |
|                | 3                                                                                                                                                                                                                | 1      | Constant Space                                                                                                                                    |
|                | 4                                                                                                                                                                                                                | 1      | Values for Condition indicator.                                                                                                                   |
|                |                                                                                                                                                                                                                  | A      | = 4808 Authorization-related chargeback (declined)                                                                                                |
|                |                                                                                                                                                                                                                  | B      | = 4808 Authorization-related chargeback                                                                                                           |
|                |                                                                                                                                                                                                                  | C      | = 4808 Authorization-related chargeback                                                                                                           |
|                |                                                                                                                                                                                                                  | D      | = 4807 Warning bulletin                                                                                                                           |
|                | 5                                                                                                                                                                                                                | 1      | Constant Space                                                                                                                                    |
|                | 6                                                                                                                                                                                                                | 1      | Constant 2 to denote the second presentment                                                                                                       |
|                | 7                                                                                                                                                                                                                | 1      | Constant Space                                                                                                                                    |
|                | 8-17                                                                                                                                                                                                             | 10     | DE 95 (Card Issuer Reference Data). Chargeback reference number originally assigned by the issuer in the associated First Chargeback/1442 message |



|                |                                                                                                                                                                                                                     |        |                                                                                                                                                                                                                                                                  |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                | 18-25                                                                                                                                                                                                               | 8      | Constant Space                                                                                                                                                                                                                                                   |
|                | 26-28                                                                                                                                                                                                               | 3      | Constant 700                                                                                                                                                                                                                                                     |
|                | 29                                                                                                                                                                                                                  | 1      | Constant Space                                                                                                                                                                                                                                                   |
|                | 30-49                                                                                                                                                                                                               | 20     | PDS 0137 (Fee Collection Control Number) assigned by the issuer in the (IPM Fee Collection/1740-700 message with a DE 25 (Message Reason Code) of 7622, or spaces, if the issuer did not send a Fee Collection/1740-700 message. Right justified, leading zeros. |
|                | 50                                                                                                                                                                                                                  | 1      | Constant Space                                                                                                                                                                                                                                                   |
|                | 51-56                                                                                                                                                                                                               | 6      | Date authorization request approved. MMDDYY                                                                                                                                                                                                                      |
|                | 57                                                                                                                                                                                                                  | 1      | Constant Space                                                                                                                                                                                                                                                   |
|                | 58-63                                                                                                                                                                                                               | 6      | DE 38 (Approval Code)–XXXXXX                                                                                                                                                                                                                                     |
|                | 64-100                                                                                                                                                                                                              | 37     | Constant Space                                                                                                                                                                                                                                                   |
| DE 73          | Date of the chargeback cycle with which the handling fee is associated                                                                                                                                              |        |                                                                                                                                                                                                                                                                  |
| <b>DE 25</b>   | <b>7624</b>                                                                                                                                                                                                         |        |                                                                                                                                                                                                                                                                  |
|                | Handling fee for Authorization Related Chargebacks (4807 and 4808). This fee is sent by the issuer after sending an Arbitration Chargeback/1442-451 or 1442-454 for one of the chargeback reasons identified above. |        |                                                                                                                                                                                                                                                                  |
| Maximum Amount | USD 150                                                                                                                                                                                                             |        |                                                                                                                                                                                                                                                                  |
| DE 3           | 19 (credit to message originator)                                                                                                                                                                                   |        |                                                                                                                                                                                                                                                                  |
| DE 72          | Position                                                                                                                                                                                                            | Length | Contents                                                                                                                                                                                                                                                         |
|                | 1-2                                                                                                                                                                                                                 | 2      | Values 07, 08, or 47 correspond to the DE 25 (IPM Message Reason Code) 4807 and 4808 of the related Arbitration Chargeback/1442 message                                                                                                                          |
|                | 3                                                                                                                                                                                                                   | 1      | Constant Space                                                                                                                                                                                                                                                   |
|                | 4                                                                                                                                                                                                                   | 1      | Values for Condition indicator.                                                                                                                                                                                                                                  |
|                |                                                                                                                                                                                                                     | A      | = 4808 Authorization-related chargeback (declined)                                                                                                                                                                                                               |
|                |                                                                                                                                                                                                                     | B      | = 4808 Authorization-related chargeback                                                                                                                                                                                                                          |
|                |                                                                                                                                                                                                                     | C      | = 4808 Authorization-related chargeback                                                                                                                                                                                                                          |
|                |                                                                                                                                                                                                                     | D      | = 4807 Warning bulletin                                                                                                                                                                                                                                          |
|                | 5                                                                                                                                                                                                                   | 1      | Constant Space                                                                                                                                                                                                                                                   |
|                | 6                                                                                                                                                                                                                   | 1      | Constant 3 to denote Arbitration Chargeback/1422                                                                                                                                                                                                                 |

|                |                                                                                                                                                                                                                                                                                              |        |                                                                                                                                                                                                                                              |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                | 7                                                                                                                                                                                                                                                                                            | 1      | Constant Space                                                                                                                                                                                                                               |
|                | 8-17                                                                                                                                                                                                                                                                                         | 10     | DE 95 (Card Issuer Reference Data) from the associated First Chargeback/1442 message                                                                                                                                                         |
|                | 18                                                                                                                                                                                                                                                                                           | 1      | Constant Space                                                                                                                                                                                                                               |
|                | 19-24                                                                                                                                                                                                                                                                                        | 6      | Date of the declined Authorization provided with first chargeback if position 4 of the DE 72 (Data Record) is "A". MMDDYY or spaces                                                                                                          |
|                | 25                                                                                                                                                                                                                                                                                           | 1      | Constant Space                                                                                                                                                                                                                               |
|                | 26-28                                                                                                                                                                                                                                                                                        | 3      | Constant 700                                                                                                                                                                                                                                 |
|                | 29                                                                                                                                                                                                                                                                                           | 1      | Constant Space                                                                                                                                                                                                                               |
|                | 30-49                                                                                                                                                                                                                                                                                        | 20     | Original PDS 0137 (Fee Collection Control Number) assigned by the acquirer in the IPM Fee Collection/1740-700 message with a DE 25 (Message Reason Code) of 7623, or spaces, if the acquirer did not send a Fee Collection/1740-700 message. |
|                | 50-63                                                                                                                                                                                                                                                                                        | 14     | Constant Space                                                                                                                                                                                                                               |
|                | 64-100                                                                                                                                                                                                                                                                                       | 37     | Explanation for arbitration chargeback, such as, the approved authorization was not for this transaction.                                                                                                                                    |
| DE 73          | Date of the chargeback cycle with which the handling fee is associated                                                                                                                                                                                                                       |        |                                                                                                                                                                                                                                              |
| <b>DE 25</b>   | <b>7625</b>                                                                                                                                                                                                                                                                                  |        |                                                                                                                                                                                                                                              |
|                | PIN Management Service at ATM. (Intra-European and inter-European use only).                                                                                                                                                                                                                 |        |                                                                                                                                                                                                                                              |
| Maximum Amount | USD 5                                                                                                                                                                                                                                                                                        |        |                                                                                                                                                                                                                                              |
| DE 3           | 19 (credit to sender of the fee collection)                                                                                                                                                                                                                                                  |        |                                                                                                                                                                                                                                              |
| DE 72          | Position                                                                                                                                                                                                                                                                                     | Length | Contents                                                                                                                                                                                                                                     |
|                | 1-100                                                                                                                                                                                                                                                                                        | 100    | PIN CHANGE xxxx xxxx xxxx xxxx (where xxxx xxxx xxxx xxxx represents the cardholder number) OR PIN TRY COUNTER RESET xxxx xxxx xxxx xxxx (where xxxx xxxx xxxx xxxx represents the cardholder number)                                        |
| DE 73          | Date the service was performed at the ATM                                                                                                                                                                                                                                                    |        |                                                                                                                                                                                                                                              |
| <b>DE 25</b>   | <b>7626</b>                                                                                                                                                                                                                                                                                  |        |                                                                                                                                                                                                                                              |
|                | Private Label Merchant Fee for Private Label fee collection messages. This fee collection message reason code is available for business service arrangements level 1 (interregional), level 2 (intraregional), level 3 (intercountry) and level 4 (intracountry) where Private Label exists. |        |                                                                                                                                                                                                                                              |
| Maximum Amount | None                                                                                                                                                                                                                                                                                         |        |                                                                                                                                                                                                                                              |

|                                                                                                |                                                                     |        |                                                                                                                                                    |
|------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------|
| DE 3                                                                                           | 19 (credit to message originator), 29 (debit to message originator) |        |                                                                                                                                                    |
| <b>DE 25</b>                                                                                   | <b>7627</b>                                                         |        |                                                                                                                                                    |
| Fees related to the issuer's failure to provide a Merchant Advice Code; for acquirer use only. |                                                                     |        |                                                                                                                                                    |
| Maximum Amount                                                                                 | USD 100                                                             |        |                                                                                                                                                    |
| DE 3                                                                                           | 19 (credit to message originator)                                   |        |                                                                                                                                                    |
| DE 72                                                                                          | Position                                                            | Length | Contents                                                                                                                                           |
|                                                                                                | 1-2                                                                 | 2      | Values 07, 08, or 47 correspond to the IPM DE 25 (Message Reason Code) 4807 and 4808 of the related First Chargeback/1442                          |
|                                                                                                | 3                                                                   | 1      | Constant Space                                                                                                                                     |
|                                                                                                | 4                                                                   | 1      | Values for Condition indicator.                                                                                                                    |
|                                                                                                |                                                                     | A      | = 4808 Authorization-related chargeback (declined)                                                                                                 |
|                                                                                                |                                                                     | B      | = 4808 Authorization-related chargeback                                                                                                            |
|                                                                                                |                                                                     | C      | = 4808 Authorization-related chargeback                                                                                                            |
|                                                                                                |                                                                     | D      | = 4807 Warning bulletin                                                                                                                            |
|                                                                                                | 5                                                                   | 1      | Constant Space                                                                                                                                     |
|                                                                                                | 6                                                                   | 1      | Constant 1 to denote the first chargeback                                                                                                          |
|                                                                                                | 7                                                                   | 1      | Constant Space                                                                                                                                     |
|                                                                                                | 8-17                                                                | 10     | DE 95 (Card Issuer Reference Data). Chargeback reference number originally assigned by the issuer in the associated First Chargeback/1442 message  |
|                                                                                                | 18                                                                  | 1      | Constant Space                                                                                                                                     |
|                                                                                                | 19-24                                                               | 6      | Date of the declined authorization associated with the disputed clearing record if position 4 of the DE 72 (Data Record) is "A". MMDDYY or spaces. |
|                                                                                                | 25                                                                  | 1      | Constant Space                                                                                                                                     |
|                                                                                                | 26-28                                                               | 3      | Constant 700                                                                                                                                       |
|                                                                                                | 29                                                                  | 1      | Constant Space                                                                                                                                     |
|                                                                                                | 30-49                                                               | 20     | PDS 0137 (Fee Collection Control Number) assigned by the issuer. Right justified, leading zeros.                                                   |
|                                                                                                | 50-100                                                              | 51     | Constant Space                                                                                                                                     |

|                |                                                                                                                                                                                |        |          |
|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------|
| DE 73          | Date of the chargeback cycle with which the handling fee is associated                                                                                                         |        |          |
| <b>DE 25</b>   | <b>7628</b>                                                                                                                                                                    |        |          |
|                | Reclaim surcharge: Reserved for intra-European, inter-European, and European transaction related services.                                                                     |        |          |
| DE 3           | 19 (credit to message originator)                                                                                                                                              |        |          |
| DE 72          | Position                                                                                                                                                                       | Length | Contents |
|                | 1-100                                                                                                                                                                          | 100    |          |
| <b>DE 25</b>   | <b>7700</b>                                                                                                                                                                    |        |          |
|                | Intracurrency settlement agreement; for settlement of amounts in accordance with an intracountry agreement between transaction originator and transaction destination parties. |        |          |
| Maximum Amount | USD 40,000                                                                                                                                                                     |        |          |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                                            |        |          |
| DE 72          | Position                                                                                                                                                                       | Length | Contents |
|                | For both credit to message originator and debit to message originator:                                                                                                         |        |          |
|                | 1-100                                                                                                                                                                          | 100    |          |
| <b>DE 25</b>   | <b>7704</b>                                                                                                                                                                    |        |          |
|                | Bank Card Interchange fee, reverse interchange for ATM transactions (Mexico Domestic).                                                                                         |        |          |
| Maximum Amount | None                                                                                                                                                                           |        |          |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                                            |        |          |
| <b>DE 25</b>   | <b>7705</b>                                                                                                                                                                    |        |          |
|                | Transactions below to threshold published (Mexico Domestic). Customer calculates VAT (Value Added Tax).                                                                        |        |          |
| Maximum Amount | None                                                                                                                                                                           |        |          |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                                            |        |          |
| <b>DE 25</b>   | <b>7706</b>                                                                                                                                                                    |        |          |
|                | Difference in interchange amount between member calculated and Mastercard calculated (Mexico Domestic). Member calculates VAT (Value Added Tax).                               |        |          |
| Maximum Amount | None                                                                                                                                                                           |        |          |

|                |                                                                                                     |
|----------------|-----------------------------------------------------------------------------------------------------|
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                 |
| <b>DE 25</b>   | <b>7707</b>                                                                                         |
|                | Interest for late settlements (Mexico Domestic). Customer calculates VAT (Value Added Tax).         |
| Maximum Amount | None                                                                                                |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                 |
| <b>DE 25</b>   | <b>7708</b>                                                                                         |
|                | Non fulfilled documentation penalties (Mexico Domestic). Customer calculates VAT (Value Added Tax). |
| Maximum Amount | None                                                                                                |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                 |
| <b>DE 25</b>   | <b>7709</b>                                                                                         |
|                | Penalties on code 102 miscellaneous (Mexico Domestic). Customer calculates VAT (Value Added Tax).   |
| Maximum Amount | None                                                                                                |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                 |
| <b>DE 25</b>   | <b>7710</b>                                                                                         |
|                | Miscellaneous (Mexico Domestic).                                                                    |
| Maximum Amount | None                                                                                                |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                 |
| <b>DE 25</b>   | <b>7711</b>                                                                                         |
|                | Pre-fund amount, offset for others (Mexico Domestic).                                               |
| Maximum Amount | None                                                                                                |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                 |
| <b>DE 25</b>   | <b>7712</b>                                                                                         |
|                | Bank Card Interchange fee, balance inquiry interchange. Customer calculates VAT (Value Added Tax).  |

|                |                                                                                                                                                                                                                                                           |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Maximum Amount | None                                                                                                                                                                                                                                                      |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                                                                                                                       |
| <b>DE 25</b>   | <b>7716</b>                                                                                                                                                                                                                                               |
|                | Adjustments to the applied negotiated interchange amount from the First Presentment/1240 message, First Chargeback/1442 message, and Second Presentment/1240 message in the event the recipient disagrees with the applied negotiated interchange amount. |
| Maximum Amount | None                                                                                                                                                                                                                                                      |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                                                                                                                       |
| DE 72          | Contains information to help the receiver identify the transaction(s) to which this interchange adjustment applies.                                                                                                                                       |
| <b>DE 25</b>   | <b>7750-7799</b>                                                                                                                                                                                                                                          |
|                | Bilateral agreement settlement; for settlement of amounts in accordance with a bilateral agreement between transaction originator and transaction destination parties.                                                                                    |
| Maximum Amount | USD 5,000                                                                                                                                                                                                                                                 |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                                                                                                                       |
| DE 72          | Position   Length   Contents                                                                                                                                                                                                                              |
|                | For both credit to message originator and debit to message originator:                                                                                                                                                                                    |
|                | 1-100   100                                                                                                                                                                                                                                               |
| DE 73          | Charge date                                                                                                                                                                                                                                               |
| <b>DE 25</b>   | <b>7800</b>                                                                                                                                                                                                                                               |
|                | MCBS customer settlement; for collection or payment of such things as customer assessments, processed through the Mastercard Consolidated Billing System (MCBS).                                                                                          |
| Maximum Amount | None                                                                                                                                                                                                                                                      |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                                                                                                                       |
| DE 72          | Position   Length   Contents                                                                                                                                                                                                                              |
|                | For both credit to message originator and debit to message originator:                                                                                                                                                                                    |
|                | "MCBS - IIIIII SS - XXXXXXXXXXXXXXXXXXXXXXX NNN ZZZ,ZZZ,ZZ9.99<br>BILLING CYCLE DATE - MMM DD, CCYY."                                                                                                                                                     |
|                | 1-4   4   Constant = MCBS (system identification)                                                                                                                                                                                                         |

|        |    |                                   |
|--------|----|-----------------------------------|
| 5      | 1  | Space                             |
| 6      | 1  | Constant = Dash (-)               |
| 7      | 1  | Space                             |
| 8-14   | 7  | IIIIII = Customer ID (ICA)        |
| 15-16  | 2  | Spaces                            |
| 17-18  | 2  | SS = Service Type                 |
| 19     | 1  | Space                             |
| 20     | 1  | Constant = Dash (-)               |
| 21     | 1  | Space                             |
| 22-43  | 22 | XXXXX...XXX = Service Description |
| 44-45  | 2  | Spaces                            |
| 46-48  | 3  | NNN = Numeric Currency Code       |
| 49-50  | 2  | Spaces                            |
| 51-64  | 14 | ZZZ,ZZZ,ZZ9.99 = Dollar Amount    |
| 65-67  | 3  | Spaces                            |
| 68-85  | 18 | BILLING CYCLE DATE                |
| 86     | 1  | Space                             |
| 87     | 1  | Constant = Dash (-)               |
| 88     | 1  | Space                             |
| 89-91  | 3  | MMM = Calendar Month (alpha)      |
| 92     | 1  | Space                             |
| 93-94  | 2  | DD = Calendar Day                 |
| 95     | 1  | Constant = Comma (,)              |
| 96     | 1  | Space                             |
| 97-100 | 4  | CCYY = Calendar Year              |

## Fee Collection (Clearing System-generated)/1740–783

This table describes the DE 25 (Message Reason Code) values that apply to Fee Collection (Clearing System-generated)/1740–783 Messages.

**NOTE: Transaction amount maximum can be set in currencies other than U.S. dollar. All Fee Collection/1740 message transaction amount maximum settings can be viewed in the IPM MPE Table IP0097T1: Message Reason Code Restrictions for Card Program Identifier and Business Service Arrangement. For example, the maximum amount for MRC 7601 for Europe intraregional business services for MCC and DMC acceptance brand is EUR 115.**

|                |             |                                                                                                                                                      |        |                                                                                                                                                                                                                   |
|----------------|-------------|------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>DE 25</b>   | <b>7621</b> |                                                                                                                                                      |        |                                                                                                                                                                                                                   |
|                |             | ATM Balance Inquiry Fee: Reserved for intra-European use                                                                                             |        |                                                                                                                                                                                                                   |
| DE 3           |             | 19 (credit to sender), 29 (debit to sender)                                                                                                          |        |                                                                                                                                                                                                                   |
| <b>DE 25</b>   | <b>7625</b> |                                                                                                                                                      |        |                                                                                                                                                                                                                   |
|                |             | PIN Management Service at ATM: Reserved for intra-European use                                                                                       |        |                                                                                                                                                                                                                   |
| DE 3           |             | 19 (credit to sender), 29 (debit to sender)                                                                                                          |        |                                                                                                                                                                                                                   |
| <b>DE 25</b>   | <b>7629</b> |                                                                                                                                                      |        |                                                                                                                                                                                                                   |
|                |             | Interregional non-financial ATM interchange for collection of interchange due on a non-financial ATM transaction (Single Message System-originated). |        |                                                                                                                                                                                                                   |
| Maximum Amount |             | USD 5                                                                                                                                                |        |                                                                                                                                                                                                                   |
| DE 3           |             | 19 (credit to message originator), 29 (debit to message originator)                                                                                  |        |                                                                                                                                                                                                                   |
| DE 72          |             | Position                                                                                                                                             | Length | Contents                                                                                                                                                                                                          |
|                |             | For both credit to message originator and debit to message originator:                                                                               |        |                                                                                                                                                                                                                   |
|                |             | 1-11                                                                                                                                                 | 11     | DE 32 (Acquiring Institution ID Code) from the authorization message. This value contains the acquiring institution identification code. It is right-justified with leading zeros.                                |
|                |             | 12-22                                                                                                                                                | 11     | DE 33 (Forwarding Institution ID Code) from the authorization message. This value contains the forwarding institution identification code. It is right-justified with leading zeros.                              |
|                |             | 23-26                                                                                                                                                | 4      | DE 13 (Date, Local Transaction) from the authorization message. This value contains the local month and day at which the transaction takes place at the point of service.                                         |
|                |             | 27-32                                                                                                                                                | 6      | DE 11 (Systems Trace Audit Number) from the authorization message. This value contains the systems trace audit number (STAN) which is a unique identifier assigned to each transaction by the message originator. |



|                |                                                                                                                                                                                                             |        |                                                                                                                                                                                                          |
|----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                | 33-44                                                                                                                                                                                                       | 12     | DE 37 (Retrieval Reference Number) from the authorization message. This value contains the retrieval reference number and is supplied by the system, retaining the original document of the transaction. |
|                | 45-64                                                                                                                                                                                                       | 20     | DE 127 (Private Data) from the authorization message. This value contains the first 20 positions of Acquirer Private Data. It is left justified with trailing spaces.                                    |
| <b>DE 25</b>   | <b>7702</b>                                                                                                                                                                                                 |        |                                                                                                                                                                                                          |
|                | Domestic ATM VAT Fees/Services: Used for the Mexico Domestic Fee Collection/1740 message on the VAT amount on ATM transactions. Mastercard calculates the VAT when submitted with this message reason code. |        |                                                                                                                                                                                                          |
| <b>DE 25</b>   | <b>7800</b>                                                                                                                                                                                                 |        |                                                                                                                                                                                                          |
|                | MCBS customer settlement; for collection or payment of such things as customer assessments, processed through the Mastercard Consolidated Billing System (MCBS).                                            |        |                                                                                                                                                                                                          |
| Maximum Amount | None                                                                                                                                                                                                        |        |                                                                                                                                                                                                          |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                                                                         |        |                                                                                                                                                                                                          |
| DE 72          | Position                                                                                                                                                                                                    | Length | Contents                                                                                                                                                                                                 |
|                | For both credit to message originator and debit to message originator:                                                                                                                                      |        |                                                                                                                                                                                                          |
|                | "MCBS - IIIIII SS - XXXXXXXXXXXXXXXXXXXXXXX NNN ZZ,ZZ,ZZ9.99 BILLING CYCLE DATE - MMM DD, CCYY."                                                                                                            |        |                                                                                                                                                                                                          |
|                | 1-4                                                                                                                                                                                                         | 4      | Constant = MCBS (system identification)                                                                                                                                                                  |
|                | 5                                                                                                                                                                                                           | 1      | Space                                                                                                                                                                                                    |
|                | 6                                                                                                                                                                                                           | 1      | Constant = Dash (-)                                                                                                                                                                                      |
|                | 7                                                                                                                                                                                                           | 1      | Space                                                                                                                                                                                                    |
|                | 8-14                                                                                                                                                                                                        | 7      | IIIIII = Customer ID (ICA)                                                                                                                                                                               |
|                | 15-16                                                                                                                                                                                                       | 2      | Spaces                                                                                                                                                                                                   |
|                | 17-18                                                                                                                                                                                                       | 2      | SS = Service Type                                                                                                                                                                                        |
|                | 19                                                                                                                                                                                                          | 1      | Space                                                                                                                                                                                                    |
|                | 20                                                                                                                                                                                                          | 1      | Constant = Dash (-)                                                                                                                                                                                      |
|                | 21                                                                                                                                                                                                          | 1      | Space                                                                                                                                                                                                    |
|                | 22-43                                                                                                                                                                                                       | 22     | XXXXX...XXX = Service Description                                                                                                                                                                        |
|                | 44-45                                                                                                                                                                                                       | 2      | Spaces                                                                                                                                                                                                   |

|                |                                                                                                                                                          |        |                                     |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------------------------------|
|                | 46-48                                                                                                                                                    | 3      | NNN = Numeric Currency Code         |
|                | 49-50                                                                                                                                                    | 2      | Spaces                              |
|                | 51-64                                                                                                                                                    | 14     | ZZZ,ZZZ,ZZ9.99 = Dollar Amount      |
|                | 65-67                                                                                                                                                    | 3      | Spaces                              |
|                | 68-85                                                                                                                                                    | 18     | BILLING CYCLE DATE                  |
|                | 86                                                                                                                                                       | 1      | Space                               |
|                | 87                                                                                                                                                       | 1      | Constant = Dash (-)                 |
|                | 88                                                                                                                                                       | 1      | Space                               |
|                | 89-91                                                                                                                                                    | 3      | MMM = Calendar Month (alpha)        |
|                | 92                                                                                                                                                       | 1      | Space                               |
|                | 93-94                                                                                                                                                    | 2      | DD = Calendar Day                   |
| DE 72          | Position                                                                                                                                                 | Length | Contents                            |
|                | 95                                                                                                                                                       | 1      | Constant = Comma (,)                |
|                | 96                                                                                                                                                       | 1      | Space                               |
|                | 97-100                                                                                                                                                   | 4      | CCYY = Calendar Year                |
| <b>DE 25</b>   | <b>7802</b>                                                                                                                                              |        |                                     |
|                | Interchange compliance adjustment; for settlement of financial amounts related to interchange compliance.                                                |        |                                     |
| Maximum Amount | None                                                                                                                                                     |        |                                     |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                      |        |                                     |
| DE 73          | PDS 0105 (File ID), subfield 2 (File Reference Date) of the File Header/1644                                                                             |        |                                     |
| DE 72          | Position                                                                                                                                                 | Length | Contents                            |
|                | For both credit to message originator and debit to message originator:                                                                                   |        |                                     |
|                | 1-33                                                                                                                                                     | 33     | "INTERCHANGE COMPLIANCE ADJUSTMENT" |
|                | 34-100                                                                                                                                                   | 67     | Spaces                              |
| <b>DE 25</b>   | <b>7803</b>                                                                                                                                              |        |                                     |
|                | Interchange compliance adjustment reversal; for settlement of financial amounts related to the reversal of a previous interchange compliance adjustment. |        |                                     |

|                |                                                                                                                                                                                    |        |                                                                                                                                                                                          |
|----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Maximum Amount | None                                                                                                                                                                               |        |                                                                                                                                                                                          |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                                                |        |                                                                                                                                                                                          |
| DE 73          | PDS 0105 (File ID), subfield 2 (File Reference Date) of the File Header/1644                                                                                                       |        |                                                                                                                                                                                          |
| DE 72          | Position                                                                                                                                                                           | Length | Contents                                                                                                                                                                                 |
|                | For both credit to message originator and debit to message originator:                                                                                                             |        |                                                                                                                                                                                          |
|                | 1-41                                                                                                                                                                               | 41     | "INTERCHANGE COMPLIANCE BACKOUT ADJUSTMENT"                                                                                                                                              |
|                | 42-100                                                                                                                                                                             | 59     | Spaces                                                                                                                                                                                   |
| <b>DE 25</b>   | <b>7804</b>                                                                                                                                                                        |        |                                                                                                                                                                                          |
|                | ATM transaction settlement; for settlement of daily ATM transaction amounts.                                                                                                       |        |                                                                                                                                                                                          |
| Maximum Amount | None                                                                                                                                                                               |        |                                                                                                                                                                                          |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)                                                                                                                |        |                                                                                                                                                                                          |
| DE 72          | Position                                                                                                                                                                           | Length | Contents                                                                                                                                                                                 |
|                | For both credit to message originator and debit to message originator:                                                                                                             |        |                                                                                                                                                                                          |
|                | Indicates an association with ATM processing:<br>When the issuer receives only summary data from Global Clearing Management System, the message text must be one of the following: |        |                                                                                                                                                                                          |
|                | 1-7                                                                                                                                                                                | 7      | "NET AMT" = transaction amount field equals the net dollar value of all ATM withdrawals transacted by an issuer's cardholders.                                                           |
|                | 8-100                                                                                                                                                                              | 93     | Spaces                                                                                                                                                                                   |
|                | 1-4                                                                                                                                                                                | 4      | "FEES" = transaction amount field equals the accumulation of processing fees owed by the issuer for noncash withdrawal transactions and the acquirer interchange fees owed by the issuer |
|                | 5-100                                                                                                                                                                              | 96     | Spaces                                                                                                                                                                                   |
|                | 1-5                                                                                                                                                                                | 5      | "SWFEE" = transaction amount field represents the Mastercard ATM Network fees owed by the issuer for ATM transactions                                                                    |
|                | 6-100                                                                                                                                                                              | 95     | Spaces                                                                                                                                                                                   |
|                | When the issuer receives Global Clearing Management System detail data, the message text must be one of the following:                                                             |        |                                                                                                                                                                                          |
|                | 1-4                                                                                                                                                                                | 4      | "FEES" = transaction amount field represents the accumulated processing fees owed by the issuer for noncash withdrawal transactions                                                      |

|                |                                                                     |        |                                                                                                                                                                           |
|----------------|---------------------------------------------------------------------|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                | 5-100                                                               | 96     | Spaces                                                                                                                                                                    |
|                | 1-5                                                                 | 5      | "SWFEE" = transaction amount field represents the Mastercard ATM Network fees owed by the issuer for ATM transactions                                                     |
|                | 6-100                                                               | 95     | Spaces                                                                                                                                                                    |
|                |                                                                     |        | When an ATM acquirer receives Global Clearing Management System settlement information in the Fee Collection/1740 message, the message text must be one of the following: |
|                | 1-5                                                                 | 5      | "NETAQ" = if summarizing the ATM cash disbursement<br>"FEEAQ" = if summarizing the ATM fees owed by the acquirer                                                          |
|                | 6-100                                                               | 95     | Spaces                                                                                                                                                                    |
| <b>DE 25</b>   | <b>7805</b>                                                         |        |                                                                                                                                                                           |
|                |                                                                     |        | ATM intracountry switch fee settlement; for settlement of daily ATM transaction intracountry switch fees.                                                                 |
| Maximum Amount | None                                                                |        |                                                                                                                                                                           |
| DE 3           | 19 (credit to message originator)                                   |        |                                                                                                                                                                           |
| DE 72          | Position                                                            | Length | Contents                                                                                                                                                                  |
|                |                                                                     |        | When the issuer receives Global Clearing Management System summary or detail data, the message text must be:                                                              |
|                | 1-5                                                                 | 5      | "ISISW" = transaction amount represents Cirrus ATM fees owed by the issuer for intracountry ATM activity                                                                  |
|                | 6-100                                                               | 95     | Spaces                                                                                                                                                                    |
| <b>DE 25</b>   | <b>7806</b>                                                         |        |                                                                                                                                                                           |
|                |                                                                     |        | ATM Single Message Transaction Manager switch fee settlement; for settlement of MDS Single Message Transaction Manager Switch Fees.                                       |
| Maximum Amount | None                                                                |        |                                                                                                                                                                           |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator) |        |                                                                                                                                                                           |
| DE 72          | Position                                                            | Length | Contents                                                                                                                                                                  |
|                |                                                                     |        | For both credit to message originator and debit to message originator:                                                                                                    |
|                | 1-100                                                               | 100    |                                                                                                                                                                           |
| <b>DE 25</b>   | <b>7807</b>                                                         |        |                                                                                                                                                                           |

|                                                                                                                              |                                                                                               |        |                                                                                                           |
|------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|--------|-----------------------------------------------------------------------------------------------------------|
| ATM intracountry first chargeback settlement; for settlement of daily ATM transaction intracountry first chargeback amounts. |                                                                                               |        |                                                                                                           |
| Maximum Amount                                                                                                               | None                                                                                          |        |                                                                                                           |
| DE 3                                                                                                                         | 29 (debit to message originator)                                                              |        |                                                                                                           |
| DE 72                                                                                                                        | Position                                                                                      | Length | Contents                                                                                                  |
|                                                                                                                              |                                                                                               |        | When the issuer receives Global Clearing Management System detail data, the message text must be:         |
|                                                                                                                              | 1-5                                                                                           | 5      | "ICHBK" = transaction amount represents chargeback funds owed to the issuer for intracountry ATM activity |
|                                                                                                                              | 6-100                                                                                         | 95     | Spaces                                                                                                    |
| DE 25                                                                                                                        | 7808                                                                                          |        |                                                                                                           |
|                                                                                                                              | Miscellaneous Override Financial Adjustment.                                                  |        |                                                                                                           |
| Maximum Amount                                                                                                               | None                                                                                          |        |                                                                                                           |
| DE 3                                                                                                                         | 19 (credit to message originator [Mastercard]), 29 (debit to message originator [Mastercard]) |        |                                                                                                           |
| DE 72                                                                                                                        | Position                                                                                      | Length | Contents                                                                                                  |
|                                                                                                                              | 1-29                                                                                          | 29     | "INTERCHANGE ADJUSTMENT FOR:"                                                                             |
|                                                                                                                              | 30-37                                                                                         | 8      | Process Date in MM/DD/YY format                                                                           |
|                                                                                                                              | 38-38                                                                                         | 1      | Blank (only when the fee collection is for the issuer)                                                    |
|                                                                                                                              | 39-76                                                                                         | 78     | Account Range (only when the fee collection is for the issuer)                                            |
| DE 25                                                                                                                        | 7811                                                                                          |        |                                                                                                           |
|                                                                                                                              | Reimbursement of State Fuel Tax.                                                              |        |                                                                                                           |
| Maximum Amount                                                                                                               | None                                                                                          |        |                                                                                                           |
| DE 3                                                                                                                         | 19 (credit to message originator [Mastercard]), 29 (debit to message originator [Mastercard]) |        |                                                                                                           |
| DE 72                                                                                                                        | Position                                                                                      | Length | Contents                                                                                                  |
|                                                                                                                              | For credit to message originator:                                                             |        |                                                                                                           |
|                                                                                                                              | 1-80                                                                                          | 80     | "TAX REIMBURSE DEBIT FROM JURISDICTION SSSS VIA OIL AAA TO AGENCY NNN PERIOD YYMM"                        |
|                                                                                                                              | 81-100                                                                                        | 20     | Spaces                                                                                                    |

|                                                                        |                                                                                               |                                                                                     |          |
|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------|
| For debit to message originator:                                       |                                                                                               |                                                                                     |          |
| 1-81                                                                   | 81                                                                                            | "TAX REIMBURSE CREDIT FROM JURISDICTION SSSS VIA OIL AAA TO AGENCY NNN PERIOD YYMM" |          |
| 82-100                                                                 | 19                                                                                            | Spaces                                                                              |          |
| DE 25                                                                  | 7812                                                                                          |                                                                                     |          |
| Collection or return of collateral for security arrangement.           |                                                                                               |                                                                                     |          |
| Maximum Amount                                                         | None                                                                                          |                                                                                     |          |
| DE 3                                                                   | 19 (credit to message originator [Mastercard]), 29 (debit to message originator [Mastercard]) |                                                                                     |          |
| DE 72                                                                  | Position                                                                                      | Length                                                                              | Contents |
| For credit to message originator:                                      |                                                                                               |                                                                                     |          |
| 1-49                                                                   | 49                                                                                            | "COLLECTION OF COLLATERAL FOR SECURITY ARRANGEMENT"                                 |          |
| 50-100                                                                 | 51                                                                                            | Spaces                                                                              |          |
| For debit to message originator:                                       |                                                                                               |                                                                                     |          |
| 1-46                                                                   | 46                                                                                            | "RETURN OF COLLATERAL FROM SECURITY ARRANGEMENT"                                    |          |
| 47-100                                                                 | 54                                                                                            | Spaces                                                                              |          |
| DE 25                                                                  | 7813                                                                                          |                                                                                     |          |
| IVA fees                                                               |                                                                                               |                                                                                     |          |
| Maximum Amount                                                         | None                                                                                          |                                                                                     |          |
| DE 3                                                                   | 19 (credit to message originator), 29 (debit to message originator)                           |                                                                                     |          |
| DE 73                                                                  | PDS 0105 (File ID), subfield 2 (File Reference Date) of the File Header/1644                  |                                                                                     |          |
| DE 72                                                                  | Position                                                                                      | Length                                                                              | Contents |
| For both credit to message originator and debit to message originator: |                                                                                               |                                                                                     |          |
| 1-15                                                                   | 15                                                                                            | IVA on IC/Fee                                                                       |          |
| 16-100                                                                 | 85                                                                                            | Spaces                                                                              |          |
| DE 25                                                                  | 7820                                                                                          |                                                                                     |          |
| Disaster Relief Fund (credit to sender).                               |                                                                                               |                                                                                     |          |
| Maximum Amount                                                         | None                                                                                          |                                                                                     |          |

|                |                                                                                |        |                                           |
|----------------|--------------------------------------------------------------------------------|--------|-------------------------------------------|
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)            |        |                                           |
| DE 73          | PDS 0105 (File ID), subfield 2 (File Reference Date) of the File Header/1644   |        |                                           |
| DE 72          | Position                                                                       | Length | Contents                                  |
|                | For both credit to message originator and debit to message originator:         |        |                                           |
|                | 1-100                                                                          | 100    |                                           |
| <b>DE 25</b>   | <b>7821</b>                                                                    |        |                                           |
|                | MCBS Credit Emergency.                                                         |        |                                           |
| Maximum Amount | None                                                                           |        |                                           |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)            |        |                                           |
| DE 72          | Position                                                                       | Length | Contents                                  |
|                | For both credit to message originator and debit to message originator:         |        |                                           |
|                | 1-100                                                                          | 100    |                                           |
| <b>DE 25</b>   | <b>7822</b>                                                                    |        |                                           |
|                | Settlement Adjustment                                                          |        |                                           |
| Maximum Amount | None                                                                           |        |                                           |
| DE 3           | 19 (credit to message originator), 29 (debit to message originator)            |        |                                           |
| DE 73          | The date of the settlement adjustment                                          |        |                                           |
| DE 72          | Position                                                                       | Length | Contents                                  |
|                | 1-21                                                                           | 21     | "SETTLEMENT ADJUSTMENT"                   |
|                | 22-100                                                                         | 79     | Spaces                                    |
| <b>DE 25</b>   | <b>7823</b>                                                                    |        |                                           |
|                | Single Message System Offline Debit Settlement (Mastercard Internal Use Only). |        |                                           |
| Maximum Amount | None                                                                           |        |                                           |
| DE 3           | 19 (credit to message originator)                                              |        |                                           |
| DE 72          | Position                                                                       | Length | Contents                                  |
|                | 1-100                                                                          | 100    | Single Message System feed through S.A.M. |

|                                                                                  |                                                                                      |        |                               |  |
|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------|-------------------------------|--|
| DE 25                                                                            | 7824                                                                                 |        |                               |  |
| Collection of Reward Amount as agreed upon between the customers.                |                                                                                      |        |                               |  |
| Maximum Amount                                                                   | None                                                                                 |        |                               |  |
| DE 3                                                                             | 29 (debit to message originator)                                                     |        |                               |  |
| DE 72                                                                            | Position                                                                             | Length | Contents                      |  |
|                                                                                  | 1-27                                                                                 | 27     | "Collection of reward amount" |  |
|                                                                                  | 28-100                                                                               | 73     | Spaces                        |  |
| DE 25                                                                            | 7627                                                                                 |        |                               |  |
| EDP Adjustment Amount (Used only by the Mastercard Network for the EDP Service). |                                                                                      |        |                               |  |
| DE 3                                                                             | 19 (credit to message originator), 29 (debit to message originator)                  |        |                               |  |
| DE 25                                                                            | 7949                                                                                 |        |                               |  |
| Funds movement for disputes resolved via the Nigeria domestic disputes system.   |                                                                                      |        |                               |  |
| Maximum Amount                                                                   | None                                                                                 |        |                               |  |
| DE 3                                                                             | 19 (credit to message originator), 29 (debit to message originator)                  |        |                               |  |
| DE 72                                                                            | Contains the Dispute Ticket ID assigned when the dispute was initiated through IDRS. |        |                               |  |



## Appendix G Determination and validation of business service

*This appendix defines how Mastercard determines interchange applied to clearing messages.*

---

|                                                                                                                                               |      |
|-----------------------------------------------------------------------------------------------------------------------------------------------|------|
| Data and message content validation by Global Clearing Management System.....                                                                 | 2210 |
| Step 1: validate the elements used in the selection process.....                                                                              | 2210 |
| Step 1a: validate format requirements.....                                                                                                    | 2210 |
| Step 1b: validate syntax/attribute of selection elements.....                                                                                 | 2211 |
| Step 1c: validate content of selection elements.....                                                                                          | 2212 |
| Step 2: determine whether the transaction requires business service processing.....                                                           | 2213 |
| Step 3: business service arrangement selection.....                                                                                           | 2214 |
| Step 3a (standard process): retrieve and match card program identifier and business service arrangement participation.....                    | 2214 |
| Step 3b (central acquiring process): retrieve and validate issuer card program identifier and business service arrangement participation..... | 2215 |
| Global Clearing Management System validation of business service arrangement.....                                                             | 2217 |
| Step 4: validate the message reason code and reversal indicator for the card program identifier/business service arrangement combination..... | 2218 |
| Step 5: validate the processing code and reversal indicator for the card program identifier/business service arrangement combination.....     | 2219 |
| Step 6: determine whether IRD validation is required for the transaction.....                                                                 | 2220 |
| Interchange rate designator (IRD) validation.....                                                                                             | 2220 |
| Step 7: validate the processing code and reversal indicator for the IRD.....                                                                  | 2220 |
| Step 8: validate product codes for the IRD.....                                                                                               | 2221 |
| Step 9: validate AB programs for the IRD.....                                                                                                 | 2223 |
| Step 10: validate transaction currency for the business service.....                                                                          | 2224 |
| Step 11: check for intracountry business service overrides.....                                                                               | 2224 |
| Enforcement of business service arrangements.....                                                                                             | 2225 |
| Default business service arrangements.....                                                                                                    | 2226 |
| Life cycle processing supported by Global Clearing Management System.....                                                                     | 2226 |
| Global Clearing Management System edits, fee assignments, and fee calculation.....                                                            | 2229 |

## Using the MPE to select the card program identifier and business service information


The Dual Message Clearing System can select or validate the business activity (PDS 0158, subfields 1-4) for all financial transactions. The following outlines the steps that Dual Message Clearing System follows to select the business activity for financial transactions using the IPM Mastercard Parameter Extract (MPE). This includes selection or validation of the card program identifier, selection or validation of the business service arrangement, and validation of the interchange rate designator (IRD), if applicable.

| Step                                           | Action                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Data and Message Content Validation</b>     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 1a.                                            | Validate format requirements of the elements used in the selection process                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 1b.                                            | Validate syntax and attributes of elements used in the selection process                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 1c.                                            | Validate content of elements used in the selection process                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 2.                                             | Determine whether the transaction requires business service processing                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>Business Service Arrangement Selection</b>  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 3a.                                            | Retrieve and Validate Issuer Card Program Identifier and Business Service Arrangement Participation (Standard Process)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 3b.                                            | Retrieve and Validate Issuer Card Program Identifier and Business Service Arrangement Participation (Central Acquiring Process)<br><br>Global Clearing Management System determines whether Central Acquiring logic applies to an intra-European or inter-European transaction by comparing the acquiring BIN country code (found in table IP0041T1) with the merchant country code (found in DE 43 [Acceptor Name/Location], subfield 6 [Acceptor Country Code] of the transaction). If these country codes are the same, the Standard Process (defined in Step 3a above) applies. If the country codes are not the same, the Central Acquiring Process applies, as defined in this subsection. |
| <b>Business Service Arrangement Validation</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 4.                                             | Validate MTI/Function Code/Processing Code/Reversal Indicator Combination                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| 5.                                             | Validate MTI/Function Code/Message Reason Code combination                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| 6.                                             | Determine whether IRD validation is required for the transaction                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>IRD Validation</b>                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 7.                                             | Validate MTI/Function Code/Processing Code/Reversal Indicator combination for the IRD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 8.                                             | Validate product codes                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 9.                                             | Validate AB programs                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| 10.                                            | Validate transaction currency                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |


| Step | Action                                                                      |
|------|-----------------------------------------------------------------------------|
| 11.  | Determine whether the issuer account range is exempt from Central Acquiring |

The following diagrams depict the flow:


### Data and message content validation



## Business service arrangement selection and validation



## IRD validation



## Data and message content validation by Global Clearing Management System

These steps describe the process of validating the data and message content.

### Step 1: validate the elements used in the selection process

Certain elements must be present and valid in each message to begin the process of selecting the card program identifier and business service arrangement. These are the elements used to validate the qualification criteria for card program identifiers and business service arrangements.

The format requirements, syntax/attribute definitions, and content of these critical elements are defined by Mastercard.

#### Step 1a: validate format requirements

Global Clearing Management System validates that all the elements necessary for selection are present and valid using Table IP1102T1 Mandatory Field Edits.

The columns in the figure that follows show the elements used in the selection process. The rows in this figure show whether each of these elements is mandatory, conditional, or optional for each transaction function.

**Table IP1102T1 format requirements for elements used in selection**

| Msg Type/ Message Reason Code | MTI | DE2 | DE3 | DE24 | DE25 | DE26 | DE31 | DE43 | DE93 | DE94 | PDS0025* | PDS0026* | PDS0158 | PDS0165 |
|-------------------------------|-----|-----|-----|------|------|------|------|------|------|------|----------|----------|---------|---------|
| 1240-200/all                  | M   | M   | M   | M    | O    | M    | M    | M    |      | M    | C        | *        | C       | M       |
| 1442-450,451, 453,454/all     | M   | M   | M   | M    | M    | M    | M    | M    |      | M    | C        | *        | C       | M       |
| 1240-205,282/all              | M   | M   | M   | M    | M    | M    | M    | M    |      | M    | C        | *        | C       | M       |
| 1644-603/all                  | M   | M   | M   | M    | M    | O    | M    | O    |      | M    | C        | *        | O       | M       |
| 1740-700/7614                 | M   | M   | M   | M    | M    | O    | M    | O    | O    | M    | C        | *        | O       | M       |
| 1740-700/all except 7614      | M   | C   | M   | M    | M    | O    | O    | O    | M    | M    | C        | *        | O       | M       |
| 1740-780/all except 7614      | M   | C   | M   | M    | M    | O    | O    | O    | M    | M    | C        | *        | O       | M       |
| 1740-781/all except 7614      | M   | C   | M   | M    | M    | O    | O    | O    | M    | M    | C        | *        | O       | M       |
| 1740-782/all except 7614      | M   | C   | M   | M    | M    | O    | O    | O    | M    | M    | C        | *        | O       | M       |
| 1644-697/na                   | M   | *   | *   | M    | *    | *    | *    | *    | *    | *    | *        | C        | *       | *       |
| 1644-695/na                   | M   | *   | *   | M    | *    | *    | *    | *    | *    | *    | *        | *        | *       | *       |

\*Message Reversal and File Reversal Indicators are present only if the message or file is a reversal.

If one of the elements shown in the previous figure is mandatory for a message but not present, Global Clearing Management System rejects the message with the following error message (where <fldname> represents the name of the missing element):

735 - <fldname> MUST BE PRESENT

## Step 1b: validate syntax/attribute of selection elements

Global Clearing Management System edits the syntax/attribute requirements for all the elements used in the selection process.

- IP0006T1 Data Element Attributes
- IP0007T1 Data Element Subfield Attributes
- IP0008T1 PDS Attributes
- IP0009T1 PDS Subfield Attributes

### Syntax/attribute requirements for elements used in the selection process<sup>21</sup>

| Name                                           | Element              | Syntax/Attribute   | Table ID |
|------------------------------------------------|----------------------|--------------------|----------|
| MTI                                            | First four positions | n-4                | IP0006T1 |
| PAN                                            | DE 2                 | n...19; LLVAR      | IP0006T1 |
| Processing Code                                | DE 3                 | n-6                | IP0007T1 |
| Function Code                                  | DE 24                | n-3                | IP0006T1 |
| Message Reason Code                            | DE 25                | n-4                | IP0006T1 |
| Acceptor Business Code                         | DE 26                | n-4                | IP0006T1 |
| Acquirer Reference Data                        | DE 31                | n-23; LLVAR        | IP0007T1 |
| Acceptor Name/<br>Location                     | DE 43                | ans...99; LLVAR    | IP0007T1 |
| Transaction Destination<br>Institution ID Code | DE 93                | n...11; LLVAR      | IP0006T1 |
| Transaction Originator<br>Institution ID Code  | DE 94                | n...11; LLVAR      | IP0006T1 |
| Message Reversal<br>Indicator                  | PDS 0025             | an...7; TAGLLVAR   | IP0009T1 |
| File Reversal Indicator                        | PDS 0026             | an...7; TAGLLVAR   | IP0009T1 |
| Business Activity                              | PDS 0158             | ans...30; TAGLLVAR | IP0009T1 |
| Settlement Method<br>Indicator                 | PDS 0165             | ans...30; TAGLLVAR | IP0009T1 |

<sup>21</sup> All of the above elements may not be present in all messages.

## Step 1c: validate content of selection elements

Global Clearing Management System edits the content of the elements to ensure the values submitted are valid system values.

| Name                                        | Element           | Table Name                                                                 | Table ID |
|---------------------------------------------|-------------------|----------------------------------------------------------------------------|----------|
| PAN                                         | DE 2              | Issuer Account Range Table                                                 | IP0040T1 |
| Processing Code                             | DE 3, subfield 1  | DE 3 Processing Code, subfield 1<br>Cardholder Transaction Type            | IP2048T1 |
| Cardholder From Account                     | DE 3, subfield 2  | DE 3 Processing Code, subfield 2<br>Cardholder From Account Type<br>Code   | IP2054T1 |
| Cardholder To Account                       | DE 3, subfield 3  | DE 3 Processing Code, subfield 3,<br>Cardholder To Account Type<br>Code    | IP2055T1 |
| Acceptor Business (AB) Code <sup>22</sup>   | DE 26             | Acceptor Business Codes (MCCs)                                             | IP0075T1 |
| Acquirer Reference ID                       | DE 31, subfield 2 | BIN Table                                                                  | IP0041T1 |
| Acceptor Country Code                       | DE 43, subfield 6 | Country Codes Table                                                        | IP0028T1 |
| Transaction Destination Institution ID Code | DE 93             | Expanded Customer ID Master Table                                          | IP0072T1 |
| Transaction Originator Institution ID Code  | DE 94             | Expanded Customer ID Master Table                                          | IP0072T1 |
| Message Reversal Indicator                  | PDS 0025          | PDS 0025 Message Reversal Indicator, subfield 1 Message Reversal Indicator | IP2059T1 |

The IP2nnnT1 series tables contain valid values based on card program identifier/business service arrangement combination. They contain some entries for which the Card Program Identifier field contains all spaces and the Business Service Arrangement Type and Business Service ID fields contain all zeros. These entries represent the default valid values. At this stage of validation, when Global Clearing Management System is trying to ensure that all of the mandatory fields are present and contain valid values, Global Clearing Management System uses these default valid values.

<sup>22</sup> The table includes acceptor business codes that are active and life cycled. If the AB code provided by the customer is in life cycle status, First Presentment/1240 non-reversal messages will be rejected.



Later, after Global Clearing Management System assigns a specific card program identifier/business service arrangement combination, Global Clearing Management System may perform edits that require a specific subset of valid values depending on the business service. For these types of edits, Global Clearing Management System uses the IP2nnnT1 table entries that contain specific values in the Card Program Identifier, Business Service Arrangement Type, and Business Service ID fields.

## Step 2: determine whether the transaction requires business service processing

Not all messages require business service processing. Table IP0092T1 identifies the transaction functions that are eligible for business service processing. If the switch in the table is equal to Y for the transaction function, Global Clearing Management System performs business service processing.

Mastercard defines the following as the specific transaction functions that are eligible.

| MTI  | Function Code (DE 24)   | Description                                                                             | Requires Business Service Processing Switch |
|------|-------------------------|-----------------------------------------------------------------------------------------|---------------------------------------------|
| 1240 | 200                     | First Presentments                                                                      | Y                                           |
| 1644 | 695                     | File Trailer                                                                            | N                                           |
| 1644 | 696                     | Financial Detail Addendum (inherits business service from associated First Presentment) | N                                           |
| 1644 | 697                     | File Header                                                                             | N                                           |
| 1442 | 450, 453                | First Chargebacks                                                                       | Y                                           |
| 1240 | 205, 282                | Second Presentments                                                                     | Y                                           |
| 1442 | 451, 454                | Arbitration Chargebacks                                                                 | Y                                           |
| 1644 | 603                     | Retrieval Requests                                                                      | Y                                           |
| 1740 | 700, 780, 781, 782, 783 | Fee Collections                                                                         | Y                                           |
| 1740 | 790                     | Fee Collection Fund Transfer                                                            | Y                                           |

## Step 3: business service arrangement selection

There are two processes for selecting business service arrangements.

### Step 3a (standard process): retrieve and match card program identifier and business service arrangement participation

Global Clearing Management System retrieves the card program identifier and business service arrangement participation information for both customers in the message.

| To Retrieve Card Program Identifier and Business Service Arrangement Participation Combinations for the... | Use Element                      | Table Name                                                                                  | Table ID |
|------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------------------------------------------------------------------|----------|
| Issuer (applies to Presentments, Chargebacks, and Fee Collection Retrieval Fee Billing messages)           | DE 2 (expanded to 19 positions)  | Issuer Account Range Card Program Identifier and Business Service Arrangement Participation | IP0090T1 |
| Acquirer (applies to Presentments, Chargebacks, and Fee Collection Retrieval Fee Billing messages)         | DE 31, subfield 2                | Acquiring BIN Card Program Identifier and Business Service Arrangement Participation        | IP0091T1 |
| Receiver (applies only to Fee Collection messages other than Fee Collection Retrieval Fee Billing)         | DE 93 (expanded to 11 positions) | Customer Business Service Arrangements                                                      | IP0056T1 |
| Sender (applies only to Fee Collection messages other than Fee Collection Retrieval Fee Billing)           | DE 94 (expanded to 11 positions) | Customer Business Service Arrangements                                                      | IP0056T1 |

Using the tables listed above, Global Clearing Management System finds all card program identifier/business service arrangement combinations in common between the two customers.

If none are in common, Global Clearing Management System rejects the transaction.

If the two customers have one or more card program identifier/business service arrangement combinations in common, Global Clearing Management System evaluates each card program identifier/business service arrangement combination that is in common between the customers against the characteristics of the transaction. This process begins with Step 4 as described in the Business Service Arrangement Validation subsection later in this section. If one arrangement fails the validation, Global Clearing Management System returns to Step 3a to evaluate the next higher priority issuer card program identifier/business service arrangement combination.

## Step 3b (central acquiring process): retrieve and validate issuer card program identifier and business service arrangement participation

Central acquiring logic applies only to presentments, chargebacks, and ATM withdrawal transactions for which the issuer, the acquirer, and the acceptor are in the Europe region. Central acquiring logic does not apply to manual cash advance transactions, balance inquiries, PIN unlock, or PIN change.

For central acquiring, the acquiring bank identification numbers (BINs) do not show all the relevant intracountry business service arrangements in table IP0091T1. Such an approach would be too restrictive for acquirers as they would need to wait until they were set up in table IP0091T1 for a new intracountry arrangement before they could successfully submit transactions in that market. Therefore, for central acquiring situations, Global Clearing Management System considers only the issuing account range participation as defined in table IP0090T1.

Global Clearing Management System determines whether central acquiring logic applies to an intra-European transaction by comparing the acquiring BIN country code (found in table IP0041T1) with the merchant country code (found in DE 43 [Acceptor Name/Location], subfield 6 [Acceptor Country Code] of the transaction). If these country codes are the same, the standard process (defined in Step 3a above) applies. If the country codes are not the same, the central acquiring process applies, as defined in this subsection.

For the central acquiring process, Global Clearing Management System retrieves the card program identifier and business service arrangement participation information for the issuer only.

| To Retrieve Card Program Identifier and Business Service Arrangement Participation Combinations for the... | Use Element                     | Table Name                                                                                  | Table ID |
|------------------------------------------------------------------------------------------------------------|---------------------------------|---------------------------------------------------------------------------------------------|----------|
| Issuer (applies to presentments and chargebacks)                                                           | DE 2 (expanded to 19 positions) | Issuer Account Range Card Program Identifier and Business Service Arrangement Participation | IP0090T1 |

Global Clearing Management System then evaluates each card program identifier/business service arrangement combination in which the issuer participates, in the sequence in which they are provided in table IP0090T1, to determine whether the acquirer accepts the card program identifier, and whether the geography and Central Acquiring permission are appropriate.

To determine whether the acquirer accepts the card program identifier of the card program identifier/business service arrangement combination being evaluated, Global Clearing Management System checks all the table IP0041T1 entries for the acquiring BIN. If the contents of the Card Program Identifier field in any of the acquiring BIN table IP0041T1 entries match the card program identifier of the card program identifier/business service arrangement combination being evaluated, Global Clearing Management System considers the arrangement eligible for further processing. Otherwise, Global Clearing Management System discards the

Determination and validation of business service  
Step 3b (central acquiring process): retrieve and validate issuer card program identifier and  
business service arrangement participation

current arrangement and returns to Step 3b to evaluate the next higher priority issuer card program identifier/business service arrangement combination.

**NOTE: Table 94 is called only when the business service level equals 4 Intra or 3 Inter. It is not called for M2M.**

To validate the geography of the arrangement, Global Clearing Management System looks up the issuer's card program identifier/business service arrangement combination in table IP0094T1 Geographic Restrictions. Table IP0094T1 restricts business service arrangements at either the country code level or the region level.

If table IP0094T1 has no entry for the card program identifier/business service arrangement combination, Global Clearing Management System considers the card program identifier/business service arrangement combination to have no geographic restrictions and, therefore, it is eligible for further processing.

If table IP0094T1 has at least one entry for the card program identifier/business service arrangement combination, the business service arrangement combination has at least one geographic restriction. Global Clearing Management System evaluates each of these entries to ensure that the transaction meets at least one of the table IP0094T1 geographic restrictions as follows:

- If the table IP0094T1 entry contains a country code in the Country field, Global Clearing Management System compares the merchant country code (found in DE 43, subfield 6 of the transaction) with the Country field in table IP0094T1.
- If the table IP0094T1 entry contains a region code on the Region field, Global Clearing Management System determines the region associated with the merchant country code of the transaction and compares it with the Region field in table IP0094T1.
- If the merchant country or region matches the table IP0094T1 country or region, Global Clearing Management System considers the card program identifier/business service arrangement combination eligible for further processing.
- If none of the table IP0094T1 entries for the business service arrangement matches the merchant country/region of the transaction, Global Clearing Management System discards the current arrangement and returns to Step 3b to evaluate the next higher priority issuer card program identifier/business service arrangement combination.

If the issuer arrangement being evaluated is not a Customer-to-Customer arrangement, Global Clearing Management System evaluates the issuer card program identifier/business service arrangement combination against the characteristics of the transaction. This process begins with Step 4 as described in the Business Service Arrangement Validation subsection later in this section.

If the arrangement fails the validation, Global Clearing Management System returns to Step 3b to evaluate the next higher priority issuer card program identifier/business service arrangement combination. If the issuer arrangement being evaluated is a Customer-to-Customer arrangement, Global Clearing Management System continues its Central Acquiring process by validating acquirer participation in this customer-to-customer business service arrangement. Global Clearing Management System does this by looking up the combination of Acquirer

Reference ID, Customer-to-Customer business service arrangement, and card program identifier in table IP0091T1.

If no matching entry is in table IP0091T1, the acquirer does not participate in the Customer-to-Customer business service arrangement; therefore, it cannot be used. Global Clearing Management System discards the current Customer-to-Customer business service arrangement and returns to Step 3b to evaluate the next higher priority issuer card program identifier/business service arrangement combination. If a matching entry is in table IP0091T1 for the Customer-to-Customer business service arrangement, Global Clearing Management System continues its Central Acquiring process by validating Central Acquiring permission. To do this, Global Clearing Management System looks up the issuer's Customer-to-Customer business service arrangement in table IP0089T1 Business Service Switches.

- If the table IP0089T1 entry contains a Y in the Central Acquired Switch field, the Customer-to-Customer business service arrangement cannot be used, because an appropriate intracountry business service arrangement should be used instead for the centrally acquired transactions. Therefore, Global Clearing Management System discards the current Customer-to-Customer arrangement and returns to Step 3b to evaluate the next higher priority issuer card program identifier/business service arrangement combination.
- If the table IP0089T1 entry contains an N in the Central Acquired Switch field, or table IP0089T1 has no entry for the specified Customer-to-Customer business service arrangement, Global Clearing Management System evaluates this M2M business service arrangement against the characteristics of the transaction beginning with Step 4, within the Central Acquiring process. If current M2M fails validation, Global Clearing Management System returns to Step 3B.

## Global Clearing Management System validation of business service arrangement

Global Clearing Management System validates the qualification criteria for a card program identifier/business service arrangement combination.

If the transaction does not meet all of the qualification criteria for the arrangement, including criteria for the submitted IRD, Global Clearing Management System discards the current card program identifier/business service arrangement combination and returns to Step 3 to evaluate the next higher priority card program identifier/business service arrangement combination. This process continues until the transaction qualifies for an arrangement, or there are no more arrangements in common.

Global Clearing Management System evaluates business service arrangements according to the sequence in which the entries appear in the optimized table IP0090T1, because the entries are provided in this table in sequence by the correct priority. This process allows Global Clearing Management System to select the most appropriate card program identifier/business service combination for the transaction.

When the transaction satisfies all qualifying criteria for a card program identifier/business service arrangement combination, including IRD criteria, Global Clearing Management System

Determination and validation of business service

Step 4: validate the message reason code and reversal indicator for the card program identifier/  
business service arrangement combination

assigns this information to the message in private data subelement (PDS) 0158 (Business Activity).

**NOTE: Global Clearing Management System evaluates all original and reversal financial transactions, with the exception of global collection only transactions, against the qualification parameters for all eligible card program identifiers and business service arrangements unless otherwise noted.**

**NOTE: Global collection only transactions bypass all qualification criteria except for Message Reason Code validation. Selection of the card program identifier and business service arrangement for global collection only transactions is based only on issuing account range and Acquirer Reference ID (or sending and receiving customer ID) participation and priority, and message reason code validation.**

When Global Clearing Management System is unable to select an arrangement for the message or to validate the customer-submitted arrangement information in PDS 0158, Global Clearing Management System rejects the message. Global Clearing Management System generates a Message Exception/1644 message with an error code indicating the fields in error and the reason for the error. Global Clearing Management System generates one Message Exception/1644 message with one error code for each card program identifier and business service arrangement combination evaluated (Or if IRD validation is required for the message, Global Clearing Management System generates one Message Exception/1644 message with an error code for each card program identifier/business service arrangement/IRD combination evaluated).

## Step 4: validate the message reason code and reversal indicator for the card program identifier/business service arrangement combination

In some messages, such as First Presentment/1240 messages, DE 25 (Message Reason Code) is an optional field. If DE 25 is not present in the message, Global Clearing Management System performs this step using spaces for the message reason code.

Global Clearing Management System first looks up the combination of card program identifier, business service arrangement type, and business service ID in table IP0088T1 to determine whether it is masked to another business service arrangement.

- If table IP0088T1 has no entry that matches all of these values, the business service arrangement is not masked and Global Clearing Management System will perform all table lookups using the actual card program identifier and business service arrangement values.
- If table IP0088T1 has an entry that matches all of these values, Global Clearing Management System obtains the related masked card program identifier, masked business service arrangement type, and masked business service ID and will perform table IP0097T1 and IP0098T1 lookups using these masked values instead of the actual card program identifier and business service arrangement values.

Global Clearing Management System then looks up the combination of message type identifier (MTI), function code, message reason code, card program identifier, business service arrangement type, and business service ID, in table IP0097T1. When performing this lookup,

Determination and validation of business service  
Step 5: validate the processing code and reversal indicator for the card program identifier/  
business service arrangement combination

Global Clearing Management System uses the masked card program identifier and business service arrangement values if table IP0088T1 indicates that the business service arrangement is masked.

If table IP0097T1 has no entry that matches all of these values, Global Clearing Management System discards the current arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.

If table IP0097T1 has an entry that matches all of these values, Global Clearing Management System obtains the value in the table IP0097T1 Reversal Indicator field.

- If this value is B, the table IP0097T1 entry is valid for both reversal and non-reversal transactions, and Global Clearing Management System continues processing with Step 5.
- If this value is R, the table IP0097T1 entry is valid only for reversal transactions. If the transaction is a reversal, indicated by PDS 0025 (Message Reversal Indicator), subfield 1 (Message Reversal Indicator) being present in the transaction and containing a value of R, Global Clearing Management System continues processing with Step 5. If the transaction is not a reversal, Global Clearing Management System discards the current arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.
- If this value is N, the table IP0097T1 entry is valid only for non-reversal transactions. If the transaction does not contain PDS 0025, subfield 1 with a value of R, it is not a reversal and Global Clearing Management System continues processing with Step 5. Otherwise, Global Clearing Management System discards the current arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.

## **Step 5: validate the processing code and reversal indicator for the card program identifier/business service arrangement combination**

Global Clearing Management System first looks up the value in DE 3 (Processing Code), subfield 2 (Cardholder From Account Type Code) of the transaction in table IP2054T1 and obtains its related masked value. The masked value is located immediately following the actual value. Global Clearing Management System will perform table IP0098T1 and IP0052T1 lookups using the masked DE 3, subfield 2 value in place of the actual DE 3, subfield 2 value.

Global Clearing Management System then looks up the combination of message type identifier (MTI), function code, processing code, card program identifier, business service arrangement type, and business service ID, in table IP0098T1. Global Clearing Management System uses the masked DE 3 and masked business service arrangement values where appropriate.

If table IP0098T1 has no entry that matches all of these values, Global Clearing Management System discards the current arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.

If table IP0098T1 has an entry that matches all of these values, Global Clearing Management System obtains the value in the table IP0098T1 Reversal Indicator field.

- If this value is B, the table IP0098T1 entry is valid for both reversal and non-reversal transactions, and Global Clearing Management System continues processing with Step 6.



- If this value is R, the table IP0098T1 entry is valid only for reversal transactions. If the transaction is a reversal, indicated by PDS 0025 (Message Reversal Indicator), subfield 1 (Message Reversal Indicator) being present in the transaction and containing a value of R, Global Clearing Management System continues processing with Step 6. If the transaction is not a reversal, Global Clearing Management System discards the current arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.
- If this value is N, the table IP0098T1 entry is valid only for non-reversal transactions. If the transaction does not contain PDS 0025, subfield 1 with a value of R, it is not a reversal and Global Clearing Management System continues processing with Step 6. Otherwise, Global Clearing Management System discards the current arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.

## Step 6: determine whether IRD validation is required for the transaction

Global Clearing Management System looks at the table IP0098T1 entry found in Step 5 validation and checks the Requires IRD Validation Switch field.

- If this field contains Y, Global Clearing Management System performs IRD validation (beginning with Step 7) and determines the correct interchange fee using the IRD submitted in PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) of the transaction.
- If this field contains N, Global Clearing Management System performs IRD validation (beginning with Step 8) and determines the correct interchange fee using an IRD value of spaces.

## Interchange rate designator (IRD) validation

The interchange rate designator (IRD) must be validated.

## Step 7: validate the processing code and reversal indicator for the IRD

If IRD validation is not required for the transaction, Global Clearing Management System omits Step 7 and continues processing with Step 8.

Otherwise, Global Clearing Management System looks up the combination of message type identifier (MTI), function code, processing code, card program identifier, business service arrangement type, business service ID, and interchange rate designator (IRD), in table IP0052T1. To perform this lookup, Global Clearing Management System uses

- the masked value for DE 3 (Processing Code), subfield 2 (Cardholder From Account Type Code), as described in Step 5



- the actual (unmasked) values for the card program identifier/business service arrangement combination, and
- The actual interchange rate designator in the IRD field.

If table IP0052T1 has no entry that matches all of these values, Global Clearing Management System discards the current arrangement and returns to Step 3 to select the next card program identifier and business service arrangement combination.

If table IP0052T1 has an entry that matches all of these values, Global Clearing Management System obtains the value in the table IP0052T1 Reversal Indicator field.

- If this value is B, the table IP0052T1 entry is valid for both reversal and non-reversal transactions, and Global Clearing Management System continues processing with Step 8.
- If this value is R, the table IP0052T1 entry is valid only for reversal transactions. If the transaction is a reversal, indicated by PDS 0025 (Message Reversal Indicator), subfield 1 (Message Reversal Indicator) being present in the transaction and containing a value of R, Global Clearing Management System continues processing with Step 8. If the transaction is not a reversal, Global Clearing Management System discards the current arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.
- If this value is N, the table IP0052T1 entry is valid only for non-reversal transactions. If the transaction does not contain PDS 0025, subfield 1 with a value of R, it is not a reversal and Global Clearing Management System continues processing with Step 8. Otherwise, Global Clearing Management System discards the current arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.

## Step 8: validate product codes for the IRD

Global Clearing Management System looks up the combination of card program identifier, business service arrangement type, business service ID, and interchange rate designator (IRD) in masked business services and interchange rate designators table (IP0087T1) to see whether it is masked to another business service arrangement and IRD.

Spaces are used in the IRD field for look-up when IRD validation is not required as described in Step 6.

- If there is no entry in table IP0087T1 that matches all of these values, the business service arrangement is not masked and Global Clearing Management System performs table IP0096T1 look-up using the actual card program identifier, business service arrangement type, business service ID, IRD, and Global Clearing Management System product ID values.
- If there is an entry in table IP0087T1 that matches all of these values, Global Clearing Management System obtains the related masked card program identifier, masked business service arrangement type, masked business service ID, masked interchange rate designator, and Global Clearing Management System product ID and performs table IP0096T1 look-up using these masked values instead of the actual card program identifier, business service arrangement, and IRD values.

**NOTE: Product code validation process is bypassed when the message is a life cycle transaction and the product reassignment switch on table IP0040T1 is set to Y or the message is a first presentment and the first presentment reassignment switch on table IP0040T1 is Y.**

Global Clearing Management System looks up the value in DE 2 (Primary Account Number) of the transaction in table IP0040T1 by finding the table entries for which the DE 2 PAN falls within the issuer account range: low and issuer account range: high values in table IP0040T1. There may be more than one entry in table IP0040T1 for the issuer account range. Global Clearing Management System chooses the table IP0040T1 entry for which the Card Program Identifier matches the card program identifier of the card program identifier/business service arrangement combination being evaluated. From this table IP0040T1 entry, Global Clearing Management System obtains the related Global Clearing Management System Product ID for use in table IP0096T1.

The product class feature provides the ability to vary interchange rates by product grouping, while maintaining common interchange structures. The product class override indicator is used in the interchange product override functionality. Override of interchange rates by product code is accomplished by assigning a product class override indicator to one or more product codes that would be associated with a given interchange rate value.

An example would be product class override indicator MCC (Consumer) being used to indicate a specific rate for a given IRD and product class override indicator. This product class override indicator MCC would be used for product codes MDS, MDH, MCE, MCC, MCG, MPL, and MDP, thereby avoiding the repetition of each of these product code rates in the appropriate tables in the member profile extract (MPE). This helps Mastercard to limit the number of entries in the MPE tables, reducing the delivery time to our customers.

Please refer to the *IPM Clearing Formats* manual to learn about the product class override indicator associated with each product code.

Global Clearing Management System looks up the combination of card program identifier, business service arrangement type, business service ID, IRD, and Global Clearing Management System product ID, in table IP0096T1. To perform this lookup, Global Clearing Management System uses

- the actual (unmasked) values for the card program identifier/business service arrangement combination or use masked values, if found
- the interchange rate designator in the IRD field (if IRD validation is required), or a space in the IRD field (if IRD validation is not required), as described in Step 6, and
- the Global Clearing Management System Product ID from table IP0040T1 in the product ID field.

| IF...                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | THEN...                                                                                                                                                                                                                                                                                                                         |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| There is no entry in table IP0096T1 that matches all the values mentioned in the previous bullet list                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Global Clearing Management System discards the current business service arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.                                                                                                                                  |
| There is an entry in table IP0096T1 that matches all the values mentioned in the previous bullet list                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Global Clearing Management System proceeds to Step 9 to continue validating the IRD.                                                                                                                                                                                                                                            |
| There is an entry in table IP0096T1 that matches all the values mentioned in the previous bullet list, and <ul style="list-style-type: none"><li>the Card Program Identifier associated with this entry is other than CIR,</li><li>the transaction is an ATM transaction (DE 3 [Processing Code], subfield 1 [Cardholder Transaction Type], value of 1), and</li><li>at least one entry for this account range in table IP0040T1 contains a Global Clearing Management System Product ID of MCE, MEC, or MBE (denoting a Mastercard Electronic account range).</li></ul> | Global Clearing Management System discards the current business service arrangement and returns to Step 3 to select the next Card Program Identifier/Business Service Arrangement combination. This is because ATM transactions involving Mastercard Electronic cards must qualify for a business service that supports Cirrus. |

## Step 9: validate AB programs for the IRD

Global Clearing Management System looks up the value in DE 26 (Acceptor Business Code/MCC) of the transaction in table IP0075T1. There may be more than one entry in table IP0075T1 for the DE 26 value.

For each entry in table IP0075T1 applicable to the DE 26 value, Global Clearing Management System obtains the related acceptor business (AB) program for use in table IP0095T1.

Global Clearing Management System then looks up the combination of card program identifier, business service arrangement type, business service ID, interchange rate designator (IRD), and acceptor business (AB) program, in table IP0095T1. As with Step 8 (Validate product codes for the IRD), GCMS searches for a masked value in table IP0087T1. If found, Global Clearing Management System uses masked card program identifier, masked business service arrangement type, masked business service ID, and masked interchange rate designator if found in step 8. Spaces are used in the IRD field for look up when IRD validation is not required as described in Step 6.

If there is no entry in table IP0087T1 that matches all of these values, the business service arrangement is not masked, and the Global Clearing Management System performs table IP0095T1 look-up using the actual card program identifier, business service arrangement type, business service ID, IRD, and acceptor business (AB) program values.

If table IP0095T1 has an entry that matches all of these values, Global Clearing Management System proceeds to Step 10 to continue validating the business service.

Otherwise, Global Clearing Management System returns to table IP0075T1 and obtains the next table IP0075T1 entry for the DE 26 value and looks up its acceptor business (AB) program and business service/IRD information in table IP0095T1.

If Global Clearing Management System does not find an entry in table IP0095T1 that matches the business service arrangement/IRD and any one of the acceptor business (AB) programs in the relevant table IP0075T1 entries, Global Clearing Management System discards the current business service arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.

## Step 10: validate transaction currency for the business service

Currently, Global Clearing Management System performs Step 10 only when both the issuer and acquirer are in the Europe region. However, this functionality could be made available, if needed, to customers in other regions.

Global Clearing Management System looks up the combination of card program identifier, business service arrangement type, and business service ID, in table IP0099T1. To perform this lookup, Global Clearing Management System uses the actual (unmasked) values for the card program identifier/business service arrangement combination.

- If table IP0099T1 has no entry for the business service arrangement, Global Clearing Management System proceeds to Step 11 to continue validating the business service.
- If table IP0099T1 has an entry for the business service arrangement, Global Clearing Management System obtains the value in the transaction currency code field and compares it to DE 49 (Currency Code, Transaction) in the message.

If the transaction currencies match, Global Clearing Management System proceeds to Step 11 to continue validating the business service.

Otherwise, Global Clearing Management System discards the current business service arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.

## Step 11: check for intracountry business service overrides

Currently, Global Clearing Management System performs Step 11 only when both the issuer and acquirer are in the Europe region. However, this functionality could be made available, if needed, to customers in other regions.

For intracountry business services, Global Clearing Management System looks up the combination of business service arrangement type, business service ID, issuer account range: low, and issuer account range: high, in table IP0093T1. To perform this lookup, Global Clearing Management System uses

- the actual (unmasked) values for the business service arrangement combination, and
- the issuer account range: low and issuer account range: high fields from the relevant table IP0040T1 entry.

If table IP0093T1 has no entry that matches all of these values, Global Clearing Management System continues processing as described in the Edits and Fee Assignment section of this chapter.

If table IP0093T1 has an entry that matches all of these values and the Card Program Identifier of the card program identifier/business service arrangement being validated is MSI (Maestro) or CIR (Cirrus), Global Clearing Management System discards the current business service arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.

If table IP0093T1 has an entry that matches all of these values and the Card Program Identifier being validated is other than MSI or CIR, Global Clearing Management System checks that the issuing account range country code (found in table IP0040T1) and the merchant country code (found in DE 43 [Acceptor Name/Location], subfield 6 [Acceptor Country Code] of the transaction) are the same.

- If so, Global Clearing Management System continues processing as described in the Edits and Fee Assignment subsection of this section.
- Otherwise, Global Clearing Management System discards the current business service arrangement and returns to Step 3 to select the next card program identifier/business service arrangement combination.

## Enforcement of business service arrangements

Mastercard will enforce the use of the business service arrangement for First Presentment/1240 and optionally life cycled transactions between acquirers and issuers.

If all customers in a country have agreed to participate in the pricing agreement, Mastercard is obliged to ensure that applicable transactions receive that pricing.

The business service selection enforcement code will be set to F (business service arrangement is mandatory for First Presentment/1240 messages) for designated business service arrangements.

This means that First Presentment/1240 transactions occurring between an Acquirer Reference ID and an issuer account range associated with the intracountry business service arrangements whose business service selection enforcement code has been set to F (mandatory business service arrangement) must be submitted for an interchange program that is valid for that intracountry business service arrangement.

If Global Clearing Management System processes a First Presentment/1240 transaction occurring between an acquirer and an issuer, and it is submitted with an IRD that does not qualify for the intracountry business service arrangement but qualifies for a less restrictive business service such as the regional business service arrangement, Global Clearing Management System will reject the transaction with error codes

- 2425: PDS 0158 (Business Activity), subfield 4 (Interchange Rate Designator) is not valid for enforced business service arrangement and acceptance brand ID code, and
- 2451: submitted business service arrangement is not valid. Must be submitted for enforced business service arrangement.

First Chargeback/1442, Second Presentment/1240, or Arbitration Chargeback/1442 transactions that contain an IRD that applies to the respective regional business service arrangement will still be permitted.

The business service selection enforcement code does not apply to the following transactions:

- Fee Collection/1740 messages. Existing functionality as it pertains to Fee Collection/1740 messages remains unchanged.
- Global collection only (On-Us and intraprocessor) transactions
- Transactions qualifying for an intracountry business service arrangement submitted with an airline acceptor business code (MCC in the range of 3000 to 3299)

Countries with established business service arrangements fall into one of two business service arrangement categories: default or non-default.

## Default business service arrangements

Intracountry business service arrangements have been set up in Global Clearing Management System. These arrangements are established as default, which means that all acquiring BINs and all issuing account ranges identified for this country are automatically included as participants.

Their participation in the enforced intracountry business service arrangement program will be finalized once the business service arrangement enforcement code has been updated from space (default value, not a mandatory business service arrangement) to F (mandatory business service arrangement).

## Life cycle processing supported by Global Clearing Management System

Global Clearing Management System supports life cycle activity processing when changes are made to certain system parameters or qualification parameters for card program identifiers, business service arrangements, and interchange rate designators (IRDs). This allows reversals and exception items such as chargebacks and retrievals to continue to be processed with the original settings, while new activity (such as First Presentment-originals) is processed using the new settings.

A life cycle indicator is associated with specific qualification parameters, which Global Clearing Management System uses to determine the valid messages (MTI/function code/processing code/reversal indicator combinations) for a given parameter. The life cycle indicator codes associated with each parameter are as follows.

| Code | Description                             |
|------|-----------------------------------------|
| A    | All transaction types are valid.        |
| L    | Only Life Cycle transactions are valid. |

A life cycle indicator parameter exists in the following IPM MPE tables and associated parameters.

| Table ID | Name                                                                                              | Life cycle indicator added to parameter                                                                                                                                                                |
|----------|---------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| IP0036T1 | Default Business Service                                                                          | For combination of card program identifier/<br>business service arrangement type/business<br>service arrangement ID                                                                                    |
| IP0056T1 | Customer Business Service<br>Arrangement Participation                                            | For combination of card program identifier/<br>business service arrangement type/business<br>service arrangement ID/customer ID                                                                        |
| IP0075T1 | Acceptor Business Codes (MCCs)                                                                    | Acceptor Business Code                                                                                                                                                                                 |
| IP0075T1 | Acceptor Business Codes (MCCs)                                                                    | Acceptor Business Program                                                                                                                                                                              |
| IP0076T1 | Mastercard Assigned IDs                                                                           | Mastercard Assigned IDs                                                                                                                                                                                |
| IP0090T1 | Issuer Account Range Card<br>Program Identifier and Business<br>Service Arrangement Participation | For combination of card program identifier/<br>business service arrangement type/business<br>service arrangement ID/issuer account range-low/<br>issuer account range-high                             |
| IP0091T1 | Acquiring BIN Card Program<br>Identifier and Business Service<br>Arrangement Participation        | For combination of card program identifier/<br>business service arrangement type/business<br>service arrangement ID/acquiring BIN                                                                      |
| IP0096T1 | Card Program Identifier/Product<br>Restrictions                                                   | Global Clearing Management System Product ID<br><br>For combination of card program identifier/<br>business service arrangement type/business<br>service arrangement ID/interchange rate<br>designator |
| IP0094T1 | Geographic Restrictions for Card<br>Program Identifier/Business<br>Service Arrangement            | Country Code<br><br>For combination of card program identifier/<br>business service arrangement type/business<br>service arrangement ID                                                                |

| Table ID | Name                                                                             | Life cycle indicator added to parameter                                                                                                                                        |
|----------|----------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| IP0094T1 | Geographic Restrictions for Card Program Identifier/Business Service Arrangement | Region<br><br>For combination of card program identifier/business service arrangement type/business service arrangement ID                                                     |
| IP0095T1 | Acceptor Business Program Restrictions (new)                                     | Acceptor Business (AB) Program<br><br>For combination of card program identifier/business service arrangement type/business service arrangement ID/interchange rate designator |

When a parameter has a life cycle indicator of L, only life cycle transactions, as defined by Mastercard, are valid for the parameter value.

### Example

A business service arrangement has the following setup for AB programs:

#### AB program setup for business service arrangement 4/123456

| AB Program | Life Cycle Indicator |
|------------|----------------------|
| V001       | A = All              |
| A001       | L = Life Cycle Only  |

In the above example, the AB program value for A001 has a life cycle indicator value of L-life cycle only. In this instance, Global Clearing Management System will accept transactions that are defined as life cycle transactions only if the acceptor business code in DE 26 is assigned to the A001 AB program.

The following table indicates the transaction types that are defined by Mastercard as life cycle transactions:

| MTI  | Function Code | Processing Code      | Reversal Indicator            |
|------|---------------|----------------------|-------------------------------|
| 1240 | 200           | All Processing Codes | R                             |
| 1240 | 205           | All Processing Codes | All Reversal Indicator values |
| 1240 | 282           | All Processing Codes | All Reversal Indicator values |
| 1442 | 450           | All Processing Codes | All Reversal Indicator values |
| 1442 | 451           | All Processing Codes | All Reversal Indicator values |



| MTI  | Function Code | Processing Code      | Reversal Indicator            |
|------|---------------|----------------------|-------------------------------|
| 1442 | 453           | All Processing Codes | All Reversal Indicator values |
| 1442 | 454           | All Processing Codes | All Reversal Indicator values |
| 1644 | 603           | All Processing Codes | All Reversal Indicator values |
| 1740 | 700           | All Processing Codes | All Reversal Indicator values |
| 1740 | 780           | All Processing Codes | All Reversal Indicator values |
| 1740 | 781           | All Processing Codes | All Reversal Indicator values |
| 1740 | 782           | All Processing Codes | All Reversal Indicator values |

## Global Clearing Management System edits, fee assignments, and fee calculation

This section describes Global Clearing Management System edits, fee assignments, and fee calculation.

### Edits

The IP2nnT1 series tables contain valid values based on card program identifier/business service arrangement combination. After Global Clearing Management System assigns a specific card program identifier/business service arrangement combination, Global Clearing Management System may perform edits that require specific valid values depending on the business service. For these types of edits, Global Clearing Management System uses the IP2nnnT1 table entries that contain specific values in the card program identifier, business service arrangement type, and business service ID fields. Valid-value edits that are not specific to a business service arrangement are performed using the default values of spaces and zeros in the card program identifier/business service arrangement combination fields.

Global Clearing Management System also performs other edits, depending on the business service assigned, and does not use the IPM MPE for these edits.

If the transaction fails any edits, Global Clearing Management System rejects the transaction. Otherwise, Global Clearing Management System continues processing and determines the fees applicable to the transaction.

### Fee assignment

Global Clearing Management System looks up the transaction and business service information in table IP0052T1. Table IP0052T1 contains pointers to tables IP0053T1 and IP0057T1. Table IP0053T1 contains the fee groups that are assigned to the transaction. Table IP0057T1 contains override pointers to table IP0053T1.

Global Clearing Management System already looked up the card program identifier, business service arrangement type, business service ID, IRD, message type identifier (MTI), function code, and processing code information in table IP0052T1, in step 7 of this process. Global Clearing Management System now looks at the fee code pointer information in the table IP0052T1 entry.

If the IP0052T1 field Product Class: Acceptor Override Pointer contains all zeros, Global Clearing Management System disregards it and instead looks up the value from table IP0052T1 Fee Code Pointer in the Fee Code Pointer field in table IP0053T1. Global Clearing Management System then calculates the fees as described in the Fee Calculation section of this article.

If the IP0052T1 field product class: acceptor override pointer contains a non-zero value, it indicates that an override may exist for the interchange rate and represents a pointer to table IP0057T1.

Global Clearing Management System searches table IP0057T1 in accordance with the pointer obtained from table IP0052T1. Each pointer may have multiple entries. The multiple entries represent a number of different override rates that can be applied. On the basis of a predetermined hierarchy, Global Clearing Management System searches until the first matching entry is found. If no match is found, no override applies.

The criteria combinations are listed below in hierarchical order of selection:

1. The Mastercard Assigned ID, in combination with the product class and MCC
2. The Mastercard Assigned ID, in combination with the product class and acceptor business type
3. The Mastercard Assigned ID, in combination with the product class
4. The Mastercard Assigned ID, in combination with MCC
5. The Mastercard Assigned ID, in combination with the acceptor business type
6. The Mastercard Assigned ID
7. The product class, in combination with MCC
8. The product class, in combination with the acceptor business type
9. MCC
10. The acceptor business type
11. The product class

If Global Clearing Management System finds an entry in table IP0057T1 that matches the combination of one of the criteria listed in the hierarchy above, Global Clearing Management System then looks up the value from that table IP0057T1 entry's fee code pointer in the fee code pointer field in table IP0053T1. Global Clearing Management System then applies the appropriate rate types and calculates the fees as described in the Fee Calculation section of this manual.

If Global Clearing Management System does not find an entry in table IP0057T1 that matches the combination of one of the criteria listed in the hierarchy above, Global Clearing Management System uses the base rate. Global Clearing Management System then calculates the fees as described in the Fee Calculation section of this manual.

A refund service fee on European commercial transactions is applied a fixed percentage of the corresponding commercial purchase rate.

This will apply to all commercial refund transactions that are cleared within the European business service agreements (BSAs) having a value of Y in the exception rate override switch field in IPM MPE table IP0098T1.

Refunds on European commercial products will use the basis of product class override to look up the percentage that will apply to the commercial purchase rate.

If no match is found, no override applies and the Global Clearing Management System uses the base rate as the fixed percentage of the commercial purchase rate.

### Fee calculation

Table IP0053T1 contains multiple entries for the same fee code pointer. Each entry contains the payment party (issuer, acquirer, or internal entity), the interchange rate (if applicable) and rate direction, the interchange unit fee (if applicable) and its direction, the currency code and exponent for the unit fee (if applicable), and any minimum or maximum fee limits and direction.

#### NOTE:

**The IPM MPE file does not provide the rates and fees for all business service arrangements, because this information is proprietary. The business service arrangement and IRD parameters are stored in the IPM MPE file, but the fee code pointer and product class: acceptor override pointer fields in table IP0052T1 that normally point to the correct fee entries in tables IP0057T1, IP0053T1, or both, contain all zeros.**

The table IP0053T1 entries are grouped by rate type. For example, Rate Type 001 is the interchange fee and Rate Type 014 is the first-level corporate incentive discount (currently applies only to intra-European and inter-European transactions). For rate types other than 001, Global Clearing Management System determines whether to apply the fees according to internal programming logic. For example, Global Clearing Management System applies the Rate Type 014 first-level corporate incentive discount only if the transaction is accompanied by the required addendum elements. Participating customers understand the conditions in which the various rate types apply to business service arrangements in which they participate.

The rate types are as follows:

- 000: Cash Advance Fee (applies to manual cash disbursement transactions)
- 001: Interchange Fee
- 002: Merchant Investment Fee
- 003: Pay by Account Rate Adjustment Increase
- 004: Pay by Account Rate Adjustment Decrease
- 010: IVA on interchange fee (specific to Mexico processing)
- 013: ATM Late Presentment Fee (Currently specific to Europe processing. Applies to non-reversal First Presentment ATM transactions for which the transaction date is older than 45 days.

- 014: First-level Corporate incentive discount (applies when one corporate IRD can have different rates, depending on the presence of valid addendum data. Currently specific to Europe processing)
- 015: Purchase with Cash Back (applies only to the cash back portion of a purchase with cash back transaction)
- 016: Rewards Program
- 017: Second-level Corporate Incentive discount (applies when the transaction qualifies for neither the First-level Corporate incentive discount nor the U.K. Summary VAT Incentive discount, but the acquirer provides information in PDS 0502 [Custom Identifier]. Currently specific to Europe processing)
- 018: New UK Summary VAT Incentive Interchange (applies when the transaction does not qualify for the First-level Corporate Incentive discount, but the acquirer submits the data needed for Mastercard to generate the U.K. Summary VAT Invoice on behalf of the merchant. Required data is
  - PDS 0508 [Customer Code]
  - PDS 0596 [Acceptor Tax ID], in which subfield 1 [Acceptor Tax ID] contains the correct tax ID and subfield 2 [Acceptor Tax ID Provided Code] contains value Y
  - PDS 0597 [Total Tax Amount]
  - PDS 0600 [Acceptor Reference Number]
  - PDS 0641 [Product Code]
  - PDS 0642 [Item Description]
  - PDS 0647 [Extended Item Amount], with a non-zero value, and
  - PDS 0682 [Detail Tax Amount 1]).
- 019: Merchant Interchange
- 020: Europe Enhanced Value

# Appendix H Files and best practices

*The following appendix describes supporting files, messages and best practices that have not been otherwise described in detail within this guide.*

---

|                                                                                       |      |
|---------------------------------------------------------------------------------------|------|
| Record Descriptor Word at the beginning of IPM messages.....                          | 2234 |
| Notes on sending IPM files .....                                                      | 2235 |
| Penalty for late Dual Message Clearing System retransmission requests .....           | 2236 |
| Customer clearing file delivery options .....                                         | 2236 |
| Clearing cycle options .....                                                          | 2240 |
| Merging of clearing information between cycles .....                                  | 2240 |
| Early reconciliation customer and non-early reconciliation processor example .....    | 2241 |
| Important Data Elements specific to Early Reconciliation .....                        | 2244 |
| Comparison of T112 and T113 .....                                                     | 2244 |
| Text messages used by the Dual Message Clearing System .....                          | 2245 |
| Notification reconciliation messages created by the Dual Message Clearing System..... | 2246 |

## Record Descriptor Word at the beginning of IPM messages

A Record Descriptor Word (RDW) field appears before each IPM message.

The format of the data in both IPM clearing messages and IPM MPE messages (both full file and updates) is Variable Blocked Spanned (VBS). Therefore, messages may be longer than the Mastercard Network constraint of 1014 bytes. To accommodate customers delivering and receiving these messages over the Network and through Mastercard File Express, a four-byte Record Descriptor Word field immediately preceding each IPM message holds the length of the data in each message.

### Clearing Optimizer AutoEdit Software

The Clearing Optimizer AutoEdit software handles the Record Descriptor Word (RDW) in the IPM clearing messages and in the IPM MPE messages correctly. An RDW is present in all Variable Block Spanned (VBS) clearing files that Mastercard delivers to customers or receives from customers. The customer's method of file transfer determines how the customer must handle the files.

### MHPF MIP load and unload modules

The Member Host Preparation Facility (MHPF) MIP load and unload modules handle the RDW in the IPM clearing messages and in the IPM MPE messages correctly. Additional information may be found in the *File Transfer Manual* on Mastercard Connect.

### CONNECT:Direct

The Record Descriptor Word (RDW) does not affect customers that send or receive IPM clearing files, the IPM MPE file, or both through CONNECT:Direct.

### Mastercard Network through a MIP

This table defines what to do with the Record Descriptor Word (RDW) based on the communications software they use.

## Mastercard Network through a MIP

| IF a customer...                                                                    | AND the customer...                                      | THEN the customer...                                                                                                                                      |
|-------------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| sends IPM clearing files through the network through a MIP                          | uses the Mastercard MHPF communications software         | Can handle the RDW by installing the optional JCL.<br><br>Job SMH1003R is the Customer Host Bulk Load for Variable Length Data Files.                     |
|                                                                                     | does not use the Mastercard MHPF communications software | Must delete then insert the RDW at the beginning of each IPM clearing message before loading the IPM clearing file to the MIP for delivery to Mastercard. |
| receives IPM clearing files, the IPM MPE, or both through the network through a MIP | uses the Mastercard MHPF communications software         | Can handle the RDW by installing the optional JCL.<br><br>Job SMH2003R is the Customer Host Bulk Unload for Variable Length Data Files.                   |
|                                                                                     | does not use the Mastercard MHPF communications software | Must remove the RDW from the beginning of each IPM clearing message, as the file is unloaded from the MIP.                                                |

## Notes on sending IPM files

IPM files may contain data from multiple customer IDs. The sending customer can submit transaction data for clearing seven days a week, 24 hours a day.

Customers may create and send clearing files as frequently as they want. Sending clearing files earlier allows customers to have more transactions processed in earlier clearing cycle cutoffs, thus ensuring the next available settlement of their accepted transactions.

Mastercard recommends that customers submit large files at least 30 minutes before the cutoff to ensure data is processed during the clearing period. Large files submitted close to the cutoff period may be deferred to the subsequent cycle, which could impact settlement timing. To avoid file processing delays, customers should dedicate sufficient time to prepare large files for submission 30 minutes prior to the cutoff.

A large file is a physical file with a record count greater than 1,000,000.

## Penalty for late Dual Message Clearing System retransmission requests

Customers that submit late Dual Message Clearing System retransmission requests are subject to an administrative fee.

If a customer is unable to process a Global Clearing Management System transmission and is connected to the Mastercard Network, the customer must restage the data and unload it again. If the customer is not connected to the Mastercard Network, the customer must immediately request a recreate of the transmission.

Satisfying late requests requires reprocessing in the Dual Message Clearing System. For this reason, Mastercard charges each customer that requests the transmission of data no longer available on the MIP. An administrative fee is charged per file of data requested. Refer to 2GC0001: Clearing Data Recreation fee in the *Pricing Guide* on the Pricing and Billing Resource Center.

## Customer clearing file delivery options

Customers have multiple options to choose from when receiving clearing data from the Dual Message Clearing System.

The Dual Message Clearing System provides several options for organizing incoming clearing data generated by Mastercard into separate files. The Dual Message Clearing System assigns different endpoints to different categories of data. An endpoint is a numeric, seven-digit identifier that is linked to a physical file delivery location defined by Mastercard.

The Dual Message Clearing System delivers one file to each endpoint after each clearing cycle in which a customer chooses to receive data.

File delivery options include:

- Customer ID
- Acquirer Reference ID
- Acquirer Reference ID plus card program identifier
- Issuer account range
- Issuer account range plus card program identifier
- Issuer account range plus card program identifier plus ATM versus POS

### Option 1: Customer ID

With this option, customers can specify different endpoints according to Customer ID. This table provides an example.



### Option 1: Customer ID example

| Customer ID | Endpoint |
|-------------|----------|
| 001234      | 0000001  |
| 005678      | 0000002  |
| 002222      | 0000001  |

In this example, Dual Message Clearing System will create one file for endpoint 0000001 and one file for endpoint 0000002 the closure of each clearing cycle.

The file created for endpoint 0000001 will contain transactions destined for customer IDs 001234 and 002222. The file created for endpoint 0000002 will contain transactions destined for Customer ID 005678.

A processor might choose to use this arrangement to group customers into different files.

### Option 2: Acquirer Reference ID

With this option, a customer can specify different endpoints according to the acquirer's bank identification number (BIN). This table provides an example.

### Option 2: Acquirer Reference Data example

| Acquirer Reference Data | Endpoint |
|-------------------------|----------|
| 541234                  | 0000001  |
| 543333                  | 0000002  |

In this example, Dual Message Clearing System will create one file for endpoint 0000001 and one file for endpoint 0000002 after each specified clearing cycle cutoff.

The file created for endpoint 0000001 will contain transactions destined for Acquirer Reference ID 541234. The file created for endpoint 0000002 will contain transactions destined for Acquirer Reference ID 543333.

### Option 3: Acquirer Reference ID plus card program identifier

With this option, a customer can specify different endpoints according to the combination of Acquirer Reference ID plus card program identifier. This table provides an example.

### Option 3: Acquirer Reference Data plus card program identifier example

| Acquirer Reference Data | Card Program Identifier | Endpoint |
|-------------------------|-------------------------|----------|
| 544444                  | Maestro (MSI)           | 0000001  |
| 544444                  | Mastercard (MCC)        | 0000002  |

In this example, Dual Message Clearing System will create one file for endpoint 0000001 and one file for endpoint 0000002 after each specified clearing cycle cutoff.

The file created for endpoint 0000001 will contain Maestro transactions destined for Acquirer Reference Data 544444. The file created for endpoint 0000002 will contain Mastercard transactions destined for Acquirer Reference Data 544444.

An acquirer might choose to use this arrangement to separate debit and credit activity.

### Option 4: Issuer account range

With this option, a customer can specify different endpoints according to the issuer account range. This table provides an example.

### Option 4: Issuer account range example

| Issuer Account Range | Endpoint |
|----------------------|----------|
| 541111               | 0000001  |
| 542222               | 0000002  |

In this example, Dual Message Clearing System will create one file for endpoint 0000001 and one file for endpoint 0000002 after each specified clearing cycle cutoff.

The file created for endpoint 0000001 will contain transactions destined for issuer account range 541111. The file created for endpoint 0000002 will contain Mastercard transactions destined for issuer account range 542222.

An issuer might choose to use this arrangement to separate consumer and corporate activity, by assigning consumer account ranges to one endpoint and corporate account ranges to another endpoint.

An issuer might also choose to use this arrangement to separate debit and credit activity, by assigning one endpoint to Maestro or Cirrus account ranges and another endpoint to Mastercard account ranges.

### Option 5: Issuer account range plus card program identifier

With this option, a customer can specify different endpoints based on the combination of issuer account range plus card program identifier. This table provides an example.

#### Option 5: Issuer account range plus card program identifier example

| Issuer Account Range | Card Program Identifier | Endpoint |
|----------------------|-------------------------|----------|
| 545555               | Cirrus (CIR)            | 0000001  |
| 545555               | Mastercard (MCC)        | 0000002  |

In this example, Dual Message Clearing System will create one file for endpoint 0000001 and one file for endpoint 0000002 after each specified clearing cycle cutoff.

The file created for endpoint 0000001 will contain Cirrus transactions destined for issuer account range 545555. The file created for endpoint 0000002 will contain Mastercard transactions destined for issuer account range 545555.

An issuer might choose to use this arrangement to separate Cirrus and Mastercard activity for each account range.

### Option 6: Issuer account range plus card program identifier plus ATM versus POS

With this option, a customer can specify different endpoints according to the combination of issuer account range, card program identifier, and whether the transaction is an ATM transaction. This table provides an example.

#### Option 6: Issuer account range plus card program identifier plus ATM versus POS example

| Issuer Account Range | Card Program Identifier | ATM/POS       | Endpoint |
|----------------------|-------------------------|---------------|----------|
| 545555               | Cirrus (CIR)            | ATM           | 0000001  |
| 545555               | Mastercard (MCC)        | Not specified | 0000002  |
| 547777               | Maestro (MSI)           | ATM           | 0000001  |
| 547777               | Maestro (MSI)           | POS           | 0000003  |

In this example, Dual Message Clearing System will create one file for endpoint 0000001, one file for endpoint 0000002, and one file for endpoint 0000003 after each specified clearing cycle cutoff.

The file created for endpoint 0000001 will contain Maestro and Cirrus ATM transactions destined for issuer account ranges 545555 and 547777. The file created for endpoint 0000002

will contain all Mastercard transactions destined for issuer account range 545555. The file created for endpoint 0000003 will contain Maestro point-of-sale (POS) transactions destined for issuer account range 547777.

An issuer could use this option to simulate the processing class concept by assigning one endpoint to Maestro and Cirrus ATM transactions, one endpoint to Maestro POS transactions, and one endpoint to Mastercard transactions, for each issuing account range.

## Clearing cycle options

Customers have multiple options from which they may choose to receive clearing files.

Each customer must receive data from all six cycles per day. In addition to the six primary clearing cycles, a seventh clearing cycle exists exclusively for Mexico RedMX domestic switching transactions. If a customer participates in the seventh cycle for the Mexico domestic service, they must receive clearing files in the seventh clearing. These customers will continue to receive the outbound files for other clearings for other activity.

Customers automatically receive clearing files at these default times, unless they contact Mastercard. Customers that want to change their clearing cycle cutoff times should contact their account manager or Mastercard Customer Implementation Specialist.

For a detailed overview of the clearing cycle times, refer to the [Clearing schedule](#).

**NOTE: The outbound delivery of the files of cycles one and two is extended by 1-3 hours on release implementation dates only. The files from cycles three through six will be delivered at the usual times. Release implementation dates occur four times a year and occur on a Friday of the release implementation month. Although the files of cycles one and two are delivered on a different calendar day from cycles three through six, Mastercard considers the delivery of all six cycles of files to occur in one processing day.**

## Merging of clearing information between cycles

New customers must participate in all clearing cycles.

Existing customers and processors may choose to receive clearing data less than six times per day. This results in the merging of their clearing activity across cycle boundaries.

When the customer's or processor's next delivery cycle is completed, the clearing file delivered will actually represent activity from two cycles, or even three cycles if two consecutive cycles have been skipped. In the following example, if a customer receives clearing data after cycles 1, 2, 5, and 6, the file delivered after cycle 5 will contain data from clearing cycles 3, 4, and 5.

**NOTE: Within the MTI-Function Code category, data will not necessarily be in ascending clearing cycle sequence. For example, cycle 5 First Presentments might precede cycle 4 First Presentments.**

For more information on clearing cycles, refer to the [Clearing schedule](#).

## Early reconciliation customer and non-early reconciliation processor example

The following table illustrates the differences of selecting receipt of early reconciliation messages when both processors have chosen cycles 1, 3, 4, and 6 as their delivery cycles.

### Early reconciliation customer and non-early reconciliation processor example

| IF the current cycle is... | AND both processors send in...                | Processors that choose early reconciliation files will receive...                                                        | Processors that do not choose early reconciliation files will receive...                                                                                     |
|----------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cycle 1                    | First Presentment messages totaling USD 1,000 | Acknowledgment messages for the USD 1,000 in First Presentments when the Dual Message Clearing System processes the file | Acknowledgment messages for the USD 1,000 in First Presentments from cycle 1                                                                                 |
| Cycle 2                    | First Presentment messages totaling USD 2,000 | Acknowledgment messages for the USD 2,000 in First Presentments when the Dual Message Clearing System processes the file | Acknowledgment held for the next delivery cycle                                                                                                              |
| Cycle 3                    | First Presentment messages totaling USD 3,000 | Acknowledgment messages for the USD 3,000 in First Presentments when the Dual Message Clearing System processes the file | Acknowledgment messages for the USD 2,000 in First Presentments from cycle 2<br>Acknowledgment messages for the USD 3,000 in First Presentments from cycle 3 |
| Cycle 4                    | First Presentment messages totaling USD 4,000 | Acknowledgment messages for the USD 4,000 in First Presentments when the Dual Message Clearing System processes the file | Acknowledgment messages for the USD 4,000 in First Presentments from cycle 4                                                                                 |
| Cycle 5                    | First Presentment messages totaling USD 5,000 | Acknowledgment messages for the USD 5,000 in First Presentments when the Dual Message Clearing System processes the file | Acknowledgment held for the next delivery cycle                                                                                                              |

| IF the current cycle is... | AND both processors send in...                | Processors that choose early reconciliation files will receive...                                                        | Processors that do not choose early reconciliation files will receive...                                                                                         |
|----------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Cycle 6                    | First Presentment messages totaling USD 6,000 | Acknowledgment messages for the USD 6,000 in First Presentments when the Dual Message Clearing System processes the file | Acknowledgment messages for the USD 5,000 in First Presentments from cycle 5<br><br>Acknowledgment messages for the USD 6,000 in First Presentments from cycle 6 |

### Mastercard early reconciliation files supporting information

The sequence number returned by the Dual Message Clearing System in the T113 early reconciliation bulk file generated by Mastercard will match the sequence number sent by the customer in the corresponding customer-generated R111 Dual Message Clearing System Data bulk file for those customers electing receipt of the early reconciliation files. Mexico Domestic transactions for the seventh clearing is sent by customers under bulk type RSP1, and the Dual Message Clearing System will use the sequence number from the RSP1 bulk file for early reconciliation and send it under the Bulk File T113 bulk to customers.

The sequence of an IPM early reconciliation message physical file generated by Mastercard is similar to the sequence in the following table. Suppose that customer ID 004444, endpoint 1, processes for customer IDs 002222, 003333, 005555, and 006666. When processing for multiple customer IDs, the Dual Message Clearing System constructs the receiver's inbound file as shown in the following table.

### Example of sequencing of files generated by Mastercard

| MTI-Function Code | Description                  | Endpoint 1, to Customer ID (ICA) |
|-------------------|------------------------------|----------------------------------|
| 1644-697          | File Header                  | 004444                           |
| 1644-693          | Text Message                 | 002222                           |
| 1644-640          | Currency Update              | 002222                           |
| 1240-200          | First Presentment            | 002222                           |
| 1644-696          | Financial Detail Addendum    | 002222                           |
| 1240-282          | Second Presentment (Partial) | 002222                           |
| 1644-685          | Financial Position Detail    | 002222                           |
| 1644-698          | Settlement Position Detail   | 002222                           |

| MTI-Function Code | Description                                | Endpoint 1, to Customer ID (ICA) |
|-------------------|--------------------------------------------|----------------------------------|
| 1240-200          | First Presentment                          | 003333                           |
| 1644-603          | Retrieval Request                          | 003333                           |
| 1740-700          | Fee Collection (Retrieval Fee Billing)     | 003333                           |
| 1442-450          | First Chargeback: Full Amount              | 003333                           |
| 1240-205          | Second Presentment                         | 003333                           |
| 1442-451          | Arbitration Chargeback: Full Amount        | 003333                           |
| 1740-700          | Fee Collection (non-Retrieval Fee Billing) | 003333                           |
| 1644-685          | Financial Position Detail                  | 003333                           |
| 1644-695          | File Trailer                               | 004444                           |

Customers that participate in the Dual Message Clearing System early reconciliation experience duplicate file sequence numbers in acknowledgment reconciliation messages when a physical file contains more than 99 logical files. This is because PDS 0300 (Reconciled, File), subfield 4 (File Sequence Number), positions 24-25 (Sequence Number) is a two-position value, which means that submitting over 99 logical files causes the sequence to repeat. Furthermore, if a physical file exceeds 999 logical files, the customer will not receive early reconciliation for the physical file and could miss the preferred settlement cycle. To avoid undesired processing of early reconciliation files, Mastercard advises customers to limit the number of logical files to 99.

Customers can match the physical file sent to Mastercard with the early reconciliation file shown by the T113 Dual Message Clearing System early reconciliation file. The following table identifies the pairing of the early reconciliation files with the file sent by the customer.

### Early reconciliation files

| The customer should match the...                                                           | With the...                                                                                                                                    |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| T113 Dual Message Clearing System Early Reconciliation File received from Mastercard       | R111 (or RSP1 for Mexico Domestic transactions under the seventh clearing cycle) Dual Message Clearing System Data sent by the customer.       |
| T121 Test: Dual Message Clearing System Early Reconciliation File received from Mastercard | R119 (or RSP3 for Mexico Domestic transactions under the seventh clearing cycle) Test: Dual Message Clearing System Data sent by the customer. |

## Important Data Elements specific to Early Reconciliation

Some important data elements specific to early recognition are as follows:

- 1644/697 File Header: PDS 0105 Subfield 1 (File Type) (1–3) = 003 (Early Reconciliation file: Generated by Mastercard). \*Different for local processing systems.
- 1644/680 File Currency Summary & 1644/685 Settlement Currency Summary: PDS 0300 contains the PDS 0105 value submitted by the file originator in customer-generated files. This can be used by customers to reconcile data.
- DE 93 is the institution that has an agreement with Mastercard as being a principal member and has the financial authority to process transactions as an acquirer or issuer.
- DE 100 contains the Customer ID or Processor ID of the physically connected processing facility that receives a message.
- 1644/685 Settlement Currency Summary: Reconciled Settlement Activity (PDS 0359 [Reconciled Settlement Activity]) identifies in reconciliation messages the settlement activity to which the reconciliation totals pertain. Apart from other sub fields, it contains important values like Reconciliation Date, Reconciliation Cycle, Settlement Date, Settlement Cycle, which are important to members making prefunding to merchants and in regions where the settlement time frame is longer.

## Comparison of T112 and T113

The table provides a summary of important differences between the T112 and T113.

### T112 and T113 Comparison

|                      | <b>T112(Clearing Reconciliation File)</b>                                                                                                                               | <b>T113 (Early Reconciliation File)</b>                                                                                                                                 |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Frequency            | Provided once per cycle                                                                                                                                                 | Provided against every inbound clearing file                                                                                                                            |
| Message Reason Codes | Acknowledgment of Outbound Activity (6861)<br>& Notification to Inbound Activity (6862)                                                                                 | Acknowledgment of Outbound Activity (6861)                                                                                                                              |
| Message Types        | <ul style="list-style-type: none"><li>• File Currency Summary</li><li>• Financial Position Detail</li><li>• Settlement Position Detail</li><li>• GCMS Rejects</li></ul> | <ul style="list-style-type: none"><li>• File Currency Summary</li><li>• Financial Position Detail</li><li>• Settlement Position Detail</li><li>• GCMS Rejects</li></ul> |
| File Structure       | IPM                                                                                                                                                                     | IPM (Same as T112)                                                                                                                                                      |



|                           | <b>T112(Clearing Reconciliation File)</b> | <b>T113 (Early Reconciliation File)</b> |
|---------------------------|-------------------------------------------|-----------------------------------------|
| Reconciliation Categories | As per the Message Type                   | As per the Message Type. (Same as T112) |

The Dual Message Clearing System does not duplicate the messages provided in the early reconciliation files when it creates the customer inbound clearing files at cycle cutoff times. The customer will receive the message only once. Reconciliation messages not selected in Early Reconciliation will be delivered within the customers' inbound file from Mastercard (T112) based on customer selection.

## Text messages used by the Dual Message Clearing System

These are general notes on text messages.

### Administrative IPM text messages

Dual Message Clearing System uses IPM text messages to:

- Transmit broadcast messages from the Dual Message Clearing System to all customers.
- Transmit text messages (such as No Data messages) from the Dual Message Clearing System to a customer.

This message type contains 1644 in the MTI and 693 in DE 24 (Function Code) to identify it as a text message.

### Broadcast text messages

The Dual Message Clearing System distributes broadcast text messages in every clearing cycle for the applicable period by the combination of customer or processor, endpoint, and card program identifier.

Because broadcast text messages may contain time-critical information, these text messages are not optional. The Dual Message Clearing System distributes them whether or not customers have financial activity or other clearing data in the next available delivery cycle based on options for the destination endpoint. If the Dual Message Clearing System has acknowledgment, notification, or error messages ready to send at the time of the broadcast message, the Dual Message Clearing System may include them in the same file as the broadcast message. However, even if no such messages are ready to be sent, the Dual Message Clearing System will send the broadcast message after the clearing cycle cutoff is complete.

### No Data text messages

If selected by the customer, the Dual Message Clearing System generates a No Data message when there is no clearing data activity for the specified customer ID for an entire clearing cycle.

The message text in DE 72 (Data Record) appears as follows: NO DATA FOR THIS MEMBER AND/OR ENDPOINT FOR THIS CLEARING.

The Dual Message Clearing System distributes No Data text messages by the combination of customer or processor endpoint and clearing cycle. The Dual Message Clearing System generates these messages only if the customer or processor chooses to receive them.

If the customer or processor does not choose to receive this No Data message and there is no data for that customer or endpoint, the customer or processor will not receive an empty dataset for specified clearing cycles. This No Data message also applies to the seventh clearing cycle for Mexico domestic switching transactions.

**NOTE: Mastercard recommends that customers using CONNECT:Direct choose to receive the No Data file.**

## Notification reconciliation messages created by the Dual Message Clearing System

The Dual Message Clearing System provides notification reconciliation messages for files sent to each customer based on the customer's profile options.

Notification reconciliation messages contain the Dual Message Clearing System-calculated totals for financial activity contained in files sent to each customer.

## Appendix I Glossary

---

|                                                               |      |
|---------------------------------------------------------------|------|
| acceptor.....                                                 | 2249 |
| acceptance brand.....                                         | 2249 |
| acquirer.....                                                 | 2249 |
| acquirer host.....                                            | 2249 |
| advice message.....                                           | 2249 |
| advisement.....                                               | 2249 |
| alternate issuer host.....                                    | 2250 |
| Authorization.....                                            | 2250 |
| authorization request.....                                    | 2250 |
| back-office process.....                                      | 2250 |
| batch processing.....                                         | 2250 |
| cardholder.....                                               | 2250 |
| Clearing.....                                                 | 2251 |
| customer.....                                                 | 2251 |
| Dual Message Authorization System.....                        | 2251 |
| Dual Message Clearing System.....                             | 2251 |
| echo.....                                                     | 2252 |
| encryption.....                                               | 2252 |
| exception processing.....                                     | 2252 |
| fraud.....                                                    | 2252 |
| fraudulent transaction.....                                   | 2252 |
| host.....                                                     | 2252 |
| Global Clearing Management System (GCMS).....                 | 2252 |
| International Organization for Standardization (ISO).....     | 2253 |
| International Organization for Standardization 8583:1987..... | 2253 |
| International Organization for Standardization 8583:1993..... | 2253 |
| issuer.....                                                   | 2253 |
| issuer host.....                                              | 2254 |
| Mastercard Network.....                                       | 2254 |
| Mastercard interface processor (MIP).....                     | 2254 |
| Network.....                                                  | 2254 |
| Network Enablement Partner.....                               | 2254 |
| primary issuer.....                                           | 2254 |
| processor.....                                                | 2255 |
| reason code.....                                              | 2255 |

|                                      |      |
|--------------------------------------|------|
| receipt.....                         | 2255 |
| reconciliation.....                  | 2255 |
| request.....                         | 2255 |
| response code.....                   | 2255 |
| response time.....                   | 2256 |
| reversal message.....                | 2256 |
| service provider.....                | 2256 |
| Settlement.....                      | 2256 |
| Single Message System.....           | 2256 |
| Stand-In Authorization.....          | 2257 |
| Switch.....                          | 2257 |
| Dual Message Switch.....             | 2257 |
| Single Message Switch.....           | 2257 |
| transfer agent assignment (TAA)..... | 2257 |
| X-Code, X-Code Processing.....       | 2257 |

## acceptor

A person or entity that agrees to accept payment cards or devices bearing a particular brand or in respect to an agreement with the issuer. Also referred to as a merchant, ATM, bank, merchant ATM, or other entity authorized to accept brand transactions.

**Plural Form:** acceptors

## acceptance brand

Acceptance brands are Mastercard and other private label brands, such as cards specific to a particular department store or airline.

**Plural Form:** acceptance brands

## acquirer

A licensed Mastercard customer that acquires the data relating to a transaction from the acceptor and submits that data for authorization. The acquirer also supports clearing and settlement functions to exchange funds between the issuer and the acceptor. Also referred to as an acquiring bank, acquirer bank, merchant bank, or acquiring financial institution.

**Plural Form:** acquirers

## acquirer host

A term referring to customer host processing at the acquirer's location.

## advice message

A message that notifies a party of an action that has been taken, requiring no response.

**Plural Form:** advice messages

## advisement

A message that identifies the net settlement position of one or more ICA numbers (or customers) and is transmitted to the destination specified by the member Net Settlement Agreement (NSA) form.

**Plural Form:** advisements

## alternate issuer host

Alternate issuer authorization route used instead of the Stand-In Authorization; available in Europe region.

## Authorization

Real-time communication between acquirers and issuers to approve or decline the use of a Mastercard-branded card, access device, or account to conduct a transaction. Approval from issuers will create a financial obligation from the issuer to the acquirer (for a transaction that debits funds from a cardholder's account) or from the acquirer to the issuer (for a transaction that credits funds to a cardholder's account).

## authorization request

A request by an acquirer for issuer approval to complete a transaction involving a payment card.

**Plural Form:** authorization requests

## back-office process

Non-client-facing tasks that keep the business running and provide support for front-end operations.

## batch processing

A type of data processing operation and data communications transmission where related transactions are grouped together and transmitted for processing, usually by the same computer and under the same application; generally regarded as non-real-time data traffic comprising large files; type of data traffic where response time is not critical.

## cardholder

A cardholder is an authorized person to whom a payment card or a device payment has been issued. Also referred to as a consumer or account holder.

**Plural Form:** cardholders

## Clearing

Multiple clearing batch processes per day (that is, clearing cycles) determine and calculate processing costs, resulting in one net amount per acquirer and issuer per clearing cycle.

## customer

A financial institution or other entity that has been approved for participation in the payment scheme.

## Dual Message Authorization System

The Mastercard Dual Message Authorization System is a global real-time message processing system and is a component of the Mastercard Network. The Mastercard Network supports real-time authorization processing followed by batch reconciliation leading to settlement of funds between acquirers and issuers.

The Authorization System processing is integrated with the acquirer and issuer processing system communicates in real time to process authorization data to get an issuer decision.

Mastercard acquirers and issuers leverage the Authorization System to exchange financial transaction data captured at the point-of-interaction device to obtain an authorization decision.

The Authorization System consists of both hardware and software components. The physical computing infrastructure includes servers, routers, switches, and cabling. This hardware is configured with Mastercard's proprietary technology, which makes it a Mastercard interface processor (MIP) and is physically set up and connected with an acquirer or issuer processing system in their data centers.

**Plural Form:** Dual Message Authorization System

## Dual Message Clearing System

The Dual Message Clearing System, otherwise known as the Global Clearing Management System (GCMS), is a component of the Mastercard Network that provides a central mechanism for the exchange of offline financial clearing messages. All participants are both senders and receivers of clearing data.

**Plural Form:** Dual Message Clearing System

## echo

Data repeated back to the sender by the recipient to verify that it was received correctly.

## encryption

The process by which data is translated into secret code. Encryption is the most effective way to secure data. To read an encrypted file, the user must have access to a key or password that enables them to decrypt it.

## exception processing

A procedure for managing transactions that cannot be processed or which are interrupted.

## fraud

A deception deliberately practiced to secure unlawful gain.

## fraudulent transaction

A transaction effected using a cardholder's account number which is not engaged in or authorized by the cardholder. Such transactions are categorized as lost, stolen, not received, issued on a fraudulent application, counterfeit, fraudulent processing of transactions, account takeover (ATO), or other fraudulent conditions.

**Plural Form:** fraudulent transactions

## host

An intelligent processor or device that is connected to a network and satisfies the needs of remote users.

## Global Clearing Management System (GCMS)

Another term for the Dual Message Clearing System, the GCMS is a component of the Mastercard Network that provides a central mechanism for the exchange of offline financial clearing messages. All participants are both senders and receivers of clearing data.

**Plural Form:** Global Clearing Management System



**Abbreviation:** GCMS

## International Organization for Standardization (ISO)

The International Organization for Standardization (ISO) is a worldwide federation of national standards bodies from more than 160 countries, one from each member country. ISO is a non-governmental organization established in 1947 and based in Geneva. Its mission is to promote the development of standardization and related activities in the world with a view to facilitating the international exchange of goods and services, and to developing cooperation in the spheres of intellectual, scientific, technological and economic activity. ISO's work results in international agreements which are published as International Standards and other types of ISO deliverables.

## International Organization for Standardization 8583:1987

The international standard for bankcard-originated messages and interchange message specifications.

**Plural Form:** International Organization for Standardization (ISO) 8583:1987

**Abbreviation:** ISO 8583:1987

## International Organization for Standardization 8583:1993

The international standard for bankcard-originated messages and interchange message specifications.

**Plural Form:** International Organization for Standardization (ISO) 8583:1993

**Abbreviation:** ISO 8583:1993

## issuer

An issuer is a licensed Mastercard customer that issues cards or accounts and is responsible for approving or declining authorization requests. The issuer also bills cardholders and supports clearing and settlement functions to exchange funds between the cardholders account and the acquirer. Also referred to as an issuing bank, issuer bank, cardholder bank, or issuing financial institution.

**Plural Form:** issuers

## issuer host

A term referring to customer host processing at the issuer's location.

## Mastercard Network

The computer hardware and software operated by and on behalf of the Corporation for the routing, processing, and settlement of Transactions and PTA Transactions including, without limitation, the Mastercard Network, the Mastercard ATM Network, the Dual Message System, the Single Message System, the Global Clearing Management System (GCMS), the Settlement Account Management (SAM) system, and the China Switch system.

**Plural Form:** Mastercard Network

## Mastercard interface processor (MIP)

Front-end communications processor placed on-site at a Mastercard customer's facility or at a processor or hub site. The MIP provides access to the Mastercard Network.

**Plural Form:** Mastercard interface processors

**Abbreviation:** MIP

## Network

See Switch.

## Network Enablement Partner

A service provider that has a direct agreement with Mastercard and performs certain functions on behalf of one or more customers.

**Plural Form:** Network Enablement Partners

## primary issuer

Banking primary issuer, also known as an issuing bank or card issuer, is a financial institution that provides a cardholder with a payment card.

## processor

A processor provides authorization, clearing, or settlement services on behalf of a customer. Also referred to as a third-party processor or payment processor.

**Plural Form:** processors

## reason code

Also known as message reason code. For each chargeback, an issuer selects and submits a numeric reason code. This code assists the merchant and acquirer to diagnose errors and improves the customer experience.

**Plural Form:** reason codes

## receipt

A hard copy document recording a transaction that took place at the point of interaction, with a description that usually includes the date, merchant name/location, primary account number, amount, and reference number.

## reconciliation

Process by which settlement payments are balanced against amounts and totals provided by the association's processing systems.

## request

A message originated an interactive series of messages.

**Plural Form:** requests

## response code

Response codes indicate the disposition of a previous message or an action taken as a result of receipt of a previous message.

**Plural Form:** response codes

## response time

The elapsed time between the generation of the last character of a message at a terminal and the receipt of the first character of the reply. It includes terminal delay and network delay.

**Plural Form:** response times

## reversal message

A message relating to a reversal.

**Plural Form:** reversal messages

## service provider

A person or entity that is registered with Mastercard by a customer to perform services related to the customers issuing or an acquiring activity.

**Plural Form:** service providers

## Settlement

Aggregates financial positions from all clearing settlement information into one overall daily net settlement amount for each acquirer and issuer. Creating and distributing advisements (notifications) to acquirers and issuers along with Transfer Funds Orders to Settlement Banks for amounts to be transferred to or collected from acquirers and issuers.

## Single Message System

A global real-time message processing system and is a component of the Mastercard Network. The Mastercard Network supports real-time authorization processing followed by batch reconciliation leading to settlement of funds between acquirers and issuers.

Mastercard acquirers and issuers leverage the Single Message System to exchange financial transaction data captured at the point-of-interaction device. The Single Message System, through a single financial message interaction, fulfills authorization processing, reconciliation, and settlement functions.

The Single Message System consists of both hardware and software components. The physical computing infrastructure includes servers, routers, switches, and cabling. This hardware is configured with Mastercard's proprietary technology, which makes it a Mastercard interface processor (MIP) and is physically set up and connected with an acquirer or issuer processing system in their data centers.

**Plural Form:** Single Message System

**Abbreviation:** Single Message System

## Stand-In Authorization

Authorization processing provided by Mastercard for online issuers that are unavailable or that cannot be reached.

## Switch

The computer hardware and software operated by and on behalf of a payment scheme for the routing, processing, and settlement of transactions bearing the payment scheme brand in accordance with such payment scheme's rules and regulations, and which may also be used to route transactions to another payment scheme's switch or to route, process, and settle non-branded (also called private label) transactions as agreed by the participating parties. Also called a Network.

**Plural Form:** Switches

## Dual Message Switch

A Switch used to process transactions for which authorization and clearing occurs separately in a dual message format. The Mastercard Dual Message System (both authorization and clearing) is a Dual Message Switch.

## Single Message Switch

A Switch used to process transactions for which authorization and clearing occurs in a single message format. The Mastercard Single Message System is a Single Message Switch.

## transfer agent assignment (TAA)

A combination of the customer's transfer agent and the customer bank account number.

**Abbreviation:** TAA

## X-Code, X-Code Processing

A system that performs issuer functions by receiving and responding to authorization requests at the acquirer Mastercard interface processor (MIP).

## Appendix J Abbreviations and acronyms

---

|                                                    |      |
|----------------------------------------------------|------|
| acceptor business code (MCC).....                  | 2262 |
| account data compromise (ADC).....                 | 2262 |
| Account Holding Institution (AHI).....             | 2262 |
| Account Level Management (ALM).....                | 2262 |
| Account Management System (AMS).....               | 2262 |
| account status inquiry (ASI).....                  | 2262 |
| Accountholder Authentication Value (AAV).....      | 2262 |
| acquirer processing system (APS).....              | 2262 |
| Address Verification Service (AVS).....            | 2263 |
| advanced encryption standard (AES).....            | 2263 |
| Advice Reason Code (ARC).....                      | 2263 |
| annual equivalent charge rate (CAE).....           | 2263 |
| annual percentage rate (APR).....                  | 2263 |
| Application Authentication Cryptogram (AAC).....   | 2263 |
| Application Cryptogram (AC).....                   | 2263 |
| Application Transaction Counter (ATC).....         | 2263 |
| Authorization Characteristics Indicator (ACI)..... | 2264 |
| Automated Referral Service (ARS).....              | 2264 |
| Authorization Response Cryptogram (ARPC).....      | 2264 |
| automated fuel dispenser (AFD).....                | 2264 |
| automated response unit (ARU).....                 | 2264 |
| Automated Teller Machine (ATM).....                | 2264 |
| Bank Account Number (BAN).....                     | 2264 |
| Bank Identification Code (BIC).....                | 2264 |
| Bank Identification Number (BIN).....              | 2265 |
| Cadastro de Pessoa Física (CPF).....               | 2265 |
| Cadastro Nacional da Pessoa Jurídica (CNPJ).....   | 2265 |
| card acceptance device (CAD).....                  | 2265 |
| Card Identifier (CID).....                         | 2265 |
| Card Validation Code (CVC).....                    | 2265 |
| Card Verification Results (CVR).....               | 2265 |
| card-not-present (CNP).....                        | 2265 |
| cardholder activated terminal (CAT).....           | 2266 |
| cardholder verification method (CVM).....          | 2266 |
| conditional echo (CE).....                         | 2266 |

|                                                   |      |
|---------------------------------------------------|------|
| Cross-border fee manager (CBFM).....              | 2266 |
| currency conversion assessment (CCA).....         | 2266 |
| Customer Implementation Services (CIS).....       | 2266 |
| customer processing system (CPS).....             | 2266 |
| data element (DE).....                            | 2266 |
| data encryption algorithm (DEA).....              | 2267 |
| Data Encryption System (DES).....                 | 2267 |
| Debit Online Low Risk Merchant (DOLM).....        | 2267 |
| digital activity customer.....                    | 2267 |
| Digital Secure Remote Payments (DSRP).....        | 2267 |
| dynamic currency conversion (DCC).....            | 2267 |
| dynamic token verification code (DTVC).....       | 2267 |
| electronic funds transfer (EFT).....              | 2267 |
| electronic warning bulletin (EWB).....            | 2268 |
| embedded flexible interchange (EFI).....          | 2268 |
| end-of-file (EOF).....                            | 2268 |
| Enhanced Issuer Identification (EII).....         | 2268 |
| European Economic Area (EEA).....                 | 2268 |
| Financial Institution ID (FIID).....              | 2268 |
| flexible spending account (FSA).....              | 2268 |
| Global Automated Referral Service (GARS).....     | 2268 |
| Global Clearing Management System (GCMS).....     | 2269 |
| global file transfer (GFT).....                   | 2269 |
| health savings account (HSA).....                 | 2269 |
| healthcare reimbursement arrangement (HRA).....   | 2269 |
| Hypertext Transfer Protocol Secure (HTTPS).....   | 2269 |
| Integrated Circuit Card (ICC).....                | 2269 |
| interchange rate designator (IRD).....            | 2269 |
| interface device (IFD).....                       | 2269 |
| Intermediate Network Facilities (INF).....        | 2270 |
| international bank account number (IBAN).....     | 2270 |
| Inventory Information Approval System (IIAS)..... | 2270 |
| Issuer Currency Conversion Rate (ICCR).....       | 2270 |
| Issuer identification number (IIN).....           | 2270 |
| Integrated Product Message (IPM).....             | 2270 |
| Internet Protocol Security (IPSec).....           | 2270 |
| Internal Revenue Service (IRS).....               | 2270 |
| Key Encryption Key (KEK).....                     | 2271 |
| Key Management Services (KMS).....                | 2271 |

|                                                              |      |
|--------------------------------------------------------------|------|
| Longitudinal Redundancy Check (LRC).....                     | 2271 |
| Message Authentication Code (MAC).....                       | 2271 |
| Mastercard Brazilian Development Bank (BNDES).....           | 2271 |
| Mastercard Consolidated Billing System (MCBS).....           | 2271 |
| Mastercard Digital Enablement Service (MDES).....            | 2271 |
| Mastercard Debit Switch (MDS).....                           | 2271 |
| multi-factor authentication (MFA).....                       | 2272 |
| master file key (MFK).....                                   | 2272 |
| Maestro Low Risk Merchant Program (MLRMP).....               | 2272 |
| Mastercard Network Gateway Services Platform (MNGS).....     | 2272 |
| member key ID (MKID).....                                    | 2272 |
| Mastercard Parameter Extract (MPE).....                      | 2272 |
| Message Type Identifier (MTI).....                           | 2272 |
| Maestro Utility Payment Program (MUPP).....                  | 2272 |
| On-Behalf Key Management (OBKM).....                         | 2273 |
| optical character reader (OCR).....                          | 2273 |
| Primary Account Number (PAN).....                            | 2273 |
| private data subelement (PDS).....                           | 2273 |
| Programa de Alimentação do Trabalhador (PAT).....            | 2273 |
| PIN Encryption Key (PEK).....                                | 2273 |
| point-of-interaction (POI).....                              | 2273 |
| purchase with cash back (PWCB).....                          | 2273 |
| PIN verification keys (PVKs).....                            | 2274 |
| PIN verification value (PVV).....                            | 2274 |
| Quick Payment Service (QPS).....                             | 2274 |
| real card number (RCN).....                                  | 2274 |
| Settlement Account Management (S.A.M.).....                  | 2274 |
| secure payment application (SPA).....                        | 2274 |
| Secure Sockets Layer (SSL).....                              | 2274 |
| Short Message Service (SMS).....                             | 2274 |
| Single Message Transaction Manager (SMTM).....               | 2275 |
| Special Interest Group of IIAS Standards (SIGIS).....        | 2275 |
| store-and-forward (SAF).....                                 | 2275 |
| strong customer authentication (SCA).....                    | 2275 |
| switch serial number.....                                    | 2275 |
| Systems Trace Audit Number (STAN).....                       | 2275 |
| Swedish Domestic Authorization Switching Service (SASS)..... | 2275 |
| Transaction Category Code (TCC).....                         | 2275 |
| triple data encryption algorithm (TDEA).....                 | 2276 |



|                                                                           |      |
|---------------------------------------------------------------------------|------|
| Triple Data Encryption Standard (3DES).....                               | 2276 |
| Trusted Execution Environment (TEE).....                                  | 2276 |
| Transaction Enablement Service (TES).....                                 | 2276 |
| Transaction information document (TID).....                               | 2276 |
| Transaction Link ID (TLID).....                                           | 2276 |
| Transport Layer Security (TLS).....                                       | 2276 |
| Tamper-Resistant Security Module (TRSM).....                              | 2276 |
| Terminal Verification Results (TVR).....                                  | 2277 |
| Identification Number (UID).....                                          | 2277 |
| United States (U.S.).....                                                 | 2277 |
| Universal Cardholder Authentication Field (UCAF).....                     | 2277 |
| unique key per terminal/derived unique key per terminal (UKPT/DUKPT)..... | 2277 |
| unpredictable number (UN).....                                            | 2277 |
| uniform resource locator (URL).....                                       | 2277 |
| Universal Time (UTC).....                                                 | 2277 |
| value-added tax (VAT).....                                                | 2278 |
| virtual card number (VCN).....                                            | 2278 |
| SLI.....                                                                  | 2278 |
| EFI.....                                                                  | 2278 |
| CPS.....                                                                  | 2278 |
| EMS.....                                                                  | 2278 |
| CVV.....                                                                  | 2278 |

## acceptor business code (MCC)

**Abbreviation:** MCC

## account data compromise (ADC)

**Abbreviation:** ADC

## Account Holding Institution (AHI)

**Abbreviation:** AHI

## Account Level Management (ALM)

**Abbreviation:** ALM

## Account Management System (AMS)

**Abbreviation:** AMS

## account status inquiry (ASI)

**Abbreviation:** ASI

## Accountholder Authentication Value (AAV)

**Abbreviation:** AAV

## acquirer processing system (APS)

**Abbreviation:** APS

## Address Verification Service (AVS)

**Abbreviation:** AVS

## advanced encryption standard (AES)

**Abbreviation:** AES

## Advice Reason Code (ARC)

**Abbreviation:** ARC

## annual equivalent charge rate (CAE)

**Abbreviation:** CAE

## annual percentage rate (APR)

**Abbreviation:** APR

## Application Authentication Cryptogram (AAC)

**Abbreviation:** AAC

## Application Cryptogram (AC)

**Abbreviation:** AC

## Application Transaction Counter (ATC)

**Abbreviation:** ATC

## Authorization Characteristics Indicator (ACI)

**Abbreviation:** ACI

## Automated Referral Service (ARS)

**Abbreviation:** ARS

## Authorization Response Cryptogram (ARPC)

**Abbreviation:** ARPC

## automated fuel dispenser (AFD)

**Abbreviation:** AFD

## automated response unit (ARU)

**Abbreviation:** ARU

## Automated Teller Machine (ATM)

**Plural Form:** Automated Teller Machine (ATM)

**Abbreviation:** ATM

## Bank Account Number (BAN)

**Abbreviation:** BAN

## Bank Identification Code (BIC)

**Abbreviation:** BIC

## Bank Identification Number (BIN)

**Abbreviation:** BIN

## Cadastro de Pessoa Física (CPF)

**Abbreviation:** CPF

## Cadastro Nacional da Pessoa Jurídica (CNPJ)

**Abbreviation:** CNPJ

## card acceptance device (CAD)

**Abbreviation:** CAD

## Card Identifier (CID)

**Abbreviation:** CID

## Card Validation Code (CVC)

**Abbreviation:** CVC

## Card Verification Results (CVR)

**Abbreviation:** CVR

## card-not-present (CNP)

**Abbreviation:** CNP

## cardholder activated terminal (CAT)

**Abbreviation:** CAT

## cardholder verification method (CVM)

**Abbreviation:** CVM

## conditional echo (CE)

**Abbreviation:** CE

## Cross-border fee manager (CBFM)

**Abbreviation:** CBFM

## currency conversion assessment (CCA)

**Abbreviation:** CCA

## Customer Implementation Services (CIS)

**Abbreviation:** CIS

## customer processing system (CPS)

**Abbreviation:** CPS

## data element (DE)

**Abbreviation:** DE

## data encryption algorithm (DEA)

**Abbreviation:** DEA

## Data Encryption System (DES)

**Abbreviation:** DES

## Debit Online Low Risk Merchant (DOLM)

**Abbreviation:** DOLM

## digital activity customer

**Abbreviation:** DAC

## Digital Secure Remote Payments (DSRP)

**Abbreviation:** DSRP

## dynamic currency conversion (DCC)

**Abbreviation:** DCC

## dynamic token verification code (DTVC)

**Abbreviation:** DTVC

## electronic funds transfer (EFT)

**Abbreviation:** EFT

## electronic warning bulletin (EWB)

**Abbreviation:** EWB

## embedded flexible interchange (EFI)

**Abbreviation:** EFI

## end-of-file (EOF)

**Abbreviation:** EOF

## Enhanced Issuer Identification (EII)

**Abbreviation:** EII

## European Economic Area (EEA)

**Abbreviation:** EEA

## Financial Institution ID (FIID)

**Abbreviation:** FIID

## flexible spending account (FSA)

**Abbreviation:** FSA

## Global Automated Referral Service (GARS)

**Abbreviation:** GARS



## Global Clearing Management System (GCMS)

**Abbreviation:** GCMS

## global file transfer (GFT)

**Abbreviation:** GFT

## health savings account (HSA)

**Abbreviation:** HSA

## healthcare reimbursement arrangement (HRA)

**Abbreviation:** HRA

## Hypertext Transfer Protocol Secure (HTTPS)

**Abbreviation:** HTTPS

## Integrated Circuit Card (ICC)

**Abbreviation:** ICC

## interchange rate designator (IRD)

**Abbreviation:** IRD

## interface device (IFD)

**Abbreviation:** IFD

## Intermediate Network Facilities (INF)

**Abbreviation:** INF

## international bank account number (IBAN)

**Abbreviation:** IBAN

## Inventory Information Approval System (IIAS)

**Abbreviation:** IIAS

## Issuer Currency Conversion Rate (ICCR)

**Abbreviation:** ICCR

## Issuer identification number (IIN)

**Abbreviation:** IIN

## Integrated Product Message (IPM)

**Abbreviation:** IPM

## Internet Protocol Security (IPSec)

**Abbreviation:** IPSec

## Internal Revenue Service (IRS)

**Abbreviation:** IRS

## Key Encryption Key (KEK)

**Abbreviation:** KEK

## Key Management Services (KMS)

**Abbreviation:** KMS

## Longitudinal Redundancy Check (LRC)

**Abbreviation:** LRC

## Message Authentication Code (MAC)

**Abbreviation:** MAC

## Mastercard Brazilian Development Bank (BNDES)

**Abbreviation:** BNDES

## Mastercard Consolidated Billing System (MCBS)

**Abbreviation:** MCBS

## Mastercard Digital Enablement Service (MDES)

**Abbreviation:** MDES

## Mastercard Debit Switch (MDS)

**Abbreviation:** MDS

## multi-factor authentication (MFA)

**Abbreviation:** MFA

## master file key (MFK)

**Abbreviation:** MFK

## Maestro Low Risk Merchant Program (MLRMP)

**Abbreviation:** MLRMP

## Mastercard Network Gateway Services Platform (MNGS)

**Abbreviation:** MNGS

## member key ID (MKID)

**Abbreviation:** MKID

## Mastercard Parameter Extract (MPE)

**Abbreviation:** MPE

## Message Type Identifier (MTI)

**Plural Form:** Message Type Identifiers

**Abbreviation:** MTI

## Maestro Utility Payment Program (MUPP)

**Abbreviation:** MUPP

## On-Behalf Key Management (OBKM)

**Abbreviation:** OBKM

## optical character reader (OCR)

**Abbreviation:** OCR

## Primary Account Number (PAN)

**Abbreviation:** PAN

## private data subelement (PDS)

**Abbreviation:** PDS

## Programa de Alimentação do Trabalhador (PAT)

**Abbreviation:** PAT

## PIN Encryption Key (PEK)

**Abbreviation:** PEK

## point-of-interaction (POI)

**Abbreviation:** POI

## purchase with cash back (PWCB)

**Abbreviation:** PWCB

## PIN verification keys (PVKs)

**Abbreviation:** PVKs

## PIN verification value (PVV)

**Abbreviation:** PVV

## Quick Payment Service (QPS)

**Abbreviation:** QPS

## real card number (RCN)

**Abbreviation:** RCN

## Settlement Account Management (S.A.M.)

**Abbreviation:** S.A.M.

## secure payment application (SPA)

**Abbreviation:** SPA

## Secure Sockets Layer (SSL)

**Abbreviation:** SSL

## Short Message Service (SMS)

**Abbreviation:** SMS

## Single Message Transaction Manager (SMTM)

**Abbreviation:** SMTM

## Special Interest Group of IIAS Standards (SIGIS)

**Abbreviation:** SIGIS

## store-and-forward (SAF)

**Abbreviation:** SAF

## strong customer authentication (SCA)

**Abbreviation:** SCA

## switch serial number

**Abbreviation:** SSN

## Systems Trace Audit Number (STAN)

**Abbreviation:** STAN

## Swedish Domestic Authorization Switching Service (SASS)

**Abbreviation:** SASS

## Transaction Category Code (TCC)

**Abbreviation:** TCC

## triple data encryption algorithm (TDEA)

**Abbreviation:** TDEA

## Triple Data Encryption Standard (3DES)

**Abbreviation:** 3DES

## Trusted Execution Environment (TEE)

**Abbreviation:** TEE

## Transaction Enablement Service (TES)

**Abbreviation:** TES

## Transaction information document (TID)

**Abbreviation:** TID

## Transaction Link ID (TLID)

**Abbreviation:** TLID

## Transport Layer Security (TLS)

**Abbreviation:** TLS

## Tamper-Resistant Security Module (TRSM)

**Abbreviation:** TRSM



## Terminal Verification Results (TVR)

**Abbreviation:** TVR

## Identification Number (UID)

**Abbreviation:** UID

## United States (U.S.)

**Abbreviation:** U.S.

## Universal Cardholder Authentication Field (UCAF)

**Abbreviation:** UCAF

## unique key per terminal/derived unique key per terminal (UKPT/ DUKPT)

**Abbreviation:** UKPT/DUKPT

## unpredictable number (UN)

**Abbreviation:** UN

## uniform resource locator (URL)

**Abbreviation:** URL

## Universal Time (UTC)

**Abbreviation:** UTC

## value-added tax (VAT)

**Abbreviation:** VAT

## virtual card number (VCN)

**Abbreviation:** VCN

## SLI

## EFI

## CPS

## EMS

## CVV

## Appendix K Data element listing

This table is a listing of all the data elements in numerical order.

The lengths listed in the attribute column are ISO-defined.

### Data element listing

| Number | Name                                | Attribute          |
|--------|-------------------------------------|--------------------|
| -      | Message Type Identifier (MTI)       | n-4                |
| -      | Bit Map, Primary                    | b-8                |
| 1      | Bit Map, Secondary                  | b-8                |
| 2      | Primary Account Number (PAN)        | n...19; LLVAR      |
| 3      | Processing Code                     | n-6                |
| 4      | Amount, Transaction                 | n-12               |
| 5      | Amount, Reconciliation              | n-12               |
| 6      | Amount, Cardholder Billing          | n-12               |
| 9      | Conversion Rate, Reconciliation     | n-8                |
| 10     | Conversion Rate, Cardholder Billing | n-8                |
| 12     | Date and Time, Local Transaction    | n-12; YYMMDDhhmmss |
| 14     | Date, Expiration                    | n-4; YYMM          |
| 22     | Point of Service Data Code          | an-12              |
| 23     | Card Sequence Number                | n-3                |
| 24     | Function Code                       | n-3                |
| 25     | Message Reason Code                 | n-4                |
| 26     | Acceptor Business Code (MCC)        | n-4                |
| 30     | Amounts, Original                   | n-24               |
| 31     | Acquirer Reference Data             | n-23; LLVAR        |
| 32     | Acquiring Institution ID Code       | n...11; LLVAR      |
| 33     | Forwarding Institution ID Code      | n...11; LLVAR      |
| 37     | Retrieval Reference Number          | ans-12             |
| 38     | Approval Code                       | ans-6              |
| 40     | Service Code                        | n-3                |
| 41     | Acceptor Terminal ID                | ans-8              |

| Number | Name                                                 | Attribute         |
|--------|------------------------------------------------------|-------------------|
| 42     | Acceptor ID Code                                     | ans-15            |
| 43     | Acceptor Name/Location                               | ans...99; LLLVAR  |
| 48     | Additional Data                                      | an...999; LLLVAR  |
| 49     | Currency Code, Transaction                           | n-3               |
| 50     | Currency Code, Reconciliation                        | n-3               |
| 51     | Currency Code, Cardholder Billing                    | n-3               |
| 54     | Amounts, Additional                                  | ans-20; LLLVAR    |
| 55     | Integrated Circuit Card (ICC)<br>System Related Data | b...255; LLLVAR   |
| 62     | Additional Data 2                                    | ans...999; LLLVAR |
| 63     | Transaction Life Cycle ID                            | ans-16; LLLVAR    |
| 71     | Message Number                                       | n-8               |
| 72     | Data Record                                          | ans...999; LLLVAR |
| 73     | Date, Action                                         | n-6; YYMMDD       |
| 93     | Transaction Destination Institution<br>ID Code       | n...11; LLVAR     |
| 94     | Transaction Originator Institution<br>ID Code        | n...11; LLVAR     |
| 95     | Card Issuer Reference Data                           | n-10; LLVAR       |
| 100    | Receiving Institution ID Code                        | n...11; LLVAR     |
| 105    | Multi-Use Transaction Identification<br>Data         | ans...999; LLLVAR |
| 111    | Amount, Currency Conversion<br>Assessment            | n-12; LLLVAR      |
| 123    | Additional Data 3                                    | ans...999; LLLVAR |
| 124    | Additional Data 4                                    | ans...999; LLLVAR |
| 125    | Additional Data 5                                    | ans...999; LLLVAR |

## Appendix L PDS listing

This table is a listing of PDSs 0001–1099 in numerical order.

### PDS Listing

| Number | Length  | Name                                                 | Attribute            |
|--------|---------|------------------------------------------------------|----------------------|
| 0001   | Var...  | Mastercard Mapping Service Account Number            | ans...21; TAGLLLVAR  |
| 0002   | 003     | GCMS Product Identifier                              | ans-3; TAGLLL        |
| 0003   | 003     | Licensed Product Identifier                          | ans-3; TAGLLL        |
| 0004   | 036     | Funding Account Information                          | an...36; TAGLLLVAR   |
| 0005   | Var...  | Message Error Indicator                              | ans...140; TAGLLLVAR |
| 0006   | 010     | Applied Business Service Arrangement                 | ans-10; TAGLLL       |
| 0012   | 001–048 | Authorization Matching Data                          | ans...048; TAGLLLVAR |
| 0017   | 002     | Transaction Integrity Class                          | an-2; TAGLLL         |
| 0023   | 003     | Terminal Type                                        | ans-3; TAGLLL        |
| 0025   | Var...  | Message Reversal Indicator                           | an...7; TAGLLLVAR    |
| 0026   | Var...  | File Reversal Indicator                              | an...7; TAGLLLVAR    |
| 0042   | 001     | Merchant Capability                                  | ans-1; TAGLLL        |
| 0043   | 003     | Transaction Type Identifier                          | ans-3; TAGLLL        |
| 0044   | Var...  | Program Participation Indicator                      | ans...20; TAGLLLVAR  |
| 0045   | 001     | Mastercard Generated Installment Identifier          | a-1; TAGLLL          |
| 0046   | 004     | Japan Common Merchant Code                           | ans-4; TAGLLL        |
| 0052   | 003     | Electronic Commerce Security Level Indicator         | n-3; TAGLLL          |
| 0056   | 001     | Mastercard Electronic Card Indicator                 | a-1; TAGLLL          |
| 0057   | 002     | Transaction Category Indicator                       | n-2.; TAGLLL         |
| 0071   | 003     | Chip to Magnetic Stripe Conversion Service Indicator | ans-4; TAGLLL        |
| 0072   | 001     | Authentication Indicator                             | n-1; TAGLLL          |
| 0080   | 060     | Amount, Tax                                          | ans...060; TAGLLLVAR |
| 0105   | 025     | File ID                                              | n-25; TAGLLL         |
| 0110   | 025     | Transmission ID                                      | n-25; TAGLLL         |
| 0122   | 001     | Processing Mode                                      | ans-1; TAGLLL        |

| Number | Length | Name                                          | Attribute            |
|--------|--------|-----------------------------------------------|----------------------|
| 0137   | Var... | Fee Collection Control Number                 | n...20; TAGLLLVAR    |
| 0138   | 008    | Source Message Number ID                      | n-8; TAGLLL          |
| 0140   | 008    | Amount, Cardholder Billing Amounts USD        | n-8; TAGLLL          |
| 0141   | Var... | Customer Currency Conversion Revenue Data     | n-25; TAGLLLVAR      |
| 0146   | Var... | Amounts, Transaction Fee                      | n...432; TAGLLLVAR   |
| 0147   | Var... | Extended Precision Amounts                    | n...576; TAGLLLVAR   |
| 0148   | Var... | Currency Exponents                            | ans...60; TAGLLLVAR  |
| 0149   | 006    | Currency Codes, Amounts, Original             | n-6; TAGLLL          |
| 0157   | 004    | Alternate Processor Indicator                 | ans...4; TAGLLL      |
| 0158   | Var... | Business Activity                             | ans...30; TAGLLLVAR  |
| 0159   | Var... | Settlement Data                               | ans...67; TAGLLLVAR  |
| 0160   | Var... | Settlement Data, Multiple                     | n-108; TAGLLL        |
| 0164   | Var... | Currency Cross Rates                          | ans...230; TAGLLLVAR |
| 0165   | Var... | Settlement Indicator                          | ans...30; TAGLLLVAR  |
| 0170   | Var... | Acceptor Inquiry Information                  | ans...57; TAGLLLVAR  |
| 0171   | Var... | Alternate Acceptor Description Data           | ans...201; TAGLLLVAR |
| 0172   | Var... | Sole Proprietor Name                          | ans...30; TAGLLLVAR  |
| 0173   | Var... | Legal Corporate Name                          | ans...30; TAGLLLVAR  |
| 0174   | 015    | Dun & Bradstreet Number                       | n-15; TAGLLL         |
| 0175   | Var... | Acceptor URL                                  | ans...255; TAGLLLVAR |
| 0176   | 006    | Mastercard Assigned ID                        | ans-6; TAGLLL        |
| 0177   | 002    | Cross-border                                  | a-2; TAGLLL          |
| 0178   | Var... | Alternate Acceptor Description Data 2         | ans...201; TAGLLLVAR |
| 0179   | 002    | Long Running Transaction (LRT) Indicator      | n-2; TAGLLL          |
| 0180   | Var... | Domestic Acceptor Tax ID                      | ans-020; TAGLLLVAR   |
| 0181   | Var... | Installment Payment Data                      | an...50; TAGLLLVAR   |
| 0182   | 087    | Installment Payment Cardholder Statement Data | ans-87; TAGLLL       |
| 0183   | 039    | Brazil Post-Dated Transaction Data            | an-39; TAGLLL        |
| 0188   | Var... | Private Data, Proprietary In Control Data     | ans...99; TAGLLLVAR  |
| 0189   | 041    | Point-of-Interaction (POI) Phone Data         | ans-41; TAGLLL       |

| Number | Length | Name                                                    | Attribute             |
|--------|--------|---------------------------------------------------------|-----------------------|
| 0190   | Var... | Partner ID Code                                         | ans...6; TAGLLLLVAR   |
| 0191   | 001    | Originating Message Format                              | n-1; TAGLLL           |
| 0192   | 003    | Payment Transaction Initiator                           | ans-3; TAGLLL         |
| 0194   | 001    | Remote Payments Program Data                            | n...1; TAGLLL         |
| 0195   | Var... | Installment Data                                        | an...27; TAGLLLLVAR   |
| 0196   | Var... | Mobile Phone Reload Data                                | ans...47; TAGLLLLVAR  |
| 0197   | 053    | National Use Tax Data                                   | n-53; TAGLLL          |
| 0198   | 002    | Device Type                                             | an-2; TAGLLL          |
| 0199   | 0199   | Funding Transaction Information                         | ans...199; TAGLLLLVAR |
| 0200   | 006    | Device Type                                             | n-2; TAGLLL           |
| 0207   | 001    | Wallet Identifier                                       | an-3; TAGLLLLVAR      |
| 0208   | Var... | Additional Merchant Data                                | ans...26; TAGLLLLVAR  |
| 0209   | 011    | Independent Sales Organization ID                       | n-11; TAGLLL          |
| 0210   | 004    | Transit Program                                         | n...4; TAGLLL         |
| 0211   | 002    | Terminal Compliant Indicator                            | n-2; TAGLLL           |
| 0215   | 106    | Mastercard Merchant Data Advance                        | ans-106; TAGLLLLVAR   |
| 0217   |        |                                                         |                       |
| 0228   | 001    | Retrieval Document Code                                 | n-1; TAGLLL           |
| 0230   | 001    | Fulfillment Document Code                               | n-1; TAGLLL           |
| 0241   | Var... | MasterCom Control Number                                | ans...7; TAGLLLLVAR   |
| 0243   | Var... | MasterCom Retrieval Response Data                       | ans...38; TAGLLLLVAR  |
| 0244   | Var... | MasterCom Chargeback Support Documentation Dates        | ans...12; TAGLLLLVAR  |
| 0245   | 006    | MasterCom Arbitration Chargeback Sender Processing Date | n-6; TAGLLL           |
| 0246   | Var... | MasterCom Sender Memo                                   | ans...100; TAGLLLLVAR |
| 0247   | Var... | MasterCom Receiver Memo                                 | ans...100; TAGLLLLVAR |
| 0248   | Var... | MasterCom Image Review Memo                             | ans...100; TAGLLLLVAR |
| 0249   | Var... | MasterCom Record ID                                     | n...10; TAGLLLLVAR    |
| 0250   | 014    | MasterCom Endpoints                                     | n-14; TAGLLL          |
| 0251   | 001    | MasterCom Fulfillment Document Code                     | n-1; TAGLLL           |

| Number | Length                      | Name                                                | Attribute            |
|--------|-----------------------------|-----------------------------------------------------|----------------------|
| 0252   | Var...                      | MasterCom Image Metadata                            | ans...124; TAGLLVAR  |
| 0253   | Var...                      | MasterCom System Enhanced Data                      | ans...992; TAGLLVAR  |
| 0254   | Var...                      | MasterCom Member Enhanced Data                      | ans...992; TAGLLVAR  |
| 0255   | Var...                      | MasterCom Message Type                              | ans...7; TAGLLVAR    |
| 0260   | Var...                      | Edit Exclusion Indicator                            | ans...4; TAGLLVAR    |
| 0261   | 011                         | Risk Management Approval Code                       | n-11; TAGLLL         |
| 0262   | 001                         | Documentation Indicator                             | n-1; TAGLLL          |
| 0264   | 004                         | Original Retrieval Reason for Request               | n-4; TAGLLL          |
| 0265   | Var...                      | Initial Presentment/Fee Collection Data             | ans...110; TAGLLVAR  |
| 0266   | Var...                      | First Chargeback/Fee Collection Return Data         | ans...127; TAGLLVAR  |
| 0267   | Var...                      | Second Presentment/Fee Collection Resubmission Data | ans...127; TAGLLVAR  |
| 0268   | 015                         | Amount, Partial Transaction                         | n-15; TAGLLL         |
| 0275   | 015-038                     | Account Level Management Service Data               | ans... 038; TAGLLVAR |
| 0280   | 025                         | Source File ID                                      | n-25; TAGLLL         |
| 0297   | 020-060 in increments of 20 | Amount, Mexico Domestic [VAT]                       | ans...060; TAGLLVAR  |
| 0298   | 036-432 in increments of 36 | Amount, Mexico Domestic Transaction Fee             | n...432; TAGLLVAR    |
| 0299   | 001-067                     | Mexico Domestic Settlement Data for Fees and VAT    | ans...67; TAGLLVAR   |
| 0300   | 025                         | Reconciled, File                                    | n-25; TAGLLL         |
| 0301   | 016                         | File Amount, Checksum                               | n-16; TAGLLL         |
| 0302   | 001                         | Reconciled, Member Activity                         | a-1; TAGLLL          |
| 0306   | 008                         | File Message Counts                                 | n-8; TAGLLL          |
| 0358   | Var...                      | Reconciled, Business Activity                       | ans...30; TAGLLVAR   |
| 0359   | Var...                      | Reconciled, Settlement Activity                     | ans...67; TAGLLVAR   |
| 0367   | 003                         | Reconciled, Card Program Identifier                 | ans-3; TAGLLL        |
| 0368   | 002                         | Reconciled, Transaction Function Group Code         | ans-2; TAGLLL        |
| 0369   | 006                         | Reconciled, Acquirer's BIN                          | n-6; TAGLLL          |
| 0370   | Var...                      | Reconciled, Account Range                           | n...38; TAGLLVAR     |



| Number | Length                                           | Name                                                           | Attribute            |
|--------|--------------------------------------------------|----------------------------------------------------------------|----------------------|
| 0372   | 007                                              | Reconciled, Transaction Function                               | n-7; TAGLLL          |
| 0374   | 002                                              | Reconciled, Processing Code                                    | n-2; TAGLLL          |
| 0375   | Var...                                           | Member Reconciliation Indicator 1                              | ans...50; TAGLLLVAR  |
| 0378   | 001                                              | Original/Reversal/Totals Indicator                             | a-1; TAGLLL          |
| 0380   | 017                                              | Debits, Transaction Amount in Transaction Currency             | an-17; TAGLLL        |
| 0381   | 017                                              | Credits, Transaction Amount in Transaction Currency            | an-17; TAGLLL        |
| 0384   | 017                                              | Amount, Net Transaction in Transaction Currency                | an-17; TAGLLL        |
| 0385   | 019 - 057<br>positions in<br>increments of<br>19 | Debits, Mexico Domestic VAT Amount in Reconciliation Currency  | an...57; TAGLLL      |
| 0386   | 019 - 057<br>positions in<br>increments of<br>19 | Credits, Mexico Domestic VAT Amount in Reconciliation Currency | an...57; TAGLLL      |
| 0387   | 016                                              | Amount, Net Mexico Domestic VAT in Reconciliation Currency     | an-16; TAGLLL        |
| 0390   | 017                                              | Debits, Transaction Amount in Reconciliation Currency          | an-17; TAGLLL        |
| 0391   | 017                                              | Credits, Transaction Amount in Reconciliation Currency         | an-17; TAGLLL        |
| 0392   | Var...                                           | Debits, Fee Amounts in Reconciliation Currency                 | an...216; TAGLLLVAR  |
| 0393   | Var...                                           | Credits, Fee Amounts in Reconciliation Currency                | an...216; TAGLLLVAR  |
| 0394   | 017                                              | Amount, Net Transaction in Reconciliation Currency             | an-17; TAGLLL        |
| 0395   | 016                                              | Amount, Net Fee in Reconciliation Currency                     | an-16; TAGLLL        |
| 0396   | 017                                              | Amount, Net Total in Reconciliation Currency                   | an-17; TAGLLL        |
| 0397   | Var...                                           | Debits, Extended Precision Amount in Reconciliation Currency   | ans...252; TAGLLLVAR |
| 0398   | Var...                                           | Credits, Extended Precision Amount in Reconciliation Currency  | an...252; TAGLLLVAR  |

| Number | Length | Name                                                      | Attribute           |
|--------|--------|-----------------------------------------------------------|---------------------|
| 0399   | 019    | Amount, Net Extended Precision in Reconciliation Currency | an-19; TAGLLL       |
| 0400   | 010    | Debits, Transaction Number                                | n-10; TAGLLL        |
| 0401   | 010    | Credits, Transaction Number                               | n-10; TAGLLL        |
| 0402   | 010    | Total, Transaction Number                                 | n-10; TAGLLL        |
| 0501   | 016    | Transaction Description                                   | n-16; TAGLLL        |
| 0502   | Var... | Custom Identifier                                         | ans...82; TAGLLLVAR |
| 0503   | 004    | Travel Agency Sequence Number                             | ans-4; TAGLLL       |
| 0504   | Var... | Travel Agency Fee                                         | ans...42; TAGLLLVAR |
| 0505   | Var... | Passenger Name                                            | ans...29; TAGLLLVAR |
| 0506   | 015    | Ticket Number                                             | ans-15; TAGLLL      |
| 0507   | 004    | Issuing Carrier                                           | ans-4; TAGLLL       |
| 0508   | Var... | Customer Code                                             | ans...25; TAGLLLVAR |
| 0509   | 006    | Issue Date                                                | n-6; TAGLLL         |
| 0510   | 008    | Travel Agency Code                                        | ans-8; TAGLLL       |
| 0511   | Var... | Travel Agency Name                                        | ans...25; TAGLLLVAR |
| 0512   | 012    | Total Fare                                                | n-12; TAGLLL        |
| 0513   | 012    | Total Fees                                                | n-12; TAGLLL        |
| 0514   | 012    | Total Taxes                                               | n-12; TAGLLL        |
| 0515   | Var... | Additional Acceptor Information                           | ans...40; TAGLLLVAR |
| 0516   | 015    | Austin–Tetra Number                                       | ans-15; TAGLLL      |
| 0517   | 015    | NAICS Code                                                | ans-15; TAGLLL      |
| 0518   | 006    | Line Item Date                                            | n-6; TAGLLL         |
| 0519   | 014    | Additional Fuel Location Information                      | an-14; TAGLLL       |
| 0520   | 006    | Travel Date                                               | n-6; TAGLLL         |
| 0521   | 002    | Carrier Code                                              | ans-2; TAGLLL       |
| 0522   | 002    | Service Class Code                                        | ans-2; TAGLLL       |
| 0523   | 005    | City of Origin/Airport Code                               | ans-5; TAGLLL       |
| 0524   | 005    | City of Destination/Airport Code                          | ans-5; TAGLLL       |
| 0525   | 001    | Stop Over Code                                            | ans-1; TAGLLL       |
| 0526   | 015    | Conjunction Ticket                                        | ans-15; TAGLLL      |

| Number | Length | Name                                    | Attribute           |
|--------|--------|-----------------------------------------|---------------------|
| 0527   | 015    | Exchange Ticket                         | ans-15; TAGLLL      |
| 0528   | 001    | Coupon Number                           | ans-1; TAGLLL       |
| 0529   | Var... | Fare Basis Code                         | ans...15; TAGLLLVAR |
| 0530   | 005    | Flight Number                           | ans-5; TAGLLL       |
| 0531   | 005    | Departure Time                          | ans-5; TAGLLL       |
| 0532   | 014    | Total Charges                           | ans-14; TAGLLL      |
| 0533   | 005    | Arrival Time                            | ans-5; TAGLLL       |
| 0534   | 014    | Total Non-Room Charges                  | ans-14; TAGLLL      |
| 0535   | 012    | Fare                                    | n-12; TAGLLL        |
| 0536   | 012    | Fee                                     | n-12; TAGLLL        |
| 0537   | 012    | Taxes                                   | n-12; TAGLLL        |
| 0538   | Var... | Endorsements/Restrictions               | ans...20; TAGLLLVAR |
| 0539   | 014    | Total Amount Charged on Card            | ans-14; TAGLLL      |
| 0540   | 014    | Room Service Charges                    | ans-14; TAGLLL      |
| 0541   | 014    | Lounge/Bar Charges                      | ans-14; TAGLLL      |
| 0542   | 014    | Transportation Charges                  | ans-14; TAGLLL      |
| 0543   | 014    | Gratuity Charges                        | ans-14; TAGLLL      |
| 0544   | 009    | Rental Agreement Number                 | ans-9; TAGLLL       |
| 0545   | Var... | Renter Name                             | ans...40; TAGLLLVAR |
| 0546   | Var... | Rental Return City                      | ans...25; TAGLLLVAR |
| 0547   | 003    | Rental Return State/Province            | ans-3; TAGLLL       |
| 0548   | 003    | Rental Return Country                   | ans-3; TAGLLL       |
| 0549   | 010    | Rental Return Location ID               | ans-10; TAGLLL      |
| 0550   | 006    | Rental Return Date                      | n-6; TAGLLL         |
| 0551   | 006    | Rental Check-out Date                   | n-6; TAGLLL         |
| 0552   | 017    | Customer Service Toll-Free (800) Number | ans-17; TAGLLL      |
| 0553   | 013    | Rental Rate                             | ans-13; TAGLLL      |
| 0554   | 014    | Conference Room Charges                 | ans-14; TAGLLL      |
| 0555   | 012    | Rate per Mile (or per Kilometer)        | n-12; TAGLLL        |
| 0556   | 004    | Total Miles (or Kilometers)             | n-4; TAGLLL         |
| 0557   | 004    | Maximum Free Miles (or Kilometers)      | n-4; TAGLLL         |

| Number | Length | Name                             | Attribute           |
|--------|--------|----------------------------------|---------------------|
| 0558   | 001    | Miles/Kilometers Indicator       | as-1; TAGLLL        |
| 0559   | 013    | Vehicle Insurance                | ans-13; TAGLLL      |
| 0560   | 014    | Audio Visual Charges             | ans-14; TAGLLL      |
| 0561   | 013    | Adjusted Amount                  | ans-13; TAGLLL      |
| 0562   | 014    | Banquet Charges                  | ans-14; TAGLLL      |
| 0563   | 002    | Program Code                     | ans-2; TAGLLL       |
| 0564   | Var... | Rental Location City             | ans...25; TAGLLLVAR |
| 0565   | 003    | Rental Location State/Province   | ans-3; TAGLLL       |
| 0566   | 003    | Rental Location Country          | as-3; TAGLLL        |
| 0567   | 010    | Rental Location ID               | ans-10; TAGLLL      |
| 0568   | 004    | Rental Class ID                  | ans-4; TAGLLL       |
| 0569   | 014    | Internet Access Charges          | ans-14; TAGLLL      |
| 0570   | 014    | Early Departure Charges          | ans-14; TAGLLL      |
| 0571   | Var... | Guest Name                       | ans...40; TAGLLLVAR |
| 0572   | 025    | Guest Number                     | ans-25; TAGLLL      |
| 0573   | Var... | Invoice Number                   | ans...25; TAGLLLVAR |
| 0574   | 006    | Arrival Date                     | n-6; TAGLLL         |
| 0575   | 006    | Departure Date                   | n-6; TAGLLL         |
| 0576   | Var... | Folio Number                     | ans...25; TAGLLLVAR |
| 0577   | 017    | Property Phone Number            | ans-17; TAGLLL      |
| 0578   | 015    | Billing Adjustment               | ans-15; TAGLLL      |
| 0579   | 006    | Invoice Date                     | n-6; TAGLLL         |
| 0580   | 013    | Room Rate                        | n-13; TAGLLL        |
| 0581   | 014    | Total Room Tax                   | ans-14; TAGLLL      |
| 0582   | 002    | Program Code                     | ans-2; TAGLLL       |
| 0583   | 014    | Phone Charges                    | ans-14; TAGLLL      |
| 0584   | 014    | Restaurant Charges               | ans-14; TAGLLL      |
| 0585   | 014    | Mini-Bar Charges                 | ans-14; TAGLLL      |
| 0586   | 014    | Gift Shop Charges                | ans-14; TAGLLL      |
| 0587   | 014    | Laundry and Dry Cleaning Charges | ans-14; TAGLLL      |
| 0588   | Var... | Other Services                   | ans-102; TAGLLL     |

| Number | Length | Name                                            | Attribute            |
|--------|--------|-------------------------------------------------|----------------------|
| 0589   | 012    | Invoice Creation Date/Time                      | n-12; TAGLLL         |
| 0590   | 002    | Party Identification                            | an-2; TAGLLL         |
| 0591   | Var... | Party Name                                      | ans...120; TAGLLLVAR |
| 0592   | Var... | Party Address                                   | ans...240; TAGLLLVAR |
| 0593   | Var... | Party Postal Information                        | ans...46; TAGLLLVAR  |
| 0594   | Var... | Party Contact                                   | ans...305; TAGLLLVAR |
| 0595   | 008    | Acceptor Type                                   | ans-8; TAGLLL        |
| 0596   | 021    | Acceptor Tax ID                                 | ans...21; TAGLLLVAR  |
| 0597   | 014    | Total Tax Amount                                | ans-14; TAGLLL       |
| 0598   | 001    | Total Tax Collected Indicator                   | ans-1; TAGLLL        |
| 0599   | Var... | Corporation VAT Number                          | ans-20; TAGLLLVAR    |
| 0600   | Var... | Acceptor Reference Number                       | ans...25; TAGLLLVAR  |
| 0601   | 001    | Party Nature of Filing                          | a-1; TAGLLL          |
| 0602   | Var... | Party Supplemental Data 1                       | ans...672; TAGLLLVAR |
| 0603   | Var... | Party Supplemental Data 2                       | ans...672; TAGLLLVAR |
| 0604   | Var... | Transaction Supplemental Data 1                 | ans...672; TAGLLLVAR |
| 0605   | Var... | Transaction Supplemental Data 2                 | ans...672; TAGLLLVAR |
| 0606   | 014    | Freight Amount                                  | ans-14; TAGLLL       |
| 0607   | 014    | Duty Amount                                     | ans-14; TAGLLL       |
| 0608   | 010    | Destination Postal Code                         | ans-10; TAGLLL       |
| 0609   | 003    | Destination State/Province Code                 | ans-3; TAGLLL        |
| 0610   | 003    | Destination Country Code                        | ans-3; TAGLLL        |
| 0611   | 003    | Sequence Number                                 | ans-3; TAGLLL        |
| 0612   | 006    | Ship Date                                       | n-6; TAGLLL          |
| 0613   | 010    | Ship-From Postal Code                           | ans-10; TAGLLL       |
| 0614   | 006    | Order Date                                      | n-6; TAGLLL          |
| 0615   | Var... | Medical Services Ship to Health Industry Number | ans...40; TAGLLLVAR  |
| 0616   | Var... | Contract Number                                 | ans...40; TAGLLLVAR  |
| 0617   | 001    | Medical Services Price Adjustment               | a-1; TAGLLL          |
| 0618   | 002    | Medical Services Product Number Qualifier       | an-2; TAGLLL         |

| Number | Length | Name                     | Attribute            |
|--------|--------|--------------------------|----------------------|
| 0619   | Var... | User Name                | ans...40; TAGLLLVAR  |
| 0620   | 004    | Oil Company Brand Name   | n-4; TAGLLL          |
| 0621   | 004    | Purchase Time            | n-4; TAGLLL          |
| 0622   | 001    | Motor Fuel Service Type  | ans-1; TAGLLL        |
| 0623   | 035    | Motor Fuel Information   | ans-35; TAGLLL       |
| 0624   | Var... | User Account Number      | ans...40; TAGLLLVAR  |
| 0625   | Var... | User Telephone Number    | ans...25; TAGLLLVAR  |
| 0626   | 012    | Billing Statement Period | n-12; TAGLLL         |
| 0627   | Var... | Billing Event 1          | ans...540; TAGLLLVAR |
| 0628   | Var... | Billing Event 2          | ans...540; TAGLLLVAR |
| 0629   | Var... | Odometer Reading         | ans...7; TAGLLLVAR   |
| 0630   | Var... | Vehicle Number           | ans...17; TAGLLLVAR  |
| 0631   | Var... | Driver Number/ID Number  | ans...17; TAGLLLVAR  |
| 0632   | 001    | Product Type Code        | n-1; TAGLLL          |
| 0633   | 012    | Coupon/Discount Amount   | n-12; TAGLLL         |
| 0634   | 006    | Tax Amount 1             | n-6; TAGLLL          |
| 0635   | 006    | Tax Amount 2             | n-6; TAGLLL          |
| 0636   | 006    | Call Date                | n-6; TAGLLL          |
| 0637   | 006    | Call Time                | n-6; TAGLLL          |
| 0638   | 146    | Call To Information      | ans-146; TAGLLL      |
| 0639   | 006    | Call Duration            | n-6; TAGLLL          |
| 0640   | 002    | Call Time Period         | an-2; TAGLLL         |
| 0641   | Var... | Product Code             | ans...15; TAGLLLVAR  |
| 0642   | Var... | Item Description         | ans...35; TAGLLLVAR  |
| 0643   | 013    | Item Quantity            | n-13; TAGLLL         |
| 0644   | 145    | Call From Information    | ans-145; TAGLLL      |
| 0645   | Var... | Item Unit of Measure     | ans...12; TAGLLLVAR  |
| 0646   | 013    | Unit Price               | n-13; TAGLLL         |
| 0647   | 014    | Extended Item Amount     | ans-14; TAGLLL       |
| 0648   | 020    | Item Discount            | ans-20; TAGLLL       |
| 0649   | 014    | Call Usage Amount        | ans-14; TAGLLL       |

| Number | Length | Name                                               | Attribute            |
|--------|--------|----------------------------------------------------|----------------------|
| 0650   | 001    | Zero Cost to Customer Indicator                    | a-1; TAGLLL          |
| 0651   | 009    | Procedure ID                                       | ans-9; TAGLLL        |
| 0652   | 004    | Service Type                                       | ans-4; TAGLLL        |
| 0653   | 014    | Service Amount                                     | ans-14; TAGLLL       |
| 0654   | 001    | Debit or Credit Indicator                          | an-1; TAGLLL         |
| 0655   | 014    | Call Long Distance Amount                          | ans-14; TAGLLL       |
| 0656   | Var... | Full VAT Amounts                                   | ans-28; TAGLLLVAR    |
| 0657   | Var... | Half VAT Amounts                                   | ans-28; TAGLLLVAR    |
| 0658   | 014    | Call Connect Amount                                | ans-14; TAGLLL       |
| 0659   | Var... | Other Description                                  | ans...60; TAGLLLVAR  |
| 0660   | Var... | Customer Reference                                 | ans-190; TAGLLLVAR   |
| 0661   | 003    | Traffic Code                                       | n-3; TAGLLL          |
| 0662   | 004    | Sample Number                                      | n-4; TAGLLL          |
| 0663   | Var... | Free-Form Description                              | ans...992; TAGLLLVAR |
| 0664   | Var... | Start Station                                      | ans...30; TAGLLLVAR  |
| 0665   | Var... | Destination Station                                | ans...30; TAGLLLVAR  |
| 0667   | 046    | Generic Data                                       | ans-46; TAGLLL       |
| 0668   | 026    | Reduction Data                                     | ans-26; TAGLLL       |
| 0669   | 003    | Transportation Other Code                          | n-3; TAGLLL          |
| 0670   | Var... | Payer/User Information                             | ans...104; TAGLLLVAR |
| 0671   | 006    | Date of Funds Requested                            | n-6; TAGLLL          |
| 0673   | 006    | Date of Anticipated Receipt of Funds               | n-6; TAGLLL          |
| 0674   | Var... | Additional Trace/Reference Number Used by Acceptor | ans...15; TAGLLLVAR  |
| 0675   | Var... | Additional Transaction Description Data            | ans...15; TAGLLLVAR  |
| 0676   | Var... | Acceptor VAT Number                                | ans...20; TAGLLLVAR  |
| 0677   | Var... | Customer VAT Number                                | ans...20; TAGLLLVAR  |
| 0678   | Var... | Unique Invoice Number                              | ans...17; TAGLLLVAR  |
| 0679   | Var... | Commodity Code                                     | ans...15; TAGLLLVAR  |
| 0680   | Var... | Authorized Contact Name                            | ans...36; TAGLLLVAR  |
| 0681   | Var... | Authorized Contact Phone                           | ans...17; TAGLLLVAR  |

| Number | Length | Name                                | Attribute            |
|--------|--------|-------------------------------------|----------------------|
| 0682   | Var... | Detail Tax Amount 1                 | ans...46; TAGLLLLVAR |
| 0683   | Var... | Detail Tax Amount 2                 | ans...46; TAGLLLLVAR |
| 0684   | Var... | Detail Tax Amount 3                 | ans...46; TAGLLLLVAR |
| 0685   | 002    | Type of Supply                      | an-2; TAGLLL         |
| 0686   | 001    | Tax Exempt Indicator                | an-1; TAGLLL         |
| 0687   | Var... | Unique VAT Invoice Reference Number | ans...17; TAGLLLLVAR |
| 0688   | Var... | Acceptor Contact E-mail Address     | ans...60; TAGLLLLVAR |
| 0689   | Var... | Corporate Identifier                | ans...12; TAGLLLLVAR |
| 0690   | 001    | No Show Indicator                   | an-1; TAGLLL         |
| 0691   | 004    | Days Rented                         | n-4; TAGLLL          |
| 0692   | 012    | Weekly Rental Amount                | n-12; TAGLLL         |
| 0693   | 014    | Total Authorized Amount             | ans-14; TAGLLL       |
| 0694   | 012    | One Way Drop Off Charge             | n-12; TAGLLL         |
| 0695   | 012    | Regular Mileage Charge              | n-12; TAGLLL         |
| 0696   | 012    | Extra Mileage Charge                | n-12; TAGLLL         |
| 0697   | 012    | Late Charge                         | n-12; TAGLLL         |
| 0698   | 012    | Fuel Charge                         | n-12; TAGLLL         |
| 0699   | 014    | Lodging Total Tax Amount            | ans-14; TAGLLL       |
| 0700   | 012    | Towing Charges                      | n-12; TAGLLL         |
| 0701   | 012    | Extra Charges                       | n-12; TAGLLL         |
| 0702   | 012    | Other Charges                       | n-12; TAGLLL         |
| 0703   | 004    | Total Room Nights                   | n-4; TAGLLL          |
| 0704   | 014    | Prepaid Expenses                    | n-14; TAGLLL         |
| 0705   | 014    | Total Non-Room Tax Amount           | ans-14; TAGLLL       |
| 0706   | 014    | Cash Advances                       | ans-14; TAGLLL       |
| 0707   | 014    | Valet Charges                       | ans-14; TAGLLL       |
| 0708   | 014    | Movie Charges                       | n-14; TAGLLL         |
| 0709   | 014    | Business Center Charges             | n-14; TAGLLL         |
| 0710   | 014    | Health Club Charges                 | n-14; TAGLLL         |
| 0711   | 001    | Fire Safety Act Indicator           | an-1; TAGLLL         |
| 0712   | 013    | Net Fuel Price                      | n-13; TAGLLL         |



| Number | Length | Name                                  | Attribute            |
|--------|--------|---------------------------------------|----------------------|
| 0713   | 001    | Restricted Ticket Indicator           | an-1; TAGLLL         |
| 0714   | 012    | Exchange Ticket Amount                | n-12; TAGLLL         |
| 0715   | 012    | Exchange Fee Amount                   | n-12; TAGLLL         |
| 0716   | Var... | Travel Authorization Code             | ans...64; TAGLLLVAR  |
| 0717   | Var... | IATA Client Code                      | ans...17; TAGLLLVAR  |
| 0718   | Var... | Employee/Temp Name/ID                 | ans...40; TAGLLLVAR  |
| 0719   | Var... | Employee Social Security Number or ID | ans...30; TAGLLLVAR  |
| 0720   | Var... | Job Description                       | ans...40; TAGLLLVAR  |
| 0721   | Var... | Job Code                              | ans...20; TAGLLLVAR  |
| 0722   | 001    | Flat Rate Indicator                   | an-1; TAGLLL         |
| 0723   | 007    | Regular Hours Worked                  | n-7; TAGLLL          |
| 0724   | 007    | Regular Hours Rate                    | n-7; TAGLLL          |
| 0725   | 007    | Overtime Hours Worked                 | n-7; TAGLLL          |
| 0726   | 007    | Overtime Hours Rate                   | n-7; TAGLLL          |
| 0727   | 006    | Temp Start Date                       | n-6; TAGLLL          |
| 0728   | 006    | Temp Week Ending                      | n-6; TAGLLL          |
| 0729   | Var... | Requestor Name or ID                  | ans...40; TAGLLLVAR  |
| 0730   | Var... | Supervisor/Reports To                 | ans...40; TAGLLLVAR  |
| 0731   | Var... | Time Sheet Number                     | ans...20; TAGLLLVAR  |
| 0732   | 018    | Discount Amount                       | ans-18; TAGLLL       |
| 0733   | 014    | Subtotal Amount                       | ans-14; TAGLLL       |
| 0734   | Var... | Miscellaneous Expenses                | ans...216; TAGLLLVAR |
| 0735   | Var... | Service Descriptor Code               | ans...40; TAGLLLVAR  |
| 0736   | Var... | Tracking Number or Pickup Number      | ans...40; TAGLLLVAR  |
| 0737   | 014    | Shipping Net Amount                   | ans-14; TAGLLL       |
| 0738   | 014    | Incentive Amount                      | ans-14; TAGLLL       |
| 0739   | 006    | Pickup Date                           | n-6; TAGLLL          |
| 0740   | 006    | Delivery Date                         | n-6; TAGLLL          |
| 0741   | 006    | Number of Packages                    | n-6; TAGLLL          |
| 0742   | 012    | Package Weight                        | n-12; TAGLLL         |
| 0743   | Var... | Unit of Measure                       | ans...3; TAGLLLVAR   |

| Number | Length | Name                                       | Attribute            |
|--------|--------|--------------------------------------------|----------------------|
| 0744   | Var... | Shipping Party Information                 | ans...150; TAGLLLVAR |
| 0745   | Var... | Shipping Party Address                     | ans...300; TAGLLLVAR |
| 0746   | Var... | Shipping Party Postal Information          | ans...41; TAGLLLVAR  |
| 0747   | Var... | Shipping Party Contact                     | ans...305; TAGLLLVAR |
| 0748   | Var... | Delivery Party Information                 | ans...150; TAGLLLVAR |
| 0749   | Var... | Delivery Party Address Information         | ans...300; TAGLLLVAR |
| 0750   | Var... | Delivery Party Postal Information          | ans...41; TAGLLLVAR  |
| 0751   | Var... | Detail Tax Amount 4                        | ans...46; TAGLLLVAR  |
| 0752   | Var... | Detail Tax Amount 5                        | ans...46; TAGLLLVAR  |
| 0753   | Var... | Detail Tax Amount 6                        | ans...46; TAGLLLVAR  |
| 0754   | Var... | Delivery Party Contact                     | ans...305; TAGLLLVAR |
| 0755   | 014    | Line Item Total Amount                     | ans-14; TAGLLL       |
| 0756   | 005    | Passenger Description                      | ans-5; TAGLLL        |
| 0757   | Var... | Transportation Service Provider            | ans...40; TAGLLLVAR  |
| 0758   | Var... | Transportation Services Offered            | ans...40; TAGLLLVAR  |
| 0759   | Var... | Delivery Order Number                      | ans...15; TAGLLLVAR  |
| 0760   | Var... | Credit Card Slip Number                    | ans...8; TAGLLLVAR   |
| 0761   | Var... | Travel Agency ID                           | ans...15; TAGLLLVAR  |
| 0762   | 002    | Data Source                                | n-2; TAGLLL          |
| 0763   | 003    | VAT Suppression Indicator                  | ans-2; TAGLLL        |
| 0764   | 001    | Healthcare Eligible Status Indicator       | n-1; TAGLLL          |
| 0770   | Var... | Additional Acceptor Inquiry Information    | ans...73; TAGLLLVAR  |
| 0771   | Var... | Cost Center Information                    | ans...36; TAGLLLVAR  |
| 0772   | Var... | Driver License/State Issued ID Information | ans...18; TAGLLLVAR  |
| 0773   | Var... | Payment Method Information                 | an...140; TAGLLLVAR  |
| 0774   | Var... | Stock Keeping Unit (SKU) Description       | ans...200; TAGLLLVAR |
| 0775   | Var... | Department Code                            | ans...8; TAGLLLVAR   |
| 0776   | Var... | Alternate Custom Identifier                | ans...410; TAGLLLVAR |
| 0777   | Var... | Promotion Code                             | ans...6; TAGLLLVAR   |
| 0799   | Var... | Test Case Traceability Identifiers         | and...165; TAGLLLVAR |

| Number    | Length | Name                              | Attribute            |
|-----------|--------|-----------------------------------|----------------------|
| 1000–1099 | Var... | Member-to-Member Proprietary Data | ans...992; TAGLLLVAR |

# Notices

Following are policies pertaining to proprietary rights, trademarks, translations, and details about the availability of additional information online.

## Proprietary Rights

The information contained in this document is proprietary and confidential to Mastercard International Incorporated, one or more of its affiliated entities (collectively "Mastercard"), or both.

This material may not be duplicated, published, or disclosed, in whole or in part, without the prior written permission of Mastercard.

## Trademarks

Trademark notices and symbols used in this document reflect the registration status of Mastercard trademarks in the United States. Consult with the Global Customer Service team or the Mastercard Law Department for the registration status of particular product, program, or service names outside the United States.

All third-party product and service names are trademarks or registered trademarks of their respective owners.

EMV<sup>®</sup> is a registered trademark of EMVCo LLC in the United States and other countries. For more information, see <http://www.emvco.com>.

## Disclaimer

Mastercard makes no representations or warranties of any kind, express or implied, with respect to the contents of this document. Without limitation, Mastercard specifically disclaims all representations and warranties with respect to this document and any intellectual property rights subsisting therein or any part thereof, including but not limited to any and all implied warranties of title, non-infringement, or suitability for any purpose (whether or not Mastercard has been advised, has reason to know, or is otherwise in fact aware of any information) or achievement of any particular result.

## Translation

A translation of any Mastercard manual, bulletin, release, or other Mastercard document into a language other than English is intended solely as a convenience to Mastercard customers. Mastercard provides any translated document to its customers "AS IS" and makes no representations or warranties of any kind with respect to the translated document, including, but not limited to, its accuracy or reliability. In no event shall Mastercard be liable for any damages resulting from reliance on any translated document. The English version of any Mastercard document will take precedence over any translated version in any legal proceeding.

## Information Available Online

Mastercard provides details about the standards used for this document, including times expressed, language use, and contact information, on the Technical Resource Center (TRC).