JOURNAL-02

1. Define a class to represent a bank account. Include the following members:

Data Members:

a.Name of the Depositor

b.Account Number

c.Type of Account

d.Balance amount in the account

Data Methods:

a.To assign initial values

b.To deposit an amount

c.To withdraw an amount

d.To display name and balance.

```
import java.io.*;
import java.util.*;
import java.util.Scanner;
import java.util.Random;
class Bank
{
   public String nameOfDepositor;
```

```
    public int accNumber;
    public String accType;
    public double balanceAmount;
    public void assignValues(String nameOfDepositor, String accType, double
balanceAmount)
    {
        this.nameOfDepositor=nameOfDepositor;
        this.accType=accType;
        this.balanceAmount=balanceAmount;
        Random random = new Random();
        this.accNumber=random.nextInt(1000000);
        System.out.println("Your new account number is: "+accNumber);
    }
    public void depositAmount(double amount)
    {
        if(accNumber==0)
            System.out.println("!You don't have bank account to
deposit\nNote:please assign values to create an account");
        else
        {
            balanceAmount+=amount;
```

```
            System.out.println("Amount deposited successfully...");
        }
    }
    public void withdrawAmount(double amount)
    {
        if(accNumber==0)
            System.out.println("!You don't have bank account to credit\nNote:please
assign values to create an account");
        else if(balanceAmount>amount)
        {
            balanceAmount-=amount;
            System.out.println("Amount credited successfully...");
        }
        else
                        System.out.println("! Insufficient balance");
    }
    public void displayDetails()
    {
        if(accNumber==0)
            System.out.println("!You don't have bank account\nNote:please assign
values to create an account");
```

```
        else
        {
                System.out.println("Name of the Depositor: "+nameOfDepositor);
            System.out.println("Balance amount in the account: "+balanceAmount);
        }
    }
    public void getInput()
    {
        System.out.println("How can i help you?");
        System.out.println("1. Open account");
        System.out.println("2. Deposit amount");
        System.out.println("3. Withdraw amount");
        System.out.println("4. Account details");
        System.out.println("5. Exit");
        System.out.print("Please Enter Your choose : ");
    }
}
class  PRG_01
{
    public static void main(String[] s) throws IOException
    {
```

```
System.out.println("::::::::::::: WELCOME TO BANK OF XYZ :::::::::::::");
Bank newAccount=new Bank();
Scanner scan=new Scanner(System.in);
boolean process=true;
int continueState=0;
while(continueState!=5)
{
   newAccount.getInput();
   int currentProcess=scan.nextInt();

   if(currentProcess==1)
   {

System.out.println("**********************************************
*********");
      System.out.print("Enter your name: ");
      String nameOfDepositor=scan.next();
      System.out.print("Enter your account type: ");
      String accType=scan.next();
      System.out.print("Enter your opening balance: ");
      double  balanceAmount=scan.nextDouble();
```

```
            newAccount.assignValues(nameOfDepositor, accType, balanceAmount);
        }
        else if(currentProcess==2)
        {

    System.out.println("**********************************************
*********");
            System.out.print("Enter amount to deposit: ");
            newAccount.depositAmount(scan.nextDouble());
        }
        else if(currentProcess==3)
        {

    System.out.println("**********************************************
*********");
                                System.out.println("Your current Balance in the account:
"+newAccount.balanceAmount);
            System.out.print("Enter amount to withdraw: ");
            newAccount.withdrawAmount(scan.nextDouble());
        }
        else if(currentProcess==4)
        {
```

```
    System.out.println("**********************************************
*********");
            newAccount.displayDetails();
        }
        else if(currentProcess==5)
        {

    System.out.println("**********************************************
*********");
            continueState=5;
            System.out.println("THANK YOU FOR VISITING OUR BANK.");
        }
                    System.out.println();
                    System.out.println("X X X X X X X X X X X X X X X X X X X X X X
X X X X");
                    System.out.println();
      }
             System.out.println("-----------------------------------------------------------
-------------------------");
   }
}
```

Output :

:::::::::::: WELCOME TO BANK OF XYZ ::::::::::::

How can i help you?

1. Open account

2. Deposit amount

3. Withdraw amount

4. Account details

5. Exit

Please Enter Your choose : 1

****

Enter your name: abhishek

Enter your account type: saving

Enter your opening balance: 2000

Your new account number is: 852878

X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X

How can i help you?

1. Open account

2. Deposit amount

3. Withdraw amount

4. Account details

5. Exit

Please Enter Your choose : 4

****

Name of the Depositor: abhishek

Balance amount in the account: 2000.0

X X X X X X X X X X X X X X X X X X X X X X X X X X X X X

How can i help you?

1. Open account

2. Deposit amount

3. Withdraw amount

4. Account details

5. Exit

Please Enter Your choose : 3

****

Your current Balance in the account: 2000.0

Enter amount to withdraw: 1500

Amount credited successfully...

X X X X X X X X X X X X X X X X X X X X X X X X X X X X X

How can i help you?

1. Open account

2. Deposit amount

3. Withdraw amount

4. Account details

5. Exit

Please Enter Your choose : 4

****

Name of the Depositor: abhishek

Balance amount in the account: 500.0

X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X

How can i help you?

1. Open account

2. Deposit amount

3. Withdraw amount

4. Account details

5. Exit

Please Enter Your choose : 5

****

THANK YOU FOR VISITING OUR BANK.

X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X X

---

2. Write a program to print Floyd's triangle where n is command line input.

1

2 3

4 5 6

7 8 9 10

```
class PRG_02
{
	static void printFloydTriangle(int n)
	{
		int i, j, val = 1;
		for (i = 1; i <= n; i++)
		{
			for (j = 1; j <= i; j++)
			{
				System.out.print(val + " ");
				val++;
			}
			System.out.println();
		}
	}
	public static void main(String[] args)
	{
		int i= Integer.parseInt(args[0]);
		printFloydTriangle(i);
	}
}
```

Output :

```
E:\BCA SEM-4\java\Java\Java\JOURNAL-2>javac PRG_02.java

E:\BCA SEM-4\java\Java\Java\JOURNAL-2>java PRG_02 5

1

2 3

4 5 6

7 8 9 10

11 12 13 14 15
```

3. Design a class Cricketer having data member name and a number of matches and appropriate member function to set the values. Derived two classes Batsman and Bowler from cricketer class with data member total number of runs and wickets respectively. Batsman class is having method to calculate average wicket. Write a program to create two objects and display information of one batsman and bowler along with average run and wicket.

```
import java.util.Scanner;

class Cricketer

{

	public String cname;

	public int nom;

	public void setDataMain()

	{

		Scanner sc = new Scanner(System.in);

		System.out.print("Enter the name of Cricketer: ");

		cname = sc.nextLine();

		Scanner sc2 = new Scanner(System.in);

		System.out.print("Enter the Number of matches of Cricketer: ");

		nom = sc2.nextInt();
```

```
    }
    public void displayDataMain()
    {
        System.out.println("Name " +cname);
        System.out.println("Matches " +nom);
    }
}

class Batsman extends Cricketer
{
    public int total_run;
    public float average;
    public void setData()
    {
        Scanner sc4 = new Scanner(System.in);
        System.out.print("\nEnter the Total Number of Runs: ");
        total_run = sc4.nextInt();
    }
    public void displayData()
```

```
    {
        System.out.println("Total Runs "+total_run);
    }
}

class Bowler extends Cricketer
{
    public int wickets;
    public float average;
    public void setData()
    {
        Scanner sc3 = new Scanner(System.in);
        System.out.print("Enter the number of wickets: ");
        wickets = sc3.nextInt();
    }
    public void displayData()
    {
        System.out.println("Wickets "+wickets);
    }
```

```
}

public class PRG_03
{
    public static void main(String[] args)
    {
        Bowler bowl = new Bowler();
        Batsman bat = new Batsman();
        Cricketer cal = new Cricketer();
        cal.setDataMain();
        bat.setData();
        bowl.setData();
        cal.displayDataMain();
        bat.displayData();
        bowl.displayData();
        bowl.average = (float) bowl.wickets/cal.nom;
        bat.average = (float) bat.total_run/cal.nom;
        System.out.println("Average_Run's: "+bat.average);
        System.out.println("Average_Wicket's: "+bowl.average);
```

```
    }
}
```

Output :

```
E:\BCA SEM-4\java\Java\Java\JOURNAL-2>java PRG_03
Enter the name of Cricketer: VIRAT
Enter the Number of matches of Cricketer: 120

Enter the Total Number of Runs: 12000
Enter the number of wickets: 20
Name VIRAT
Matches 120
Total Runs 12000
Wickets 20
Average_Run's: 100.0
Average_Wicket's: 0.16666667
```

4. Write a program that will accept two strings or two numbers from command line and create overloaded method that add these two numbers or concate two strings.

```
import java.io.*;

class PRG_04

{

	static boolean isNumber(String s)

	{

		for(int i=0;i<s.length();i++)

			if(Character.isDigit(s.charAt(i))==false)

				return false;

		return true;

	}

	void add(int a, int b)

	{

		System.out.println("Result is : "+(a+b)) ;

	}

	void add(String a, String b)

	{

		System.out.println("Result is : "+(a+b));
```

```
    }
    public static void main(String[] args)
    {
        PRG_04 obj = new PRG_04();
        if(isNumber(args[0])&&isNumber(args[1]))
        {
            int a=Integer.parseInt(args[0]);
            int b=Integer.parseInt(args[1]);
            obj.add(a,b);
        }
        else
            obj.add(args[0],args[1]);
    }
}
```

Output :

```
E:\BCA SEM-4\java\Java\Java\JOURNAL-2>javac PRG_04.java

E:\BCA SEM-4\java\Java\Java\JOURNAL-2>java PRG_04 ABHISHEK JESWAL
Result is : ABHISHEKJESWAL
```

5. Write a program that accept a number from command line and check whether it is palindrome or not.

```
public class PRG_05  {


   public static void main(String args[])
   {


            int n = Integer.parseInt(args[0]);
            int sum = 0, r;
            int temp = n;
            while(n>0)
            {
                  r = n % 10;
                  sum = (sum*10)+r;
                  n = n/10;
            }
            if(temp==sum)
                  System.out.println("It is a Palindrome No.");
            else
                  System.out.println("It's Not a palindrome No.");
```

```
    }
}
```

Output :

```
E:\BCA SEM-4\java\Java\Java\JOURNAL-2>javac PRG_05.java

E:\BCA SEM-4\java\Java\Java\JOURNAL-2>java PRG_05 136
It's Not a palindrome No.
```

6. Write a program that will accept a string from command line and arrange all the characters in alphabetical order.

E.g. input- computer

output-cemoprtu

```
public class PRG_06
{
   public static void main(String args[])
      {


      String str = args[0];
      str = str.toLowerCase();
      int len = str.length();
```

```
        String sortedStr = ""; //Empty String
        for (char ch = 'a'; ch <= 'z'; ch++) {
            for (int i = 0; i < len; i++) {
                char strCh = str.charAt(i);
                if (ch == strCh) {
                    sortedStr += strCh;
                }
            }
        }

        System.out.println("Alphabetical order : "+sortedStr);
    }
}
```

Output :

```
E:\BCA SEM-4\java\Java\Java\JOURNAL-2>javac PRG_06.java

E:\BCA SEM-4\java\Java\Java\JOURNAL-2>java PRG_06 computer
Alphabetical order : cemoprtu
```

7. Write a program to create interface Area. Create three classes called rectangle, triangle and square calculate areas respectively.

```
import java.util.Scanner;


interface area
{
   double calc(double x,double y);
}


class rectangle implements area
{
   public double calc(double x,double y)
      {
      return(x*y);
   }
}


class triangle implements area
{
   public double calc(double x,double y)
```

```
    {
        return((x*y)/2);
   }
}
class square implements area
{
   public double calc(double x,double y)
    {
    return(x*x);
   }
}
class PRG_07
{
   public static void main(String arg[])
   {
        int p,q;
        Scanner in = new Scanner(System.in);
    rectangle r = new rectangle();
    triangle c = new triangle();
        square s = new square();
      area a;
    a = r;
```

```
            System.out.print("\nEnter hight of Rectangle : ");
            p=in.nextInt();
            System.out.print("Enter width of Rectangle : ");
            q=in.nextInt();
        System.out.println("\nArea of Rectangle is : " +a.calc(p,q));
        a = c;
            System.out.print("\nEnter hight of Triangle : ");
            p=in.nextInt();
            System.out.print("Enter Breath of Triangle : ");
            q=in.nextInt();
            System.out.println("\nArea of Triangle is : " +a.calc(p,q));
            a = s;
            System.out.print("\nEnter Side of Square : ");
            p=in.nextInt();
            System.out.println("\nArea of Square is : " +a.calc(p,p));
    }
}
```

Output :

E:\BCA SEM-4\java\Java\Java\JOURNAL-2>javac PRG_07.java

E:\BCA SEM-4\java\Java\Java\JOURNAL-2>java PRG_07

Enter hight of Rectangle : 130

Enter width of Rectangle : 80

Area of Rectangle is : 10400.0

Enter hight of Triangle : 90

Enter Breath of Triangle : 40

Area of Triangle is : 1800.0

Enter Side of Square : 70

Area of Square is : 4900.0

8. Write a program that will accept a number from command line and raise a user defined exception if the number consists of odd number of digits.

```
class OddNumberOfDigitsException extends Exception {
   public OddNumberOfDigitsException(String message) {
      super(message);
   }
}
public class PRG_08 {
   public static void main(String[] args) {
         int numberString = Integer.parseInt(args[0]);
                  int temp=numberString;
                  int x;
                  try {
                  while(numberString>0){
                        x=numberString%10;
                        numberString=numberString/10;
                        if (x % 2 != 0) {
                              throw new OddNumberOfDigitsException("The
number has an odd number of digits");
```

```
                    }
                }
        } catch (ArrayIndexOutOfBoundsException e) {
            System.out.println("Please provide a number as a command-line
argument.");
        } catch (OddNumberOfDigitsException e) {
            System.out.println(e.getMessage());
        }
    }
}
```

Output :

```
E:\BCA SEM-4\java\Java\Java\JOURNAL-2>javac PRG_08.java

E:\BCA SEM-4\java\Java\Java\JOURNAL-2>java PRG_08 66445
The number has an odd number of digits
```

9. Write a java application which accepts 10 names of student and their age. Sort names and age in descending order. (Using Array)

```
import java.util.Arrays;
import java.util.Scanner;
```

```
public class PRG_09 {

   public static void main(String[] args) {
      Scanner scanner = new Scanner(System.in);

      String[] names = new String[10];
      int[] ages = new int[10];

      for (int i = 0; i < 10; i++) {
         System.out.print("Enter name of student " + (i + 1) + ": ");
         names[i] = scanner.nextLine();
         System.out.print("Enter age of student " + (i + 1) + ": ");
         ages[i] = scanner.nextInt();
         scanner.nextLine();
      }
            while (true) {
         System.out.println("\nSelect an option:");
         System.out.println("1. Sort via Name.");
         System.out.println("2. Sort via Age.");
         System.out.println("3. Exit");
                     System.out.print("\nSelect Your Choice : ");
         int choice = scanner.nextInt();
         scanner.nextLine();

         switch (choice) {
            case 1:
               for (int i = 0; i < 10; i++) {
                     for (int j = i + 1; j < 10; j++) {
                           if (names[i].compareToIgnoreCase(names[j]) < 0) {
                                 String tempName = names[i];
                                 names[i] = names[j];
                                 names[j] = tempName;
```

```
                        int tempAge = ages[i];
                        ages[i] = ages[j];
                        ages[j] = tempAge;
                    }
                }
            }
            System.out.println("\nSorted Names in Descending Order:");
            for (int i = 0; i < 10; i++) {
                System.out.println(names[i] + " - " + ages[i]);
            }
             break;
        case 2:
             for (int i = 0; i < 10; i++) {
                for (int j = i + 1; j < 10; j++) {
                    if (ages[i] < (ages[j])) {
                        int tempage = ages[i];
                        ages[i] = ages[j];
                        ages[j] = tempage;
                        String tempname = names[i];
                        names[i] = names[j];
                        names[j] = tempname;
                    }
                }
            }
            System.out.println("\nSorted Ages in Descending Order:");
            for (int i = 0; i < 10; i++) {
                System.out.println(ages[i] + " - " + names[i]);
            }
             break;
    case 3:
             System.out.println("Exiting program...");
             System.exit(0);
             break;
```

```
            default:
                    System.out.println("Invalid choice. Try again.");
             }
          }
       }
    }
```

Output :

```
E:\BCA SEM-4\java\Java\Java\JOURNAL-2>javac PRG_09.java


E:\BCA SEM-4\java\Java\Java\JOURNAL-2>java PRG_09
Enter name of student 1: raj
Enter age of student 1: 18
Enter name of student 2: ravi
Enter age of student 2: 23
Enter name of student 3: raju
Enter age of student 3: 38
Enter name of student 4: ram
Enter age of student 4: 20
Enter name of student 5: rajiv
Enter age of student 5: 18
Enter name of student 6: ronak
Enter age of student 6: 45
Enter name of student 7: riya
```

Enter age of student 7: 20

Enter name of student 8: rinkee

Enter age of student 8: 27

Enter name of student 9: reeta

Enter age of student 9: 32

Enter name of student 10: renu

Enter age of student 10: 22

Select an option:

1. Sort via Name.

2. Sort via Age.

3. Exit

Select Your Choice : 1

Sorted Names in Descending Order:

ronak - 45

riya - 20

rinkee - 27

renu - 22

reeta - 32

ravi - 23

ram - 20

raju - 38

rajiv - 18

raj - 18

Select an option:

1. Sort via Name.

2. Sort via Age.

3. Exit

Select Your Choice : 2

Sorted Ages in Descending Order:

45 - ronak

38 - raju

32 - reeta

27 - rinkee

23 - ravi

22 - renu

20 - ram

20 - riya

18 - rajiv

18 - raj

```
Select an option:
1. Sort via Name.
2. Sort via Age.
3. Exit

Select Your Choice : 3
Exiting program...
```

10. Design a class MyString having a data member of type String and add member functions to achieve following task. (i) Reverse string (ii) String in Titlecase. (iii) Extract N-characters from right-end of the string Write a menu driven program to call these methods of MyString class. The program should not terminate abruptly.

```
import java.util.Scanner;
public class PRG_10 {
   private String str;

   public PRG_10(String str) {
      this.str = str;
   }
```

```
public String reverse() {
    StringBuilder sb = new StringBuilder(str);
    return sb.reverse().toString();
}

public String titleCase() {
    String[] words = str.split("\\s+");
    StringBuilder sb = new StringBuilder();
    for (String word : words) {
        if (word.length() > 0) {
            sb.append(Character.toUpperCase(word.charAt(0)));
            sb.append(word.substring(1).toLowerCase());
            sb.append(" ");
        }
    }
    return sb.toString().trim();
}

public String extractFromRight(int n) {
    if (n >= str.length()) {
        return str;
```

```
        }
        return str.substring(str.length() - n);
    }

    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);

        System.out.print("Enter a string: ");
        String inputString = scanner.nextLine();

        PRG_10 myString = new PRG_10(inputString);

        while (true) {
            System.out.println("\nSelect an option:");
            System.out.println("1. Reverse the string");
            System.out.println("2. Convert the string to title case");
            System.out.println("3. Extract N characters from the right-end of the
string");
            System.out.println("4. Exit");
                        System.out.print("\nSelect Your Choice : ");
            int choice = scanner.nextInt();
            scanner.nextLine();
```

```
        switch (choice) {
            case 1:
                System.out.println("Reversed string: " + myString.reverse());
                break;
            case 2:
                System.out.println("Title case string: " + myString.titleCase());
                break;
            case 3:
                System.out.print("Enter the number of characters to extract: ");
                int n = scanner.nextInt();
                scanner.nextLine();
                System.out.println("Extracted string: " +
myString.extractFromRight(n));
                break;
            case 4:
                System.out.println("Exiting program...");
                System.exit(0);
                break;
            default:
                System.out.println("Invalid choice. Try again.");
        }
```

```
      }
   }
}
```

Output :

```
E:\BCA SEM-4\java\Java\Java\JOURNAL-2>javac PRG_10.java

E:\BCA SEM-4\java\Java\Java\JOURNAL-2>java PRG_10
Enter a string: Every thing is possible if you say I can.

Select an option:
1. Reverse the string
2. Convert the string to title case
3. Extract N characters from the right-end of the string
4. Exit

Select Your Choice : 1
Reversed string: .nac I yas uoy fi elbissop si gniht yrevE

Select an option:
1. Reverse the string
2. Convert the string to title case
```

3. Extract N characters from the right-end of the string

4. Exit

Select Your Choice : 2

Title case string: Every Thing Is Possible If You Say I Can.

Select an option:

1. Reverse the string

2. Convert the string to title case

3. Extract N characters from the right-end of the string

4. Exit

Select Your Choice : 3

Enter the number of characters to extract: 6

Extracted string: I can.

Select an option:

1. Reverse the string

2. Convert the string to title case

3. Extract N characters from the right-end of the string

4. Exit

Select Your Choice : 4

Exiting program...