

# The ejpecp class<sup>\*†</sup>

K. Burdzy                      D. Chafaï

April 20, 2021

## 1 Introduction

The *ejpecp* L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> class is designed for the typesetting of articles for the mathematical research periodicals Electronic Journal of Probability (EJP) and Electronic Communications in Probability (ECP).

## 2 Usage

This class works only with the pdf<sub>l</sub>atex engine. See the sample file for its usage.

## 3 Implementation

```
1 %% We declare and handle our class options
2 \DeclareOption{EJP}{%
3   \newcommand{\@EJP}{}
4   \newcommand{\@JOURNAL}{EJP}
5   \newcommand{\@JOURNALA}{Electron. J. Probab.}
6   \newcommand{\@JOURNALL}{Electronic Journal of Probability}
7   \newcommand{\@ISSN}{1083-6489}
8   \newcommand{\@URL}{www.imstat.org/ejp}
9   \newcommand{\@FULLURL}{https://imstat.org/journals-and-publications/electronic-journal-of-probability/}
10 }
11 \DeclareOption{ECP}{%
12   \newcommand{\@ECP}{}
13   \newcommand{\@JOURNAL}{ECP}
14   \newcommand{\@JOURNALA}{Electron. Commun. Probab.}
15   \newcommand{\@JOURNALL}{Electronic Communications in Probability}
16   \newcommand{\@ISSN}{1083-589X}
17   \newcommand{\@URL}{www.imstat.org/ecp}
18   \newcommand{\@FULLURL}{https://imstat.org/journals-and-publications/electronic-communications-in-probability/}
19 }
20 \DeclareOption{NOAMS}{% prevents the load of AMS packages
21   \newcommand{\@NOAMS}{}
22 }
23 \DeclareOption{NODS}{% asks to avoid renaming \mathbb into \mathds
24   \newcommand{\@NODS}{}
25 }
26 \DeclareOption{PSTRICKS}{% pstricks and pspicture.
27   % File must be compiled with "latex --shell-escape", then use dvipdf
28   \newcommand{\@PSTRICKS}{}
29 }
30 \DeclareOption{draft}{%
31   \PassOptionsToClass{draft}{article}
32 }
33 \DeclareOption{final}{%
34   \PassOptionsToClass{final}{article}
```

---

<sup>\*</sup>class for EJP and ECP journals v1.11.0 dated 2021/04/20.

<sup>†</sup>Current maintainer of class file is VTeX, Lithuania. Please send all queries to [latex-support@vtex.lt](mailto:latex-support@vtex.lt).

```

35 }
36 \newif\if@ejpecp@preprint \@ejpecp@preprintfalse
37 \DeclareOption{preprint}{\@ejpecp@preprinttrue}
38 \DeclareOption*{%
39   \PackageWarning{ejpecp}{Unknown option '\CurrentOption'}%
40 }
41 %\ExecuteOptions{EJP}
42 \ProcessOptions\relax
43 %% We use the standard article class
44 \LoadClass[a4paper,10pt,twoside]{article}
45 %% Packages and their options
46 \RequirePackage{graphicx}
47 \ifx\@PSTRICKS\undefined
48   \DeclareGraphicsExtensions{.pdf,.PDF,.eps,.EPS,.png,.PNG,.jpg,.JPG,.jpeg,.JPEG}
49 \else
50   \RequirePackage[pdf]{pstricks}
51   \RequirePackage{auto-pst-pdf}
52 \fi
53 \RequirePackage{mathtools}
54 \RequirePackage{microtype}
55 \RequirePackage{lastpage}
56 \RequirePackage{latexsym}
57 \ifx\@NODS\undefined
58   \RequirePackage{dsfont}
59 \fi
60 \ifx\@NOAMS\undefined
61   \RequirePackage{amsmath,amsfonts,amssymb,amsthm}
62 \fi
63 \RequirePackage{geometry}
64 \geometry{a4paper,portrait,left=3.5cm,right=3.5cm,top=3.5cm,bottom=3.5cm}
65 %\RequirePackage{charter} % Ph. Carmona
66 \RequirePackage{bera} % beware that the logo is sensitive to default font change
67 \RequirePackage{hyperref}
68 \hypersetup{
69   pagebackref=false,
70   pdfborder={0 0 0},
71   pdfstartview={FitH},
72   hypertexnames=false,
73   breaklinks,
74 }
75 \def\UrlFont{}
76 %%%% Macros et Environments
77 %% General macros
78 \newcommand{\@TITLE}{FIXME!}
79 \newcommand{\@SHORTTITLE}{FIXME!}
80 \newcommand{\@KEYWORDS}{FIXME!}
81 \newcommand{\@AMSSUBJ}{FIXME!}
82 \newcommand{\@ABSTRACT}{FIXME!}
83 \newcommand{\@VOLUME}{0}
84 \newcommand{\@PAPERNUM}{0}
85 \newcommand{\@YEAR}{2012}
86 \newcommand{\@PAGESTART}{1}
87 \newcommand{\@PAGEEND}{\pageref{LastPage}} % using lastpage package
88 \newcommand{\@SUBMITTED}{FIXME!}
89 \newcommand{\@ACCEPTED}{FIXME!}
90 \newcommand{\TITLE}[1]{\renewcommand{\@TITLE}{#1}}
91 \newcommand{\SHORTTITLE}[1]{\renewcommand{\@SHORTTITLE}{#1}}
92 \newcommand{\DEDICATORY}[1]{\gdef\@DEDICATORY{#1}}
93 \newcommand{\AUTHORS}[1]{\author{#1}}
94 \let\FIRSTNAMES\@firstofone
95 \let\SURNAME\@firstofone
96 \newcommand{\KEYWORDS}[1]{\renewcommand{\@KEYWORDS}{#1}}
97 \newcommand{\AMSSUBJ}[1]{\renewcommand{\@AMSSUBJ}{#1}}

```

```

98 \newcommand{\AMSSUBJSECONDARY}[1]{\gdef\@AMSSUBJSECONDARY{#1}}
99 \newcommand{\ABSTRACT}[1]{\renewcommand{\@ABSTRACT}{#1}}
100 \newcommand{\VOLUME}[1]{\renewcommand{\@VOLUME}{#1}}
101 \newcommand{\PAPERNUM}[1]{\renewcommand{\@PAPERNUM}{#1}}
102 \newcommand{\YEAR}[1]{\renewcommand{\@YEAR}{#1}}
103 \newcommand{\PAGESTART}[1]{\renewcommand{\@PAGESTART}{#1}}
104 \newcommand{\PAGEEND}[1]{\renewcommand{\@PAGEEND}{#1}}
105 \newcommand{\SUBMITTED}[1]{\renewcommand{\@SUBMITTED}{#1}}
106 \newcommand{\ACCEPTED}[1]{\renewcommand{\@ACCEPTED}{#1}}
107 \newcommand{\DOI}[1]{\gdef\@DOI{#1}}
108 \newcommand{\ARXIVID}[1]{\gdef\@ARXIVID{#1}}
109 \newcommand{\HALID}[1]{\gdef\@HALID{#1}}
110 \newcommand{\ACKNO}[1]{\noindent\textbf{Acknowledgments.} #1}
111 \def\acknowledgementsname{Acknowledgments}
112 \newenvironment{acks}[1]{\acknowledgementsname}{\noindent\textbf{#1.}\space\ignorespaces}{\par}
113 \def\EMAIL#1[E-mail:~\texttt{\href{mailto:#1}{\nolinkurl{#1}}}]
114 \newcommand{\BEMAIL}[1]{\newline\hspace*{1.8em}\EMAIL{#1}} % useful in ftnotes
115 %% Logos
116 \newcommand{\@EJPLG0}{% designed by KB.
117 % This version is for bera 10pt (depends on the font via "em" and "ex")
118 \centerline{%
119 \hbox{%
120 \vrule height -0.4 pt depth 0.8 pt width 27.7 em\space
121 \kern -27.8 em\space
122 \raise 0.03ex \hbox {\bf E}\space
123 \raise 0.06ex \hbox {l}\space
124 \raise .13ex \hbox {e}\space
125 \raise .24ex \hbox {c}\space
126 \raise .45ex \hbox {t}\space
127 \raise .78ex \hbox {r}\space
128 \raise 1.31ex \hbox {o}\space
129 \raise 2.08ex \hbox {n}\space
130 \raise 3.14ex \hbox {i}\space
131 \raise 4.53ex \hbox {c}\space
132 \kern 1em\space
133 \raise 8.15ex \hbox {\bf J}\space
134 \raise 10.15ex \hbox {o}\space
135 \raise 12.04ex \hbox {u}\space
136 \raise 13.60ex \hbox {r}\space
137 \raise 14.64ex \hbox {n}\space
138 \kern .3 em\space
139 \vrule depth 0.8pt height 14.5ex \space
140 \kern -.3em\space
141 \raise 15ex \hbox {a}\space
142 \raise 14.64ex \hbox {l}\space
143 \kern 1em\space
144 \raise 12.04ex \hbox {o}\space
145 \raise 10.15ex \hbox {f}\space
146 \kern 1em\space
147 \raise 6.23ex \hbox {\bf P}\space
148 \raise 4.53ex \hbox {r}\space
149 \raise 3.14ex \hbox {o}\space
150 \raise 2.08ex \hbox {b}\space
151 \raise 1.31ex \hbox {a}\space
152 \raise .78ex \hbox {b}\space
153 \raise .45ex \hbox {i}\space
154 \raise .24ex \hbox {l}\space
155 \raise .13ex \hbox {i}\space
156 \raise .06ex \hbox {t}\space
157 \raise .03ex \hbox {y}}%
158 }%
159 }%
160 }%EJPLG0

```

```

161 \newcommand{\@ECPLOGO}{% designed when Ren\'e Carmona was in charge of ECP
162 \raisebox{0.3cm}{\parbox[t]{1.3in}{\noindent\rule{1.3in}{1.6pt}}\
163 \textbf{ ELECTRONIC}\
164 \textbf{ COMMUNICATIONS}\
165 \textbf{ in PROBABILITY}\
166 \rule[.08in]{1.3in}{1.6pt}}}%
167 }%ECPLOGO
168 \def\@doiprefix{https://doi.org/}
169 \def\printdoi{\texttt{\href{\@doiprefix\@DOI}{\@doiprefix\@DOI}}}
170 \def\msc@url{https://ams.org/mathscinet/msc/msc2020.html}
171 %% for multiple thanks/support in title
172 \def\title@makefnmark{%
173 \setbox\@tempboxa\hbox{\@textsuperscript{\normalfont\@thefnmark}}%
174 \ifundefined{prev@makefnmark@wd}%
175 {\edef\prev@makefnmark@wd{0pt}}%
176 {\edef\prev@makefnmark@wd{\the\dimexpr\prev@makefnmark@wd+wd\@tempboxa\relax}}%
177 \rlap{\hskip\prev@makefnmark@wd\unhbox\@tempboxa}%
178 }
179 \def\title@thanks#1{\unskip\unkern\orig@thanks{#1}\ignorespaces}%
180 %% make title long
181 \renewcommand\title[1]{\gdef\@title{#1}}
182 %% Macro handling the first page
183 \def\papernum@name{no.}
184 \newcommand{\FIRSTPAGE}{%
185 \setcounter{page}{\@PAGESTART}%
186 \title{\small
187 \let\orig@thanks\thanks
188 \ifx\@EJP\undefined\else
189 \if@ejpecp@preprint
190 \phantom{\@EJPLOGO}\par
191 \else
192 \@EJPLOGO
193 \fi
194 \bigskip
195 \if@ejpecp@preprint
196 \null\null
197 \else
198 \centerline{\@JOURNALA\ \textbf{\@VOLUME} (\@YEAR),\
199 \papernum@name\ \@PAPERNUM, \,\@PAGESTART--\@PAGEEND.}%
200 \centerline{ISSN:\ \texttt{\href{\@FULLURL}{\@ISSN}} \%
201 \ifx\@DOI\undefined\else
202 \ \printdoi
203 \fi}%
204 \fi
205 \bigskip
206 \bigskip
207 \bgroup
208 \@ifundefined{no@title@thanks@support}{%
209 \let\thanks\title@thanks
210 \let\@makefnmark\title@makefnmark
211 \let\support\thanks
212 }{}%
213 \Large\bfseries\@TITLE\par
214 \egroup
215 \fi
216 \ifx\@ECP\undefined
217 \else
218 \parbox[t]{9cm}{%
219 \if@ejpecp@preprint
220 \else
221 \@JOURNALA\ \textbf{\@VOLUME} (\@YEAR),
222 \papernum@name\ \@PAPERNUM, \@PAGESTART--\@PAGEEND.\
223 \ifx\@DOI\undefined

```

```

224         \else
225         \ \printdoi
226         \fi \
227         ISSN:\ \texttt{\href{\@FULLURL}{\@ISSN}}%
228         \fi
229         }%
230     \hfill
231     \if@ejpecp@preprint
232         \phantom{\@ECPLOGO}%
233     \else
234         \@ECPLOGO
235     \fi\
236     \bigskip
237     \bigskip
238     \bgroup
239     \@ifundefined{no@title@thanks@support}{%
240         \let\thanks\title@thanks
241         \let\@makefnmark\title@makefnmark
242         \let\support\thanks
243     }{}%
244     \Large\@TITLE\par
245     \egroup
246     \fi
247     }% end title
248     \date{%
249         \ifx\@DEDICATORY\undefined
250         \else
251             \noindent
252             \emph{\small\sffamily\@DEDICATORY}%
253         \fi}%
254     \maketitle\thispagestyle{empty}%
255     \begin{abstract}%
256         \noindent
257         \@ABSTRACT\par\vskip 1em\relax
258         {\footnotesize
259             \noindent\textbf{Keywords: }\@KEYWORDS.\par
260             \noindent\href{msc@url}{\textbf{MSC2020 subject classifications: }}%
261             \ifx\@AMSSUBJSECONDARY\undefined
262                 \noindent
263                 \@AMSSUBJ.\par
264             \else
265                 \noindent
266                 Primary \@AMSSUBJ, Secondary \@AMSSUBJSECONDARY.\par
267             \fi
268             \if@ejpecp@preprint
269                 \mbox{}\par
270             \else
271                 \noindent
272                 Submitted to \@JOURNAL\ on \@SUBMITTED,
273                 final version accepted on \@ACCEPTED.\par
274             \fi
275             \ifx\@ARXIVID\undefined
276             \else
277                 \noindent
278                 Supersedes
279                 \texttt{\href{https://arXiv.org/abs/\@ARXIVID}{arXiv:\@ARXIVID}}.%
280             \fi\par
281             \ifx\@HALID\undefined
282             \else
283                 \noindent
284                 Supersedes
285                 \texttt{\href{https://hal.archives-ouvertes.fr/\@HALID}{HAL:\@HALID}}.%
286             \fi\par

```

```

287 }%footnotesize
288 \end{abstract}
289
290 \smallskip
291
292 }%END-FIRSTPAGE
293 %% Macro setting the PDF title
294 \newcommand{\PDFFIELDS}{%
295 \if@ejpecp@preprint
296 \else
297 \hypersetup{%
298 pdftitle={\@JOURNAL\ \@VOLUME\ (\@YEAR), \papernum@name\ \@PAPERNUM, \@doiprefix\@DOI}}%
299 \hypersetup{pdfproducer={\@JOURNAL\ Managing Editor https://\@URL}}%
300 \hypersetup{pdfauthor={Please see \@doiprefix\@DOI}}%
301 \fi
302 \hypersetup{pdfkeywords={\@KEYWORDS}}%
303 \hypersetup{pdfcreator={LaTeX with ejpecp.cls \@nameuse{ver@ejpecp.cls}}}%
304 \hypersetup{pdfsubject={Probability Theory}}%
305 }%END-PDFFIELDS
306
307 %% Supplement
308 \def\supplement@name{Supplementary Material}
309 \def\stitle#1{\def\@stitle{#1}}
310 \def\stitle@fmt#1{\textbf{#1.}\ }
311 \def\sdescription#1{\def\@sdescription{#1}}
312 \def\supsection@fmt{\section*{\supplement@name}}
313 \long\def\supplement{\@ifnextchar[{\@supplement}{\@supplement []}}
314 \long\def\@supplement[#1]{%
315 \supsection@fmt
316 \global\let\supsection@fmt\smallskip
317 }
318 \def\endsupplement{%
319 \ifundefined{\@stitle}%
320 {}%
321 {\stitle@fmt{\@stitle}}%
322 %
323 \ifundefined{\@sdescription}{\@sdescription}%
324 \par
325 }
326
327 %% Bibliography
328 \def\@MRExtract#1 #2!{#1} % thanks, Martin!
329 \newcommand{\MR}[1]{% we need to strip the "(...)"
330 \xdef\@MRSTRIP{\@MRExtract#1 !}%
331 \href{https://mathscinet.ams.org/mathscinet-getitem?mr=\@MRSTRIP}{MR-\@MRSTRIP}}
332 \newcommand{\ARXIV}[1]{\href{https://arXiv.org/abs/#1}{arXiv:#1}}
333 \def\bibliography@size{\small}
334 \renewenvironment{thebibliography}[1]
335 {%
336 \section*{\refname
337 \mkboth{\MakeUppercase\refname}{\MakeUppercase\refname}}%
338 \phantomsection
339 \addcontentsline{toc}{section}{\refname}%
340 \list{\@biblabel{\@arabic{enumiv}}}%
341 {\settowidth\labelwidth{\@biblabel{#1}}%
342 \bibliography@size
343 \setlength{\labelsep}{0.4em}%
344 \setlength{\leftmargin}{\labelwidth}%
345 \addtolength{\leftmargin}{\labelsep}%
346 \setlength{\itemsep}{-.25em}%
347 \@openbib@code
348 \usecounter{enumiv}%
349 \let\p@enumiv\empty

```

```

350     \renewcommand\theenumiv{\@arabic\c@enumiv}}%
351     \sloppy\clubpenalty4000\@clubpenalty\clubpenalty\widowpenalty4000%
352     \sfcode'\.\@m
353 }{%
354     \def\@noitemerr{%
355         \@latex@warning{Empty 'thebibliography' environment}}%
356     \endlist
357 }
358 %% Theorem styles
359 \ifx\@NOAMS\undefined
360     \newtheoremstyle{ejpecpbodyit}% name % cf. thmtest.tex of AMSLaTeX
361         {3pt}                % Space above
362         {3pt}                % Space below
363         {\itshape}           % Body font
364         {}                    % Indent amount (empty = no indent,
365                               % \parindent = para indent)
366         {\bfseries\sffamily} % Thm head font
367         {.}                  % Punctuation after thm head
368         { }                  % Space after thm head: " " = normal interword space;
369                               % \newline = linebreak
370         {}                    % Thm head spec (can be left empty, meaning 'normal')
371     \newtheoremstyle{ejpecpbodyrm}% name % cf. thmtest.tex of AMSLaTeX
372         {3pt}                % Space above
373         {3pt}                % Space below
374         {}                    % Body font
375         {}                    % Indent amount (empty = no indent,
376                               % \parindent = para indent)
377         {\bfseries\sffamily} % Thm head font
378         {.}                  % Punctuation after thm head
379         { }                  % Space after thm head: " " = normal interword space;
380                               % \newline = linebreak
381         {}                    % Thm head spec (can be left empty, meaning 'normal')
382 \fi
383 %%
384 \ifx\@NOAMS\undefined
385     \theoremstyle{ejpecpbodyit}
386 \fi
387 \newtheorem{theorem}{Theorem}[section]
388 \newtheorem{assumptions}[theorem]{Assumptions}
389 \newtheorem{assumption}[theorem]{Assumption}
390 \newtheorem{claim}[theorem]{Claim}
391 \newtheorem{condition}[theorem]{Condition}
392 \newtheorem{conjecture}[theorem]{Conjecture}
393 \newtheorem{corollary}[theorem]{Corollary}
394 \newtheorem{definitions}[theorem]{Definitions}
395 \newtheorem{definition}[theorem]{Definition}
396 \newtheorem{facts}[theorem]{Facts}
397 \newtheorem{fact}[theorem]{Fact}
398 \newtheorem{heuristics}[theorem]{Heuristics}
399 \newtheorem{hypothesis}[theorem]{Hypothesis}
400 \newtheorem{hypotheses}[theorem]{Hypotheses}
401 \newtheorem{lemma}[theorem]{Lemma}
402 \newtheorem{notations}[theorem]{Notations}
403 \newtheorem{notation}[theorem]{Notation}
404 \newtheorem{proposition}[theorem]{Proposition}
405 \ifx\@NOAMS\undefined
406     \theoremstyle{ejpecpbodyrm}
407 \fi
408 \newtheorem{example}[theorem]{Example}
409 \newtheorem{exercise}[theorem]{Exercise}
410 \newtheorem{problem}[theorem]{Problem}
411 \newtheorem{question}[theorem]{Question}
412 \newtheorem{remark}[theorem]{Remark}

```

```

413 %% Numbering
414 \ifx\@NOAMS\undefined
415   \numberwithin{equation}{section}
416 \fi
417 %% Itemize and enumerate for bera
418 \newcommand{\@reduceitemsep}{\addtolength{\itemsep}{-0.5\baselineskip}}
419 \let\OLD@itemize\itemize
420 \renewcommand\itemize{\OLD@itemize\@reduceitemsep}
421 \let\OLD@enumerate\enumerate
422 \renewcommand\enumerate{\OLD@enumerate\@reduceitemsep}
423 %% Replace \mathbb by \mathds except if we require the contrary
424 \ifx\@NODS\undefined
425   \let\realmathbb=\mathbb
426   \let\mathbb=\mathds
427 \fi
428 %% Headings
429 \newcommand{\@HLOB}{%
430   \href{\@doiprefix\@DOI}%
431     {\@JOURNAL\ \textbf{\@VOLUME}\, (\@YEAR),\ paper \@PAPERNUM.}}
432 \renewcommand{\@evenfoot}{%
433   \normalfont\footnotesize\if@ejpecp@preprint\mbox{}\else\@HLOB\fi\hfil
434   \small\raisebox{-1em}{Page \thepage/\@PAGEEND}\hfil
435   \footnotesize\if@ejpecp@preprint\mbox{}\else\href{\@FULLURL}{https://\@URL}\fi}
436 \renewcommand{\@oddfoot}{\@evenfoot}
437 \renewcommand{\@evenhead}{\hfil\@SHORTTITLE\hfil}
438 \renewcommand{\@oddhead}{\@evenhead}
439 %% smaller sections titles
440 \renewcommand{\section}{%
441   \@startsection
442     {section}
443     {1}
444     {0em}
445     {\baselineskip}
446     {0.5\baselineskip}
447     {\normalfont\large\bfseries}}
448 \renewcommand{\subsection}{%
449   \@startsection
450     {subsection}
451     {2}
452     {0em}
453     {\baselineskip}
454     {0.25\baselineskip}
455     {\normalfont\bfseries}}
456 \RequirePackage{afterpackage}
457 \AfterPackage{natbib}
458 {%
459   \def\bibcleanup{\vskip-\lastskip\vskip10\p@}%
460   \renewcommand{\bibfont}{\small}%
461   \newlength{\standard@parsep}%
462   \newlength{\standard@itemsep}%
463   \setlength{\standard@parsep}{4.0pt plus 2.0pt minus 1.0pt}%
464   \setlength{\standard@itemsep}{-2.02498pt}%
465   \setlength{\bibsep}{\standard@parsep}%
466   \addtolength{\bibsep}{\standard@itemsep}%
467   \renewcommand\NAT@bibsetnum[1]%
468     {%
469       \settowidth\labelwidth{\@biblabel{#1}}%
470       \setlength{\leftmargin}{\labelwidth}\addtolength{\leftmargin}{\labelsep}%
471       \setlength{\labelsep}{3pt}%
472       \setlength{\itemsep}{\bibsep}\setlength{\parsep}{\z@}%
473       \ifNAT@openbib
474         \addtolength{\leftmargin}{\bibindent}%
475         \setlength{\itemindent}{-\bibindent}%

```



```

476 \setlength{\listparindent}{\itemindent}%
477 \setlength{\parsep}{0pt}%
478 \fi
479 }%
480 }%
481 \def\amp{&}%
482 \InputIfFileExists{ejpecp.cfg}
483 {}
484 {\def\papernum@name{article no.}}
485 %% Macros
486 \AtBeginDocument{\FIRSTPAGE\PDFFIELDS}
487 \AtEndDocument{\vfill}
488 \endinput
489 %%
490 %% End of file 'ejpecp.cls'.
491 %% Macros
492 \AtBeginDocument{\FIRSTPAGE\PDFFIELDS}
493 \AtEndDocument{\vfill}

```

## Change History

v0.5	General: Initial version. . . . . 1	v1.2	General: Transition to EJMS/VTEX/ProjectEuclid. . . . . 1
v0.57	General: Improvements, see the README file. 1	v1.3	General: Updated journal URLs and DOI output format . . . . . 1
v0.577	General: Improvements, see the README file. 1	v1.4	General: Abstract baselineskip correction . . . . 1
v0.5772	General: Improvements, see the README file. 1	v1.5	General: false configuration for hyperref package . . . . . 1
v0.57721	General: Improvements, see the README file. 1	v1.6	General: full url doi, package maintaining and shorttitle info . . . . . 1
v0.577215	General: Improvements, see the README file. 1	v1.7	General: merged with production version: fixltx2e removed, natbib setup with afterpackage, etc . . . . . 1
v1.0	General: First stable version, see the README file. . . . . 1	v1.8.2	General: no. prefix updated and msc2020 . . . . 1
v1.1	General: Corrected stable version, see the README file. . . . . 1	v1.8.3	General: Update URLs . . . . . 1
v1.10.0	General: acks and support . . . . . 1	v1.9.0	General: Supplement environment . . . . . 1
v1.11.0	General: preprint option . . . . . 1		

## Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols			
\'	161	\@DEDICATORY . . . . . 92, 249, 252	\@HBLOB . . . . . 429, 433
\,	199, 431	\@DOI . . . . . 107,	\@ISSN . . . . . 7, 16, 200, 227
\.	352	169, 201, 223, 298, 300, 430	\@JOURNAL . . 4, 13, 272, 299, 431
\@ABSTRACT . . . . . 82, 99, 257		\@ECP . . . . . 12, 216	\@JOURNALA . . 5, 14, 198, 221, 298
\@ACCEPTED . . . . . 89, 106, 273		\@ECPLOGO . . . . . 161, 232, 234	\@JOURNALL . . . . . 6, 15
\@AMSSUBJ . . . . . 81, 97, 263, 266		\@EJP . . . . . 3, 188	\@KEYWORDS . . . . 80, 96, 259, 302
\@AMSSUBJSECONDARY 98, 261, 266		\@EJPLOGO . . . . . 116, 190, 192	\@MRExtract . . . . . 328, 330
\@ARXIVID . . . . . 108, 275, 279		\@FULLURL . . 9, 18, 200, 227, 435	\@MRSTRIP . . . . . 330, 331
		\@HALID . . . . . 109, 281, 285	\@NOAMS 21, 60, 359, 384, 405, 414

<code>\@NODS</code> . . . . .	24, 57, 424	<code>\AtEndDocument</code> . . . . .	487, 493	<code>\geometry</code> . . . . .	64
<code>\@PAGEEND</code> . . . . .	87, 104, 199, 222, 434	<code>\author</code> . . . . .	93	<code>\global</code> . . . . .	316
<code>\@PAGESTART</code> . . . . .	86, 103, 185, 199, 222	<code>\AUTHORS</code> . . . . .	93		
<code>\@PAPERNUM</code> . . . . .				<b>H</b>	
84, 101, 199, 222, 298, 431		<b>B</b>		<code>\HALID</code> . . . . .	109
<code>\@PSTRICKS</code> . . . . .	28, 47	<code>\baselineskip</code> . . . . .		<code>\hbox</code> . . . . .	119,
<code>\@SHORTTITLE</code> . . . . .	79, 91, 437	418, 445, 446, 453, 454		122–131, 133–137, 141,	
<code>\@SUBMITTED</code> . . . . .	88, 105, 272	<code>\begin</code> . . . . .	255	142, 144, 145, 147–157, 173	
<code>\@TITLE</code> . . . . .	78, 90, 213, 244	<code>\BEMAIL</code> . . . . .	114	<code>\hfil</code> . . . . .	433, 434, 437
<code>\@URL</code> . . . . .	8, 17, 299, 435	<code>\bf</code> . . . . .	122, 133, 147	<code>\hfill</code> . . . . .	230
<code>\@VOLUME</code> . . . . .	83, 100, 198, 221, 298, 431	<code>\bfseries</code> . . . . .	213, 366, 377, 447, 455	<code>\href</code> . . . . .	113, 169, 200, 227, 260,
<code>\@YEAR</code> . . . . .	85, 102, 198, 221, 298, 431	<code>\bgroup</code> . . . . .	207, 238	279, 285, 331, 332, 430, 435	
<code>\@arabic</code> . . . . .	340, 350	<code>\biblecleanup</code> . . . . .	459	<code>\hskip</code> . . . . .	177
<code>\@biblabel</code> . . . . .	340, 341, 469	<code>\bibfont</code> . . . . .	460	<code>\hspace</code> . . . . .	114
<code>\@clubpenalty</code> . . . . .	351	<code>\bibindent</code> . . . . .	474, 475	<code>\hypersetup</code> . . . . .	
<code>\@doiprefix</code> . . . . .	168, 169, 298, 300, 430	<code>\bibliography@size</code> . . . . .	333, 342	. 68, 297, 299, 300, 302–304	
<code>\@ejpecp@preprintfalse</code> . . . . .	36	<code>\bibsep</code> . . . . .	465, 466, 472		
<code>\@ejpecp@preprinttrue</code> . . . . .	37	<code>\bigskip</code> . . . . .	194, 205, 206, 236, 237	<b>I</b>	
<code>\@empty</code> . . . . .	349			<code>\if@ejpecp@preprint</code> . . . . .	
<code>\@evenfoot</code> . . . . .	432, 436	<b>C</b>		. . . . .	36, 189, 195,
<code>\@evenhead</code> . . . . .	437, 438	<code>\c@enumiv</code> . . . . .	340, 350	219, 231, 268, 295, 433, 435	
<code>\@firstofone</code> . . . . .	94, 95	<code>\centerline</code> . . . . .	118, 198, 200	<code>\ifNAT@openbib</code> . . . . .	473
<code>\@ifnextchar</code> . . . . .	313	<code>\clubpenalty</code> . . . . .	351	<code>\ifx</code> . . . . .	47, 57, 60, 188, 201,
<code>\@ifundefined</code> . . . . .		<code>\CurrentOption</code> . . . . .	39	216, 223, 249, 261, 275,	
. . . . .	174, 208, 239, 319, 323			281, 359, 384, 405, 414, 424	
<code>\@latex@warning</code> . . . . .	355	<b>D</b>		<code>\ignorespaces</code> . . . . .	112, 179
<code>\@m</code> . . . . .	352	<code>\date</code> . . . . .	248	<code>\InputIfFileExists</code> . . . . .	482
<code>\@makefnmark</code> . . . . .	210, 241	<code>\DeclareGraphicsExtensions</code> . . . . .	48	<code>\itemindent</code> . . . . .	475, 476
<code>\@mkboth</code> . . . . .	337	<code>\DeclareOption</code> . . . . .	2,	<code>\itemize</code> . . . . .	419, 420
<code>\@nameuse</code> . . . . .	303	11, 20, 23, 26, 30, 33, 37, 38		<code>\itemsep</code> . . . . .	346, 418, 472
<code>\@noitemerr</code> . . . . .	354	<code>\DEDICATORY</code> . . . . .	92	<code>\itshape</code> . . . . .	363
<code>\@oddfont</code> . . . . .	436	<code>\def</code> . . . . .	75, 111, 113, 168–170, 172,		
<code>\@oddhead</code> . . . . .	438	179, 183, 308–314, 318,		<b>K</b>	
<code>\@openbib@code</code> . . . . .	347	328, 333, 354, 459, 481, 484		<code>\kern</code> . . . . .	121, 132, 138, 140, 143, 146
<code>\@reduceitemsep</code> . . . . .	418, 420, 422	<code>\dimexpr</code> . . . . .	176	<code>\KEYWORDS</code> . . . . .	96
<code>\@sdescription</code> . . . . .	311, 323	<code>\DOI</code> . . . . .	107		
<code>\@startsection</code> . . . . .	441, 449			<b>L</b>	
<code>\@stitle</code> . . . . .	309, 321	<b>E</b>		<code>\labelsep</code> . . . . .	343, 345, 470, 471
<code>\@supplement</code> . . . . .	313, 314	<code>\edef</code> . . . . .	175, 176	<code>\labelwidth</code> . . . . .	341, 344, 469, 470
<code>\@tempboxa</code> . . . . .	173, 176, 177	<code>\egroup</code> . . . . .	214, 245	<code>\Large</code> . . . . .	213, 244
<code>\@textsuperscript</code> . . . . .	173	<code>\else</code> . . . . .	49,	<code>\large</code> . . . . .	447
<code>\@thefnmark</code> . . . . .	173	188, 191, 197, 201, 217,		<code>\lastskip</code> . . . . .	459
<code>\@title</code> . . . . .	181	220, 224, 233, 250, 264,		<code>\leftmargin</code> . . . . .	344, 345, 470, 474
<code>\@</code> . . . . .	162–165, 222, 226, 235	270, 276, 282, 296, 433, 435		<code>\let</code> . . . . .	94, 95,

<code>\newline</code> . . . . .	114, 369, 380	<code>\raisebox</code> . . . . .	162, 434	<b>T</b>	
<code>\newtheorem</code> . .	387–404, 408–412	<code>\realmathbb</code> . . . . .	425	<code>\textbf</code> . .	110, 112, 163–165,
<code>\newtheoremstyle</code> . . . .	360, 371	<code>\refname</code> . . . . .	336, 337, 339		198, 221, 259, 260, 310, 431
<code>\noindent</code> . . . . .	110,	<code>\relax</code> . . . . .	42, 176, 257	<code>\texttt</code> 113, 169, 200, 227, 279, 285	
	112, 162, 251, 256, 259,	<code>\renewcommand</code> . . . . .		<code>\thanks</code> . .	187, 209, 211, 240, 242
	260, 262, 265, 271, 277, 283		90, 91, 96, 97, 99–106,	<code>\the</code> . . . . .	176
<code>\nolinkurl</code> . . . . .	113		181, 350, 420, 422, 432,	<code>\theenumiv</code> . . . . .	350
<code>\normalfont</code> . .	173, 433, 447, 455		436–438, 440, 448, 460, 467	<code>\theoremstyle</code> . . . . .	385, 406
<code>\null</code> . . . . .	196	<code>\renewenvironment</code> . . . . .	334	<code>\thepage</code> . . . . .	434
<code>\numberwithin</code> . . . . .	415	<code>\RequirePackage</code> .	46, 50, 51,	<code>\thispagestyle</code> . . . . .	254
<b>O</b>			53–56, 58, 61, 63, 65–67, 456	<code>\TITLE</code> . . . . .	90
<code>\OLD@enumerate</code> . . . . .	421, 422	<code>\rlap</code> . . . . .	177	<code>\title</code> . . . . .	181, 186
<code>\OLD@itemize</code> . . . . .	419, 420	<code>\rule</code> . . . . .	162, 166	<code>\title@makefnmark</code>	172, 210, 241
<code>\orig@thanks</code> . . . . .	179, 187			<code>\title@thanks</code> . . . .	179, 209, 240
<b>P</b>		<b>S</b>		<b>U</b>	
<code>\p@</code> . . . . .	459	<code>\sdescription</code> . . . . .	311	<code>\undefined</code> 47, 57, 60, 188, 201,	
<code>\p@enumiv</code> . . . . .	349	<code>\section</code> . . . . .	312, 336, 440		216, 223, 249, 261, 275,
<code>\PackageWarning</code> . . . . .	39	<code>\setbox</code> . . . . .	173		281, 359, 384, 405, 414, 424
<code>\PAGEEND</code> . . . . .	104	<code>\setcounter</code> . . . . .	185	<code>\unhbox</code> . . . . .	177
<code>\pageref</code> . . . . .	87	<code>\setlength</code> . .	343, 344, 346,	<code>\unkern</code> . . . . .	179
<code>\PAGESTART</code> . . . . .	103		463–465, 470–472, 475–477	<code>\unskip</code> . . . . .	179
<code>\PAPERNUM</code> . . . . .	101	<code>\settowidth</code> . . . . .	341, 469	<code>\UrlFont</code> . . . . .	75
<code>\papernum@name</code> . . . . .		<code>\sfcode</code> . . . . .	352	<code>\usecounter</code> . . . . .	348
	183, 199, 222, 298, 484	<code>\sffamily</code> . . . . .	252, 366, 377	<b>V</b>	
<code>\par</code> . . . . .	112, 190,	<code>\SHORTTITLE</code> . . . . .	91	<code>\vfill</code> . . . . .	487, 493
	213, 244, 257, 259, 263,	<code>\sloppy</code> . . . . .	351	<code>\VOLUME</code> . . . . .	100
	266, 269, 273, 280, 286, 324	<code>\small</code> . .	186, 252, 333, 434, 460	<code>\vrule</code> . . . . .	120, 139
<code>\parbox</code> . . . . .	162, 218	<code>\smallskip</code> . . . . .	290, 316	<code>\vskip</code> . . . . .	257, 459
<code>\parindent</code> . . . . .	365, 376	<code>\space</code> . . . . .	112, 120–156	<b>W</b>	
<code>\parsep</code> . . . . .	472, 477	<code>\standard@itemsep</code>	462, 464, 466	<code>\wd</code> . . . . .	176
<code>\PassOptionsToClass</code> . . . .	31, 34	<code>\standard@parsep</code> .	461, 463, 465	<code>\widowpenalty</code> . . . . .	351
<code>\PDFFIELDS</code> . . . . .	294, 486, 492	<code>\stitle</code> . . . . .	309	<b>X</b>	
<code>\phantom</code> . . . . .	190, 232	<code>\stitle@fmt</code> . . . . .	310, 321	<code>\xdef</code> . . . . .	330
<code>\phantomsection</code> . . . . .	338	<code>\SUBMITTED</code> . . . . .	105	<b>Y</b>	
<code>\prev@makefnmark@wd</code> . .	175–177	<code>\subsection</code> . . . . .	448	<code>\YEAR</code> . . . . .	102
<code>\printdoi</code> . . . . .	169, 202, 225	<code>\supplement</code> . . . . .	313	<b>Z</b>	
<code>\ProcessOptions</code> . . . . .	42	<code>\supplement@name</code> . . . .	308, 312	<code>\z@</code> . . . . .	472
<b>R</b>		<code>\support</code> . . . . .	211, 242		
<code>\raise</code> . . .	122–131, 133–137,	<code>\suppsection@fmt</code> .	312, 315, 316		
	141, 142, 144, 145, 147–157	<code>\SURNAME</code> . . . . .	95		