Typesetting Data Science journal

Instruction manual

VTeX

v0.1 - 2020/12/11

1 Introduction

This package consists of an instruction manual (jdsmanual.pdf), a sample article (jds-sample.tex) and sample bibtex database (biblio.bib), documenclass (jdsart.cls), bibtex style (jds2.bst) and a template (jds-template.tex).

The document class jdsart.cls is primarily build upon article.cls and depend on the following packages:

- etoolbox
- textcomp
- natbib
- graphicx
- amsmath, amsthm, amssymb
- xcolor
- index
- hyperref
- enumitem

2 Compiling

Please use latex or pdflatex to compile a manuscript.
cmd> (pdf)latex paper
cmd> bibtex paper
cmd> (pdf)latex paper

3 Frontmatter

3.1 Title

Setup:


```
\title{A sample document}
```

3.2 Auhors and addresses


Setup:

```
\author[1]{\inits{F.}\fnms{Firstname1} \snm{Surname1}\thanksref{c1}%
  \ead[label=e1]{aut@foo.com}\ead[label=e2]{aut@foo2.com}}
\author[2]{\inits{S.}\fnms{Firstname2} \snm{Surname2}\thanksref{f1}}
\thankstext[type=corresp,id=c1]{Corresponding author.}
\thankstext[id=f1]{Simple footnote.}
\address[1]{Address of the First author, \institution{University}, \cny{Country name}}
\address[2]{Address of the Second author, \institution{University}, \cny{Country name}}
```

Output authors:



Output footnotes:



`\author` command has optional parameter, that serves as and identifier, and which can be used in `\address` field to identify address belonging. Macros `\inits`, `\fnms`, `\snm` stands for author's initials, first names and surname accordingly. Use `\thanksref` and `\thankstext` macro to identify and print title page footnotes. In adition `type=corresp` key in `\thankstext` will use `*` as a footnote mark. It is use for correspondig author identification. Corresponding authors email address should be provided with `\ead{}` macros.

3.3 Abstract

```
\begin{abstract}
Abstract ..
\end{abstract}
```

3.4 Keywords

```
\begin{keyword}
\kwd{Large deviations}
\kwd{Volterra processes}
\kwd{conditional processes}
\end{keyword}
```

Please add different keywords in `\kwd` makro.

4 Headings

Headings are generated automatically by printing authors (in even page) and title (in odd page). Use `\runtitle{}` and `\runauthor{}` if necessary to change auto-generated ones.

5 Floats

Figures may be included using the command `\includegraphics` in combination with options if needed. `\includegraphics` is provided by graphicx.sty package which is part of standard LaTeX distribution. graphicx.sty is loaded by default.

6 Theorems and theorem like environments

The class file jdsart.cls by default loads amsthm package, which provides three theorem styles – *plain*, *definition*, *remark*.

```
\theoremstyle{plain}\newtheorem{thm}{Theorem}
\theoremstyle{remark}\newtheorem{remark}{Remark}
\theoremstyle{definition}\newtheorem{defin}{Definition}

\begin{thm}[Quantitative theorem] Quae semper tutum est medium inter homines et deum,
pro culpis remedium.
\end{thm}

\begin{remark}[Quantitative theorem] Quae semper tutum est medium inter homines et deum,
pro culpis remedium.
\end{remark}

\begin{defin}[Quantitative theorem] Quae semper tutum est medium inter homines et deum,
pro culpis remedium.
\end{defin}

\begin{proof}
The theorem is proved.
\end{proof}
```

Output:

Theorem 1 (Quantitative theorem). *Quae semper tutum est medium inter homines et deum, pro culpis remedium.*

Remark 1 (Quantitative theorem). Quae semper tutum est medium inter homines et deum, pro culpis remedium.

Definition 1 (Quantitative theorem). Quae semper tutum est medium inter homines et deum, pro culpis remedium.

Proof. The theorem is proved. □

7 Enumerated and itemized lists

Lists uses standard package `enumitem`. It provides user control over the layout of the three basic list environments: enumerate, itemize and description.

8 Cross-references

In electronic publications, articles may be internally hyperlinked. Hyperlinks are generated from proper cross-references in the article. For example, the words Fig. 1 will never be more than simple text , whereas the proper cross-reference `\ref{dice}` may be turned into a hyperlink to the figure itself: Fig. 1.

9 Bibliography

Use bibtex database and jds2.bst style for bibliography items.

```
\bibliographystyle{jds}
\bibliography{biblio}% your bibliography database
```

To procude bbl file issue
cmd> bibtex paper
in a command promt.
You will get higly customised bbl file.

10 Submition

Please submit a single zip file which contains the following files:

- paper.tex
- paper.pdf or paper.ps
- paper.bbl

- *.eps,*.pdf (EPS or PDF images)
- <you-file>.bib bibtex data base