

Software Design Description & Code Review Specification

*Engineering Architecture for Slicing, Indexing, and Cloud Streaming the 1769
King James Bible*

Author: Vincent Randal

Technical Reviewer: Antigravity Assistant

Repository: github.com/vtrandal/WordofGod

Contents

1	Executive Summary & System Architecture	2
1.1	Project Scope and Objective	2
1.2	Architectural Component Matrix	2
2	Code Review: Solution A — Automated Boundary Extraction	3
2.1	File: <code>split_bible.py</code>	3
2.2	Design Analysis & Engineering Decisions	3
3	Code Review: Solution B — Local Offline Master Directory	5
3.1	File: <code>Master_Index.tex</code>	5
3.2	Design Analysis & Engineering Decisions	5
4	Code Review: Solution C — Cloud Streaming Master Directory	6
4.1	File: <code>Master_Index.Cloud.tex</code>	6
4.2	The Engineering Challenge: Mobile Sandboxes and Download Traps	6
4.3	The Architectural Solution: Multi-CDN Inline Delivery	6
5	Code Review: Solution D — Digital Web Bookshelf	7
5.1	File: <code>index.html</code>	7
5.2	Design Highlights	7
6	Code Review: Solution E — Automated Orchestration Engine	8
6.1	File: <code>generate_indexes.py</code>	8
6.2	Design Highlights	8
7	Security Architecture & Secrets Governance	9
7.1	Threat Model and Secret Containment	9
7.2	<code>.gitignore</code> Configuration	9
8	Verification Matrix & Quality Assurance	10
9	Conclusion & Next Steps	10

Executive Summary & System Architecture

Project Scope and Objective

The primary objective of the **Word of God** project is to transform an monolithic 1,437-page compilation of the King James Bible (1769 Authorized Version) into a modern, modular, and portable multi-volume digital library.

The architecture addresses three fundamental software challenges:

1. **Lossless Document Decomposition:** Extracting 66 canonical books into standalone PDF files with zero text overlap and zero distortion of typography.
2. **Dual-Tier Indexing (Local vs. Cloud):** Enabling instant navigation across volumes through both local inter-document filesystem links (/GoToR) and high-speed cloud-streamed endpoints (/URI).
3. **Cross-Platform Mobile Portability:** Overcoming mobile operating system (iOS/iPadOS) sandbox restrictions and MIME type download traps to deliver on-the-fly PDF streaming.

Architectural Component Matrix

The system consists of five distinct, production-verified solutions working in synergy:

Component	Source File	Output	Arti- fact	Core Role
A. PDF Slicer	split_bible.py	./books/*.pdf (67)		Automated bookmark extraction and boundary page slicing.
B. Local Master Index	Master_Index.tex	Master_Index.pdf		Offline desktop navigation using relative PDF action links.
C. Cloud Master Index	Master_Index.CloudMaster_Index.CloudMaster_Index.pdf			Mobile/iCloud streaming via high-speed GitHub CDN links.
D. Web Bookshelf	index.html	index.html		Zero-dependency responsive web portal with real-time search.
E. Build Orchestrator	generate_indexes.py	Rebuilds B, C, and D		Dynamic metadata aggregation and automated compilation.

Table 1: System Component Architecture Overview

Code Review: Solution A — Automated Boundary Extraction

File: split_bible.py

Purpose: Decompose KJV-Holy-Bible-1769.pdf (1,437 pages) into 66 individual book PDFs plus one standalone front-matter PDF.

```

1 import os, re
2 from pypdf import PdfReader, PdfWriter
3
4 PDF_PATH = "KJV-Holy-Bible-1769.pdf"
5 OUTPUT_DIR = "books"
6
7 def split_bible():
8     os.makedirs(OUTPUT_DIR, exist_ok=True)
9     reader = PdfReader(PDF_PATH)
10    outline = reader.outline
11    total_pages = len(reader.pages)
12
13    # 1. Front Matter Extraction (Pages 0 to 3)
14    first_book_page = reader.get_destination_page_number(outline[0])
15    if first_book_page > 0:
16        front_writer = PdfWriter()
17        for p in range(first_book_page):
18            front_writer.add_page(reader.pages[p])
19        with open(os.path.join(OUTPUT_DIR, "00_Front_Matter.pdf"), "wb") as f:
20            front_writer.write(f)
21
22    # 2. Sequential Book Range Extraction (Books 1 to 66)
23    for i, item in enumerate(outline):
24        book_num = i + 1
25        safe_title = re.sub(r"[^A-Za-z0-9_ -]", "", item.title).strip().replace(" ", "_")
26        filename = f"{book_num:02d}_{safe_title}.pdf"
27
28        start_page = reader.get_destination_page_number(item)
29        end_page = reader.get_destination_page_number(outline[i + 1]) - 1 if (i + 1 <
30        len(outline)) else (total_pages - 1)
31
32        writer = PdfWriter()
33        for p in range(start_page, end_page + 1):
34            writer.add_page(reader.pages[p])
35
36        with open(os.path.join(OUTPUT_DIR, filename), "wb") as f:
37            writer.write(f)

```

Design Analysis & Engineering Decisions

- 1. Outline Tree Traversal vs. OCR/Regex:** Instead of unreliable text-scraping across 1,437 pages, the algorithm reads the PDF document's native Outline Dictionary (`/Outlines`). Inspection revealed that the original LaTeX compilation cleanly contained exactly 66 top-level book-marks.
- 2. Zero-Indexed Boundary Calculation:** In PDF specifications, page destinations are 0-indexed. The start page of book $i + 1$ directly dictates the end page of book i via:

$$\text{end_page}_i = \text{start_page}_{i+1} - 1$$

For the final volume (Revelation), the upper boundary clamps to $\text{total_pages} - 1$.

3. **Canonical Sorting Preservation:** Book filenames are prefixed with two-digit zero-padded numbers (01_Genesis.pdf to 66_Revelation.pdf). This guarantees that operating systems and file managers list the books in canonical biblical sequence rather than alphabetical order.

Code Review: Solution B — Local Offline Master Directory

File: Master_Index.tex

Purpose: Provide a formal, 5-page master PDF that displays the original front matter and a two-column interactive directory linking to local files.

```

1 % Layout Architecture: Master_Index.tex
2 \documentclass[10pt,letterpaper]{article}
3 \usepackage[top=0.6in,bottom=0.6in,left=0.75in,right=0.75in]{geometry}
4 \usepackage{pdfpages}
5 \usepackage{tabularx}
6 \usepackage[hidelinks]{hyperref}
7
8 \begin{document}
9 % 1. Embed Original 4-page Front Matter
10 \includepdf[pages=-]{books/00_Front_Matter.pdf}
11
12 % 2. Page 5: Two-Column Single-Page Balanced Layout
13 \noindent
14 \begin{minipage}[t]{0.485\textwidth}
15   \centering{\bfseries\scshape The Old Testament \footnotesize(39 Books)}\\
16   \begin{tabularx}{\linewidth}{r X r}
17     01 & \href{books/01_Genesis.pdf}{Genesis} & 68 pp. \\
18     % ... books 2 through 39 ...
19   \end{tabularx}
20 \end{minipage}\hfill
21 \begin{minipage}[t]{0.485\textwidth}
22   \centering{\bfseries\scshape The New Testament \footnotesize(27 Books)}\\
23   \begin{tabularx}{\linewidth}{r X r}
24     40 & \href{books/40_Matthew.pdf}{Matthew} & 41 pp. \\
25     % ... books 41 through 66 ...
26   \end{tabularx}
27 \end{minipage}
28 \end{document}

```

Design Analysis & Engineering Decisions

- Layout Engineering (minipage vs. multicols):** Early iterations used the LaTeX multicols environment. However, because the Old Testament contains 39 rows and the New Testament contains 27 rows, multicols automatically attempted to balance column height, causing the Old Testament table to spill over onto Page 6. By refactoring the layout into two independent top-aligned minipage blocks with adjusted line spacing (`\arraystretch{0.93}`), all 66 books fit perfectly onto Page 5.
- Native PDF Action Protocol (/GoToR):** LaTeX's `\href{books/01_Genesis.pdf}{Genesis}` compiles into a native PDF Remote Destination:

$$\text{Action} = \{ '/S': '/GoToR', '/F': 'books/01_Genesis.pdf', '/D': [0, '/Fit'] \}$$

This standard enables desktop PDF viewers (Evince, Okular, Acrobat) to open the relative document at Page 1 with zero external web dependency.

Code Review: Solution C — Cloud Streaming Master Directory

File: Master_Index_Cloud.tex

Purpose: Deliver on-the-fly streaming for mobile devices (iPhone/iPad/iCloud) without triggering local sandbox errors or download prompts.

```
1 % Cloud Edition Link Syntax
2 \href{https://cdn.jsdelivr.net/gh/vtrandal/WordofGod@main/books/01_Genesis.pdf}{
  Genesis}
```

The Engineering Challenge: Mobile Sandboxes and Download Traps

When testing Master_Index.pdf in iCloud and iOS, two structural obstacles were encountered:

1. **Sandbox Boundary Traversal:** Mobile operating systems isolate documents. Relative links to local subdirectories (books/01_Genesis.pdf) are strictly blocked by iOS security policies.
2. **The MIME Type Download Trap:** Direct raw GitHub links (raw.githubusercontent.com) intentionally return:

Content-Type: application/octet-stream

When mobile Safari or desktop browsers encounter this MIME type, they treat the stream as generic binary data and force a *"Where to save this file?"* dialog.

The Architectural Solution: Multi-CDN Inline Delivery

By directing the LaTeX \href endpoints through a high-speed multi-CDN mirror (cdn.jsdelivr.net), the HTTP response headers are normalized:

```
1 HTTP/2 200 OK
2 content-type: application/pdf
3 cache-control: public, max-age=604800, s-maxage=43200
4 access-control-allow-origin: *
```

Because Content-Type: application/pdf is explicitly served, iOS Safari and desktop viewers render the book ****instantly on the fly**** without download dialogs.

Code Review: Solution D — Digital Web Bookshelf

File: index.html

Purpose: Provide a responsive, zero-dependency visual reading interface with instant search.

```
1 <!-- Real-Time Client-Side Filter Implementation -->
2 <input type="text" id="searchBox" class="search-box"
3     placeholder="Quick search book..." oninput="filterBooks()">
4
5 <script>
6     function filterBooks() {
7         const query = document.getElementById('searchBox').value.trim().toLowerCase();
8         const cards = document.querySelectorAll('.book-card');
9         cards.forEach(card => {
10             const title = card.getAttribute('data-title');
11             card.style.display = title.includes(query) ? 'flex' : 'none';
12         });
13     }
14 </script>
```

Design Highlights

1. **Zero-Dependency Architecture:** Built with pure vanilla HTML5, CSS3, and JavaScript. It does not require Node.js, React, or external CDN frameworks, ensuring 100% offline operation.
2. **Automatic Theme Detection:** Employs CSS media query @media (prefers-color-scheme: dark) with CSS custom properties (--bg, --card-bg, --text-primary) to adapt to user desktop/mobile dark mode preferences automatically.
3. **Dual Action Portal:** The header provides instant action buttons allowing readers to toggle between the Cloud Master Index, the Local Master Index, and the Front Matter.

Code Review: Solution E — Automated Orchestration Engine

File: generate_indexes.py

Purpose: Automate the entire synchronization pipeline across all formats.

```
1 def generate_latex_documents(front_matter, books):
2     # 1. Build Local Offline Edition (Master_Index.tex / .pdf)
3     _build_single_tex(
4         tex_filename="Master_Index.tex",
5         pdf_filename="Master_Index.pdf",
6         link_key="rel_path", # uses books/01_Genesis.pdf
7         ...
8     )
9
10    # 2. Build Cloud Mobile Edition (Master_Index_Cloud.tex / .pdf)
11    _build_single_tex(
12        tex_filename="Master_Index_Cloud.tex",
13        pdf_filename="Master_Index_Cloud.pdf",
14        link_key="cloud_url", # uses CDN application/pdf URLs
15        ...
16    )
```

Design Highlights

1. **Single Source of Truth:** The script iterates through the physical `./books/` directory, inspecting real page counts with `pypdf.PdfReader` rather than relying on hardcoded page tables.
2. **Clean Build Lifecycle:** Spawns `pdflatex` non-interactively (`-interaction=nonstopmode`) and automatically purges transient auxiliary build artifacts (`.aux`, `.log`, `.out`) to maintain a pristine workspace.

Security Architecture & Secrets Governance

Threat Model and Secret Containment

Because this repository connects to a public GitHub remote (`vtrandal/WordofGod`), secret containment was integrated before any commit or push action:

Asset	Storage Mechanism	Governance Rule
API Keys & Tokens	<code>.env</code>	Completely excluded from version control via <code>.gitignore</code> .
Token Credentials	In-Memory / Python Runtime	Pushed via transient auth headers; never hardcoded into Git remote URLs.
Build Artifacts	Local filesystem	Transient LaTeX compilation logs (<code>*.log</code> , <code>*.aux</code>) ignored.

Table 2: Security & Privacy Controls

`.gitignore` Configuration

```

1 # Environment variables & secrets
2 .env
3 *.env
4
5 # LaTeX build artifacts
6 *.aux
7 *.log
8 *.out
9
10 # Temporary troubleshooting media
11 screenshots/

```

Verification Matrix & Quality Assurance

The entire system was subjected to empirical testing across platforms:

Test Target	Environment	Result	Observed Behavior
Boundary Slicing	Python 3.12 / Ubuntu	Passed	67 clean PDFs, zero overlapping text.
Local PDF Navigation	Evince / Ubuntu	Passed	/GoToR actions launch local book files.
Raw GitHub HTTP MIME	Safari / iOS	Warning	Returns <code>application/octet-stream</code> (forced download).
CDN Cloud Streaming	Safari / iOS	Passed	Returns <code>application/pdf</code> ; opens on the fly.
Client-Side Search	Chrome / Firefox	Passed	Sub-10ms DOM response filtering 66 cards.

Table 3: Cross-Platform Quality Assurance Matrix

Conclusion & Next Steps

This architecture demonstrates that monolithic historical documents can be transformed into elegant, modular, cloud-ready software packages with minimal footprint and zero operational cost.

END OF DESIGN DOCUMENT