

SOURCE CODE

HTML:

```
<!DOCTYPE html>

<html>

<head>

    <title>Inventory System</title>

</head>

<body>

<h2>Add Product</h2>

<form action="add.php" method="POST">

    Name: <input type="text" name="name" required><br><br>

    Quantity: <input type="number" name="quantity" required><br><br>

    Price: <input type="number" step="0.01" name="price" required><br><br>

    <button type="submit">Add Product</button>

</form>

<br>

<a href="view.php">View Products</a>

</body>

</html>
```

PHP:

```
<?php

include 'db.php';

$name = $_POST['name'];

$quantity = $_POST['quantity'];

$price = $_POST['price'];
```

```
$sql = "INSERT INTO products (name, quantity, price)
VALUES ('$name', '$quantity', '$price')";
```

```
if ($conn->query($sql) === TRUE) {
    echo "Product added successfully!";
} else {
    echo "Error: " . $conn->error;
}
?>
```

```
<?php
include 'db.php';
```

```
$result = $conn->query("SELECT * FROM products");
?>
```

```
<h2>Product List</h2>
```

```
<table border="1">
<tr>
    <th>ID</th>
    <th>Name</th>
    <th>Quantity</th>
    <th>Price</th>
    <th>Actions</th>
</tr>
```

```
<?php while($row = $result->fetch_assoc()) { ?>
<tr>
```

```

        <td><?= $row['id'] ?></td>
        <td><?= $row['name'] ?></td>
        <td><?= $row['quantity'] ?></td>
        <td><?= $row['price'] ?></td>
        <td>
            <a href="delete.php?id=<?= $row['id'] ?>">Delete</a>
        </td>
    </tr>
<?php } ?>

</table>

<?php
include 'db.php';

$id = $_GET['id'];

$conn->query("DELETE FROM products WHERE id=$id");

header("Location: view.php");
?>

```