

```
const express = require("express");

2 const mysql = require("mysql2");

3 const nodemailer = require("nodemailer");

4 const app = express();

5 app.use(express.json());

6 // Database Connection

7 const db = mysql.createConnection({

8   host: "localhost",

9   user: "root",

10  password: "yourpassword",

11  database: "eventdb"

12 });

13 // API Route : Handle Bookings & Email Notification

14 app.post("/bookings", (req, res) => {

15   const { name, email, tickets, eventId } = req.body;

16   const sql = "INSERT INTO bookings (name, email, tickets, eventId)

VALUES (?,

?, ?, ?)";

17   db.query(sql, [name, email, tickets, eventId], (err) => {

18     if (err) return res.json(err);

19

20 // Reduce ticket count in eventstable
```

```
21 db . query ( "UPDATE events SET tickets = tickets - ? WHERE id = ?", [ tickets ,
event Id ] );

22

23 // Send Confirmation Email

24 const mailOptions = {

25   from : process . env . EMAIL USER ,

26   to : email ,

27   subject : " Booking Confirmation " ,

28   text : ' Hello ${ name } , your booking is confirmed ! '

29 } ;

30 transporter . sendMail ( mailOptions );

31 res . json ( { message : " Booking successful " } );

32 } );

33 } );

34

35 app . listen ( 5001 , () => console . log ( " Server running on port 5001 " ) )
;

1 import React , { use Effect , use State } from " react " ;

2 import axios from " axios " ;

3

4 function BookingForm ( ) {
```

```
5 const [events, setEvents] = useState([]);

6 const [form, setForm] = useState({ name: "", email: "", tickets: "" });

7

8 useEffect(() => {

9   axios.get("http://localhost:5001/events")

10    .then(res => setEvents(res.data));

11 }, []);

12

13 const handleSubmit = () => {

14   axios.post("http://localhost:5001/bookings", form)

15    .then(res => alert("Booking Successful!"));

16 };

17

18 return(

19   <div className="form-box">

20     <input name="name" placeholder="Name" onChange={(e) => setForm({ ...

form,

name: e.target.value })} />

21     <input name="email" placeholder="Email" onChange={(e) => setForm({ ...

. form,

email: e.target.value })} />

22     <button onClick={handleSubmit}>Book Ticket</button>
```

23 </ d i v>

24);

25 }