

FINAL REVIEW

1. Project Structure:

```
job-portal/
├── src/main/java/com/jobportal/
│   ├── controller/
│   ├── service/
│   ├── repository/
│   ├── model/
│   └── JobPortalApplication.java
├── src/main/resources/
│   ├── templates/
│   └── application.properties
```

2. application.properties :

```
spring.datasource.url=jdbc:mysql://localhost:8080/jobportal
spring.datasource.username=root
spring.datasource.password=
```

```
spring.jpa.hibernate.ddl-auto=update
spring.jpa.show-sql=true
```

```
spring.thymeleaf.cache=false
```

```
# Email config (for accept/reject)
spring.mail.host=smtp.gmail.com
spring.mail.port=587
spring.mail.username=varshithathokala27@gmail.com
spring.mail.password=gerqmvhxcxtgoojy
spring.mail.properties.mail.smtp.auth=true
spring.mail.properties.mail.smtp.starttls.enable=true
```

3. Entity Classes:

User.java

```
package com.jobportal.model;

import jakarta.persistence.*;

@Entity
public class User {

    @Id
    @GeneratedValue(strategy = GenerationType.IDENTITY)
```

```
private Long id;

private String name;
private String email;
private String password;
private String role; // ADMIN / USER

// getters & setters
}
```

Job.java

```
package com.jobportal.model;

import jakarta.persistence.*;

@Entity
public class Job {
    @Id
    @GeneratedValue(strategy = GenerationType.IDENTITY)
    private Long id;

    private String title;
    private String description;

    // getters & setters
}
```

Application.java

```
package com.jobportal.model;

import jakarta.persistence.*;

@Entity
public class Application {

    @Id
    @GeneratedValue(strategy = GenerationType.IDENTITY)
    private Long id;

    private String applicantEmail;
    private String status; // PENDING / ACCEPTED / REJECTED

    @ManyToOne
    private Job job;
```

```
// getters & setters
}
```

4. Repository Layer:

```
package com.jobportal.repository;

import org.springframework.data.jpa.repository.JpaRepository;
import com.jobportal.model.*;

public interface UserRepository extends JpaRepository<User, Long> {
    User findByEmail(String email);
}

public interface JobRepository extends JpaRepository<Job, Long> {}

public interface ApplicationRepository extends JpaRepository<Application, Long> {}
```

5. Service Layer:

EmailService.java

```
package com.jobportal.service;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.mail.SimpleMailMessage;
import org.springframework.mail.javamail.JavaMailSender;
import org.springframework.stereotype.Service;

@Service
public class EmailService {

    @Autowired
    private JavaMailSender mailSender;

    public void sendEmail(String to, String status) {
        SimpleMailMessage msg = new SimpleMailMessage();
        msg.setTo(to);
        msg.setSubject("Job Application Status");
        msg.setText("Your application is " + status);

        mailSender.send(msg);
    }
}
```

6. Controller Layer:

AuthController.java

```
package com.jobportal.controller;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.*;

import com.jobportal.model.User;
import com.jobportal.repository.UserRepository;

@Controller
public class AuthController {

    @Autowired
    UserRepository repo;

    @GetMapping("/")
    public String home() {
        return "login";
    }

    @PostMapping("/register")
    public String register(User user) {
        repo.save(user);
        return "login";
    }

    @PostMapping("/login")
    public String login(@RequestParam String email,
                       @RequestParam String password,
                       Model model) {

        User user = repo.findByEmail(email);

        if (user != null && user.getPassword().equals(password)) {
            return "dashboard";
        }
        model.addAttribute("error", "Invalid Login");
        return "login";
    }
}
```

JobController.java

```
package com.jobportal.controller;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.ui.Model;
import org.springframework.web.bind.annotation.*;

import com.jobportal.model.Job;
import com.jobportal.repository.JobRepository;

@Controller
public class JobController {

    @Autowired
    JobRepository repo;

    @GetMapping("/dashboard")
    public String dashboard(Model model) {
        model.addAttribute("jobs", repo.findAll());
        return "dashboard";
    }

    @PostMapping("/addJob")
    public String addJob(Job job) {
        repo.save(job);
        return "redirect:/dashboard";
    }
}
```

ApplicationController.java

```
package com.jobportal.controller;

import org.springframework.beans.factory.annotation.Autowired;
import org.springframework.stereotype.Controller;
import org.springframework.web.bind.annotation.*;

import com.jobportal.model.*;
import com.jobportal.repository.*;
import com.jobportal.service.EmailService;

@Controller
public class ApplicationController {

    @Autowired
    ApplicationRepository appRepo;
```

```
@Autowired
JobRepository jobRepo;
```

```
@Autowired
EmailService emailService;
```

```
@PostMapping("/apply")
public String apply(@RequestParam Long jobId,
                   @RequestParam String email) {
```

```
    Application app = new Application();
    app.setApplicantEmail(email);
    app.setStatus("PENDING");
    app.setJob(jobRepo.findById(jobId).get());
```

```
    appRepo.save(app);
```

```
    return "redirect:/dashboard";
}
```

```
@GetMapping("/accept/{id}")
public String accept(@PathVariable Long id) {
    Application app = appRepo.findById(id).get();
    app.setStatus("ACCEPTED");
    appRepo.save(app);
```

```
    emailService.sendEmail(app.getApplicantEmail(), "ACCEPTED");
```

```
    return "redirect:/dashboard";
}
```

```
@GetMapping("/reject/{id}")
public String reject(@PathVariable Long id) {
    Application app = appRepo.findById(id).get();
    app.setStatus("REJECTED");
    appRepo.save(app);
```

```
    emailService.sendEmail(app.getApplicantEmail(), "REJECTED");
```

```
    return "redirect:/dashboard";
}
}
```

7. Frontend (Thymeleaf) :

login.html

```
<form action="/login" method="post">
  <h2>Login</h2>
  <input type="email" name="email" placeholder="Email">
  <input type="password" name="password" placeholder="Password">
  <button>Login</button>
</form>

<form action="/register" method="post">
  <h2>Register</h2>
  <input name="name" placeholder="Name">
  <input name="email" placeholder="Email">
  <input name="password" placeholder="Password">
  <button>Register</button>
</form>
```

dashboard.html

```
<h2>Jobs</h2>

<form action="/addJob" method="post">
  <input name="title" placeholder="Job Title">
  <input name="description" placeholder="Description">
  <button>Add Job</button>
</form>

<table border="1">
  <tr>
    <th>Title</th>
    <th>Description</th>
    <th>Apply</th>
  </tr>

  <tr th:each="job : ${jobs}">
    <td th:text="${job.title}"></td>
    <td th:text="${job.description}"></td>
    <td>
      <form action="/apply" method="post">
        <input type="hidden" name="jobId" th:value="${job.id}">
        <input name="email" placeholder="Your Email">
        <button>Apply</button>
      </form>
    </td>
  </tr>
</table>
```

