

# REVIEW 1

## 1. Database (MySQL):

Create database in **phpMyAdmin**:

```
CREATE DATABASE inventory_system;  
USE inventory_system;
```

-- Users Table

```
CREATE TABLE users (  
    id INT AUTO_INCREMENT PRIMARY KEY,  
    name VARCHAR(100),  
    email VARCHAR(100) UNIQUE,  
    password VARCHAR(100)  
);
```

-- Products Table

```
CREATE TABLE products (  
    id INT AUTO_INCREMENT PRIMARY KEY,  
    product_name VARCHAR(100),  
    quantity INT  
);
```

---

## 2. DB Connection (db.php):

```
<?php  
$conn = new mysqli("localhost", "root", "", "inventory_system");  
  
if ($conn->connect_error) {  
    die("Connection Failed: " . $conn->connect_error);  
}  
?>
```

---

## 3. Registration Page (register.php):

```
<?php include "db.php"; ?>  
  
<form method="POST">  
    <h2>Register</h2>  
    Name: <input type="text" name="name" required><br>  
    Email: <input type="email" name="email" required><br>  
    Password: <input type="password" name="password" required><br>  
    <button name="register">Register</button>  
</form>  
  
<?php
```

```

if (isset($_POST['register'])) {
    $name = $_POST['name'];
    $email = $_POST['email'];
    $pass = $_POST['password'];

    $sql = "INSERT INTO users (name,email,password) VALUES ('$name','$email','$pass')";

    if ($conn->query($sql)) {
        echo "Registered Successfully!";
    } else {
        echo "Error: " . $conn->error;
    }
}
?>

```

---

## 4. Login Page (login.php):

```

<?php
include "db.php";
session_start();

<form method="POST">
    <h2>Login</h2>
    Email: <input type="email" name="email"><br>
    Password: <input type="password" name="password"><br>
    <button name="login">Login</button>
</form>

<?php
if (isset($_POST['login'])) {
    $email = $_POST['email'];
    $pass = $_POST['password'];

    $result = $conn->query("SELECT * FROM users WHERE email='$email' AND password='$pass'");

    if ($result->num_rows > 0) {
        $_SESSION['user'] = $email;
        header("Location: dashboard.php");
    } else {
        echo "Invalid Login!";
    }
}
?>

```

---

## 5. Dashboard (dashboard.php):

```

<?php
include "db.php";
session_start();

if (!isset($_SESSION['user'])) {
    header("Location: login.php");
}
?>

<h2>Inventory Dashboard</h2>

<a href="add_product.php">Add Product</a>
<a href="logout.php">Logout</a>

<table border="1">
<tr>
    <th>ID</th>
    <th>Product Name</th>
    <th>Quantity</th>
    <th>Action</th>
</tr>

<?php
$result = $conn->query("SELECT * FROM products");

while ($row = $result->fetch_assoc()) {
    echo "<tr>
        <td>{$row['id']}</td>
        <td>{$row['product_name']}</td>
        <td>{$row['quantity']}</td>
        <td><a href='delete.php?id={$row['id']}'>Delete</a></td>
    </tr>";
}
?>
</table>

```

---

## 6. Add Product (add\_product.php):

```

<?php include "db.php"; ?>

<form method="POST">
    <h2>Add Product</h2>
    Product Name: <input type="text" name="name"><br>
    Quantity: <input type="number" name="qty"><br>
    <button name="add">Add</button>
</form>

```

```
<?php
if (isset($_POST['add'])) {
    $name = $_POST['name'];
    $qty = $_POST['qty'];

    $conn->query("INSERT INTO products (product_name, quantity) VALUES ('$name','$qty')");
    header("Location: dashboard.php");
}
?>
```

---

## 7. Delete Product (delete.php):

```
<?php
include "db.php";

$id = $_GET['id'];
$conn->query("DELETE FROM products WHERE id=$id");

header("Location: dashboard.php");
?>
```

---

## 8. Logout (logout.php):

```
<?php
session_start();
session_destroy();
header("Location: login.php");
?>
```