

Java Date and Time:-

Code:-

```
import java.io.*;
import java.math.*;
import java.security.*;
import java.text.*;
import java.util.*;
import java.util.concurrent.*;
import java.util.function.*;
import java.util.regex.*;
import java.util.stream.*;
import static java.util.stream.Collectors.joining;
import static java.util.stream.Collectors.toList;

class Result
{
    public static String findDay(int month, int day, int year)
    {
        Calendar cal = Calendar.getInstance();
        cal.set(year, month - 1, day);
        return new SimpleDateFormat("EEEE", Locale.ENGLISH).format(cal.getTime()).toUpperCase();
    }
}

public class Solution
{
    public static void main(String[] args) throws IOException
    {
        BufferedReader bufferedReader = new BufferedReader(new InputStreamReader(System.in));
        BufferedWriter bufferedWriter = new
            BufferedWriter(new FileWriter(System.getenv("OUTPUT_PATH")));

        String[] firstMultipleInput = bufferedReader.readLine().replaceAll("\\s+$", "").split(" ");

        int month = Integer.parseInt(firstMultipleInput[0]);
        int day = Integer.parseInt(firstMultipleInput[1]);
        int year = Integer.parseInt(firstMultipleInput[2]);

        String res = Result.findDay(month, day, year);
```

```
        bufferedWriter.write(res);  
        bufferedWriter.newLine();  
        bufferedReader.close();  
        bufferedWriter.close();  
    }  
}
```

Output:-

✓ Test case 0	Compiler Message	
✓ Test case 1	Success	
✓ Test case 2	Input (stdin)	Download
✓ Test case 3	1 08 05 2015	
✓ Test case 4	Expected Output	Download
✓ Test case 5	1 WEDNESDAY	

Number of Days Between Two Dates:-

Code:-

```
class Solution {  
    public int daysBetweenDates(String date1, String date2) {  
        return Math.abs(days(date1) - days(date2));  
    }  
    private int days(String date) {  
        String[] parts = date.split("-");  
        int year = Integer.parseInt(parts[0]);  
        int month = Integer.parseInt(parts[1]);  
        int day = Integer.parseInt(parts[2]);  
        int[] monthDays = {31,28,31,30,31,30,31,31,30,31,30,31};  
        int total = 0;  
        for (int y = 1971; y < year; y++) {  
            total += isLeap(y) ? 366 : 365;  
        }  
        for (int m = 1; m < month; m++) {  
            total += monthDays[m - 1];  
            if (m == 2 && isLeap(year)) {  
                total++;  
            }  
        }  
        total += day;  
        return total;  
    }  
    private boolean isLeap(int year) {  
        return (year % 400 == 0) || (year % 4 == 0 && year % 100 != 0);  
    }  
}
```

Output:-

Problem List

Description | **Accepted** | Editorial | Solutions | Submission

All Submissions

Accepted

105 / 105 testcases passed
tameem_shaik_ submitted at Sep 17, 2026 14:24

₹583.25/mo


Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all ...

Runtime

1 ms | Beats 98.50%

Memory

43.05 MB | Beats 61.39%



Code | Java

Submit

Auto

Ln 4, Col 6

```
1 class Solution {
2     public int daysBetweenDates(String date1, String date2) {
3         return Math.abs(days(date1) - days(date2));
4     }
5     private int days(String date) {
6         String[] parts = date.split("-");
7         int year = Integer.parseInt(parts[0]);
8         int month = Integer.parseInt(parts[1]);
9         int day = Integer.parseInt(parts[2]);
10        int[] monthDays = {31,28,31,30,31,30,31,31,30,31,30,31};
11        int total = 0;
12        for (int i = 0; i < month; i++) {
13            total += monthDays[i];
14        }
15        total += day;
16        return total;
17    }
18 }
```

Testcase

Test Result

Accepted Runtime: 0 ms

Case 1

Case 2

Input

date1 =
"2019-06-29"

date2 =
"2019-06-30"

Output

1