


Day of the Year:-

Code:-

```
class Solution {  
    public int dayOfYear(String date) {  
        int year = Integer.parseInt(date.substring(0, 4));  
        int month = Integer.parseInt(date.substring(5, 7));  
        int day = Integer.parseInt(date.substring(8, 10));  
        int[] days = {31,28,31,30,31,30,31,31,30,31,30,31};  
        if ((year % 400 == 0) || (year % 4 == 0 && year % 100 != 0)) {  
            days[1] = 29;  
        }  
        int ans = day;  
        for (int i = 0; i < month - 1; i++) {  
            ans += days[i];  
        }  
        return ans;  
    }  
}
```

Output:-



The screenshot displays the LeetCode submission interface for the 'Day of the Year' problem. The top section shows the problem description and a submission status of 'Accepted' with 10958/10958 testcases passed. Below this, there is a promotional banner for 'School's in. Let's on.' and a 'Runtime' section showing 7 ms and 96.04% beats. The 'Memory' section shows 46.96 MB and 62.21% beats. A bar chart visualizes the runtime performance across different test cases. The code editor on the right shows the Java solution, which is saved. The bottom section displays the 'Test Result' for 'Case 1' and 'Case 2', both of which are 'Accepted'. The input for both cases is 'date = "2019-01-09"' and the output is '9'.

```
class Solution {  
    public int dayOfYear(String date) {  
        int year = Integer.parseInt(date.substring(0, 4));  
        int month = Integer.parseInt(date.substring(5, 7));  
        int day = Integer.parseInt(date.substring(8, 10));  
        int[] days = {31,28,31,30,31,30,31,31,30,31,30,31};  
        if ((year % 400 == 0) || (year % 4 == 0 && year % 100 != 0)) {  
            days[1] = 29;  
        }  
        int ans = day;  
        for (int i = 0; i < month - 1; i++) {  
            ans += days[i];  
        }  
        return ans;  
    }  
}
```

Accepted Runtime: 0 ms

Case 1 Case 2

Input

date = "2019-01-09"

Output

9

Expected

9

Day of the Week:-

Code:-

```
class Solution {
    public String dayOfTheWeek(int day, int month, int year) {
        String[] week = {
            "Friday", "Saturday", "Sunday",
            "Monday", "Tuesday", "Wednesday", "Thursday"
        };
        int[] daysInMonth = {
            31,28,31,30,31,30,31,31,30,31,30,31
        };
        int totalDays = 0;
        for (int y = 1971; y < year; y++) {
            if (isLeap(y))
                totalDays += 366;
            else
                totalDays += 365;
        }
        for (int m = 1; m < month; m++) {
            totalDays += daysInMonth[m - 1];
            if (m == 2 && isLeap(year))
                totalDays++;
        }
        totalDays += day - 1;
        return week[totalDays % 7];
    }
    private boolean isLeap(int year) {
        return (year % 400 == 0) || (year % 4 == 0 && year % 100 != 0);
    }
}
```

Output:-

Problem List

Accepted

Editorial

Solutions

S

All Submissions

Accepted 45 / 45 testcases passed
tameem_shaik_ submitted at Sep 17, 2026 14:28

School's in. Leet's on.

Get LeetCode Annual Premium for \$99!

Runtime

0 ms | Beats 100.00%

Memory

42.67 MB | Beats 39.09%

Runtime	Beats
0ms	100.00%
2ms	0.00%
4ms	0.00%
6ms	0.00%
8ms	0.00%

Code | Java

Submit

Auto

Ln 9, Col 11

```
1 class Solution {
2     public String dayOfTheWeek(int day, int month, int year) {
3         String[] week = {
4             "Friday", "Saturday", "Sunday",
5             "Monday", "Tuesday", "Wednesday", "Thursday"
6         };
7         int[] daysInMonth = {
8             31, 28, 31, 30, 31, 30, 31, 31, 30, 31, 30, 31
9         };
10        int totalDays = 0;
11        for (int y = 1971; y < year; y++) {
```

Testcase

Test Result

Accepted Runtime: 0 ms

Case 1

Case 2

Case 3

Input

day =
31

month =
8

year =
2019