






leetcode.com/problems/determine-if-string-halves-are-alike/submissions/2119304882/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
Submit Ctrl Enter
All Submissions
Accepted 113 / 113 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 12:06
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
4 ms Beats 59.70%
Memory
42.98 MB Beats 77.69%
40%
20%
0%
2ms
4ms
6ms
8ms
10ms
Code Java
1 class Solution {
Java Auto
17 }
18 }
19
20 return countA == countB;
21 }
22
23 private boolean isVowel(char c) {
24 return "aeiouAEIOU".indexOf(c) != -1;
25 }
26 }
Saved
Ln 26, Col 2
Testcase Test Result
Accepted Runtime: 0 ms
Case 1
Case 2
Input
s =
"book"
Output
true
Expected


codechef.com/problems/LAPIN
School
Difficulty: 1159
Expand
Prev Problem
Next Problem
Statement
Hints
Submissions
Solution
Help
Java
Lapindromes
Lapindrome is defined as a string which when split in the middle, gives two halves having the same characters and same frequency of each character. If there are odd number of characters in the string, we ignore the middle character and check for lapindrome. For example gaga is a lapindrome, since the two halves ga and ga have the same characters with same frequency. Also, abccab, rotor and xyzxy are a few examples of lapindromes. Note that abbaab is NOT a lapindrome. The two halves contain the same characters but their frequencies do not match.
Your task is simple. Given a string, you need to tell if it is a lapindrome.
Input:
First line of input contains a single integer T, the number of test cases.
Each test is a single line containing a string S composed of only lowercase English alphabet.
Output:
For each test case, output on a separate line: "YES" if the string is a lapindrome and "NO" if it is not.
Constraints:
1 ≤ T ≤ 100
2 ≤ |S| ≤ 1000, where |S| denotes the length of S
Correct Answer
Submission ID: 1347192674
Sub-Task
Task #
Result (time)
1
0
Correct (0.09)
Subtask Score: 20%
Result - Correct
2
1
Correct (0.08)
Subtask Score: 20%
Result - Correct
3
2
Correct (0.09)
Subtask Score: 20%
Result - Correct
4
3
Correct (0.11)
Subtask Score: 20%
Result - Correct
Visualize Code
Run
Submit


hackerrank.com/challenges/compare-the-triplets/problem
School
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
1 5 6 7
2 3 6 10
Expected Output
Download
1 1 1


leetcode.com/problems/contains-duplicate/submissions/2119310718/
School
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 79 / 79 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 12:11
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
18 ms | Beats 76.79%
Memory
108.28 MB | Beats 37.37%
30%
20%
10%
0%
3ms
9ms
14ms
19ms
24ms
29ms
Code | Java
1 import java.util.*;
Code
Java
Auto
10 if (set.contains(num)) {
11 return true;
12 }
13
14 set.add(num);
15 }
16
17 return false;
18 }
19 }
Saved
Ln 19, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Case 3
Input
nums =
[1,2,3,1]
Output
true
Expected


hackerrank.com/challenges/time-conversion/problem
School
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
07:05:45PM
Expected Output
Download
19:05:45


leetcode.com/problems/move-zeroes/submissions/2119314295/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 75 / 75 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 12:14
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
2 ms | Beats 91.95%
Memory
47.92 MB | Beats 20.37%
Code | Java
1 class Solution {
Code
Java
Auto
12 }
13 }
14
15 // Fill the remaining positions with 0
16 while (index < nums.length) {
17 nums[index] = 0;
18 index++;
19 }
20 }
21 }
Saved
Ln 21, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
nums =
[0,1,0,3,12]
Output
[1,3,12,0,0]
Expected

hackerrank.com/challenges/diagonal-difference/problem

School

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

- Test case 0
- Test case 1
- Test case 2
- Test case 3
- Test case 4
- Test case 5
- Test case 6

Compiler Message


Success


Input (stdin) Download


```
3
11 2 4
4 5 6
10 8 -12
```

Expected Output Download

```
15
```


leetcode.com/problems/transpose-matrix/submissions/2119317421/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 36 / 36 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 12:17
Analysis
Solution
₹583.25/mo
Save over 86%
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
0 ms | Beats 100.00%
Memory
46.61 MB | Beats 69.23%
100%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
Code | Java
1 class Solution {
Code
Java
Auto
8
9 for (int i = 0; i < m; i++) {
10 for (int j = 0; j < n; j++) {
11 result[j][i] = matrix[i][j];
12 }
13 }
14
15 return result;
16 }
17 }
Saved
Ln 17, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
matrix =
[[1,2,3],[4,5,6],[7,8,9]]
Output
[[1,4,7],[2,5,8],[3,6,9]]
Expected


leetcode.com/problems/matrix-block-sum/submissions/2119318557/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 12 / 12 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 12:18
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
74 ms | Beats 28.71%
Memory
46.38 MB | Beats 95.90%
75%
50%
25%
0%
3ms
63ms
123ms
184ms
244ms
304ms
365ms
425ms
Code | Java
1 class Solution {
Code
Java
Auto
24 }
25 }
26
27 answer[i][j] = sum;
28 }
29 }
30
31 return answer;
32 }
33 }
Saved
Ln 33, Col 2
Testcase | Test Result
Accepted Runtime: 0 ms
Case 1
Case 2
Input
mat =
[[1,2,3],[4,5,6],[7,8,9]]
k =
1
Output


hackerrank.com/challenges/matrix-rotation-algo/problem
School
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
4 4 1
1 2 3 4
5 6 7 8
9 10 11 12
13 14 15 16
Expected Output
Download
2 3 4 8