



leetcode.com/problems/running-sum-of-1d-array/submissions/2119238055/
School
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
Submit Ctrl Enter
All Submissions
Java
Auto
sum += nums[i];
nums[i] = sum;
}
return nums;
}
}
Accepted 54 / 54 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 11:09
Analysis
Solution
₹583.25/mo
Save over 58%
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
0 ms | Beats 100.00%
Memory
44.12 MB | Beats 72.45%
150%
100%
50%
0%
1ms
2ms
3ms
4ms
Saved
Ln 1, Col 1
Testcase
Test Result
You must run your code first
Code
Java
1 class Solution {


leetcode.com/problems/shuffle-the-array/submissions/2119239126/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 53 / 53 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 11:10
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
0 ms | Beats 100.00%
Memory
46.20 MB | Beats 91.55%
100%
50%
0%
1ms
2ms
3ms
4ms
Code | Java
1 class Solution {
Code
Java
Auto
5 int index = 0;
6
7 for (int i = 0; i < n; i++) {
8 result[index++] = nums[i]; // xi
9 result[index++] = nums[i + n]; // yi
10 }
11
12 return result;
13 }
14 }
Saved
Ln 14, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Case 3
Input
nums =
[2,5,1,3,4,7]
n =
3
Output


hackerrank.com/challenges/java-dequeue/problem
School
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
1 6 3
2 5 3 5 2 3 2
Expected Output
Download
1 3

hackerrank.com/challenges/java-hashset/problem

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.


Sample Test case 0


Input (stdin) Download


```
5
john tom
john mary
john tom
mary anna
mary anna
```


Your Output (stdout)


```
1
2
2
```



leetcode.com/problems/remove-element/submissions/2119247534/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 116 / 116 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 11:18
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
0 ms | Beats 100.00%
Memory
43.22 MB | Beats 90.78%
150%
100%
50%
0%
1ms
2ms
3ms
4ms
Code | Java
1 class Solution {
Code
Java
Auto
5 for (int i = 0; i < nums.length; i++) {
6 if (nums[i] != val) {
7 nums[k] = nums[i];
8 k++;
9 }
10 }
11
12 return k;
13 }
14 }
Saved
Ln 14, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
nums =
[3,2,2,3]
val =
3
Output


leetcode.com/problems/remove-duplicates-from-sorted-array/submissions/2119248682/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
Submit Ctrl Enter
All Submissions
Accepted 362 / 362 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 11:19
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms Beats 77.59%
Memory
46.71 MB Beats 43.54%
75%
50%
25%
0%
1ms
2ms
3ms
4ms
Code Java
1 class Solution {
Java
Auto
5 for (int i = 1; i < nums.length; i++) {
6 if (nums[i] != nums[i - 1]) {
7 nums[k] = nums[i];
8 k++;
9 }
10 }
11
12 return k;
13 }
14 }
Saved
Ln 14, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
nums =
[1,1,2]
Output
[1,2]
Expected


leetcode.com/problems/maximum-subarray/submissions/2119249770/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 210 / 210 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 11:20
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms Beats 99.95%
Memory
77.21 MB Beats 49.05%
150%
100%
50%
0%
1ms
2ms
3ms
4ms
Code | Java
1 class Solution {
Code
Java
Auto
int maxSum = nums[0];
for (int i = 1; i < nums.length; i++) {
currentSum = Math.max(nums[i], currentSum + nums[i]);
maxSum = Math.max(maxSum, currentSum);
}
return maxSum;
}
}
Saved
Ln 13, Col 2
Testcase
Test Result
Accepted Runtime: 0 ms
Case 1
Case 2
Case 3
Input
nums =
[-2,1,-3,4,-1,2,1,-5,4]
Output
6
Expected


leetcode.com/problems/find-the-highest-altitude/submissions/2119250919/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 80 / 80 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 11:21
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
0 ms | Beats 100.00%
Memory
42.99 MB | Beats 74.65%
Code
Java
1 class Solution {
Code
Java
Auto
altitude += gain[i];
if (altitude > maxAltitude) {
maxAltitude = altitude;
return maxAltitude;
Saved
Ln 16, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
gain =
[-5,1,5,0,-7]
Output
1
Expected


leetcode.com/problems/group-anagrams/submissions/2119252257/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 129 / 129 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 11:22
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
7 ms | Beats 72.74%
Memory
49.66 MB | Beats 59.12%
Code | Java
1 import java.util.*;
Code
Java
Auto
if (!map.containsKey(key)) {
map.put(key, new ArrayList<String>());
}
map.get(key).add(str);
return new ArrayList<List<String>>(map.values());
Saved
Ln 29, Col 2
Testcase | Test Result
Accepted Runtime: 0 ms
Case 1
Case 2
Case 3
Input
strs =
["eat","tea","tan","ate","nat","bat"]
Output
[["eat","tea","ate"],["bat"],["tan","nat"]]
Expected


leetcode.com/problems/top-k-frequent-elements/submissions/2119254634/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 25 / 25 testcases passed
venumadhav_inleet submitted at Aug 25, 2026 11:24
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
17 ms | Beats 19.84%
Memory
47.32 MB | Beats 92.04%
Code
Java
1 import java.util.*;
Code
Java
Auto
25 // Store answer
26 int[] result = new int[k];
28 for (int i = 0; i < k; i++) {
29 result[i] = pq.poll();
30 }
32 return result;
33 }
34 }
Saved
Ln 34, Col 2
Testcase
Test Result
Accepted
Runtime: 2 ms
Case 1
Case 2
Case 3
Input
nums =
[1,1,1,2,2,3]
k =
2
Output