






leetcode.com/problems/maximum-subarray/submissions/2127958639/
School
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 210 / 210 testcases passed
venumadhav_inleet submitted at Sep 02, 2026 10:00
Analysis
Solution
₹583.25/mo
Save over 66%
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms | Beats 99.94%
Memory
77.20 MB | Beats 48.99%
150%
100%
50%
0%
1ms
2ms
3ms
4ms
Code
Java
1 class Solution {
Code
Java
Auto
1 class Solution {
2 public int maxSubArray(int[] nums) {
3 int currentSum = nums[0];
4 int maxSum = nums[0];
5
6 for (int i = 1; i < nums.length; i++) {
7 currentSum = Math.max(nums[i], currentSum + nums[i]);
8 maxSum = Math.max(maxSum, currentSum);
9 }
10
11 return maxSum;
Saved
Ln 1, Col 1
Testcase
Test Result
You must run your code first



leetcode.com/problems/maximum-sum-circular-subarray/submissions/2127959481/
School
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 112 / 112 testcases passed
venumadhav_inleet submitted at Sep 02, 2026 10:00
Analysis
Solution
₹583.25/mo
Save over 56%
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
7 ms | Beats 50.52%
Memory
51.00 MB Beats 61.20%
30%
20%
10%
0%
1ms
2ms
3ms
4ms
5ms
6ms
7ms
8ms
Code Java
1 class Solution {
Code
Java
Auto
1 class Solution {
2 public int maxSubarraySumCircular(int[] nums) {
3
4 int totalSum = 0;
5
6 int maxSum = nums[0];
7 int currentMax = nums[0];
8
9 int minSum = nums[0];
10 int currentMin = nums[0];
11
Saved
Ln 1, Col 1
Testcase
Test Result
You must run your code first



leetcode.com/problems/string-to-integer-atoi/submissions/2127960199/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 1096 / 1096 testcases passed
venumadhav_inleet submitted at Sep 02, 2026 10:01
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms | Beats 100.00%
Memory
43.02 MB Beats 99.56%
100%
50%
0%
1ms
2ms
3ms
4ms
5ms
Code | Java
1 class Solution {
Code
Java
Auto
1 class Solution {
2 public int myAtoi(String s) {
3 int i = 0;
4 int n = s.length();
5
6 // 1. Ignore leading whitespace
7 while (i < n && s.charAt(i) == ' ') {
8 i++;
9 }
10
11 // 2. Check sign
Saved
Ln 1, Col 1
Testcase
Test Result
You must run your code first



leetcode.com/problems/longest-substring-without-repeating-characters/submissions/2127961654/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 1036 / 1036 testcases passed
venumadhav_inleet submitted at Sep 02, 2026 10:02
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
65 ms | Beats 33.53%
Memory
47.78 MB Beats 44.06%
Code | Java
1 import java.util.*;
Code
Java
Auto
15 }
16
17 set.add(s.charAt(right));
18
19 maxLength = Math.max(maxLength, right - left + 1);
20 }
21
22 return maxLength;
23 }
24 }
Saved
Ln 24, Col 2
Testcase
Test Result
Accepted Runtime: 0 ms
Case 1
Case 2
Case 3
Input
s =
"abcabcbb"
Output
3
Expected



leetcode.com/problems/find-and-replace-pattern/submissions/2127962869/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 50 / 50 testcases passed
venumadhav_inlect submitted at Sep 02, 2026 10:04
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
1 ms | Beats 77.20%
Memory
44.32 MB | Beats 15.41%
60%
40%
20%
0%
1ms
2ms
3ms
4ms
Code | Java
1 import java.util.*;
Code
Java
Auto
36 return false;
37 }
38 } else {
39 map2.put(w, p);
40 }
41 }
42
43 return true;
44 }
45 }
Saved
Ln 45, Col 2
Testcase
Test Result
Accepted
Runtime: 0 ms
Case 1
Case 2
Input
words =
["abc","deq","mee","aqq","dkd","ccc"]
pattern =
"abb"
Output


leetcode.com/problems/string-matching-in-an-array/submissions/2127964020/
Problem List
Submit
Premium
Description
Accepted
Editorial
Solutions
Submissions
All Submissions
Accepted 69 / 69 testcases passed
venumadhav_inleet submitted at Sep 02, 2026 10:05
Analysis
Solution
Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.
Runtime
4 ms | Beats 97.45%
Memory
43.89 MB | Beats 29.37%
Code | Java
1 import java.util.*;
Code
Java
Auto
if (i != j && words[j].contains(words[i])) {
result.add(words[i]);
break;
return result;
Saved
Ln 19, Col 2
Testcase | Test Result
Accepted Runtime: 0 ms
Case 1
Case 2
Case 3
Input
words =
["mass","as","hero","superhero"]
Output
["as","hero"]
Expected


hackerrank.com/challenges/the-birthday-bar/problem
School
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
5
1 2 1 3 2
3 2
Expected Output
Download
2


hackerrank.com/challenges/maxsubarray/problem
School
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Compiler Message
Success
Hidden Test Case
Unlock this testcase for 5 hackos.
Unlock


hackerrank.com/challenges/alternating-characters/problem
School
Congratulations
You solved this challenge. Would you like to challenge your friends?
Next Challenge
Test case 0
Test case 1
Test case 2
Test case 3
Test case 4
Test case 5
Test case 6
Compiler Message
Success
Input (stdin)
Download
5
AAAA
BBBBB
ABABABAB
BABABA
AAABBB
Expected Output
Download


geeksforgeeks.org/problems/search-pattern0205/1
Search...
Courses
Tutorials
Practice
Jobs
Sign In
Problem
Editorial
Submissions
Comments
Output Window
Compilation Results
Custom Input
Compilation Completed
Case 1
Input:
txt =
geeksforgeeks
pat =
geek
Your Output:
[0, 8]
Expected Output:
[0, 8]
Java (21)
Start Timer
import java.util.*;
class Solution {
public ArrayList<Integer> search(String pat, String txt) {
ArrayList<Integer> result = new ArrayList<>();
int n = txt.length();
int m = pat.length();
for (int i = 0; i <= n - m; i++) {
int j = 0;
while (j < m && txt.charAt(i + j) == pat.charAt(j)) {
j++;
}
if (j == m) {
result.add(i);
}
}
return result;
}
}
Custom Input
Compile & Run
Submit