Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin) Download

```
5
1 4
2 5
3 898
1 3
2 12
```

Your Output (stdout)

```
EVEN
PRIME
PALINDROME
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin)

Download

```
5
amy 100
david 100
heraldo 50
aakansha 75
aleksa 150
```

Your Output (stdout)

```
aleksa 150
amy 100
david 100
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Sample Test case 1

Sample Test case 2

Input (stdin)

Download

```
5
amy 100
david 100
heraldo 50
aakansha 75
aleksa 150
```

Your Output (stdout)

```
aleksa 150
amy 100
david 100
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test

Sample Test case 0

Input (stdin)

```
5
33 Rumpa 3.68
85 Ashis 3.85
56 Samiha 3.75
19 Samara 3.75
22 Fahim 3.76
```

Your Output (stdout)

```
Ashis
Fahim
Samara
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

Input (stdin)

Download

```
5
33 Rumpa 3.68
85 Ashis 3.85
56 Samiha 3.75
19 Samara 3.75
22 Fahim 3.76
```

Your Output (stdout)

```
Ashis
Fahim
Samara
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

Sample Test case 0

put (stdin)

Download

```
6 3
5 3 5 2 3 2
```

our Output (stdout)

```
3
```

xpected Output

Download

```
3
```

Description | Accepted | Editorial | Solutions | Subr

All Submissions

Accepted 34 / 34 testcases passed

vtu28261 submitted at Aug 10, 2026 00:16

Runtime

0 ms | Beats 100.00%

Memory

44.83 MB | Beats 6.12%



Code | Java

```
class Solution {
    public int maximumWealth(int[][] accounts) {
```

Code

Java Auto

```
            int wealth = 0;

            for (int j = 0; j < accounts[i].length; j++) {
                wealth += accounts[i][j];
            }

            maxWealth = Math.max(maxWealth, wealth);
        }

        return maxWealth;
    }
}
```

Saved

Testcase | Test Result

You must run your code first

Problem List

Submit

Description | Accepted × | Editorial | Solutions

53. Maximum Subarray

Solved

Medium | Topics | Companies

Given an integer array `nums`, find the subarray with the largest sum, and return *its sum*.

Example 1:

```
Input: nums = [-2,1,-3,4,-1,2,1,-5,4]
Output: 6
Explanation: The subarray [4,-1,2,1] has the largest
sum 6.
```

Example 2:

```
Input: nums = [1]
Output: 1
Explanation: The subarray [1] has the largest sum 1.
```

Example 3:

```
Input: nums = [5,4,-1,7,8]
Output: 23
Explanation: The subarray [5,4,-1,7,8] has the
largest sum 23.
```

Constraints:

- `1 <= nums.length <= 10^5`
- `-10^4 <= nums[i] <= 10^4`

Code

Java | Auto

```java
        int maxSum = nums[0];

        for (int i = 1; i < nums.length; i++) {

            currentSum = Math.max(nums[i], currentSum + nums[i]);

            maxSum = Math.max(maxSum, currentSum);
        }

        return maxSum;
    }
}

```

Saved

Testcase | Test Result

Case 1 | Case 2 | Case 3 | +

nums =

[-2,1,-3,4,-1,2,1,-5,4]

1732. Find the Highest Altitude

Solved

Easy | Topics | Companies | Hint

There is a biker going on a road trip. The road trip consists of `n + 1` points at various altitudes. The biker starts his trip on point `0` with altitude equal `0`.

You are given an integer array `gain` of length `n` where `gain[i]` is the **net gain in altitude** between points `i` and `i + 1` for all (`0 <= i < n`). Return *the **highest altitude** of a point.*

Example 1:

```
Input: gain = [-5,1,5,0,-7]
Output: 1
Explanation: The altitudes are [0,-5,-4,1,1,-6]. The highest is 1.
```

Example 2:

```
Input: gain = [-4,-3,-2,-1,4,3,2]
Output: 0
Explanation: The altitudes are [0,-4,-7,-9,-10,-6,-3,-1]. The highest is 0.
```

Constraints:

- `n == gain.length`
- `1 <= n <= 100`

3.5K | 428 | 26 Online

Java | Auto

```java
class Solution {
    public int largestAltitude(int[] gain) {

        int altitude = 0;
        int maxAltitude = 0;

        for (int i = 0; i < gain.length; i++) {

            altitude += gain[i];

            maxAltitude = Math.max(maxAltitude, altitude);
        }

```

Saved

Testcase | Test Result

Case 1 | Case 2 | +

gain =

[-5,1,5,0,-7]

Source

Problem List

Submit

Description | Editorial | Solutions | Submissions

347. Top K Frequent Elements

Solved

Medium Topics Companies

Given an integer array `nums` and an integer `k`, return *the* `k` *most frequent elements*. You may return the answer in **any order**.

Example 1:

> **Input:** `nums = [1,1,1,2,2,3], k = 2`
>
> **Output:** `[1,2]`

Example 2:

> **Input:** `nums = [1], k = 1`
>
> **Output:** `[1]`

Example 3:

> **Input:** `nums = [1,2,1,2,1,2,3,1,3,2], k = 2`
>
> **Output:** `[1,2]`

Constraints:

- $1 <= nums.length <= 10^5$
- $-10^4 <= nums[i] <= 10^4$
- `k` is in the range `[1, the number of unique elements in the`

Code

Java Auto

```java
class Solution {
    public int[] topKFrequent(int[] nums, int k) {

    }
}
```

Saved

Testcase | Test Result

Case 1 Case 2 Case 3 +

nums =

[1,1,1,2,2,3]

k =

2

Problem List

Submit

Description | Accepted | Editorial | Solutions

Code

49. Group Anagrams

Solved

Medium | Topics | Companies

Given an array of strings `strs`, group the anagrams together. You can return the answer in **any order**.

Example 1:

Input: `strs = ["eat","tea","tan","ate","nat","bat"]`

Output: `[["bat"],["nat","tan"],["ate","eat","tea"]]`

Explanation:

- There is no string in strs that can be rearranged to form `"bat"`.
- The strings `"nat"` and `"tan"` are anagrams as they can be rearranged to form each other.
- The strings `"ate"`, `"eat"`, and `"tea"` are anagrams as they can be rearranged to form each other.

Example 2:

Input: `strs = [""]`

Output: `[[""]]`

Example 3:

Input: `strs = ["a"]`

Output: `[["a"]]`

Java | Auto

```java
            char[] chars = str.toCharArray();

            Arrays.sort(chars);

            String key = new String(chars);

            map.computeIfAbsent(key, k -> new ArrayList<>()).add(str);
        }

        return new ArrayList<>(map.values());
    }
}
```

Saved

Testcase | Test Result

Case 1 | Case 2 | Case 3 | +

strs =

`["eat","tea","tan","ate","nat","bat"]`