

15/9/25

Task 6

TRIGGERS AND VIEWS.

Aim:- To implement and execute Triggers and views in SQL.

PROCEDURE:-

1. Create 2 tables customers and orders.
2. Insert the values.
3. Perform view operations.
4. Perform Triggers operation.
5. Display output.

```
CREATE TABLE CUSTOMERS C
    CUSTID INT PRIMARY KEY,
    CUSTNAME VARCHAR(50),
    BALANCE DECIMAL(10,2)
);
```

```
CREATE TABLE ORDERS C
    ORDER ID INT PRIMARY KEY,
    CUSTID INT
    AMOUNT DECIMAL(10,2),
    FOREIGN KEY (CUSTID)
    REFERENCES CUSTOMERS (CUSTID)
);
```

INSERT INTO CUSTOMERS VALUES

(101, 'RAHUL', 80000),

(102, 'PRIYA', 60000),

(103, 'AMAN', 30000),

(104, 'NEHA', 100000);

INSERT INTO ORDERS VALUES

(1, 101, 20000),

(2, 102, 10000),

(3, 104, 25000);

SELECT * FROM CUSTOMERS;

S.NO	CUSTID	CUST NAME	BALANCE
1.	101	RAHUL	0000.00
2.	102	PRIYA	60000.00
3.	103	AMAN	30000.00
4	104	NEHA	10000.00

SELECT * FROM ORDERS;

S.NO	ORDERID	CUST ID	AMOUNT
1	1	101	20000.00
2	2	102	10000.00
3	3	104	2500000

CREATE VIEW HIGH VALUECUSTOMERS AS

SELECT CUSTID, CUST NAME, BALANCE
FROM CUSTOMERS

WHERE BALANCE > 50000.

SELECT * FROM HIGHVALUE CUSTOMERS;

S.NO	CUST ID	CUST NAME	BALANCE
1.	101	RAHUL	80000.00
2.	102	PRIYA	60000.00
3.	104	NEHA	100000.00

```

CREATE TRIGGER DEULT - BALANCE
ON ORDERS
AFTER INSERT AS BEGIN
UPDATE C
SET C. BALANCE = C. BALANCE - I. AMOUNT FROM
ON C. CUSTID = I. CUSTID;
END;
INSERT INTO ORDERS VALUES.
(5, 101, 10000);
SELECT * FROM CUSTOMERS;
SELECT * FROM ORDERS;

```

S.No	CUST ID	CUST NAME	BALANCE
1.	101	RAHUL	70000.00
2.	102	PRIYA	60000.00
3.	103	AMAN	30000.00
4.	104	NEHA	100000.00

S.No	ORDER ID	CUST ID	AMOUNT
1	1	101	20000.00
2	2	102	10000.00
3	3	103	25000.00
4	4	104	10000.00

VELTECH	
EX No.	6
PERFORMANCE (5)	5
RESULT AND ANALYSIS (5)	5
VIVA VOCE (5)	5
RECORD (5)	5
TOTAL (20)	15
SIGN WITH DATE	

Result:- Thus, Implementation of the view and trigger operations are executed and completed successfully.