

Vel Tech Rangarajan Dr. Sagunthala R&D Institute of Science and Technology
(Deemed to be University Estd. u/s 3 of UGC Act, 1956) School of Computing

B.Tech. – Information



Technology



VTR UGE2021- (CBCS)

Academic Year: 2025–2026

SUMMER SEMESTER - SS2526

Course Code : 10211IT201

Course Name : Database System concepts

Slot No : S12L5

DBMS TASK - 10 REPORT

Submitted by:

VTUNO	REGISTER NUMBER	STUDENT NAME
VTU29010	24UEIT0040	P.Manikanta

ABSTRACT

Upon relational tables created in task-2, perform normalization up to BCNF based on given Dependencies as following for the assumed relations specified below.

Employee Database:

1. Identify employee attributes: Employee_ID, Name, Department, Job_Title, Manager_ID, Hire_Date, Salary.
2. Define relational schema: Employee (Employee_ID, Name, Department, Job_Title, Manager_ID, Hire_Date, Salary).
3. Determine functional dependencies (FDs) between attributes:
 - Employee_ID \rightarrow Name, Department, Job_Title, Manager_ID, Hire_Date, Salary
 - Department \rightarrow Manager_ID
 - Manager_ID \rightarrow Name

Step 2: Convert to 1NF

1. Eliminate repeating groups or arrays (none in this example).
2. Create separate tables for each repeating group (none in this example).

Step 3: Convert to 2NF

1. Ensure each non-key attribute depends on the entire primary key.
2. Move non-key attributes to separate tables if they depend on only part of the primary key.
 - Create Department table: Department (Department_ID, Manager_ID, Name).
 - Create Employee table: Employee (Employee_ID, Name, Department_ID, Job_Title, Hire_Date, Salary).

OUTPUT:-

Employee(Employee_ID, Name, Department_ID, Job_Title, Hire_Date, Salary)

Department(Department_ID, Manager_ID, Name)

Step 4: Convert to 3NF

1. Ensure there are no transitive dependencies.
2. Move non-key attributes to separate tables if they depend on another non-key attribute.
 - Create Manager table: Manager (Manager_ID, Name).
 - Update Department table: Department (Department_ID, Manager_ID).

Step 5: Convert to BCNF

1. Ensure every determinant is a candidate key.
2. Check for overlapping candidate keys.
3. Decompose relations to eliminate redundancy.
 - No further decomposition needed.

OUTPUT:-

Manager(Manager_ID, Name)

Department(Department_ID, Manager_ID)

Employee(Employee_ID, Name, Department_ID, Job_Title, Hire_Date,

Salary)

Using Griffith Tool

1. Input relational schema and functional dependencies.
2. Griffith tool generates a dependency graph.
3. Analyze the graph to identify normalization issues.
4. Apply normalization rules to transform the schema.
5. Verify the resulting schema meets BCNF criteria.

Griffith Tool Steps

1. Create a new project in Griffith.
2. Define the relational schema and FDs.
3. Run the "Dependency Graph" tool.
4. Analyze the graph for normalization issues.
5. Apply transformations using the "Normalize" tool.
6. Verify BCNF compliance using the "BCNF Check" tool.

Normalized Schema

1. Employee (Employee_ID, Name, Department_ID, Job_Title, Hire_Date, Salary).
2. Department (Department_ID, Manager_ID).
3. Manager (Manager_ID, Name).

Vel Tech