Task - 5 Date:- 12/2/26

String Handling - Count of Anagram Substrings.

Aim:- To write a Java Program to count the number of substring in a given text that are anagrams of a given pattern.

Algorithm.

1. Start the Program.
2. Read the input string text
3. Read the input string pattern.
4. Find the length of pattern and store it in k
5. Initialize a counter variable count=0
6. Sort the character of the pattern and store it as sorted pattern.
7. Traverse the text from index 0 to text length()-k;
   - Extract substring of length k.
   - Sort the substring of length characters
   - If sorted substring equals sorted pattern increment count.
8. Print the value of count.
9. Stop the program.

Sample Input 1

Enter the text: forxxorfxdofr.

Enter the pattern: for

Output:-

Number of anagram substring:

Sample input 2

Enter the text : aabaabaa

Enter the pattern : aaba

Output 2

number of anagram sub strings

Program :-

```
import. java. util. Arrays;
import java. util. Scanner;
Public Class AnagramsCount. {
    Static String sortString (String str) {
        Char[] charArray = str. toCharArray();
        Arrays.sort(charArray);
        return. sort (charArray);
    }
    Public static void main (String[] args) {
Scanner sc = new Scanner (System.in);
    System.out. print("Enter the text:");
        String text = sc. nextLine ();
        System.out.println ("Enter the pattern:");
        String pattern = sc. nextLine();
        int k = pattern. length ();
        int count = 0;
        String. sortedPattern = sortString (pattern);
        for (int i=0; i<= text. length() - k; i++) {
        String substring = text. substring (i, i+k);
        if (sortString (substring). equals (sortedPattern)) {
        count++;
```

```
        }
    }
    System.out.println("Number of anagram substring : "+count);
    }
}
```

VEL TECH - CSE	
EX NO.	5
PERFORMANCE (5)	5
RESULT AND ANALYSIS (5)	5
VIVA VOCE (5)	5
RECORD (5)	5
TOTAL (20)	20
SIGN WITH DATE	19/2/26

Result:- Thus, the Java program to count the number of substrings in a text that are anagrams of given pattern was successfully implemented and executed.