outpub 01 sades list [85,90,78,42,88] enter the index of grade you want: 10 invalid index. Please enter a valid index

1993 46000 0/193 180908 00019-10-10

"ADARA" BOP BAIL HOOS WOOK"

: (Driba sii ?) Beril - 80000 - Jawas 84

. Joil at longergno out

Coldina Emblada

to be seed of the seed

dig 00 (" monolis) nogo dela

Herman Eagles county

9009019 3dd 3d009+3

rasky: implement expeptions and exceptionar handling in Pythom

Aim: To implement exceptions and exceptional handling in puthon

Alporithm

1. Start the program

2. Initialize at list of grades

3. Prompts the user to enter the index of goode

4. attempts to Display the grade at the specific index

brodram

#initialize the list of grades mimore and soday

gtades = [88, 90, 78, 92,88]

Print ["orrades List:", grades) " " " noisivio index = int [input l'Entex the index of grade you want to view:"))

Print[? The grade at index findex 3 is: Egrades [index]]

encept index Exxox Print ("Invalid index. Please entera valid index.")

encept value Exxox

Print l'Invalid input. Please entera numerical index."

shore gaxobai ady corne of reals and adamaig

out put de ste de stange ett peda eig et estanden

GUFGA FHE DENOMINATOR: 0

FRROR!

dan and Sailmidiaid Exxx: Division by zexo is not allowed Jane my oborg gonsoni shi wani zangani da entre Barragia estates of union

Elebaile of son Exolaig robai to shorp our glanis

(sobri bilay sessine ensig robai bilavae") said

xobre losicopana sostas sensela endui filmunt falls

inflowed the bushest and modeling

problem a.2 you are Developing a python calculator program that performs basic arthmetic operations

Algorithm 1.9 tax & the Program

2. Prompts the user to enter two no 3. attempts to Divide the numerator Denominator u. Il the Denominator is 2000, catches the 2000 Division extor

Program Der Divide - number & C):

numerator = Ploat (input ("Enter the numerator.")) De hominator = & bout [in Pub [En ter the Ocnominator: 3] result = numerator/ Denominator Print (& Result: Exceult 3"3 enpept zero Divisios esrox Print ("Error: Division by zero is not allowed.")

Print ("Error : Please enter valid numbers.") encept value Exxox:

10 Divide - numbers ()

you are neverbling a fiften culation bacher that beatesans posic Cad Story Mosposa system prompts the uses to enter two no affected to pivide the numeralter personinates 88 FHE DELLO WILLIATOR 18 8680. " COLFGHER FYE 8000 out Put: Enter a number: 15
enception occured: invalid Age sod paim and of conomina box

problem 9.3: you are building a pathon application to Determine IR a Person is eligible to vote Based on their age Algorithm , define the custom enception 2. Prompt the user Pox input 3. check If the age is below 18 4. Handle the exception. class invalid Age exception (Exception): NRaised when the input values is less than 18' Pass number = 18 input - num = int (input l'Entex a number:")) 好岁: IR input - num L number! raise Invalid Age Exception Print l'Fligible to Vote") encept invalid Age Exception Print l'Exception occured: Invalid Age") PERFORMANCE (5) RESULT AND ANALYSIS (5) VIVA VOCE (5) RECORD (5) TOTAL (20) GN WITH DATE Thus the Program for implement enception and enception handling is enecuted