Trigger & views Aim: To automobially perform an action whenever a specific most (2005est, update, delete) occurs on reployee table and weate virtual table that shows jettered data from one or more tables. vieate Table: sql. patient Table Create table patient (patient_ID INT PRZMARY KEY, patient_Name VARCHAR (50), patient-phone no VARCHAR (15), patient - city varchare (30), patient - Amount paid. Decimal (10,2) Invest sample data sql. Iwest patient Insert INTO patient VALUES (1, Vivek', 9876543210', Vizag', 15000); (2 'Vinay', 1912345 Gg 0', Delli', 12000); Create Views Create view patient view of select patient_ID, patient_Name, patient_phone no, patient_city, patient - Ull, medicine_Name, medicine_plice, mediane - payment. From patient c JOIN medicine ON a patient - Amount paid = in patient medicine paice;

query sql select * Brom patient mediane Mew; output palient-poils Arrown & pad Pattern ID | patient Name | patient - phone no pattern + cety 15000 Vivele 98756543210 15000 wizag ,2000 12000 Dolhi 912 3456 780 Vinay 2 Guate triggers Create TRIGGER etreck -amount - before - insert sql Before ENSERT ON customer For Each Row BGGIN PELLARE Price DECIMAL (10,2); select Madienc-price BUTO price where medine price a New, petent-Anount poid LEME TA; Ef price Is NULL Then signal SQL state 145000 SET Message TEXT = Invalid payement: 10. mateling medicine found "; END IF, ENP: INSERT INTO Godomer patient values (3, vined, 90000000) rest sque · Tivu pati', 8000); Enalid payment: no nateling patient found! Erro

VEL TECH	16
X NO.	
PERFORMANCE (5)	7
RESULT AND ANALYS'S (5	
VIVA VOCE (5)	5
RECORD (5)	1
TOTAL (20)	00
GIGN WITH DATE	(m)

Resett: Thus, the implementation of triggers and werd on the database whas been esecurifully completed.