CLOSK-10 CROD OPERATIONS IN DOCUMENT DETABLIST

Aim: To Perform mongoose using NPM design on mange DB designing document abbobase and Performing CRUP D Perotions like creating inserting avening finding and semoving approxions.

stells:

ster: (.) intall mange db using following link https://
Nww.mangedb.com/try/download/community.

stel 2) install mongosh using the below link

https://www.mongoshid.dbm.com/docs/mongodb-shel

tt.download and zinstell-mongosh

stel 3: To add the mongos DB shell binary's locations to your Path environment variable often the control Parel.

click ok to confirm your changes one each other modal.

to click ok to conform your changes

I.P your Poth is configured correctly a list of udid command display.

stely ofen mongo shell 4.0

Stells: The the CRUD commands given in text

```
"-id": objeck 20 ("627d, 39 CC73 99 000 74 C6397c);
    "item "; "canus",
      944": 100
    " id": object 5d ("627d Is 98 C739 90 C074 e6397d");
      "item": " Journal
      " 9ty": 100
       "id" objected Id ("627d 1598C73990 (074e6397d)
       "item ": 11 Journal!"
        "9ty ":25
      } { "-id" tobject 20("627d, 198,73990cD74C6397e");
       " item ", " mat ", " ofy ", 25 }
       [ "_id":objected?d("627d,598 = 3990co74e63977)
       " idem" "mouse Pad"
         "9ty": 25
      > db mylab . find (fiteram convos" }) Protty sort
        (x item : 1)}
     { "-id": object ID ("627d13acc 7399 oco74e6397c)
         "iterm": " Convos!
           " 9ty ":100
           J: " Pota ": [
```

```
db create collection ("my (ab")
  fok:13
> db mylab insertone { item: "command aty 100, tags: ("
  coe-Hori] 8:3c [n:28;03:31.5,40m:"cm"]])[
    "aknow ledged: twe
 "inserteded": object 20 ("627di3 acc 7990 co74e6397d)
    7db mylob find (Item: "canuos")
     {"-id": objet Id ("627 d B acc 73994cm74e6397c");
  "item "! " canuas ", "Oty": 100," dags", (cotton "),
   "size": { h": 28," w": 35,5, "com", "cm"}}
  7db.m>lob insertmony ((fitem: "Journal" 2ty: LF, tags
  ["blank ", sed"] '2:36 : { Y : 14 'm; 51 now : , cw , }
   {, { item, "mat", 9ty: 81 + 495: ["gray" ] side;
  { h. 27.9, ω: 35.5 com: "com"} g. { item: mouselad";
    9ty: 25. {
   "ack nowledged": true
  " insufed Ids": [
      object 29 ("6259286439 daco 1463 dag)
      object Iq (essiz 2 d& c+ 3d do (o1 n 6ed 3te))
```

"cotton"

3 db.my lob delete one (Kithn: "Journal")

"-id":object 20 ("627d1198c73990co74e6397d)

"item": "Journal",

"qby":25

3

- O.S.	1
VELTECH - CS	10
PERFORMANCE (5)	6
PERFORMATION (5)	5
VIVA VOCE (3)	10
DECORD (5)	16
TOTAL (20) SIGN WITH DATE	100)
SIGN WITH	

Result: Thus implementation of CRUD obvortions
like creating inserting finding and removing
obvortions using morgans is successfully executed.