

Problem List < > 🔍

📄 Description 🗑️ Accepted ✖️ 📖 Editorial 🛠️ Solutions 📝 Submissions

179. Largest Number

Medium 🔖 Topics 🏢 Companies

Given a list of non-negative integers `nums`, arrange them such that they form the largest number and return it.

Since the result may be very large, so you need to return a string instead of an integer.

Example 1:

Input: `nums = [10,2]`
Output: `"210"`

Example 2:

Input: `nums = [3,30,34,5,9]`
Output: `"9534330"`

Constraints:

- `1 <= nums.length <= 100`
- `0 <= nums[i] <= 109`



Seen this question in a real interview before? 1/6

Yes No

Accepted **864 615** 🏆 | Acceptance Rate **43.6%**

👍 9.6K 🗨️ 228 ☆ 📌 🔄

51 Online

</> Code

Java 📄 Auto

```
1
2 class Solution {
3     public String largestNumber(int[] nums) {
4         // Convert integer array to String array
5         String[] strNums = new String[nums.length];
6         for (int i = 0; i < nums.length; i++) {
7             strNums[i] = String.valueOf(nums[i]);
8         }
9
10        // Custom comparator: compare (b + a) with (a + b) to sort in descending order
11        Arrays.sort(strNums, (a, b) -> (b + a).compareTo(a + b));
12
13        // Edge case: if the largest number is "0", the result is "0" (e.g., [0, 0])
14        if (strNums[0].equals("0")) {
15            return "0";
16        }
17    }
18 }
```

Saved Ln 1, Col 1

👌 Testcase ➤ Test Result

Accepted 1/1

☒ Case 1 ☒ Case 2

Input

nums =
[10,2]

Output

"210"

Expected

"210"

📖 Contribute a testcase

451. Sort Characters By Frequency

Solved

Medium Topics Companies

Given a string `s`, sort it in **decreasing order** based on the **frequency** of the characters. The **frequency** of a character is the number of times it appears in the string.

Return the sorted string. If there are multiple answers, return any of them.

Example 1:

Input: `s = "tree"`Output: `"eert"`

Explanation: 'e' appears twice while 'r' and 't' both appear once.

So 'e' must appear before both 'r' and 't'. Therefore "eetr" is also a valid answer.

Example 2:

Input: `s = "cccaaa"`Output: `"aaaccc"`

Explanation: Both 'c' and 'a' appear three times, so both "cccaaa" and "aaaccc" are valid answers.

Note that "cacaca" is incorrect, as the same characters must be together.

Example 3:

Input: `s = "Aabb"`Output: `"bbaA"`

Explanation: "bbaA" is also a valid answer, but "Aabb" is incorrect.

Note that 'A' and 'a' are treated as two different characters.

Constraints:

- $1 \leq s.length \leq 5 \times 10^5$
- `s` consists of uppercase and lowercase English letters and digits

9.4K 193 82 Online

</> Code

Java Auto

```
1 class Solution {
2     public String frequencySort(String s) {
3         Map<Character, Integer> counts = new HashMap<>();
4         for (char c : s.toCharArray()) {
5             counts.put(c, counts.getOrDefault(c, 0) + 1);
6         }
7
8         // Max-heap sorted by frequency descending
9         PriorityQueue<Character> maxHeap = new PriorityQueue<>((a, b) -> counts.get(b) - counts.get(a));
10        maxHeap.addAll(counts.keySet());
11
12        StringBuilder sb = new StringBuilder();
13        while (!maxHeap.isEmpty()) {
14            char current = maxHeap.poll();
15            int count = counts.get(current);
```

Saved

Ln 1, Col 1

Testcase Test Result

Accepted Runtime: 2 ms

Case 1 Case 2 Case 3

Input

`s =`
`"tree"`

Output

`"eert"`

Expected

`"eert"`

Problem List

1360. Number of Days Between Two Dates

EasyTopicsCompaniesHint

Write a program to count the number of days between two dates.
The two dates are given as strings, their format is YYYY-MM-DD as shown in the examples.

Example 1:
Input: date1 = "2019-06-29", date2 = "2019-06-30"
Output: 1

Example 2:
Input: date1 = "2020-01-15", date2 = "2019-12-31"
Output: 15

Constraints:
• The given dates are valid dates between the years 1971 and 2100.

Seen this question in a real interview before? 1/6
YesNo

Accepted 77,810/146.1K | Acceptance Rate 53.3%

4434218 Online

Solved

Java

```
1 class Solution {
2     private static final int[] DAYS_IN_MONTH = {0, 31, 28, 31, 30, 31, 30, 31, 31, 30, 31, 30, 31};
3
4     public int daysBetweenDates(String date1, String date2) {
5         return Math.abs(daysFrom1900(date1) - daysFrom1900(date2));
6     }
7
8     private int daysFrom1900(String date) {
9         String[] parts = date.split("-");
10        int year = Integer.parseInt(parts[0]);
11        int month = Integer.parseInt(parts[1]);
12        int day = Integer.parseInt(parts[2]);
13
14        int days = 0;
15    }
16 }
```

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2

Input

date1 =
"2019-06-29"

date2 =
"2019-06-30"

Output

1

Expected

Problem List

AcceptedEditorialSolutionsSubmissions

1154. Day of the Year

EasyTopicsCompaniesHint

Given a string date representing a Gregorian calendar date formatted as YYYY-MM-DD, return the day number of the year.

Example 1:
Input: date = "2019-01-09"
Output: 9
Explanation: Given date is the 9th day of the year in 2019.

Example 2:
Input: date = "2019-02-10"
Output: 41

Constraints:

- date.length == 10
- date[4] == date[7] == '-', and all other date[i]'s are digits
- date represents a calendar date between Jan 1st, 1900 and Dec 31st, 2019.

Leverage AI in your Tech career at Citi

Seen this question in a real interview before? 1/6

YesNo

5183611 Online

Submit

Code

JavaAuto

```
1 class Solution {
2     public int dayOfYear(String date) {
3         // Extract year, month, and day from the formatted string "YYYY-MM-DD"
4         int year = Integer.parseInt(date.substring(0, 4));
5         int month = Integer.parseInt(date.substring(5, 7));
6         int day = Integer.parseInt(date.substring(8, 10));
7
8         // Number of days in each month for a non-leap year
9         int[] daysPerMonth = {31, 28, 31, 30, 31, 30, 31, 31, 30, 31, 30, 31};
10
11        // Check if the given year is a leap year
12        if (isLeapYear(year)) {
13            daysPerMonth[1] = 29;
14        }
15    }
16 }
```

SavedLn 1, Col 1

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1Case 2

Input
date =
"2019-01-09"

Output
9

Expected
9

Continue where you left off: Chrome can restore your tabs every time you restart. To turn this on, go to [Settings](#).

Problem List < > 🔍

🔔 Submit 📄 🌟

🔧 0 👤 Premium

Description | Accepted ✕ | Editorial | Solutions | Submissions

1185. Day of the Week

Easy Topics Companies Hint

Solved ✓

Given a date, return the corresponding day of the week for that date.

The input is given as three integers representing the `day`, `month` and `year` respectively.

Return the answer as one of the following values {"Sunday", "Monday", "Tuesday", "Wednesday", "Thursday", "Friday", "Saturday"}.

Note: January 1, 1971 was a Friday.

Example 1:

Input: day = 31, month = 8, year = 2019
Output: "Saturday"

Example 2:

Input: day = 18, month = 7, year = 1999
Output: "Sunday"

Example 3:

Input: day = 15, month = 8, year = 1993
Output: "Sunday"

Constraints:

- The given dates are valid dates between the years 1971 and 2100.

GoDaddy Great ideas deserve a great domain name

👍 461 🗨️ 44 ⭐ 📄 🔄

9 Online

</> Code

Java 🔒 Auto

```
16     totalDays += daysInMonth[m - 1];
17     if (m == 2 && isLeapYear(year)) {
18         totalDays++;
19     }
20 }
21
22 // January 1, 1971 was a Friday (index 5 in our days array: Sunday=0, Monday=1, ..., Friday=5)
23 return days[(totalDays + 4) % 7];
24 }
25
26 private boolean isLeapYear(int year) {
27     return (year % 4 == 0 && year % 100 != 0) || (year % 400 == 0);
28 }
29 }
```

Saved Ln 29, Col 2

Testcase Test Result

Accepted Runtime: 0 ms

Case 1 Case 2 Case 3

Input

day =
31

month =
8

year =
2019

Output

Upload Code as File

☐ Test against custom input

Run Code

Submit Code



You have earned 10.00 points!

You are now 12 points away from the 2nd star for your java badge.

52%

38/50

Congratulations

You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#)

Next Challenge

✓ Test case 0

✓ Test case 1

✓ Test case 2

✓ Test case 3

✓ Test case 4

✓ Test case 5

Compiler Message

Success

Input (stdin)

Download

```
1 5
2 5 41 77 74 22 44
3 1 12
4 4 37 34 36 52
5 0
6 3 20 22 33
7 5
8 1 3
```