

Backup and Recovery in Databases

AIM:

To perform backup and recovery operations for the Hotel Management system database

Scenario:

Recovering a NOARCHIVELOG Database with Incremental Backup

1. Backup Database

BACKUP DATABASE HotelDB TO DISK='HotelDB-full.bak';

2. Create Incremental Backup

BACKUP DATABASE HotelDB TO DISK='HotelDB-diff.bak' WITH
DIFFERENTIAL;

3. Simulate Data Loss

(Delete or modify some records in the Hotel tables)

4. Restore Full Backup

RESTORE DATABASE HotelDB FROM DISK='HotelDB-full.bak'
WITH REPLACE;

5. Apply Incremental Backup

RESTORE DATABASE HotelDB FROM DISK='HotelDB-diff.bak'
WITH REPLACE;

6. Recover Database

RECOVER DATABASE HotelDB;

7. Open Database

ALTER DATABASE HotelDB SET ONLINE;

Scenario: 2

Restoring the server Parameter (SPFILE)

1. Backup SPFILE

BACKUP SERVER PARAMETER FILE TO FILE = 'spfile_hotel.bak';

2. Simulate Loss

(Delete or rename the original SPFILE)

3. Restore SPFILE

STARTUP MOUNT;

RESTORE SERVER PARAMETER FILE FROM FILE = 'spfile_hotel.bak';

SHUTDOWN;

STARTUP;

Scenario: 3

Recovery with a Backup control File

1. Backup Control File

BACKUP CONTROLFILE TO FILE = 'hotel-control.bak';

2. Simulate loss

(Delete or modify control file)

3. Restore Control File

STARTUP MOUNT;

RESTORE CONTROLFILE FROM FILE = 'hotel-control.bak';

ALTER CONTROLFILE REUSE;

4. Recover Database

RECOVER DATABASE USING BACKUP CONTROLFILE;

5. Open Database

ALTER DATABASE OPEN RESETLOGS;

VEL TECH-CSE	
EX NO.	9
PERFORMANCE (5)	5
RESULT AND ANALYSIS (5)	5
VIVA VOCE (5)	5
RECORD (5)	
TOTAL (20)	15
SIGN WITH DATE	06/10/2025

VEL TECH-CSE	
EX NO.	
PERFORMANCE (5)	
RESULT AND ANALYSIS (5)	
VIVA VOCE (5)	
RECORD (5)	
TOTAL (20)	
SIGN WITH DATE	

RESULT:

Thus the Backup and Recovery in Databases using Hotel Management system was successfully executed.