

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✔ Sample Test case 0

[Download](#)

Input (stdin)

1	5
2	1 4
3	2 5
4	3 898
5	1 3
6	2 12

Your Output (stdout)

1	EVEN
2	PRIME
3	PALINDROME

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✓ Sample Test case 0

Input (stdin)

[Download](#)

```
1 5
2 amy 100
3 david 100
4 heraldo 50
5 aakansha 75
6 aleksa 150
```

Your Output (stdout)

```
1 aleksa 150
2 amy 100
3 david 100
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✓ Sample Test case 0

Input (stdin)

[Download](#)

```
1 5
2 33 Rumpa 3.68
3 85 Ashis 3.85
4 56 Samiha 3.75
5 19 Samara 3.75
6 22 Fahim 3.76
```

Your Output (stdout)

```
1 Ashis
2 Fahim
3 Samara
```

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✓ **Sample Test case 0**

✓ Sample Test case 1

✓ Sample Test case 2

Input (stdin)

[Download](#)

```
1 5
2 amy 100
3 david 100
4 heraldo 50
5 aakansha 75
6 aleksa 150
```

Your Output (stdout)

```
1 aleksa 150
2 amy 100
3 david 100
```

DescriptionEditorialSolutionsSubmissions

Input: nums = [3,1,2,10,1]

Output: [3,4,6,16,17]

Constraints:

1 <= nums.length <= 1000

-10^6 <= nums[i] <= 10^6

One platform. Infinite possibilities.

Start New

Seen this question in a real interview before? 1/6

Yes

No

Accepted 25,55,727 / 2.9M

Acceptance Rate 87.1 %

Topics

Companies

Hint 1

Discussion (225)

Copyright © 2026 LeetCode. All rights reserved.

8.9K

225

57 Online

Code

Java

Auto

```
1 class Solution {
2     public int[] runningSum(int[] nums) {
3
4         int sum = 0;
5
6         for (int i = 0; i < nums.length; i++) {
7             sum = sum + nums[i];
8             nums[i] = sum;
9         }
10
11         return nums;
12     }
13 }
```

Saved

Ln 13, Col 2

Testcase

Test Result

Case 1

Case 2

Case 3

Input

nums = [1, 2, 3, 4]

Output

[1, 3, 6, 10]

Expected

[1, 3, 6, 10]

Contribute a testcase

[Description](#) | [Accepted](#) X | [Editorial](#) | [Solutions](#) | [Submissions](#)

[All Submissions](#)

Accepted 34 / 34 testcases passed

Uma Vajresh submitted at Aug 28, 2026 19:25

AnalysisSolution

₹583.25/mo

Save over 56%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

1 ms | Beats 15.69%

Memory

44.39 MB | Beats 87.55%

Code | Java

```
1 class Solution {
2     public int maximumWealth(int[][] accounts) {
3
4         int maxWealth = 0;
5
6         for (int i = 0; i < accounts.length; i++) {
7
```

</> Code

Java Auto

```
9
10
11     for (int j = 0; j < accounts[i].length; j++) {
12         currentWealth = currentWealth + accounts[i][j];
13     }
14
15     maxWealth = Math.max(maxWealth, currentWealth);
16 }
17
18 return maxWealth;
19 }
```

SavedLn 19, Col 2

☒ Testcase | [Test Result](#)

Accepted Runtime: 0 ms

☒ Case 1 ☒ Case 2 ☒ Case 3

Input

accounts =
[[1,2,3],[3,2,1]]

Output

6

Expected

6

DescriptionAccepted xEditorialSolutionsSubmissions

All Submissions

Accepted137 / 137 testcases passed

Uma Vajresh submitted at Aug 28, 2026 19:27

AnalysisSolution

583.25

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

1 msBeats 100.00%

Memory

47.22 MBBeats 64.76%

3.97% of solutions used 11 ms of runtime

CodeJava

```
1 class Solution {
2     public int[] sortedSquares(int[] nums) {
3
4         int n = nums.length;
5         int[] result = new int[n];
6
7         int left = 0;
```

Code

JavaAuto

```
13         result[i] = nums[left] * nums[left];
14         left++;
15     } else {
16         result[i] = nums[right] * nums[right];
17         right--;
18     }
19 }
20
21 return result;
22 }
23 }
```

SavedLn 23, Col 2

TestcaseTest Result

AcceptedRuntime: 0 ms

Case 1

Case 2

Input

nums =
[-4,-1,0,3,10]

Output

[0,1,9,16,100]

Expected

[0,1,9,16,100]

DescriptionAccepted ×EditorialSolutionsSubmissions

← All Submissions

Accepted747 / 747 testcases passed

Uma Vajresh submitted at Aug 26, 2026 19:30

AnalysisSolution

₹583.25/moSave over 99%

Unlock the Full LeetCode Experience
Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

1 ms | Beats 97.53%

Memory

47.39 MB | Beats 60.17%

0.01% of solutions used 159 ms of runtime

Code | Java

```
1 class Solution {
2     public int pivotIndex(int[] nums) {
3         int totalSum = 0;
4
5         for (int i = 0; i < nums.length; i++) {
6             totalSum += nums[i];
7         }
8     }
9 }
```

Code

Java Auto

```
13
14     if (leftSum == rightSum) {
15         return i;
16     }
17
18     leftSum += nums[i];
19 }
20
21 return -1;
22 }
23 }
```

SavedLn 23, Col 2

Testcase | Test Result

AcceptedRuntime: 0 ms

Case 1Case 2Case 3

Input

nums =
[1,7,3,6,5,6]

Output

3

Expected

3