CASSIC

APROPTED TO OUTOMATRICALLY PERFORMS ON a MODERNE whenever a specific event occurs in a modifice phone to create virtual table.

Create table

estite.

CREATE TABLE CUHTOMEN (

CUIT-ID INT PRIMARY KEY,

CUIT-Name VARCHAR (50),

1017- Phone NO VARCHAR (15),

CUIT-CRY VARCHAR (30),

CUIT-Amount paid Decimal (1012)

Init sample Data

391. Intert cultomers

INITER INTO cultomer vacues

(1, 'Thon', '98 + 65 + 3210', 'Hyderabad', 15000), (2, 'Smith', '9123 + 56 + 80', 'Delhi', 12000);

Concate vPews

CREATE VIEW CUTTOMEN Mobile YPEW As

select C. Cuit - ID, C. Cuit-Name, C. Cuit Phone No.

C. CHT-194y, m. Mobble-Name, m. Mobile-Afre,

C. Luit - Amount Palld.

FROM Cuitomer C TOIN MOBPLE M

ON C. Cut- Amount Pald = m. Mobble Price;

Part of the second seco

eq.1. secect * FROM cuttomer Mobile view;

Output

CVIT-ID	cut-Name	CUIT-Phoneno	wit-chty	MOBIL -PilL	Amest paid
1.	Thon	9876543210	Hydra	15 000	15000
2.	smith	9123456781	Duni	12000	12000

Create Tologgers:

egil

CREATE TRIGGER Check-amount-before-Priest.

BEFORE INSERT ON CUITORED

FOR EACH ROW

BEGIN

DECLARE POPLE DECIMAL (1012); SELECT MOBPLE - PIPLE INTO POPLE WHERE Mobble - PIPLE = NEW, CUIT - AMOUNT Pald.

LIMIT 1;

STENDL SOLSTATE '45000'

SET MESSAGE_ TEXT = Invalled payement: no
matching mobile -lound!';

END;

Test

TUSTET INTO WHOMEN VALUES (3, Ajay, 2000000).

toron

Invaled payment: no matching mobile tound!

C19000

SELL Frisert Ento mobile phone (1, Écalme, 50000); outputs- 1 som surexted. egds select * trom mobile phone;

cut-id	Cut Name	CON Che I		- 19.	
Mr. San	Thon	COIL PHONT	curticity	MODELE	Ampul
2	9.9.	9870543210	- Francia	30,000	paid
	- Ch	9123456480	Delui	15,000	30,000

Report: Thus the Amplementation of tragger of views or the data base has been surestury completed and verified.

EX NO. PERFORMANCE (5) RESULT AND ANALYS'S (5) VIVA VOCE (5) RECORD (5) TOTAL (20) SIGN WITH DATE

1301000

tuging

. The flys