

2. Shuffle the Array

Given the array `nums` consisting of $2n$ elements in the form $[x_1, x_2, \dots, x_n, y_1, y_2, \dots, y_n]$.

Return the array in the form $[x_1, y_1, x_2, y_2, \dots, x_n, y_n]$.

Example 1:

Input: `nums = [2,5,1,3,4,7]`, `n = 3`

Output: `[2,3,5,4,1,7]`

Explanation: Since $x_1=2$, $x_2=5$, $x_3=1$, $y_1=3$, $y_2=4$, $y_3=7$ then the answer is `[2,3,5,4,1,7]`.

Example 2:

Input: `nums = [1,2,3,4,4,3,2,1]`, `n = 4`

Output: `[1,4,2,3,3,2,4,1]`

Example 3:

Input: `nums = [1,1,2,2]`, `n = 2`

Output: `[1,2,1,2]`

Constraints:

- $1 \leq n \leq 500$
- `nums.length == 2n`
- $1 \leq \text{nums}[i] \leq 10^3$

PROGRAM

```
class Solution {  
  
    public int[] shuffle(int[] nums, int n) {  
  
        int[] ans = new int[2 * n];  
  
        int index = 0;  
  
        for (int i = 0; i < n; i++) {  
            ans[index++] = nums[i];    // xi  
            ans[index++] = nums[i + n]; // yi  
        }  
  
        return ans;  
    }  
}
```

}

OUTPUT

Java Comparator Solution

vtu90221-cmyk/PST-programs

Shuffle the Array - LeetCode

https://leetcode.com/problems/shuffle-the-array/submissions/2139537713/

Problem List

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted 53 / 53 testcases passed

VTU90221 submitted at Sep 12, 2026 19:18

Analysis

Solution

₹583.25/mo Save over 56%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

0 ms | Beats 100.00%

Memory

46.56 MB | Beats 41.11%

100%

50%

0%

1ms

2ms

3ms

4ms

Code | Java

1 class Solution {

Code

Java

Auto

5

6

7

8

9

10

11

12

13

14

int index = 0;

for (int i = 0; i < n; i++) {

ans[index++] = nums[i]; // xi

ans[index++] = nums[i + n]; // yi

}

return ans;

}

Saved

Ln 14, Col 2

Testcase

Test Result

Accepted Runtime: 0 ms

Case 1

Case 2

Case 3

Input

nums =

[2,5,1,3,4,7]

n =

3

Output

31°C

Mostly cloudy

Search

ENG

IN

94%

19:19

12-09-2026