

2. Java Arraylist

Sometimes it's better to use dynamic size arrays. Java's [Arraylist](#) can provide you this feature. Try to solve this problem using Arraylist.

You are given lines. In each line there are zero or more integers. You need to answer a few queries where you need to tell the number located in position of line.

Take your input from System.in.

Input Format

The first line has an integer . In each of the next lines there will be an integer denoting number of integers on that line and then there will be space-separated integers. In the next line there will be an integer denoting number of queries. Each query will consist of two integers and .

Constraints

Each number will fit in signed integer.

Total number of integers in lines will not cross .

Output Format

In each line, output the number located in position of line. If there is no such position, just print "ERROR!"

Sample Input

```
5
5 41 77 74 22 44
1 12
4 37 34 36 52
0
3 20 22 33
5
1 3
3 4
```

3 1

4 3

5 5

Sample Output

74

52

37

ERROR!

ERROR!

Explanation

The diagram below explains the queries:

PROGRAM

```
import java.util.ArrayList;
```

```
import java.util.Scanner;
```

```
public class Solution {
```

```
    public static void main(String[] args) {
```

```
        Scanner scan = new Scanner(System.in);
```

```
        // Read number of lines
```

```
        int n = scan.nextInt();
```

```
        // Create 2D ArrayList to store the lines of integers
```

```
ArrayList<ArrayList<Integer>> lines = new ArrayList<>();

for (int i = 0; i < n; i++) {

    int d = scan.nextInt(); // Number of integers in this line

    ArrayList<Integer> currentLine = new ArrayList<>();

    for (int j = 0; j < d; j++) {

        currentLine.add(scan.nextInt());

    }

    lines.add(currentLine);

}

// Read number of queries

int q = scan.nextInt();

for (int i = 0; i < q; i++) {

    int x = scan.nextInt(); // Line number (1-based index)

    int y = scan.nextInt(); // Position in line (1-based index)

    // Convert to 0-based indexing

    int linIdx = x - 1;

    int posIdx = y - 1;

    // Check if x and y are within valid bounds

    if (linIdx >= 0 && linIdx < lines.size() && posIdx >= 0 && posIdx <
lines.get(linIdx).size()) {
```

```

        System.out.println(lines.get(lineIdx).get(posIdx));

    } else {

        System.out.println("ERROR!");

    }

}

scan.close();

}

}

```

OUTPUT

Congratulations
You solved this challenge. Would you like to challenge your friends? [Twitter](#) [LinkedIn](#) [Next Challenge](#)

Test case	Compiler Message
Test case 0	Success
Test case 1	Success
Test case 2	Input (stdin)
Test case 3	Success
Test case 4	Success
Test case 5	Success

[Download](#)

1 5
2 5 41 77 74 22 44
3 1 12
4 4 37 34 36 52
5 0
6 3 20 22 33
7 5
8 1 3