

2. Java Comparator

Comparators are used to compare two objects. In this challenge, you'll create a comparator and use it to sort an array.

The *Player* class is provided for you in your editor. It has fields: a String and a integer.

Given an array of *Player* objects, write a comparator that sorts them in order of decreasing score; if or more players have the same score, sort those players alphabetically by name. To do this, you must create a *Checker* class that implements the *Comparator* interface, then write an *int compare(Player a, Player b)* method implementing the [Comparator.compare\(T o1, T o2\)](#) method.

Input Format

Input from stdin is handled by the locked stub code in the *Solution* class.

The first line contains an integer, *n*, denoting the number of players.

Each of the subsequent lines contains a player's name and score, respectively.

Constraints

- players can have the same name.
- Player names consist of lowercase English letters.

Output Format

You are not responsible for printing any output to stdout. The locked stub code in *Solution* will create a *Checker* object, use it to sort the *Player* array, and print each sorted element.

Sample Input

5

amy 100

david 100

heraldo 50

aakansha 75

aleksa 150

Sample Output

aleksa 150

amy 100

david 100

aakansha 75

heraldo 50

PROGRAM

```
import java.util.Arrays;
```

```
import java.util.Comparator;
```

```
import java.util.Scanner;
```

```
// HackerRank's required Player class
```

```
class Player {
```

```
    String name;
```

```
    int score;
```

```
    Player(String name, int score) {
```

```
        this.name = name;
```

```
        this.score = score;
```

```
    }
```

```
}
```

```
// Your Checker class implementation
```

```
class Checker implements Comparator<Player> {
```

@Override

```
public int compare(Player a, Player b) {  
    if (a.score != b.score) {  
        return Integer.compare(b.score, a.score); // Descending score  
    }  
    return a.name.compareTo(b.name);           // Ascending name  
}  
}
```

// HackerRank's driver class

```
public class Solution {  
    public static void main(String[] args) {  
        Scanner scan = new Scanner(System.in);  
        int n = scan.nextInt();  
  
        Player[] player = new Player[n];  
        Checker checker = new Checker();  
  
        for (int i = 0; i < n; i++) {  
            player[i] = new Player(scan.next(), scan.nextInt());  
        }  
        scan.close();  
  
        Arrays.sort(player, checker);  
        for (int i = 0; i < player.length; i++) {  
            System.out.printf("%s %s\n", player[i].name, player[i].score);  
        }  
    }  
}
```

}

}

}

OUTPUT

github - Search

vtu30221-cmyk/PST-programs

Java Priority Queue Solution - Go

Java Comparator | HackerRank

+

https://www.hackerrank.com/challenges/java-comparator/problem

Chat

Congratulations

You solved this challenge. Would you like to challenge your friends?

Next Challenge

Test case 0

Compiler Message

Success

Test case 1

Input (stdin)

5

amy 100

david 100

heraldo 50

aakansha 75

aleksa 150

Test case 2

Expected Output

Download

Download

30°C Mostly cloudy

Search

ENG IN

13%

10:27 18-09-2026