

Aim: Implementation of DDL commands of SQL with Suitable example.

1. DDL commands (Data definition languages).

Def: DDL commands are used to define, modify or delete the structure of database objects such as tables.

1. Create table

Def: Used to create a new database.

Query:

```
Create table employee (  
em_id int,  
em_name varchar(10),  
em-ph-no int  
);
```

Output: Table created.

2. Describe or DESC

Def: Display the structure of a table.

Query:

```
SQL DESC employee;
```

Output:

Name	Type
em_id	NUMBER(38)
em_name	VARCHAR2(100)
em-ph-no	VARCHAR2(100)

3. Drop table:

Def: Deletes the entire table structure and all its data.

Query:

```
SQL DROP table employee;
```

Output: Table dropped.

4. Alter table:

Def: Used to add, delete or modify column in an existing table.

Query:

SQL Alter table employee ADD Salary int;

Output:

Table altered.

II. DML Commands (Data Manipulation Language)

Def: DML commands are used to manage and manipulate data inside database tables.

1. Insert into

Def: Inserts new rows into table.

Query:

Sql:- insert into employee values (101, 'Vinay', 9959522);

insert into employee values (102, 'Vijay', 795783794);

insert into employee values (103, 'Aron', 858776326);

Output:

3 row created.

2. Select

Def: Retrieve data from one or more table.

Query:

SQL Select * from employee;

Output:

em-id	em-Name	em-ph-no.
101	Vinay	9959522
102	Vijay	795783794
103	Aron	858776326

3. Update;

Def: Modifies existing data in a table.

Query:

SQL Update employee Set em-name = 'ram' where em-id = 103;

Output:

1 row updated

After update:

SQL select * from employee;

em-id	em-name	em-ph-no
101	Vinay	9959522
102	Vijay	795783794
103	Ram	858776326

4. Delete:

Def: Delete one or more rows from a table

Query:

SQL Delete from employee where em-id = 101;

Output:

1 row deleted.

After delete

SQL Select * from employee;

em-id	em-Name	em-ph-no
102	Vijay	9959522
103	Ram	858776326

5. select with where clause

Def: Retrieves Specific records that satisfy the condition

Query:

SQL `select * from employee where em_name = 'Vijay';`

Output:

em-id

em-name

em-ph-no

102

Vijay

795783794

TECH

EX NO.

PERFORMANCE (5)

RESULT AND ANALYSIS (5)

VIVA VOCE (5)

RECORD (5)

TOTAL (20)

SIGN WITH DATE

12/8

Result: The implementation of DDL and DML commands are executed successfully.

Date: 12/8/25

DDL and DML Commands with Constraints

Task no: 2.1

Aim: Implementation of DDL and DML commands with Constraints.

DDL commands

1.1 create table:

Definition: Used to create a new table in the database

Query:

SQL

```
Create table customer (
```

```
customer ID primary key,  
name varchar(100) Not null,  
address VARCHAR(200),
```

```
);
```

```
Create table customer CreditCard (
```

```
CreditCard no VARCHAR(20) primary key,
```

```
expiry_date DATE NOT NULL,
```

```
customer ID int,
```

```
FOREIGN KEY (customer ID) REFERENCE customer
```

```
(customer ID)
```

```
);
```

```
Create table Branch (
```

```
branch ID int primary key
```

```
branch Name VARCHAR(100) NOT null,
```

```
location VARCHAR(100),
```

```
IFSC_Code VARCHAR(20) UNIQUE
```

```
);
```

```
Create table Banker info (
```

```
banker ID int PRIMARY KEY,
```

```
banker Name VARCHAR(100) NOT NULL,
```

```
banker Email VARCHAR(100) UNIQUE,
```

```
FOREIGN KEY (branch ID) Reference Branch (branch ID)
```

```
);
```


desc Customer;

Name	NULL	Type
CUSTOMERID	NOT NULL	NUMBER (33)
NAME	NOT NULL	VARCHAR2 (100)
ADDRESS		VARCHAR2 (200)

desc Customer Creditcard;

Name	Type	NULL
CREDIT CARDNUMBER	VARCHAR (20)	NOT NULL
EXPIRY DATE	DATE	NOT NULL
CUSTOMER ID	NUMBER (38)	

desc Branch;

Name	NULL	TYPE
BRANCH ID	NOT NULL	NUMBER (38)
BRANCHNAME	NOT NULL	VARCHAR2 (100)
LOCATION		VARCHAR2 (100)
IFSC - CODE		VARCHAR2 (20)

desc BankerInfo;

Name	NULL	Type
BANKER ID	NOT NULL	NUMBER (38)
BANKER NAME	NOT NULL	VARCHAR2 (100)
BANKEREMAIL		VARCHAR2 (100)
BANKER BRANCH ID		NUMBER (38)

Create table loan (

loanNumber INT Primary key,

amount INT,

CustomerID int,

FOREIGN KEY (CustomerID) REFERENCES customer (CustomerID),

BranchID int,

FOREIGN KEY (BranchID) REFERENCES Branch (BranchID)

);

Create table Account (

account Number INT PRIMARY KEY

balance INT,

Category VARCHAR (50),

CustomerID int,

FOREIGN KEY (CustomerID) REFERENCES customer (CustomerID),

BranchID int,

FOREIGN KEY (BranchID) REFERENCES Branch (BranchID).

);

1.2 Alter table

Alter table customer add Ph-no VARCHAR (10);

1.3 Truncate table

Truncate table loan

Output

Result: All rows are removed from loan table, Structure remains.

1.4 Rename table

Rename table customer to Customers.

2. DML Commands

2.1 Insert data

Insert into customers (customerID, name, address, Ph-no)

values (238, 'Ram', 'Chennai', '83465789');

Insert into customer credit card (credit card number, expiry date).

Values ('8329 9256 6234', '12-MAR-2030');

desc loan;

Name	Null	Type
LOAN- NUMBER	NOT NULL	NUMBER (38)
AMOUNT		NUMBER (38)
CUSTOMER- ID		NUMBER (38)
BRANCH ID		NUMBER (38)

desc Account;

Name	Null	Type
ACCOUNT- NUMBER	NOT NULL	NUMBER (38)
BALANCE		NUMBER (38)
CATEGORY		VARCHAR (50)
CUSTOMER- ID		NUMBER (38)
BRANCH ID		NUMBER (38)

1.2 desc Customer;

Name	Null	Type
CUSTOMER ID	NOT NULL	NUMBER (38)
NAME	NOT NULL	VARCHAR2 (100)
ADDRESS		VARCHAR2 (100)
PH-NO		VARCHAR2 (10)

1.4 Rename Table

Table renamed.

insert into Branch (branch ID, branch name, location, HSC-code)
values (4590, 'Chennai branch', 'Chennai', '18925 4596 6311');

insert into Banker info (banker ID, banker name, banker email)

values (7896, 'Chandu', 'Chanduy1@gmail.com');

(7897, 'Nandhu', 'nandhu72@gmail.com');

insert into loan (loan number, amount)
values (8996, 50000);

insert into Account (Account number, balance, category)

values (5985423108, 100000, 'Savings');

2.2 Update Data

Update Customer set name = 'Vinay' where Customer ID = 238;

Result: Name is updated to Vinay.

2.3 delete Data

Delete from banker info where banker ID = 7896;

2.4 select data

Select name, Ph-no from Customers;

Customer-ID	Name	Address	Ph-no
238	Ram	Chennai	83456789

Credit card number	expiry-date	customer-ID
8329 9288 6234	12-MAR-2030	238

Branch ID	branch name	location	ifsc-code
4590	Chennai Branch	chennai	8925490311

Banker ID	banker name	banker email	Branch-ID
7896	Chandu	Chandu11@gmail.com	4590

loan number	amount	customer-ID	Branch-ID
8996	50000	238	4590

account number	Balance	Category
5985423108	10000	Savings

Customer ID	Name	Address	Ph-no
238	Vinay	Chennai	83456789

Delete

Banker-ID	Bankername	bankeremail	Branch ID
7897	nandhu	nandhu726@gmail.com	4540

Select

Name	Ph-NO
Ram	8344678

Result: The implementation of DDL and DML commands with constraints are executed successfully.

VEL TECH	
EX NO.	25
PERFORMANCE (5)	5
RESULT AND ANALYSIS (5)	5
VIVA VOCE (5)	4
RECORD (5)	14
TOTAL (20)	14
SIGN WITH DATE	21/8