

SORT

```
import java.util.ArrayList;
import java.util.List;
import java.util.Scanner;

class Student {
    protected int id;
    protected String name;
    protected double cgpa;

    public Student(int id, String name, double cgpa) {
        this.id = id;
        this.name = name;
        this.cgpa = cgpa;
    }
}

public class Solution1 {
    public static void main(String[] args) {
        Scanner scanner = new Scanner(System.in);
        List<Student> students = new ArrayList<>();
        int n = Integer.parseInt(scanner.nextLine());
        for (int i = 0; i < n; i++) {
            String[] tokens = scanner.nextLine().split("\\s+");
            int id = Integer.parseInt(tokens[0]);
            String name = tokens[1];
            double cgpa = Double.parseDouble(tokens[2]);
            Student student = new Student(id, name, cgpa);
            students.add(student);
        }
        scanner.close();

        students.stream().sorted((s1, s2) -> {
            if (s1.cgpa - s2.cgpa > 0) {
                return -1;
            } else if (s1.cgpa - s2.cgpa < 0) {
                return 1;
            } else if (s1.name.compareTo(s2.name) < 0) {
                return -1;
            }
        });
    }
}
```

SORT

```
    } else if (s1.name.compareTo(s2.name) > 0) {  
        return 1;  
    } else {  
        return Integer.compare(s1.id, s2.id);  
    }  
}).map(s -> s.name).foreach(System.out::println);  
}
```