

Problem List < > 🔍

Description | Editorial | Submissions | Solutions

796. Rotate String

Easy | Topics | Companies

Given two strings `s` and `goal`, return `true` if and only if `s` can become `goal` after some number of shifts on `s`.

A shift on `s` consists of moving the leftmost character of `s` to the rightmost position.

- For example, if `s = "abcde"`, then it will be `"bcdea"` after one shift.

Example 1:

Input: `s = "abcde"`, `goal = "cdeab"`
Output: `true`

Example 2:

Input: `s = "abcde"`, `goal = "abcd"`
Output: `false`

Constraints:

- `1 <= s.length, goal.length <= 100`
- `s` and `goal` consist of lowercase English letters.

Claim your free Gemini student plan [Sign up](#)

Seen this question in a real interview before? 1/6

Yes No

Accepted 1 019 874 / 1 514 | Acceptance Rate 66.5%

5.1K 303 47 Online

Submit

Java Auto

```
1 class Solution {
2     public boolean rotateString(String s, String goal) {
3         if (s.length() != goal.length())
4             return false;
5         return (s + s).contains(goal);
6     }
7 }
8 }
```

Saved

Testcase | Test Result

Accepted Runtime: 0 ms

☒ Case 1 ☒ Case 2

Input

`s =`
`"m"`

`goal =`
`"f"`

Output

`false`

Expected

`false`