

Given two strings, determine if they share a common substring. A substring may be as small as one character.

Example

$s_1 = \text{'axd'}$

$s_2 = \text{'axt'}$

These share the common substring **a**.

$s_1 = \text{'be'}$

$s_2 = \text{'cat'}$

These do not share a substring.

Function Description

Complete the function `twoStrings` in the editor below.

`twoStrings` has the following parameter(s):

- `string s1`: a string
- `string s2`: another string

Returns

- `string`: either YES or NO

Input Format

The first line contains a single integer p , the number of test cases.

The following p pairs of lines are as follows:

- The first line contains string s_1 .
- The second line contains string s_2 .

Constraints

- s_1 and s_2 consist of characters in the range `ascii[a-z]`.
- $1 \leq p \leq 10$
- $1 \leq |s_1|, |s_2| \leq 10^5$

Output Format

For each pair of strings, return YES or NO.

Sample Input

```
2
hello
world
hi
world
```

Sample Output

```
YES
NO
```

Explanation

We have $p = 2$ pairs to check:

1. $s_1 = \text{"hello"}$, $s_2 = \text{"world"}$. The substrings **"o"** and **"l"** are common to both strings.
2. $s_1 = \text{"hi"}$, $s_2 = \text{"world"}$. s_1 and s_2 share no common substrings.

```
1  import java.util.*;
2
3  class Result {
4      public static String twoStrings(String s1, String s2) {
5          Set<Character> set = new HashSet<>();
6
7          for (char c : s1.toCharArray())
8              set.add(c);
9
10         for (char c : s2.toCharArray())
11             if (set.contains(c))
12                 return "YES";
13
14         return "NO";
15     }
16 }
17
18 public class Solution {
19     public static void main(String[] args) {
20         Scanner sc = new Scanner(System.in);
21         int t = sc.nextInt();
22
23         while (t-- > 0) {
24             String s1 = sc.next();
25             String s2 = sc.next();
26
27             System.out.println(Result.twoStrings(s1, s2));
28         }
29     }
30 }
```



Upload Code as File



Test against custom input

Run Code

Submit Code

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✓ Sample Test case 0

✓ Sample Test case 1

✓ Sample Test case 2

Input (stdin)

```
1 2
2 hello
3 world
4 hi
5 world
```

[Download](#)

Your Output (stdout)

```
1 YES
2 NO
```

Expected Output

[Download](#)