

[Problem](#)[Submissions](#)[Leaderboard](#)[Discussions](#)[Editorial](#) 

Comparators are used to compare two objects. In this challenge, you'll create a comparator and use it to sort an array.

The Player class is provided for you in your editor. It has **2** fields: a ***name*** String and a ***score*** integer.

Given an array of ***n*** Player objects, write a comparator that sorts them in order of decreasing score; if **2** or more players have the same score, sort those players alphabetically by name. To do this, you must create a Checker class that implements the Comparator interface, then write an int compare(Player a, Player b) method implementing the

`Comparator.compare(T o1, T o2)` method.

### Input Format

Input from stdin is handled by the locked stub code in the Solution class.

The first line contains an integer, ***n***, denoting the number of players.

Each of the ***n*** subsequent lines contains a player's ***name*** and ***score***, respectively.

### Constraints

- $0 \leq \text{score} \leq 1000$
- 2 players can have the same name.
- Player names consist of lowercase English letters.

### Output Format

You are not responsible for printing any output to stdout. The locked stub code in Solution will create a Checker object, use it to sort the Player array, and print each sorted element.

### Sample Input

```
5
amy 100
david 100
heraldo 50
aakashsha 75
aleksa 150
```

### Sample Output

```
aleksa 150
amy 100
david 100
aakashsha 75
heraldo 50
```

```

1  import java.util.*;
2  class Checker implements Comparator<Player> {
3
4      public int compare(Player a, Player b) {
5          if (a.score != b.score) {
6              return Integer.compare(b.score, a.score);
7          }
8
9          return a.name.compareTo(b.name);
10     }
11 }
12
13 class Player{
14     String name;
15     int score;
16
17     Player(String name, int score){
18         this.name = name;
19         this.score = score;
20     }
21 }
22
23 class Solution {
24
25     public static void main(String[] args) {
26         Scanner scan = new Scanner(System.in);
27         int n = scan.nextInt();
28
29         Player[] player = new Player[n];
30         Checker checker = new Checker();
31
32         for(int i = 0; i < n; i++){
33             player[i] = new Player(scan.next(), scan.nextInt());
34         }
35         scan.close();
36
37         Arrays.sort(player, checker);
38         for(int i = 0; i < player.length; i++){
39             System.out.printf("%s %s\n", player[i].name, player[i].score);
40         }
41     }
42 }

```

## Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

### ✓ Sample Test case 0

Input (stdin)

```
1 5
2 amy 100
3 david 100
4 heraldo 50
5 aakansha 75
6 aleksa 150
```

[Download](#)

Your Output (stdout)

```
1 aleksa 150
2 amy 100
3 david 100
```