

Java Arraylist

Rank: 1403793 | Points: 45/50



Problem

Submissions

Leaderboard

Discussions

Editorial

Sometimes it's better to use dynamic size arrays. Java's [ArrayList](#) can provide you this feature. Try to solve this problem using ArrayList.

You are given n lines. In each line there are zero or more integers. You need to answer a few queries where you need to tell the number located in y^{th} position of x^{th} line.

Take your input from System.in.

Input Format

The first line has an integer n . In each of the next n lines there will be an integer d denoting number of integers on that line and then there will be d space-separated integers. In the next line there will be an integer q denoting number of queries. Each query will consist of two integers x and y .

Constraints

- $1 \leq n \leq 20000$
- $0 \leq d \leq 50000$
- $1 \leq q \leq 1000$
- $1 \leq x \leq n$

Each number will fit in signed integer.

Total number of integers in n lines will not cross 10^5 .

Output Format

In each line, output the number located in y^{th} position of x^{th} line. If there is no such position, just print "ERROR!"

Sample Input

```
5
5 41 77 74 22 44
1 12
4 37 34 36 52
0
3 20 22 33
5
1 3
3 4
2 1
```

Author [Shafaet](#)
Difficulty [Easy](#)
Max Score 10
Submitted By 173344

NEED HELP?

- [View discussions](#)
- [View editorial](#)
- [View top submissions](#)

RATE THIS CHALLENGE



MORE DETAILS

- [Download problem statement](#)
- [Download sample test cases](#)
- [Suggest Edits](#)



```

1  import java.io.*;
2  import java.util.*;
3
4  public class Solution {
5
6      public static void main(String[] args) {
7          Scanner sc = new Scanner(System.in);
8
9          int n = sc.nextInt();
10
11         ArrayList<ArrayList<Integer>> arr = new ArrayList<>();
12
13         // Read all lines
14         for (int i = 0; i < n; i++) {
15             int d = sc.nextInt();
16
17             ArrayList<Integer> list = new ArrayList<>();
18
19             for (int j = 0; j < d; j++) {
20                 list.add(sc.nextInt());
21             }
22
23             arr.add(list);
24         }
25
26         // Number of queries
27         int q = sc.nextInt();
28
29         for (int i = 0; i < q; i++) {
30             int x = sc.nextInt();
31             int y = sc.nextInt();
32
33             if (y <= arr.get(x - 1).size()) {
34                 System.out.println(arr.get(x - 1).get(y - 1));
35             } else {
36                 System.out.println("ERROR!");
37             }
38         }
39     }
40 }

```

Line: 43 Col: 5

Upload Code as File ☐ Test against custom input

Run Code

Submit Code

Upload Code as File

☐ Test against custom input

Run Code

Submit Code

Congratulations!

You have passed the sample test cases. Click the submit button to run your code against all the test cases.

✓ Sample Test case 0

✓ Sample Test case 1

Input (stdin)

Download

```
1 5
2 5 41 77 74 22 44
3 1 12
4 4 37 34 36 52
5 0
6 3 20 22 33
7 5
8 1 3
9 3 4
10 3 1
11 4 3
```