


```

#include <stdio.h>
#include <iostream>
#include <string>
#include <iomanip>
using namespace std;
class GIAOVIEN {
protected:
    string magv;
    string hoten;
    string ngaysinh;
    string diachi;
    string trinhdo;
    string chuyenmon;
public:
    void nhapThongTin() {
        cout << "Ma giao vien: ";
        cin >> magv;
        cin.ignore();
        cout << "Ho ten: ";
        getline(cin, hoten);
        cout << "Ngay sinh: ";
        getline(cin, ngaysinh);
        cout << "Dia chi: ";
        getline(cin, diachi);
        cout << "Trinh do: ";
        getline(cin, trinhdo);
        cout << "Chuyen mon: ";
        getline(cin, chuyenmon);
    }
    void xemThongTin() {
        cout << "Ma GV: " << magv ;
        cout << "\nHo ten: " << hoten;
        cout << "\nNgay sinh: " << ngaysinh;
        cout << "\nDia chi: " << diachi;
        cout << "\nTrinh do: " << trinhdo;
        cout << "\nChuyen mon: " << chuyenmon << endl;
    }
};

```



```

class GVCOHUU : public GIAOVIEN {
private:
    double luongCoDinh;
    int thang;
    int soTietGiangDay;
    double donGiaGiangDay;
    int soGioNCKH;
    double donGiaNCKH;
    double luongSanPham;
    double luongThang;

```

```

public:
    void nhapThongTinCH() {
        GIAOVIEN::nhapThongTin();
        cout << "Luong co dinh: ";
        cin >> luongCoDinh;
        cout << "Thang: ";
        cin >> thang;
        cout << "So tiet giang day: ";
        cin >> soTietGiangDay;
        cout << "Don gia giang day: ";
        cin >> donGiaGiangDay;
        cout << "So gio NCKH: ";
        cin >> soGioNCKH;
        cout << "Don gia NCKH: ";
        cin >> donGiaNCKH;
    }

```

```

    void tinhLuongThang() {
        luongSanPham = soTietGiangDay * donGiaGiangDay + soGioNCKH * donGiaNCKH;
        luongThang = luongCoDinh + luongSanPham;
    }

```

```

    void xemThongTinLuong() { GIAOVIEN::xemThongTin();
        cout << "Luong san pham: " << fixed << setprecision(0) << luongSanPham
            << "\nLuong thang: " << fixed << setprecision(0) << luongThang << endl;
    }
};

```

```

class GVTHINHGIANG : public GIAOVIEN {
private:
    int hocKy;
    string namHoc;
    string tenMonGiangDay;
    int soTietMonDay;
    double donGiaMonDay;
    double tienGiangDayMon;
    double tienThueTNCN;
    double tienThucLinh;

```

```

public:
    void nhapThongTinTG() {
        GIAOVIEN::nhapThongTin();
        cout << "Hoc ky: ";
        cin >> hocKy;
        cin.ignore();
        cout << "Nam hoc: ";
        getline(cin, namHoc);
        cout << "Ten mon giang day: ";
        getline(cin, tenMonGiangDay);
        cout << "So tiet mon day: ";
        cin >> soTietMonDay;
        cout << "Don gia mon day: ";
        cin >> donGiaMonDay;
    }

```

```


    void tinhTienThucLinh() {
        tienGiangDayMon = soTietMonDay * donGiaMonDay;
        tienThueTNCN = tienGiangDayMon * 0.1;
        tienThucLinh = tienGiangDayMon - tienThueTNCN;
    }

```

```

    void xemThongTinThucLinh() { GIAOVIEN::xemThongTin();
        cout << "Tien giang day mon: " << fixed << setprecision(0) << tienGiangDayMon
            << "\nTien thue TNCN: " << fixed << setprecision(0) << tienThueTNCN
            << "\nTien thuc linh: " << fixed << setprecision(0) << tienThucLinh << endl;
    }
};

```



```
int main() {
    int chon;
    GVCOHUU gvch;
    GVTHINHHGIANG gvtg;
    do{
        cout << "(1) Giao vien co huu\n";
        cout << "(2) Giao vien thnh giang\n";
        cout << "(0) Ket thuc\n";
        cout << "Chon Giao vien can nhap thong tin va tinh luong: ";
        cin >> chon;
        switch(chon){
            case 1:
                cout << "\nNhap thong tin giao vien Co huu:\n";
                gvch.nhapThongTinCH();
                gvch.tinhLuongThang();
                cout << "\nThong tin luong giao vien Co huu:\n";
                gvch.xemThongTinLuong();
                break;
            case 2:
                cout << "\nNhap thong tin giao vien Thnh giang:\n";
                gvtg.nhapThongTinTG();
                gvtg.tinhTienThucLinh();
                cout << "\nThong tin thuc linh giao vien Thnh giang:\n";
                gvtg.xemThongTinThucLinh();
                break;
            default:
                return 0;
                break;
        }
    } while(1);
    return 0;
}
```