



Bước 1. Tạo dự án

Bước 2. Tạo kết nối firebase



Sửa Rules cho phép read, write → chọn Publish

← → ↺ console.firebase.google.com/project/viducreatefirebase2024/firestore/databases/-default-/rules

Android Developme... Khóa học Khái niệm... Android Basics with... Kiến thức cơ bản về... Duy trì dữ liệu thôn... View to Composabl... TextField in Jetpack...

Project Overview

⚙️

Project shortcuts

Realtime Database

Firestore Database

What's new

Extensions NEW

Release Monit... NEW

Product categories

Build

Release & Monitor

Analytics

Engage

All products

Customize your nav!

Spark

ViduCreateFirebase2024

Cloud Firestore Add database

Rules | Indexes | Usage | Extensions

Right now unpublished changes

Today • 2:44 PM

unpublished changes

Publish **Discard**

```
1 rules_version = '2';
2
3 service cloud.firestore {
4   match /databases/{database}/documents {
5     match /{document=**} {
6       allow read, write;
7     }
8   }
9 }
```

Multiple databases now available

Now you can create and manage more than one database in the same project

×

Dữ liệu chưa thêm vào

← → ↺ console.firebase.google.com/project/viducreatefirebase2024/firestore/databases/-default-/data/~2F

Android Developme... Khóa học Khái niệm... Android Basics with... Kiến thức cơ bản về... Duy trì dữ liệu thôn... View to Composabl... TextField in Jetpack... Firebase Android C... Firebase - GitHub

Project Overview

⚙️

Project shortcuts

Realtime Database

Firestore Database

What's new

Extensions NEW

Release Monit... NEW

Product categories

Build

Release & Monitor

Analytics

Engage

All products

Customize your nav!

Spark

ViduCreateFirebase2024

Cloud Firestore Add database

Data | Rules | Indexes | Usage | Extensions

Protect your Cloud Firestore resources from abuse, such as billing fraud or phishing

[Configure App Check](#)

Panel view

Q

(default)



+ Start collection


Your database is ready to go. List and data

Multiple databases now available

Now you can create and manage more than one database in the same project

×





Bước 3: bổ sung truy cập dữ liệu AndroidManifest.xml file


For adding data to Firebase we should have to give permissions for accessing the internet. for adding these permissions. navigate to app>AndroidManifest.xml. Inside that file add the below permissions to it.

- XML

```
<!--Permissions for internet-->
```

```
<uses-permission android:name="android.permission.INTERNET" />
```

```
<uses-permission android:name="android.permission.ACCESS_NETWORK_STATE" />
```



Chú ý thư viện tệp build.gradle.kts như sau

```
dependencies {
```


```

implementation(libs.androidx.core.ktx)
implementation(libs.androidx.lifecycle.runtime.ktx)
implementation(libs.androidx.activity.compose)
implementation(platform(libs.androidx.compose.bom))
implementation(libs.androidx.ui)
implementation(libs.androidx.ui.graphics)
implementation(libs.androidx.ui.tooling.preview)
implementation(libs.androidx.material3)
implementation("androidx.compose.material3:material3:1.0.1")
implementation("androidx.compose.material:material:1.3.1")
implementation("androidx.compose.material3:material3-window-size-
class:1.0.1")
implementation(platform("com.google.firebase:firebase-bom:32.8.1"))
implementation(libs.firebase.firestore)
testImplementation(libs.junit)
androidTestImplementation(libs.androidx.junit)
androidTestImplementation(libs.androidx.espresso.core)
androidTestImplementation(platform(libs.androidx.compose.bom))
androidTestImplementation(libs.androidx.ui.test.junit4)
debugImplementation(libs.androidx.ui.tooling)
debugImplementation(libs.androidx.ui.test.manifest)
}

```

Bước 4: Tạo Model: Course

Navigate to app>java>your app's package name>Right click on it>New Kotlin class/file and name it as Course and add the below code to it. Comments are added to it to get to know it in detail.



```

data class Course(
    // on below line creating variables.
    var courseName: String? = "",
    var courseDuration: String? = "",

```

```
        var courseDescription: String? = ""
    )
```

Bước 5. Code file MainActivity.kt theo gợi ý

```
package com.example.firebaseproject

import android.os.Bundle
import androidx.activity.ComponentActivity
import androidx.activity.compose.setContent

import androidx.compose.material3.Text
import androidx.compose.material3.Button
import androidx.compose.runtime.Composable
import androidx.compose.ui.Modifier

import android.annotation.SuppressLint
import android.content.Context
import android.content.Intent
import android.text.TextUtils
import android.widget.Toast

import androidx.compose.foundation.background
import androidx.compose.foundation.layout.*
import androidx.compose.material.TopAppBar
import androidx.compose.material3.MaterialTheme
import androidx.compose.material3.Scaffold
import androidx.compose.material3.Surface

import androidx.compose.material3.TextField

import androidx.compose.runtime.mutableStateOf
import androidx.compose.runtime.remember
import androidx.compose.ui.Alignment

import androidx.compose.ui.graphics.Color
import androidx.compose.ui.text.TextStyle

import androidx.compose.ui.unit.dp
import androidx.compose.ui.unit.sp

import androidx.compose.ui.platform.LocalContext
import androidx.compose.ui.text.style.TextAlign
import com.example.firebaseproject.ui.theme.FirebaseprojectTheme
import com.example.firebaseproject.ui.theme.greenColor

import com.google.firebase.firestore.CollectionReference
import com.google.firebase.firestore.FirebaseFirestore
```

```

class MainActivity : ComponentActivity() {
    @SuppressWarnings("UnrememberedMutableState")
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContent {
            FirebaseprojectTheme {
                // A surface container using the 'background' color from
the theme
                Surface(
                    modifier = Modifier.fillMaxSize(),
                    color = MaterialTheme.colorScheme.background
                ) {

                    Scaffold(
                        // in scaffold we are specifying the top bar.
                        topBar = {
                            // inside top bar we are specifying
                            // background color.
                            TopAppBar(backgroundColor = greenColor,
                                // along with that we are specifying
                                // title for our top bar.
                                title = {
                                    // in the top bar we are
                                    // specifying tile as a text
                                    Text(
                                        // on below line we are specifying
                                        // text to display in top app bar
                                        text = "GFG",
                                        // on below line we are specifying
                                        // modifier to fill max width
                                        modifier = Modifier.fillMaxWidth(),
                                        // on below line we are
                                        // specifying text alignment
                                        textAlign = TextAlign.Center,
                                        // on below line we are specifying
                                        // color for our text.
                                        color = Color.White
                                    )
                                }
                            )
                        }) {innerPadding ->
                            Text(
                                modifier = Modifier.padding(innerPadding),
                                text = "Them du lieu."
                            )
                            // on below line we are calling
                            // method to display UI
                            FirebaseUI(LocalContext.current)
                        }
                    }
                }
            }
        }
    }
}

@Composable
fun FirebaseUI(context: Context) {

```

```

// on below line creating variable for course name,
// course duration and course description.
val courseId = remember {
    mutableStateOf("")
}
val courseName = remember {
    mutableStateOf("")
}

val courseDuration = remember {
    mutableStateOf("")
}

val courseDescription = remember {
    mutableStateOf("")
}

// on below line creating a column
// to display our retrieved image view.
Column(
    // adding modifier for our column
    modifier = Modifier
        .fillMaxHeight()
        .fillMaxWidth()
        .background(Color.White),
    // on below line adding vertical and
    // horizontal alignment for column.
    verticalArrangement = Arrangement.Center, horizontalAlignment =
Alignment.CenterHorizontally
) {

    TextField(
        // on below line we are specifying
        // value for our course name text field.
        value = courseName.value,

        // on below line we are adding on
        // value change for text field.
        onChange = { courseName.value = it },

        // on below line we are adding place holder
        // as text as "Enter your course name"
        placeholder = { Text(text = "Enter your course name") },

        // on below line we are adding modifier to it
        // and adding padding to it and filling max width
        modifier = Modifier
            .padding(16.dp)
            .fillMaxWidth(),

        // on below line we are adding text style
        // specifying color and font size to it.
        textStyle = TextStyle(color = Color.Black, fontSize = 15.sp),

        // on below line we are adding
        // single line to it.
        singleLine = true,
    )

    Spacer(modifier = Modifier.height(10.dp))

    TextField(
        // on below line we are specifying

```

```

        // value for our course duration text field.
        value = courseDuration.value,

        // on below line we are adding on
        // value change for text field.
        onChange = { courseDuration.value = it },

        // on below line we are adding place holder
        // as text as "Enter your course duration"
        placeholder = { Text(text = "Enter your course duration") },

        // on below line we are adding modifier to it
        // and adding padding to it and filling max width
        modifier = Modifier
            .padding(16.dp)
            .fillMaxWidth(),

        // on below line we are adding text style
        // specifying color and font size to it.
        textStyle = TextStyle(color = Color.Black, fontSize = 15.sp),

        // on below line we are adding
        // single line to it.
        singleLine = true,
    )

    Spacer(modifier = Modifier.height(10.dp))

    TextField(
        // on below line we are specifying
        // value for our course description text field.
        value = courseDescription.value,

        // on below line we are adding on
        // value change for text field.
        onChange = { courseDescription.value = it },

        // on below line we are adding place holder
        // as text as "Enter your course description"
        placeholder = { Text(text = "Enter your course description") },

        // on below line we are adding modifier to it
        // and adding padding to it and filling max width
        modifier = Modifier
            .padding(16.dp)
            .fillMaxWidth(),

        // on below line we are adding text style
        // specifying color and font size to it.
        textStyle = TextStyle(color = Color.Black, fontSize = 15.sp),

        // on below line we are adding
        // single line to it.
        singleLine = true,
    )

    Spacer(modifier = Modifier.height(10.dp))

    // on below line creating button to add data
    // to firebase firestore database.
    Button(
        onClick = {
            // on below line we are validating user input parameters.
            if (TextUtils.isEmpty(courseName.value.toString())) {

```

```

        Toast.makeText(context, "Please enter course name",
Toast.LENGTH_SHORT).show()
    } else if
(TextUtils.isEmpty(courseDuration.value.toString())) {
        Toast.makeText(context, "Please enter course Duration",
Toast.LENGTH_SHORT)
            .show()
    } else if
(TextUtils.isEmpty(courseDescription.value.toString())) {
        Toast.makeText(context, "Please enter course
description", Toast.LENGTH_SHORT)
            .show()
    } else {

        // val courseID: UUID = UUID.randomUUID()
        // on below line adding data to firebase firestore
database.
        addDataToFirebase(courseID.value, courseName.value,
courseDuration.value, courseDescription.value, context)

    }

},
// on below line we are
// adding modifier to our button.
modifier = Modifier
    .fillMaxWidth()
    .padding(16.dp)
) {
    // on below line we are adding text for our button
Text(text = "Add Data", modifier = Modifier.padding(8.dp))
}

Spacer(modifier = Modifier.height(10.dp))

Button(
    onClick = {
        // on below line opening course details activity.
context.startActivity(Intent(context,
CourseDetailsActivity::class.java))
    },
    // on below line we are
    // adding modifier to our button.
modifier = Modifier
    .fillMaxWidth()
    .padding(16.dp)
) {
    // on below line we are adding text for our button
Text(text = "View Courses", modifier = Modifier.padding(8.dp))
}

}

}

fun addDataToFirebase(
    courseID:String, courseName: String, courseDuration: String,
courseDescription: String, context: Context
) {
    // on below line creating an instance of firebase firestore.
val db: FirebaseFirestore = FirebaseFirestore.getInstance()

```

```

//
db.collection("Courses").document(courseID.toString()).set(updatedCourse)
// creating a collection reference for our Firebase Firestore database.
val dbCourses: CollectionReference = db.collection("Courses")

// adding our data to our courses object class.
val courses = Course(courseID,courseName,
courseDuration,courseDescription)


// below method is use to add data to Firebase Firestore
// after the data addition is successful
dbCourses.add(courses).addOnSuccessListener {
    // we are displaying a success toast message.
    Toast.makeText(
        context, "Your Course has been added to Firebase Firestore",
        Toast.LENGTH_SHORT
    ).show()


}.addOnFailureListener { e ->
    // this method is called when the data addition process is failed.
    // displaying a toast message when data addition is failed.
    Toast.makeText(context, "Fail to add course \n$e",
        Toast.LENGTH_SHORT).show()
    }
}

```

Bước 6. Tạo compose xem chi tiết và hiển thị danh sách khóa học

Add CourseDetailsActivity





Code tệp CourseDetailsActivity.kt như sau

```
package com.example.firebaseproject

import android.annotation.SuppressLint
import android.content.Context
import android.content.Intent
import android.os.Bundle

import android.util.Log
import android.widget.Toast
import androidx.activity.ComponentActivity
import androidx.activity.compose.setContent
import androidx.compose.foundation.background
import androidx.compose.foundation.layout.Arrangement

import androidx.compose.foundation.layout.Column
import androidx.compose.foundation.layout.Spacer
import androidx.compose.foundation.layout.fillMaxHeight
import androidx.compose.foundation.layout.fillMaxSize
import androidx.compose.foundation.layout.fillMaxWidth
import androidx.compose.foundation.layout.height
import androidx.compose.foundation.layout.padding
```

```
import androidx.compose.foundation.layout.width
import androidx.compose.foundation.lazy.LazyColumn
import androidx.compose.foundation.lazy.itemsIndexed
import androidx.compose.material.ExperimentalMaterialApi

import androidx.compose.material.Card
import androidx.compose.material3.ExperimentalMaterial3Api
import androidx.compose.material3.MaterialTheme
import androidx.compose.material3.Scaffold
import androidx.compose.material3.Surface
import androidx.compose.material3.Text

import androidx.compose.material3.TopAppBar
import androidx.compose.runtime.Composable
import androidx.compose.runtime.mutableStateListOf

import androidx.compose.runtime.snapshots.SnapshotStateList
import androidx.compose.ui.Alignment
import androidx.compose.ui.Modifier
import androidx.compose.ui.graphics.Color
import androidx.compose.ui.platform.LocalContext
import androidx.compose.ui.text.TextStyle
import androidx.compose.ui.text.font.FontWeight
import androidx.compose.ui.text.style.TextAlign

import androidx.compose.ui.unit.dp
import androidx.compose.ui.unit.sp
import com.example.firebaseproject.ui.theme.FirebaseprojectTheme
import com.example.firebaseproject.ui.theme.greenColor

import com.google.firebase.firestore.FirebaseFirestore

class CourseDetailsActivity : ComponentActivity() {
    @OptIn(ExperimentalMaterial3Api::class)
    @SuppressLint("UnrememberedMutableState")
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContent {
            FirebaseprojectTheme {
                // A surface container using the 'background' color from
the theme

                Surface(
                    modifier = Modifier.fillMaxSize(),
                    color = MaterialTheme.colorScheme.background
                ) {

                    Scaffold(
                        // in scaffold we are specifying the top bar.
                        topBar = {
                            // inside top bar we are
                            // specifying background color.
                            TopAppBar(
                                // along with that we are specifying
                                // title for our top bar.
                                title = {
                                    // in the top bar we are
                                    // specifying tile as a text
                                    Text(
                                        // on below line we are specifying
                                        // text to display in top app bar
                                        text = "GFG",
                                        // on below line we are specifying
                                        // modifier to fill max width
                                        modifier = Modifier.fillMaxWidth()
                                    )
                                }
                            )
                        }
                    )
                }
            }
        }
    }
}
```

```

        // on below line we are specifying
        // text alignment
        textAlign = TextAlign.Center,
        // on below line we are specifying
        // color for our text.
        color = Color.White
    )
    })
}) { innerPadding ->
    Text(
        modifier = Modifier.padding(innerPadding),
        text = "Cap nhat du lieu."
    )

    // on below line creating variable for list of
data.
    var courseList = mutableStateListOf<Course?>()
    // on below line creating variable for freebase
database
    // and database reference.
    var db: FirebaseFirestore =
FirebaseFirestore.getInstance()

    // on below line getting data from our database
    db.collection("Courses").get()
    .addOnSuccessListener { queryDocumentSnapshots
->
        // after getting the data we are
        // calling on success method
        // and inside this method we are
        // checking if the received query
        // snapshot is empty or not.
        if (!queryDocumentSnapshots.isEmpty) {
            // if the snapshot is not empty we are
            // hiding our progress bar and adding
            // our data in a list.
            // loadingPB.setVisibility(View.GONE)
            val list =
queryDocumentSnapshots.documents
            for (d in list) {
                // after getting this list we are
                // to our object class.
                val c: Course? =
d.toObject(Course::class.java)
                c?.courseID = d.id
                Log.e("TAG", "Course id is : " +
c!!.courseID)
                // and we will pass this object
                // inside our arraylist which we
                // created for list view.
                courseList.add(c)
            }
        } else {
            // if the snapshot is empty we are
            // displaying a toast message.
            Toast.makeText(
                this@CourseDetailsActivity,
                "No data found in Database",
                Toast.LENGTH_SHORT
            ).show()
        }
    }
}

```



```

        // new activity to update course details.
        context.startActivity(i)

    },
    // on below line we are adding
    // padding from our all sides.
    modifier = Modifier.padding(8.dp),

    // on below line we are adding
    // elevation for the card.
    elevation = 6.dp
) {
    // on below line we are creating
    // a row for our list view item.
    Column(
        // for our row we are adding modifier
        // to set padding from all sides.
        modifier = Modifier
            .padding(8.dp)
            .fillMaxWidth()
    ) {
        // on below line inside row we are adding
spacer
        Spacer(modifier = Modifier.width(5.dp))
        // on below line we are displaying course name.
        courseList[index]?.courseName?.let {
            Text(
                // inside the text on below line we are
                // setting text as the language name
                // from our modal class.
                text = it,

                // on below line we are adding padding
                // for our text from all sides.
                modifier = Modifier.padding(4.dp),

                // on below line we are adding color
for our text
                color = greenColor,
                textAlign = TextAlign.Center,
                style = TextStyle(
                    fontSize = 20.sp, fontWeight =
FontWeight.Bold
                )
            )
        }
        // adding spacer on below line.
        Spacer(modifier = Modifier.height(5.dp))

        // on below line displaying text for course
duration
        courseList[index]?.courseDuration?.let {
            Text(
                // inside the text on below line we are
                // setting text as the language name
                // from our modal class.
                text = it,

                // on below line we are adding padding
                // for our text from all sides.
                modifier = Modifier.padding(4.dp),

                // on below line we are adding color
for our text
            )
        }
    }
}

```



```

import android.text.TextUtils

import android.widget.Toast

import androidx.compose.foundation.background
import androidx.compose.foundation.layout.*
import androidx.compose.material.*
import androidx.compose.runtime.*
import androidx.compose.ui.Alignment

import androidx.compose.ui.graphics.Color
import androidx.compose.ui.platform.LocalContext
import androidx.compose.ui.text.TextStyle
import androidx.compose.ui.text.style.TextAlign
import androidx.compose.ui.unit.dp
import androidx.compose.ui.unit.sp

import com.example.firebaseproject.ui.theme.greenColor

import com.google.firebase.firestore.FirebaseFirestore

class UpdateCourse : ComponentActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContent {
            FirebaseprojectTheme {
                // A surface container using the 'background' color from
the theme
                Surface(
                    modifier = Modifier.fillMaxSize(),
                    color = MaterialTheme.colorScheme.background
                ) {

                    Scaffold(
                        // in scaffold we are specifying the top bar.
                        topBar = {
                            // inside top bar we are specifying
                            // background color.
                            TopAppBar(backgroundColor = greenColor,
                                // along with that we are specifying
                                // title for our top bar.
                                title = {
                                    // in the top bar we are specifying
                                    // title as a text
                                    Text(
                                        // on below line we are specifying
                                        // text to display in top app bar
                                        text = "GFG",
                                        // on below line we are specifying
                                        // modifier to fill max width
                                        modifier = Modifier.fillMaxWidth(),
                                        // on below line we are specifying
                                        // text alignment
                                        textAlign = TextAlign.Center,
                                        // on below line we are specifying
                                        // color for our text.
                                        color = Color.White
                                    )
                                }
                            )
                        })
                } { innerPadding ->
                    Text(

```

UI

```
        modifier = Modifier.padding(innerPadding),
        text = "Cap nhat du lieu."
    )

    // on below line getting data from our database
    // on below line we are calling method to display

    firebaseUI(
        LocalContext.current,
        intent.getStringExtra("courseName"),
        intent.getStringExtra("courseDuration"),
        intent.getStringExtra("courseDescription"),
        intent.getStringExtra("courseID")
    )

    }

    }

    }

}

// cap nhat
@Composable
fun firebaseUI(
    context: Context,
    name: String?,
    duration: String?,
    description: String?,
    courseID: String?
) {

    // on below line creating variable for course name,
    // course duration and course description.
    val courseName = remember {
        mutableStateOf(name)
    }

    val courseDuration = remember {
        mutableStateOf(duration)
    }

    val courseDescription = remember {
        mutableStateOf(description)
    }

    // on below line creating a column
    Column(
        // adding modifier for our column
        modifier = Modifier
            .fillMaxHeight()
            .fillMaxWidth()
            .background(Color.White),
        // on below line adding vertical and
        // horizontal alignment for column.
        verticalArrangement = Arrangement.Center,
        horizontalAlignment = Alignment.CenterHorizontally
    ) {

        TextField(
            // on below line we are specifying
            // value for our course name text field.
```

```

        value = courseName.value.toString(),

        // on below line we are adding on
        // value change for text field.
        onChange = { courseName.value = it },

        // on below line we are adding place holder
        // as text as "Enter your course name"
        placeholder = { Text(text = "Enter your course name") },

        // on below line we are adding modifier to it
        // and adding padding to it and filling max width
        modifier = Modifier
            .padding(16.dp)
            .fillMaxWidth(),

        // on below line we are adding text style
        // specifying color and font size to it.
        textStyle = TextStyle(color = Color.Black, fontSize =
15.sp),

        // on below line we are adding
        // single line to it.
        singleLine = true,
    )

    Spacer(modifier = Modifier.height(10.dp))

    TextField(
        // on below line we are specifying
        // value for our course duration text field.
        value = courseDuration.value.toString(),

        // on below line we are adding on
        // value change for text field.
        onChange = { courseDuration.value = it },

        // on below line we are adding place holder
        // as text as "Enter your course duration"
        placeholder = { Text(text = "Enter your course duration")
},

        // on below line we are adding modifier to it
        // and adding padding to it and filling max width
        modifier = Modifier
            .padding(16.dp)
            .fillMaxWidth(),

        // on below line we are adding text style
        // specifying color and font size to it.
        textStyle = TextStyle(color = Color.Black, fontSize =
15.sp),

        // on below line we are adding
        // single line to it.
        singleLine = true,
    )

    Spacer(modifier = Modifier.height(10.dp))

    TextField(
        // on below line we are specifying
        // value for our course description text field.
        value = courseDescription.value.toString(),

```

```

        // on below line we are adding on
        // value change for text field.
        onValueChange = { courseDescription.value = it },

        // on below line we are adding place holder
        // as text as "Enter your course description"
        placeholder = { Text(text = "Enter your course
description") },

        // on below line we are adding modifier to it
        // and adding padding to it and filling max width
        modifier = Modifier
            .padding(16.dp)
            .fillMaxWidth(),

        // on below line we are adding text style
        // specifying color and font size to it.
        textStyle = TextStyle(color = Color.Black, fontSize =
15.sp),

        // on below line we are adding
        // single line to it.
        singleLine = true,
    )

    Spacer(modifier = Modifier.height(10.dp))

    // on below line creating button to add data
    // to firebase firestore database.
    Button(
        onClick = {
            // on below line we are validating user input
parameters.
            if (TextUtils.isEmpty(courseName.value.toString())) {
                Toast.makeText(context, "Please enter course name",
Toast.LENGTH_SHORT)
                    .show()
            } else if
(TextUtils.isEmpty(courseDuration.value.toString())) {
                Toast.makeText(
                    context,
                    "Please enter course Duration",
                    Toast.LENGTH_SHORT
                )
                    .show()
            } else if
(TextUtils.isEmpty(courseDescription.value.toString())) {
                Toast.makeText(
                    context,
                    "Please enter course description",
                    Toast.LENGTH_SHORT
                )
                    .show()
            } else {
                // on below line adding data to
                // firebase firestore database.
                updateDataToFirebase(
                    courseID,
                    courseName.value,
                    courseDuration.value,
                    courseDescription.value,
                    context
                )
            }
        }
    )

```

```

        },
        // on below line we are
        // adding modifier to our button.
        modifier = Modifier
            .fillMaxWidth()
            .padding(16.dp)
    ) {
        // on below line we are adding text for our button
        Text(text = "Update Data", modifier =
Modifier.padding(8.dp))
    }

    Spacer(modifier = Modifier.height(10.dp))
}

private fun updateDataToFirebase(
    courseID: String?,
    name: String?,
    duration: String?,
    description: String?,
    context: Context
) {
    // inside this method we are passing our updated values
    // inside our object class and later on we
    // will pass our whole object to firebase Firestore.
    val updatedCourse = Course(courseID, name, duration, description)


    // getting our instance from Firebase Firestore.
    val db = FirebaseFirestore.getInstance();

    db.collection("Courses").document(courseID.toString()).set(updatedCourse)
        .addOnSuccessListener {
            // on below line displaying toast message and opening
            // new activity to view courses.
            Toast.makeText(context, "Course Updated successfully..",
Toast.LENGTH_SHORT).show()
            context.startActivity(Intent(context,
CourseDetailsActivity::class.java))
            // finish()

        }.addOnFailureListener {
            Toast.makeText(context, "Fail to update course : " +
it.message, Toast.LENGTH_SHORT)
                .show()
        }
    }
}

```

chạy demo



CS - Cong ghe Thong tin ung dung

Thoi gian hoc

Cong nghe thong tin ung dung

Add Data

View Courses





GFG

12 tháng

C2

12 tháng

C2 châu au

c1

12 tháng

mô tả khoa học

Tin Hoc

Chuan tin hoc co ban

3 tháng

cong nghe IT CS


thoi gian hoc

tong quan ve cong nghe


CS - Cong ghe Thong tin ung dung

Thoi gian hoc

Cong nghe thong tin ung dung



Demo cap nhat du lieu



CS - Cong nghe thong tin

4 nam

Cong nghe thong tin ung dung

Update Data





GFG

12 tháng

C2

12 tháng

C2 châu au

c1

12 tháng

mô tả khoa học

Tin Hoc

Chuan tin hoc co ban

3 tháng

cong nghe IT CS

thoi gian hoc

tong quan ve cong nghe

CS - Cong nghe thong tin

4 nam

Cong nghe thong tin ung dung

https://console.firebase.google.com/project/crudclient-2da30/firestore/databases/-default-/data/~2FCourses~2FuMbIU3XXRcDO2CexMio

crudClient Cloud Firestore

Project Overview

Project shortcuts

- Realtime Database
- Firestore Database

What's new

- Extensions
- Release Monit...

Product categories

- Build
- Release & Monitor
- Analytics
- Engage

All products

Spark Unravel

Home > Courses > uMbIU3XXRcD...

More in Google Cloud

(default)	Courses	uMbIU3XXRcDO2CexMio
+ Start collection	+ Add document	+ Start collection
Courses	Iv2BqfrSr1E09JJGIV0k	+ Add field
courses	KW64qL9ggqigRSxt1aS	courseDescription: "Cong nghe thong tin ung dung"
	LKJXB40MBGammxHtC62e	courseDuration: "4 nam"
	0aQ7C5KQebSm9j334TDj	courseID: "uMbIU3XXRcDO2CexMio"
	TE6dG8M4e1TLQzB9k1cA	courseName: "CS - Cong nghe thong tin"
	cP7QEotPhQa32sJJvWLX	
	uMbIU3XXRcDO2CexMio	