Department of Computer, Information Sciences and Mathematics

System Analysis and Design

Currii:

A WEB-BASED RSS READER AND FEED AGGREGATOR

A Software Design Document Proposal

Presented to the Faculty of the

Department of Computer, Information Sciences and Mathematics

University of San Carlos

In Partial Fulfillment

of the Requirements for the

SYSTEMS ANALYSIS AND DESIGN

By

INAKI ANGELO A. SISON

PETER ANGELO L. SANJORJO

JERICHO B. QUITORAS

JOSHUA REED O. ELOPRE

FRANCINE MENCHAVEZ

Instructor

June 2026

Table of Contents

1. Introduction
    - 1.1. Purpose of System Document
    - 1.2. Intended Audience and Use
    - 1.3. Scope of Proposed System
    - 1.4. Definitions, Acronyms and Abbreviations Table
    - 1.5. References
2. System Overview
    - 2.1. Problem Statement
    - 2.2. Proposed System Summary
    - 2.3. System Context Diagram
    - 2.4. Assumptions and Constraints
    - 2.5. Stakeholder Roles and Responsibilities
3. Planning Phase
    - 3.1. Business Needs
    - 3.2. Business Objectives and Success Criteria
    - 3.3. Project Scope
    - 3.4. Project Risk
    - 3.5. Estimated Timeline
4. Analysis Phase
    - 4.1. User Roles and Access Levels
    - 4.2. User Stories
    - 4.3. Functional Requirements Overview
    - 4.4. Non-functional Requirements
    - 4.5. Use Case Description and Diagrams
    - 4.6. Data Flow Diagrams
    - 4.7. Process Description (BPMN)
5. Design Phase
    - 5.1. System Architecture Overview
    - 5.2. Module Design
    - 5.3. Entity Relationship Diagram
    - 5.4. Data Dictionaries
    - 5.5. User-Interface Wireframe
    - 5.6. Navigation Flow
6. Appendices
    - 6.1. Glossary of Terms
    - 6.2. Revision History
    - 6.3. Approval Page

1. Introduction

1.1. Purpose of System Document

The purpose of this System Requirements Document (SRD) is to define and describe the functional and non-functional requirements of Currii: A Web-Based RSS Reader and Feed Aggregator.

1.2. Intended Audience and Use

This document is intended for the following audiences:

- Project Developers – to guide the design, development, and implementation of the system.
- Course Instructor and Evaluators – to assess the project's scope, feasibility, and compliance with Systems Analysis and Design principles.
- Future Maintainers – to provide technical and functional documentation for future updates, enhancements, or troubleshooting.
- Stakeholders – to understand the capabilities, requirements, and limitations of the proposed system.

The document will be used throughout the Software Development Life Cycle (SDLC) as a reference for planning, design, development, testing, deployment, and maintenance activities.

1.3. Scope of Proposed System

Currii is designed to help users efficiently collect, organize, and consume content from multiple RSS and Atom feeds through a centralized platform. The system eliminates the need for users to visit numerous websites individually by aggregating content into a single, customizable interface.

The proposed system will provide the following core functionalities:

- Account & Accessibility: Secure user registration and authentication, alongside customizable display preferences within a responsive web interface.
- Feed Management: Automated aggregation, retrieval, categorization, and subscription management for both RSS and Atom feeds.
- Content Interaction: Robust tools for consuming content, including filtering, search capabilities, and bookmarking articles for later reading.

1.4. Definitions, Acronyms and Abbreviations Table

Term	Definition
API	Application Programming Interface; a set of protocols and tools that allow software applications to communicate with one another.
Atom	An XML-based web syndication format used for publishing frequently updated content.
CRUD	Create, Read, Update, and Delete; the four basic operations commonly performed in database systems.
CSS	Cascading Style Sheets; a stylesheet language used for describing the presentation of web pages.
Feed Aggregator	Software that collects and displays content from multiple web feeds in a single location.
HTML	HyperText Markup Language; the standard markup language used for creating web pages.
HTTP	HyperText Transfer Protocol; the protocol used for transmitting web content over the internet.
JSON	JavaScript Object Notation; a lightweight data-interchange format commonly used in web applications.
RSS	Really Simple Syndication; a web feed format used to distribute frequently updated content such as news articles and blog posts.
SRD	System Requirements Document; a document that specifies the requirements and expected functionality of a software system.
SDD	Software Design Document; a document that describes the software architecture, components, and design decisions of a system.
UI	User Interface; the visual components through which users interact with a software application.
URL	Uniform Resource Locator; the address used to locate resources on the internet.

Term	Definition
XML	Extensible Markup Language; a markup language used to store and transport structured data.

1.5. References

a) Fielding, R. T., & Reschke, J. (2022). Hypertext transfer protocol (HTTP/1.1): Semantics and content. Internet Engineering Task Force. https://www.rfc-editor.org/rfc/rfc9110

b) Gamma, E., Helm, R., Johnson, R., & Vlissides, J. (1994). Design patterns: Elements of reusable object-oriented software. Addison-Wesley.

c) Laudon, K. C., & Laudon, J. P. (2022). Management information systems: Managing the digital firm (17th ed.). Pearson.

d) Pressman, R. S., & Maxim, B. R. (2020). Software engineering: A practitioner's approach (9th ed.). McGraw-Hill Education.

e) Sommerville, I. (2016). Software engineering (10th ed.). Pearson.
The RSS Advisory Board. (2009). RSS 2.0 specification. https://www.rssboard.org/rss-specification

2. System Overview

2.1. Problem Statement

The increasing volume of online content has made it difficult for individuals to efficiently keep track of information from multiple websites, blogs, and news sources. Although many websites provide RSS or Atom feeds for content syndication, there is a lack of simple and centralized platforms that allow users to aggregate, organize, and manage these feeds according to their preferences. Existing solutions may be overly complex, require subscriptions, or provide limited customization options.

To address these challenges, there is a need for a web-based RSS reader and feed aggregator that enables users to subscribe to multiple content sources, consolidate updates into a single interface, organize feeds efficiently, and access information conveniently through a modern web application.

2.2. Proposed System Summary


Currii is a web-based RSS reader and feed aggregator designed to centralize content consumption from multiple online sources. The system allows users to subscribe to RSS and Atom feeds, automatically retrieve updates, and organize content within a unified interface.

The platform provides functionalities such as feed subscription management, content aggregation, categorization, article search, bookmarking, and user preference customization. By consolidating content from various websites into a single location, Currii aims to improve accessibility, reduce information fragmentation, and enhance the overall content consumption experience for users.

The system is accessible through modern web browsers and is designed to provide a responsive and user-friendly experience across desktop and mobile devices.

2.3. System Context Diagram

The System Context Diagram illustrates the interaction between Currii and its external entities, including registered users, system administrators, and external RSS/Atom feed providers.



2.4. Assumptions and Constraints

This section describes the key assumptions and operational limitations considered in the development and deployment of Currii. These elements are important for setting realistic project expectations, maintaining technical viability, and identifying potential dependencies that may affect the software development process.

Assumptions:

- Users have access to a stable internet connection.
- Feed providers publish valid RSS or Atom feeds.
- Users access the system through modern web browsers.
- The hosting environment supports the technologies required by Currii.
- Feed sources permit public access to their syndicated content.

Constraints:

- The system depends on the availability of external RSS and Atom feed sources.
- Feed updates are limited by the refresh intervals configured by the system.
- Only publicly accessible feeds can be aggregated.
- The project is limited to web-based access and does not include native mobile applications.
- Development is constrained by available time, resources, and course requirements.

2.5. Stakeholder Roles and Responsibilities

This section identifies the key stakeholders involved in the development, maintenance, and use of Currii. It outlines the specific roles and responsibilities assigned to each group to ensure clear communication and accountability throughout the project lifecycle.

Stakeholder	Roles and Responsibilities
Project Developers	Analyze requirements, design the system architecture, implement features, conduct testing, fix defects, and maintain project documentation.
Instructor	Evaluate project deliverables, provide guidance, review compliance with Systems Analysis and Design principles, and approve project milestones.
End Users	Register accounts, subscribe to feeds, organize content, report issues, and provide feedback regarding usability and functionality.
System Administrator	Manage system configuration, monitor system performance, maintain security, and oversee database operations.
RSS/Atom Feed Providers	Supply syndicated content that can be retrieved and displayed by the system.
Future Maintainers	Enhance, update, troubleshoot, and maintain the system after deployment.

3. Planning Phase

3.1. Business Needs

The rapid growth of online publications, blogs, and news platforms has significantly increased the amount of information available on the internet. While most websites provide RSS or Atom feeds to distribute their content, users often need to visit multiple websites individually to remain updated. This approach is both time-consuming and inefficient, especially for individuals who regularly monitor numerous sources.

Currii addresses this need by providing a centralized web-based platform that aggregates content from multiple RSS and Atom feeds into a single interface. Through automated feed retrieval and organized content presentation, the system enables users to access updates more efficiently while reducing the effort required to manage multiple websites. By

simplifying content consumption, the proposed system aims to improve productivity and create a more organized reading experience.

3.2. Business Objectives and Success Criteria

The project will be considered successful if it meets the following criteria:

- Successfully aggregates RSS and Atom feeds from multiple online sources into a single, reliable platform.
- Provides a user-friendly interface that allows users to easily subscribe to, organize, and browse news articles.
- Implements secure user authentication to protect user accounts and personal preferences.
- Includes essential features such as article bookmarking, search and filtering functions, and customizable user settings.
- Delivers a responsive and accessible web application that functions effectively across different devices and screen sizes.

Demonstrates reliability, scalability, and ease of maintenance while meeting the functional and non-functional requirements specified for the Systems Analysis and Design course.

3.3. Project Scope

Currii enables users to access news and updates from multiple RSS and Atom feed sources through a single platform. Registered users can manage feed subscriptions, organize content into categories, bookmark articles, search for relevant content, and customize their reading experience through user preferences.

The system is accessible through modern desktop and mobile web browsers without requiring additional software. Currii serves solely as a content aggregator, displaying syndicated content from external sources without modifying, hosting, or republishing the original articles.

3.4. Project Risk

Like most software projects, Currii faces several risks that may affect development and operation. Since the application depends on external RSS and Atom feed providers, interruptions or invalid feed

formats may temporarily prevent content retrieval. Network instability may also delay synchronization between the application and subscribed feed sources.

From a development perspective, limited project duration and available resources may affect the implementation of additional features. Security concerns such as unauthorized account access and malicious user input are also considered during development. These risks will be minimized through proper system validation, secure authentication mechanisms, scheduled testing, and continuous monitoring throughout the development process.

3.5. Estimated Timeline

The project will follow a structured development schedule based on the Software Development Life Cycle.

Estimated Duration	Activities / Milestones
June Week 3	Gathered project requirements, identified RSS/Atom feed sources, and planned the system architecture.
June Week 4	Designed the user interface (UI), database structure, wireframes, and system flow.
July Week 1	Developed the core RSS/Atom feed aggregation system and integrated the database.
July Week 2	Implemented user authentication, guest access, and account management.
July Week 3	Added article bookmarking, search, filtering, categories, and user preference features.
July Week 4	Conducted system testing, debugging, and UI refinements.
August Week 1	Optimized performance, improved responsiveness, and fixed identified issues.
August Week 2	Deployed the website, performed final testing, prepared documentation, and completed the project.

4. Analysis Phase

4.1. User Roles and Access Levels

The Currii system is designed to accommodate different types of users, each with distinct responsibilities and permissions.

Guest (Limited Access)

An unregistered visitor to the website. A Guest may only view the public landing page and access the registration form. Guests cannot subscribe to feeds, bookmark articles, or access any personalized features.

Registered User (Standard Access)

A user who has created an account and successfully authenticated into the system. A Registered User may subscribe to and manage RSS/Atom feed subscriptions, browse and search aggregated articles, bookmark articles for later reading, organize content using tags, and update their own profile and display preferences. This access is limited to the user's own data and cannot extend to other users' accounts or system-wide settings.

System Administrator (Full Access)

A user granted full administrative privileges over the system. In addition to all Registered User capabilities, a System Administrator may manage user accounts (view, update, disable, or delete), monitor overall system performance, manage application configurations, and oversee the integrity and security of stored data.

User Role	Description	Access Level
Guest	An individual who visits the website without creating an account. Guests may view the landing page and register for an account.	Limited
Registered User	A user who has successfully created an account and authenticated into the system. Registered users can subscribe to feeds, organize content, bookmark articles, and manage their personal settings.	Standard

System Administrator	Responsible for maintaining the application, monitoring system performance, managing users, and ensuring the integrity of stored data.	Full

4.2. User Stories

The following user stories were derived from the usability interviews conducted with participants who tested Currii. These stories summarize the most common needs, observations, and suggested improvements identified during evaluation.

Feed Organization

- As a user, I want to organize my subscribed websites using tags so that I can easily separate different types of content without manually searching through all of my feeds.
- As a user, I want to customize my available tags by adding or removing them so that my workspace stays organized without becoming visually overwhelming.

Ease of Content Monitoring

- As a user, I want to add RSS feeds quickly and immediately see recent updates so that I can monitor multiple websites without repeatedly visiting each one.
- As a user, I want articles from all my subscribed feeds to be displayed in one place so that I can stay informed efficiently.

Interface Usability

- As a user, I want important actions such as "Mark as Read" and "Delete" to be placed where they are immediately visible so that I can perform common tasks without unnecessary scrolling or searching.
- As a new user, I want clearer guidance on how the tagging system works so that I can understand its purpose without confusion during my first use of the website.

User Interface and Customization

- As a user, I want the interface to remain clean and uncluttered so that reading articles remains comfortable and distractions are minimized.

- As a user, I want optional interface customization such as changing fonts, background appearance, and text size so that I can personalize the website according to my preferences.

Overall User Experience

- As a user, I want the website to remain intuitive and straightforward so that I can accomplish my goals with little or no learning curve.

4.3. Functional Requirements Overview

This section identifies the functional and non-functional requirements of Currii, which define the capabilities and quality attributes the system must satisfy to support its intended users. These requirements were derived from the project's objectives and describe how the system manages user accounts, aggregates RSS and Atom feeds, organizes content, and supports administrative operations. Together, they serve as the foundation for the succeeding use cases, process models, and system design.

User Management

The User Management module is responsible for handling user authentication, account creation, and profile maintenance. It ensures that only authorized users can access personalized features while maintaining the security of user information.

1. The system shall allow users to register an account.
2. The system shall authenticate users through secure login.
3. The system shall allow users to recover forgotten passwords.
4. The system shall allow users to update their profile information.

Feed Management

The Feed Management module enables users to subscribe to, organize, and manage RSS and Atom feeds. It also retrieves updates automatically from subscribed sources.

The system shall allow users to subscribe to RSS and Atom feeds.

1. The system shall periodically retrieve new feed entries automatically.
2. The system shall allow users to edit subscribed feeds.
3. The system shall allow users to delete subscriptions.
4. The system shall categorize subscribed feeds.

Content Management

The Content Management module provides users with tools for reading and organizing aggregated articles. It enhances accessibility by supporting search, filtering, and bookmarking features.

1. The system shall display aggregated articles chronologically.
2. The system shall allow users to search articles using keywords.
3. The system shall filter articles according to categories.
4. The system shall mark articles as read or unread.
5. The system shall allow users to bookmark articles.

Administration

The Administration module provides maintenance and monitoring capabilities for authorized administrators. These functions ensure the continued stability, security, and reliability of the application.

1. The administrator shall manage user accounts.
2. The administrator shall monitor system performance.
3. The administrator shall manage application configurations.

Non-functional Requirements

In addition to functional capabilities, Currii must satisfy several quality attributes to ensure a secure, reliable, and efficient user experience.

1. The system shall provide a responsive interface for desktop and mobile devices.
2. The system shall implement secure user authentication.
3. The system shall maintain high system availability.
4. Feed retrieval shall complete within acceptable response times.
5. Passwords shall be encrypted before being stored in the database.

4.4. Use Case Description and Diagrams

This section presents the primary use cases of Currii to illustrate how different users interact with the system in accomplishing common tasks. Each use case describes the goal of the interaction, the participating actor, the triggering event, and the expected system behavior. The accompanying use case diagrams provide a visual representation of these interactions and show the relationships between users and the major system functionalities.

User Module

NAME	Register Account	
USE CASE NO.	UCU-001	
MODULE	User Registration Module	
DESCRIPTION	Allows a guest user to create a Currii account to access personalized features.	
ACTORS	Guest User	
TRIGGER	The guest user selects the Register option.	
DESCRIPTION	STEP	ACTION
	1. Selects the Register option. 2. Enter the required registration information. 3. Click the Register button. 4. View the registration confirmation.	1. Displays the registration form. 2. Validates the entered information. 3. Creates a new user account and stores the information in the database. 4. Displays a success message and redirects the user to the login page.

NAME	User Login	
USE CASE NO.	UCU-002	
MODULE	Authentication Module	
DESCRIPTION	Allows registered users to securely log into the Currii system.	
ACTORS	Registered User	
TRIGGER	The user wants to access their account.	
DESCRIPTION	STEP	ACTION
	1. Open the login page. 2. Enter the username/email and	1. Displays the login form. 2. Validates the entered credentials.

	password. 3. Click the Login button. 4. Accesses the account.	3. Authenticates the user account. 4. Redirects the user to the dashboard and loads personalized content.

NAME	Manage Feed Subscriptions	
USE CASE NO.	UCU-003	
MODULE	Feed Management Module	
DESCRIPTION	Allows users to subscribe to, edit, or remove RSS and Atom feed sources.	
ACTORS	Registered User	
TRIGGER	The user wants to manage feed subscriptions.	
DESCRIPTION	STEP	ACTION
	1. Open the Feed Management page. 2. Adds, edits, or removes a feed subscription. 3. Confirms the changes. 4. Returns to the subscription list.	1. Displays the current list of subscribed feeds. 2. Validates the feed URL and processes the requested action. 3. Updates the subscription records in the database. 4. Displays the updated list of feed subscriptions.

NAME	Browse and Read Articles
USE CASE NO.	UCU-004
MODULE	Content Management Module
DESCRIPTION	Allows users to browse and read aggregated articles from subscribed feeds.
ACTORS	Registered User
TRIGGER	The user selects an article to read.


DESCRIPTION	STEP	ACTION
	1. Open the dashboard. 2. Select an article. 3. Read the article. 4. Returns to the article list.	1. Displays articles from subscribed feeds. 2. Open the selected article for reading. 3. Marks the article as read. 4. Updates the article status and refreshes the article list.

NAME	Search and Bookmark Articles	
USE CASE NO.	UCU-005	
MODULE	Search and Bookmark Module	
DESCRIPTION	Allows users to search for articles and bookmark them for future reading.	
ACTORS	Registered User	
TRIGGER	The user wants to find or save an article.	
DESCRIPTION	STEP	ACTION
	1. Enter a keyword in the search bar. 2. Selects an article from the search results. 3. Click the Bookmark button. 4. Open the bookmarks page.	1. Searches the aggregated articles using the entered keyword. 2. Displays the selected article. 3. Saves the article to the user's bookmarks. 4. Displays the updated list of bookmarked articles.

ADMIN MODULE


NAME	Manage Users	
USE CASE NO.	ACA-001	
MODULE	Administration Module	
DESCRIPTION	Allows administrators to manage user accounts and maintain system security.	
ACTORS	System Administrator	
TRIGGER	The administrator accesses the administration dashboard.	
DESCRIPTION	STEP	ACTION
	1. Opens the administration dashboard. 2. Selects a user account to manage. 3. Reviews the user's account information. 4. Updates, disables, or deletes the selected user account. 5. Confirms the administrative action. 6. Returns to the user management page.	1. Displays the administration dashboard and the list of registered users. 2. Retrieves and displays the selected user's account details. 3. Allows the administrator to modify the user's account information or status. 4. Applies the requested changes and updates the database. 5. Displays a confirmation message indicating the action was completed successfully. 6. Refreshes the user list to reflect the updated account information.

Use Case Diagram




4.5. Data Flow Diagrams

This section presents the Data Flow Diagrams (DFDs) of Currii, illustrating how information moves between users, system processes, data stores, and external entities. The diagrams demonstrate how user requests, RSS and Atom feed data, and application records are processed throughout the system, providing a logical representation of the application's core operations before implementation.




4.6. Process Description (BPMN)



5. Design Phase

5.1. System Architecture Overview


This section presents the overall architecture of Currii. The system follows a client-server architecture where users interact with the web application through a browser. The backend is responsible for authentication, RSS feed retrieval, article processing, and database management, while external RSS and Atom providers supply syndicated content to the application.




5.2. Module Design

The Currii application is divided into several functional modules, each responsible for a specific aspect of the system. This modular design promotes maintainability, scalability, and separation of concerns.


Authentication




Feed Management




Content Aggregation




Admin Moderation





5.3. Entity Relationship Diagram

The Entity Relationship Diagram illustrates the logical structure of the Currii database. It defines the entities used by the application, their attributes, and the relationships that support RSS aggregation, user management, bookmarking, and article organization.



5.4. Data Dictionaries

The Data Dictionary defines the database entities used by Currii. It describes the structure, data types, and purpose of each field stored in the MySQL database. These entities support user authentication, RSS feed aggregation, article management, bookmarking, categorization, and user preferences.

Users

NAME	DATA TYPE	DESCRIPTION
user_id (PK)	Integer	Unique user identifier
username	Varchar(50)	User's username
email	Varchar(100)	Registered email address
password_hash	Varchar(255)	Encrypted password
role	Enum('User','Admin')	User access level
created_at	Timestamp	Account creation date
updated_at	Timestamp	Last account update

Feeds

NAME	DATA TYPE	DESCRIPTION
feed_id (PK)	Integer	Unique feed identifier
title	Varchar(255)	Feed title
feed_url	Varchar(255)	RSS or Atom feed URL
website_url	Varchar(255)	Original website URL
category_id (FK)	Integer	Associated category
created_at	Timestamp	Feed creation date

Articles

NAME	DATA TYPE	DESCRIPTION
article_id (PK)	Integer	Unique article identifier

feed_id (FK)	Integer	Source feed
title	Varchar(255)	Article title
description	Text	Article summary
article_url	Varchar(500)	Original article link
published_date	Datetime	Publication date
author	Varchar(150)	Article author
is_read	Boolean	Read status

Subscriptions

NAME	DATA TYPE	DESCRIPTION
subscription_id (PK)	Integer	Subscription identifier
user_id (FK)	Integer	Subscriber
feed_id (FK)	Integer	Subscribed feed
subscribed_at	Timestamp	Subscription date

Bookmarks

NAME	DATA TYPE	DESCRIPTION
bookmark_id (PK)	Integer	Bookmark identifier
user_id (FK)	Integer	Owner of bookmark
article_id (FK)	Integer	Saved article
bookmarked_at	Timestamp	Bookmark date

Tags

NAME	DATA TYPE	DESCRIPTION
tag_id (PK)	Integer	Tag identifier
tag_name	Varchar(100)	Tag name
created_at	Timestamp	Creation date

Article_Tags


NAME	DATA TYPE	DESCRIPTION
article_tag_id (PK)	Integer	Record identifier
article_id (FK)	Integer	Associated article
tag_id (FK)	Integer	Associated tag


User_Preferences


NAME	DATA TYPE	DESCRIPTION
preference_id (PK)	Integer	Preference identifier
user_id (FK)	Integer	Associated user
theme	Varchar(20)	Selected application theme
font_size	Integer	Preferred font size
refresh_interval	Integer	Feed refresh interval (minutes)
created_at	Timestamp	Creation date


5.5. User-Interface Wireframe

The following wireframe illustrates the proposed user interface of Currii. The application follows a clean, modern, and minimalist design inspired by contemporary productivity software. The interface emphasizes readability, efficient navigation, and quick access to RSS feeds while maintaining a responsive layout suitable for desktop and mobile devices.




Currii
A quiet place to read the web.
Log In
Register
Email
Password (min 8 characters)
Create Account
Already made an account?
or
Continue as Guest


Currii
Search Feed (Ctrl+K)
GUEST
Log out
Add source
Feed
Starred
Sources
FEEDS
All Articles
Feed
No articles yet — add a source to get started.
Select an article to read


Add a source
Feed URL
https://example.com/feed.xml
Cancel
Add

Currü

Search Feed (Ctrl+K)

GUEST Log out

+ Add source

Feed

Starred

Sources

FEEDS

All Articles

Android Authority

Feed

A	Android Auth...	These camera-free sm...	Jul 21
A	Android Auth...	Philips Hue might mak...	Jul 21
A	Android Auth...	Samsung just made th...	Jul 21
A	Android Auth...	From Oxygen OS to Co...	Jul 21
A	Android Auth...	Snapseed finally gains...	Jul 21
A	Android Auth...	5 Android phones you ...	Jul 21
A	Android Auth...	Google Play Store upd...	Jul 21
A	Android Auth...	Our favorite PS2 emul...	Jul 21
A	Android Auth...	Is a $330 Pixel 8 Pro o...	Jul 21
A	Android Auth...	Google Maps could so...	Jul 21
A	Android Auth...	As a Galaxy Watch 8 o...	Jul 21
A	Android Auth...	I won't buy the Galaxy ...	Jul 21
A	Android Auth...	Adobe's awesome Pix...	Jul 21
A	Android Auth...	New Snapdragon chip ...	Jul 21
A	Android Auth...	Google finally fixes Ge...	Jul 21
A	Android Auth...	Exclusive: Google Map...	Jul 21
A	Android Auth...	Samsung Galaxy S26 ...	Jul 20
A	Android Auth...	Best Galaxy Z Fold 8 i...	Jul 20

These camera-free smart glasses want to give you a secret advantage in meetings

A Android Authority · Aamir Siddiqui
7/21/2026, 1:00:34 PM



TL;DR

- The camera-free Halliday G2 features binocular micro-LED projectors (1,600 nits peak brightness, 600 × 300 per eye), a four-mic array, a sub-50g weight, and over 12 hours of battery life.
- Built around "Meeting Flow," the glasses provide real-time translation, live research lookups, captioning, thread tracking, decision confirmations, and automated post-

Currü

Search Feed (Ctrl+K)

GUEST Log out

+ Add source

Feed

Starred

Sources

FEEDS

All Articles

Android Authority

Manage sources

Android Authority
https://www.androidauthority.com/ • ...
Refresh Remove

These camera-free smart glasses want to give you a secret advantage in meetings

A Android Authority · Aamir Siddiqui
7/21/2026, 1:00:34 PM



TL;DR

- The camera-free Halliday G2 features binocular micro-LED projectors (1,600 nits peak brightness, 600 × 300 per eye), a four-mic array, a sub-50g weight, and over 12 hours of battery life.
- Built around "Meeting Flow," the glasses provide real-time translation, live research lookups, captioning, thread tracking, decision confirmations, and automated post-

Currü

Search Feed (Ctrl+K)

GUEST Log out

+ Add source

Feed

Starred

Sources

FEEDS

All Articles

Android Authority

These camera-free smart glasses want to give you a secret advantage in meetings

A Android Authority · Aamir Siddiqui
7/21/2026, 1:00:34 PM




TL;DR

- The camera-free Halliday G2 features binocular micro-LED projectors (1,600 nits peak brightness, 600 × 300 per eye), a four-mic array, a sub-50g weight, and over 12 hours of battery life.
- Built around "Meeting Flow," the glasses provide real-time translation, live research lookups, captioning, thread tracking, decision confirmations, and automated post-

5.6. Navigation Flow

The navigation flow illustrates how users move between the primary pages of Currii. It provides a high-level overview of the application's structure and ensures intuitive access to all core features.



6. Appendices

6.1. Glossary of Terms

This appendix defines the technical terms, abbreviations, and concepts referenced throughout the Software Design Document to ensure consistent interpretation by developers, evaluators, and future maintainers.

TERM	DEFINITION
API	Application Programming Interface that enables communication between software applications.
Atom Feed	An XML-based web syndication format used to publish frequently updated digital content.
Bookmark	A user-saved article stored for future reading.
CRUD	The four basic database operations: Create, Read, Update, and Delete.
Currii	The proposed web-based RSS Reader and Feed Aggregator developed for this project.
Dashboard	The primary interface where users manage feeds and browse aggregated articles.
Feed Aggregator	Software that collects and displays updates from multiple RSS or Atom feeds in one location.

HTML	HyperText Markup Language used to structure web pages.
HTTP	HyperText Transfer Protocol used for communication between web browsers and servers.
JSON	JavaScript Object Notation, a lightweight format for exchanging data between applications.
MySQL	A relational database management system used to store application data.
PHP	A server-side scripting language used to implement backend functionality.
RSS	Really Simple Syndication, an XML-based format for distributing frequently updated web content.
Responsive Design	A design approach that adapts the application's interface to different screen sizes and devices.
REST API	A web service architecture that enables communication between the frontend and backend using HTTP requests.
Tag	A user-defined label used to categorize feeds and articles for easier organization.
UI	User Interface, referring to the visual elements users interact with in the application.
URL	Uniform Resource Locator, the web address of an online resource or RSS feed.
XML	Extensible Markup Language used by RSS and Atom feeds to structure syndicated content.

6.2. Revision History

This section records major revisions made to the project documentation throughout the development lifecycle.

Version	Date	Description
0.1	June 2026	Initial project proposal
0.3	June 2026	Planning and analysis completed
0.6	July 2026	Database and UI prototype designed
0.9	July 2026	Design phase finalized
1.0	July 2026	Final Software Design Document submitted

6.3. Approval Page

Software Design Document (SDD)
Functional Specifications for Zone|Lens

Project Title:
Zone|Lens
Prepared By:

Inaki Angelo A. Sison
Peter Angelo L. Sanjorjo
Jericho B. Quitoras
Joshua Reed O. Elopre

Course:
CIS 2201 - Systems Analysis and Design

Instructor:

Francine Opoc Menchavez

Date Submitted:
July 29, 2026

Approved By:

Francine Opoc Menchavez