JavaScrip 2

- 1. Why is it important to write clean code?
- 2. What is the difference between good comments and bad comments?
- 3. What is an array?
- 4. What are arrays useful for?
- 5. How do you access an array element?
- 6. How do you change an array element?
- 7. What are some useful array properties?
- 8. What are some useful array methods?
- 9. What are loops useful for?
- 10. What is the break statement?
- 11. What is the continue statement?
- 12. What is the DOM?
- 13. How do you target the nodes you want to work with?
- 14. How do you create an element in the DOM?
- 15. How do you add an element to the DOM?
- 16. How do you remove an element from the DOM?
- 17. How can you alter an element in the DOM?
- 18. When adding text to a DOM element, should you use textContent or innerHTML?
- 19. Where should you include your JavaScript tag in your HTML file when working with DOM nodes?
- 20. How do "events" and "listeners" work?
- 21. What are three ways to use events in your code?
- 22. Why are event listeners the preferred way to handle events?

- 23. What are the benefits of using named functions in your listeners?
- 24. How do you attach listeners to groups of nodes?
- 25. What is the difference between the return values of querySelector and querySelectorAll?
- 26. What does a "nodelist" contain?
- 27. Explain the difference between "capture" and "bubbling".
- 28. What is the difference between objects and arrays?
- 29. How do you access object properties?