Cry – Project 2(Software Requirements Specification): Report

Daniel Dunning, Michael Degraw, Vu Phan

2017-02-13

Contents

1	Introduction		
	1.1	Purpose	1
	1.2	Scope	2
	1.3	Definitions, acronyms, and abbreviations	2
	1.4	References	2
	1.5	Overview	2
2	Ove	erall description	2
	2.1	Product perspective	2
	2.2	Product functions	2
	2.3	User characteristics	2
	2.4		2
	2.5	Assumptions and dependencies	2
3	Spe	ecific requirements	${f 2}$
	3.1	External interface requirements	3
		3.1.1 User interfaces	3
		3.1.2 Hardware interfaces	3
		3.1.3 Software interfaces	3
			3
	3.2	Classes	3
		3.2.1 cryptosystem/	3
		3.2.2 party/	4
		3.2.3 cryptoframework.h	6
	3.3	· ·	7
	3.4	-	7
	3.5	9	7
	3.6	Other requirements	7

1 Introduction

Michael Degraw

1.1 Purpose

Please write here.

1.2 Scope

Please write here.

1.3 Definitions, acronyms, and abbreviations

Please write here.

1.4 References

Please write here.

1.5 Overview

Please write here.

2 Overall description

Daniel Dunning

2.1 Product perspective

Please write here.

2.2 Product functions

Please write here.

2.3 User characteristics

Please write here.

2.4 Constraints

Please write here.

2.5 Assumptions and dependencies

Please write here.

3 Specific requirements

Vu Phan

```
3.1 External interface requirements3.1.1 User interfaces
```

3.1.2 Hardware interfaces

3.1.3 Software interfaces

3.1.4 Communications interfaces

3.2 Classes

3.2.1 cryptosystem/

cryptosystem.h

```
#ifndef CRYPTOSYSTEM_CRYPTOSYSTEM_H_
#define CRYPTOSYSTEM_CRYPTOSYSTEM_H_
enum EnumeratedCryptosystem {rsa};
using IntPtr = mpz_t; // GNU Multiple Precision Integer Type
using Key = IntPtr;
using Text = IntPtr;
class Cryptosystem {
public:
 virtual void generateKeys(Key publicKey, Key privateKey); // set these
 virtual void encrypt (Text ciphertext, // set this
   const Text plaintext, const Key publicKey);
 virtual void decrypt (Text plaintext, // set this
   const Text ciphertext , const Key privateKey );
 virtual void cryptanalyze (Text plaintext, // set this
   const Text ciphertext , const Key publicKey );
};
#endif // CRYPTOSYSTEM_CRYPTOSYSTEM_H_
```

rsa.h

```
#ifndef CRYPTOSYSTEM_RSA_H_
#define CRYPTOSYSTEM_RSA_H_
#include "cryptosystem.h"
class Rsa : public Cryptosystem {
public:
 void generateKeys (Key publicKey, Key privateKey); // set these
 void encrypt (Text ciphertext, // set this
   const Text plaintext, const Key publicKey);
 void decrypt (Text plaintext, // set this
   const Text ciphertext , const Key privateKey );
 void cryptanalyze (Text plaintext, // set this
   const Text ciphertext , const Key publicKey );
};
#endif // CRYPTOSYSTEM_RSA_H_
```

3.2.2 party/ party.h

sender.h

receiver.h

eavesdropper.h

3.2.3 cryptoframework.h

```
class Cryptoframework {
public:
  Sender sender;
  Receiver receiver;
  Eavesdropper eavesdropper;
  Cryptoframework (Enumerated Cryptosystem enumerated Cryptosystem);
  void testKeyGeneration();
    // \{ receiver.generateKeys() \}
  void testEncryption();
    // {sender.encrypt(receiver.publicKey)}
  void testDecryption();
    // {receiver.decrypt(sender.ciphertext)}
  void testCryptanalysis();
    // { eavesdropper.cryptanalyze(sender.ciphertext, receiver.publicKey)}
};
#endif // CRYPTOFRAMEWORK_H_
```

- 3.3 Performance requirements
- 3.4 Design constraints
- 3.5 Software system attributes
- 3.6 Other requirements