
Internal talk · 30 min

System One models

AI that decides, instead of writes




Two kinds of AI models

Generator




Decider




Text out vs a decision out

Two ways to think



System 1

fast · instinct



System 2


slow · deliberate

idea from Kahneman


Decision models are built for System 1 jobs

What is Jev?

A hosted System One model from TypeSafe AI



One call, one decision



Three kinds of questions

Choice

pick one

- ○ billing
- ● technical
- ○ sales

Score

rate on a scale



calm angry

Yes / no


probability of yes

urgent?



no yes

Not only Jev


Same shape
text + questions → typed answers
OpenAI
Decisions API (beta)
Cloudflare
Clef, open weights
Unsloth
recipe to train your own

Where it fits



Routing



Moderation



Fraud triage



Form checks




Intent detection




Approvals

Routing


Billing
illustrative
ticket
Jev
Technical
unsure
Sales
human


Moderation



unsure → ask a person


Fraud triage

illustrative



a first look, not a verdict

Fast first


all requests
Fast model
most
answered
unsure
Big LLM
answered

Live demo: request

```
POST /v1/systemone
{
  "model": "jev-latest",
  "state": "API returns 500 on every
            request for 20 minutes…",
  "questions": {
    "department": {
      "type": "choice",
      "criteria": { "billing": …,
                    "technical": …,
                    "sales": … }
    },
    "urgent": { "type": "noul" }
  }
}
```

→ **state**
the text

→ **questions**
what we want

shortened

workshop-lite/jev_client.py · local emulator unless a Jev key is set

Live demo: response

```
{
  "department": {
    "type": "choice",
    "choice": "technical",
    "confidence": 1.0,
    "probabilities": {
      "billing": 0.0,
      "technical": 1.0,
      "sales": 0.0 }
  },
  "urgent": { "type": "noul",
              "noul": 1.0 }
}
```



```
d = answers["department"]

if d["confidence"] ≥ 0.7:
    route(d["choice"])
else:
    ask_a_human()
```

our code decides

EMULATOR output, not real Jev

A free LLM behind a Jev-shaped endpoint (workshop-lite/sample_output.txt)

Use it. Skip it.

Use it for

- ✓ sorting
- ✓ yes / no checks
- ✓ high volume
- ✓ fast answers

Skip it for

- ✗ writing text
- ✗ explaining why
- ✗ multi-step reasoning
- ✗ open chat

Honest limits

Text first
no audio, no video

English works best
other languages weaker

Test on your data
check the probabilities

Vendor numbers
are claims, not proof

Three takeaways

1

Right model
for the job

2

The model answers,
your code decides

3

Fast first,
big model if unsure

Try it yourself

https://github.com/vusatui/rnd-research
→ system-one-models/

- Run the workshop
- Poke the API calls
- Compare the approaches
- Read the sources



scan me

Questions?

System One models · Jev