

TheHarvester Fundamentals		Data Sources		Output Options	
Basic domain scan	theHarvester -d <domain> -b google	Google search	-b google	Save HTML report	-f <filename>.html
Use multiple data sources	theHarvester -d <domain> -b google,bing,crtsh	Bing search	-b bing	Save XML report	-f <filename>.xml
Save results to HTML	theHarvester -d <domain> -b google -f report	DuckDuckGo search	-b duckduckgo	Save JSON report	-f <filename>.json
Limit number of results	theHarvester -d <domain> -b bing -l 200	Yahoo search	-b yahoo	Verbose output	-v
Start at specific result	theHarvester -d <domain> -b google -s 50	Certificate search	-b crtsh	Show only raw results	--raw
Verbose output	theHarvester -d <domain> -b google -v	LinkedIn search	-b linkedin	Examples	
Help menu	theHarvester -h	Twitter search	-b twitter		
Filtering and Control		Shodan search	-b shodan	Full multi-source scan	theHarvester -d <domain> -b google,bing,-crtsh -l 500
		Multiple sources	-b google,bing,crtsh	Save HTML report	theHarvester -d <domain> -b google -f report
Limit results		Common Use Cases		Social media OSINT	theHarvester -d <domain> -b linkedin
		Find emails	theHarvester -d <domain> -b google	Certificate-based subdomain discovery	theHarvester -d <domain> -b crtsh
Start at specific result	-s <number>	Find subdomains	theHarvester -d <domain> -b crtsh	Shodan host intelligence	theHarvester -d <domain> -b shodan
Use Shodan API	-b shodan	Combine multiple OSINT sources	theHarvester -d <domain> -b google,bing,-crtsh	Top-level quick scan	theHarvester -d <domain> -b google -l 50
Use DNS brute force	--dns-brute	Export results for reporting	theHarvester -d <domain> -b google -f report	Email-focused scan	theHarvester -d <domain> -b google,bing
Specify data source	-b <source>	Social media OSINT	theHarvester -d <domain> -b linkedin		
		Certificate--based discovery	theHarvester -d <domain> -b crtsh		
		Shodan host intelligence	theHarvester -d <domain> -b shodan		

