

table_name	definition	column_names	primary_key_columns	unique_columns	foreign_joins	polymorphic_joins
accession_numbers	Accession numbers are assigned to drugs, categories, and conditions. They are found in the accession numbers table. Accession numbers also apply to metabolites, product concepts, product concept revocations, salts, smp actions, and orphan designations.	id, number, record_id, record_type, primary	id			record_type on record_id -> drugs, salts, categories, metabolites, smp_actions, product_concepts, product_concept_revocations, conditions, orphan_designations
adverse_effect_attributes	Adverse effects can have additional relevant attributes represented in this table. Each row captures a value and a relationship (such as route, age_group, dose_form, etc.).	adverse_effect_id, relationship, value	adverse_effect_id, relationship, value			
adverse_effect_categories	Certain adverse effects are specific to combinations of categories of drugs, and the relationships with these categories are represented in this table.	adverse_effect_id, category_id	adverse_effect_id, category_id		adverse_effect_id -> structured_adverse_effects	
adverse_effect_conditions	Adverse effects are linked to multiple DrugBank conditions, such as prerequisite therapies and patient characteristics and conditions.	adverse_effect_id, condition_id, relationship	adverse_effect_id, condition_id, relationship		adverse_effect_id -> structured_adverse_effects; category_id -> categories	
adverse_effect_drugs	Certain adverse effects are specific to combinations of drugs, and the relationships with these additional drugs are represented in this table.	adverse_effect_id, drug_id	adverse_effect_id, drug_id		adverse_effect_id -> structured_adverse_effects; condition_id -> conditions	
adverse_effect_incidences	Each row in this table describes the reported statistics for the prevalence of this effect among different groups (such as control, placebo, etc.).	adverse_effect_id, id, kind, name, percent, percent_descriptor, p_value	adverse_effect_id, id		adverse_effect_id -> structured_adverse_effects; drug_id -> drugs	
affected_organisms	Organisms in which the drug may display activity; activity may depend on local susceptibility patterns and resistance.	organism_id, drug_id	organism_id, drug_id		adverse_effect_id -> structured_adverse_effects	
ahfs_codes	This table serves to map American Hospital Formulary Service (AHFS) codes to DrugBank drugs.	drug_id, code, name	drug_id, code		organism_id -> organisms; drug_id -> drugs	
allergy_detail_attributes	Allergy details can have additional important attributes. Each row in this table captures a specific value and a relationship (such as the type of evidence).	detail_id, relationship, value	detail_id, relationship, value		drug_id -> drugs	
allergy_detail_presentations	Each row in this table describes a relationship between an allergy presentation and a condition that a patient may present with when they have an allergy to relevant drug.	detail_id, presentation_id	detail_id, presentation_id		detail_id -> allergy_details	
allergy_details	Describes information regarding hypersensitivity (allergic) reactions patients may experience following the administration of a drug. Allergy details may be specific to a drug or may be retrieved for a drug from an allergy category.	id, info, source_name, source_type	detail_id, presentation_id		detail_id -> allergy_details; presentation_id -> allergy_presentations	
allergy_presentation_attributes	Allergy presentations can have additional important attributes. Each row in this table captures a specific value and a relationship (such as the type of hypersensitivity).	presentation_id, relationship, value	presentation_id, relationship, value		presentation_id -> allergy_presentations	
allergy_presentations	An allergy presentation includes available information, including management guidance, for a specific set of symptoms relating to an allergic reaction.	id, condition_id, simple_description, clinical_description, management	presentation_id, relationship, value		condition_id -> conditions	
article_citations	Each row represents a reference relationship between a related row/object (drug, drug interaction, etc.) and an article.	cited_article_id, referencer_id, referencer_type	cited_article_id, referencer_id, referencer_type			referencer_type on referencer_id -> bonds, drugs, reactions, smp_actions, structured_drug_interactions, allergy_details, allergy_presentations, cross_sensitivities, structured_adverse_effects, drug_synonyms, external_identifiers, structured_pharmacology_clearances, structured_pharmacology_bioavailabilities, structured_pharmacology_volume_of_distributions, structured_pharmacology_half_lives, structured_pharmacology_route_of_eliminations, structured_pharmacology_protein_bindings, structured_pharmacology_aucs, structured_pharmacology_cmaxes, structured_pharmacology_tmaxes, structured_pharmacology_median_lethal_dosages
etc	Unique codes that are assigned to a medicine according to the organ or system it works on.	vocabulary, code, title, level, parent_code	vocabulary, code			
attachment_citations	Each row represents a reference relationship between a related row/object (drug, drug interaction, etc.) and a DrugBank attachment.	cited_attachment_id, referencer_id, referencer_type	cited_attachment_id, referencer_id, referencer_type		cited_attachment_id -> cited_attachments	
binding_properties	This table contains measurements describing the binding strength between a given drug and protein.	id, bond_id, kind, value				
bio_entities	Describes proteins or other biological entities that interact with a drug (as drug targets, metabolizing enzymes, or drug carriers/transporters).	biobd_id, name, kind, organism, plus_export	biobd_id, component_type, component_id		biobd_id -> bio_entities	
bio_entity_components	A list of specific components of each bio-entity.	biobd_id, component_type, component_id	biobd_id, component_type, component_id		biobd_id -> bio_entities	component_type on component_id -> polypeptides, bio_small_molecules
bio_entity_conditions	This table provides additional structural and chemical information about small molecule drug targets in the 'bio_entities' table.	biobd_id, condition_id	biobd_id, condition_id		biobd_id -> bio_entities; condition_id -> conditions	
bio_small_molecules	Categories of biotech (i.e. biologic) drug. Each category belongs to a broader grouping in order to group together related categories.	id, drugbank_id, name, iupac_name, iupac_traditional_name, smiles, average_moss, mono_moss, formula, inchi, inchikey				
biotech_categories	Categories of biotech (i.e. biologic) drug. Each category belongs to a broader grouping in order to group together related categories.	id, name, group_name				
blackbox_warning_attributes	Boxed warnings can have additional relevant attributes represented in the blackbox_warning_attributes table. Each row captures a value and a relationship (such as lab_value, route, age_group, etc.).	blackbox_warning_id, relationship, value	blackbox_warning_id, relationship, value		blackbox_warning_id -> structured_blackbox_warnings	
blackbox_warning_categories	Some boxed warnings caution against the administration of the subject drug with a certain category (or categories) of drug. This table establishes and describes the relationships between those boxed warnings and the relevant drug categories.	blackbox_warning_id, category_id, codemin	blackbox_warning_id, category_id, codemin		blackbox_warning_id -> structured_blackbox_warnings; category_id -> categories	
blackbox_warning_conditions	Boxed warnings may be mapped to one or more DrugBank conditions, such as prerequisite therapies and patient diseases and conditions.	blackbox_warning_id, condition_id, relationship	blackbox_warning_id, condition_id, relationship		blackbox_warning_id -> structured_blackbox_warnings; condition_id -> conditions	
blackbox_warning_drugs	Some boxed warnings caution against the administration of the subject drug with another specific drug or drugs. This table establishes and describes the relationships between those boxed warnings and the relevant drug(s).	blackbox_warning_id, drug_id, codemin	blackbox_warning_id, drug_id		blackbox_warning_id -> structured_blackbox_warnings; drug_id -> drugs	
bonds	Describes the binding relationship between drugs and targets/enzymes/carriers/transporters.	id, type, drug_id, biobd_id, pbh_id, position, pharmacological_action, antagonist, agonist, substrate, inhibitor, inducer, other_action, inducer_strength, inhibitor_strength, induction_clinically_sig, inhibition_clinically_sig	drug_id -> drugs; biobd_id -> bio_entities			
brands	The proprietary names used by the manufacturers for commercially available forms of the drug, focusing on brand names for products that are available in countries other than Canada and the United States.	id, drug_id, name, company, score, source	drug_id -> drugs			
categories	Categories of a drug according to different parameters and characteristics such as metabolic enzymes involved, therapeutic effect, drug class, side effects, main excretion routes, major side effects observed, etc.	id, drugbank_id, title, description, slug				
category_mappings	Displays the mappings between DrugBank categories and other external categorization systems. Each row represents a mapping of a DrugBank category to a MeSH, ATC, or ICD category.	category_id, code, vocabulary, vocabulary_level, direct, title	category_id, code, vocabulary		category_id -> categories	
cited_articles	Each row in this table describes an attached file (such as a PDF) that has been used as a reference in DrugBank.	id, ref_id, title, url				
cited_attachments	Each row in this table describes an attached file (such as a PDF) that has been used as a reference in DrugBank.	id, ref_id, title, url				
cited_external_links	Each row in this table describes an external link that has been used as a reference in DrugBank.	id, ref_id, url, name				
cited_textbooks	Each row in this table describes a textbook that has been used as a reference in DrugBank.	id, ref_id, isbn, title, authors, edition, publisher, year, book_format, ean				
clinical_trial_arm_groups	Describes each group or subgroup of participants in the clinical trial that receives specific interventions related to the study protocol.	id, trial_id, kind, label, description	trial_id -> clinical_trials			
clinical_trial_bio_entity_mention_ctr	Describes the section of the clinical trial registry data in which the biological entity was mentioned.	id, mention_id, string, section	mention_id -> clinical_trial_bio_entity_mentions			
clinical_trial_bio_entity_mentions	Lists biological entities mentioned and the trials in which the biological entity was mentioned.	id, trial_id, biobd_id, label	trial_id -> clinical_trials; biobd_id -> bio_entities			
clinical_trial_browse_conditions	Each row in this table describes a potential condition that was studied in the specific trial. Each browse condition is potentially matched to a DrugBank condition which is indicated by the presence of a condition_id value.	id, trial_id, title, condition_id	trial_id -> clinical_trials; condition_id -> conditions			
clinical_trial_browse_interventions	Each row in this table describes a potential drug intervention that was studied in this trial. Each browse intervention is potentially matched to a DrugBank drug, indicated by the presence of a drug_id value.	id, trial_id, title, drug_id	trial_id -> clinical_trials; drug_id -> drugs			
clinical_trial_conditions	Indicates the disease, disorder, syndrome, illness, or injury that is being studied in the clinical trial.	trial_id, condition_id	trial_id, condition_id		trial_id -> clinical_trials; condition_id -> conditions	
clinical_trial_countries	This table serves to map clinical trials to the names of the countries in which they were conducted.	trial_id, country	trial_id, country		trial_id -> clinical_trials	
clinical_trial_eligibilities	Eligibility criteria for clinical trials, extracted and structured from trial data from (ClinicalTrials.gov)(https://clinicaltrials.gov/).	id, trial_id, sampling_method, gender, gender_based, gender_description, min_age, max_age, healthy_volunteers, criteria, population	trial_id -> clinical_trials			
clinical_trial_ids	Provides a list of identifiers for clinical trials, including alternative or obsolete identifiers.	id, trial_id, identifier, kind	id		trial_id -> clinical_trials	
clinical_trial_intervention_arm_group	Describes the relationship between clinical trial interventions and arm groups. Each intervention is related to at least one arm group, and each arm group has at least one intervention.	intervention_id, arm_group_id	intervention_id, arm_group_id		intervention_id -> clinical_trial_interventions; arm_group_id -> clinical_trial_arm_groups	

table_name	definition	column_names	primary_key_columns	unique_columns	foreign_joins	polymorphic_joins
clinical_trial_interventions	Each row in this table describes an intervention (experimental drug, vaccine, medical device, etc.) that is recorded in the referenced clinical trial.	id, trial_id, kind, title, description			trial_id -> clinical_trials	
clinical_trial_interventions_drugs	Describes the relationship between clinical trial interventions and DrugBank drugs. Each intervention is related to one or more drugs.	id, intervention_id, drug_id	id		intervention_id -> clinical_trial_interventions; drug_id -> drugs	
clinical_trial_interventions_names	Each row in this table describes an additional name, synonym, or code used by the clinical trial sponsors for a given intervention.	id, intervention_id, name	id		intervention_id -> clinical_trial_interventions; intervention_id -> clinical_trial_interventions; product_id -> products	
clinical_trial_interventions_products	Describes the relationship between clinical trial interventions and DrugBank products, if the product is available.	id, intervention_id, product_id	id			
clinical_trial_phases	Each row in this table describes the drug development phase (0, 1, 2, 3, or 4) for a given clinical trial.	trial_id, phase	trial_id, phase		trial_id -> clinical_trials	
clinical_trial_sponsors	Indicates the lead sponsor of the clinical trial.	id, trial_id, company_id, title, normalized_title, agency_class, lead_sponsor	id		trial_id -> clinical_trials; company_id -> companies	
clinical_trial_why_stopped_categories	Describes the categories for reasons why a clinical trial was stopped.	id, category, definition, safety_efficacy_concern, identifier, title, official_title, status, purpose, acronym, summary, description, expanded_access, why_stopped, why_stopped_category_id, start_date, end_date, end_date_kind, plus_export			why_stopped_category_id -> clinical_trial_why_stopped_categories	
clinical_trials	Clinical trials are found in the clinical_trials table. Each row represents an individual clinical trial.	id, name, acronym				
companies	A list of unique and normalized company names providing a consistent reference point for standardizing company names across other datasets.	id, name, acronym			company_id -> companies; labeller_id -> labellers	
company_labellers	A join table between 'companies' and 'labellers' that establishes a mapping between product labellers and their corresponding normalized company name.	company_id, labeller_id	company_id, labeller_id			
company_names	A comprehensive list of various permutations and alternate representations of company names, each linked to a normalized name in the 'companies' table.	id, name				
company_names_companies		name_id, company_id	name_id, company_id		name_id -> company_names; company_id -> companies	
condition_children	Tables for parents and child conditions to look up conditions in broader or more specific terms as needed.	child_preferred_term_id, parent_preferred_term_id	parent_preferred_term_id, child_preferred_term_id		child_preferred_term_id -> conditions; parent_preferred_term_id -> conditions	
condition_group_parents		parent_id, child_id	parent_id, child_id		parent_id -> condition_groups; child_id -> condition_groups	
condition_groups		id, preferred_condition_id			preferred_condition_id -> conditions	
condition_synonyms	Each row in this table provides a mapping between two IDs in the 'conditions' table. Each mapping comprises a 'preferred_term' condition and a condition to which it is synonymous.	preferred_term_id, synonym_term_id	preferred_term_id, synonym_term_id		preferred_term_id -> conditions; synonym_term_id -> conditions	
conditions	Each row in this table describes the various conditions that are referenced in indications, adverse effects, contraindications, and black box warnings. Every condition has a preferred term. For synonyms, this is another term which is equivalent, but may be of higher quality. Preferred terms are their own preferred term - the value of the preferred_term_id column matches the value of the id column.	id, drugbank_id, title, meddra_id, icd10_id, snomed_id, mesh_id, preferred_term_id, rare_disease			preferred_term_id -> conditions	
contraindication_attributes	Contraindications can have additional relevant attributes represented in this table. Each row captures a value and a relationship (such as lab_value, route_age_group, etc.). The condition_id column always refers to the preferred term of a condition.	contraindication_id, relationship, value	contraindication_id, relationship, value		contraindication_id -> structured_contraindications	
contraindication_categories	Contraindications may exist between the subject drug and a certain category (or categories) of drug. This table establishes and describes the relationships between those contraindications and the relevant drug categories.	contraindication_id, category_id, coadmin	contraindication_id, category_id		contraindication_id -> structured_contraindications; category_id -> categories	
contraindication_conditions	Contraindications may be mapped to one or more DrugBank conditions to describe instances where a drug is contraindicated in the presence of a certain disease state or patient characteristic.	contraindication_id, condition_id, relationship	contraindication_id, condition_id, relationship		contraindication_id -> structured_contraindications; condition_id -> conditions	
contraindication_drugs	Contraindications may exist between the subject drug and another specific drug or drugs. This table establishes and describes the relationships between those contraindications and the relevant drug(s).	contraindication_id, drug_id, coadmin	contraindication_id, drug_id		contraindication_id -> structured_contraindications; drug_id -> drugs	
cross_sensitive_drugs	Describes the relationship between a drug and other drugs that are considered cross-sensitive (meaning that it is more likely to experience an allergic reaction for the drug linked by cross_sensitive_drug_id).	drug_id, cross_sensitivity_id, cross_sensitive_drug_id, summary	drug_id, cross_sensitivity_id, cross_sensitive_drug_id		drug_id -> drugs; cross_sensitivity_id -> cross_sensitivities; cross_sensitive_drug_id -> drugs	
cross_sensitivities	Each cross-sensitivity entry provides information on the associations between drugs/categories that result in an increased risk of allergic reactions. Cross-sensitivities can have additional important attributes. Each row in this table captures a specific value and a relationship (such as the type of evidence).	id, incidence, description				
cross_sensitivity_attributes		cross_sensitivity_id, relationship, value	cross_sensitivity_id, relationship, value		cross_sensitivity_id -> cross_sensitivities	
dosage_forms	Describe the physical forms a drug product can take, according to the drug label.	id, name, short_name, definition				
dosage_forms_products	Representation of the many-to-many relationship between products and dosage forms.	product_id, dosage_form_id	product_id, dosage_form_id		product_id -> products; dosage_form_id -> dosage_forms	
dosage_routes	Describe the routes through which a drug product can be administered, according to the drug label.	id, name, short_name, definition, effect_classification				
dosage_routes_products	Representation of the many-to-many relationship between products and dosage routes.	product_id, dosage_route_id	product_id, dosage_route_id		product_id -> products; dosage_route_id -> dosage_routes	
drug_allergy_details	Each row in this table describes hypersensitivity (allergic) reactions patients may experience following the administration of a given drug. Allergy details may be specific to a drug or may be retrieved for a drug from an allergy category.	drug_id, detail_id, summary	drug_id, detail_id		drug_id -> drugs; detail_id -> allergy_details	
drug_availabilities	Drug availability information is stored in the drug_availabilities table. Each row denotes the availability of a drug in a region.	drug_id, region, was_phase, marketed_prescription, marketed_prescription_started_on, marketed_prescription_ended_on, generic_available, generic_available_on, mixture_available, mixture_available_on, marketed_atc, marketed_atc_started_on, marketed_atc_ended_on, marketed_unapproved, marketed_unapproved_started_on, marketed_unapproved_ended_on, pre_market_cancelled, pre_market_cancelled_on, post_market_cancelled, post_market_cancelled_on	drug_id, region		drug_id -> drugs	
drug_biotech_categories	Each row in the table marks one drug as belonging to a particular biotech category.	drug_id, biotech_category_id	drug_id, biotech_category_id		drug_id -> drugs; biotech_category_id -> biotech_categories	
drug_calculated_properties	Drug properties that have been predicted by ChemAxon or ALOGPS based on the input chemical structure. Associated links below will redirect to descriptions of the specific term.	drug_id, iupac_name, iupac_traditional_name, smiles, logp, overage_mass, molar_mass, formula, inchi, inchikey, polar_surface_area, refractivity, polarizability, rotatable_bond_count, acceptor_count, donor_count, pka_strongest_acidic, pka_strongest_basic, physiological_charge, number_of_rings, bioavailability, rule_of_five, ghose_filter, veber_rule, mdr_like_rule, alogps_logp, alogps_logs, alogps_solubility			drug_id -> drugs	
drug_categorizations	Each row represents the membership of a drug (identified by the drug_id column) to a category (identified by the category_id column). The 'kind' column specifies the rationale for categorization, such as for search purposes or based on pharmacological characteristics. The 'level' column indicates whether the drug belongs directly to the category or to a more specific form of it.	id, drug_id, category_id, kind, level			drug_id -> drugs; category_id -> categories	
drug_experimental_properties	Drug properties that have been experimentally proven. Experimental drug properties are stored in the drug_experimental_properties table.	drug_id, melting_point, boiling_point, water_solubility, radioactivity, hydrophobicity, isoelectric_point, logp, logs, caco2_permeability, pka			drug_id -> drugs	
drug_interactions	Each entry ties pairs of drugs with a simplified description of the interaction between them. This is a simplified/unstructured form of the data available in structured_drug_interactions.	subject_drug_id, affected_drug_id, subject_drug_accession, affected_drug_accession, description			subject_drug_id -> drugs; affected_drug_id -> drugs	
drug_mappings	Drug mappings provide codes and identifiers from ATC, ATOvet and MeSH vocabularies that match a drug in DrugBank.	drug_id, code, vocabulary, vocabulary_level, direct, title	drug_id, code, vocabulary		drug_id -> drugs	
drug_predicted_omnet_properties	Predicted ADMET drug properties are stored in the drug_predicted_omnet_properties table. Each row represents the properties for a single drug.	drug_id, caco2, caco2_probability, bbb, bbb_probability, hia, hia_probability, p_glycoprotein_substrate, p_glycoprotein_substrate_probability, p_glycoprotein_inhibitor_1, p_glycoprotein_inhibitor_1_probability, p_glycoprotein_inhibitor_2, p_glycoprotein_inhibitor_2_probability, renal_organic_cation_transporter, renal_organic_cation_transporter_probability, cyp450_2c9_substrate, cyp450_2c9_substrate_probability, cyp450_2d6_substrate, cyp450_2d6_substrate_probability, cyp450_3a4_substrate, cyp450_3a4_substrate_probability, cyp450_1a2_substrate, cyp450_1a2_substrate_probability, cyp450_2c9_inhibitor, cyp450_2c9_inhibitor_probability, cyp450_2d6_inhibitor, cyp450_2d6_inhibitor_probability, cyp450_2c19_inhibitor, cyp450_2c19_inhibitor_probability, cyp450_3a4_inhibitor, cyp450_3a4_inhibitor_probability, cyp_inhibitory_promiscuity, cyp_inhibitory_promiscuity_probability, herg_inhibitor_1, herg_inhibitor_1_probability, herg_inhibitor_2, herg_inhibitor_2_probability, omes_toxicity, omes_toxicity_probability, carcinogenicity, carcinogenicity_probability, biodegradation, biodegradation_probability, rot_acute_toxicity			drug_id -> drugs	

table_name	definition	column_names	primary_key_columns	unique_columns	foreign_joins	polymorphic_joins
drug_synonyms	The drug_synonyms table contains alternative names and identifiers for drugs, with each row representing one synonym. This table is essential for cross-referencing drugs across various systems and regions, accommodating multiple languages and naming standards set by international bodies such as INN and IUPAC. It facilitates broader accessibility and understanding of drug information worldwide.	id, synonym, drug_id, score, language, coder, source			drug_id -> drugs	
drugs	A drugs table provides classifications and unique properties for a drug. Drugs are stored in the drugs table. Many tables include a drug_id column. This indicates that the rows of that tables can be related the rows of the drugs table by matching the id and drug_id columns. In SQL, this operation is a JOIN.	id, type, drugbank_id, name, status, description, simple_description, clinical_description, therapeutically_significant, cas_number, protein_formula, protein_weight, investigational, approved, vet_approved, experimental, nutraceutical, illicit, withdrawn, molab_mono_mass, molab_inchi, molab_inchikey, molab_smiles, molab_average_mass, molab_formula, synthesis_potent_id, protein_weight_details, biotech_kind, plus_export				
external_identifiers	Any other identifiers that might be linked to the drug. This often includes numerical codes used during the research and development of the drug.	id, drug_id, identifier		drug_id, identifier	drug_id -> drugs	
external_link_citations	Each row represents a reference relationship between a related row/object (Drug, drug interaction, etc.) and an external link. The external_resource_identifiers table stores unique identifiers used by various external databases and resources to represent drugs, salts, and metabolites. Each row links a DrugBank record to an identifier used in an external database, providing a cross-reference that facilitates the integration and comparison of data across diverse biomedical, chemical, and pharmacological platforms. The identifiers enable users to access additional information about these substances from multiple sources such as Wikipedia, ChEBI, ChEMBL, PubChem Compound, PubChem Substance, Drugs Product Database (DPD), ChEMBLider, BindingDB, National Drug Code Directory, Genbank, PharmKB, PD8, Guide to Pharmacology, ZINC, RxCUI, UniProtKB, IUPHAR, and the Human Metabolome Database (HMDB). This cross-referencing is vital for research and development in the pharmaceutical and biotechnological fields, enhancing the understanding of drug properties and interactions.	cited_external_link_id, referencer_id, referencer_type	cited_external_link_id, referencer_id, referencer_type		cited_external_link_id -> cited_external_links	referencer_type on referencer_id -> bonds, drugs, reactions, smp_actions, structured_drug_interactions, allergy_details, allergy_presentations, cross_sensitivities, structured_adverse_effects, drug_synonyms, external_identifiers, structured_pharmacology_clearances, structured_pharmacology_bioavailabilities, structured_pharmacology_volume_of_distributions, structured_pharmacology_half_lives, structured_pharmacology_route_of_eliminations, structured_pharmacology_protein_bindings, structured_pharmacology_aus, structured_pharmacology_cmaxes, structured_pharmacology_tmmaxes, structured_pharmacology_median_lethal_dosages
external_resource_identifiers		record_type, record_id, source, identifier	record_type, record_id, source, identifier			record_type on record_id -> drugs, metabolites, salts
food_interactions	Each row describes an interaction between a food and a drug, linked by the drug_id column.	id, drug_id, drug_drugbank_id, description			drug_id -> drugs	
gene_regulations	This table contains pharmacogenomics data. It describes the changes to gene expression in the presence of a given drug.	id, drug_id, gene_symbol, gene_id, gene_name, change, interaction, chromosome_location, uniprot_id			drug_id -> drugs	
ignored_products		country, code, reason	country, code			
indication_attributes	Indications have a number of optional, string array-valued attributes which cannot be represented in a single column. Each row in this table represents one value element of the array in a given attribute.	indication_id, relationship, value	indication_id, relationship, value		indication_id -> structured_indications	
indication_categories	Each row in this table describes an additional drug category which plays a role in the indication. This could be either as an adjunct, or as a category of drugs used directly in combination as part of the indication.	indication_id, category_id, relationship	indication_id, category_id		indication_id -> structured_indications; category_id -> categories	
indication_conditions	Each row in this table describes a relationship between an indication and a condition. An indication may have more than one related condition.	indication_id, condition_id, relationship	indication_id, condition_id, relationship		indication_id -> structured_indications; condition_id -> conditions	
indication_drugs	Each row in this table describes an additional drug which plays a role in the referenced indication. This could be either an adjunct drug, or a drug which is used directly in combination as part of the indication.	indication_id, drug_id, relationship	indication_id, drug_id		indication_id -> structured_indications; drug_id -> drugs	
indication_product_concepts	Each row in this table describes a product concept which plays a role in the referenced indication. This could be either directly as a means of delivering the main drug of this indication, along with one or more combination drugs, or to deliver other drugs which play a part in the indication.	indication_id, product_concept_id, relationship	indication_id, product_concept_id		indication_id -> structured_indications; product_concept_id -> product_concepts	
ingredients	A list of the ingredients (drugs, salts) present in a product, including the active and supplemental (inactive) ingredients.	id, drug_id, salt_id, product_id, strength, strength_number, strength_unit, clinically_relevant			drug_id -> drugs; salt_id -> salts; product_id -> products	
labelers	Labelers describe the manufacturer, repackager, re-labeler or the named company that appears on a product label.	id, name, normalized_name, url				
metabolite_regulations	This table contains metabolomics data. It describes the changes to metabolite disposition in the presence of a given drug.	id, drug_id, change, metabolite, hmdb_id			drug_id -> drugs	
metabolites	A table containing details regarding metabolites that are produced as a result of drug metabolism. Each metabolite is associated with a drug through reaction elements (for metabolites, the element_type column will be 'Metabolite').	id, drugbank_id, name, description, cas_number, activity, molab_smiles, molab_formula, molab_inchi, molab_inchikey, molab_average_mass, molab_mono_mass		name		
organisms	Organisms are stored in the organisms table.	id, name				
orphan_designation_drugs	Join table associating drugs with their orphan designations. Each orphan designation has one or more drugs.	id, drug_id, orphan_designation_id			drug_id -> drugs; orphan_designation_id -> orphan_designations	
orphan_designations	Describes the orphan designations for rare diseases without being specifically tied to any one set of regulatory standards or rules.	id, condition_id, source, designation_status, designation_date			condition_id -> conditions	
orphan_fda_designations	This table stores information about FDA designations for orphan designations. A property right issued by the United States Patent and Trademark Office (USPTO) to an inventor for a limited time, in exchange for public disclosure of the invention when the patent is granted. Drugs may be issued multiple patents.	cf_grid_key, orphan_designation_id, generic_name, orphan_designation, designation_date, designation_status, marketing_approval_date, exclusivity_end_date, approved_labeled_indication, exclusivity_protected_indication			orphan_designation_id -> orphan_designations	
potents		id, drug_id, country, number, approved_on, expires_on, ped_extension, filed_on	id	drug_id, country, number	drug_id -> drugs	
pathway_drugs	Represents the many-to-many relationship between a Pathway and the DrugBank drugs that are present in that pathway.	smpdb_id, drug_id	smpdb_id, drug_id		smpdb_id -> pathways; drug_id -> drugs	
pathway_enzymes	Represents the many-to-many relationship between a Pathway and the enzymes that are present in that pathway, as represented through the UniProt accession number.	smpdb_id, uniprot_id	smpdb_id, uniprot_id		smpdb_id -> pathways	
pathways	Metabolic, disease, and other biological pathways as identified by the Small Molecule Pathway Database (SMPDB).	smpdb_id, name, category				
pfam_clon_memberships	A join table that maps [Pfam](http://pfam.xfam.org/) families to their respective Pfam clans.	pfam_identifier, pfam_clon_identifier	pfam_clon_identifier, pfam_identifier			
pfam_clans	This table stores information about [Pfam](http://pfam.xfam.org/) clans. Clans are groups of related Pfam families that are believed to have a common evolutionary ancestor or share significant structural or functional features.	identifier, name, previous_name, clan_description, clan_author, deposited_by, clan_comment, clan_updated, clan_created, version, number_structures, number_archs, number_species, number_sequences, computed, uniprot_computed, pfam_id, name, previous_name, description, deposited_by, seed_source, type_class, comment, sequence_ga, domain_ga, sequence_tc, domain_tc, sequence_nc, domain_nc, build_method, model_length, search_method, mv_lomdo, mv_mu, viterbi_lomdo, viterbi_mu, forward_lomdo, forward_mu, nuc_seed, nuc_full, pfam_updated, pfam_created, version, number_archs, number_species, number_structures, overage_length, percentage_id, overage_coverage, change_status, seed_consensus, full_consensus, number_shuffle_hits, number_uniprot, rg_seed, number_rp15, number_rp35, number_rp55, number_rp75				
pfams	This table contains detailed information about individual [Pfam](http://pfam.xfam.org/) protein families. This table can be used in conjunction with the 'polypeptide_pfams' table to map polypeptides to one or more Pfam accessions.	id, drug_id, indication, pharmacodynamics, mechanism_of_action, absorption, toxicity, protein_binding, metabolism, half_life, route_of_elimination, volume_of_distribution, clearance			drug_id -> drugs	
pharmacologies	Describes the use, mechanism of action, pharmacokinetics, pharmacodynamics, and physiological or biochemical effects in the body.	pin_warning_id, relationship, value	pin_warning_id, relationship, value		pin_warning_id -> structured_pin_warnings	
pin_warning_attributes		pin_warning_id, category_id	pin_warning_id, category_id		pin_warning_id -> structured_pin_warnings; category_id -> categories	
pin_warning_categories		pin_warning_id, condition_id, relationship	pin_warning_id, condition_id, relationship		pin_warning_id -> structured_pin_warnings; condition_id -> conditions	
pin_warning_conditions		pin_warning_id, drug_id	pin_warning_id, drug_id		pin_warning_id -> structured_pin_warnings; drug_id -> drugs	
pin_warning_drugs	A join table that associates polypeptides with one or more [Pfam](http://pfam.xfam.org/) identifiers	uniprot_id, pfam_id	uniprot_id, pfam_id		uniprot_id -> polypeptides; pfam_id -> pfams	
polypeptide_pfams	This table contains synonymous names for polypeptides in the 'polypeptides' table, extracted from the 'alternative_names' field of the corresponding [UniProt](https://www.uniprot.org/) record	id, uniprot_id, synonym			uniprot_id -> polypeptides	
polypeptide_synonyms		uniprot_id, name, uniprot_name, uniprot_source, gene_name, organism_id, molecular_weight, theoretical_pi, general_function, specific_function, signal_regions, transmembrane_regions, pdb_ids, genbank_gene_id, genbank_protein_id, genrecord_id, locus, genoties_id, hpc_id, meta_cyc_id, ncbi_sequence_id, tissue_specificity, cofactor, subunit, cellular_location, amino_acid_sequence, gene_sequence			organism_id -> organisms	
polypeptides	A description of identified polypeptide targets, enzymes, carriers, or transporters.					

table_name	definition	column_names	primary_key_columns	unique_columns	foreign_joins	polymorphic_joins
product_concept_children	Represents the hierarchical relationships between product concepts. For any parent and child pair, the child has all the same attributes as the parent, with one additional attribute being set. For instance, a child may add route information to the information provided by the parent.	parent_id, child_id	parent_id, child_id		parent_id -> product_concepts; child_id -> product_concepts	
product_concept_components	Product concept components are analogous to product ingredients, representing drug and salt ingredients, with or without strength information.	product_concept_id, drug_id, salt_id, amount, per, units			product_concept_id -> product_concepts; drug_id -> drugs; salt_id -> salts	
product_concept_products	Represents the many-to-many relationship between DrugBank Product Concepts and Products (from the products table).	product_concept_id, product_id	product_concept_id, product_id		product_concept_id -> product_concepts; product_id -> products	
product_concept_revocation_suggested	Suggested alternative product concepts that can be used in the rare event that a product concept is revoked.	revocation_id, concept_id	revocation_id, concept_id		revocation_id -> product_concept_revocations; concept_id -> product_concepts	
product_concept_revocations	In the rare event that a product concept is revoked, this table stores a snapshot of the affected concept's historical data to ensure stability of the product concept data over time.	id, revoked_at, historical_data				
product_concepts	Each row describes a distinct group of features common to one or more drug products. The drugbank_id represents a stable DrugBank-assigned identifier that you can use to track products in your application.	id, drugbank_id, title, level, standing, ingredient_key, exact_ingredient_key, strength_key, brand, dosage_form, route, available_in_canada, available_in_us, available_in_eu, available_in_colombia, available_in_turkey, available_in_italy, available_in_malaysia, available_in_austria, available_in_indonesia, available_in_thailand, available_in_singapore, available_in_mexico, exported_classic, exported_in_canada, exported_in_us, exported_in_eu, exported_in_colombia, exported_in_turkey, exported_in_italy, exported_in_malaysia, exported_in_austria, exported_in_indonesia, exported_in_thailand, exported_in_singapore, exported_in_mexico				
product_concepts_rxnsci	Represents the many-to-many relationship between DrugBank product concepts and RxNorm concepts.	product_concept_id, rxnsci, title	product_concept_id, rxnsci		product_concept_id -> product_concepts	
product_images	This table contains images of drug products (e.g. tablets, capsules) in a variety of sizes.	product_image_id, product_id, description, full_url, medium_url, thumb_url, tiny_url			product_id -> products	
product_packages	This table describes packages and package combinations in which drug products may be supplied. Only includes packages marketed in the US.	id, product_id, ndc_package_code, normalized_ndc_package_code, country, amount, form, unit, full_description, description			product_id -> products	
products	The products table contains information about drug products. It is linked to the ingredients table, connecting the products to drugs, salts, and relevant dosage information.	id, labeler_id, name, ndc_product_code, normalized_ndc_product_code, started_marketing_on, ended_marketing_on, dosage_form, strength_key, route, application_number, generic, etc. approved, country, sds_id, mixture, approved_on, schedule, prescribable_name, ems_product_code, ems_no_number, standing, standing_updated_on, standing_reason, jurisdiction_marketing_category, branded, prescription, unapproved, vaccine, allergenic, cosmetic, kit, solo, available			labeler_id -> labelers	
protein_regulations	This table contains proteomics data. It describes changes to protein expression in the presence of a given drug.	id, drug_id, gene_symbol, gene_id, protein_name, change, chromosome_location, uniprot_id, description			drug_id -> drugs	
reaction_elements	This table contains details regarding the drugs and metabolites relevant to metabolic reactions in the 'reactions' table. Each element describes one drug or metabolite, indicated by the 'element_type' field and referenced in the 'element_id' field.	id, type, element_type, element_id, reaction_id, stoichiometry, circulating			reaction_id -> reactions	element_type on element_id -> drugs, metabolites
reaction_enzymes	Describes the enzymes involved in metabolic reactions identified in the 'reactions' table.	id, reaction_id, biobd_id, role, vmax, vmax_unit, km, km_unit, reaction_type		biobd_id, reaction_id	reaction_id -> reactions; biobd_id -> bio_entities	
reactions	Sequential representation of the metabolic reactions through which a drug molecule progresses. Used in conjunction with 'reaction_enzymes' and 'reaction_elements' tables, this data describes metabolizing enzymes, reaction types, substrates, products, pharmacological activity of metabolites, etc.	id, drug_id, direction, spontaneous, balanced_equation, sequence, reaction_type, activity, major			drug_id -> drugs	
salt_calculated_properties	Drug properties that have been predicted by ChemAxon or ALOOPS based on the input chemical structure. Associated links below will redirect to descriptions of the specific term.	salt_id, iupac_name, iupac_traditional_name, smiles, logp, average_moss, mono_moss, formula, inchl, inchkey, polar_surface_area, refractivity, polarizability, rotatable_bond_count, acceptor_count, donor_count, pka_strongest_acidic, pka_strongest_basic, physiological_charge, number_of_rings, bioavailability, rule_of_five, phase_filter, wber_rule, mdr_like_rule, alogps_logp, alogps_logs, alogps_solubility			salt_id -> salts	
salt_synonyms	The salt synonyms table stores alternative names and identifiers for salts, each row denoting one synym. This table helps link different salt names and formulations, supporting the identification and classification of salts in pharmaceutical compounding and production. By providing synonyms, the table assists in the standardization and easier cross-referencing of salt components in drugs across various databases and documents.	id, salt_id, synonym			salt_id -> salts	
salts	Identifies the available salt forms of specific drugs.	id, drug_id, drugbank_id, name, cas, molbd, smiles, molbd_formula, molbd_inchi, molbd_inchkey, molbd_average_moss, molbd_mono_moss		name, drug_id	drug_id -> drugs	
sequences	Describes the protein sequences for biologic therapeutic proteins.	id, header, chain, sequenceable_id, sequenceable_type, type			sequenceable_type on sequenceable_id -> drugs	
snp_actions	A list of single nucleotide polymorphisms (SNPs) relevant to drug activity or metabolism, and the effects these may have on pharmacological activity of the drug. The kind column indicates whether this record represents an adverse reaction (0) or more general effect (1).	id, drug_id, drug_accession, kind, uniprot_id, protein_name, gene_name, r_id, allele_name, defining_change, description, pubmed_ids			drug_id -> drugs	
structured_adverse_effects	Each row in this table represents a structured adverse effect for a drug, referenced by the drug_id column.	id, reference_id, drug_id, region, admin, usage, event, sex_group, min_age_amount, min_age_unit, max_age_amount, max_age_unit		reference_id	drug_id -> drugs	
structured_blackbox_warnings	Each row in this table describes a structured boxed warning for a drug referenced in the drug_id column. Boxed warnings typically highlight major safety risks and precautions associated with a drug's use and are sourced from official drug labels and monographs.	id, drug_id, kind, recommendation, management, administration, timeline, sex_group, min_age_amount, min_age_unit, max_age_amount, max_age_unit			drug_id -> drugs	
structured_contraindications	Each row in this table describes a contraindication for a drug. Used in conjunction with other contraindication tables (e.g. 'contraindication_conditions'), provides a mapping between drugs and conditions, drugs, and/or drug categories with which they are contraindicated.	id, drug_id, region, time_period, sex_group, min_age_amount, min_age_unit, max_age_amount, max_age_unit			drug_id -> drugs	
structured_drug_interactions	Each entry maps pairs of drugs with a complete and structured description of the interaction between them. Each row represents a single structured drug-drug interaction. The subject drug is the culprit drug in a given interaction and the affected drug is drug being acted upon.	id, subject_drug_id, subject_drug_drugbank_id, subject_drug_name, subject_dosage, affected_drug_id, affected_drug_drugbank_id, affected_drug_name, affected_dosage, summary, extended_description, severity, evidence_level, management, action, subject_category_id, affected_category_id, conditions		subject_drug_id, affected_drug_id, subject_dosage, affected_dosage, subject_drug_drugbank_id, affected_drug_drugbank_id	subject_drug_id -> drugs; affected_drug_id -> drugs; subject_category_id -> categories; affected_category_id -> categories	
structured_indications	Each row in this table represents a structured indication for a drug. The drug_id column indicates which drug the indication is for.	id, drug_id, kind, off_label, etc_use, country, dose_form			drug_id -> drugs	
structured_pharmacology_aws	Structured pharmacokinetic data derived from text data stored in the absorption field of the pharmacologies table. Comprises area under the curve (AUC) values, a measurement of the total systemic exposure to a drug following its administration.	id, drug_id, value, min, max, unit, normalized_value, normalized_min, normalized_max, normalized_unit, dosage_route_id, dosage_form_id, dose_value, dose_min, dose_max, dose_unit, normalized_dose_value, normalized_dose_min, normalized_dose_max, normalized_dose_unit, fda_label_reference, sex, age_group			drug_id -> drugs; dosage_route_id -> dosage_routes; dosage_form_id -> dosage_forms	
structured_pharmacology_bioavailabil	Structured pharmacokinetic data derived from text data stored in the absorption field of the pharmacologies table. Comprises bioavailabilities (F), a measure of the extent to which a drug is absorbed into the systemic circulation.	id, drug_id, value, min, max, unit, normalized_value, normalized_min, normalized_max, normalized_unit, dosage_route_id, dosage_form_id, dose_value, dose_min, dose_max, dose_unit, normalized_dose_value, normalized_dose_min, normalized_dose_max, normalized_dose_unit, fda_label_reference, sex, age_group			drug_id -> drugs; dosage_route_id -> dosage_routes; dosage_form_id -> dosage_forms	
structured_pharmacology_clearances	Structured pharmacokinetic data derived from text data stored in the clearance field of the pharmacologies table. Comprises clearance (CL) data, a measurement of the rate at which a drug leaves the body.	id, drug_id, value, min, max, unit, normalized_value, normalized_min, normalized_max, normalized_unit, dosage_route_id, dosage_form_id, dose_value, dose_min, dose_max, dose_unit, normalized_dose_value, normalized_dose_min, normalized_dose_max, normalized_dose_unit, fda_label_reference, sex, age_group			drug_id -> drugs; dosage_route_id -> dosage_routes; dosage_form_id -> dosage_forms	
structured_pharmacology_cmaxes	Structured pharmacokinetic data derived from text data stored in the absorption field of the pharmacologies table. Comprises maximum concentration (C _{max}) values, a measurement of the peak serum concentration reached by a drug following its administration to a subject.	id, drug_id, value, min, max, unit, normalized_value, normalized_min, normalized_max, normalized_unit, dosage_route_id, dosage_form_id, dose_value, dose_min, dose_max, dose_unit, normalized_dose_value, normalized_dose_min, normalized_dose_max, normalized_dose_unit, fda_label_reference, sex, age_group			drug_id -> drugs; dosage_route_id -> dosage_routes; dosage_form_id -> dosage_forms	
structured_pharmacology_half_lives	Structured pharmacokinetic data derived from text data stored in the half-life field of the pharmacologies table. Comprises half-lives (t _{1/2}), a measurement indicating the time required for the concentration of an administered drug within the body to decrease by half.	id, drug_id, value, min, max, unit, normalized_value, normalized_min, normalized_max, normalized_unit, dosage_route_id, dosage_form_id, dose_value, dose_min, dose_max, dose_unit, normalized_dose_value, normalized_dose_min, normalized_dose_max, normalized_dose_unit, fda_label_reference, sex, age_group			drug_id -> drugs; dosage_route_id -> dosage_routes; dosage_form_id -> dosage_forms	
structured_pharmacology_medin_lethal	Structured pharmacokinetic data derived from text data stored in the toxicity field of the pharmacologies table. Comprises median lethal dosages (LD50), a measure of substance toxicity indicating the dose that causes death in 50% of animal test subjects.	id, drug_id, value, min, max, unit, fda_label_reference, mds_reference, organism_id, dosage_route_id			drug_id -> drugs; organism_id -> organisms; dosage_route_id -> dosage_routes	
structured_pharmacology_protein_bindi	Structured pharmacokinetic data derived from text data stored in the protein-binding field of the pharmacologies table. Comprises protein binding data expressed as a percentage, which indicates the proportion of drug which is protein-bound following its administration.	id, drug_id, value, min, max, unit, normalized_value, normalized_min, normalized_max, normalized_unit, dosage_route_id, dosage_form_id, dose_value, dose_min, dose_max, dose_unit, normalized_dose_value, normalized_dose_min, normalized_dose_max, normalized_dose_unit, fda_label_reference, sex, age_group			drug_id -> drugs; dosage_route_id -> dosage_routes; dosage_form_id -> dosage_forms	
structured_pharmacology_protein_bindi	Structured pharmacology protein bindings. Bio entities table contain all the bio-entities that were mentioned in a specific pharmacology protein binding. Bio-entities in Drugbank describe biological entities that may relate to drugs. Bioentities can be proteins (peptides/polypeptides), protein groups, small molecules, nucleotides, or groupings.	structured_pharmacology_protein_binding_id, bio_entity_id	structured_pharmacology_protein_binding_id, bio_entity_id		structured_pharmacology_protein_binding_id -> structured_pharmacology_protein_bindings; bio_entity_id -> bio_entities	

table_name	definition	column_names	primary_key_columns	unique_columns	foreign_joins	polymorphic_joins
structured_pharmacology_route_of_elim	Structured pharmacokinetic data derived from text data stored in the route_of_elimination field of the pharmacologies table. Comprises route of elimination data expressed as a percentage, which indicates the proportion of drug eliminated by different elimination routes (e.g. in the urine or feces).	id, drug_id, value, min, max, unit, normalized_value, normalized_min, normalized_max, normalized_unit, dosage_route_id, dosage_form_id, dose_value, dose_min, dose_max, dose_unit, normalized_dose_value, normalized_dose_min, normalized_dose_max, normalized_dose_unit, fda_label_reference, importance, elimination_type, sex, age_group			drug_id -> drugs; dosage_route_id -> dosage_routes; dosage_form_id -> dosage_forms	
structured_pharmacology_tmaxes	Structured pharmacokinetic data derived from text data stored in the absorption field of the pharmacologies table. Comprises time to maximum concentration (Tmax) values, a measurement of the time it takes for a drug to reach its maximum serum concentration (Cmax).	id, drug_id, value, min, max, unit, normalized_value, normalized_min, normalized_max, normalized_unit, dosage_route_id, dosage_form_id, dose_value, dose_min, dose_max, dose_unit, normalized_dose_value, normalized_dose_min, normalized_dose_max, normalized_dose_unit, fda_label_reference, sex, age_group			drug_id -> drugs; dosage_route_id -> dosage_routes; dosage_form_id -> dosage_forms	
structured_pharmacology_volume_of_dis	Structured pharmacokinetic data derived from text data stored in the volume of distribution field of the pharmacologies table. Comprises volumes of distribution (Vd), a measurement that describes the distribution of a drug throughout the body following administration.	id, drug_id, value, min, max, unit, normalized_value, normalized_min, normalized_max, normalized_unit, dosage_route_id, dosage_form_id, dose_value, dose_min, dose_max, dose_unit, normalized_dose_value, normalized_dose_min, normalized_dose_max, normalized_dose_unit, fda_label_reference, sex, age_group			drug_id -> drugs; dosage_route_id -> dosage_routes; dosage_form_id -> dosage_forms	
structured_pim_warnings		id, drug_id, category_id, source, kind, evidence_level, severity, timeline, description, motivation, considerations, alternatives, precisions, sex_group, min_age_amount, min_age_unit, max_age_amount, max_age_unit, min_dose, min_daily_dose			drug_id -> drugs; category_id -> categories	
taxonomy	The taxonomy table stores hierarchical chemical classification data for drugs, as derived from the ClassyFire taxonomy system. Each row in the table represents the complete chemical classification of a drug, from the broadest category (kingdom) down to specific chemical groups (substituents) that characterize the drug. This detailed classification aids in understanding the chemical properties and potential therapeutic uses of drugs based on their molecular structure and biological activity. The table serves as a critical resource for researchers and healthcare professionals in identifying and studying drugs based on their chemical taxonomy.	drug_id, kingdom, superclass, klass, subclass, direct_parent, alternative_parents, substituents, description			drug_id -> drugs	
text_indications		drug_id, drugbank_id, indication			drug_id -> drugs	
textbook_citations	Each row represents a reference relationship between a related row/object (drug, drug interaction, etc.) and a textbook.	cited_textbook_id, referencer_id, referencer_type, pages, chapter, chapter_author	cited_textbook_id, referencer_id, referencer_type		cited_textbook_id -> cited_textbooks	referencer_type on referencer_id -> bonds, drugs, reactions, snp_actions, structured_drug_interactions, allergy_details, allergy_presentations, cross_sensitivities, structured_adverse_effects, drug_synonyms, external_identifiers, structured_pharmacology_clearances, structured_pharmacology_bioavailabilities, structured_pharmacology_volume_of_distributions, structured_pharmacology_half_lives, structured_pharmacology_route_of_eliminations, structured_pharmacology_protein_bindings, structured_pharmacology_ous, structured_pharmacology_cmaxes, structured_pharmacology_tmaxes, structured_pharmacology_median_lethal_dosages
uniiis	Provides mapping of the FDA's Unique Ingredient Identifiers (UNII)s to DrugBank drugs and salts. Useful in mapping directly to DrugBank if you are using UNIIIs.	unii, record_id, record_type				record_type on record_id -> drugs, salts