

Security Assessment Report

PROPOSED LAYOUT PREVIEW — built from the 2026-06-02 02:00 run data. No production file changed.

Layout: (1) Executive Summary → (2) Findings grouped Environment→Module→Severity → (3) Details: HIGH/Critical with *deep cross-module & cross-environment kill chains*, then MEDIUM/REVIEW/LOW (no correlation) → (4) Lessons Learned: where the noise is & how to cut it next hunt → (5) Appendix "Investigation View for Analyst": every finding in bullet form, env→module→severity, with pivot queries. No finding dropped.

1. Executive Summary

HIGH: 5**MEDIUM: 6****REVIEW: 41****LOW: 39****CLEAN: 21**

2. Findings (Environment → Module → Severity)

DEV-GL — 26 findings

HIGH 0**MEDIUM 2****REVIEW 9****LOW 10****CLEAN 5**

DEV-GL → account (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	No new accounts/group adds/Kerberoast/log clear/RDP hijack; Defender N/A (ESET feed)	4720/4728/4732/4756/4769/1102(Sec)/104/4778/4779=0		None

DEV-GL → azure (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	No Azure events in 24h on casepoint.in stream - feed empty (potential ingestion gap, monitoring blind spot)	query * over 86400s on 69fb008584d94819ed097db0 = 0 results		Verify Event Hub to Graylog ingestion path for casepoint.in is healthy

DEV-GL → db (3)

Sev	Finding	Evidence	MITRE	Action
REVIEW	NOT ASSESSED this run - Redis CONFIG/SLAVEOF/MODULE coverage gap; NOAUTH and FLUSHALL returned 0 hits	Lucene too_many_nested_clauses on initial query; retry NOAUTH OR FLUSHALL on 5f241094eaf28958d8a62c18: 0		Re-run manually: aggregate stream 5f241094eaf28958d8a62c18 query:CONFIG field:source rangeSeconds:86400
REVIEW	PG_Bouncer: 181 FATAL 'database does not exist' across 9 hosts; ASD_8688_61162 on MTARAPG23 retrying ~1/min	DRMTFPG11(88), MTFPG01(34), MTARAPG23(19); ASD_8688_61162 seen 7+ times in 30 min on MTARAPG23		Remove ASD_8688_61162 stale entry from MTARAPG23 pgbouncer; audit DRMTFPG11 for root cause of 88 hits

	dominant; OpenSearch node DRMTGLOS01 present	DRMTGLES02=303, DRMTGLOS01=24		narrow window to find spike origin
--	---	-------------------------------	--	------------------------------------

DEV-GL → dtc (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	Not applicable - no DTC Rebex stream on DEV-GL (DEV Rebex not in DTC set)	DTC set = Rebex_PROD/CA/PT (PROD-GL)		None

DEV-GL → edr (1)

Sev	Finding	Evidence	MITRE	Action
LOW	ESET DEV-GL: 2 events on DRMTES01 matched 'quarantine' - drill-down confirms scheduled report tasks, not threat detections	Audit_Event domain=Server task result=Success; 2026-06-01 05:30 and 14:30 UTC; 10.104.100.71		No action required; confirm ESET ERA scheduled quarantine-report jobs are admin-approved

DEV-GL → exfil (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	EXFIL DEV-GL: Outgoing Traffic Monitor has 0 events in 24 h - empty is normal for event-driven threshold stream	0 matches; stream 67a30a4898c6a26ff9c452d8; 86400 s window		No action required

DEV-GL → firewall (2)

Sev	Finding	Evidence	MITRE	Action
MEDIUM	79.124.49.0/24 cross-env scanner: .142 and .154 in DEV-GL, .102 in OP-GL - coordinated multi-environment scan	DEV-GL: 79.124.49.142=31 and 79.124.49.154=30 denies; OP-GL: 79.124.49.102=16 denies	T1595.001	Block 79.124.49.0/24 at all perimeter firewalls; cross-reference dstports across DEV and OP environments
MEDIUM	Top external scanners: 93.123.72.166(162) 42.96.33.3 China(124) 152.42.224.71 DO(114) in 3000-sample of 367273 denies	stream 66f7b0ab98dc776079fbf143; 1105 unique srcips; 367273 total denied in 24h; heavily truncated	T1595.001	Add firewall block for top-5 repeat scanners; check dstports to determine if specific services are targeted

DEV-GL → iis (2)

Sev	Finding	Evidence	MITRE	Action
LOW	45.223.81.0/24 + upstream 123.253.153.138 404s are favicon/.map noise via LB proxy chain, benign	134 404s 45.223.81.2; /favicon.ico,/sm/*.map on fxqa/axatqa; XFF chain 123.253.153.138,45.223.81.2,host		No action; 45.223.81.x is the proxy hop not the client. Not a DEV scan
LOW	No SQLi/XSS/traversal/webshell/scanner/SSRF activity in DEV/QA IIS	~2.0M reqs/24h; all attack-token aggregations returned 0 matches		No action; injection surfaces clean for the window

DEV-GL → lb (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	NOT ASSESSED this run - LB coverage gap: 0 events for login/permission/config/cert in KEMPLM stream	stream 66c5b8b4cda099153f85ed47 returned 0 matched events; consistent with prior run result		Sample KEMPLM raw log format; identify correct event

DEV-GL → linux (2)

Sev	Finding	Evidence	MITRE	Action
REVIEW	Credentialed scanner nsu@10.102.100.199 sudo-reads /etc/shadow,/etc/sudoers,/etc/passwd across MT*/DRMT* PG fleet	4463 Accepted nsu logins; read-only sudo audit 2026-06-01T16:34-16:49Z; no writes/useradd	T1078 T1003.008 T1087 T1083 T1082	Confirm nsu/10.102.100.199 is the sanctioned credentialed scanner; if unknown, disable nsu and rotate creds
LOW	Allow-listed \${jndi} SSH invalid-user probe from 10.102.100.199; all failed, no kill-chain in 60s	70 hits ~2026-06-01T15:37Z; Invalid user, zero Accepted	T1190 T1110	Allow-listed; verify 10.102.100.199 belongs to the internal scanner, not an external relay

DEV-GL → mfa (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	Securevoy DEV-GL: 96 auth failure/denied/lockout events in 24 h - MTSCRENV01 (74), MTSCRENV02 (22); username pivot required	96 events; MTSCRENV01=74, MTSCRENV02=22; stream 66ab95ee9c145a54aeb3cc3e	T1110.001 T1078	Pivot by username; determine if failures cluster on one account or are distributed across users

DEV-GL → process (1)

Sev	Finding	Evidence	MITRE	Action
LOW	LOLBin use is benign: regsvr32 /s eCase dtengine64.dll and certutil -store/-hashfile	32 hits; regsvr32 E:\Share\eCase\Common\dtengine64.dll; certutil -store -v My	T1218.010 T1140	Baseline eCase regsvr32 + certutil hashing; alert on certutil -urlcache/-decode or encoded PowerShell

DEV-GL → rdp (4)

Sev	Finding	Evidence	MITRE	Action
REVIEW	B4 shared-admin ssadmin rapid-hops across MT dev workstations within seconds	10.102.50.77/78; MTDEVWS26 04:55:22Z->MTDEVWSINET19 04:55:48Z (26s); 16 sessions	T1078.002 T1021.001	Confirm ssadmin is sanctioned dev-pool automation; named accounts + MFA; baseline admin IPs
LOW	B3 offshore cohort after-hours RDP (benign); 96% via RDS gateway IPs	1083 type-10; gateway 10.103.2.5 x551, 10.103.2.4 x490; derived-hour partial		After-hours allow-list for cohort; alert on new user or non-gateway source IP
LOW	B2 failed-then-succeeded (patelp/bureps) recurring legit users; benign post-login	patelp 17f+14 type-10 ok; follow-on = regsvr32 eCase / certutil store only	T1078	No action; spot-check patelp processes if revisited
LOW	B1 large failed-login population (password fatigue/expiry) across dev workstations	4625 x334; patelp=17 sharmm=14 ranani=12 bansav=10; 240 bad-pw/57 expired/1 disabled	T1110.003	User password resets/expiry comms; review temp/service acct MTTEMP2K22; no containment

DEV-GL → service (1)

Sev	Finding	Evidence	MITRE	Action
LOW	High 7045 volume is PDQ + SCCM bootstrap + ESET/OneDrive/Office updaters (benign)	7045=3848: PDQInventory-Scanner-1 x3269, PDQDeployRunner-1 x543, SMS bootstrap		Suppress PDQ/updater noise; alert on non-standard service-name installs

Sev	Finding	Evidence	MITRE	Action
LOW	External client polling HTTPS portal on regular cadence, all HTTP 200, no transfers/failures	208.185.225.66 287 hits/24h ~every 18min, 200 OK; Cato 123.253.153.138 6 failed (FP)		None - likely monitoring client; confirm 208.185.225.66 is a known monitor

DEV-GL → switch (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	NOT ASSESSED (partial) - 7436 events in SURAT_SWITCHES; SRSW01-1=1421 events; YOTTA_SWITCH stream NOT ASSESSED this run	SRSW01-1=1421, SRSW02-3=486, SRSW05-1=321, SRSW08-1=309; YOTTA_SWITCH 67a210b398c6a26ff9c3a45f not queried		Drill down on SRSW01-1 to classify event types; run separate aggregate on YOTTA_SWITCH stream 67a210b398c6a26ff9c3a45f

DEV-GL → virt (2)

Sev	Finding	Evidence	MITRE	Action
REVIEW	VCenter DEV-GL: 6,486 login/permission/clone events from mtvcenter01 in 24 h - very high volume vs other envs (AZ 1403, PROD 2088)	6486 total matched, 1000 sampled (truncated); source=mtvcenter01; stream 66d7eb5aa8f61e664e846a8e	T1078 T1021	Confirm 6486 is within DEV baseline; filter to failed logins and VM create/delete/export to rule out automated harvesting
CLEAN	DEV-GL ESXi: No login/ssh/shell events in 24 h	ESXi stream 675aece4368f9f442228cb83: 0 matches; 86400 s window		No action required

PROD-GL — 35 findings

HIGH 1 MEDIUM 1 REVIEW 15 LOW 13 CLEAN 5

PROD-GL → account (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	No new accounts, no privileged group adds, no Kerberoast, no log clear, no RDP hijack	4720/4728/4732/4756/4769/1102(Sec)/104(Sys)/4778/4779 = 0		None

PROD-GL → azure (6)

Sev	Finding	Evidence	MITRE	Action
REVIEW	SP credential (X509) + ClaimIssuancePolicy added to enterprise app Storylane from Azure IP	13.93.155.8 2026-06-01T16:04Z Add service principal credentials + Add policy to SP Storylane	T1098.001 T1606.002	Confirm SSO onboarding change ticket for Storylane; validate cert thumbprint and approver
REVIEW	Tenant-wide admin consent + delegated grant (User.Read openid, AllPrincipals) to app Blissbook	4.216.182.52 ESTS 2026-06-01T15:36Z Consent to application IsAdminConsent=True OnBehalfOfAll=True	T1098.003	Validate who approved Blissbook SaaS consent; low scope but confirm app legitimacy
REVIEW	Single user 232 failed auths from one residential IP - stuck client vs targeted, no success seen	ghansyam.patel@casepoint.com 232 fails 73.172.199.239 codes 50126/50020 24h	T1110	Contact user/EUC; if unexplained force credential reset and review client config

	consistent device, not impossible travel			IE; otherwise benign Cloud PC
LOW	Conditional Access blocks (53003) high volume but spread across many residential IPs - routine enforcement	6981 events 212 IPs top 173.73.243.61 x301, 68.33.7.191 x295 24h	T1078	No action; baseline. Spot-check any IP that later shows a success
CLEAN	No Identity Protection risky sign-ins; clean geography (US/IN/IE only); no token-replay or impossible-travel anomaly	risky=0; success geo US 4782 IN 213 IE 5; MFA-claim sign-ins from trusted IPs		None; continue monitoring

PROD-GL → db (3)

Sev	Finding	Evidence	MITRE	Action
REVIEW	NOT ASSESSED this run - Redis CONFIG/SLAVEOF/MODULE coverage gap; NOAUTH and FLUSHALL returned 0 hits	Lucene too_many_nested_clauses on initial query; retry NOAUTH OR FLUSHALL on 5f2d59f8a7226b1a12739a7f: 0		Re-run manually: aggregate stream 5f2d59f8a7226b1a12739a7f query:CONFIG field:source rangeSeconds:86400
REVIEW	Elasticsearch: 1189 errors in 24h across 11 hosts; LDGLES01(692)+LDGLES02(464) dominant - unsampled	1189 hits not truncated; LDGLES01=692, LDGLES02=464; CAES* nodes 3-4 each; error type unconfirmed		Sample PROD-GL ES errors to confirm DocumentLevelMonitorRunner pattern vs genuine cluster issues
LOW	Pgbouncer: 18 FATAL 'database does not exist' across 5 hosts - operational stale pool entries, not auth failure	LDARAPG01(6), LDPTFPG11(5), LDARAPG15(4), CAPG22(2), LDARAPG23(1); all ASD_* db not found		Audit pgbouncer pool configs on LDARAPG01, LDPTFPG11, LDARAPG15, CAPG22, LDARAPG23; remove stale entries

PROD-GL → defender (1)

Sev	Finding	Evidence	MITRE	Action
HIGH	465 Defender malware detections (EICAR test file + Worm:Win32/Sobig.A) on 14 CAAGT processing agents; no 1117 remediation forwarded	1116 x465 across CAAGT201/206/005.; share \\canas02; user LD\ldrsvc; 2026-06-01	T1204 T1105	Confirm quarantine/removal of flagged files in client datasets on canas02; verify Defender 1117/5007 forwarding; confirm scan-at-rest only (no execution)

PROD-GL → dtc (2)

Sev	Finding	Evidence	MITRE	Action
REVIEW	DTC root scanning - bot GET / returning 403 from spoofed chrome/88 UA, all blocked	~1156 403 in 24h; 103.11.65.66, 216.189.157.216, 162.213.37.53, 162.213.36.11	T1595,T1190	Confirm WAF 403 holds; consider rate-limit/geo-block of repeat scanner IPs
LOW	Legitimate authenticated DTC upload/download sessions, HTTP 200	julielaboe@gmail.com via 73.219.191.130; casre01@casepoint.com via 38.101.76.200 (3619 polling calls)		None - normal DTC activity

PROD-GL → edr (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	ESET PROD-GL: No threat, quarantine, or malware detection events in 24 h	0 matches; stream 6746ab2cce1f534b45f8ff43; 86400 s window		No action required

PROD-GL → firewall (1)

REVIEW	PROD Fortigate action:deny returns 0 of 1705538 events; only action:accept and action:close logged - deny visibility missing	action:deny=0; action:* confirmed 1705538 events with accept/close in stream 666bf2f2ef368d4b942dbdb8		Check PROD Fortigate logging profile; try action:drop action:blocked action:reject; escalate if deny logging confirmed disabled
--------	--	---	--	---

PROD-GL → iis (3)

Sev	Finding	Evidence	MITRE	Action
REVIEW	Azure-hosted 20.116.138.152 high 401 volume as sync service accounts (CollaborationSync/PALConfig)	2342/5000 sampled 401s, ~251k reqs/24h; users copaxcuser/couaxcuser/ld\coppbcuser; status 200+401 mix	T1110	Confirm 20.116.138.152 is an approved CasePoint sync node; if not, treat 401 burst as credential abuse
LOW	No SQLi/XSS/traversal/webshell/scanner/SSRF activity in PROD IIS	~5.17M reqs/24h; all attack-token aggregations returned 0 matches		No action; injection surfaces clean for the window
LOW	123.253.153.138 404 burst is source-map (.map) + favicon misses from authenticated browser, benign	818 404s; /Scripts/big.js-master/doc/big.js.map, /sm/*.map, /favicon.ico; user ujal.patel@casepoint.in		No action; deploy/exclude .map files to cut 404 noise. Not enumeration

PROD-GL → lb (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	NOT ASSESSED this run - LB coverage gap: 0 events for login/permission/config/cert in KEMPLM stream	stream 66d714172115713ad5f03567 returned 0 matched events; consistent with prior run result		Sample KEMP raw log format; identify correct event field names and vocabulary for future queries

PROD-GL → linux (2)

Sev	Finding	Evidence	MITRE	Action
LOW	Benign landscape-client error reading /etc/shadow (Too many open files) on LDPTARAREDIS03	2026-06-01T04:42Z landscape-client Errno 24 reading /etc/shadow		Operational; check file-descriptor limits on LDPTARAREDIS03 if recurring
CLEAN	No Linux compromise; passwd-/shadow- chmod benign cron; no miners/revshell/jndi/authorized_keys	25 hits cron chmod on CAPG11-23 at 16:00Z; FailedPwd=3; jndi=0		None; routine

PROD-GL → mfa (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	Securenvoy PROD-GL: 146 auth failure/denied/lockout events in 24 h - LDSCRENV02 (132), LDSCRENV01 (14); username pivot required	146 events; LDSCRENV02=132, LDSCRENV01=14; stream 663b26e79fb17a645f38b43e	T1110.001 T1078	Pivot by username to distinguish single-user token expiry from multi-user spray pattern

PROD-GL → rdp (4)

Sev	Finding	Evidence	MITRE	Action
-----	---------	----------	-------	--------

	within 44-75s from one admin IP	10:21:39Z; 12 type-10 sessions		move to per-admin named accounts + MFA; baseline its IP
LOW	B3 offshore IST night-shift cohort RDP after-hours (benign extended shift)	215 type-10 via gateway; surname+digit accts into LDDEVWS; derived-hour		Create after-hours allow-list for the offshore cohort; alert only on NEW user or new source IP after-hours
LOW	B1 failed-login bursts (password fatigue/expiry), no brute-force burst from a single external IP	4625 x70; patkev1=9 patpre1=6 chauan1=6 sarojn1=6; 49 bad-pw/15 expired	T1110.003	Notify users of expired/locked creds; no containment needed; watch for any switch to single-IP high-rate
LOW	B2 failed-then-succeeded users are recurring legit accounts; benign post-login	patkev1(9f)+2 ok, chauan1(6f)+3 ok; follow-on = certutil hashfile/PDQ only	T1078	No action; confirm no off-baseline process for patkev1/chauan1 if revisited

PROD-GL → service (1)

Sev	Finding	Evidence	MITRE	Action
LOW	High 7045 volume is PDQ Inventory/Deploy + updaters (benign IT tooling)	7045=4570: PDQInventory-Scanner-1 x3475, PDQDeployRunner-1 x1091		Baseline PDQ service-name pattern to suppress noise; alert only on non-PDQ/non-updater service names

PROD-GL → sftp (4)

Sev	Finding	Evidence	MITRE	Action
MEDIUM	Path-traversal/Shellshock exploit probes against Cerberus HTTPS portal, blocked by URI security check	172.185.40.47 17:16Z, 47.253.5.130 10:36Z, 101.47.8.187 06:19Z; POST /cgi-bin/./bin/sh, all blocked	T1190,T1083	Confirm WAF/security-check blocks all; geo/IP block the 3 source IPs at perimeter
REVIEW	PHP login recon GET /php/login.php against portal (no PHP app present)	45.156.129.52 @ 2026-06-01T20:50Z GET /php/login.php	T1595	Confirm 404/blocked; add IP to scanner blocklist if recurring
LOW	Scattered SFTP auth/connection failures, no single-IP burst, no correlated success	62 failed events / 35 IPs in 24h; top 118.193.45.149 (10)	T1110	No action; monitor 118.193.45.149 for escalation to burst
LOW	Large transfers legitimate (named auth users); Cato egress installer transfer likely false positive	patelr1 1.5GB .bak; brooke_axelrod@fd.org 490MB zip; gandhm1 CATO setup.exe via 199.27.40.187/123.253.153.138		None - Cato egress likely false positive; verify patelr1 .bak export is sanctioned

PROD-GL → switch (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	483 events from OPHQSW02-1 (282) and OPHQSW01-2 (192) matched link/auth/config keywords; event types unclassified	stream 6156afa656cbbc4888659459: OPHQSW02-1=282, OPHQSW01-2=192, DCRMSW01=6, 10.250.1.4=3		Drill down on OPHQSW02-1 raw messages; escalate to HIGH if auth-failure events found on HQ switches

PROD-GL → virt (3)

Sev	Finding	Evidence	MITRE	Action
REVIEW	VCenter PROD-GL: 2,088 login/permission/clone events across	2088 total; ldvcenter04=513, drvcenter02=487; stream 6734f42cec008759bf06859e	T1078 T1021	Filter to failed logins and VM lifecycle events; verify no

REVIEW	UCS PROD-GL: 66 admin/login/fault events from LDPTUCS01-A (62) and LDUCS01-B (4) in 24 h; event content not reviewed	66 events; LDPTUCS01-A=62, LDUCS01-B=4; stream 676a69183660c520434b622f	T1078	Review raw event content for account changes, unexpected admin sessions, or config modifications
CLEAN	PROD-GL ESXi and Dell iLO: No login/ssh/shell or login/privilege/firmware events in 24 h	ESXi stream 676e6b08bae08a556907ef8c: 0 matches; Dell iLO stream 675d42308a21511442647911: 0 matches		No action required

AZ-GL — 22 findings

HIGH 1 MEDIUM 1 REVIEW 5 LOW 8 CLEAN 7

AZ-GL → account (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	No B2/B4; no new accounts/group adds/Kerberoast/log clear/RDP hijack; Defender N/A; no LOLBin 4688	4720/4728/4732/4756/4769/1102(Sec)/104/4778/4779=0; B4 none		None

AZ-GL → azure (1)

Sev	Finding	Evidence	MITRE	Action
LOW	Infra tenant - negligible interactive sign-in, routine helpdesk/sync audit ops, no privileged role grants	275 AuditLogs: pwd resets/group adds; auth fails only 500014 x3; risky=0		None; baseline. Reconcile Disable account x1 against HR/IT if spot-checking

AZ-GL → db (3)

Sev	Finding	Evidence	MITRE	Action
REVIEW	NOT ASSESSED this run - Redis CONFIG/SLAVEOF/MODULE coverage gap; NOAUTH and FLUSHALL returned 0 hits	Lucene too_many_nested_clauses on initial query; retry NOAUTH OR FLUSHALL on 5f33a260ad43fe543bf8bc4b: 0		Re-run manually: aggregate stream 5f33a260ad43fe543bf8bc4b query:CONFIG field:source rangeSeconds:86400
REVIEW	AZ_Pure_Login OpenSearch document-level monitor failing every ~1 min on AZHGLES02 - indices not found graylog_*	3386 errors/24h from AZHGLES02; sample msg: indices not found-graylog_*; ~1/min cadence confirmed	T1562.001	Fix AZ_Pure_Login monitor index pattern in OpenSearch Alerting on AZHGLES02; restore login detection
LOW	PG_pgbouncer: 3 FATAL 'database does not exist' (AZHFPG16 x2, AZHARAPG57 x1) - stale pool entries, not auth failure	ASD_88_339, ASD_91_351 on AZHFPG16; ASD_857_49312 on AZHARAPG57; 2026-06-01		Audit pgbouncer pool config on AZHFPG16 and AZHARAPG57; remove stale ASD_* entries

AZ-GL → dtc (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	Not applicable - DTC Rebex streams (PROD/CA/PT) are PROD-GL only; AZ Rebex not in DTC set	DTC set = Rebex_PROD/CA/PT, all PROD-GL		None

AZ-GL → edr (1)

Sev	Finding	Evidence	MITRE	Action
-----	---------	----------	-------	--------

AZ-GL → firewall (2)

Sev	Finding	Evidence	MITRE	Action
HIGH	38.95.14.214 Telnet flood: 8738 denies targeting port 23/TCP on 209.249.209.146 via AZHFW01	dstport:23, dstip:209.249.209.146, 8738 total events, last seen 2026-06-01T21:39:34Z	T1595.001 T1595.002	Block 38.95.14.214 at AZHFW01; confirm port 23 is not exposed on 209.249.209.146
MEDIUM	10.220.235.0/24 internal subnet: 12+ hosts generating ~115 denies each in 3000-event sample of 122571 total	srcip 10.220.235.12/.13/.16/.17/.26/.35/.61/.72/.73/.100 each 113-117 hits; uniform pattern	T1041 T1071	Identify blocking policy; check if outbound or east-west; review ESET on affected hosts for compromise indicators

AZ-GL → iis (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	No web-attack activity across ~3.19M inetpub requests; only Bingbot 404s observed	3.19M reqs/24h; SQLi/XSS/trav/webshell/scanner/SSRF=0; 404s 40.77.167.75,157.55.39.223 (Bing)		No action; AZ IIS clean. Azure Event Hub detail not text-searchable, use Azure portal for sign-in detail

AZ-GL → lb (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	NOT ASSESSED this run - LB coverage gap: 0 events for login/permission/config/cert in KEMPLM stream	stream 66db5a007c076f66692b3c70 returned 0 matched events; consistent with prior run result		Sample KEMP raw log format; identify correct event field names and vocabulary for future queries

AZ-GL → linux (2)

Sev	Finding	Evidence	MITRE	Action
LOW	Allow-listed ceurufdrd high-volume SSH session churn from 10.220.200.213 across AZHARAES* fleet	5544 ceurufdrd auth/session lines; burst 2026-06-01T17:59Z; allow-listed	T1078	Confirm ceurufdrd is the sanctioned service/monitoring account; baseline its source 10.220.200.213
CLEAN	No Linux compromise; passwd-/shadow-chmod is benign root cron hardening, no miners/revshell/jndi	96 hits all CRON chmod u-x,go-rwx /etc/passwd- shadow- at 2026-06-01T16:00Z; FailedPwd=3 total		None; routine. Spot-confirm the 16:00Z cron job is the standard hardening task

AZ-GL → mfa (1)

Sev	Finding	Evidence	MITRE	Action
LOW	Securenvoy AZ-GL: 10 auth failure/denied/lockout events from AZHSCRENV01 in 24 h - low count, likely normal	10 events; source=AZHSCRENV01; stream 66063d0ac161322cd580be75; 86400 s	T1110.001 T1078	Monitor for volume increase; no immediate action required at 10 events

AZ-GL → rdp (2)

Sev	Finding	Evidence	MITRE	Action
-----	---------	----------	-------	--------

	shift)	00:03Z		after-hours
LOW	B1 single user >3 fails (patank1, bad password); password fatigue, not brute force	4625 x14; patank1=5 (0xC000006A); via gateway 10.227.2.69/70	T1110.003	User password reset comms; no containment

AZ-GL → service (1)

Sev	Finding	Evidence	MITRE	Action
LOW	High 7045 volume is PDQDeployRunner + Graylog winlogbeat sidecar (benign)	7045=2547: PDQDeployRunner-1 x1672, sidecar x852		Suppress PDQ/sidecar noise; alert on non-PDQ service installs

AZ-GL → sftp (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	Not applicable - AZ-GL has no SFTP streams; no queries run	streams.json by_gl.AZ-GL has no SFTP entry		None - confirm no SFTP service expected on AZ-GL

AZ-GL → switch (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	NOT ASSESSED this run - switch coverage gap: 0 events for link/auth/config keywords in Switch_Logs stream	stream 6530e16ef9823409afefd802 returned 0 matched events; query returned promptly		Re-run with broader query; sample raw messages to identify correct AZ switch syslog keyword patterns

AZ-GL → virt (3)

Sev	Finding	Evidence	MITRE	Action
REVIEW	VCenter AZ-GL: 1,403 login/permission/clone events from AZHVCENTER01 in 24 h; event-type breakdown not available	1403 total matched, 1000 sampled (truncated); source=AZHVCENTER01; stream 676c662feab15b60aad5bed8	T1078 T1021	Re-run query narrowed to failed logins and VM create/delete/clone/export; establish 30-day baseline
LOW	UCS AZ-GL: 4 admin/login/fault events from azucs01-a.cpsce.info. in 24 h - low count, normal UCS activity	4 events; source=azucs01-a.cpsce.info.; stream 676c677ceab15b60aad5bfe7; 86400 s		No immediate action; confirm events are routine UCS health or scheduled admin tasks
CLEAN	AZ-GL ESXi and Dell iLO: No login/ssh/shell or login/privilege/firmware events in 24 h	ESXi stream 676c6571eab15b60aad5be43: 0 matches; Dell iLO stream 676c67dceab15b60aad5c03c: 0 matches		No action required

OP-GL — 29 findings

HIGH 3

MEDIUM 2

REVIEW 12

LOW 8

CLEAN 4

OP-GL → account (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	No new accounts/group adds/Kerberoast/log clear; Defender N/A (ESET feed); process use benign (eCase regsvr32)	4720/4728/4732/4756/4769/1102(Sec)/104/4778/4779=0; regsvr32 dtengine64.dll only		None

Sev	Finding	Evidence	MITRE	Action
CLEAN	Not applicable - OP-GL has no Azure Event Hub stream	No Azure stream on OP-GL; not queried		None

OP-GL → db (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	Elasticsearch: 1865 errors in 24h from OPGLES01(930) and OPGLES02(935) - unsampled, error type unknown	1865 hits not truncated; OPGLES01=930, OPGLES02=935; Opensearch fallback stream not queried		Sample OP-GL ES errors; also aggregate Opensearch stream 68ef0a3dfa794807d75227c5 for full coverage

OP-GL → dtc (1)

Sev	Finding	Evidence	MITRE	Action
CLEAN	Not applicable - no Rebex/DTC stream on OP-GL	streams.json by_gl.OP-GL has no Rebex entry		None

OP-GL → edr (1)

Sev	Finding	Evidence	MITRE	Action
LOW	ESET OP-GL: 1 event on OPESET01 matched 'quarantine' - drill-down confirms scheduled report task, not a threat detection	Audit_Event domain=Server task result=Success; 2026-06-01 05:40 UTC; 10.150.100.71		No action required; confirm ESET ERA scheduled quarantine-report job is admin-approved

OP-GL → firewall (2)

Sev	Finding	Evidence	MITRE	Action
HIGH	176.123.10.82 persistent Telnet attack: 771 denies targeting port 23/TCP on 38.120.135.35, active as of 21:38Z	dstport:23, dstip:38.120.135.35, 771 events on OP_VA_FW; last seen 2026-06-01T21:38:20Z	T1595.001 T1595.002 T1133	Block 176.123.10.82 at OP_VA_FW; verify port 23 is not externally exposed on 38.120.135.35
HIGH	207.90.244.0/24 distributed port scan: 7 IPs targeting 216.200.231.226 across 10+ ports, 1890 total denies	ports: 23,53,80,1701,5804,8916,12229,12320,12436,28443; .2/.3/.5/.10/.13/.21/.25 all active on OP_VA_FW	T1595.001 T1046	Block 207.90.244.0/24 at OP_VA_FW; identify and audit services exposed on 216.200.231.226

OP-GL → iis (3)

Sev	Finding	Evidence	MITRE	Action
MEDIUM	External 165.224.131.250 encoded path-traversal/LFI probe vs doed.secureocp.com FOIAXpress (404)	2026-06-01 07:33:40; GET /.%2e/./etc/A... and /...ini; 3 reqs all 404; Firefox/110; no .nasl	T1190 T1083	Block/monitor 165.224.131.250 at WAF/FW; confirm FOIAXpress not vulnerable to dot-encoded traversal
REVIEW	38.120.135.35 ~300k 401s as op\oppbcuser to PALConfig SyncService - likely broken sync re-auth, not brute force	299,706 401s/24h single IP+single account; POST /PALConfig/WebServices/SyncService.svc; also 200s	T1110	Verify sync integration/credentials on 38.120.135.35; rule out credential abuse before dismissing

	param accepts UNC paths and external URLs - latent LFI/SSRF surface	authed va.gov/nih.gov users; all 200		file= to expected paths, block external URLs
--	---	--------------------------------------	--	--

OP-GL → linux (4)

Sev	Finding	Evidence	MITRE	Action
HIGH	Correlated multi-vector scan from 10.150.100.199 vs OPMMONIT01: credentialed shadow/sudoers audit + web path-traversal to /etc/passwd within ~1min	nsu sudo cat /etc/shadow 11:54Z + mmonit .%2e/etc/passwd 11:55:19Z; same host+src_ip	T1190 T1003.008 T1083 T1078 T1087	Confirm 10.150.100.199 is sanctioned scanner; if not, isolate OPMMONIT01 and rotate nsu creds
REVIEW	Credentialed scanner nsu@10.150.100.199 sudo audits passwd/shadow/sudoers/authorized_keys across OPANSI01/OPGLES0x/OPGLOS01/OPMMONIT01	2990 Accepted nsu logins; read-only sudo audit 2026-06-01T11:51-12:34Z	T1078 T1003.008 T1087 T1083	Confirm nsu/10.150.100.199 is sanctioned; verify the authorized_keys read-loop is scanner behavior not exfil
REVIEW	Nikto-style web vuln scan from 10.150.100.199 vs OPMMONIT01 mmonit-3.7.9; all probes failed	2084 hits; /etc/passwd, global.asa, trace.axd, SiteScope, ..\pixfir~1 probes; all 404/408	T1190 T1595	Confirm authorized scan window for 10.150.100.199; assess mmonit-3.7.9 exposure/patch level
LOW	Allow-listed \$jndi SSH invalid-user probe from 10.150.100.199; all failed, no kill-chain in 60s	63 hits 2026-06-01T11:33-11:57Z; Invalid user across OPANSI01/OPGL01/OPMMONIT01/OPPGDB01	T1190 T1110	Allow-listed; correlate with the same-IP web scan as one scanner campaign

OP-GL → mfa (1)

Sev	Finding	Evidence	MITRE	Action
LOW	Securenvoy OP-GL: 6 auth failure/denied/lockout events from OPSCRENV01 in 24 h - low count, likely normal	6 events; source=OPSCRENV01; stream 6819f0597708cd4fdd4d91f2; 86400 s	T1110.001	No immediate action; monitor for volume increase

OP-GL → rdp (5)

Sev	Finding	Evidence	MITRE	Action
REVIEW	B4 shared-admin ssadmin into OPDEVWS02 and OPDEVWS03 within ~17s from one admin IP	10.150.50.37; OPDEVWS02 11:00:31Z + OPDEVWS03 11:00:48Z; also 14x 4625 fails	T1078.002 T1021.001	Confirm ssadmin sanctioned automation; replace shared admin with named accounts + MFA; alert if ssadmin source IP changes
REVIEW	Single malformed base64-like TargetUserName in a 4625 (broken	1x 4625 TargetUserName starts @@CyBAAAAUBQYAMHArBwUA...	T1110	Identify source host/IP of the malformed-username 4625;

REVIEW	B1 ssadmin shared-admin 14x failed logons then success (hygiene concern)	4625 ssadmin=14; SubStatus mix bad-pw/none; later 4 type-10 successes	T1110.001 T1078.002	Validate who/what drives ssadmin auth; enforce lockout + MFA on shared admin; consider rename/retire
LOW	B2 failed-then-succeeded (obupal1/dhanws1/batavd1) are recurring legit users; benign post-login	obupal1 4f+ok, dhanws1 4f+ok, batavd1 5f+ok; no malicious follow-on	T1078	No action beyond ssadmin review above
LOW	B3 offshore cohort after-hours RDP (benign), incl IST early-morning sessions	159 type-10 via 10.152.2.4/6; tailob1 00:25Z, badera1 05:22Z, dhanws1 06:40Z		Add offshore cohort to after-hours allow-list; alert on new user/new source IP after-hours

OP-GL → service (1)

Sev	Finding	Evidence	MITRE	Action
LOW	High 7045 volume is PDQ Inventory/Deploy + Graylog sidecars (benign)	7045=4076: PDQInventory-Scanner-1 x1819, PDQDeployRunner-1 x1808		Suppress PDQ/sidecar service-name noise; alert on non-PDQ service installs

OP-GL → sftp (3)

Sev	Finding	Evidence	MITRE	Action
MEDIUM	Blocked SFTP scanner burst - 412 SSH connection attempts rejected (address blocked) in seconds	194.113.195.96 (Cloud Web Manage) 412 rejected ~06:53:29Z on SSH SFTP listener 2	T1110,T1595	Confirm IP stays blocked; verify no prior successful auth from this IP/ASN
LOW	Large transfers legitimate deliverable downloads; Cato egress top talkers likely false positive	OPartifacts 26.2.2.x zips (0.2-1GB) by 99.209.190.226/205.194.16.40/149.101.80.74; NYC Comptroller CSV 161.185.150.170; Cato 199.27.40.187/123.253.153.138 top		None - Cato egress and partner downloads expected; spot-check OPartifacts recipients are authorized
LOW	Scattered SFTP auth failures spread over hours, no burst, no correlated success	99 failed events / 41 IPs in 24h; top 20.121.123.108, 212.102.40.218 (10 each)	T1110	No action; low-and-slow noise, monitor for any IP escalating to burst

OP-GL → switch (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	NOT ASSESSED this run - switch coverage gap: 0 events for link/auth/config keywords in Switch_log stream	stream 6819eff37708cd4 added 4d8e36 returned 0 matched events; query returned promptly		Re-run with broader query; sample raw messages to identify correct OP switch syslog keyword patterns

OP-GL → system (1)

Sev	Finding	Evidence	MITRE	Action
REVIEW	77x 4719 audit-policy changes, all by machine accounts across session hosts (GPO/SCCM refresh)	4719 x77; SubjectUserName OPBSHST04\$/05\$/OPSCCM01\$/OUPHUD01\$; 2026-06-01	T1562.002	Confirm 4719 correlates to scheduled GPO/SCCM policy application (machine accounts,

OP-GL → virt (3)

Sev	Finding	Evidence	MITRE	Action
REVIEW	UCS OP-GL: 34 admin/login/fault events from source 10.151.1.32 in 24 h - raw IP as source, no hostname resolved	34 events; source=10.151.1.32; stream 6819edd17708cd4fdd4d7ccd; 86400 s	T1078	Identify 10.151.1.32; confirm it is a known UCS fabric interconnect or CIMC; review event content for account or config changes
REVIEW	VCenter OP-GL: 1,019 events; raw IP 10.150.100.199 appears as syslog source (1 event) alongside OPvCenter01 (999) - IP-as-source is anomalous	1019 total; OPvCenter01=999, 10.150.100.199=1; stream 6819ecf67708cd4fdd4d773a	T1078 T1021 T1580	Identify host 10.150.100.199; verify it is a known ESXi node or VCenter satellite, not a rogue system
CLEAN	OP-GL ESXi: No login/ssh/shell events in 24 h	ESXi stream 6819f3677708cd4fdd4db010: 0 matches; 86400 s window		No action required

3. Detailed Findings & Correlation

Correlation (kill chains) is shown only for HIGH/Critical. Lower tiers carry full detail and a pivot query so an analyst can still investigate.

HIGH / Critical — full detail with kill-chain correlation

HIGH — AZ-GL / firewall

Finding: 38.95.14.214 Telnet flood: 8738 denies targeting port 23/TCP on 209.249.209.146 via AZHFW01

Evidence: dstport:23, dstip:209.249.209.146, 8738 total events, last seen 2026-06-01T21:39:34Z

MITRE: T1595.001 T1595.002

Graylog query used: `action:deny streamId:66a9c02f66289250033ffd22 range:86400 agg-by:srcip`

Investigate further: `srcip:38.95.14.214 AND dstport:23 AND action:accept in stream 66a9c02f66289250033ffd22 range:86400` - confirm no Telnet session succeeded

Action needed: Block 38.95.14.214 at AZHFW01; confirm port 23 is not exposed on 209.249.209.146

No cross-module / cross-environment kill chain matched this HIGH this run — standalone. Investigate via the per-finding query above.

HIGH — OP-GL / firewall

Finding: 207.90.244.0/24 distributed port scan: 7 IPs targeting 216.200.231.226 across 10+ ports, 1890 total denies

Evidence: ports: 23,53,80,1701,5804,8916,12229,12320,12436,28443; .2/.3/.5/.10/.13/.21/.25 all active on OP_VA_FW

MITRE: T1595.001 T1046

Graylog query used: `action:deny streamId:6819f3307708cd4fdd4dad42 range:86400 agg-by:srcip`

Action needed: Block 207.90.244.0/24 at OP_VA_FW; identify and audit services exposed on 216.200.231.226

No cross-module / cross-environment kill chain matched this HIGH this run — standalone. Investigate via the per-finding query above.

HIGH — OP-GL / firewall

Finding: 176.123.10.82 persistent Telnet attack: 771 denies targeting port 23/TCP on 38.120.135.35, active as of 21:38Z

Evidence: dstport:23, dstip:38.120.135.35, 771 events on OP_VA_FW; last seen 2026-06-01T21:38:20Z

MITRE: T1595.001 T1595.002 T1133

Graylog query used: action:deny streamId:6819f3307708cd4fdd4dad42 range:86400 agg-by:srcip

Investigate further: srcip:176.123.10.82 AND action:accept in stream 6819f3307708cd4fdd4dad42 range:86400 - confirm no successful Telnet connection

Action needed: Block 176.123.10.82 at OP_VA_FW; verify port 23 is not externally exposed on 38.120.135.35

Kill chain KC-01 HIGH [OP-GL / firewall + iis]

38.120.135.35 â€™ Mass-Targeted Sync Node: External Bombardment + Internal Auth Abuse + Accepted Outbound Egress

Shared entity: IP 38.120.135.35

Reconstructed kill chain (ordered):

#	Tactic	Technique	Evidence
1	Reconnaissance	T1595.001 Active Scanning	1,345 unique external IPs generating 21,282+ FW events targeting 38.120.135.35 on OP_VA_FW (stream 6819f3307708cd4fdd4dad42); top attackers: 176.123.10.82 x804, 34.68.34.75 x786, 34.19.127.208 x771
2	Initial Access (blocked)	T1595.002 Vulnerability Scanning	Persistent Telnet (port 23) from 176.123.10.82, 771 denies, last seen 21:38Z 2026-06-01
3	Credential Access	T1110 Brute Force	38.120.135.35 generates 299,706 IIS 401s as op\opppbcuser to /PALConfig/WebServices/SyncService.svc with a mix of 200s, indicating a broken or replayed credential set
4	Command and Control	T1041 Exfil Over C2 / T1071 App Layer	Cross-check confirmed 222 ACCEPTED outbound firewall events with srcip:38.120.135.35 â€™ the host is not deny-only; it is actively making allowed egress connections

Contributing findings (cross-module):

- firewall (OP-GL): HIGH â€™ 176.123.10.82 Telnet attack + cross-check dstip query confirming 1,345 external sources and 79.124.49.102 (cross-env scanner, see KC-05) among them
- iis (OP-GL): REVIEW â€™ 299,706 401s from 38.120.135.35 as op\opppbcuser to PALConfig SyncService

Why this is HIGH: The same IP is (a) being bombarded by 1,345 external sources including known multi-environment scanners, (b) generating a quarter-million authentication failures against an internal service endpoint,

either a compromised sync server being used as a pivot or a highly exposed node that has lost credential integrity. Either scenario requires immediate investigation.

Confidence: HIGH

Correlated action: Identify 38.120.135.35 (DNS, asset inventory); determine whether port 23 is open; pull all dstips from the 222 accepted outbound connections; rotate op\oppbcuser credentials; if host ownership is unclear, isolate pending review.

HIGH — OP-GL / linux

Finding: Correlated multi-vector scan from 10.150.100.199 vs OPMMONIT01: credentialed shadow/sudoers audit + web path-traversal to /etc/passwd within ~1min

Evidence: nsu sudo cat /etc/shadow 11:54Z + mmonit .%2e/etc/passwd 11:55:19Z; same host+src_ip

MITRE: T1190 T1003.008 T1083 T1078 T1087

Graylog query used: message:"10.150.100.199" AND message:mmonit

Investigate further: OP Rsyslog 6819f29c7708cd4fdd4da5b6 source:OPMMONIT01 AND message:"10.150.100.199" sort time to reconstruct full scan timeline

Action needed: Confirm 10.150.100.199 is sanctioned scanner; if not, isolate OPMMONIT01 and rotate nsu creds

Kill chain KC-04 HIGH [OP-GL / linux + virt + graylog_infra]

10.150.100.199 â€” Three-Surface Internal Scanner: Credential Dump + Web Exploit Probe + Graylog Syslog Port Reconnaissance

Shared entity: IP 10.150.100.199

Reconstructed kill chain (ordered):

#	Tactic	Technique	Evidence
1	Reconnaissance	T1595 / T1110	jndi SSH invalid-user probes across OPANSI01, OPGL01, OPMMONIT01 (63 hits, 11:33-11:57Z)
2	Credential Access	T1078 / T1003.008	nsu sudo reads /etc/shadow, /etc/sudoers, /etc/passwd, /authorized_keys across OPANSI01/OPGLES0x/OPGLOS01/OPMMONIT01 (2,990 accepted nsu logins, 11:51-12:34Z)
3	Discovery	T1083 / T1087	read-only credential file enumeration via sudo cat/grep â€” collecting account list and hashed passwords
4	Exploit Public-Facing App	T1190	Nikto-style web scan on OPMMONIT01 mmonit-3.7.9 (2,084 probes including /etc/passwd, global.asa, trace.axd, path-traversal); correlated +1min after nsu sudo read
5	Discovery â€” Infra	T1046	Cross-check of virt stream 6819ecf67708cd4fdd4d773a confirms 10.150.100.199 sending TLS handshake binary + HTTP headers to opgl01.opex.info:5140 (Graylog syslog/GELF input) â€” the scanner is probing Graylog infrastructure ports
6	Cloud/Virt Discovery	T1580	10.150.100.199 appears as anomalous raw-IP syslog source in OPvCenter01 stream (1 event) alongside OPvCenter01 hostname (999 events)

Contributing findings (cross-module):

- linux OP-GL: REVIEW â€” Nikto scan 2,084 probes on OPMONIT01
- linux OP-GL: REVIEW â€” nsu credentialed scanner sudo audit across fleet
- linux OP-GL: LOW â€” jndi SSH probe
- virt OP-GL: REVIEW + cross-check â€” raw-IP syslog event in VCenter stream; TLS probe data sent to Graylog port 5140

Parallel entity DEV-GL: (cross-environment): IP 10.102.100.199 in DEV-GL performs the identical nsu + jndi pattern. These are almost certainly the same scanner deployed in parallel subnets (OP 10.150.x vs DEV 10.102.x). Both should be verified as sanctioned.

Confidence: HIGH (three confirmed surfaces; same IP; Graylog port probe adds a new dimension not in per-hunt findings)

Correlated action: Confirm 10.150.100.199 is an authorized vulnerability scanner with a current scan window ticket; if unknown, isolate immediately and rotate nsu credentials across the OP fleet; review whether Graylog GELF/syslog inputs on opgl01:5140 are externally accessible and whether TLS is enforced.

HIGH — PROD-GL / defender

Finding: 465 Defender malware detections (EICAR test file + Worm:Win32/Sobig.A) on 14 CAAGT processing agents; no 1117 remediation forwarded

Evidence: 1116 x465 across CAAGT201/206/005.; share \\canas02; user LD\ldprsvc; 2026-06-01

MITRE: T1204 T1105

Graylog query used: winlogbeat_winlog_channel:"Microsoft-Windows-Windows Defender/Operational" AND winlogbeat_winlog_event_id:1116

Investigate further: PROD-GL Winlog_beat 69f0732eed810c476d436c56: winlogbeat_winlog_event_id:(1117 OR 1118 OR 1119 OR 5001 OR 5007) to confirm action-taken/RTP-state per CAAGT host

Action needed: Confirm quarantine/removal of flagged files in client datasets on canas02; verify Defender 1117/5007 forwarding; confirm scan-at-rest only (no execution)

No cross-module / cross-environment kill chain matched this HIGH this run — standalone. Investigate via the per-finding query above.

MEDIUM — detail (6) (no kill-chain correlation — correlation is reserved for HIGH/Critical)

AZ-GL / firewall: 10.220.235.0/24 internal subnet: 12+ hosts generating ~115 denies each in 3000-event sample of 122571 total [T1041 T1071]

Evidence: srcip 10.220.235.12/.13/.16/.17/.26/.35/.61/.72/.73/.100 each 113-117 hits; uniform pattern

Action: Identify blocking policy; check if outbound or east-west; review ESET on affected hosts for compromise indicators srcip:10.220.235.0/24 AND action:deny in stream 66a9c02f66289250033ffd22 range:86400 agg-by:dstport - identify target services

DEV-GL / firewall: Top external scanners: 93.123.72.166(162) 42.96.33.3 China(124) 152.42.224.71 DO(114) in 3000-sample of 367273 denies [T1595.001]

Evidence: stream 66f7b0ab98dc776079fbf143; 1105 unique srcips; 367273 total denied in 24h; heavily truncated

DEV-GL / firewall: 79.124.49.0/24 cross-env scanner: .142 and .154 in DEV-GL, .102 in OP-GL - coordinated multi-environment scan [T1595.001]

Evidence: DEV-GL: 79.124.49.142=31 and 79.124.49.154=30 denies; OP-GL: 79.124.49.102=16 denies

Action: Block 79.124.49.0/24 at all perimeter firewalls; cross-reference dstports across DEV and OP environments `srcip:79.124.49.* AND action:deny in stream 66f7b0ab98dc776079fbf143 range:86400 agg-by:dstport; repeat in OP-GL stream 6819f3307708cd4fdd4dad42`

OP-GL / iis: External 165.224.131.250 encoded path-traversal/LFI probe vs doed.secureocp.com FOIAXpress (404) [T1190 T1083]

Evidence: 2026-06-01 07:33:40; GET /.%2e/.%2e/.../etc/A... and /...ini; 3 reqs all 404; Firefox/110; no .nasl

Action: Block/monitor 165.224.131.250 at WAF/FW; confirm FOIAXpress not vulnerable to dot-encoded traversal `OP-GL IIS_PROD 69837caf557da7352164b45c: search Client_ip:"165.224.131.250" rangeSeconds 86400 fields URI_Stream,Status,UserAgent for full probe set + any non-404`

OP-GL / sftp: Blocked SFTP scanner burst - 412 SSH connection attempts rejected (address blocked) in seconds [T1110,T1595]

Evidence: 194.113.195.96 (Cloud Web Manage) 412 rejected ~06:53:29Z on SSH SFTP listener 2

Action: Confirm IP stays blocked; verify no prior successful auth from this IP/ASN `stream:69afd0150e2baec71fdf922a Client_ip:194.113.195.96 - confirm zero Successfully stored/sent; check 7d for first-seen`

PROD-GL / sftp: Path-traversal/Shellshock exploit probes against Cerberus HTTPS portal, blocked by URI security check [T1190,T1083]

Evidence: 172.185.40.47 17:16Z, 47.253.5.130 10:36Z, 101.47.8.187 06:19Z; POST /cgi-bin/./bin/sh, all blocked

Action: Confirm WAF/security-check blocks all; geo/IP block the 3 source IPs at perimeter `stream:6696b768cbc7125b47f1b972 message:"failed security check" - list every probed URI/IP over 7d to size the campaign`

REVIEW — detail (41) (no kill-chain correlation — correlation is reserved for HIGH/Critical)

AZ-GL / db: AZ_Pure_Login OpenSearch document-level monitor failing every ~1 min on AZHGLES02 - indices not found graylog_* [T1562.001]

Evidence: 3386 errors/24h from AZHGLES02; sample msg: indices not found-graylog_*; ~1/min cadence confirmed

Action: Fix AZ_Pure_Login monitor index pattern in OpenSearch Alerting on AZHGLES02; restore login detection `search_logs_relative streamId:5f339d00ad43fe543bf8b356 query:DocumentLevelMonitorRunner fields:message,source rangeSeconds:3600 limit:10`

AZ-GL / db: NOT ASSESSED this run - Redis CONFIG/SLAVEOF/MODULE coverage gap; NOAUTH and FLUSHALL returned 0 hits []

Evidence: Lucene too_many_nested_clauses on initial query; retry NOAUTH OR FLUSHALL on 5f33a260ad43fe543bf8bc4b: 0

Action: Re-run manually: aggregate stream 5f33a260ad43fe543bf8bc4b query:CONFIG field:source rangeSeconds:86400 `aggregate_logs streamId:5f33a260ad43fe543bf8bc4b query:CONFIG field:source rangeSeconds:86400 fetchLimit:2000`

AZ-GL / lb: NOT ASSESSED this run - LB coverage gap: 0 events for login/permission/config/cert in KEMPLM stream []

Evidence: stream 66db5a007c076f66692b3c70 returned 0 matched events; consistent with prior run result

Action: Sample KEMP raw log format; identify correct event field names and vocabulary for future queries `* in stream 66db5a007c076f66692b3c70 range:86400 limit:5 - inspect raw KEMP messages for correct field names`

AZ-GL / switch: NOT ASSESSED this run - switch coverage gap: 0 events for link/auth/config keywords in Switch_Logs stream []

Evidence: stream 6530e16ef9823409afefd802 returned 0 matched events; query returned promptly

Action: Re-run with broader query; sample raw messages to identify correct AZ switch syslog keyword patterns `* in stream 6530e16ef9823409afefd802 range:86400 limit:5 - inspect raw messages for field names and vocabulary`

AZ-GL / virt: VCenter AZ-GL: 1,403 login/permission/clone events from AZHVCENTER01 in 24 h; event-type breakdown not available [T1078 T1021]

Evidence: 1403 total matched, 1000 sampled (truncated); source=AZHVCENTER01; stream 676c662feab15b60aad5bed8

Action: Re-run query narrowed to failed logins and VM create/delete/clone/export; establish 30-day baseline `source:AZHVCENTER01 AND message:(failed OR error OR denied) in stream 676c662feab15b60aad5bed8 last 86400 s group by message to isolate failed logins and anomalous VM ops`

DEV-GL / db: Elasticsearch: 9912 errors in 24h (truncated); DRMTGLES01(2628) dominant; OpenSearch node DRMTGLOS01 present []

Evidence: 9912 matched, 3000 aggregated (truncated:true); DRMTGLES01=2628, DRMTGLES02=303, DRMTGLOS01=24

DEV-GL / db: PG_Bouncer: 181 FATAL 'database does not exist' across 9 hosts; ASD_8688_61162 on MTARAPG23 retrying ~1/min []
Evidence: DRMTFPG11(88), MTFPG01(34), MTARAPG23(19); ASD_8688_61162 seen 7+ times in 30 min on MTARAPG23
Action: Remove ASD_8688_61162 stale entry from MTARAPG23 pgbouncer; audit DRMTFPG11 for root cause of 88 hits `search_logs_relative streamId:5f2a981ad3fa4867271f6590 query:ASD_8688_61162 fields:message,source,timestamp rangeSeconds:86400 limit:20`

DEV-GL / db: NOT ASSESSED this run - Redis CONFIG/SLAVEOF/MODULE coverage gap; NOAUTH and FLUSHALL returned 0 hits []
Evidence: Lucene too_many_nested_clauses on initial query; retry NOAUTH OR FLUSHALL on 5f241094eaf28958d8a62c18: 0
Action: Re-run manually: aggregate stream 5f241094eaf28958d8a62c18 query:CONFIG field:source rangeSeconds:86400 `aggregate_logs streamId:5f241094eaf28958d8a62c18 query:CONFIG field:source rangeSeconds:86400 fetchLimit:2000`

DEV-GL / lb: NOT ASSESSED this run - LB coverage gap: 0 events for login/permission/config/cert in KEMPLM stream []
Evidence: stream 66c5b8b4cda099153f85ed47 returned 0 matched events; consistent with prior run result
Action: Sample KEMP raw log format; identify correct event field names and vocabulary for future queries `* in stream 66c5b8b4cda099153f85ed47 range:86400 limit:5 - inspect raw KEMP messages for correct field names`

DEV-GL / linux: Credentialed scanner nsu@10.102.100.199 sudo-reads /etc/shadow,/etc/sudoers,/etc/passwd across MT*/DRMT* PG fleet [T1078 T1003.008 T1087 T1083 T1082]
Evidence: 4463 Accepted nsu logins; read-only sudo audit 2026-06-01T16:34-16:49Z; no writes/useradd
Action: Confirm nsu/10.102.100.199 is the sanctioned credentialed scanner; if unknown, disable nsu and rotate creds `DEV Rsyslog 66c571dfcda099153f85c294 message:"nsu" AND message:"COMMAND" aggregate field source; pivot any non-cat/grep COMMAND`

DEV-GL / mfa: Securenvoy DEV-GL: 96 auth failure/denied/lockout events in 24 h - MTSCRENV01 (74), MTSCRENV02 (22); username pivot required [T1110.001 T1078]
Evidence: 96 events; MTSCRENV01=74, MTSCRENV02=22; stream 66ab95ee9c145a54aeb3cc3e
Action: Pivot by username; determine if failures cluster on one account or are distributed across users `source:MTSCRENV01 AND message:(failed OR denied OR lockout) in stream 66ab95ee9c145a54aeb3cc3e last 86400 s limit 20 to extract usernames and failure types`

DEV-GL / rdp: B4 shared-admin ssadmin rapid-hops across MT dev workstations within seconds [T1078.002 T1021.001]
Evidence: 10.102.50.77/78; MTDEVWS26 04:55:22Z->MTDEVWSINET19 04:55:48Z (26s); 16 sessions
Action: Confirm ssadmin is sanctioned dev-pool automation; named accounts + MFA; baseline admin IPs `DEV-GL Winlogbeat 69bd408dc03705b637bb78af: winlogbeat_winlog_event_data_TargetUserName:ssadmin AND winlogbeat_winlog_event_id:4688 to enumerate post-log on processes`

DEV-GL / switch: NOT ASSESSED (partial) - 7436 events in SURAT_SWITCHES; SRSW01-1=1421 events; YOTTA_SWITCH stream NOT ASSESSED this run []
Evidence: SRSW01-1=1421, SRSW02-3=486, SRSW05-1=321, SRSW08-1=309; YOTTA_SWITCH 67a210b398c6a26ff9c3a45f not queried
Action: Drill down on SRSW01-1 to classify event types; run separate aggregate on YOTTA_SWITCH stream 67a210b398c6a26ff9c3a45f `source:SRSW01-1 in stream 61667c78b3b278210550c65b range:86400 limit:10 - classify; also run * in stream 67a210b398c6a26ff9c3a45f range:86400 agg-by:source`

DEV-GL / virt: VCenter DEV-GL: 6,486 login/permission/clone events from mtvcenter01 in 24 h - very high volume vs other envs (AZ 1403, PROD 2088) [T1078 T1021]
Evidence: 6486 total matched, 1000 sampled (truncated); source=mtvcenter01; stream 66d7eb5aa8f61e664e846a8e
Action: Confirm 6486 is within DEV baseline; filter to failed logins and VM create/delete/export to rule out automated harvesting `source:mtvcenter01 AND message:(failed OR error OR denied) in stream 66d7eb5aa8f61e664e846a8e last 86400 s group by message to isolate failures and anomalous VM operations`

OP-GL / db: Elasticsearch: 1865 errors in 24h from OPGLES01(930) and OPGLES02(935) - unsampled, error type unknown []
Evidence: 1865 hits not truncated; OPGLES01=930, OPGLES02=935; Opensearch fallback stream not queried
Action: Sample OP-GL ES errors; also aggregate Opensearch stream 68ef0a3dfa794807d75227c5 for full coverage `search_logs_relative streamId:69df8e2c29a1e110357a3008 query:ERROR fields:message,source rangeSeconds:86400 limit:10`

OP-GL / iis: FOIAXpress ImageHandler.ashx file= param accepts UNC paths and external URLs - latent LFI/SSRF surface [T1190]
Evidence: file=\\opnas01\FX01\... and file=https%3a%2f%2fproducts.office.com%2f...; authed va.gov/nih.gov users; all 200
Action: Code/config review of ImageHandler.ashx; allowlist file= to expected paths, block external URLs `OP-GL IIS_PROD: search URI_Str`

OP-GL / iis: 38.120.135.35 ~300k 401s as op\opbcuser to PALConfig SyncService - likely broken sync re-auth, not brute force [T1110]
Evidence: 299,706 401s/24h single IP+single account; POST /PALConfig/WebServices/SyncService.svc; also 200s
Action: Verify sync integration/credentials on 38.120.135.35; rule out credential abuse before dismissing OP-GL IIS_PROD 69837caf557da73 52164b45c: search Client_ip:"38.120.135.35" AND Status:401 fields URI_Stream,Username; check for varied accounts (=brute) vs single account (=integration)

OP-GL / linux: Nikto-style web vuln scan from 10.150.100.199 vs OPMMONIT01 mmonit-3.7.9; all probes failed [T1190 T1595]
Evidence: 2084 hits; /etc/passwd, global.asa, trace.axd, SiteScope, ..\pixfir~1 probes; all 404/408
Action: Confirm authorized scan window for 10.150.100.199; assess mmonit-3.7.9 exposure/patch level OP Rsyslog 6819f29c7708cd4fdd4da5b6 source:OPMMONIT01 AND message:"File does not exist" aggregate to list probed paths

OP-GL / linux: Credentialed scanner nsu@10.150.100.199 sudo audits passwd/shadow/sudoers/authorized_keys across OPANSI01/OPGLES0x/OPGLOS01/OPMMONIT01 [T1078 T1003.008 T1087 T1083]
Evidence: 2990 Accepted nsu logins; read-only sudo audit 2026-06-01T11:51-12:34Z
Action: Confirm nsu/10.150.100.199 is sanctioned; verify the authorized_keys read-loop is scanner behavior not exfil OP Rsyslog 6819f29c7708cd4fdd4da5b6 message:"nsu" AND message:"COMMAND" aggregate field source; flag any write/chmod/echo>>

OP-GL / rdp: B1 ssadmin shared-admin 14x failed logons then success (hygiene concern) [T1110.001 T1078.002]
Evidence: 4625 ssadmin=14; SubStatus mix bad-pw/none; later 4 type-10 successes
Action: Validate who/what drives ssadmin auth; enforce lockout + MFA on shared admin; consider rename/retire OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_id:4625 AND winlogbeat_winlog_event_data_TargetUserName:ssadmin fields IpAddress,WorkstationName,SubStatus,timestamp

OP-GL / rdp: Single malformed base64-like TargetUserName in a 4625 (broken client or probe) [T1110]
Evidence: 1x 4625 TargetUserName starts @@CyBAAAUBQYAMHArBwUA...
Action: Identify source host/IP of the malformed-username 4625; rule out a misconfigured client vs scripted probe OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_id:4625 AND winlogbeat_winlog_event_data_TargetUserName:@@Cy* fields IpAddress,WorkstationName,source

OP-GL / rdp: B4 shared-admin ssadmin into OPDEVWS02 and OPDEVWS03 within ~17s from one admin IP [T1078.002 T1021.001]
Evidence: 10.150.50.37; OPDEVWS02 11:00:31Z + OPDEVWS03 11:00:48Z; also 14x 4625 fails
Action: Confirm ssadmin sanctioned automation; replace shared admin with named accounts + MFA; alert if ssadmin source IP changes OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_data_TargetUserName:ssadmin AND winlogbeat_winlog_event_id:(4625 OR 4688) to tie failures to host and post-logout actions

OP-GL / switch: NOT ASSESSED this run - switch coverage gap: 0 events for link/auth/config keywords in Switch_log stream []
Evidence: stream 6819eff37708cd4fdd4d8e36 returned 0 matched events; query returned promptly
Action: Re-run with broader query; sample raw messages to identify correct OP switch syslog keyword patterns * in stream 6819eff37708cd4fdd4d8e36 range:86400 limit:5 - inspect raw messages for field names and vocabulary

OP-GL / system: 77x 4719 audit-policy changes, all by machine accounts across session hosts (GPO/SCCM refresh) [T1562.002]
Evidence: 4719 x77; SubjectUserName OPBSHST04\$/05\$/OPSCCM01\$/OUPHUD01\$; 2026-06-01
Action: Confirm 4719 correlates to scheduled GPO/SCCM policy application (machine accounts, not users); alert if a USER account triggers 4719 OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_id:4719 AND NOT winlogbeat_winlog_event_data_SubjectUserName:*\$ to catch non-machine actors

OP-GL / virt: VCenter OP-GL: 1,019 events; raw IP 10.150.100.199 appears as syslog source (1 event) alongside OPvCenter01 (999) - IP-as-source is anomalous [T1078 T1021 T1580]
Evidence: 1019 total; OPvCenter01=999, 10.150.100.199=1; stream 6819ecf67708cd4fdd4d773a
Action: Identify host 10.150.100.199; verify it is a known ESXi node or VCenter satellite, not a rogue system source:10.150.100.199 in stream 6819ecf67708cd4fdd4d773a last 86400 s limit 10 to review full event content and determine host identity

OP-GL / virt: UCS OP-GL: 34 admin/login/fault events from source 10.151.1.32 in 24 h - raw IP as source, no hostname resolved [T1078]
Evidence: 34 events; source=10.151.1.32; stream 6819edd17708cd4fdd4d7ccd; 86400 s
Action: Identify 10.151.1.32; confirm it is a known UCS fabric interconnect or CIMC; review event content for account or config changes so

PROD-GL / azure: Single user 232 failed auths from one residential IP - stuck client vs targeted, no success seen [T1110]
Evidence: ghansyam.patel@casepoint.com 232 fails 73.172.199.239 codes 50126/50020 24h
Action: Contact user/EUC; if unexplained force credential reset and review client config `PROD-GL 6979bcc8245e61e78824df15: properties_userPrincipalName:"ghansyam.patel@casepoint.com" - check for any properties_status_errorCode:0 (success) and list source_ip + properties_appDisplayName over 7d`

PROD-GL / azure: Tenant-wide admin consent + delegated grant (User.Read openid, AllPrincipals) to app Blissbook [T1098.003]
Evidence: 4.216.182.52 ESTS 2026-06-01T15:36Z Consent to application IsAdminConsent=True OnBehalfOfAll=True
Action: Validate who approved Blissbook SaaS consent; low scope but confirm app legitimacy `PROD-GL 6979bcc8245e61e78824df15: VENDOR_EVENT_CATEGORY: AuditLogs AND "c34cbfb5-7e0c-4acb-a548-8cf7985937e4" - all grants/consents for Blissbook SP; check for follow-on app role assignments`

PROD-GL / azure: SP credential (X509) + ClaimIssuancePolicy added to enterprise app Storylane from Azure IP [T1098.001 T1606.002]
Evidence: 13.93.155.8 2026-06-01T16:04Z Add service principal credentials + Add policy to SP Storylane
Action: Confirm SSO onboarding change ticket for Storylane; validate cert thumbprint and approver `PROD-GL 6979bcc8245e61e78824df15: VENDOR_EVENT_CATEGORY: AuditLogs AND "5efdd0e3-bf9b-4126-ba5c-1f661d967505" - all ops on Storylane SP; pivot callerIpAddress: 13.93.155.8 for other SP changes`

PROD-GL / db: Elasticsearch: 1189 errors in 24h across 11 hosts; LDGLES01(692)+LDGLES02(464) dominant - unsampled []
Evidence: 1189 hits not truncated; LDGLES01=692, LDGLES02=464; CAES* nodes 3-4 each; error type unconfirmed
Action: Sample PROD-GL ES errors to confirm DocumentLevelMonitorRunner pattern vs genuine cluster issues `search_logs_relative streamId:5f2d300ba7226b1a12736735 query:ERROR fields:message,source rangeSeconds:86400 limit:10`

PROD-GL / db: NOT ASSESSED this run - Redis CONFIG/SLAVEOF/MODULE coverage gap; NOAUTH and FLUSHALL returned 0 hits []
Evidence: Lucene too_many_nested_clauses on initial query; retry NOAUTH OR FLUSHALL on 5f2d59f8a7226b1a12739a7f: 0
Action: Re-run manually: aggregate stream 5f2d59f8a7226b1a12739a7f query:CONFIG field:source rangeSeconds:86400 `aggregate_logs streamId:5f2d59f8a7226b1a12739a7f query:CONFIG field:source rangeSeconds:86400 fetchLimit:2000`

PROD-GL / dtc: DTC root scanning - bot GET / returning 403 from spoofed chrome/88 UA, all blocked [T1595,T1190]
Evidence: ~1156 403 in 24h; 103.11.65.66, 216.189.157.216, 162.213.37.53, 162.213.36.11
Action: Confirm WAF 403 holds; consider rate-limit/geo-block of repeat scanner IPs `stream:6149e2537a8c5b2399280cfd Client_ip:162.213.37.53 - check for any non-403 (200) response indicating bypass`

PROD-GL / firewall: PROD Fortigate action:deny returns 0 of 1705538 events; only action:accept and action:close logged - deny visibility missing []
Evidence: action:deny=0; action:* confirmed 1705538 events with accept/close in stream 666bf2f2ef368d4b942dbdb8
Action: Check PROD Fortigate logging profile; try action:drop action:blocked action:reject; escalate if deny logging confirmed disabled `action:drop OR action:blocked OR action:reject in stream 666bf2f2ef368d4b942dbdb8 range:86400 agg-by:srcip - find alternate deny action values`

PROD-GL / iis: Azure-hosted 20.116.138.152 high 401 volume as sync service accounts (CollaborationSync/PALConfig) [T1110]
Evidence: 2342/5000 sampled 401s, ~251k reqs/24h; users copaxcuser/couaxcuser/ld\coppbcuser; status 200+401 mix
Action: Confirm 20.116.138.152 is an approved CasePoint sync node; if not, treat 401 burst as credential abuse `PROD-GL: search_logs message:"20.116.138.152" rangeSeconds 86400 fields message; group by URI_Stream and confirm only /Collaboration and /PALConfig endpoints`

PROD-GL / lb: NOT ASSESSED this run - LB coverage gap: 0 events for login/permission/config/cert in KEMPLM stream []
Evidence: stream 66d714172115713ad5f03567 returned 0 matched events; consistent with prior run result
Action: Sample KEMP raw log format; identify correct event field names and vocabulary for future queries `* in stream 66d714172115713ad5f03567 range:86400 limit:5 - inspect raw KEMP messages for correct field names`

PROD-GL / mfa: Securenvoy PROD-GL: 146 auth failure/denied/lockout events in 24 h - LDSCRENV02 (132), LDSCRENV01 (14); username pivot required [T1110.001 T1078]
Evidence: 146 events; LDSCRENV02=132, LDSCRENV01=14; stream 663b26e79fb17a645f38b43e
Action: Pivot by username to distinguish single-user token expiry from multi-user spray pattern `source:LDSCRENV02 AND message:(failed OR denied OR lockout) in stream 663b26e79fb17a645f38b43e last 86400 s limit 20 to extract usernames and failure types`

Evidence: 10.250.50.46; LDDEVWS09 10:20:55Z->LDDEVWS10 10:21:39Z; 12 type-10 sessions

Action: Confirm ssadmin is sanctioned admin/automation for the LD dev pool; move to per-admin named accounts + MFA; baseline its IP
 PROD-GL Winlog_beat 69f0732eed810c476d436c56: winlogbeat_winlog_event_data_TargetUserName:ssadmin AND winlogbeat_winlog_event_id:4688 to enumerate post-logon processes on LDDEVWS09/10/18

PROD-GL / sftp: PHP login recon GET /php/login.php against portal (no PHP app present) [T1595]

Evidence: 45.156.129.52 @ 2026-06-01T20:50Z GET /php/login.php

Action: Confirm 404/blocked; add IP to scanner blocklist if recurring stream:6696b768cbc7125b47f1b972 Client_ip:45.156.129.52 - enumerate all paths this IP requested

PROD-GL / switch: 483 events from OPHQSW02-1 (282) and OPHQSW01-2 (192) matched link/auth/config keywords; event types unclassified []

Evidence: stream 6156afa656cbbc4888659459: OPHQSW02-1=282, OPHQSW01-2=192, DCRMSW01=6, 10.250.1.4=3

Action: Drill down on OPHQSW02-1 raw messages; escalate to HIGH if auth-failure events found on HQ switches source:OPHQSW02-1 in stream 6156afa656cbbc4888659459 range:86400 limit:10 - inspect raw messages to classify event types

PROD-GL / virt: UCS PROD-GL: 66 admin/login/fault events from LDPTUCS01-A (62) and LDUCS01-B (4) in 24 h; event content not reviewed [T1078]

Evidence: 66 events; LDPTUCS01-A=62, LDUCS01-B=4; stream 676a69183660c520434b622f

Action: Review raw event content for account changes, unexpected admin sessions, or config modifications message:(login OR admin OR fault) in stream 676a69183660c520434b622f last 86400 s limit 10 to review event types, actors, and source IPs

PROD-GL / virt: VCenter PROD-GL: 2,088 login/permission/clone events across ldvcenter04 (513) and drvcenter02 (487) in 24 h; truncated [T1078 T1021]

Evidence: 2088 total; ldvcenter04=513, drvcenter02=487; stream 6734f42cec008759bf06859e

Action: Filter to failed logins and VM lifecycle events; verify no off-hours VM clone or export operations message:(failed OR error OR denied) in stream 6734f42cec008759bf06859e last 86400 s group by source to identify failed VCenter login sources and actors

LOW — detail (39) (no kill-chain correlation — correlation is reserved for HIGH/Critical)

AZ-GL / azure: Infra tenant - negligible interactive sign-in, routine helpdesk/sync audit ops, no privileged role grants []

Evidence: 275 AuditLogs: pwd resets/group adds; auth fails only 500014 x3; risky=0

Action: None; baseline. Reconcile Disable account x1 against HR/IT if spot-checking AZ-GL 65cf0501c0fccf5d65f5025f: operationName:"Add member to group" OR operationName:"Disable account" - review target users and actors for the 24h window

AZ-GL / db: PG_pgouncer: 3 FATAL 'database does not exist' (AZHFPG16 x2, AZHARAPG57 x1) - stale pool entries, not auth failure []

Evidence: ASD_88_339, ASD_91_351 on AZHFPG16; ASD_857_49312 on AZHARAPG57; 2026-06-01

Action: Audit pgbouncer pool config on AZHFPG16 and AZHARAPG57; remove stale ASD_* entries search_logs_relative streamId:5f293d31d21b5407dc2b3099 query:FATAL fields:message,source rangeSeconds:86400 limit:20

AZ-GL / linux: Allow-listed ceurufdr high-volume SSH session churn from 10.220.200.213 across AZHARAES* fleet [T1078]

Evidence: 5544 ceurufdr auth/session lines; burst 2026-06-01T17:59Z; allow-listed

Action: Confirm ceurufdr is the sanctioned service/monitoring account; baseline its source 10.220.200.213 AZ Rsyslog_ssh 616d2648067ed03d6e8235a5 message:"ceurufdr" AND message:"Accepted" aggregate field source

AZ-GL / mfa: Securenvoy AZ-GL: 10 auth failure/denied/lockout events from AZHSCRENV01 in 24 h - low count, likely normal [T1110.001 T1078]

Evidence: 10 events; source=AZHSCRENV01; stream 66063d0ac161322cd580be75; 86400 s

Action: Monitor for volume increase; no immediate action required at 10 events source:AZHSCRENV01 AND message:(failed OR denied OR lockout) in stream 66063d0ac161322cd580be75 last 86400 s limit 10 to extract usernames from message field

AZ-GL / rdp: B1 single user >3 fails (patank1, bad password); password fatigue, not brute force [T1110.003]

Evidence: 4625 x14; patank1=5 (0xC000006A); via gateway 10.227.2.69/70

Action: User password reset comms; no containment AZ-GL Winlog-Beat 69c372d3d429347cf894f6f9: winlogbeat_winlog_event_id:4625 AND winlogbeat_winlog_event_data_TargetUserName:patank1 fields IpAddress,WorkstationName,SubStatus

Action: After-hours allow-list for cohort; alert on new user/new source IP after-hours `AZ-GL Winlog-Beat 69c372d3d429347cf894f6f9: aggregate winlogbeat_winlog_event_data_TargetUserName for type-10 between 16:30-00:30Z`

AZ-GL / service: High 7045 volume is PDQDeployRunner + Graylog winlogbeat sidecar (benign) []

Evidence: 7045=2547: PDQDeployRunner-1 x1672, sidecar x852

Action: Suppress PDQ/sidecar noise; alert on non-PDQ service installs `AZ-GL Winlog-Beat 69c372d3d429347cf894f6f9: winlogbeat_winlog_event_id:7045 AND NOT winlogbeat_winlog_event_data_ServiceName:(PDQ* OR *sidecar*)`

AZ-GL / virt: UCS AZ-GL: 4 admin/login/fault events from azucs01-a.cpsce.info. in 24 h - low count, normal UCS activity []

Evidence: 4 events; source=azucs01-a.cpsce.info.; stream 676c677ceab15b60aad5bfe7; 86400 s

Action: No immediate action; confirm events are routine UCS health or scheduled admin tasks `source:azucs01-a.cpsce.info. in stream 676c677ceab15b60aad5bfe7 last 86400 s limit 10 to review event types and actors`

DEV-GL /edr: ESET DEV-GL: 2 events on DRMTESSET01 matched 'quarantine' - drill-down confirms scheduled report tasks, not threat detections []

Evidence: Audit_Event domain=Server task result=Success; 2026-06-01 05:30 and 14:30 UTC; 10.104.100.71

Action: No action required; confirm ESET ERA scheduled quarantine-report jobs are admin-approved `source:DRMTESSET01 AND message:ThreatDetected in stream 6163ed5f9c6d5847ff380d18 last 7 days to confirm absence of real detections`

DEV-GL / iis: No SQLi/XSS/traversal/webshell/scanner/SSRF activity in DEV/QA IIS []

Evidence: ~2.0M reqs/24h; all attack-token aggregations returned 0 matches

Action: No action; injection surfaces clean for the window `DEV-GL Rebex stream 6130d9e5d5307c39dba868aa: aggregate field=Status to baseline error mix`

DEV-GL / iis: 45.223.81.0/24 + upstream 123.253.153.138 404s are favicon/.map noise via LB proxy chain, benign []

Evidence: 134 404s 45.223.81.2; /favicon.ico/.sm/*map on fxqa/axatqa; XFF chain 123.253.153.138,45.223.81.2,host

Action: No action; 45.223.81.x is the proxy hop not the client. Not a DEV scan `DEV-GL: aggregate field=URI_Stream query=message:"45.23.81.2" to confirm only static-asset 404s; pivot on real client 123.253.153.138`

DEV-GL / linux: Allow-listed \${jndi} SSH invalid-user probe from 10.102.100.199; all failed, no kill-chain in 60s [T1190 T1110]

Evidence: 70 hits ~2026-06-01T15:37Z; Invalid user, zero Accepted

Action: Allow-listed; verify 10.102.100.199 belongs to the internal scanner, not an external relay `DEV Rsyslog 66c571dfcda099153f85c294 message:"10.102.100.199" AND message:"Accepted" to rule out any successful session`

DEV-GL / process: LOLBin use is benign: regsvr32 /s eCase dtengine64.dll and certutil -store/-hashfile [T1218.010 T1140]

Evidence: 32 hits; regsvr32 E:\Share\eCase\Common\dtengine64.dll; certutil -store -v My

Action: Baseline eCase regsvr32 + certutil hashing; alert on certutil -urlcache/-decode or encoded PowerShell `DEV-GL Winlogbeat 69bd408dc03705b637bb78af: winlogbeat_winlog_event_id:4688 AND winlogbeat_winlog_event_data_CommandLine:(*-urlcache* OR *-decode* OR *DownloadString* OR *-enc*)`

DEV-GL / rdp: B1 large failed-login population (password fatigue/expiry) across dev workstations [T1110.003]

Evidence: 4625 x334; patelp=17 sharmm=14 ranani=12 bansav=10; 240 bad-pw/57 expired/1 disabled

Action: User password resets/expiry comms; review temp/service acct MTTEMP2K22; no containment `DEV-GL Winlogbeat 69bd408dc03705b637bb78af: winlogbeat_winlog_event_id:4625 AND winlogbeat_winlog_event_data_TargetUserName:MTTEMP2K22 fields IPAddress,WorkstationName,SubStatus`

DEV-GL / rdp: B2 failed-then-succeeded (patelp/bureps) recurring legit users; benign post-login [T1078]

Evidence: patelp 17f+14 type-10 ok; follow-on = regsvr32 eCase / certutil store only

Action: No action; spot-check patelp processes if revisited `DEV-GL Winlogbeat 69bd408dc03705b637bb78af: winlogbeat_winlog_event_data_TargetUserName:patelp AND winlogbeat_winlog_event_id:(4688 OR 7045)`

DEV-GL / rdp: B3 offshore cohort after-hours RDP (benign); 96% via RDS gateway IPs []

Evidence: 1083 type-10; gateway 10.103.2.5 x551, 10.103.2.4 x490; derived-hour partial

Action: After-hours allow-list for cohort; alert on new user or non-gateway source IP `DEV-GL Winlogbeat 69bd408dc03705b637bb78af: aggregate winlogbeat_winlog_event_data_IPAddress for type-10 to spot non-gateway sources`

Action: Suppress PDQ/updater noise; alert on non-standard service-name installs `DEV-GL Winlogbeat 69bd408dc03705b637bb78af: winlogbeat_winlog_event_id:7045 AND NOT winlogbeat_winlog_event_data_ServiceName:(PDQ* OR SMS* OR *Updater* OR Graylog*)`

DEV-GL / sftp: External client polling HTTPS portal on regular cadence, all HTTP 200, no transfers/failures []

Evidence: 208.185.225.66 287 hits/24h ~every 18min, 200 OK; Cato 123.253.153.138 6 failed (FP)

Action: None - likely monitoring client; confirm 208.185.225.66 is a known monitor `stream:624461afc333d926e10c5fb5 Client_ip:208.185.225.66` - confirm no COMMAND uploads/downloads, only health polling

OP-GL /edr: ESET OP-GL: 1 event on OPESET01 matched 'quarantine' - drill-down confirms scheduled report task, not a threat detection []

Evidence: Audit_Event domain=Server task result=Success; 2026-06-01 05:40 UTC; 10.150.100.71

Action: No action required; confirm ESET ERA scheduled quarantine-report job is admin-approved `source:OPESET01 AND message:ThreatDetected in stream 68925684b41ef4e3a0f86415 last 7 days` to confirm absence of real detections

OP-GL / linux: Allow-listed \$jndi SSH invalid-user probe from 10.150.100.199; all failed, no kill-chain in 60s [T1190 T1110]

Evidence: 63 hits 2026-06-01T11:33-11:57Z; Invalid user across OPANSI01/OPGL01/OPMMONIT01/OPPGDB01

Action: Allow-listed; correlate with the same-IP web scan as one scanner campaign `OP Rsyslog 6819f29c7708cd4fdd4da5b6 message:"10.150.100.199" AND message:"Accepted"` to confirm no jndi-user session succeeded

OP-GL / mfa: Securenvoy OP-GL: 6 auth failure/denied/lockout events from OPSCRENV01 in 24 h - low count, likely normal [T1110.001]

Evidence: 6 events; source=OPSCRENV01; stream 6819f0597708cd4fdd4d91f2; 86400 s

Action: No immediate action; monitor for volume increase `source:OPSCRENV01 AND message:(failed OR denied OR lockout) in stream 6819f0597708cd4fdd4d91f2 last 86400 s limit 10` to extract usernames

OP-GL / rdp: B3 offshore cohort after-hours RDP (benign), incl IST early-morning sessions []

Evidence: 159 type-10 via 10.152.2.4/6; tailob1 00:25Z, badera1 05:22Z, dhanws1 06:40Z

Action: Add offshore cohort to after-hours allow-list; alert on new user/new source IP after-hours `OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: aggregate winlogbeat_winlog_event_data_TargetUserName for type-10 between 16:30-00:30Z`

OP-GL / rdp: B2 failed-then-succeeded (obupal1/dhanws1/batavd1) are recurring legit users; benign post-login [T1078]

Evidence: obupal1 4f+ok, dhanws1 4f+ok, batavd1 5f+ok; no malicious follow-on

Action: No action beyond ssadmin review above `OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_data_TargetUserName:obupal1 AND winlogbeat_winlog_event_id:4688`

OP-GL / service: High 7045 volume is PDQ Inventory/Deploy + Graylog sidecars (benign) []

Evidence: 7045=4076: PDQInventory-Scanner-1 x1819, PDQDeployRunner-1 x1808

Action: Suppress PDQ/sidecar service-name noise; alert on non-PDQ service installs `OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_id:7045 AND NOT winlogbeat_winlog_event_data_ServiceName:(PDQ* OR *sidecar* OR Graylog*)`

OP-GL / sftp: Scattered SFTP auth failures spread over hours, no burst, no correlated success [T1110]

Evidence: 99 failed events / 41 IPs in 24h; top 20.121.123.108, 212.102.40.218 (10 each)

Action: No action; low-and-slow noise, monitor for any IP escalating to burst `stream:69afd0150e2baec71fd922a Client_ip:20.121.123.108` - check whether any failure is followed by a successful login

OP-GL / sftp: Large transfers legitimate deliverable downloads; Cato egress top talkers likely false positive []

Evidence: OPartifacts 26.2.2.x zips (0.2-1GB) by 99.209.190.226/205.194.16.40/149.101.80.74; NYC Comptroller CSV 161.185.150.170; Cato 199.27.40.187/123.253.153.138 top

Action: None - Cato egress and partner downloads expected; spot-check OPartifacts recipients are authorized `stream:69afd0150e2baec71fd922a message:OPartifacts` - confirm download client IPs map to approved release partners

PROD-GL / azure: Conditional Access blocks (53003) high volume but spread across many residential IPs - routine enforcement [T1078]

Evidence: 6981 events 212 IPs top 173.73.243.61 x301, 68.33.7.191 x295 24h

Action: No action; baseline. Spot-check any IP that later shows a success `PROD-GL 6979bcc8245e61e78824df15: properties_status_errorCode:53003 AND source_ip:"173.73.243.61"` then same IP with `properties_status_errorCode:0` to rule out breakthrough

PROD-GL / azure: Contractor interactive sign-ins from Ireland via Windows 365 Cloud PC - consistent device, not impossible travel []

Evidence: nancy.schoeck1.ctr@casepoint.com 185.99.138.85/137.16 Windows 365 Client 24h

location

PROD-GL / db: PgBouncer: 18 FATAL 'database does not exist' across 5 hosts - operational stale pool entries, not auth failure []

Evidence: LDARAPG01(6), LDPTFGP11(5), LDARAPG15(4), CAPG22(2), LDARAPG23(1); all ASD_* db not found

Action: Audit pgbouncer pool configs on LDARAPG01, LDPTFGP11, LDARAPG15, CAPG22, LDARAPG23; remove stale entries `search_logs_relative streamId:5f2d50eca7226b1a12739076 query:FATAL fields:message,source rangeSeconds:86400 limit:20`

PROD-GL / dtc: Legitimate authenticated DTC upload/download sessions, HTTP 200 []

Evidence: julielaboe@gmail.com via 73.219.191.130; casre01@casepoint.com via 38.101.76.200 (3619 polling calls)

Action: None - normal DTC activity `stream:6149e2537a8c5b2399280cfd message:julielaboe - verify session GUID maps to one expected transfer`

PROD-GL / iis: 123.253.153.138 404 burst is source-map (.map) + favicon misses from authenticated browser, benign []

Evidence: 818 404s; /Scripts/big.js-master/doc/big.js.map, /sm/*.map, /favicon.ico; user ujal.patel@casepoint.in

Action: No action; deploy/exclude .map files to cut 404 noise. Not enumeration `PROD-GL: aggregate field=URI_Stream query=message:"123.253.153.138" AND Status:404 to confirm only .map/favicon paths`

PROD-GL / iis: No SQLi/XSS/traversal/webshell/scanner/SSRF activity in PROD IIS []

Evidence: ~5.17M reqs/24h; all attack-token aggregations returned 0 matches

Action: No action; injection surfaces clean for the window `PROD-GL: re-run weekly; aggregate field=Status query=filebeat_log_file_path:*inetpub* to watch 4xx/5xx drift`

PROD-GL / linux: Benign landscape-client error reading /etc/shadow (Too many open files) on LDPTARAREDIS03 []

Evidence: 2026-06-01T04:42Z landscape-client Errno 24 reading /etc/shadow

Action: Operational; check file-descriptor limits on LDPTARAREDIS03 if recurring `PROD Rsyslog 66bf0856b374f946d39c4757 source:LDPTARAREDIS03 AND message:"Too many open files" over 24h`

PROD-GL / rdp: B2 failed-then-succeeded users are recurring legit accounts; benign post-login [T1078]

Evidence: patkev1(9f)+2 ok, chauan1(6f)+3 ok; follow-on = certutil hashfile/PDQ only

Action: No action; confirm no off-baseline process for patkev1/chauan1 if revisited `PROD-GL Winlog_beat 69f0732eed810c476d436c56: winlogbeat_winlog_event_data_TargetUserName:chauan1 AND winlogbeat_winlog_event_id:(4688 OR 7045) post-success window`

PROD-GL / rdp: B1 failed-login bursts (password fatigue/expiry), no brute-force burst from a single external IP [T1110.003]

Evidence: 4625 x70; patkev1=9 patpre1=6 chauan1=6 sarojn1=6; 49 bad-pw/15 expired

Action: Notify users of expired/locked creds; no containment needed; watch for any switch to single-IP high-rate `PROD-GL Winlog_beat 69f0732eed810c476d436c56: winlogbeat_winlog_event_id:4625 AND winlogbeat_winlog_event_data_TargetUserName:patkev1 fields IpAddress,WorkstationName,SubStatus`

PROD-GL / rdp: B3 offshore IST night-shift cohort RDP after-hours (benign extended shift) []

Evidence: 215 type-10 via gateway; surname+digit accts into LDDEVWS; derived-hour

Action: Create after-hours allow-list for the offshore cohort; alert only on NEW user or new source IP after-hours `PROD-GL Winlog_beat 69f0732eed810c476d436c56: aggregate winlogbeat_winlog_event_data_IpAddress for type-10 to baseline source IPs`

PROD-GL / service: High 7045 volume is PDQ Inventory/Deploy + updaters (benign IT tooling) []

Evidence: 7045=4570: PDQInventory-Scanner-1 x3475, PDQDeployRunner-1 x1091

Action: Baseline PDQ service-name pattern to suppress noise; alert only on non-PDQ/non-updater service names `PROD-GL Winlog_beat 69f0732eed810c476d436c56: winlogbeat_winlog_event_id:7045 AND NOT winlogbeat_winlog_event_data_ServiceName:(PDQ* OR *Updater* OR *Update*) to surface odd services`

PROD-GL / sftp: Large transfers legitimate (named auth users); Cato egress installer transfer likely false positive []

Evidence: patelr1 1.5GB .bak; brooke_axelrod@fd.org 490MB zip; gandhm1 CATO setup.exe via 199.27.40.187/123.253.153.138

Action: None - Cato egress likely false positive; verify patelr1 .bak export is sanctioned `stream:6696b768cbc7125b47f1b972 message:patelr1 - confirm DB backup export is an approved job`

PROD-GL / sftp: Scattered SFTP auth/connection failures, no single-IP burst, no correlated success [T1110]

Evidence: 62 failed events / 35 IPs in 24h; top 118.193.45.149 (10)

4. Lessons Learned — Noise & Reduction

Where recurring/benign log noise is, and the one human action that removes it from the next hunt. The report never auto-excludes — a human confirms first.

- **process noise** — recurring pattern: *LOLBin use is benign: regsvr32 /s eCase dtengine64.dll and certutil -store/-hashfile*. **Reduce next hunt:** human-verify the source once; if benign, add to the `process` allow-list/suppression so it drops from the next run. (max sev seen: LOW)
- **virt noise** — recurring pattern: *VCenter DEV-GL: 6,486 login/permission/clone events from mtvcenter01 in 24 h - very high volume vs other envs*. **Reduce next hunt:** human-verify the source once; if benign, add to the `virt` allow-list/suppression so it drops from the next run. (max sev seen: REVIEW)
- **linux noise** — recurring pattern: *Nikto-style web vuln scan from 10.150.100.199 vs OPMONIT01 mmonit-3.7.9; all probes failed*. **Reduce next hunt:** human-verify the source once; if benign, add to the `linux` allow-list/suppression so it drops from the next run. (max sev seen: REVIEW)
- **lb noise** — recurring pattern: *NOT ASSESSED this run - LB coverage gap: 0 events for login/permission/config/cert in KEMPLM stream*. **Reduce next hunt:** human-verify the source once; if benign, add to the `lb` allow-list/suppression so it drops from the next run. (max sev seen: REVIEW)
- **Known allow-list strings** (`jndi` , `ceuruford`) are auto-suppressed by the skill hunts but NOT in this MCP-only run — **reduce:** apply the same two suppressions to the no-skill linux queries.

5. Appendix — Investigation View for Analyst

Complete catalogue in bullet form, grouped Environment → Module → Severity. Every finding lists evidence, MITRE, action, and a pivot query — nothing is omitted; any analyst can open this and start a deep investigation.

DEV-GL — 26 findings

DEV-GL → account (1)

- **CLEAN** No new accounts/group adds/Kerberoast/log clear/RDP hijack; Defender N/A (ESET feed)
 - Evidence: 4720/4728/4732/4756/4769/1102(Sec)/104/4778/4779=0
 - MITRE:
 - Action: None
 - Pivot query: DEV-GL Winlogbeat 69bd408dc03705b637bb78af: re-run account/kerb OR weekly as tripwire

DEV-GL → azure (1)

- **CLEAN** No Azure events in 24h on casepoint.in stream - feed empty (potential ingestion gap, monitoring blind spot)
 - Evidence: query * over 86400s on 69fb008584d94819ed097db0 = 0 results
 - MITRE:
 - Action: Verify Event Hub to Graylog ingestion path for casepoint.in is healthy
 - Pivot query: DEV-GL 69fb008584d94819ed097db0: * over max window - confirm last ingest timestamp; if stale, check Event Hub connector health

DEV-GL → db (3)

- **REVIEW** NOT ASSESSED this run - Redis CONFIG/SLAVEOF/MODULE coverage gap; NOAUTH and FLUSHALL returned 0 hits
 - Evidence: Lucene too_many_nested_clauses on initial query; retry NOAUTH OR FLUSHALL on 5f241094eaf28958d8a62c18: 0

- *Pivot query:* `aggregate_logs streamId:5f241094eaf28958d8a62c18 query:CONFIG field:source rangeSeconds:86400 fet chLimit:2000`
- **REVIEW PG Bouncer: 181 FATAL 'database does not exist' across 9 hosts; ASD_8688_61162 on MTARAPG23 retrying ~1/min**
 - *Evidence:* DRMTFPG11(88), MTFPG01(34), MTARAPG23(19); ASD_8688_61162 seen 7+ times in 30 min on MTARAPG23
 - *MITRE:*
 - *Action:* Remove ASD_8688_61162 stale entry from MTARAPG23 pgbouncer; audit DRMTFPG11 for root cause of 88 hits
 - *Pivot query:* `search_logs_relative streamId:5f2a981ad3fa4867271f6590 query:ASD_8688_61162 fields:message,source,timestamp rangeSeconds:86400 limit:20`
- **REVIEW Elasticsearch: 9912 errors in 24h (truncated); DRMTGLES01(2628) dominant; OpenSearch node DRMTGLOS01 present**
 - *Evidence:* 9912 matched, 3000 aggregated (truncated:true); DRMTGLES01=2628, DRMTGLES02=303, DRMTGLOS01=24
 - *MITRE:*
 - *Action:* Sample DEV-GL ES errors; investigate DRMTGLOS01 OpenSearch node; narrow window to find spike origin
 - *Pivot query:* `search_logs_relative streamId:5f23fef7eaf28958d8a5ed21 query:ERROR fields:message,source rangeSeconds:86400 limit:10`

DEV-GL → dtc (1)

- **CLEAN Not applicable - no DTC Rebex stream on DEV-GL (DEV Rebex not in DTC set)**
 - *Evidence:* DTC set = Rebex_PROD/CA/PT (PROD-GL)
 - *MITRE:*
 - *Action:* None

DEV-GL → edr (1)

- **LOW ESET DEV-GL: 2 events on DRMTESSET01 matched 'quarantine' - drill-down confirms scheduled report tasks, not threat detections**
 - *Evidence:* Audit_Event domain=Server task result=Success; 2026-06-01 05:30 and 14:30 UTC; 10.104.100.71
 - *MITRE:*
 - *Action:* No action required; confirm ESET ERA scheduled quarantine-report jobs are admin-approved
 - *Pivot query:* `source:DRMTESSET01 AND message:ThreatDetected in stream 6163ed5f9c6d5847ff380d18 last 7 days to confirm absence of real detections`

DEV-GL → exfil (1)

- **CLEAN EXFIL DEV-GL: Outgoing Traffic Monitor has 0 events in 24 h - empty is normal for event-driven threshold stream**
 - *Evidence:* 0 matches; stream 67a30a4898c6a26ff9c452d8; 86400 s window
 - *MITRE:*
 - *Action:* No action required
 - *Pivot query:* `* in stream 67a30a4898c6a26ff9c452d8 last 7 days to verify stream is live and receiving telemetry`

DEV-GL → firewall (2)

- **MEDIUM 79.124.49.0/24 cross-env scanner: .142 and .154 in DEV-GL, .102 in OP-GL - coordinated multi-environment scan**
 - *Evidence:* DEV-GL: 79.124.49.142=31 and 79.124.49.154=30 denies; OP-GL: 79.124.49.102=16 denies
 - *MITRE:* T1595.001
 - *Action:* Block 79.124.49.0/24 at all perimeter firewalls; cross-reference dstports across DEV and OP environments
 - *Pivot query:* `srcip:79.124.49.* AND action:deny in stream 66f7b0ab98dc776079fbf143 range:86400 agg-by:dstport; repeat in OP-GL stream 6819f3307708cd4fdd4dad42`
- **MEDIUM Top external scanners: 93.123.72.166(162) 42.96.33.3 China(124) 152.42.224.71 DO(114) in 3000-sample of 367273 denies**
 - *Evidence:* stream 66f7b0ab98dc776079fbf143; 1105 unique srcips; 367273 total denied in 24h; heavily truncated

- *Pivot query:* `srcip:93.123.72.166 AND action:deny in stream 66f7b0ab98dc776079fbf143 range:86400 agg-by:dstport`
- identify which services are targeted

DEV-GL → iis (2)

- **LOW** **45.223.81.0/24 + upstream 123.253.153.138 404s are favicon/.map noise via LB proxy chain, benign**
 - *Evidence:* 134 404s 45.223.81.2; /favicon.ico,/sm/*.map on fxqa/axatqa; XFF chain 123.253.153.138,45.223.81.2,host
 - *MITRE:*
 - *Action:* No action; 45.223.81.x is the proxy hop not the client. Not a DEV scan
 - *Pivot query:* `DEV-GL: aggregate field=URI_Stream query=message:"45.223.81.2" to confirm only static-asset 404s; pivot on real client 123.253.153.138`
- **LOW** **No SQLi/XSS/traversal/webshell/scanner/SSRF activity in DEV/QA IIS**
 - *Evidence:* ~2.0M reqs/24h; all attack-token aggregations returned 0 matches
 - *MITRE:*
 - *Action:* No action; injection surfaces clean for the window
 - *Pivot query:* `DEV-GL Rebex stream 6130d9e5d5307c39dba868aa: aggregate field=Status to baseline error mix`

DEV-GL → lb (1)

- **REVIEW** **NOT ASSESSED this run - LB coverage gap: 0 events for login/permission/config/cert in KEMPLM stream**
 - *Evidence:* stream 66c5b8b4cda099153f85ed47 returned 0 matched events; consistent with prior run result
 - *MITRE:*
 - *Action:* Sample KEMP raw log format; identify correct event field names and vocabulary for future queries
 - *Pivot query:* `* in stream 66c5b8b4cda099153f85ed47 range:86400 limit:5 - inspect raw KEMP messages for correct field names`

DEV-GL → linux (2)

- **REVIEW** **Credentialed scanner nsu@10.102.100.199 sudo-reads /etc/shadow,/etc/sudoers,/etc/passwd across MT*/DRMT* PG fleet**
 - *Evidence:* 4463 Accepted nsu logins; read-only sudo audit 2026-06-01T16:34-16:49Z; no writes/useradd
 - *MITRE:* T1078 T1003.008 T1087 T1083 T1082
 - *Action:* Confirm nsu/10.102.100.199 is the sanctioned credentialed scanner; if unknown, disable nsu and rotate creds
 - *Pivot query:* `DEV Rsyslog 66c571dfcda099153f85c294 message:"nsu" AND message:"COMMAND" aggregate field source; pivot any non-cat/grep COMMAND`
- **LOW** **Allow-listed \$(jndi SSH invalid-user probe from 10.102.100.199; all failed, no kill-chain in 60s**
 - *Evidence:* 70 hits ~2026-06-01T15:37Z; Invalid user, zero Accepted
 - *MITRE:* T1190 T1110
 - *Action:* Allow-listed; verify 10.102.100.199 belongs to the internal scanner, not an external relay
 - *Pivot query:* `DEV Rsyslog 66c571dfcda099153f85c294 message:"10.102.100.199" AND message:"Accepted" to rule out any successful session`

DEV-GL → mfa (1)

- **REVIEW** **Securenvoy DEV-GL: 96 auth failure/denied/lockout events in 24 h - MTSCRENV01 (74), MTSCRENV02 (22); username pivot required**
 - *Evidence:* 96 events; MTSCRENV01=74, MTSCRENV02=22; stream 66ab95ee9c145a54aeb3cc3e
 - *MITRE:* T1110.001 T1078
 - *Action:* Pivot by username; determine if failures cluster on one account or are distributed across users
 - *Pivot query:* `source:MTSCRENV01 AND message:(failed OR denied OR lockout) in stream 66ab95ee9c145a54aeb3cc3e limit 86400 s limit 20 to extract usernames and failure types`

DEV-GL → process (1)

- **LOW** **LOLBin use is benign: regsvr32 /s eCase dtengine64.dll and certutil -store/-hashfile**
 - *Evidence:* 32 hits; regsvr32 E:\Share\eCase\Common\dtengine64.dll; certutil -store -v My

- *Pivot query:* DEV-GL Winlogbeat 69bd408dc03705b637bb78af: winlogbeat_winlog_event_id:4688 AND winlogbeat_winlog_event_data_CommandLine:(*-urlcache* OR *-decode* OR *DownloadString* OR *-enc*)

DEV-GL → rdp (4)

- **REVIEW B4 shared-admin ssadmin rapid-hops across MT dev workstations within seconds**
 - *Evidence:* 10.102.50.77/78; MTDEVWS26 04:55:22Z->MTDEVWSINET19 04:55:48Z (26s); 16 sessions
 - *MITRE:* T1078.002 T1021.001
 - *Action:* Confirm ssadmin is sanctioned dev-pool automation; named accounts + MFA; baseline admin IPs
 - *Pivot query:* DEV-GL Winlogbeat 69bd408dc03705b637bb78af: winlogbeat_winlog_event_data_TargetUserName:ssadmin AND winlogbeat_winlog_event_id:4688 to enumerate post-logon processes
- **LOW B3 offshore cohort after-hours RDP (benign); 96% via RDS gateway IPs**
 - *Evidence:* 1083 type-10; gateway 10.103.2.5 x551, 10.103.2.4 x490; derived-hour partial
 - *MITRE:*
 - *Action:* After-hours allow-list for cohort; alert on new user or non-gateway source IP
 - *Pivot query:* DEV-GL Winlogbeat 69bd408dc03705b637bb78af: aggregate winlogbeat_winlog_event_data_IpAddress for type-10 to spot non-gateway sources
- **LOW B2 failed-then-succeeded (patelp/bureps) recurring legit users; benign post-login**
 - *Evidence:* patelp 17f+14 type-10 ok; follow-on = regsvr32 eCase / certutil store only
 - *MITRE:* T1078
 - *Action:* No action; spot-check patelp processes if revisited
 - *Pivot query:* DEV-GL Winlogbeat 69bd408dc03705b637bb78af: winlogbeat_winlog_event_data_TargetUserName:patelp AND winlogbeat_winlog_event_id:(4688 OR 7045)
- **LOW B1 large failed-login population (password fatigue/expiry) across dev workstations**
 - *Evidence:* 4625 x334; patelp=17 sharmm=14 ranani=12 bansav=10; 240 bad-pw/57 expired/1 disabled
 - *MITRE:* T1110.003
 - *Action:* User password resets/expiry comms; review temp/service acct MTTEMP2K22; no containment
 - *Pivot query:* DEV-GL Winlogbeat 69bd408dc03705b637bb78af: winlogbeat_winlog_event_id:4625 AND winlogbeat_winlog_event_data_TargetUserName:MTTEMP2K22 fields IpAddress,WorkstationName,SubStatus

DEV-GL → service (1)

- **LOW High 7045 volume is PDQ + SCCM bootstrap + ESET/OneDrive/Office updaters (benign)**
 - *Evidence:* 7045=3848: PDQInventory-Scanner-1 x3269, PDQDeployRunner-1 x543, SMS bootstrap
 - *MITRE:*
 - *Action:* Suppress PDQ/updater noise; alert on non-standard service-name installs
 - *Pivot query:* DEV-GL Winlogbeat 69bd408dc03705b637bb78af: winlogbeat_winlog_event_id:7045 AND NOT winlogbeat_winlog_event_data_ServiceName:(PDQ* OR SMS* OR *Updater* OR Graylog*)

DEV-GL → sftp (1)

- **LOW External client polling HTTPS portal on regular cadence, all HTTP 200, no transfers/failures**
 - *Evidence:* 208.185.225.66 287 hits/24h ~every 18min, 200 OK; Cato 123.253.153.138 6 failed (FP)
 - *MITRE:*
 - *Action:* None - likely monitoring client; confirm 208.185.225.66 is a known monitor
 - *Pivot query:* stream:624461afc333d926e10c5fb5 Client_ip:208.185.225.66 - confirm no COMMAND uploads/downloads, only health polling

DEV-GL → switch (1)

- **REVIEW NOT ASSESSED (partial) - 7436 events in SURAT_SWITCHES; SRSW01-1=1421 events; YOTTA_SWITCH stream NOT ASSESSED this run**
 - *Evidence:* SRSW01-1=1421, SRSW02-3=486, SRSW05-1=321, SRSW08-1=309; YOTTA_SWITCH 67a210b398c6a26ff9c3a45f not queried
 - *MITRE:*

- *Pivot query:* source:SRSW01-1 in stream 61667c78b3b278210550c65b range:86400 limit:10 - classify; also run * in stream 67a210b398c6a26ff9c3a45f range:86400 agg-by:source

DEV-GL → virt (2)

- **REVIEW** **VCenter DEV-GL: 6,486 login/permission/clone events from mtvcenter01 in 24 h - very high volume vs other envs (AZ 1403, PROD 2088)**
 - *Evidence:* 6486 total matched, 1000 sampled (truncated); source=mtvcenter01; stream 66d7eb5aa8f61e664e846a8e
 - *MITRE:* T1078 T1021
 - *Action:* Confirm 6486 is within DEV baseline; filter to failed logins and VM create/delete/export to rule out automated harvesting
 - *Pivot query:* source:mtvcenter01 AND message:(failed OR error OR denied) in stream 66d7eb5aa8f61e664e846a8e last 86400 s group by message to isolate failures and anomalous VM operations
- **CLEAN** **DEV-GL ESXi: No login/ssh/shell events in 24 h**
 - *Evidence:* ESXi stream 675aece4368f9f442228cb83: 0 matches; 86400 s window
 - *MITRE:*
 - *Action:* No action required
 - *Pivot query:* message:(login OR ssh OR shell) in stream 675aece4368f9f442228cb83 last 7 days to verify ESXi log forwarding is healthy

PROD-GL — 35 findings

PROD-GL → account (1)

- **CLEAN** **No new accounts, no privileged group adds, no Kerberoast, no log clear, no RDP hijack**
 - *Evidence:* 4720/4728/4732/4756/4769/1102(Sec)/104(Sys)/4778/4779 = 0
 - *MITRE:*
 - *Action:* None
 - *Pivot query:* PROD-GL Winlog_beat 69f0732eed810c476d436c56: re-run the account/kerb OR weekly as a tripwire

PROD-GL → azure (6)

- **REVIEW** **SP credential (X509) + ClaimIssuancePolicy added to enterprise app Storylane from Azure IP**
 - *Evidence:* 13.93.155.8 2026-06-01T16:04Z Add service principal credentials + Add policy to SP Storylane
 - *MITRE:* T1098.001 T1606.002
 - *Action:* Confirm SSO onboarding change ticket for Storylane; validate cert thumbprint and approver
 - *Pivot query:* PROD-GL 6979bcc8245e61e78824df15: VENDOR_EVENT_CATEGORY:AuditLogs AND "5efdd0e3-bf9b-4126-ba5c-1f661d967505" - all ops on Storylane SP; pivot callerIpAddress:13.93.155.8 for other SP changes
- **REVIEW** **Tenant-wide admin consent + delegated grant (User.Read openid, AllPrincipals) to app Blissbook**
 - *Evidence:* 4.216.182.52 ESTS 2026-06-01T15:36Z Consent to application IsAdminConsent=True OnBehalfOfAll=True
 - *MITRE:* T1098.003
 - *Action:* Validate who approved Blissbook SaaS consent; low scope but confirm app legitimacy
 - *Pivot query:* PROD-GL 6979bcc8245e61e78824df15: VENDOR_EVENT_CATEGORY:AuditLogs AND "c34cbfb5-7e0c-4acb-a548-8cf7985937e4" - all grants/consents for Blissbook SP; check for follow-on app role assignments
- **REVIEW** **Single user 232 failed auths from one residential IP - stuck client vs targeted, no success seen**
 - *Evidence:* ghansyam.patel@casepoint.com 232 fails 73.172.199.239 codes 50126/50020 24h
 - *MITRE:* T1110
 - *Action:* Contact user/EUC; if unexplained force credential reset and review client config
 - *Pivot query:* PROD-GL 6979bcc8245e61e78824df15: properties_userPrincipalName:"ghansyam.patel@casepoint.com" - check for any properties_status_errorCode:0 (success) and list source_ip + properties_appDisplayName over 7d
- **LOW** **Contractor interactive sign-ins from Ireland via Windows 365 Cloud PC - consistent device, not impossible travel**
 - *Evidence:* nancy.schoeck1.ctr@casepoint.com 185.99.138.85/137.16 Windows 365 Client 24h
 - *MITRE:*

m" - /d source_ip + country history to confirm Ireland is the steady-state location

- **LOW Conditional Access blocks (53003) high volume but spread across many residential IPs - routine enforcement**
 - Evidence: 6981 events 212 IPs top 173.73.243.61 x301, 68.33.7.191 x295 24h
 - MITRE: T1078
 - Action: No action; baseline. Spot-check any IP that later shows a success
 - Pivot query: `PROD-GL 6979bcc8245e61e78824df15: properties_status_errorCode:53003 AND source_ip:"173.73.243.61"` then same IP with `properties_status_errorCode:0` to rule out breakthrough
- **CLEAN No Identity Protection risky sign-ins; clean geography (US/IN/IE only); no token-replay or impossible-travel anomaly**
 - Evidence: risky=0; success geo US 4782 IN 213 IE 5; MFA-claim sign-ins from trusted IPs
 - MITRE:
 - Action: None; continue monitoring
 - Pivot query: `PROD-GL 6979bcc8245e61e78824df15: properties_status_additionalDetails:"MFA requirement satisfied by claim in the token" AND NOT source_ip:(199.27.40.187 140.82.202.196 123.253.153.138) - group by source_ip` to spot new-IP replay

PROD-GL → db (3)

- **REVIEW NOT ASSESSED this run - Redis CONFIG/SLAVEOF/MODULE coverage gap; NOAUTH and FLUSHALL returned 0 hits**
 - Evidence: Lucene too_many_nested_clauses on initial query; retry NOAUTH OR FLUSHALL on 5f2d59f8a7226b1a12739a7f:0
 - MITRE:
 - Action: Re-run manually: `aggregate stream 5f2d59f8a7226b1a12739a7f query:CONFIG field:source rangeSeconds:86400`
 - Pivot query: `aggregate_logs streamId:5f2d59f8a7226b1a12739a7f query:CONFIG field:source rangeSeconds:86400 fet`
`chLimit:2000`
- **REVIEW Elasticsearch: 1189 errors in 24h across 11 hosts; LDGLES01(692)+LDGLES02(464) dominant - unsampled**
 - Evidence: 1189 hits not truncated; LDGLES01=692, LDGLES02=464; CAES* nodes 3-4 each; error type unconfirmed
 - MITRE:
 - Action: Sample PROD-GL ES errors to confirm DocumentLevelMonitorRunner pattern vs genuine cluster issues
 - Pivot query: `search_logs_relative streamId:5f2d300ba7226b1a12736735 query:ERROR fields:message,source rangeSec`
`onds:86400 limit:10`
- **LOW Pgouncer: 18 FATAL 'database does not exist' across 5 hosts - operational stale pool entries, not auth failure**
 - Evidence: LDARAPG01(6), LDPTFPG11(5), LDARAPG15(4), CAPG22(2), LDARAPG23(1); all ASD_* db not found
 - MITRE:
 - Action: Audit pgbouncer pool configs on LDARAPG01, LDPTFPG11, LDARAPG15, CAPG22, LDARAPG23; remove stale entries
 - Pivot query: `search_logs_relative streamId:5f2d50eca7226b1a12739076 query:FATAL fields:message,source rangeSec`
`onds:86400 limit:20`

PROD-GL → defender (1)

- **HIGH 465 Defender malware detections (EICAR test file + Worm:Win32/Sobig.A) on 14 CAAGT processing agents; no 1117 remediation forwarded**
 - Evidence: 1116 x465 across CAAGT201/206/005..; share \\canas02; user LD\ldprsvc; 2026-06-01
 - MITRE: T1204 T1105
 - Action: Confirm quarantine/removal of flagged files in client datasets on canas02; verify Defender 1117/5007 forwarding; confirm scan-at-rest only (no execution)
 - Pivot query: `PROD-GL Winlog_beat 69f0732eed810c476d436c56: winlogbeat_winlog_event_id:(1117 OR 1118 OR 1119 OR`
`5001 OR 5007) to confirm action-taken/RTP-state per CAAGT host`

- *Evidence:* ~1156 403 in 24h; 103.11.65.66, 216.189.157.216, 162.213.37.53, 162.213.36.11
 - *MITRE:* T1595,T1190
 - *Action:* Confirm WAF 403 holds; consider rate-limit/geo-block of repeat scanner IPs
 - *Pivot query:* `stream:6149e2537a8c5b2399280cfd Client_ip:162.213.37.53` - check for any non-403 (200) response indicating bypass
- **LOW Legitimate authenticated DTC upload/download sessions, HTTP 200**
 - *Evidence:* julielaboe@gmail.com via 73.219.191.130; casre01@casepoint.com via 38.101.76.200 (3619 polling calls)
 - *MITRE:*
 - *Action:* None - normal DTC activity
 - *Pivot query:* `stream:6149e2537a8c5b2399280cfd message:julielaboe` - verify session GUID maps to one expected transfer

PROD-GL →edr (1)

- **CLEAN ESET PROD-GL: No threat, quarantine, or malware detection events in 24 h**
 - *Evidence:* 0 matches; stream 6746ab2cce1f534b45f8ff43; 86400 s window
 - *MITRE:*
 - *Action:* No action required
 - *Pivot query:* `message:ThreatDetected` in stream 6746ab2cce1f534b45f8ff43 last 7 days to confirm no suppressed detections

PROD-GL → firewall (1)

- **REVIEW PROD Fortigate action:deny returns 0 of 1705538 events; only action:accept and action:close logged - deny visibility missing**
 - *Evidence:* action:deny=0; action:* confirmed 1705538 events with accept/close in stream 666bf2f2ef368d4b942dbdb8
 - *MITRE:*
 - *Action:* Check PROD Fortigate logging profile; try action:drop action:blocked action:reject; escalate if deny logging confirmed disabled
 - *Pivot query:* `action:drop OR action:blocked OR action:reject` in stream 666bf2f2ef368d4b942dbdb8 range:86400 agg -by:srcip - find alternate deny action values

PROD-GL → iis (3)

- **REVIEW Azure-hosted 20.116.138.152 high 401 volume as sync service accounts (CollaborationSync/PALConfig)**
 - *Evidence:* 2342/5000 sampled 401s, ~251k reqs/24h; users copaxcuser/couaxcuser/ld\coppbcuser; status 200+401 mix
 - *MITRE:* T1110
 - *Action:* Confirm 20.116.138.152 is an approved CasePoint sync node; if not, treat 401 burst as credential abuse
 - *Pivot query:* `PROD-GL: search_logs message:"20.116.138.152" rangeSeconds 86400 fields message; group by URI_Stream` and confirm only /Collaboration and /PALConfig endpoints
- **LOW No SQLi/XSS/traversal/webshell/scanner/SSRF activity in PROD IIS**
 - *Evidence:* ~5.17M reqs/24h; all attack-token aggregations returned 0 matches
 - *MITRE:*
 - *Action:* No action; injection surfaces clean for the window
 - *Pivot query:* `PROD-GL: re-run weekly; aggregate field=Status query=filebeat_log_file_path:*inetpub*` to watch 4xx/5xx drift
- **LOW 123.253.153.138 404 burst is source-map (.map) + favicon misses from authenticated browser, benign**
 - *Evidence:* 818 404s; /Scripts/big.js-master/doc/big.js.map, /sm/*.map, /favicon.ico; user ujal.patel@casepoint.in
 - *MITRE:*
 - *Action:* No action; deploy/exclude .map files to cut 404 noise. Not enumeration
 - *Pivot query:* `PROD-GL: aggregate field=URI_Stream query=message:"123.253.153.138" AND Status:404` to confirm only .map/favicon paths

stream

- Evidence: stream 66d714172115713ad5f03567 returned 0 matched events; consistent with prior run result
- MITRE:
- Action: Sample KEMP raw log format; identify correct event field names and vocabulary for future queries
- Pivot query: `* in stream 66d714172115713ad5f03567 range:86400 limit:5 - inspect raw KEMP messages for correct field names`

PROD-GL → linux (2)

- **LOW** **Benign landscape-client error reading /etc/shadow (Too many open files) on LDPTARAREDIS03**
 - Evidence: 2026-06-01T04:42Z landscape-client Errno 24 reading /etc/shadow
 - MITRE:
 - Action: Operational; check file-descriptor limits on LDPTARAREDIS03 if recurring
 - Pivot query: `PROD Rsyslog 66bf0856b374f946d39c4757 source:LDPTARAREDIS03 AND message:"Too many open files" over 24h`
- **CLEAN** **No Linux compromise; passwd-/shadow- chmod benign cron; no miners/revshell/jndi/authorized_keys**
 - Evidence: 25 hits cron chmod on CAPG11-23 at 16:00Z; FailedPwd=3; jndi=0
 - MITRE:
 - Action: None; routine
 - Pivot query: `PROD Rsyslog 66bf0856b374f946d39c4757 message:"sudo" AND message:"COMMAND" aggregate field source for off-baseline sudo`

PROD-GL → mfa (1)

- **REVIEW** **Securenvoy PROD-GL: 146 auth failure/denied/lockout events in 24 h - LDSCRENV02 (132), LDSCRENV01 (14); username pivot required**
 - Evidence: 146 events; LDSCRENV02=132, LDSCRENV01=14; stream 663b26e79fb17a645f38b43e
 - MITRE: T1110.001 T1078
 - Action: Pivot by username to distinguish single-user token expiry from multi-user spray pattern
 - Pivot query: `source:LDSCRENV02 AND message:(failed OR denied OR lockout) in stream 663b26e79fb17a645f38b43e last 86400 s limit 20 to extract usernames and failure types`

PROD-GL → rdp (4)

- **REVIEW** **B4 shared-admin ssadmin rapid-hops LDDEVWS09<->LDDEVWS10 within 44-75s from one admin IP**
 - Evidence: 10.250.50.46; LDDEVWS09 10:20:55Z->LDDEVWS10 10:21:39Z; 12 type-10 sessions
 - MITRE: T1078.002 T1021.001
 - Action: Confirm ssadmin is sanctioned admin/automation for the LD dev pool; move to per-admin named accounts + MFA; baseline its IP
 - Pivot query: `PROD-GL Winlog_beat 69f0732eed810c476d436c56: winlogbeat_winlog_event_data_TargetUserName:ssadmin AND winlogbeat_winlog_event_id:4688 to enumerate post-logon processes on LDDEVWS09/10/18`
- **LOW** **B3 offshore IST night-shift cohort RDP after-hours (benign extended shift)**
 - Evidence: 215 type-10 via gateway; surname+digit acctg into LDDEVWS; derived-hour
 - MITRE:
 - Action: Create after-hours allow-list for the offshore cohort; alert only on NEW user or new source IP after-hours
 - Pivot query: `PROD-GL Winlog_beat 69f0732eed810c476d436c56: aggregate winlogbeat_winlog_event_data_IPAddress for type-10 to baseline source IPs`
- **LOW** **B1 failed-login bursts (password fatigue/expiry), no brute-force burst from a single external IP**
 - Evidence: 4625 x70; patkev1=9 patpre1=6 chauan1=6 sarojn1=6; 49 bad-pw/15 expired
 - MITRE: T1110.003
 - Action: Notify users of expired/locked creds; no containment needed; watch for any switch to single-IP high-rate
 - Pivot query: `PROD-GL Winlog_beat 69f0732eed810c476d436c56: winlogbeat_winlog_event_id:4625 AND winlogbeat_winlog_event_data_TargetUserName:patkev1 fields IPAddress,WorkstationName,SubStatus`

- MITRE: T1078
- Action: No action; confirm no off-baseline process for patkev1/chaun1 if revisited
- Pivot query: `PROD-GL Winlog_beat 69f0732eed810c476d436c56: winlogbeat_winlog_event_data_TargetUserName:chaun1 AND winlogbeat_winlog_event_id:(4688 OR 7045) post-success window`

PROD-GL → service (1)

- **LOW** High 7045 volume is PDQ Inventory/Deploy + updaters (benign IT tooling)
 - Evidence: 7045=4570: PDQInventory-Scanner-1 x3475, PDQDeployRunner-1 x1091
 - MITRE:
 - Action: Baseline PDQ service-name pattern to suppress noise; alert only on non-PDQ/non-updater service names
 - Pivot query: `PROD-GL Winlog_beat 69f0732eed810c476d436c56: winlogbeat_winlog_event_id:7045 AND NOT winlogbeat_winlog_event_data_ServiceName:(PDQ* OR *Updater* OR *Update*)` to surface odd services

PROD-GL → sftp (4)

- **MEDIUM** Path-traversal/Shellshock exploit probes against Cerberus HTTPS portal, blocked by URI security check
 - Evidence: 172.185.40.47 17:16Z, 47.253.5.130 10:36Z, 101.47.8.187 06:19Z; POST /cgi-bin/./bin/sh, all blocked
 - MITRE: T1190,T1083
 - Action: Confirm WAF/security-check blocks all; geo/IP block the 3 source IPs at perimeter
 - Pivot query: `stream:6696b768cbc7125b47f1b972 message:"failed security check" - list every probed URI/IP over 7 d to size the campaign`
- **REVIEW** PHP login recon GET /php/login.php against portal (no PHP app present)
 - Evidence: 45.156.129.52 @ 2026-06-01T20:50Z GET /php/login.php
 - MITRE: T1595
 - Action: Confirm 404/blocked; add IP to scanner blocklist if recurring
 - Pivot query: `stream:6696b768cbc7125b47f1b972 Client_ip:45.156.129.52 - enumerate all paths this IP requested`
- **LOW** Scattered SFTP auth/connection failures, no single-IP burst, no correlated success
 - Evidence: 62 failed events / 35 IPs in 24h; top 118.193.45.149 (10)
 - MITRE: T1110
 - Action: No action; monitor 118.193.45.149 for escalation to burst
 - Pivot query: `stream:6696b768cbc7125b47f1b972 Client_ip:118.193.45.149 - check for any Successfully stored/sent after failures`
- **LOW** Large transfers legitimate (named auth users); Cato egress installer transfer likely false positive
 - Evidence: patelr1 1.5GB .bak; brooke_axelrod@fd.org 490MB zip; gandhm1 CATO setup.exe via 199.27.40.187/123.253.153.138
 - MITRE:
 - Action: None - Cato egress likely false positive; verify patelr1 .bak export is sanctioned
 - Pivot query: `stream:6696b768cbc7125b47f1b972 message:patelr1 - confirm DB backup export is an approved job`

PROD-GL → switch (1)

- **REVIEW** 483 events from OPHQSW02-1 (282) and OPHQSW01-2 (192) matched link/auth/config keywords; event types unclassified
 - Evidence: stream 6156afa656cbbc4888659459: OPHQSW02-1=282, OPHQSW01-2=192, DCRMSW01=6, 10.250.1.4=3
 - MITRE:
 - Action: Drill down on OPHQSW02-1 raw messages; escalate to HIGH if auth-failure events found on HQ switches
 - Pivot query: `source:OPHQSW02-1 in stream 6156afa656cbbc4888659459 range:86400 limit:10 - inspect raw messages to classify event types`

PROD-GL → virt (3)

- **REVIEW** VCenter PROD-GL: 2,088 login/permission/clone events across ldvcenter04 (513) and drvcenter02 (487) in 24 h; truncated
 - Evidence: 2088 total; ldvcenter04=513, drvcenter02=487; stream 6734f42cec008759bf06859e

- *Pivot query:* message:(failed OR error OR denied) in stream 6734f42cec008759bf06859e last 86400 s group by source to identify failed VCenter login sources and actors
- **REVIEW UCS PROD-GL: 66 admin/login/fault events from LDPTUCS01-A (62) and LDUCS01-B (4) in 24 h; event content not reviewed**
 - *Evidence:* 66 events; LDPTUCS01-A=62, LDUCS01-B=4; stream 676a69183660c520434b622f
 - *MITRE:* T1078
 - *Action:* Review raw event content for account changes, unexpected admin sessions, or config modifications
 - *Pivot query:* message:(login OR admin OR fault) in stream 676a69183660c520434b622f last 86400 s limit 10 to review event types, actors, and source IPs
- **CLEAN PROD-GL ESXi and Dell iLO: No login/ssh/shell or login/privilege/firmware events in 24 h**
 - *Evidence:* ESXi stream 676e6b08bae08a556907ef8c: 0 matches; Dell iLO stream 675d42308a21511442647911: 0 matches
 - *MITRE:*
 - *Action:* No action required
 - *Pivot query:* message:(login OR ssh OR shell) in stream 676e6b08bae08a556907ef8c last 7 days to verify ESXi is forwarding logs and SSH is disabled

AZ-GL — 22 findings

AZ-GL → account (1)

- **CLEAN No B2/B4; no new accounts/group adds/Kerberoast/log clear/RDP hijack; Defender N/A; no LOLBin 4688**
 - *Evidence:* 4720/4728/4732/4756/4769/1102(Sec)/104/4778/4779=0; B4 none
 - *MITRE:*
 - *Action:* None
 - *Pivot query:* AZ-GL Winlog-Beat 69c372d3d429347cf894f6f9: re-run account/kerb OR weekly as tripwire

AZ-GL → azure (1)

- **LOW Infra tenant - negligible interactive sign-in, routine helpdesk/sync audit ops, no privileged role grants**
 - *Evidence:* 275 AuditLogs: pwd resets/group adds; auth fails only 500014 x3; risky=0
 - *MITRE:*
 - *Action:* None; baseline. Reconcile Disable account x1 against HR/IT if spot-checking
 - *Pivot query:* AZ-GL 65cf0501c0fccf5d65f5025f: operationName:"Add member to group" OR operationName:"Disable account" - review target users and actors for the 24h window

AZ-GL → db (3)

- **REVIEW NOT ASSESSED this run - Redis CONFIG/SLAVEOF/MODULE coverage gap; NOAUTH and FLUSHALL returned 0 hits**
 - *Evidence:* Lucene too_many_nested_clauses on initial query; retry NOAUTH OR FLUSHALL on 5f33a260ad43fe543bf8bc4b: 0
 - *MITRE:*
 - *Action:* Re-run manually: aggregate stream 5f33a260ad43fe543bf8bc4b query:CONFIG field:source rangeSeconds:86400
 - *Pivot query:* aggregate_logs streamId:5f33a260ad43fe543bf8bc4b query:CONFIG field:source rangeSeconds:86400 fetchLimit:2000
- **REVIEW AZ_Pure_Login OpenSearch document-level monitor failing every ~1 min on AZHGLES02 - indices not found graylog_***
 - *Evidence:* 3386 errors/24h from AZHGLES02; sample msg: indices not found-graylog_*; ~1/min cadence confirmed
 - *MITRE:* T1562.001
 - *Action:* Fix AZ_Pure_Login monitor index pattern in OpenSearch Alerting on AZHGLES02; restore login detection
 - *Pivot query:* search_logs_relative streamId:5f339d00ad43fe543bf8b356 query:DocumentLevelMonitorRunner fields:message,source rangeSeconds:3600 limit:10

- Evidence: ASD_88_339, ASD_91_351 on AZHFGP16; ASD_857_49312 on AZHARAPG57; 2026-06-01
- MITRE:
- Action: Audit pgbouncer pool config on AZHFGP16 and AZHARAPG57; remove stale ASD_* entries
- Pivot query: `search_logs_relative streamId:5f293d31d21b5407dc2b3099 query:FATAL fields:message,source rangeSeconds:86400 limit:20`

AZ-GL → dtc (1)

- **CLEAN** **Not applicable - DTC Rebex streams (PROD/CA/PT) are PROD-GL only; AZ Rebex not in DTC set**
 - Evidence: DTC set = Rebex_PROD/CA/PT, all PROD-GL
 - MITRE:
 - Action: None

AZ-GL → edr (1)

- **CLEAN** **ESET AZ-GL: No threat, quarantine, or malware detection events in 24 h**
 - Evidence: 0 matches; stream 64cc8a9b53e89b443dba5ceb; 86400 s window
 - MITRE:
 - Action: No action required
 - Pivot query: `message:ThreatDetected in stream 64cc8a9b53e89b443dba5ceb last 7 days to confirm no suppressed detections`

AZ-GL → firewall (2)

- **HIGH** **38.95.14.214 Telnet flood: 8738 denies targeting port 23/TCP on 209.249.209.146 via AZHFW01**
 - Evidence: dstport:23, dstip:209.249.209.146, 8738 total events, last seen 2026-06-01T21:39:34Z
 - MITRE: T1595.001 T1595.002
 - Action: Block 38.95.14.214 at AZHFW01; confirm port 23 is not exposed on 209.249.209.146
 - Pivot query: `srcip:38.95.14.214 AND dstport:23 AND action:accept in stream 66a9c02f66289250033ffd22 range:86400 - confirm no Telnet session succeeded`
- **MEDIUM** **10.220.235.0/24 internal subnet: 12+ hosts generating ~115 denies each in 3000-event sample of 122571 total**
 - Evidence: srcip 10.220.235.12/.13/.16/.17/.26/.35/.61/.72/.73/.100 each 113-117 hits; uniform pattern
 - MITRE: T1041 T1071
 - Action: Identify blocking policy; check if outbound or east-west; review ESET on affected hosts for compromise indicators
 - Pivot query: `srcip:10.220.235.0/24 AND action:deny in stream 66a9c02f66289250033ffd22 range:86400 agg-by:dstport - identify target services`

AZ-GL → iis (1)

- **CLEAN** **No web-attack activity across ~3.19M inetpub requests; only Bingbot 404s observed**
 - Evidence: 3.19M reqs/24h; SQLi/XSS/trav/webshell/scanner/SSRF=0; 404s 40.77.167.75,157.55.39.223 (Bing)
 - MITRE:
 - Action: No action; AZ IIS clean. Azure Event Hub detail not text-searchable, use Azure portal for sign-in detail
 - Pivot query: `AZ-GL Platformgov stream 6167fdd0067ed03d6e7bfb6f: aggregate field=status query=filebeat_log_file _path:*inetpub* to baseline error mix`

AZ-GL → lb (1)

- **REVIEW** **NOT ASSESSED this run - LB coverage gap: 0 events for login/permission/config/cert in KEMPLM stream**
 - Evidence: stream 66db5a007c076f66692b3c70 returned 0 matched events; consistent with prior run result
 - MITRE:
 - Action: Sample KEMP raw log format; identify correct event field names and vocabulary for future queries
 - Pivot query: `* in stream 66db5a007c076f66692b3c70 range:86400 limit:5 - inspect raw KEMP messages for correct field names`

AZ-GL → linux (2)

- MITRE: T1078
- Action: Confirm ceurufrd is the sanctioned service/monitoring account; baseline its source 10.220.200.213
- Pivot query: `AZ Rsyslog_ssh 616d2648067ed03d6e8235a5 message:"ceurufrd" AND message:"Accepted" aggregate field source`
- **CLEAN** **No Linux compromise; passwd-/shadow- chmod is benign root cron hardening, no miners/revshell/jndi**
 - Evidence: 96 hits all CRON chmod u-x,go-rwx /etc/passwd-|shadow- at 2026-06-01T16:00Z; FailedPwd=3 total
 - MITRE:
 - Action: None; routine. Spot-confirm the 16:00Z cron job is the standard hardening task
 - Pivot query: `AZ Rsyslog_ssh 616d2648067ed03d6e8235a5 message:"CRON" AND message:"chmod" field source over 7d t`
o confirm cadence

AZ-GL → mfa (1)

- **LOW** **Securenvoy AZ-GL: 10 auth failure/denied/lockout events from AZHSCRENV01 in 24 h - low count, likely normal**
 - Evidence: 10 events; source=AZHSCRENV01; stream 66063d0ac161322cd580be75; 86400 s
 - MITRE: T1110.001 T1078
 - Action: Monitor for volume increase; no immediate action required at 10 events
 - Pivot query: `source:AZHSCRENV01 AND message:(failed OR denied OR lockout) in stream 66063d0ac161322cd580be75 l`
ast 86400 s limit 10 to extract usernames from message field

AZ-GL → rdp (2)

- **LOW** **B3 offshore IST night-shift cohort RDP after-hours (benign extended shift)**
 - Evidence: 61 type-10 via gateway into AZHBSHST; aasimm1 17:39Z, dodiya1 19:39Z, sdhara1 00:03Z
 - MITRE:
 - Action: After-hours allow-list for cohort; alert on new user/new source IP after-hours
 - Pivot query: `AZ-GL Winlog-Beat 69c372d3d429347cf894f6f9: aggregate winlogbeat_winlog_event_data_TargetUserName`
for type-10 between 16:30-00:30Z
- **LOW** **B1 single user >3 fails (patank1, bad password); password fatigue, not brute force**
 - Evidence: 4625 x14; patank1=5 (0xC000006A); via gateway 10.227.2.69/70
 - MITRE: T1110.003
 - Action: User password reset comms; no containment
 - Pivot query: `AZ-GL Winlog-Beat 69c372d3d429347cf894f6f9: winlogbeat_winlog_event_id:4625 AND winlogbeat_winlog`
_event_data_TargetUserName:patank1 fields IpAddress,WorkstationName,SubStatus

AZ-GL → service (1)

- **LOW** **High 7045 volume is PDQDeployRunner + Graylog winlogbeat sidecar (benign)**
 - Evidence: 7045=2547: PDQDeployRunner-1 x1672, sidecar x852
 - MITRE:
 - Action: Suppress PDQ/sidecar noise; alert on non-PDQ service installs
 - Pivot query: `AZ-GL Winlog-Beat 69c372d3d429347cf894f6f9: winlogbeat_winlog_event_id:7045 AND NOT winlogbeat_wi`
nlog_event_data_ServiceName:(PDQ* OR *sidecar*)

AZ-GL → sftp (1)

- **CLEAN** **Not applicable - AZ-GL has no SFTP streams; no queries run**
 - Evidence: streams.json by_gl.AZ-GL has no SFTP entry
 - MITRE:
 - Action: None - confirm no SFTP service expected on AZ-GL

AZ-GL → switch (1)

- **REVIEW** **NOT ASSESSED this run - switch coverage gap: 0 events for link/auth/config keywords in Switch_Logs stream**

- *Action:* Re-run with broader query; sample raw messages to identify correct AZ switch syslog keyword patterns
- *Pivot query:* `* in stream 6530e16ef9823409afefd802 range:86400 limit:5 - inspect raw messages for field names and vocabulary`

AZ-GL → virt (3)

- **REVIEW** **VMcenter AZ-GL: 1,403 login/permission/clone events from AZHVCENTER01 in 24 h; event-type breakdown not available**
 - *Evidence:* 1403 total matched, 1000 sampled (truncated); source=AZHVCENTER01; stream 676c662feab15b60aad5bed8
 - *MITRE:* T1078 T1021
 - *Action:* Re-run query narrowed to failed logins and VM create/delete/clone/export; establish 30-day baseline
 - *Pivot query:* `source:AZHVCENTER01 AND message:(failed OR error OR denied) in stream 676c662feab15b60aad5bed8 last 86400 s group by message to isolate failed logins and anomalous VM ops`
- **LOW** **UCS AZ-GL: 4 admin/login/fault events from azucs01-a.cpsce.info. in 24 h - low count, normal UCS activity**
 - *Evidence:* 4 events; source=azucs01-a.cpsce.info.; stream 676c677ceab15b60aad5bfe7; 86400 s
 - *MITRE:*
 - *Action:* No immediate action; confirm events are routine UCS health or scheduled admin tasks
 - *Pivot query:* `source:azucs01-a.cpsce.info. in stream 676c677ceab15b60aad5bfe7 last 86400 s limit 10 to review event types and actors`
- **CLEAN** **AZ-GL ESXi and Dell iLO: No login/ssh/shell or login/privilege/firmware events in 24 h**
 - *Evidence:* ESXi stream 676c6571eab15b60aad5be43: 0 matches; Dell iLO stream 676c67dceab15b60aad5c03c: 0 matches
 - *MITRE:*
 - *Action:* No action required
 - *Pivot query:* `message:(login OR ssh OR shell) in stream 676c6571eab15b60aad5be43 last 7 days to verify ESXi is forwarding logs and SSH is disabled`

OP-GL — 29 findings

OP-GL → account (1)

- **CLEAN** **No new accounts/group adds/Kerberoast/log clear; Defender N/A (ESET feed); process use benign (eCase regsvr32)**
 - *Evidence:* 4720/4728/4732/4756/4769/1102(Sec)/104/4778/4779=0; regsvr32 dtengine64.dll only
 - *MITRE:*
 - *Action:* None
 - *Pivot query:* `OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: re-run account/kerb OR weekly as tripwire`

OP-GL → azure (1)

- **CLEAN** **Not applicable - OP-GL has no Azure Event Hub stream**
 - *Evidence:* No Azure stream on OP-GL; not queried
 - *MITRE:*
 - *Action:* None

OP-GL → db (1)

- **REVIEW** **Elasticsearch: 1865 errors in 24h from OPGLES01(930) and OPGLES02(935) - unsampled, error type unknown**
 - *Evidence:* 1865 hits not truncated; OPGLES01=930, OPGLES02=935; Opensearch fallback stream not queried
 - *MITRE:*
 - *Action:* Sample OP-GL ES errors; also aggregate Opensearch stream 68ef0a3dfa794807d75227c5 for full coverage
 - *Pivot query:* `search_logs_relative streamId:69df8e2c29a1e110357a3008 query:ERROR fields:message,source rangeSeconds:86400 limit:10`

OP-GL → dtc (1)

- MITRE:
- Action: None

OP-GL →edr (1)

- **LOW** ESET OP-GL: 1 event on OPESET01 matched 'quarantine' - drill-down confirms scheduled report task, not a threat detection
 - Evidence: Audit_Event domain=Server task result=Success; 2026-06-01 05:40 UTC; 10.150.100.71
 - MITRE:
 - Action: No action required; confirm ESET ERA scheduled quarantine-report job is admin-approved
 - Pivot query: source:OPESET01 AND message:ThreatDetected in stream 68925684b41ef4e3a0f86415 last 7 days to confirm absence of real detections

OP-GL → firewall (2)

- **HIGH** 176.123.10.82 persistent Telnet attack: 771 denies targeting port 23/TCP on 38.120.135.35, active as of 21:38Z
 - Evidence: dstport:23, dstip:38.120.135.35, 771 events on OP_VA_FW; last seen 2026-06-01T21:38:20Z
 - MITRE: T1595.001 T1595.002 T1133
 - Action: Block 176.123.10.82 at OP_VA_FW; verify port 23 is not externally exposed on 38.120.135.35
 - Pivot query: srcip:176.123.10.82 AND action:accept in stream 6819f3307708cd4fdd4dad42 range:86400 - confirm no successful Telnet connection
- **HIGH** 207.90.244.0/24 distributed port scan: 7 IPs targeting 216.200.231.226 across 10+ ports, 1890 total denies
 - Evidence: ports: 23,53,80,1701,5804,8916,12229,12320,12436,28443; .2/.3/.5/.10/.13/.21/.25 all active on OP_VA_FW
 - MITRE: T1595.001 T1046
 - Action: Block 207.90.244.0/24 at OP_VA_FW; identify and audit services exposed on 216.200.231.226
 - Pivot query: srcip:207.90.244.* AND action:accept in stream 6819f3307708cd4fdd4dad42 range:86400 agg-by:dstport - check if any scan probe succeeded

OP-GL → iis (3)

- **MEDIUM** External 165.224.131.250 encoded path-traversal/LFI probe vs doed.secureocp.com FOIAXpress (404)
 - Evidence: 2026-06-01 07:33:40; GET /.%2e/.%2e/.../etc/A... and /...ini; 3 reqs all 404; Firefox/110; no .nasl
 - MITRE: T1190 T1083
 - Action: Block/monitor 165.224.131.250 at WAF/FW; confirm FOIAXpress not vulnerable to dot-encoded traversal
 - Pivot query: OP-GL IIS_PROD 69837caf557da7352164b45c: search Client_ip:"165.224.131.250" rangeSeconds 86400 fields URI_Stream,Status,UserAgent for full probe set + any non-404
- **REVIEW** 38.120.135.35 ~300k 401s as op\oppbcuser to PALConfig SyncService - likely broken sync re-auth, not brute force
 - Evidence: 299,706 401s/24h single IP+single account; POST /PALConfig/WebServices/SyncService.svc; also 200s
 - MITRE: T1110
 - Action: Verify sync integration/credentials on 38.120.135.35; rule out credential abuse before dismissing
 - Pivot query: OP-GL IIS_PROD 69837caf557da7352164b45c: search Client_ip:"38.120.135.35" AND Status:401 fields URI_Stream,Username; check for varied accounts (=brute) vs single account (=integration)
- **REVIEW** FOIAXpress ImageHandler.ashx file= param accepts UNC paths and external URLs - latent LFI/SSRF surface
 - Evidence: file=\\opnas01\FX01\... and file=https%3a%2f%2fproducts.office.com%2f...; authed va.gov/nih.gov users; all 200
 - MITRE: T1190
 - Action: Code/config review of ImageHandler.ashx; allowlist file= to expected paths, block external URLs
 - Pivot query: OP-GL IIS_PROD: search URI_Stream:"/FOIAXpress/ADR/ImageHandler.ashx" AND message:http fields URI_Query,Client_ip,Status to find any external/abuse file= values

OP-GL → linux (4)

- *Evidence:* nsu sudo cat /etc/shadow 11:54Z + mmonit.%2e/etc/passwd 11:55:19Z; same host+src_ip
- *MITRE:* T1190 T1003.008 T1083 T1078 T1087
- *Action:* Confirm 10.150.100.199 is sanctioned scanner; if not, isolate OPMMONIT01 and rotate nsu creds
- *Pivot query:* OP Rsyslog 6819f29c7708cd4fdd4da5b6 source:OPMMONIT01 AND message:"10.150.100.199" sort time to reconstruct full scan timeline
- **REVIEW Credentialed scanner nsu@10.150.100.199 sudo audits passwd/shadow/sudoers/authorized_keys across OPANSI01/OPGLES0x/OPGLOS01/OPMMONIT01**
 - *Evidence:* 2990 Accepted nsu logins; read-only sudo audit 2026-06-01T11:51-12:34Z
 - *MITRE:* T1078 T1003.008 T1087 T1083
 - *Action:* Confirm nsu/10.150.100.199 is sanctioned; verify the authorized_keys read-loop is scanner behavior not exfil
 - *Pivot query:* OP Rsyslog 6819f29c7708cd4fdd4da5b6 message:"nsu" AND message:"COMMAND" aggregate field source; flag any write/chmod/echo>>
- **REVIEW Nikto-style web vuln scan from 10.150.100.199 vs OPMMONIT01 mmonit-3.7.9; all probes failed**
 - *Evidence:* 2084 hits; /etc/passwd, global.asa, trace.axd, SiteScope, ..\pixfir~1 probes; all 404/408
 - *MITRE:* T1190 T1595
 - *Action:* Confirm authorized scan window for 10.150.100.199; assess mmonit-3.7.9 exposure/patch level
 - *Pivot query:* OP Rsyslog 6819f29c7708cd4fdd4da5b6 source:OPMMONIT01 AND message:"File does not exist" aggregate to list probed paths
- **LOW Allow-listed \${jndi SSH invalid-user probe from 10.150.100.199; all failed, no kill-chain in 60s**
 - *Evidence:* 63 hits 2026-06-01T11:33-11:57Z; Invalid user across OPANSI01/OPGL01/OPMMONIT01/OPPGDB01
 - *MITRE:* T1190 T1110
 - *Action:* Allow-listed; correlate with the same-IP web scan as one scanner campaign
 - *Pivot query:* OP Rsyslog 6819f29c7708cd4fdd4da5b6 message:"10.150.100.199" AND message:"Accepted" to confirm no jndi-user session succeeded

OP-GL → mfa (1)

- **LOW Securenvoy OP-GL: 6 auth failure/denied/lockout events from OPSCRENV01 in 24 h - low count, likely normal**
 - *Evidence:* 6 events; source=OPSCRENV01; stream 6819f0597708cd4fdd4d91f2; 86400 s
 - *MITRE:* T1110.001
 - *Action:* No immediate action; monitor for volume increase
 - *Pivot query:* source:OPSCRENV01 AND message:(failed OR denied OR lockout) in stream 6819f0597708cd4fdd4d91f2 limit 10 to extract usernames

OP-GL → rdp (5)

- **REVIEW B4 shared-admin ssadmin into OPDEVWS02 and OPDEVWS03 within ~17s from one admin IP**
 - *Evidence:* 10.150.50.37; OPDEVWS02 11:00:31Z + OPDEVWS03 11:00:48Z; also 14x 4625 fails
 - *MITRE:* T1078.002 T1021.001
 - *Action:* Confirm ssadmin sanctioned automation; replace shared admin with named accounts + MFA; alert if ssadmin source IP changes
 - *Pivot query:* OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_data_TargetUserName:ssadmin AND winlogbeat_winlog_event_id:(4625 OR 4688) to tie failures to host and post-logout actions
- **REVIEW Single malformed base64-like TargetUserName in a 4625 (broken client or probe)**
 - *Evidence:* 1x 4625 TargetUserName starts @@CyBAAAUBQYAMHArBwUA...
 - *MITRE:* T1110
 - *Action:* Identify source host/IP of the malformed-username 4625; rule out a misconfigured client vs scripted probe
 - *Pivot query:* OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_id:4625 AND winlogbeat_winlog_event_data_TargetUserName:@@Cy* fields IPAddress,WorkstationName,source
- **REVIEW B1 ssadmin shared-admin 14x failed logons then success (hygiene concern)**
 - *Evidence:* 4625 ssadmin=14; SubStatus mix bad-pw/none; later 4 type-10 successes
 - *MITRE:* T1110.001 T1078.002

```
_event_data_targetUserName:ssadmin fields IpAddress,WorkstationName,SubStatus,timestamp
```

- **LOW B2 failed-then-succeeded (obupal1/dhanws1/batavd1) are recurring legit users; benign post-login**
 - Evidence: obupal1 4f+ok, dhanws1 4f+ok, batavd1 5f+ok; no malicious follow-on
 - MITRE: T1078
 - Action: No action beyond ssadmin review above
 - Pivot query: `OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_data_TargetUserName:obupal1 AND winlogbeat_winlog_event_id:4688`
- **LOW B3 offshore cohort after-hours RDP (benign), incl IST early-morning sessions**
 - Evidence: 159 type-10 via 10.152.2.4/6; tailob1 00:25Z, badera1 05:22Z, dhanws1 06:40Z
 - MITRE:
 - Action: Add offshore cohort to after-hours allow-list; alert on new user/new source IP after-hours
 - Pivot query: `OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: aggregate winlogbeat_winlog_event_data_TargetUserName for type-10 between 16:30-00:30Z`

OP-GL → service (1)

- **LOW High 7045 volume is PDQ Inventory/Deploy + Graylog sidecars (benign)**
 - Evidence: 7045=4076: PDQInventory-Scanner-1 x1819, PDQDeployRunner-1 x1808
 - MITRE:
 - Action: Suppress PDQ/sidecar service-name noise; alert on non-PDQ service installs
 - Pivot query: `OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_id:7045 AND NOT winlogbeat_winlog_event_data_ServiceName:(PDQ* OR *sidecar* OR Graylog*)`

OP-GL → sftp (3)

- **MEDIUM Blocked SFTP scanner burst - 412 SSH connection attempts rejected (address blocked) in seconds**
 - Evidence: 194.113.195.96 (Cloud Web Manage) 412 rejected ~06:53:29Z on SSH SFTP listener 2
 - MITRE: T1110,T1595
 - Action: Confirm IP stays blocked; verify no prior successful auth from this IP/ASN
 - Pivot query: `stream:69afd0150e2baec71fdf922a Client_ip:194.113.195.96 - confirm zero Successfully stored/sent; check 7d for first-seen`
- **LOW Large transfers legitimate deliverable downloads; Cato egress top talkers likely false positive**
 - Evidence: OPartifacts 26.2.2.x zips (0.2-1GB) by 99.209.190.226/205.194.16.40/149.101.80.74; NYC Comptroller CSV 161.185.150.170; Cato 199.27.40.187/123.253.153.138 top
 - MITRE:
 - Action: None - Cato egress and partner downloads expected; spot-check OPartifacts recipients are authorized
 - Pivot query: `stream:69afd0150e2baec71fdf922a message:OPartifacts - confirm download client IPs map to approved release partners`
- **LOW Scattered SFTP auth failures spread over hours, no burst, no correlated success**
 - Evidence: 99 failed events / 41 IPs in 24h; top 20.121.123.108, 212.102.40.218 (10 each)
 - MITRE: T1110
 - Action: No action; low-and-slow noise, monitor for any IP escalating to burst
 - Pivot query: `stream:69afd0150e2baec71fdf922a Client_ip:20.121.123.108 - check whether any failure is followed by a successful login`

OP-GL → switch (1)

- **REVIEW NOT ASSESSED this run - switch coverage gap: 0 events for link/auth/config keywords in Switch_log stream**
 - Evidence: stream 6819eff37708cd4fdd4d8e36 returned 0 matched events; query returned promptly
 - MITRE:
 - Action: Re-run with broader query; sample raw messages to identify correct OP switch syslog keyword patterns
 - Pivot query: `* in stream 6819eff37708cd4fdd4d8e36 range:86400 limit:5 - inspect raw messages for field names and vocabulary`

- *Evidence:* 4719 x77; SubjectUserName OPBSHST04\$/05\$/OPSCCM01\$/OUPHUD01\$; 2026-06-01
- *MITRE:* T1562.002
- *Action:* Confirm 4719 correlates to scheduled GPO/SCCM policy application (machine accounts, not users); alert if a USER account triggers 4719
- *Pivot query:* OP-GL Winlog_beat 6819eb2b7708cd4fdd4d6a88: winlogbeat_winlog_event_id:4719 AND NOT winlogbeat_winlog_event_data_SubjectUserName:*\$ to catch non-machine actors

OP-GL → virt (3)

- **REVIEW** **UCS OP-GL: 34 admin/login/fault events from source 10.151.1.32 in 24 h - raw IP as source, no hostname resolved**
 - *Evidence:* 34 events; source=10.151.1.32; stream 6819edd17708cd4fdd4d7ccd; 86400 s
 - *MITRE:* T1078
 - *Action:* Identify 10.151.1.32; confirm it is a known UCS fabric interconnect or CIMC; review event content for account or config changes
 - *Pivot query:* source:10.151.1.32 in stream 6819edd17708cd4fdd4d7ccd last 86400 s limit 10 to review event types and verify host is a known UCS node
- **REVIEW** **VCenter OP-GL: 1,019 events; raw IP 10.150.100.199 appears as syslog source (1 event) alongside OPvCenter01 (999) - IP-as-source is anomalous**
 - *Evidence:* 1019 total; OPvCenter01=999, 10.150.100.199=1; stream 6819ecf67708cd4fdd4d773a
 - *MITRE:* T1078 T1021 T1580
 - *Action:* Identify host 10.150.100.199; verify it is a known ESXi node or VCenter satellite, not a rogue system
 - *Pivot query:* source:10.150.100.199 in stream 6819ecf67708cd4fdd4d773a last 86400 s limit 10 to review full event content and determine host identity
- **CLEAN** **OP-GL ESXi: No login/ssh/shell events in 24 h**
 - *Evidence:* ESXi stream 6819f3677708cd4fdd4db010: 0 matches; 86400 s window
 - *MITRE:*
 - *Action:* No action required
 - *Pivot query:* message:(login OR ssh OR shell) in stream 6819f3677708cd4fdd4db010 last 7 days to verify ESXi log forwarding is healthy