

Velar Efficiency Audit

Northstar Home Services (Sample)

AUDIT	PREPARED BY
Sample Revenue Flow Audit	Velar Prototype
MARKET	VERSION
United States	1.0


What currently limits the business flow

Demand is sufficient for the current growth goal, but Sales Flow loses paid demand before contact and booking. The strongest evidence points to delayed first response and uncontrolled inbound handling as the current primary constraint.


Leads 300 per month	Lead -> Customer Conversion 18 %	Average Response Time 2h25m median	Revenue 180000 USD/month
----------------------------------	--	---	---------------------------------------

PRIMARY FLOW	PRIMARY CONSTRAINT	CHECKED	EVIDENCE COVERAGE
Sales	Slow response to inquiries	5/175	100%

Where the flow slows, leaks or becomes unstable



Flow risk profile



BUSINESS MODEL	AUDIT SCOPE
One-time services + recurring service plans	Marketing, Sales, Operations, Finance and Profit Output. Tax, legal and cybersecurity are excluded.
MAIN OFFER	ACCESS LIMITATIONS
HVAC, plumbing and electrical services	CRM data is a partial sample; financial values are management estimates.
TARGET CUSTOMER	
Homeowners in local service areas	

Why this issue is addressed first

Slow response to inquiries

This diagnostic hypothesis checks whether "slow response to inquiries" is present and materially affects the business.

EVIDENCE	BUSINESS CONSEQUENCE
31% of inbound calls were not answered live; 19% had no callback within 24 hours. Median first response: 2h25m.	Paid demand is lost before contact, increasing effective acquisition cost and reducing bookings.
CONFIDENCE	DECISION BASIS
100% Strong evidence 100/100	Causal role: Root Cause. The auditor selected this as the single Primary Constraint.

Causal chain

ROOT CAUSE	CONTRIBUTING CAUSES	OBSERVED SYMPTOMS	BUSINESS EFFECT
Slow response to inquiries	Inbound inquiries are lost; No clear follow-up sequence	Low lead-to-customer conversion	Paid demand is lost before contact, increasing effective acquisition cost and reducing bookings.

The issues that explain the largest business effect

1 Slow response to inquiries

100/100

FLOW	TYPE	CAUSAL ROLE	EVIDENCE
Sales	Revenue Leak	Root Cause	Strong
EVIDENCE SUMMARY	BUSINESS CONSEQUENCE	SOLUTION DIRECTION	PRIORITY
31% of inbound calls were not answered live; 19% had no callback within 24 hours. Median first response: 2h25m.	Paid demand is lost before contact, increasing effective acquisition cost and reducing bookings.	Create a shared inbound queue, ownership by shift and a 15-minute response SLA.	P1 - Primary Constraint

2 Inbound inquiries are lost

96/100

FLOW	TYPE	CAUSAL ROLE	EVIDENCE
Sales	Revenue Leak	Contributing Cause	Strong
EVIDENCE SUMMARY	BUSINESS CONSEQUENCE	SOLUTION DIRECTION	PRIORITY
Call tracking showed that 31% of calls were not answered live and a material share never received a timely callback.	High-intent prospects can leave the funnel before a sales conversation happens.	Add backup ownership, missed-inquiry alerts and daily control of uncontacted leads.	P2 - Critical Revenue Leak

3 No clear follow-up sequence

50/100

FLOW	TYPE	CAUSAL ROLE	EVIDENCE
Sales	Operational Turbulence	Contributing Cause	Moderate
EVIDENCE SUMMARY	BUSINESS CONSEQUENCE	SOLUTION DIRECTION	PRIORITY
19% of sampled leads had no recorded next action or callback within 24 hours; follow-up depended on individual memory.	Leads continue leaking after the first contact attempt and pipeline outcomes become inconsistent.	Implement a mandatory follow-up sequence and next-action control in the lead workflow.	P3 - Bottleneck / Stability

4	Low lead-to-customer conversion			92/100
FLOW	TYPE	CAUSAL ROLE	EVIDENCE	
Sales	Revenue Leak	Symptom	Strong	
EVIDENCE SUMMARY	BUSINESS CONSEQUENCE	SOLUTION DIRECTION	PRIORITY	
Conversion was 29% when contacted within 15 minutes versus 9% after two hours in the reviewed sample.	Low conversion is a measurable downstream symptom of response and follow-up failures.	Track conversion by response-time band and validate the change after response controls are introduced.	P2 - Critical Revenue Leak	

What already works and should not be broken

STRENGTH	EVIDENCE	PRESERVE
Stable lead volume	Lead volume stayed between approximately 280-330 per month for six months and acquisition cost remained within target.	Do not increase acquisition spend before fixing response and follow-up.
Available delivery capacity	Technician capacity data indicates the delivery system can support approximately 25% more booked jobs.	Protect service quality while booked volume increases.

What to change, in what order, and how success will be measured

Phase 1 - Fix Primary Constraint

ACTION	ISSUES	METRIC	BASELINE	TARGET	OWNER
Create shared inbound queue and ownership by shift	S-B01; S-A01	Unanswered lead share	31%	<5% in 30 days	Sales Manager
Introduce 15-minute first-response SLA and real-time alerts	S-B01	Median first response	2h25m	<=15m	Sales Manager

Phase 2 - Stop Critical Leaks

ACTION	ISSUES	METRIC	BASELINE	TARGET	OWNER
Implement mandatory follow-up sequence and next-action control	S-C03	Leads without next action	19%	<3%	Sales Ops

Phase 3 - Stabilize Operations

ACTION	ISSUES	METRIC	BASELINE	TARGET	OWNER
Review a weekly QA sample and coach dispatchers on response standards	S-B01; S-C03	Contact-to-booking conversion	18%	Target set after 4-week controlled baseline	Sales Manager

Phase 4 - Optimize & Scale

ACTION	ISSUES	METRIC	BASELINE	TARGET	OWNER
Evaluate automation and routing only after the response process is stable	S-B01; S-A01	Manual handling time	To be measured	Target after stabilization	Sales Ops

Reviewed diagnostic hypotheses

ID	FLOW	PROBLEM	STATUS	EVIDENCE	SCORE	ROLE
S-A01	Sales	Inbound inquiries are lost	Confirmed	Strong	96	Contributing Cause
S-B01	Sales	Slow response to inquiries	Confirmed	Strong	100	Root Cause
S-C03	Sales	No clear follow-up sequence	Confirmed	Moderate	50	Contributing Cause
S-D05	Sales	Low lead-to-customer conversion	Confirmed	Strong	92	Symptom
O-B02	Operations	Team cannot handle the current workload	Not Present	Strong		Standalone