

TRAINEES

Test Flow 1

1. Login (POST /api/auth/login)

POST

/api/auth/loginLogin

Authenticate and receive a JWT access token

Parameters

No parameters

CancelReset

Request bodyrequired

application/json

{
 "username": "Alice.Johnson",
 "password": "xK9mP2qRnT"
}

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  
  'http://localhost:8080/api/auth/login' \  
  -H 'accept: */*' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "username": "Alice.Johnson",  
    "password": "xK9mP2qRnT"  
  }'  
'
```

Request URL

```
http://localhost:8080/api/auth/login
```

Server response

Code	Details
200	Response body<pre>{ "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpTEVFVVBjBSU5FRSIsImhhdCI6MTczNTAxNTEwFQ.kq9I3xLoUfqTDVVYzei3hShSo5h50lpg7avZsu1-DlTokx-gztymoEJDYS3uD0V"</pre> Download Response headers<pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 03:45:10 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 8be329e3-22c2-4add-8021-fe8e0a54da61 x-xss-protection: 0</pre>

1.1. Decode Access Token with jwt.io

jwt.io

Decode, verify, and generate JSON Web Tokens, which are an open, industry standard
Get up-to-speed with JSON Web Tokens. [Get the JWT Handbook for free](#)

JWT Debugger Debugger Introduction Libraries Ask

JWT Decoder JWT Encoder

Paste a JWT below that you'd like to decode, validate, and verify. Generate example Select signing algorithm

Encoded Token ☐ Enable auto-focus

> JSON Web Token (JWT)

```
eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXZWQ9LmVzZWIiOiJ8bG1jZS5Kb2huc29uIiwicm9sZSI6IjJPTeVfVFJBSU5FRSIsImh0dCI6MTc3NTAxNTExMCwiZXhwIjoxNzc1MTAxNTEwfQ.kq9I3xLoUfqTDVXVYzei3hShSo5h50lpG7av2sU1-DlTokx-gztywaEJDYS3uD0V
```

Decoded Header

JSON Claims Breakdown

```
{  "alg": "HS384"}
```

Decoded Payload

JSON Claims Breakdown

```
{  "sub": "Alice.Johnson",  "role": "ROLE_TRAINEE",  "iat": 1775015110,  "exp": 1775101510}
```

JWT Signature Verification (Optional)
Enter the secret used to sign the JWT below: BASE64URL ENCODED

> Secret

```
a-string-secret-at-least-256-bits-long
```

Valid JWT
Invalid Signature
signature verification failed

2. Authorize with Access Token received in step 1 via Swagger UI.

profile

inner pr

Activat

Get c

rd ma

sword

Available authorizations

bearerAuth (http, Bearer)

Authorized

Value: *****

Logout Close

3. Get own trainee profile (GET /api/trainees/me)

GET

/api/trainees/me

Get own trainee profile

Parameters

No parameters

Cancel

Execute

Clear

Responses

Curl

curl -X 'GET' \
'http://localhost:8080/api/trainees/me' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NCJ9.eyJzdWIiOiJ8bG1jZS5kb2huc29uIiwicm9sZSI6Ij13PTEVFVFjBSU5FRSIsImh1ZGI6MTc3NTAxNTExMCIwIjoxNzc1MTAxNTUwQk9I3xLoUfQTDVXYVUzI3hSh5SoSh50' \
'http://localhost:8080/api/trainees/me'

Request URL

http://localhost:8080/api/trainees/me

Server response

Code

Details

200

Response body

{
 "firstName": "Alice",
 "lastName": "Johnson",
 "dateOfBirth": "1995-03-14",
 "address": "12 Elm Street",
 "isActive": true,
 "trainers": [
 {
 "username": "Maria.Garcia",
 "firstName": "Maria",
 "lastName": "Garcia",
 "specialization": {
 "id": "00000000-0000-0000-0000-000000000002",
 "trainingTypeName": "Yoga"
 },
 },
 {
 "username": "John.Smith",
 "firstName": "John",
 "lastName": "Smith",
 "specialization": {
 "id": "00000000-0000-0000-0000-000000000001",
 "trainingTypeName": "Fitness"
 },
 }
],
}

Download

Response headers

cache-control: no-cache, no-store, max-age=0, must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 04:11:54 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: ac7ac275-6281-4e5a-a3bd-2ecf2dbaeea2
x-xss-protection: 0

4. Update own trainee profile: change lastName (PUT /api/trainees/me)

PUT

/api/trainees/me Update own trainee profile

Parameters

No parameters

Request body required

application/json

{
 "firstName": "Alice",
 "lastName": "Pearson",
 "dateOfBirth": "1995-03-14",
 "address": "12 Elm Street",
 "isActive": true
}

Execute

Clear

Responses

Curl

curl -X 'PUT' \
 'http://localhost:8080/api/trainees/me' \
 -H 'accept: */*' \
 -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cGE6YWV0IjEwMTc3NTAxNTEwFq.kq9I3xLoUfqTDVXYzei3hShSoShS01pg7d' \
 -d '{
 "firstName": "Alice",
 "lastName": "Pearson",
 "dateOfBirth": "1995-03-14",
 "address": "12 Elm Street",
 "isActive": true
 }'

Request URL

http://localhost:8080/api/trainees/me

Server response

Code

Details

200

Response body

{
 "username": "Alice.Johnson",
 "firstName": "Alice",
 "lastName": "Pearson",
 "dateOfBirth": "1995-03-14",
 "address": "12 Elm Street",
 "isActive": true,
 "trainers": [
 {
 "username": "John.Smith",
 "firstName": "John",
 "lastName": "Smith",
 "specialization": {
 "id": "00000000-0000-0000-000000000001",
 "trainingTypeName": "Fitness"
 }
 },
 {
 "username": "Maria.Garcia",
 "firstName": "Maria",
 "lastName": "Garcia",
 "specialization": {
 "id": "00000000-0000-0000-000000000002",
 "trainingTypeName": "Yoga"
 }
 }
]
}

Response headers

cache-control: no-cache, no-store, max-age=0, must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 04:50:55 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 40e70500-1939-41b0-a2b9-0d8720453ad4
x-xss-protection: 0

GET

/api/trainees/me

Get own trainee profile



Parameters

No parameters

Cancel

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/trainees/me' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1IiwiaWwiOiJ8bG1jZS5kb2huc29uIiwicm9sZSI6IlJPTeVFVFJBSU5FRSIsImhhdCI6MTc3NTAxNTExMmCwiZXhwIjoxNzc1MTAxNTUwFQ.kq9I3xLoUfqDVXVYzei3hSh5oSh50Tc7G'
```

Request URL

```
http://localhost:8080/api/trainees/me
```

Server response

Code	Details
200	Response body <pre>{ "firstName": "Alice", "lastName": "Pearson", "dateOfBirth": "1995-03-14", "address": "12 Elm Street", "isActive": true, "trainers": [{ "username": "John.Smith", "firstName": "John", "lastName": "Smith", "specialization": { "id": "00000000-0000-0000-0000-000000000001", "trainingTypeName": "Fitness" } }, { "username": "Maria.Garcia", "firstName": "Maria", "lastName": "Garcia", "specialization": { "id": "00000000-0000-0000-0000-000000000002", "trainingTypeName": "Yoga" } }] }</pre>  Download

Response headers

```
cache-control: no-cache, no-store, max-age=0, must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 04:52:15 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 9853ff7a-1dbe-43f7-b13d-5f6650737575
x-xss-protection: 0
```


5.2. All params

GET

/api/trainees/me/trainingsGet own training list

Parameters

Cancel

Name	Description
periodFrom string(\$date) (query)	2025-01-01
periodTo string(\$date) (query)	2025-01-12
trainerUsername string (query)	John.Smith
trainingType string (query)	Fitness

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/trainees/me/trainings?periodFrom=2025-01-01&periodTo=2025-01-12&trainerUsername=John.Smith&trainingType=Fitness' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cGE6YWVhdCI6IkpTEVFjZSUSFRSIsImhldCI6MTAxNTExMCwiZXNwIjo6Nzc1MTAxNTEwfQ.kq9T3xLoUfQUDVVYzei3hSh5o5h50tC7d'
```

Request URL

'http://localhost:8080/api/trainees/me/trainings?periodFrom=2025-01-01&periodTo=2025-01-12&trainerUsername=John.Smith&trainingType=Fitness'

Server response

Code	Details
200	Response body [{"trainingName": "Morning Cardio", "trainingDate": "2025-01-10", "trainingType": "Fitness", "duration": 60, "partnerName": "John Smith"}] Download Response headers cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 04:56:03 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: ad7abc16-fd8c-4051-bf90-916b285932b3 x-xss-protection: 0

5.3. trainingType param

GET

/api/trainees/me/trainings

Get own training list

Parameters

Cancel

Name	Description
periodFrom string(\$date) (query)	periodFrom
periodTo string(\$date) (query)	periodTo
trainerUsername string (query)	trainerUsername
trainingType string (query)	Yoga

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/trainees/me/trainings?trainingType=Yoga' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXLTJ5bGciLCJ0eXAiOiJKd1JPTeVFVFJBSU5FRSIsImhhdCI6MTc3NTAxNTEwMCwiZXhwIjoxNzU0MTAxNTEwMCwq9I3xLoUfQTDVXVYzei3hShSo5hS0' \

```

Request URL

```
http://localhost:8080/api/trainees/me/trainings?trainingType=Yoga
```

Server response

Code	Details
200	Response body <pre>[{ "trainingName": "Full Body Yoga", "trainingDate": "2025-01-15", "trainingType": "Yoga", "duration": 90, "partnerName": "Maria Garcia" }]</pre> Download Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 04:56:59 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 4d41c085-1b09-40b3-a068-fe5bdc79eed0 x-xss-protection: 0</pre>

6. Get active trainers not assigned to current trainee (GET /api/trainees/me/not-assigned-trainers)

GET

/api/trainees/me/not-assigned-trainersGet active trainers not assigned to current trainee

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/trainees/me/not-assigned-trainers' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI4NCJ9.eyJzdWIiOiJlYjZdWTI0IjB8GljZS5kb2huc29uIiwicm9sZSI6IjE3PTEVFVFBJSUSFRSIsImh1bGI6MTc3NTAxNTEwMCIwiZXhwIjojNzc1MTAxNTEwfQ.kq9I3xLoUfqTDVVXYzei3hSh5oSh50'
```

Request URL

```
http://localhost:8080/api/trainees/me/not-assigned-trainers
```

Server response

Code	Details
200	Response body<pre>[{ "username": "John.Smith1", "firstName": "John", "lastName": "Updated", "specialization": { "id": "00000000-0000-0000-0000-000000000001", "trainingTypeName": "Fitness" } }, { "username": "John.Smith2", "firstName": "John", "lastName": "Updated", "specialization": { "id": "00000000-0000-0000-0000-000000000001", "trainingTypeName": "Fitness" } }]</pre> Download

Response headers

```
cache-control: no-cache, no-store, max-age=0, must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 06:14:12 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 673ceb6a-cceb-4a5a-9194-e1673bdd9ef
x-xss-protection: 0
```

7. Update own trainer list (PUT /api/trainees/me/trainers)

PUT

/api/trainees/me/trainersUpdate own trainer list

Parameters

No parameters

Request body required

application/json

{
 "trainerUsernames": [
 "John.Smith1"
]
}

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \  
  'http://localhost:8080/api/trainees/me/trainers' \  
  -H 'accept: */*' \  
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cGE6YWV0IjEwMTAxNTExMCwiZXhwIjoxeNzc1MTAxNTExfQ.kq9I3xLoUfqTDVVYze13hShSoS50Lpg7C' \  
  -d '{  
    "trainerUsernames": [  
      "John.Smith1"  
    ]  
  }'
```

Request URL

```
http://localhost:8080/api/trainees/me/trainers
```

Server response

CodeDetails

200Response body
[
 {
 "username": "John.Smith1",
 "firstName": "John",
 "lastName": "Updated",
 "specialization": {
 "id": "00000000-0000-0000-0000-000000000001",
 "trainingTypeName": "Fitness"
 }
 }
]

Download

Response headers

cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 06:20:45 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: c6ceb847-b99b-4c45-8480-31674729cab6
x-xss-protection: 0

/api/trainees/me

Get own trainee profile

Parameters

No parameters

ExecuteClear

Responses

Curl

```
curl -X 'GET' \  
  'http://localhost:8080/api/trainees/me' \  
  -H 'accept: */*' \  
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpETEVFVjBSUSFRSIsIm1ldCMTGTCTNTAxNTEwMmZlZXhwIjozeDkxMTAxeWfQ.kq9I3xLoUFgTDVVYzel3hShSo5h50'
```

Request URL

http://localhost:8080/api/trainees/me

Server response

Code	Details
200	Response body<pre>{ "firstName": "Alice", "lastName": "Pearson", "dateOfBirth": "1995-03-14", "address": "12 Elm Street", "isActive": true, "trainers": [{ "username": "John.Smith1", "firstName": "John", "lastName": "Updated", "specialization": { "id": "00000000-0000-0000-0000-000000000001", "trainingTypeName": "Fitness" } }] }</pre> Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate  
connection: keep-alive  
content-type: application/json  
date: Wed, 01 Apr 2026 06:23:43 GMT  
expires: 0  
keep-alive: timeout=60  
pragma: no-cache  
transfer-encoding: chunked  
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers  
x-content-type-options: nosniff  
x-frame-options: DENY  
x-timestamp-id: c3e4192~cf6c~4584~9a33~07aa45036298  
x-xss-protection: 0
```

8.1. Deactivate active profile

PATCH

/api/trainees/me/activate

Activate or deactivate own trainee account

Parameters

No parameters

Request body required

application/json

{
 "isActive": false
}

Execute

Clear

Responses

Curl

```
curl -X 'PATCH' \  
  'http://localhost:8080/api/trainees/me/activate' \  
  -H 'accept: */*' \  
  -H 'Authorization: Bearer eyJhbGciOiJIUzI4NCJ9.eyJzdWIiOiJBbGljZSSKb2huc29uIiwicm9sZSI6IlJPTGVFVFVJSUsFRSIsImldCI6MTc3NTAxNTEwMCwiZXhwIjoxNzc1MTAxNTEwfQ.kq9I3xLoUfqTDVXYzeI3hShSoSh50lpG7d' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "isActive": false  
  }'
```

Request URL

```
http://localhost:8080/api/trainees/me/activate
```

Server response

CodeDetails

200Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate  
connection: keep-alive  
content-length: 0  
date: Wed,01 Apr 2026 06:26:15 GMT  
expires: 0  
keep-alive: timeout=60  
pragma: no-cache  
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers  
x-content-type-options: nosniff  
x-frame-options: DENY  
x-transaction-id: 36b23241-805f-42a2-b7f5-543d3bf01aa3  
x-xss-protection: 0
```


GET

/api/trainees/me

Get own trainee profile



Parameters

No parameters

Execute

Clear

Cancel

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/trainees/me' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI4NCJ9.eyJzdWIiOiIjB8G1jZS5kb2huc29uIiwicm9sZSI6I1JPTeVFVFJBSU5FRSIsImhhdCI6MTc3NTAxNTExMkwiZXhwIjoxNzcxMTAxNTUwFqTDVXYzei3hShSoShS0tG7d'

```

Request URL

```
http://localhost:8080/api/trainees/me
```

Server response

Code

Details

200

Response body

```
{
  "firstName": "Alice",
  "lastName": "Pearson",
  "dateOfBirth": "1995-03-14",
  "address": "12 Elm Street",
  "isActive": false,
  "trainers": [
    {
      "username": "John.Smith1",
      "firstName": "John",
      "lastName": "Updated",
      "specialization": {
        "id": "00000000-0000-0000-0000-000000000001",
        "trainingTypeName": "Fitness"
      }
    }
  ]
}
```



Download

Response headers

```
cache-control: no-cache, no-store, max-age=0, must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 06:30:39 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 5ef5fb16-f5a4-485f-9645-d903a555e6cf
x-xss-protection: 0
```

8.2. Activate deactivated profile

PATCH

/api/trainees/me/activate

Activate or deactivate own trainee account

🔒 ⤴

Parameters

Cancel

No parameters

Request body required

application/json

```
{  "isActive": true}
```

ExecuteClear

Responses

Curl

```
curl -X 'PATCH' \
'http://localhost:8080/api/trainees/me/activate' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpzZW50b3R5IiwiaWF0Ij01JmB6G1jZSSKb2huc29uIiwicm9sZSI6IjE1JTEVVFVJBSU5FRSIsImh0dCI6MTAxNTExMCwiZXhwIjoxNzcxMTAxNTExfQ.kq9I3xLoUfQTDVXYze13hShSo5h501pG7d' \
-H 'Content-Type: application/json' \
-d '{
  "isActive": true
}'
```

Request URL

```
http://localhost:8080/api/trainees/me/activate
```

Server response

Code	Details
200	Response headers<pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-length: 0 date: Wed, 01 Apr 2026 06:31:42 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 7c1127ee-e4c2-45bb-bc63-42bcceae0fa9 x-xss-protection: 0</pre>

GET

/api/trainees/me

Get own trainee profile

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/trainees/me' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cGE6YWV0IjE6MTc3NTAxNTExMmIjOjoxNzc1MTAxNTExfQ.kq9I3xLoUfqTDVXYzei3hSh5o5h50'
```

Request URL

http://localhost:8080/api/trainees/me

Server response

Code	Details
200	Response body <pre>{ "firstName": "Alice", "lastName": "Pearson", "dateOfBirth": "1995-03-14", "address": "12 Elm Street", "isActive": true, "trainers": [{ "username": "John.Smith1", "firstName": "John", "lastName": "Updated", "specialization": { "id": "00000000-0000-0000-0000-000000000001", "trainingTypeName": "Fitness" } }] }</pre> Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 06:32:30 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 7f784a44-c897-4564-a7c9-49f57e8d28d1
x-xss-protection: 0
```

9. Delete own profile (DELETE /api/trainees/me)

DELETE

/api/trainees/me

Delete own trainee profile

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'http://localhost:8080/api/trainees/me' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cGE6YWV0IjE6MTc3NTAxNTExMmIjOjoxNzc1MTAxNTExfQ.kq9I3xLoUfqTDVXYzei3hSh5o5h50'
```

Request URL

http://localhost:8080/api/trainees/me

Server response

Code	Details
200	Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-length: 0 date: Wed, 01 Apr 2026 06:33:29 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 29affcba-edf1-43f1-b721-70dbc77fb5fe x-xss-protection: 0</pre>

Try to get own profile after deletion:

GET

/api/trainees/meGet own trainee profile

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/trainees/me' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpTEVFVGVZLC1kbGkiLCJ0eXAiOiJKdWMTNjMNTAxNTExMCwiZXhwIjojODkxMTAxNTAwFQ.kq9I3xLoUfqTDVVXYzei3hShSoSh5O...
```

Request URL

```
http://localhost:8080/api/trainees/me
```

Server response

Code	Details
401	Error: response status is 401 Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-length: 0 date: Wed, 01 Apr 2026 06:36:06 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 2a6808d9-9d27-4139-ba5a-650409d4b973 x-xss-protection: 0</pre>

Test Flow 2

1. Login (POST /api/auth/login) and authorize with Access Token received via Swagger UI.

POST

/api/auth/login Login

Authenticate and receive a JWT access token

Parameters

No parameters

CancelReset

Request body required

application/json

{
 "username": "Bob.Williams",
 "password": "hL4vZ7wYcD"
}

ExecuteClear

Responses

Curl

```
curl -X 'POST' \  
  http://localhost:8080/api/auth/login' \  
  -H 'accept: */*' \  
  -H 'Authorization: Bearer eyJhbGciOiJIUzI4NCJ9.eyJzdWIiOiJibGlljZSSKb2huc29uIiwiaWF0IjE5OTU0ODUyMTEwMDU0LmVudCJl.eHAiOjE3NzUxMTIzNTA5LjM5LjNmG2I_xPLeEHRNzcW50S0RGRtIuPZllu2tiS-AiMG-iB_4RjKm4pjm_' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "username": "Bob.Williams",  
    "password": "hL4vZ7wYcD"  
  }'
```

Request URL

http://localhost:8080/api/auth/login

Server response

Code	Details
200	Response body <pre>{ "accessToken": "eyJhbGciOiJIUzI4NCJ9.eyJzdWIiOiJCb2luV2lsbGllbXBkIiLCJyb2xiOiJoIiwiaWF0IjE5OTU0ODUyMTEwMDU0LmVudCJl.eHAiOjE3NzUxMTIzNTA5LjM5LjNmG2I_xPLeEHRNzcW50S0RGRtIuPZllu2tiS-AiMG-iB_4RjKm4pjm_" }</pre> Download Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 06:45:54 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: b3d7c599-0fe4-47a7-b0f2-738dfcc46e98 x-xss-protection: 0</pre>

3. Add training session (POST /api/trainings)

POST

/api/trainings

Add training session

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "trainerUsername": "John.Smith",
  "trainingName": "Lower Body Resistance",
  "trainingDate": "2026-04-10",
  "duration": 50
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://localhost:8080/api/trainings' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cGEiOiJ1bmF0IiwiaWF0IjoxNzU0MjY0OTU0LCJleHAiOjE3NzUxMTIzNTR9.335_jjmg2i_zXPLtEzEHRNzGv5Q5o8GRtiuUj' \
-H 'Content-Type: application/json' \
-d '{
  "trainerUsername": "John.Smith",
  "trainingName": "Lower Body Resistance",
  "trainingDate": "2026-04-10",
  "duration": 50
}'
```

Request URL

http://localhost:8080/api/trainings

Server response

Code

Details

200

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Wed, 01 Apr 2026 06:52:32 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: cd658872-65a2-40a7-a640-14eae41efd7f
x-xss-protection: 0
```

GET

/api/trainees/me/trainings

Get own training list

^

Parameters

Cancel

Name	Description
periodFrom string(\$date) (query)	periodFrom
periodTo string(\$date) (query)	periodTo
trainerUsername string (query)	trainerUsername
trainingType string (query)	trainingType

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/trainees/me/trainings' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXLTJ5b2x1IjoieUk9MRV9UUKFJTktVFIiwiaWF0IjoxNzY1MDI1OTU0LCJleHAiOjE3NzUxMTIzNTR9.33S_jmGZl_zXPLtEzEHRNzGv5Q5o8GR' \

```

Request URL

```
http://localhost:8080/api/trainees/me/trainings
```

Server response

Code	Details
200	Response body <pre>[{ "trainingName": "Upper Body Stretch", "trainingDate": "2025-01-12", "trainingType": "Yoga", "duration": 45, "partnerName": "Maria Garcia" }, { "trainingName": "Lower Body Resistance", "trainingDate": "2026-04-10", "trainingType": "Fitness", "duration": 30, "partnerName": "John Smith" }]</pre> Download

Response headers

```
cache-control: no-cache, no-store, max-age=0, must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 06:53:05 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 35ebaa81-3a26-4a54-88b5-ff3c0b7f286e
x-xss-protection: 0
```


4. Change password (PUT /api/auth/password)

PUT

/api/auth/password

Change password

Parameters

Cancel

Reset

No parameters

Request body required

application/json

{
 "oldPassword": "hL4vZ7wYcD",
 "newPassword": "3Gt70p9Vb1"
}

Execute

Clear

Responses

Curl

curl -X 'PUT' \
 'http://localhost:8080/api/auth/password' \
 -H 'accept: */*' \
 -H 'Authorization: Bearer eyJhbGciOiJIUzI4NCJ9.eyJzdWIiOiJCb2IuV2lsbGhXMiLCJyb2xiOiJ0eUk5MRV9UUKFJTktVFIiwiaWF0IjoxNzc1MDI1OTU0LCJleHAiOjE3NzUxMTIzNTR9.335_jjmg2i_zXPLtEzEHRNzGvSQ5o8GRtiulp' \
 -H 'Content-Type: application/json' \
 -d '{
 "oldPassword": "hL4vZ7wYcD",
 "newPassword": "3Gt70p9Vb1"
 }'

Request URL

http://localhost:8080/api/auth/password

Server response

Code

Details

200

Response headers

cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Wed, 01 Apr 2026 06:55:42 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 3188260c-5601-43e9-be4d-6382e836bbcb
x-xss-protection: 0

5. Logout

POST

/api/auth/logout Logout

Invalidate the current JWT token

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

curl -X 'POST' \
'http://localhost:8080/api/auth/logout' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI4NCJ9.eyJzdWIiOiJCb2IuV2lsbGhXMiLCJyb2x1IjoiaUk9MRV9UUKFJTktVFIiwiaWF0IjoxNzY1MDI1OTU0LCJleHAiOjE3NzUxMTIzNTR9.335_jmG2i_zXPLtEzEHRNzGvSQ5o8GRtiulK
-d ''

Request URL

http://localhost:8080/api/auth/logout

Server response

Code

Details

200

Response headers

cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Wed,01 Apr 2026 06:58:48 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 50c7e55a-5f51-4998-ab20-f11a4d2953e0
x-xss-protection: 0

Test Flow 3

1. Login (POST /api/auth/login) with wrong password 3 times in a row.

POST /api/auth/login Login

Authenticate and receive a JWT access token

Parameters

CancelReset

No parameters

Request body required

application/json

```
{
  "username": "Carol.Davis",
  "password": "mQ8jF5tNbd"
}
```

ExecuteClear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/auth/login' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "Carol.Davis",
    "password": "mQ8jF5tNbd"
  }'
```

Request URL

```
http://localhost:8080/api/auth/login
```

Server response

CodeDetails

401Error: response status is 401

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Wed, 01 Apr 2026 08:43:50 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 80bec69e-e05e-47d8-8724-d9710c6afa5a
x-xss-protection: 0
```

2. Check that account is locked for 5 minutes

	username	password	is_active	failed_login_attempts	account_locked_until	last_failed_login_at	last_logout
1	John.Smith	\$2a\$12\$2vJF4uhhVmjI8n0v.z7Ya0wj0XY40...	true	0	<null>	<null>	<null>
2	Maria.Garcia	\$2a\$12\$Mo1hG1zdYtAkfdnPoaMdk.0xXe6rL...	true	0	<null>	<null>	<null>
3	Alice.Smith	\$2a\$12\$KAX0eX5P0sTJAVU226EoeAq7CmDI...	true	0	<null>	<null>	<null>
4	John.Smith1	\$2a\$12\$zKkXtak80uixy0wHPD./cua3EWDeP...	true	0	<null>	<null>	<null>
5	Alice.Smith1	\$2a\$12\$tU0HJjaAVK0txiHNPeyYekily8hM...	true	0	<null>	<null>	<null>
6	John.Smith2	\$2a\$12\$yz23n/1i9SA8oGZ6yctcW.uj1KJwz...	true	0	<null>	<null>	<null>
7	Bob.Williams	\$2a\$12\$WJ4QXX.fdm1SFFk4ShLOKM.HjDq...	true	0	<null>	<null>	2026-04-01 12:58:48.798479
8	Carol.Davis	\$2a\$12\$0zUj3Aw6sfT8zFN4108y000p5FHzA...	false	3	2026-04-01 14:50:16.107206	2026-04-01 14:45:16.107198	<null>

3. Try to login again with correct password before 5 minutes lock expires

POST

/api/auth/login

Login

Authenticate and receive a JWT access token

Parameters

Cancel

Reset

No parameters

Request body

required

application/json

```
{
  "username": "Carol.Davis",
  "password": "mQ8jF5tNbS"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/auth/login' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "Carol.Davis",
    "password": "mQ8jF5tNbS"
  }'
```

Request URL

http://localhost:8080/api/auth/login

Server response

Code

Details

401

Error: response status is 401

Response headers

cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Wed, 01 Apr 2026 08:48:07 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 0013968d-edb6-4ecc-a45f-6337104cb4cd
x-xss-protection: 0

4. Try to login again with correct password after 5 minutes lock expires

The screenshot shows a REST client interface with the following details:

- Method:** POST
- URL:** /api/auth/login
- Parameters:** No parameters
- Request body:** application/json

```
{  "username": "Carol.Davis",  "password": "mQ8jF5tNb5"}
```
- Execute:** Button to execute the request
- Responses:**
 - Code:** 200
 - Response body:**

```
{  "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJDYXJvbC5EYXZpcyIsInJvbnUiOiJST0x0X1RSQU10RUUiLCJpYXQiOiJlbnZlUWZMIMzYsImV4cCI6MTc3NTEwOTkzNm0.ZsR6d0_7g2WZgE_JvG1Px8Ff_mh1pSKx2_HQ_8P_UZqcQR5WnC7e0iF5urDuq1_"}
```
 - Response headers:**

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 08:52:16 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: a9f8349f-dc06-475c-b889-293db1751a7d
x-xss-protection: 0
```

5. Check if the data about lock removed from DB

id	username	password	is_active	failed_login_attempts	account_locked_until	last_failed_login_at
1	John.Smith	\$2a\$12\$2vJf4uhhVmJIBn8V.z7Ya0wj0XY48VAD6MuK0oPhm9880h.h6h0pe	true	0	<null>	<null>
2	Maria.Garcia	\$2a\$12\$Mo1hG1zdYtAkfdnPoaMdk.0xXe6rLP4MkbFkx76k34C2svE9//CAC	true	0	<null>	<null>
3	Alice.Smith	\$2a\$12\$kaXxDeXSP0sTJAVUZ26EoeAq7Cm0IzCDhQ08E1ieIzcs7TL1ks16C	true	0	<null>	<null>
4	John.Smith1	\$2a\$12\$zkKtK80uixy0wHPD./cu3SEwDePyhAURm1WzmapsCke8nPf2qe6	true	0	<null>	<null>
5	Alice.Smith1	\$2a\$12\$tU8HJjaAVK0txiHNPeYek1Ly8MoZUPRU9sLjT81dUqFBA3THtW	true	0	<null>	<null>
6	John.Smith2	\$2a\$12\$yz23n/1i9SAB06ZgyctcW.ujjKJwzpF4HP7hbnQ9hptAZYBAqmIO2	true	0	<null>	<null>
7	Bob.Williams	\$2a\$12\$NNJ4QXK.fdm11SFfK4ShLOKM.HjDq9Uj04gmRHIfw6wKONDSJ0WhC	true	0	<null>	<null>
8	Carol.Davis	\$2a\$12\$0zUj3Aw6sFTBzFN4188y000p5fHzAdtUCXvaz0DQcG4IAJfYKSDC	false	0	<null>	<null>

6. Logout (POST /api/auth/logout)

Test Flow 4

1. Register as a new trainee (POST /api/trainees)

POST

/api/trainees

Register trainee

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "firstName": "Victoria",
  "lastName": "Kovac",
  "dateOfBirth": "1998-04-16",
  "address": "91 Birch Lane"
}
```

Execute

Clear

Responses

Curl

curl -X 'POST' \
'http://localhost:8080/api/trainees' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
 "firstName": "Victoria",
 "lastName": "Kovac",
 "dateOfBirth": "1998-04-16",
 "address": "91 Birch Lane"
}'

Request URL

http://localhost:8080/api/trainees

Server response

Code	Details
201	Response body <pre>{ "username": "Victoria.Kovac", "password": "DGv1aFwxnX" }</pre> Download Response headers cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 09:42:22 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: e35e6427-d5b4-40ba-901a-c005aac7d194 x-xss-protection: 0

2. Login as a newly registered trainee (POST /api/auth/login)

POST

/api/auth/loginLogin

Authenticate and receive a JWT access token

Parameters

No parameters

Request bodyrequired

application/json

{
 "username": "Victoria.Kovac",
 "password": "DGvIaFwxnX"
}

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  
  'http://localhost:8080/api/auth/login' \  
  -H 'accept: */*' \  
  -H 'Content-Type: application/json' \  
  -d '{  
    "username": "Victoria.Kovac",  
    "password": "DGvIaFwxnX"  
  }'  
'
```


Request URL

```
http://localhost:8080/api/auth/login
```


Server response

Code	Details
200	Response body <pre>{ "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpYZWUiLCJpYXQiOiJlbnVjbGU0LjE0OTQyOjE3NzUwMzY2OTUsImV4cCI6MTc3NTExMzA5NX0.PwmTZAQOKybDxfHls1DZRw7fhl9Dl0bNZJFK1YxHuYRTClTctdIRoMVxWZSfmUbc" }</pre> Download Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 09:44:55 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-tx-id: a7dd00b7-ea97-4939-8331-66b483cb1087 x-xss-protection: 0</pre>

3. Decode access token with jwt.io and authorize in Swagger UI with access token



4. Get own profile (GET /api/trainees/me)



5. Logout (POST /api/auth/logout)

TRAINER

Test Flow 5

1. Login (POST /api/auth/login)

POST

/api/auth/login

Login

Authenticate and receive a JWT access token

Parameters

Cancel

Reset

No parameters

Request body

required

application/json

```
{
  "username": "Maria.Garcia",
  "password": "nB1sY9pCfH"
}
```

Execute

Clear

Responses

Curl

curl -X 'POST' \
 'http://localhost:8080/api/auth/login' \
 -H 'accept: */*' \
 -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXZjpmYSSHYXJjaWEiLCJyb2x1Ijo1Uk9MRV9UUKFJTkvSIiwiaWF0IjoxNzc1MDM3NzIyLCJleHAiOiJE3NzUxMjQxMjJ9.XxheYd96Mc7h3t5yw2n1J_dWv-dVnNvEV32Fv' \
 -H 'Content-Type: application/json' \
 -d '{
 "username": "Maria.Garcia",
 "password": "nB1sY9pCfH"
 }'

Request URL

http://localhost:8080/api/auth/login

Server response

Code

Details

200

Response body

```
{
  "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXZjpmYSSHYXJjaWEiLCJyb2x1Ijo1Uk9MRV9UUKFJTkvSIiwiaWF0IjoxNzc1MDQwOTc1LCJleHAiOiJE3NzUxMjczNzY9.So09PP-ek0qHcctn7YiTCaJ08oAc_ooWkxuvzqLSPKUPLQJDABbQn0JM2peFh6b"
}
```

Download

Response headers

cache-control: no-cache, no-store, max-age=0, must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 10:56:15 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: c017ed93-0f1f-4f11-ac86-bfaf7bf7986d
x-xss-protection: 0

1.1. Decode Access Token with jwt.io

The screenshot shows the JWT Debugger interface on the jwt.io website. The interface is divided into several sections:

- Header:** Includes the JWT Debugger logo, navigation tabs (Debugger, Introduction, Libraries, Ask), and a "Generate example" button.
- Encoded Token:** A large text area containing a JWT token: `eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXZjwEiLCJyb2xLIjoiaUk9MRV9UUKFJTksSIiwiaWF0IjoxNzc1MDQxNDkyLCJleHAiOjE3NzUxMjc4OTJ9.s4nn5KRfVzBVA1po7Eg0MJcAnE_0Re3eI_T5B9n13aD28sZdjRZrQEjXjAW-dtRF`. Below the text area, it indicates "Valid JWT" and "Invalid Signature".
- Decoded Header:** A JSON object showing the header: `{ "alg": "HS384" }`.
- Decoded Payload:** A JSON object showing the payload: `{ "sub": "Maria.Garcia", "role": "ROLE_TRAINER", "iat": 1775041492, "exp": 1775127892 }`.
- JWT Signature Verification (Optional):** A section for entering a secret to verify the signature. It includes a "BASE64URL ENCODED" toggle and a "Secret" input field containing the text: `a-string-secret-at-least-256-bits-long`. Below this, it indicates "signature verification failed".

2. Authorize with Access Token received in step 1 via Swagger UI.

3. Get own trainer profile (GET /api/trainers/me)

GET

/api/trainers/me

Get own trainer profile

🔒 ⬆

Parameters

Cancel

No parameters

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/trainers/me' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXZjowIiwiaWF0IjoxNzE3MDQxNDkyLCJ1eHA1OjE3NzUxMjc4OTJ9.s4nnSKRFVzBVAipo7Eg0MjcAnE_0Re3e' 
```

Request URL

```
http://localhost:8080/api/trainers/me
```

Server response

CodeDetails

200

Response body

```
{
  "firstName": "Marisabel",
  "lastName": "Garcia",
  "specialization": {
    "id": "00000000-0000-0000-0000-000000000002",
    "trainingTypeName": "Yoga"
  },
  "isActive": true,
  "trainees": [
    {
      "username": "Bob.Williams",
      "firstName": "Bob",
      "lastName": "Williams"
    }
  ]
}
```

📄 Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 11:06:02 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: b2968414-568a-4ed4-ac7d-452905701a6f
x-xss-protection: 0
```

4. Update own trainer profile: change firstName (PUT /api/trainers/me)

PUT

/api/trainers/me Update own trainer profile

Parameters

Cancel

Reset

No parameters

Request body required

application/json

```
{
  "firstName": "Maria",
  "lastName": "Garcia",
  "specializationId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
  "isActive": true
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/trainers/me' \
  -H 'accept: */* \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cGE6YWV0IjoiUk9MRV9UaUkFJTkvSiwiYW90IjoxNzI1MDQxNDkyLCJleHA1OjE3ZnZuMjc4OTJ9.s4nn5KRfVzBVAip07EgQMjCAnE_0Re3eI_T58' \
  -H 'Content-Type: application/json' \
  -d '{
    "firstName": "Maria",
    "lastName": "Garcia",
    "specializationId": "3fa85f64-5717-4562-b3fc-2c963f66afa6",
    "isActive": true
  }'
```

Request URL

http://localhost:8080/api/trainers/me

Server response

Code

Details

200

Response body

```
{
  "username": "Maria.Garcia",
  "firstName": "Maria",
  "lastName": "Garcia",
  "specialization": {
    "id": "00000000-0000-0000-0000-000000000002",
    "trainingTypeName": "Yoga"
  },
  "isActive": true,
  "trainees": [
    {
      "username": "Bob.Williams",
      "firstName": "Bob",
      "lastName": "Williams"
    }
  ]
}
```

Download

Response headers

```
cache-control: no-cache, no-store, max-age=0, must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 11:06:57 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 88e97093-1005-4fd1-bf91-54579e48e36b
x-xss-protection: 0
```

5. Get own training list (GET /api/trainers/me/trainings)

5.1. No params

GET /api/trainers/me/trainings Get own training list

Cancel

Name	Description
periodFrom string(\$date) (query)	periodFrom
periodTo string(\$date) (query)	periodTo
traineeUsername string (query)	traineeUsername

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/trainers/me/trainings' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXZj0iLCJyb2x1IjoiaUk9MRV9UUEFJTkVSIiwiaWF0IjoxNzcxMDQxNDkyLCJleHAiOjE3NzUxMjc4OTJ9.s4nn5KRfVz8VAipo7EgOMJcAnE_0Re3e' 
```

Request URL

http://localhost:8080/api/trainers/me/trainings

Server response

Code	Details
200	Response body <pre>[{ "trainingName": "Upper Body Stretch", "trainingDate": "2025-01-12", "trainingType": "Yoga", "duration": 45, "partnerName": "Bob Williams" }]</pre> Download Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 11:08:25 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 0183d65c-6e7a-4171-8694-d582c4579fae x-xss-protection: 0</pre>

5.2. All params

GET

/api/trainers/me/trainings

Get own training list

🔒 ⤴

Parameters

Cancel

Name	Description
periodFrom string(\$date) (query)	2026-01-01
periodTo string(\$date) (query)	2026-01-30
traineeUsername string (query)	Carol.Davis

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/trainers/me/trainings?periodFrom=2026-01-01&periodTo=2026-01-30&traineeUsername=Carol.Davis' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXJpYSSHYXJjaWEiLCJyb2xlIjoiaUk5MRV9UUKFJTkVSIiwiaWF0IjoxNzcxMDQxNDkyLCJleHAiOjE3NzUxMjc4OTJ9.s4nn5KRfVz8VAipo7EgDMJcAnE_0Re3e' \

```

Request URL

```
http://localhost:8080/api/trainers/me/trainings?periodFrom=2026-01-01&periodTo=2026-01-30&traineeUsername=Carol.Davis
```

Server response

Code	Details
200	Response body 📄 Download Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 11:10:12 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 2f3a4699-cd14-4508-ac89-6045f54e04c7 x-xss-protection: 0</pre>

5.3. traineeUsername param

GET

/api/trainers/me/trainings

Get own training list

🔒 ⬆

Parameters

Cancel

Name	Description
periodFrom string(\$date) (query)	periodFrom
periodTo string(\$date) (query)	periodTo
traineeUsername string (query)	Bob.Williams

ExecuteClear

Responses

Curl

```
curl -X 'GET' \  
  'http://localhost:8080/api/trainers/me/trainings?traineeUsername=Bob.Williams' \  
  -H 'accept: */*' \  
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXZjEiLCJyb2x1IjoiaUk5MRV9UUKFJTkVSIiwiaWF0IjoxNzc1MDQxNDkyLCJleHAiOjE3NzUxMjc4OTJ9.s4nnSKRFVzBVAipo7EgDMJcAnE_0Re3e'
```

Request URL

http://localhost:8080/api/trainers/me/trainings?traineeUsername=Bob.Williams

Server response

Code	Details
200	Response body [{ "trainingName": "Upper Body Stretch", "trainingDate": "2025-01-12", "trainingType": "Yoga", "duration": 45, "partnerName": "Bob Williams" }] Download Response headers cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed,01 Apr 2026 11:10:50 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: b28bf1ca-6ab4-4249-98a2-9781dd8688e0 x-xss-protection: 0

6. Activate or deactivate own trainer account (PATCH /api/trainers/me/activate)

6.1. Deactivate active profile

PATCH /api/trainers/me/activate

Activate or deactivate own trainer account

Parameters

No parameters

Request body required

application/json

```
{  "isActive": false}
```

Execute

Clear

Responses

Curl

```
curl -X 'PATCH' \
'http://localhost:8080/api/trainers/me/activate' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXZjpmYSSHYXJjMEiLCJyb2x1IjoiaUk9MRV9UUKFJTkVSIiwiaWF0IjoxNzcxMDQxNDkyLCJleHA1OjE3NzUxMjc4OTJ9.s4nn5KRfVz8VAipo7Eg0MjcAnE_0Re3eI_T5E' \
-H 'Content-Type: application/json' \
-d '{
  "isActive": false
}'
```

Request URL

```
http://localhost:8080/api/trainers/me/activate
```

Server response

Code

Details

200

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Wed,01 Apr 2026 11:11:54 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 2cc8ba9f-2e6c-4bf9-abc1-81531e4c6382
x-xss-protection: 0
```


GET /api/trainers/me Get own trainer profile

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/trainers/me' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXZjJmEiLCJyb2xiIjoIUK9MRV9UUKFJTkVSIiwiaWF0IjoxNzc1MDQxNDkyLCJleHAiOjE3NzUxMjc4OTJ9.s4nn5KRfVzBVAipo7Eg0MjcAnE_0Re3e'
```

Request URL

http://localhost:8080/api/trainers/me

Server response

Code Details

200

Response body

```
{
  "firstName": "Maria",
  "lastName": "Garcia",
  "specialization": {
    "id": "00000000-0000-0000-0000-000000000002",
    "trainingTypeName": "Yoga"
  },
  "isActive": false,
  "trainees": [
    {
      "username": "Bob.Williams",
      "firstName": "Bob",
      "lastName": "Williams"
    }
  ]
}
```



Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 11:12:33 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: e47ce875-cce0-40b3-967f-cadc9ce14d05
x-xss-protection: 0
```

6.2. Activate deactivated profile

PATCH

/api/trainers/me/activate

Activate or deactivate own trainer account

🔒 ⬆

Parameters

Cancel

No parameters

Request body required

application/json

```
{  "isActive": true}
```

Execute

Clear

Responses

Curl

```
curl -X 'PATCH' \
  'http://localhost:8080/api/trainers/me/activate' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpYWXJpYyJ9eyJ0eXAiOiJKYXJuIn0=eyJ1bm90dXN0IjpbZ2x1Ijo1Uk9MRV9UUKFJTktVSIiwiaWF0IjoxNzI1MDQxNDkyLCJleHA1OjE3NzUxMjc4OTJ9.s4nn5KRfVzBVAipo7Eg0MjcAnE_0Re3eI_T5E' \
  -H 'Content-Type: application/json' \
  -d '{
    "isActive": true
  }'
```

Request URL

http://localhost:8080/api/trainers/me/activate

Server response

Code

Details

200

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Wed, 01 Apr 2026 11:13:17 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: b7af0d67-feb7-462f-b0f0-38e55467c1a1
x-xss-protection: 0
```

GET

/api/trainers/me

Get own trainer profile

^

Parameters

Cancel

No parameters

ExecuteClear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/api/trainers/me' \
-H 'accept: */*' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXZjJmEiLCJyb2xiIjoiaUk9MRV9UUKFJTkVSIiwiaWF0IjoxNzE1MDQxNDkyLCJleHAiOjE3NzUxMjc4OTJ9.s4nn5KRfVzBVAipo7Eg0MjcAnE_0Re3e'

```

Request URL

```
http://localhost:8080/api/trainers/me

```

Server response

Code

Details

200

Response body

```
{
  "firstName": "Maria",
  "lastName": "Garcia",
  "specialization": {
    "id": "00000000-0000-0000-0000-000000000002",
    "trainingTypeName": "Yoga"
  },
  "isActive": true,
  "trainees": [
    {
      "username": "Bob.Williams",
      "firstName": "Bob",
      "lastName": "Williams"
    }
  ]
}
```

Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Wed, 01 Apr 2026 11:13:57 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 8c4c6530-8355-4422-9af2-9e5cc189c778
x-xss-protection: 0

```

7. Try accessing trainee functionality (GET /api/trainees/me/not-assigned-trainers) - Access Denied

GET

/api/trainees/me/not-assigned-trainers

Get active trainers not assigned to current trainee

🔒 ⬆

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/trainees/me/not-assigned-trainers' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IHYXJjZmEiLCJyb2x1IjoiaUk9MRV9UUKFJTkVSIiwiaWF0IjoxNzY0MDQxNDkyLCJleHA1OjE3NzIzNzIzJ39.s4nn5KRFVzBVAipo7EgOMJcAnE_0Re3e'
```

Request URL

```
http://localhost:8080/api/trainees/me/not-assigned-trainers
```

Server response

Code	Details
403	Error: response status is 403 Response body <pre>{ "timestamp": "2026-04-01T17:15:36.100046", "status": 403, "message": "Access denied" }</pre> 📄 Download Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 11:15:36 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 36db6b7a-c8e2-4e6f-8f79-ea035ad3ac0b x-xss-protection: 0</pre>

8. Change password

PUT

/api/auth/password

Change password



Parameters

No parameters

Cancel

Reset

Request body required

application/json

```
{
  "oldPassword": "nB1sY9pCfH",
  "newPassword": "bNS19ycPhF"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'http://localhost:8080/api/auth/password' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cGEiLCJybnZxIjoiaW90IjoxNzc1MDQxNDkyLCJleHAiOjE3NzUxMjc4OTJ9.s4nnSKRFVzBVAipo7Eg0MJcAnE_0Re3eI_T5E' \
  -H 'Content-Type: application/json' \
  -d '{
    "oldPassword": "nB1sY9pCfH",
    "newPassword": "bNS19ycPhF"
  }'
```

Request URL

http://localhost:8080/api/auth/password

Server response

Code	Details
200	Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-length: 0 date: Wed, 01 Apr 2026 11:17:12 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 2ba90720-4c82-42b1-8edb-75246ec8c550 x-xss-protection: 0</pre>

9. Logout (POST /api/auth/logout)

POST /api/auth/logout Logout

Invalidate the current JWT token

Parameters

Cancel

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/auth/logout' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiJ9eyJ0eXAiOiJKYXJpYSSHYXJjaWEiLCJyb2x1IjoiaUk9MRV9UUKFJTkVSIiwiaWF0IjoxNzc1MDQxNDkyLCJleHA1OjE3NzUxMjc4OTJ9.s4nn5KRfVz8VAipo7Eg0MjcAnE_0Re3eI_T5E' \
  -d ''
```

Request URL

http://localhost:8080/api/auth/logout

Server response

Code

Details

200

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Wed, 01 Apr 2026 11:19:16 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: d4df21b3-0864-472e-8e55-49b9cfb708cc
x-xss-protection: 0
```

Test Flow 6

1. Register as a new trainer (POST /api/trainers)

POST

/api/trainers

Register trainer

Parameters

Cancel

Reset

No parameters

Request body

required

application/json

{

"firstName": "Alex",

"lastName": "Chow",

"specializationId": "00000000-0000-0000-0000-000000000004"

}

Execute

Clear

Responses

Curl

curl -X 'POST' \
 'http://localhost:8080/api/trainers' \
 -H 'accept: */*' \
 -H 'Content-Type: application/json' \
 -d '{
 "firstName": "Alex",
 "lastName": "Chow",
 "specializationId": "00000000-0000-0000-0000-000000000004"
 }'

Request URL

http://localhost:8080/api/trainers

Server response

Code	Details
201	Response body { "username": "Alex.Chow", "password": "xmNjhQ0U4p" } Response headers cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 11:28:12 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 7685c807-946d-44c4-b49d-9864315e29d6 x-xss-protection: 0

2. Login (POST /api/auth/login) with wrong password 3 times in a row

POST

/api/auth/login

Login

Authenticate and receive a JWT access token

Parameters

No parameters

Cancel

Reset

Request body

required

application/json

```
{
  "username": "Alex.Chow",
  "password": "xnJhQDU40"
}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/auth/login' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "username": "Alex.Chow",
    "password": "xnJhQDU40"
  }'
```

Request URL

```
http://localhost:8080/api/auth/login
```

Server response

Code	Details
401	Error: response status is 401

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Wed,01 Apr 2026 11:29:53 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 049b17ef-ba55-49af-b609-2af462edc906
x-xss-protection: 0
```

3. Check that account is locked for 5 minutes

username	password	is_active	failed_login_attempts	account_locked_until	last_failed_login_at
John.Smith	\$2a\$12\$2vJF4uhhVmJIBn0v.z7Ya0wJ0XY40VAD6MuK0oPHm9880h.h6h0pe	• true	0 <null>	<null>	<null>
Alice.Smith	\$2a\$12\$zKXtak80uixy0wHPD./cva3Ew0ePyhAURm1WzmapsCke8nP2qe6	• true	0 <null>	<null>	<null>
John.Smith1	\$2a\$12\$zKXtak80uixy0wHPD./cva3Ew0ePyhAURm1WzmapsCke8nP2qe6	• true	0 <null>	<null>	<null>
Alice.Smith1	\$2a\$12\$tUh0HJjaAVK0txiHNPeyYekiLy8hMoZUPRU9s1jT81dUqfBA3THTw	• true	0 <null>	<null>	<null>
John.Smith2	\$2a\$12\$yz23n/1i9SAB0GZ6yctcW.uj1KJwzpF4HP7hbnQ9hptAZYBAqmI02	• true	0 <null>	<null>	<null>
Bob.Williams	\$2a\$12\$NNJ4QXK.fdm11SFfk4ShLOKM.HjDq9Ujd4gmRH1fw6wKONDSDJ0WhC	• true	0 <null>	<null>	<null>
Carol.Davis	\$2a\$12\$0zi3Aw6sf7BzFN4108y000p5FHzAdtUCXvazoDDQcGg4iAJfYKS0C	• false	0 <null>	<null>	<null>
Victoria.Kovac	\$2a\$12\$LP4t0jnp9d4FdkJSLRP00eWSqAORLrx8dI4GFEavgrUaLwkbhUuP6	• true	0 <null>	<null>	<null>
Maria.Garcia	\$2a\$12\$aa./od7JZWEj11EGM32S03it9ChSPvBUFWqGtB6MoTh0S1WwR9e	• true	0 <null>	<null>	<null>
Alex.Chow	\$2a\$12\$Snrb6mPecrJSFV3XJRUp7098mQ0kdJm3Etij1B5E4EryroSxA8bKi	• true	3	2026-04-01 17:34:53.242400	2026-04-01 17:29:53.242356

4. Try to login again with correct password before 5 minutes lock expires

POST

/api/auth/login

Login

Authenticate and receive a JWT access token

Parameters

Cancel

Reset

No parameters

Request body

required

application/json

{
 "username": "Alex.Chow",
 "password": "xmNJhQDU4p"
}

Execute

Clear

Responses

Curl

curl -X 'POST' \
 'http://localhost:8080/api/auth/login' \
 -H 'accept: */*' \
 -H 'Content-Type: application/json' \
 -d '{
 "username": "Alex.Chow",
 "password": "xmNJhQDU4p"
 }'

Request URL

http://localhost:8080/api/auth/login

Server response

Code

Details

401

Error: response status is 401

Response headers

cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-length: 0
date: Wed,01 Apr 2026 11:31:56 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 39e7174a-5d38-42c3-9f3d-e2af8fdca099
x-xss-protection: 0

5. Try to login again with correct password after 5 minutes lock expires

POST

/api/auth/login

Login

Authenticate and receive a JWT access token

Parameters

No parameters

Request body

required

application/json

```
{
  "username": "Alex.Chow",
  "password": "xmnhQDU4p"
}
```

Execute

Clear

Responses

curl -X 'POST' \
'http://localhost:8080/api/auth/login' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
 "username": "Alex.Chow",
 "password": "xmnhQDU4p"
}'

Request URL

http://localhost:8080/api/auth/login

Server response

Code	Details
200	Response body <pre>{ "accessToken": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJBbGV4LkNob3ciLCJyb2x1IjoiaW9MRV9UUFJTKVSiIiwiaWF0IjoxNzUxMjQzMzc0LjEhHAI0jE3NzUxMjk3NzR9.XpxQaXO-5QcEbcPf-haLIo0zEEUkEu3Zw89TSxJ-KQP-pzNJZxKWYq0400niHMLp" }</pre> Download Response headers <pre>cache-control: no-cache,no-store,max-age=0,must-revalidate connection: keep-alive content-type: application/json date: Wed, 01 Apr 2026 11:36:14 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache transfer-encoding: chunked vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 45eed2a4-8457-4dd7-b153-84884cd95656 x-xss-protection: 0</pre>

5.1. Decode access token in case of success and authorise in Swagger UI

The screenshot shows the JWT Debugger interface. The 'Encoded Token' field contains a JWT token: `eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXZWQ0VADS6MuK9oPHm9880h.h6h0peV9UUkFJTkVSIiwiaWF0IjoxNzcxMDQzMzc0LCJleHAiOjE3NzUxMjk3NzR9.XpXQaX0-50cEbcPf-hAIIo0zEEUkEu3Zw89TSxJ-KQP-pzNJZxKWYq0400nHmHLp`. The 'Decoded Header' shows `{ "alg": "HS384" }`. The 'Decoded Payload' shows `{ "sub": "Alex.Chow", "role": "ROLE_TRAINER", "iat": 1775043374, "exp": 1775129774 }`. The 'JWT Signature Verification' section shows the secret `a-string-secret-at-least-256-bits-long` and the status `signature verification failed`.

6. Check if the data about lock removed from DB

	username	password	is_active	failed_login_attempts	account_locked_until	last_failed_login_at
1	John.Smith	\$2a\$12\$2vJF4uhhVmJI8n8v.z7Ya0wj0XY40VAD6MuK9oPHm9880h.h6h0pe	• true		0 <null>	<null>
2	Alice.Smith	\$2a\$12\$kAXDeXSP8sTJAVU226EoeAq7Cm0IzCDhQ08Ei1eLzcs7TL1Ks16C	• true		0 <null>	<null>
3	John.Smith1	\$2a\$12\$zKXtak80uixy0wHP0./cua3EwDePyhAUrm1WznapsCke8nPf2qe6	• true		0 <null>	<null>
4	Alice.Smith1	\$2a\$12\$tUh0HJjaAVK0txiHNPeyYekILy8hMoZUPRU9s1jT81dUqfBA3THtW	• true		0 <null>	<null>
5	John.Smith2	\$2a\$12\$yz23n/119SAB06Z6yctcW.ujiKJwzpF4HP7hbnQ9hptAZYBAqmI02	• true		0 <null>	<null>
6	Bob.Williams	\$2a\$12\$NNJ4QXK.Fdm1SFfK4ShLOKM.HjDq9Ujd4gmRH1fw6wKOND5J0WhC	• true		0 <null>	<null>
7	Carol.Davis	\$2a\$12\$0zuI3Aw6sfT8zFN4108y000p5fHzAdtUCXvazoDDqCg4iAJfYKS0C	• false		0 <null>	<null>
8	Victoria.Kovac	\$2a\$12\$Lp4t0jnp9d4FdKjSLRPb0eWSqAORLrx8d146FEavgrUaLwkbhUuPG	• true		0 <null>	<null>
9	Mania.Garcia	\$2a\$12\$aa./od7J22WEj11EGM32S031t9ChSPvBUFWggGTbeNoTh0S1WwR9e	• true		0 <null>	<null>
10	Alex.Chow	\$2a\$12\$Snrb6mPecrJsFV3XJRUp7098mQDkdJm3Etij185E4EryroSxA8bK1	• true		0 <null>	<null>

7. Get training types (GET /api/training-types)

GET

/api/training-types

Get all training types

Parameters

No parameters

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/api/training-types' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJ1bGV4LkNoY3R5b2ZlIjo1Uk9MRV9UUKFJTkVSIiwiaWF0IjoxNzI1MDQzMzc0LCJleHAiOiJlbnVxMjk3NzR9.XpxQaX0-5QcEbcPf-ha1Io0zEEUkEu3Zw89T' \
  http://localhost:8080/api/training-types
```

Request URL

http://localhost:8080/api/training-types

Server response

Code

Details

200

Response body

```
[
  {
    "id": "00000000-0000-0000-0000-000000000001",
    "trainingTypeName": "Fitness"
  },
  {
    "id": "00000000-0000-0000-0000-000000000002",
    "trainingTypeName": "Yoga"
  },
  {
    "id": "00000000-0000-0000-0000-000000000003",
    "trainingTypeName": "Zumba"
  },
  {
    "id": "00000000-0000-0000-0000-000000000004",
    "trainingTypeName": "Stretching"
  },
  {
    "id": "00000000-0000-0000-0000-000000000005",
    "trainingTypeName": "Resistance"
  }
]
```

Download

Response headers

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-type: application/json
date: Wed,01 Apr 2026 11:39:11 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: ce284cd8-68ae-40b0-a641-66ef547e358c
x-xss-protection: 0
```

8. Logout (POST /api/auth/logout)