

```
Mar 12, 2026 9:44:37 PM org.apache.coyote.AbstractProtocol init
INFO: Initializing ProtocolHandler ["http-nio-8080"]
Mar 12, 2026 9:44:37 PM org.apache.catalina.core.StandardService
startInternal
INFO: Starting service [Tomcat]
Mar 12, 2026 9:44:37 PM org.apache.catalina.core.StandardEngine
startInternal
INFO: Starting Servlet engine: [Apache Tomcat/10.1.18]
2026-03-12 21:44:37 DEBUG [NO_TX] c.e.g.c.f.TransactionIdFilter -
Filter 'transactionIdFilter' configured for use
Mar 12, 2026 9:44:37 PM org.apache.catalina.core.ApplicationContext log
INFO: Initializing Spring DispatcherServlet 'dispatcher'
2026-03-12 21:44:37 INFO [NO_TX] o.s.w.s.DispatcherServlet -
Initializing Servlet 'dispatcher'
2026-03-12 21:44:39 DEBUG [NO_TX] o.s.w.s.DispatcherServlet - Detected
AcceptHeaderLocaleResolver
2026-03-12 21:44:39 DEBUG [NO_TX] o.s.w.s.DispatcherServlet - Detected
FixedThemeResolver
2026-03-12 21:44:39 DEBUG [NO_TX] o.s.w.s.DispatcherServlet - Detected
org.springframework.web.servlet.view.DefaultRequestToViewNameTranslator
@34272839
2026-03-12 21:44:39 DEBUG [NO_TX] o.s.w.s.DispatcherServlet - Detected
org.springframework.web.servlet.support.SessionFlashMapManager@ff186c2
2026-03-12 21:44:39 DEBUG [NO_TX] o.s.w.s.DispatcherServlet -
enableLoggingRequestDetails='false': request parameters and headers
will be masked to prevent unsafe logging of potentially sensitive data
2026-03-12 21:44:39 INFO [NO_TX] o.s.w.s.DispatcherServlet - Completed
initialization in 1602 ms
Mar 12, 2026 9:44:39 PM org.apache.coyote.AbstractProtocol start
INFO: Starting ProtocolHandler ["http-nio-8080"]
2026-03-12 21:45:10 DEBUG [dfcc457d-5e4b-4281-8657-982f689d7296]
o.s.w.s.DispatcherServlet - POST "/api/trainees", parameters={}
2026-03-12 21:45:10 DEBUG [dfcc457d-5e4b-4281-8657-982f689d7296]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.registerTrainee(..) args:
[Alice, Smith, 1990-05-15, 123 Main St]
2026-03-12 21:45:10 DEBUG [dfcc457d-5e4b-4281-8657-982f689d7296]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.createTrainee(..)
args: [Alice, Smith, 1990-05-15, 123 Main St]
2026-03-12 21:45:10 DEBUG [dfcc457d-5e4b-4281-8657-982f689d7296]
c.e.g.c.a.LoggingAspect - Calling:
UsernameGenerator.generateUsername(..) args: [Alice, Smith]
Hibernate:
    select
        ul_0.username
    from
        trainee t1_0
    join
        "user" ul_0
        on ul_0.id=t1_0.user_id
    where
```

```

        u1_0.username=?
        or u1_0.username like ? escape ''
Hibernate:
        select
            u1_0.username
        from
            trainer t1_0
        join
            "user" u1_0
            on u1_0.id=t1_0.user_id
        where
            u1_0.username=?
            or u1_0.username like ? escape ''
2026-03-12 21:45:10 DEBUG [dfcc457d-5e4b-4281-8657-982f689d7296]
c.e.g.c.a.LoggingAspect - Completed:
UsernameGenerator.generateUsername(..)
2026-03-12 21:45:10 DEBUG [dfcc457d-5e4b-4281-8657-982f689d7296]
c.e.g.c.a.LoggingAspect - Calling: PasswordGenerator.generatePassword()
args: []
2026-03-12 21:45:10 DEBUG [dfcc457d-5e4b-4281-8657-982f689d7296]
c.e.g.c.a.LoggingAspect - Completed:
PasswordGenerator.generatePassword()
Hibernate:
        insert
        into
            "user"
            (first_name, is_active, last_name, password, username, id)
        values
            (?, ?, ?, ?, ?, ?)
Hibernate:
        insert
        into
            trainee
            (address, date_of_birth, user_id, id)
        values
            (?, ?, ?, ?)
2026-03-12 21:45:10 DEBUG [dfcc457d-5e4b-4281-8657-982f689d7296]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.createTrainee(..)
2026-03-12 21:45:10 DEBUG [dfcc457d-5e4b-4281-8657-982f689d7296]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.registerTrainee(..)
2026-03-12 21:45:10 DEBUG [dfcc457d-5e4b-4281-8657-982f689d7296]
o.s.w.s.DispatcherServlet - Completed 201 CREATED
2026-03-12 21:45:10 DEBUG [d67240f8-3ef2-46c7-a109-8ed603eec114]
o.s.w.s.DispatcherServlet - POST "/api/trainees", parameters={}
2026-03-12 21:45:10 WARN [d67240f8-3ef2-46c7-a109-8ed603eec114]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: firstName: must
not be blank
2026-03-12 21:45:10 DEBUG [d67240f8-3ef2-46c7-a109-8ed603eec114]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST

```

```
2026-03-12 21:45:10 DEBUG [3932462c-b825-493f-bdb8-19bc4ae9c122]
o.s.w.s.DispatcherServlet - POST "/api/trainees", parameters={}
2026-03-12 21:45:10 WARN [3932462c-b825-493f-bdb8-19bc4ae9c122]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: lastName: must
not be blank
2026-03-12 21:45:10 DEBUG [3932462c-b825-493f-bdb8-19bc4ae9c122]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-12 21:45:10 DEBUG [d27f1c94-ec77-4127-8bd8-5d7fc59be0da]
o.s.w.s.DispatcherServlet - GET "/api/training-types", parameters={}
2026-03-12 21:45:10 DEBUG [d27f1c94-ec77-4127-8bd8-5d7fc59be0da]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:10 DEBUG [d27f1c94-ec77-4127-8bd8-5d7fc59be0da]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:10 DEBUG [d27f1c94-ec77-4127-8bd8-5d7fc59be0da]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:10 DEBUG [d27f1c94-ec77-4127-8bd8-5d7fc59be0da]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:10 DEBUG [d27f1c94-ec77-4127-8bd8-5d7fc59be0da]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getAllTrainingTypes()
args: []
2026-03-12 21:45:10 DEBUG [d27f1c94-ec77-4127-8bd8-5d7fc59be0da]
c.e.g.c.a.LoggingAspect - Calling:
TrainingService.getAllTrainingTypes() args: []
Hibernate:
    select
        tt1_0.id,
        tt1_0.training_type_name
    from
        training_type tt1_0
2026-03-12 21:45:10 DEBUG [d27f1c94-ec77-4127-8bd8-5d7fc59be0da]
c.e.g.c.a.LoggingAspect - Completed:
TrainingService.getAllTrainingTypes()
2026-03-12 21:45:10 DEBUG [d27f1c94-ec77-4127-8bd8-5d7fc59be0da]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getAllTrainingTypes()
```

```
2026-03-12 21:45:10 DEBUG [d27f1c94-ec77-4127-8bd8-5d7fc59be0da]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:10 DEBUG [74100e11-1acb-44a0-856a-56701c3701f9]
o.s.w.s.DispatcherServlet - POST "/api/trainers", parameters={}
2026-03-12 21:45:10 DEBUG [74100e11-1acb-44a0-856a-56701c3701f9]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.registerTrainer(..) args:
[John, Smith, 00000000-0000-0000-0000-000000000001]
2026-03-12 21:45:10 DEBUG [74100e11-1acb-44a0-856a-56701c3701f9]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.createTrainer(..)
args: [John, Smith, 00000000-0000-0000-0000-000000000001]
Hibernate:
    select
        ttl_0.id,
        ttl_0.training_type_name
    from
        training_type ttl_0
    where
        ttl_0.id=?
2026-03-12 21:45:10 DEBUG [74100e11-1acb-44a0-856a-56701c3701f9]
c.e.g.c.a.LoggingAspect - Calling:
UsernameGenerator.generateUsername(..) args: [John, Smith]
Hibernate:
    select
        u1_0.username
    from
        trainee t1_0
    join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        or u1_0.username like ? escape ''
Hibernate:
    select
        u1_0.username
    from
        trainer t1_0
    join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        or u1_0.username like ? escape ''
2026-03-12 21:45:10 DEBUG [74100e11-1acb-44a0-856a-56701c3701f9]
c.e.g.c.a.LoggingAspect - Completed:
UsernameGenerator.generateUsername(..)
2026-03-12 21:45:10 DEBUG [74100e11-1acb-44a0-856a-56701c3701f9]
c.e.g.c.a.LoggingAspect - Calling: PasswordGenerator.generatePassword()
args: []
```

```
2026-03-12 21:45:10 DEBUG [74100e11-1acb-44a0-856a-56701c3701f9]
c.e.g.c.a.LoggingAspect - Completed:
PasswordGenerator.generatePassword()
Hibernate:
    insert
    into
        "user"
        (first_name, is_active, last_name, password, username, id)
    values
        (?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        trainer
        (specialization_id, user_id, id)
    values
        (?, ?, ?)
2026-03-12 21:45:10 DEBUG [74100e11-1acb-44a0-856a-56701c3701f9]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.createTrainer(..)
2026-03-12 21:45:10 DEBUG [74100e11-1acb-44a0-856a-56701c3701f9]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.registerTrainer(..)
2026-03-12 21:45:10 DEBUG [74100e11-1acb-44a0-856a-56701c3701f9]
o.s.w.s.DispatcherServlet - Completed 201 CREATED
2026-03-12 21:45:10 DEBUG [b49190f8-6555-4d12-b427-2cd7fa20bba5]
o.s.w.s.DispatcherServlet - POST "/api/trainers", parameters={}
2026-03-12 21:45:10 WARN [b49190f8-6555-4d12-b427-2cd7fa20bba5]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: firstName: must
not be blank
2026-03-12 21:45:10 DEBUG [b49190f8-6555-4d12-b427-2cd7fa20bba5]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-12 21:45:10 DEBUG [c9de53b5-2de8-4fbb-9dfc-f2f5e2a294a6]
o.s.w.s.DispatcherServlet - POST "/api/trainers", parameters={}
2026-03-12 21:45:10 WARN [c9de53b5-2de8-4fbb-9dfc-f2f5e2a294a6]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: specializationId:
must not be null
2026-03-12 21:45:10 DEBUG [c9de53b5-2de8-4fbb-9dfc-f2f5e2a294a6]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-12 21:45:10 DEBUG [cf17f9e0-4d26-4f1c-85bd-ca216ce52d90]
o.s.w.s.DispatcherServlet - POST "/api/trainers", parameters={}
2026-03-12 21:45:10 DEBUG [cf17f9e0-4d26-4f1c-85bd-ca216ce52d90]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.registerTrainer(..) args:
[John, Smith, 00000000-0000-0000-0000-000000000000]
2026-03-12 21:45:10 DEBUG [cf17f9e0-4d26-4f1c-85bd-ca216ce52d90]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.createTrainer(..)
args: [John, Smith, 00000000-0000-0000-0000-000000000000]
Hibernate:
    select
        ttl_0.id,
        ttl_0.training_type_name
    from
```

```
        training_type ttl_0
    where
        ttl_0.id=?
2026-03-12 21:45:10 ERROR [cf17f9e0-4d26-4f1c-85bd-ca216ce52d90]
c.e.g.c.a.LoggingAspect - Failed TrainerService.createTrainer(..):
TrainingType with id 00000000-0000-0000-0000-000000000000 not found
2026-03-12 21:45:10 DEBUG [cf17f9e0-4d26-4f1c-85bd-ca216ce52d90]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: TrainingType with id
00000000-0000-0000-0000-000000000000 not found
    at
com.epam.gym.core.service.TrainerService.lambda$createTrainer$0(Trainer
Service.java:52)
    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at
com.epam.gym.core.service.TrainerService.createTrainer(TrainerService.j
ava:52)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.createTrainer (
<generated>)
        at
com.epam.gym.core.facade.GymFacade.registerTrainer (GymFacade.java:150)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
```

```
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.registerTrainer(<gen
erated>)
        at
com.epam.gym.core.controller.TrainerController.register(TrainerControll
er.java:52)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
```

```
        at
org.springframework.web.servlet.FrameworkServlet.doPost (FrameworkServlet.java:914)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:590)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServlet.java:885)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperValve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextValve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (AuthenticatorBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.java:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.java:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:340)
```

```
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:10 ERROR [cf17f9e0-4d26-4f1c-85bd-ca216ce52d90]
c.e.g.c.a.LoggingAspect - Failed GymFacade.registerTrainer(..):
TrainingType with id 00000000-0000-0000-0000-000000000000 not found
2026-03-12 21:45:10 DEBUG [cf17f9e0-4d26-4f1c-85bd-ca216ce52d90]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: TrainingType with id
00000000-0000-0000-0000-000000000000 not found
        at
com.epam.gym.core.service.TrainerService.lambda$createTrainer$0(Trainer
Service.java:52)
        at java.base/java.util.Optional.orElseThrow(Optional.java:403)
        at
com.epam.gym.core.service.TrainerService.createTrainer(TrainerService.j
ava:52)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.createTrainer(
<generated>)
        at
com.epam.gym.core.facade.GymFacade.registerTrainer(GymFacade.java:150)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.registerTrainer (<generated>)
        at
com.epam.gym.core.controller.TrainerController.register (TrainerController.java:52)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest (InvocableHandlerMethod.java:189)
```

```
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPost(FrameworkServle
t.java:914)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:590)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:885)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
```

```
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:10 WARN [cf17f9e0-4d26-4f1c-85bd-ca216ce52d90]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: TrainingType
with id 00000000-0000-0000-0000-000000000000 not found
```

```

2026-03-12 21:45:10 DEBUG [cf17f9e0-4d26-4f1c-85bd-ca216ce52d90]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-12 21:45:10 DEBUG [7cc8a87f-e808-4acf-a73f-06a5c41c45fe]
o.s.w.s.DispatcherServlet - GET "/api/auth/login", parameters={}
2026-03-12 21:45:10 DEBUG [7cc8a87f-e808-4acf-a73f-06a5c41c45fe]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:10 DEBUG [7cc8a87f-e808-4acf-a73f-06a5c41c45fe]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:10 DEBUG [7cc8a87f-e808-4acf-a73f-06a5c41c45fe]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:10 DEBUG [7cc8a87f-e808-4acf-a73f-06a5c41c45fe]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:10 DEBUG [7cc8a87f-e808-4acf-a73f-06a5c41c45fe]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:10 DEBUG [2173b742-4c23-4dcc-a508-e1f936b07225]
o.s.w.s.DispatcherServlet - GET "/api/auth/login", parameters={}
2026-03-12 21:45:10 DEBUG [2173b742-4c23-4dcc-a508-e1f936b07225]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:10 DEBUG [2173b742-4c23-4dcc-a508-e1f936b07225]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only

```

```

2026-03-12 21:45:10 DEBUG [2173b742-4c23-4dcc-a508-e1f936b07225]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:10 DEBUG [2173b742-4c23-4dcc-a508-e1f936b07225]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:10 DEBUG [2173b742-4c23-4dcc-a508-e1f936b07225]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:10 DEBUG [2173b742-4c23-4dcc-a508-e1f936b07225]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:10 DEBUG [2173b742-4c23-4dcc-a508-e1f936b07225]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:10 DEBUG [2173b742-4c23-4dcc-a508-e1f936b07225]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:10 DEBUG [2173b742-4c23-4dcc-a508-e1f936b07225]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:10 DEBUG [95fe5398-b080-46ff-87f6-a40ca341fbbf]
o.s.w.s.DispatcherServlet - GET "/api/auth/login", parameters={}
2026-03-12 21:45:10 DEBUG [95fe5398-b080-46ff-87f6-a40ca341fbbf]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:10 DEBUG [95fe5398-b080-46ff-87f6-a40ca341fbbf]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only

```

```
2026-03-12 21:45:10 DEBUG [95fe5398-b080-46ff-87f6-a40ca341fbbf]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:10 DEBUG [95fe5398-b080-46ff-87f6-a40ca341fbbf]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:10 DEBUG [95fe5398-b080-46ff-87f6-a40ca341fbbf]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:10 DEBUG [95fe5398-b080-46ff-87f6-a40ca341fbbf]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:10 DEBUG [95fe5398-b080-46ff-87f6-a40ca341fbbf]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:10 DEBUG [95fe5398-b080-46ff-87f6-a40ca341fbbf]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:10 WARN [95fe5398-b080-46ff-87f6-a40ca341fbbf]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Invalid
username or password
2026-03-12 21:45:10 DEBUG [95fe5398-b080-46ff-87f6-a40ca341fbbf]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:10 DEBUG [388259c5-3828-433a-82ce-d9bad5144bd9]
o.s.w.s.DispatcherServlet - GET "/api/auth/login", parameters={}
2026-03-12 21:45:10 WARN [388259c5-3828-433a-82ce-d9bad5144bd9]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:10 DEBUG [388259c5-3828-433a-82ce-d9bad5144bd9]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]
o.s.w.s.DispatcherServlet - PUT "/api/auth/password", parameters={}
2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
```

```

from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.changePassword(..) args:
[Alice.Smith1, [REDACTED]]
2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]
c.e.g.c.a.LoggingAspect - Calling:
TraineeService.getTraineeByUsername(..) args: [Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join

```

```

        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where

```

```

    u1_0.username=?

```

2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]

c.e.g.c.a.LoggingAspect - Completed:

TraineeService.getTraineeByUsername(..)

2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]

c.e.g.c.a.LoggingAspect - Calling: TraineeService.changePassword(..)

args: [Alice.Smith1, [REDACTED]]

Hibernate:

```

select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0

```

```

        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.changePassword(..)
Hibernate:

```

update
    "user"
set
    first_name=?,
    is_active=?,
    last_name=?,
    password=?,
    username=?
where
    id=?

```

2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.changePassword(..)
2026-03-12 21:45:10 DEBUG [a993f30d-0efa-46b6-a606-d0dd3e7a63be]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:10 DEBUG [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
o.s.w.s.DispatcherServlet - PUT "/api/auth/password", parameters={}
2026-03-12 21:45:10 DEBUG [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:10 DEBUG [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]

Hibernate:

```

select
    t1_0.id
from
    trainee t1_0
left join
    "user" u1_0

```

```

        on ul_0.id=t1_0.user_id
where
    ul_0.username=?
    and ul_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:10 DEBUG [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:10 DEBUG [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:10 DEBUG [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:10 DEBUG [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" ul_0
        on ul_0.id=t1_0.user_id
    where
        ul_0.username=?
        and ul_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:10 DEBUG [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:10 DEBUG [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:10 WARN [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Invalid
username or password
2026-03-12 21:45:10 DEBUG [8cf5a026-152c-4c24-8a6a-53b08e20ec7b]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:10 DEBUG [47f5b1c3-831c-468d-a900-fcc0a92607b7]
o.s.w.s.DispatcherServlet - PUT "/api/auth/password", parameters={}
2026-03-12 21:45:10 WARN [47f5b1c3-831c-468d-a900-fcc0a92607b7]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: newPassword: must
not be blank
2026-03-12 21:45:11 DEBUG [47f5b1c3-831c-468d-a900-fcc0a92607b7]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-12 21:45:11 DEBUG [8154b046-67bd-471c-aade-28eddb29ee55]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith1",
parameters={}

```

2026-03-12 21:45:11 DEBUG [8154b046-67bd-471c-aade-28eddb29ee55]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]

2026-03-12 21:45:11 DEBUG [8154b046-67bd-471c-aade-28eddb29ee55]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]

Hibernate:

```
select
    t1_0.id
from
    trainee t1_0
left join
    "user" u1_0
    on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
```

2026-03-12 21:45:11 DEBUG [8154b046-67bd-471c-aade-28eddb29ee55]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)

2026-03-12 21:45:11 DEBUG [8154b046-67bd-471c-aade-28eddb29ee55]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)

2026-03-12 21:45:11 DEBUG [8154b046-67bd-471c-aade-28eddb29ee55]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTraineeByUsername(..)
args: [Alice.Smith1]

2026-03-12 21:45:11 DEBUG [8154b046-67bd-471c-aade-28eddb29ee55]

c.e.g.c.a.LoggingAspect - Calling:

TraineeService.getTraineeByUsername(..) args: [Alice.Smith1]

Hibernate:

```
select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
```

```

        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1
            on t2_1.id=t2_0.trainer_id
    left join
        training_type s1_0
            on s1_0.id=t2_1.specialization_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

```

2026-03-12 21:45:11 DEBUG [8154b046-67bd-471c-aade-28eddb29ee55]
c.e.g.c.a.LoggingAspect - Completed:
TraineeService.getTraineeByUsername(..)
2026-03-12 21:45:11 DEBUG [8154b046-67bd-471c-aade-28eddb29ee55]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTraineeByUsername(..)
2026-03-12 21:45:11 DEBUG [8154b046-67bd-471c-aade-28eddb29ee55]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:11 DEBUG [d5976886-2f9c-4628-afd4-6028617f9d21]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith1",
parameters={}
2026-03-12 21:45:11 WARN [d5976886-2f9c-4628-afd4-6028617f9d21]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:11 DEBUG [d5976886-2f9c-4628-afd4-6028617f9d21]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:11 DEBUG [7035baba-6908-4412-b517-1887c9340e36]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith1",
parameters={}
2026-03-12 21:45:11 DEBUG [7035baba-6908-4412-b517-1887c9340e36]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:11 DEBUG [7035baba-6908-4412-b517-1887c9340e36]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:

```

```

select
    t1_0.id
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:11 DEBUG [7035baba-6908-4412-b517-1887c9340e36]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [7035baba-6908-4412-b517-1887c9340e36]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [7035baba-6908-4412-b517-1887c9340e36]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:11 DEBUG [7035baba-6908-4412-b517-1887c9340e36]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [7035baba-6908-4412-b517-1887c9340e36]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:11 DEBUG [7035baba-6908-4412-b517-1887c9340e36]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:11 WARN [7035baba-6908-4412-b517-1887c9340e36]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Invalid
username or password
2026-03-12 21:45:11 DEBUG [7035baba-6908-4412-b517-1887c9340e36]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:11 DEBUG [45a26227-cdc1-48f1-a72f-eef54b2abbbf2]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith1",
parameters={}
2026-03-12 21:45:11 WARN [45a26227-cdc1-48f1-a72f-eef54b2abbbf2]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Access
denied

```

```
2026-03-12 21:45:11 DEBUG [45a26227-cdcl-48f1-a72f-eef54b2abbbf2]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
o.s.w.s.DispatcherServlet - GET "/api/trainees/John.Smith2",
parameters={}
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
```

```
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTraineeByUsername(..)
args: [John.Smith2]
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Calling:
TraineeService.getTraineeByUsername(..) args: [John.Smith2]
Hibernate:
```

```
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1
            on t2_1.id=t2_0.trainer_id
    left join
        training_type s1_0
            on s1_0.id=t2_1.specialization_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
```

```
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Completed:
TraineeService.getTraineeByUsername(..)
2026-03-12 21:45:11 ERROR [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Failed GymFacade.getTraineeByUsername(..):
Trainee not found: John.Smith2
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainee not found: John.Smith2
    at
com.epam.gym.core.facade.GymFacade.lambda$getTraineeByUsername$0(GymFac
ade.java:86)
    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at
com.epam.gym.core.facade.GymFacade.getTraineeByUsername(GymFacade.java:
86)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
```

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.getTraineeByUsername
(<generated>)
        at
com.epam.gym.core.controller.TraineeController.getProfile (TraineeContro
ller.java:71)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
```

```
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (Dispatchers
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doGet (FrameworkServlet
.java:903)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:564)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:885)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:174)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run (SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker (ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run (ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run (TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run (Thread.java:840)
```

```
2026-03-12 21:45:11 WARN [e3c2a4a5-83df-4a3d-b376-a141003962c4]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainee not
found: John.Smith2
2026-03-12 21:45:11 DEBUG [e3c2a4a5-83df-4a3d-b376-a141003962c4]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-12 21:45:11 DEBUG [c915e5df-6635-42a0-8c11-91348f397de8]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith1",
parameters={}
2026-03-12 21:45:11 DEBUG [c915e5df-6635-42a0-8c11-91348f397de8]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:11 DEBUG [c915e5df-6635-42a0-8c11-91348f397de8]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [c915e5df-6635-42a0-8c11-91348f397de8]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [c915e5df-6635-42a0-8c11-91348f397de8]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [c915e5df-6635-42a0-8c11-91348f397de8]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTraineeProfile(..)
args: [Alice.Smith1, Alice, Updated, 1990-05-15, 456 New Ave, true]
2026-03-12 21:45:11 DEBUG [c915e5df-6635-42a0-8c11-91348f397de8]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.updateTrainee(..)
args: [Alice.Smith1, Alice, Updated, 1990-05-15, 456 New Ave, true]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
```

```

        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-12 21:45:11 DEBUG [c915e5df-6635-42a0-8c11-91348f397de8]

c.e.g.c.a.LoggingAspect - Completed: TraineeService.updateTrainee(..)

Hibernate:

```

update
    "user"
set
    first_name=?,
    is_active=?,
    last_name=?,
    password=?,
    username=?
where
    id=?

```

Hibernate:

```

update
    trainee
set

```

```

        address=?,
        date_of_birth=?,
        user_id=?
    where
        id=?
2026-03-12 21:45:11 DEBUG [c915e5df-6635-42a0-8c11-91348f397de8]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.updateTraineeProfile(..)
2026-03-12 21:45:11 DEBUG [c915e5df-6635-42a0-8c11-91348f397de8]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:11 DEBUG [502dade8-2023-4628-9592-8277cd1156aa]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith1",
parameters={}
2026-03-12 21:45:11 WARN [502dade8-2023-4628-9592-8277cd1156aa]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: isActive: must
not be null
2026-03-12 21:45:11 DEBUG [502dade8-2023-4628-9592-8277cd1156aa]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-12 21:45:11 DEBUG [ecb2be9f-9b57-4682-bbed-b21dd5ed9df8]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith1",
parameters={}
2026-03-12 21:45:11 WARN [ecb2be9f-9b57-4682-bbed-b21dd5ed9df8]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:11 DEBUG [ecb2be9f-9b57-4682-bbed-b21dd5ed9df8]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/John.Smith2",
parameters={}
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)

```

```
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTraineeProfile(..)
args: [John.Smith2, Test, Test, null, null, true]
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.updateTrainee(..)
args: [John.Smith2, Test, Test, null, null, true]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
```

```

        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1
            on t2_1.id=t2_0.trainer_id
    left join
        training_type s1_0
            on s1_0.id=t2_1.specialization_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

```

2026-03-12 21:45:11 ERROR [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Failed TraineeService.updateTrainee(..):
Trainee not found: John.Smith2

```

```

2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainee not found: John.Smith2

```

```

    at
com.epam.gym.core.service.TraineeService.lambda$updateTrainee$0(Trainee
Service.java:61)
    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at
com.epam.gym.core.service.TraineeService.updateTrainee(TraineeService.j
ava:61)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)

```

```
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.updateTrainee(
<generated>)
        at
com.epam.gym.core.facade.GymFacade.updateTraineeProfile(GymFacade.java:
93)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
```

```
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.java:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.updateTraineeProfile(<generated>)
        at
com.epam.gym.core.controller.TraineeController.updateProfile(TraineeController.java:85)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
```

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPut (FrameworkServlet
.java:925)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:593)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:885)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
```

```
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
```

```
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:11 ERROR [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Failed GymFacade.updateTraineeProfile(..):
Trainee not found: John.Smith2
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainee not found: John.Smith2
        at
com.epam.gym.core.service.TraineeService.lambda$updateTrainee$0(Trainee
Service.java:61)
        at java.base/java.util.Optional.orElseThrow(Optional.java:403)
        at
com.epam.gym.core.service.TraineeService.updateTrainee(TraineeService.j
ava:61)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
```

```
at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke (Method.java:569)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
    at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
    at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation (TransactionInterceptor.java:123)
    at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction (TransactionAspectSupport.java:385)
    at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke (TransactionInterceptor.java:119)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
    at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
    at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept (CglibAopProxy.java:717)
    at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.updateTrainee (
<generated>)
```

```
        at
com.epam.gym.core.facade.GymFacade.updateTraineeProfile (GymFacade.java:
93)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke (Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.updateTraineeProfile
(<generated>)
        at
com.epam.gym.core.controller.TraineeController.updateProfile(TraineeCon
troller.java:85)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
```

```
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPut(FrameworkServlet.java:925)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:593)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:885)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:115)
```

```
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:391)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:11 WARN [3c719956-40e2-4f7f-9a26-1235895e2c93]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainee not found: John.Smith2
2026-03-12 21:45:11 DEBUG [3c719956-40e2-4f7f-9a26-1235895e2c93]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-12 21:45:11 DEBUG [9406e36e-a6c8-42b4-880a-a974c0b09740]
o.s.w.s.DispatcherServlet - DELETE "/api/trainees/Alice.Smith1", parameters={}
2026-03-12 21:45:11 DEBUG [9406e36e-a6c8-42b4-880a-a974c0b09740]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:11 DEBUG [9406e36e-a6c8-42b4-880a-a974c0b09740]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
```

```

        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [9406e36e-a6c8-42b4-880a-a974c0b09740]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [9406e36e-a6c8-42b4-880a-a974c0b09740]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [9406e36e-a6c8-42b4-880a-a974c0b09740]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deleteTrainee(..) args:
[Alice.Smith1]
2026-03-12 21:45:11 DEBUG [9406e36e-a6c8-42b4-880a-a974c0b09740]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.deleteTrainee(..)
args: [Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id

```

```

left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
Hibernate:
select
    t1_0.trainee_id,
    t1_0.id,
    t1_0.training_duration,
    t1_0.trainer_id,
    t1_0.training_date,
    t1_0.training_name,
    t1_0.training_type_id
from
    training t1_0
where
    t1_0.trainee_id=?
2026-03-12 21:45:11 DEBUG [9406e36e-a6c8-42b4-880a-a974c0b09740]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.deleteTrainee(..)
Hibernate:
delete
from
    trainee
where
    id=?
Hibernate:
delete
from
    "user"
where
    id=?
2026-03-12 21:45:11 DEBUG [9406e36e-a6c8-42b4-880a-a974c0b09740]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.deleteTrainee(..)
2026-03-12 21:45:11 DEBUG [9406e36e-a6c8-42b4-880a-a974c0b09740]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:11 DEBUG [43798628-9769-43d7-878f-03b250f26171]
o.s.w.s.DispatcherServlet - POST "/api/trainees", parameters={}

```

```

2026-03-12 21:45:11 DEBUG [43798628-9769-43d7-878f-03b250f26171]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.registerTrainee(..) args:
[Alice, Smith, 1990-05-15, 123 Main St]
2026-03-12 21:45:11 DEBUG [43798628-9769-43d7-878f-03b250f26171]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.createTrainee(..)
args: [Alice, Smith, 1990-05-15, 123 Main St]
2026-03-12 21:45:11 DEBUG [43798628-9769-43d7-878f-03b250f26171]
c.e.g.c.a.LoggingAspect - Calling:
UsernameGenerator.generateUsername(..) args: [Alice, Smith]
Hibernate:
    select
        u1_0.username
    from
        trainee t1_0
    join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        or u1_0.username like ? escape ''
Hibernate:
    select
        u1_0.username
    from
        trainer t1_0
    join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        or u1_0.username like ? escape ''
2026-03-12 21:45:11 DEBUG [43798628-9769-43d7-878f-03b250f26171]
c.e.g.c.a.LoggingAspect - Completed:
UsernameGenerator.generateUsername(..)
2026-03-12 21:45:11 DEBUG [43798628-9769-43d7-878f-03b250f26171]
c.e.g.c.a.LoggingAspect - Calling: PasswordGenerator.generatePassword()
args: []
2026-03-12 21:45:11 DEBUG [43798628-9769-43d7-878f-03b250f26171]
c.e.g.c.a.LoggingAspect - Completed:
PasswordGenerator.generatePassword()
Hibernate:
    insert
    into
        "user"
        (first_name, is_active, last_name, password, username, id)
    values
        (?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into

```

```

        trainee
        (address, date_of_birth, user_id, id)
    values
        (?, ?, ?, ?)
2026-03-12 21:45:11 DEBUG [43798628-9769-43d7-878f-03b250f26171]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.createTrainee(..)
2026-03-12 21:45:11 DEBUG [43798628-9769-43d7-878f-03b250f26171]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.registerTrainee(..)
2026-03-12 21:45:11 DEBUG [43798628-9769-43d7-878f-03b250f26171]
o.s.w.s.DispatcherServlet - Completed 201 CREATED
2026-03-12 21:45:11 DEBUG [f891f0c8-7a98-42ce-82bd-2f4a4e93f4bd]
o.s.w.s.DispatcherServlet - DELETE "/api/trainees/Alice.Smith1",
parameters={}
2026-03-12 21:45:11 WARN [f891f0c8-7a98-42ce-82bd-2f4a4e93f4bd]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:11 DEBUG [f891f0c8-7a98-42ce-82bd-2f4a4e93f4bd]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
o.s.w.s.DispatcherServlet - DELETE "/api/trainees/John.Smith2",
parameters={}
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]

```

```

Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deleteTrainee(..) args:
[John.Smith2]
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.deleteTrainee(..)
args: [John.Smith2]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join

```

```

        "user" u1_0
            on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

```

2026-03-12 21:45:11 ERROR [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Failed TraineeService.deleteTrainee(..):
Trainee not found: John.Smith2

```

```

2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Stack trace:

```

```

java.util.NoSuchElementException: Trainee not found: John.Smith2
    at

```

```

com.epam.gym.core.service.TraineeService.lambda$deleteTrainee$1(Trainee
Service.java:74)

```

```

    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at

```

```

com.epam.gym.core.service.TraineeService.deleteTrainee(TraineeService.j
ava:74)

```

```

    at

```

```

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)

```

```

    at

```

```

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)

```

```

    at

```

```

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)

```

```

    at java.base/java.lang.reflect.Method.invoke(Method.java:569)

```

```

    at

```

```

org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)

```

```

    at

```

```

org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)

```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.deleteTrainee(
<generated>)
        at
com.epam.gym.core.facade.GymFacade.deleteTrainee(GymFacade.java:99)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
```

```
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deleteTrainee(<generated>)
        at
com.epam.gym.core.controller.TraineeController.delete(TraineeController.java:100)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:189)
```

```
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doDelete(FrameworkServ
let.java:936)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:596)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:885)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
```

```
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:11 ERROR [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Failed GymFacade.deleteTrainee(..): Trainee
not found: John.Smith2
```

```
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainee not found: John.Smith2
    at
com.epam.gym.core.service.TraineeService.lambda$deleteTrainee$1(Trainee
Service.java:74)
    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at
com.epam.gym.core.service.TraineeService.deleteTrainee(TraineeService.j
ava:74)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
```

```
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation (TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction (TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke (TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.deleteTrainee (
<generated>)
        at
com.epam.gym.core.facade.GymFacade.deleteTrainee (GymFacade.java:99)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
```

```
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deleteTrainee(<gener
ated>)
        at
com.epam.gym.core.controller.TraineeController.delete(TraineeController
.java:100)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
            at java.base/java.lang.reflect.Method.invoke(Method.java:569)
            at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
            at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
            at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
            at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
            at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
            at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
            at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
            at
org.springframework.web.servlet.DispatcherServlet.doService(Dispatchers
ervlet.java:979)
            at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
            at
org.springframework.web.servlet.FrameworkServlet.doDelete(FrameworkServ
let.java:936)
```

```
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:596)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:885)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:391)
```

```

        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
            at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:11 WARN [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainee not
found: John.Smith2
2026-03-12 21:45:11 DEBUG [34f146e5-13a9-44e9-adf2-2a522f6c63f4]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith2",
parameters={}
2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only

```

```

2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTrainerByUsername(..)
args: [John.Smith2]
2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]
c.e.g.c.a.LoggingAspect - Calling:
TrainerService.getTrainerByUsername(..) args: [John.Smith2]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,

```

```

        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    join
        training_type s1_0
            on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainer_id
    left join
        trainee t2_1
            on t2_1.id=t2_0.trainee_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]

c.e.g.c.a.LoggingAspect - Completed:

TrainerService.getTrainerByUsername(..)

2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]

c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTrainerByUsername(..)

2026-03-12 21:45:11 DEBUG [6259cae4-5a08-46c4-a56c-dc90f2f28293]

o.s.w.s.DispatcherServlet - Completed 200 OK

2026-03-12 21:45:11 DEBUG [c0010adc-9baf-4760-9b43-6f3c8ca9a4a2]

o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith2",
parameters={}

2026-03-12 21:45:11 WARN [c0010adc-9baf-4760-9b43-6f3c8ca9a4a2]

c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header

2026-03-12 21:45:11 DEBUG [c0010adc-9baf-4760-9b43-6f3c8ca9a4a2]

o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED

2026-03-12 21:45:11 DEBUG [48fc444b-5785-4043-af8d-162048c38b90]

o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith2",
parameters={}

2026-03-12 21:45:11 DEBUG [48fc444b-5785-4043-af8d-162048c38b90]

c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]

```
2026-03-12 21:45:11 DEBUG [48fc444b-5785-4043-af8d-162048c38b90]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [48fc444b-5785-4043-af8d-162048c38b90]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [48fc444b-5785-4043-af8d-162048c38b90]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [48fc444b-5785-4043-af8d-162048c38b90]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [48fc444b-5785-4043-af8d-162048c38b90]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [48fc444b-5785-4043-af8d-162048c38b90]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:11 DEBUG [48fc444b-5785-4043-af8d-162048c38b90]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:11 WARN [48fc444b-5785-4043-af8d-162048c38b90]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Invalid
username or password
2026-03-12 21:45:11 DEBUG [48fc444b-5785-4043-af8d-162048c38b90]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
```

```
2026-03-12 21:45:11 DEBUG [a851d648-627a-4e13-b978-865b3b2a88bb]
o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith2",
parameters={}
2026-03-12 21:45:11 WARN [a851d648-627a-4e13-b978-865b3b2a88bb]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Access
denied
2026-03-12 21:45:11 DEBUG [a851d648-627a-4e13-b978-865b3b2a88bb]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:11 DEBUG [822706f3-193a-46a5-b7a0-6ce05df29cea]
o.s.w.s.DispatcherServlet - GET "/api/trainers/Alice.Smith1",
parameters={}
2026-03-12 21:45:11 DEBUG [822706f3-193a-46a5-b7a0-6ce05df29cea]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:11 DEBUG [822706f3-193a-46a5-b7a0-6ce05df29cea]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [822706f3-193a-46a5-b7a0-6ce05df29cea]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [822706f3-193a-46a5-b7a0-6ce05df29cea]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [822706f3-193a-46a5-b7a0-6ce05df29cea]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTrainerByUsername(..)
args: [Alice.Smith1]
2026-03-12 21:45:11 DEBUG [822706f3-193a-46a5-b7a0-6ce05df29cea]
c.e.g.c.a.LoggingAspect - Calling:
TrainerService.getTrainerByUsername(..) args: [Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
```

```

        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-12 21:45:11 DEBUG [822706f3-193a-46a5-b7a0-6ce05df29cea]

c.e.g.c.a.LoggingAspect - Completed:

TrainerService.getTrainerByUsername(..)

2026-03-12 21:45:11 ERROR [822706f3-193a-46a5-b7a0-6ce05df29cea]

c.e.g.c.a.LoggingAspect - Failed GymFacade.getTrainerByUsername(..):

Trainer not found: Alice.Smith1

2026-03-12 21:45:11 DEBUG [822706f3-193a-46a5-b7a0-6ce05df29cea]

c.e.g.c.a.LoggingAspect - Stack trace:

java.util.NoSuchElementException: Trainer not found: Alice.Smith1

at

com.epam.gym.core.facade.GymFacade.lambda\$getTrainerByUsername\$1(GymFacade.java:157)

at java.base/java.util.Optional.orElseThrow(Optional.java:403)

```
        at
com.epam.gym.core.facade.GymFacade.getTrainerByUsername (GymFacade.java:
157)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke (Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.getTrainerByUsername
(<generated>)
        at
com.epam.gym.core.controller.TrainerController.getProfile(TrainerContro
ller.java:66)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
```

```
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(Dispatchers
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet
.java:903)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:564)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:885)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:115)
```

```

        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:391)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:11 WARN [822706f3-193a-46a5-b7a0-6ce05df29cea]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainer not
found: Alice.Smith1
2026-03-12 21:45:11 DEBUG [822706f3-193a-46a5-b7a0-6ce05df29cea]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
o.s.w.s.DispatcherServlet - PUT "/api/trainers/John.Smith2",
parameters={}
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select

```

```

        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTrainerProfile(..)
args: [John.Smith2, John, Updated, true]
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Calling:
TrainerService.getTrainerByUsername(..) args: [John.Smith2]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,

```

```

        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

```

2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Completed:
TrainerService.getTrainerByUsername(..)
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.updateTrainer(..)
args: [John.Smith2, John, Updated,
00000000-0000-0000-0000-000000000001, true]

```

```

Hibernate:
    select
        tt1_0.id,

```

```

        tt1_0.training_type_name
from
    training_type tt1_0
where
    tt1_0.id=?
Hibernate:
select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where

```

```

        u1_0.username=?
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.updateTrainer(..)
Hibernate:
    update
        "user"
    set
        first_name=?,
        is_active=?,
        last_name=?,
        password=?,
        username=?
    where
        id=?
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.updateTrainerProfile(..)
2026-03-12 21:45:11 DEBUG [e3147f7c-44b8-4efb-9703-8ef3440b4bbf]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:11 DEBUG [df7e959e-3685-47c8-98d3-6badc95973df]
o.s.w.s.DispatcherServlet - PUT "/api/trainers/John.Smith2",
parameters={}
2026-03-12 21:45:11 WARN [df7e959e-3685-47c8-98d3-6badc95973df]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: firstName: must
not be blank
2026-03-12 21:45:11 DEBUG [df7e959e-3685-47c8-98d3-6badc95973df]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-12 21:45:11 DEBUG [b972a83c-a278-40f1-ae54-3fa67bd401c1]
o.s.w.s.DispatcherServlet - PUT "/api/trainers/John.Smith2",
parameters={}
2026-03-12 21:45:11 WARN [b972a83c-a278-40f1-ae54-3fa67bd401c1]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:11 DEBUG [b972a83c-a278-40f1-ae54-3fa67bd401c1]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:11 DEBUG [b300bc3a-e9fc-4576-a330-95430764c08c]
o.s.w.s.DispatcherServlet - PUT "/api/trainers/Alice.Smith1",
parameters={}
2026-03-12 21:45:11 DEBUG [b300bc3a-e9fc-4576-a330-95430764c08c]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:11 DEBUG [b300bc3a-e9fc-4576-a330-95430764c08c]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0

```

```

        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:11 DEBUG [b300bc3a-e9fc-4576-a330-95430764c08c]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [b300bc3a-e9fc-4576-a330-95430764c08c]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [b300bc3a-e9fc-4576-a330-95430764c08c]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTrainerProfile(..)
args: [Alice.Smith1, Test, Test, true]
2026-03-12 21:45:11 DEBUG [b300bc3a-e9fc-4576-a330-95430764c08c]
c.e.g.c.a.LoggingAspect - Calling:
TrainerService.getTrainerByUsername(..) args: [Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    join
        training_type s1_0
            on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0

```

```

        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
2026-03-12 21:45:11 DEBUG [b300bc3a-e9fc-4576-a330-95430764c08c]
c.e.g.c.a.LoggingAspect - Completed:
TrainerService.getTrainerByUsername(..)
2026-03-12 21:45:11 ERROR [b300bc3a-e9fc-4576-a330-95430764c08c]
c.e.g.c.a.LoggingAspect - Failed GymFacade.updateTrainerProfile(..):
Trainer not found: Alice.Smith1
2026-03-12 21:45:11 DEBUG [b300bc3a-e9fc-4576-a330-95430764c08c]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainer not found: Alice.Smith1
    at
com.epam.gym.core.facade.GymFacade.lambda$updateTrainerProfile$2(GymFac
ade.java:164)
    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at
com.epam.gym.core.facade.GymFacade.updateTrainerProfile(GymFacade.java:
164)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)

```

```
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.updateTrainerProfile
(<generated>)
        at
com.epam.gym.core.controller.TrainerController.updateProfile(TrainerCon
troller.java:80)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (Dispatchers
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPut (FrameworkServlet
.java:925)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:593)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:885)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
```

```
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
```

```

        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:11 WARN [b300bc3a-e9fc-4576-a330-95430764c08c]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainer not
found: Alice.Smith1
2026-03-12 21:45:11 DEBUG [b300bc3a-e9fc-4576-a330-95430764c08c]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-12 21:45:11 DEBUG [1ed40b85-90c3-4f8f-b087-a483a04189ea]
o.s.w.s.DispatcherServlet - GET
"/api/trainees/Alice.Smith1/not-assigned-trainers", parameters={}
2026-03-12 21:45:11 DEBUG [1ed40b85-90c3-4f8f-b087-a483a04189ea]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:11 DEBUG [1ed40b85-90c3-4f8f-b087-a483a04189ea]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [1ed40b85-90c3-4f8f-b087-a483a04189ea]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [1ed40b85-90c3-4f8f-b087-a483a04189ea]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [1ed40b85-90c3-4f8f-b087-a483a04189ea]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getNotAssignedTrainers(..)
args: [Alice.Smith1]
2026-03-12 21:45:11 DEBUG [1ed40b85-90c3-4f8f-b087-a483a04189ea]
c.e.g.c.a.LoggingAspect - Calling:
TraineeService.getNotAssignedTrainers(..) args: [Alice.Smith1]
Hibernate:
    select
        t1_0.id,

```

```

        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u1_0.id,
        u1_0.first_name,
        u1_0.is_active,
        u1_0.last_name,
        u1_0.password,
        u1_0.username,
        t1_0.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username
from
    trainer t1_0
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u1_0
        on u1_0.id=t2_1.user_id
join
    "user" u2_0
        on u2_0.id=t1_0.user_id
where
    t1_0.id not in ((select
        t4_0.trainer_id
    from
        trainee t3_0
    join
        trainee2trainer t4_0
            on t3_0.id=t4_0.trainee_id
    join
        "user" u3_0
            on u3_0.id=t3_0.user_id
    where

```

```

        u3_0.username=?))
2026-03-12 21:45:11 DEBUG [1ed40b85-90c3-4f8f-b087-a483a04189ea]
c.e.g.c.a.LoggingAspect - Completed:
TraineeService.getNotAssignedTrainers(..)
2026-03-12 21:45:11 DEBUG [1ed40b85-90c3-4f8f-b087-a483a04189ea]
c.e.g.c.a.LoggingAspect - Completed:
GymFacade.getNotAssignedTrainers(..)
2026-03-12 21:45:11 DEBUG [1ed40b85-90c3-4f8f-b087-a483a04189ea]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:11 DEBUG [5baf26bd-8133-4e2c-954a-c4627581f05c]
o.s.w.s.DispatcherServlet - GET
"/api/trainees/Alice.Smith1/not-assigned-trainers", parameters={}
2026-03-12 21:45:11 WARN [5baf26bd-8133-4e2c-954a-c4627581f05c]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:11 DEBUG [5baf26bd-8133-4e2c-954a-c4627581f05c]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:11 DEBUG [526493c2-b6bd-468c-934d-0a1666a9f5b7]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith1/trainers",
parameters={}
2026-03-12 21:45:11 DEBUG [526493c2-b6bd-468c-934d-0a1666a9f5b7]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:11 DEBUG [526493c2-b6bd-468c-934d-0a1666a9f5b7]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:11 DEBUG [526493c2-b6bd-468c-934d-0a1666a9f5b7]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:11 DEBUG [526493c2-b6bd-468c-934d-0a1666a9f5b7]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:11 DEBUG [526493c2-b6bd-468c-934d-0a1666a9f5b7]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTraineeTrainers(..)
args: [Alice.Smith1, [John.Smith2]]
2026-03-12 21:45:11 DEBUG [526493c2-b6bd-468c-934d-0a1666a9f5b7]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.updateTrainers(..)
args: [Alice.Smith1, [John.Smith2]]
Hibernate:

```

```

select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

Hibernate:

```

select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,

```

```

        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username in (?)

```

2026-03-12 21:45:11 DEBUG [526493c2-b6bd-468c-934d-0a1666a9f5b7]

c.e.g.c.a.LoggingAspect - Completed: TraineeService.updateTrainers(..)

Hibernate:

```

insert
into
    trainee2trainer
    (trainee_id, trainer_id)
values
    (?, ?)

```

```
2026-03-12 21:45:11 DEBUG [526493c2-b6bd-468c-934d-0a1666a9f5b7]
c.e.g.c.a.LoggingAspect - Completed:
GymFacade.updateTraineeTrainers(..)
2026-03-12 21:45:11 DEBUG [526493c2-b6bd-468c-934d-0a1666a9f5b7]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:11 DEBUG [3f78fbad-beee-4397-8785-b79093f37186]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith1/trainers",
parameters={}
2026-03-12 21:45:11 WARN [3f78fbad-beee-4397-8785-b79093f37186]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: trainerUsernames:
must not be empty
2026-03-12 21:45:11 DEBUG [3f78fbad-beee-4397-8785-b79093f37186]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-12 21:45:11 DEBUG [5228825a-8abf-45d0-84c0-8aeae8c4701]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith1/trainers",
parameters={}
2026-03-12 21:45:11 DEBUG [5228825a-8abf-45d0-84c0-8aeae8c4701]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:11 DEBUG [5228825a-8abf-45d0-84c0-8aeae8c4701]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [5228825a-8abf-45d0-84c0-8aeae8c4701]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [5228825a-8abf-45d0-84c0-8aeae8c4701]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [5228825a-8abf-45d0-84c0-8aeae8c4701]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTraineeTrainers(..)
args: [Alice.Smith1, [ghost.trainer.999]]
2026-03-12 21:45:12 DEBUG [5228825a-8abf-45d0-84c0-8aeae8c4701]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.updateTrainers(..)
args: [Alice.Smith1, [ghost.trainer.999]]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
```

```

        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

Hibernate:

```

select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,

```

```

        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username in (?)

```

```

2026-03-12 21:45:12 ERROR [5228825a-8abf-45d0-84c0-8aeae8c4701]
c.e.g.c.a.LoggingAspect - Failed TraineeService.updateTrainers(..):
Trainers not found: [ghost.trainer.999]

```

```

2026-03-12 21:45:12 DEBUG [5228825a-8abf-45d0-84c0-8aeae8c4701]

```

```

c.e.g.c.a.LoggingAspect - Stack trace:

```

```

java.util.NoSuchElementException: Trainers not found:
[ghost.trainer.999]

```

```

    at

```

```

com.epam.gym.core.service.TraineeService.updateTrainers(TraineeService.
java:146)

```

```

    at

```

```

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)

```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke (Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation (TransactionInterceptor.java:123)
```

```
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.updateTrainers
(<generated>)
        at
com.epam.gym.core.facade.GymFacade.updateTraineeTrainers(GymFacade.java
:138)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.updateTraineeTrainer
s(<generated>)
        at
com.epam.gym.core.controller.TraineeController.updateTrainers(TraineeCo
ntroller.java:145)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatchersS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPut(FrameworkServlet
.java:925)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:593)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:885)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:205)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1744)
```

```
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 ERROR [5228825a-8abf-45d0-84c0-8aeae8c4701]
c.e.g.c.a.LoggingAspect - Failed GymFacade.updateTraineeTrainers(..):
Trainers not found: [ghost.trainer.999]
2026-03-12 21:45:12 DEBUG [5228825a-8abf-45d0-84c0-8aeae8c4701]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainers not found:
[ghost.trainer.999]
        at
com.epam.gym.core.service.TraineeService.updateTrainers(TraineeService.
java:146)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
```

```
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.java:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.proceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.updateTrainers
(<generated>)
        at
com.epam.gym.core.facade.GymFacade.updateTraineeTrainers(GymFacade.java
:138)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
            at java.base/java.lang.reflect.Method.invoke(Method.java:569)
            at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
            at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
            at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
            at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
            at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
            at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
            at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
            at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
            at java.base/java.lang.reflect.Method.invoke(Method.java:569)
            at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
            at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
```

```
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJArroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.updateTraineeTrainer
s (<generated>)
        at
com.epam.gym.core.controller.TraineeController.updateTrainers (TraineeCo
ntroller.java:145)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
```

```
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPut (FrameworkServlet
.java:925)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:593)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:885)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:90)
```

```
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run (SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker (ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run (ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run (TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run (Thread.java:840)
2026-03-12 21:45:12 WARN [5228825a-8abf-45d0-84c0-8aeae8c4701]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainers not
found: [ghost.trainer.999]
2026-03-12 21:45:12 DEBUG [5228825a-8abf-45d0-84c0-8aeae8c4701]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-12 21:45:12 DEBUG [1e1eddf5-56f5-4985-a58f-0c6c4c08a5e4]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith1/trainers",
parameters={}
```

```
2026-03-12 21:45:12 WARN [1e1edddf5-56f5-4985-a58f-0c6c4c08a5e4]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:12 DEBUG [1e1edddf5-56f5-4985-a58f-0c6c4c08a5e4]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:12 DEBUG [009375c7-520a-40be-81ba-8208204eab82]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith1/trainings",
parameters={}
2026-03-12 21:45:12 DEBUG [009375c7-520a-40be-81ba-8208204eab82]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [009375c7-520a-40be-81ba-8208204eab82]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [009375c7-520a-40be-81ba-8208204eab82]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [009375c7-520a-40be-81ba-8208204eab82]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [009375c7-520a-40be-81ba-8208204eab82]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTraineeTrainings(..)
args: [Alice.Smith1, null, null, null, null]
2026-03-12 21:45:12 DEBUG [009375c7-520a-40be-81ba-8208204eab82]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.getTrainings(..)
args: [Alice.Smith1, null, null, null, null]
Hibernate:
    select
        t1_0.id,
        t1_0.training_duration,
        t1_0.trainee_id,
        t2_0.id,
        t2_0.address,
        t2_0.date_of_birth,
        t2_0.user_id,
        u1_0.id,
        u1_0.first_name,
        u1_0.is_active,
        u1_0.last_name,
```

```

        u1_0.password,
        u1_0.username,
        t1_0.trainer_id,
        t3_0.id,
        t3_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t3_0.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.training_date,
        t1_0.training_name,
        t1_0.training_type_id,
        tt1_0.id,
        tt1_0.training_type_name
from
    training t1_0
join
    trainee t2_0
        on t2_0.id=t1_0.trainee_id
join
    "user" u1_0
        on u1_0.id=t2_0.user_id
join
    trainer t3_0
        on t3_0.id=t1_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t3_0.specialization_id
left join
    "user" u2_0
        on u2_0.id=t3_0.user_id
join
    training_type tt1_0
        on tt1_0.id=t1_0.training_type_id
where
    u1_0.username=?

```

2026-03-12 21:45:12 DEBUG [009375c7-520a-40be-81ba-8208204eab82]

c.e.g.c.a.LoggingAspect - Completed: TraineeService.getTrainings(..)

2026-03-12 21:45:12 DEBUG [009375c7-520a-40be-81ba-8208204eab82]

c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTraineeTrainings(..)

2026-03-12 21:45:12 DEBUG [009375c7-520a-40be-81ba-8208204eab82]

o.s.w.s.DispatcherServlet - Completed 200 OK

2026-03-12 21:45:12 DEBUG [df9746e5-f3d4-446e-9e75-e1895b8bf1b7]

o.s.w.s.DispatcherServlet - GET

"/api/trainees/Alice.Smith1/trainings?periodFrom=2025-01-01&periodTo=20

```

25-12-31&trainerUsername=John.Smith2&trainingType=Fitness",
parameters={masked}
2026-03-12 21:45:12 DEBUG [df9746e5-f3d4-446e-9e75-e1895b8bf1b7]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [df9746e5-f3d4-446e-9e75-e1895b8bf1b7]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [df9746e5-f3d4-446e-9e75-e1895b8bf1b7]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [df9746e5-f3d4-446e-9e75-e1895b8bf1b7]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [df9746e5-f3d4-446e-9e75-e1895b8bf1b7]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTraineeTrainings(..)
args: [Alice.Smith1, 2025-01-01, 2025-12-31, John.Smith2, Fitness]
2026-03-12 21:45:12 DEBUG [df9746e5-f3d4-446e-9e75-e1895b8bf1b7]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.getTrainings(..)
args: [Alice.Smith1, 2025-01-01, 2025-12-31, John.Smith2, Fitness]
Hibernate:
    select
        t1_0.id,
        t1_0.training_duration,
        t1_0.trainee_id,
        t2_0.id,
        t2_0.address,
        t2_0.date_of_birth,
        t2_0.user_id,
        u1_0.id,
        u1_0.first_name,
        u1_0.is_active,
        u1_0.last_name,
        u1_0.password,
        u1_0.username,
        t1_0.trainer_id,
        t3_0.id,
        t3_0.specialization_id,
        s1_0.id,

```

```

        s1_0.training_type_name,
        t3_0.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.training_date,
        t1_0.training_name,
        t1_0.training_type_id,
        tt1_0.id,
        tt1_0.training_type_name
    from
        training t1_0
    join
        trainee t2_0
        on t2_0.id=t1_0.trainee_id
    join
        "user" u1_0
        on u1_0.id=t2_0.user_id
    join
        trainer t3_0
        on t3_0.id=t1_0.trainer_id
    left join
        training_type s1_0
        on s1_0.id=t3_0.specialization_id
    join
        "user" u2_0
        on u2_0.id=t3_0.user_id
    join
        training_type tt1_0
        on tt1_0.id=t1_0.training_type_id
    where

```

```

        u1_0.username=?
        and t1_0.training_date>=?
        and t1_0.training_date<=?
        and u2_0.username=?
        and tt1_0.training_type_name=?

```

```

2026-03-12 21:45:12 DEBUG [df9746e5-f3d4-446e-9e75-e1895b8bf1b7]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.getTrainings(..)
2026-03-12 21:45:12 DEBUG [df9746e5-f3d4-446e-9e75-e1895b8bf1b7]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTraineeTrainings(..)
2026-03-12 21:45:12 DEBUG [df9746e5-f3d4-446e-9e75-e1895b8bf1b7]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:12 DEBUG [a2d480d5-b84d-4073-a5bf-2c7e5bf71d7f]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith1/trainings",
parameters={}

```

```
2026-03-12 21:45:12 WARN [a2d480d5-b84d-4073-a5bf-2c7e5bf71d7f]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:12 DEBUG [a2d480d5-b84d-4073-a5bf-2c7e5bf71d7f]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith2/trainings",
parameters={}
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
```

```
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTrainerTrainings(..)
args: [John.Smith2, null, null, null]
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.getTrainings(..)
args: [John.Smith2, null, null, null]
Hibernate:
```

```
    select
        t1_0.id,
        t1_0.training_duration,
        t1_0.trainee_id,
        t2_0.id,
        t2_0.address,
        t2_0.date_of_birth,
        t2_0.user_id,
        u1_0.id,
        u1_0.first_name,
        u1_0.is_active,
        u1_0.last_name,
        u1_0.password,
        u1_0.username,
        t1_0.trainer_id,
        t3_0.id,
        t3_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t3_0.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.training_date,
        t1_0.training_name,
        t1_0.training_type_id,
        tt1_0.id,
        tt1_0.training_type_name
    from
        training t1_0
    join
        trainee t2_0
            on t2_0.id=t1_0.trainee_id
    left join
        "user" u1_0
            on u1_0.id=t2_0.user_id
```

```

join
    trainer t3_0
        on t3_0.id=t1_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t3_0.specialization_id
join
    "user" u2_0
        on u2_0.id=t3_0.user_id
join
    training_type tt1_0
        on tt1_0.id=t1_0.training_type_id
where
    u2_0.username=?
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.getTrainings(..)
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTrainerTrainings(..)
2026-03-12 21:45:12 DEBUG [45c3a2c6-83a5-46a7-b651-d7307217c809]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
o.s.w.s.DispatcherServlet - GET
"/api/trainers/John.Smith2/trainings?periodFrom=2025-01-01&periodTo=202
5-12-31&traineeUsername=Alice.Smith1", parameters={masked}
2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]

```

2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]

Hibernate:

```
select
    t1_0.id
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
```

2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)

2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)

2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTrainerTrainings(..)
args: [John.Smith2, 2025-01-01, 2025-12-31, Alice.Smith1]

2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.getTrainings(..)
args: [John.Smith2, 2025-01-01, 2025-12-31, Alice.Smith1]

Hibernate:

```
select
    t1_0.id,
    t1_0.training_duration,
    t1_0.trainee_id,
    t2_0.id,
    t2_0.address,
    t2_0.date_of_birth,
    t2_0.user_id,
    u1_0.id,
    u1_0.first_name,
    u1_0.is_active,
    u1_0.last_name,
    u1_0.password,
    u1_0.username,
    t1_0.trainer_id,
    t3_0.id,
    t3_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t3_0.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
```

```

        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.training_date,
        t1_0.training_name,
        t1_0.training_type_id,
        tt1_0.id,
        tt1_0.training_type_name
    from
        training t1_0
    join
        trainee t2_0
        on t2_0.id=t1_0.trainee_id
    join
        "user" u1_0
        on u1_0.id=t2_0.user_id
    join
        trainer t3_0
        on t3_0.id=t1_0.trainer_id
    left join
        training_type s1_0
        on s1_0.id=t3_0.specialization_id
    join
        "user" u2_0
        on u2_0.id=t3_0.user_id
    join
        training_type tt1_0
        on tt1_0.id=t1_0.training_type_id
    where
        u2_0.username=?
        and t1_0.training_date>=?
        and t1_0.training_date<=?
        and u1_0.username=?

```

```

2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.getTrainings(..)
2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTrainerTrainings(..)
2026-03-12 21:45:12 DEBUG [63298a7b-66c2-451b-8023-912ab9fce2c8]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:12 DEBUG [466e7226-ac33-4f96-9586-d79099a55ad4]
o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith2/trainings",
parameters={}
2026-03-12 21:45:12 WARN [466e7226-ac33-4f96-9586-d79099a55ad4]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:12 DEBUG [466e7226-ac33-4f96-9586-d79099a55ad4]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}

```

```

2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.createTraining(..) args:
[Alice.Smith1, John.Smith2, Morning Session, 2025-06-15, 60]
2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]
c.e.g.c.a.LoggingAspect - Calling:
TraineeService.getTraineeByUsername(..) args: [Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,

```

```

        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]

c.e.g.c.a.LoggingAspect - Completed:

TraineeService.getTraineeByUsername(..)

2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]

c.e.g.c.a.LoggingAspect - Calling:

TrainerService.getTrainerByUsername(..) args: [John.Smith2]

Hibernate:

```

select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,

```

```

        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    join
        training_type s1_0
            on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainer_id
    left join
        trainee t2_1
            on t2_1.id=t2_0.trainee_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]

c.e.g.c.a.LoggingAspect - Completed:

TrainerService.getTrainerByUsername(..)

2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]

c.e.g.c.a.LoggingAspect - Calling: TrainingService.createTraining(..)

args: [Trainee(id=941e329b-049d-4b42-8e7b-88e6ed30b4fd,

dateOfBirth=1990-05-15, address=123 Main St),

Trainer(id=ca41e230-9653-4f24-8f0c-18c6035c4551), Morning Session,

TrainingType(id=00000000-0000-0000-0000-000000000001,

trainingTypeName=Fitness), 2025-06-15, 60]

2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]

c.e.g.c.a.LoggingAspect - Completed: TrainingService.createTraining(..)

Hibernate:

insert

into

training

(training_duration, trainee_id, trainer_id, training_date,
training_name, training_type_id, id)

values

(?, ?, ?, ?, ?, ?, ?)

2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]

c.e.g.c.a.LoggingAspect - Completed: GymFacade.createTraining(..)

```
2026-03-12 21:45:12 DEBUG [28377ef7-a793-4967-b02b-f182be305f01]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:12 DEBUG [eblac4bd-f9be-4f8e-a9a5-c04d9c5ab198]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
2026-03-12 21:45:12 WARN [eblac4bd-f9be-4f8e-a9a5-c04d9c5ab198]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: trainingName:
must not be blank
2026-03-12 21:45:12 DEBUG [eblac4bd-f9be-4f8e-a9a5-c04d9c5ab198]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-12 21:45:12 DEBUG [6336614e-3ed2-4ead-8eeb-b70e7529503a]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
2026-03-12 21:45:12 WARN [6336614e-3ed2-4ead-8eeb-b70e7529503a]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:12 DEBUG [6336614e-3ed2-4ead-8eeb-b70e7529503a]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:12 DEBUG [15024346-1636-473f-8018-6985d633f845]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
2026-03-12 21:45:12 DEBUG [15024346-1636-473f-8018-6985d633f845]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [15024346-1636-473f-8018-6985d633f845]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [15024346-1636-473f-8018-6985d633f845]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [15024346-1636-473f-8018-6985d633f845]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 WARN [15024346-1636-473f-8018-6985d633f845]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Invalid
username or password
2026-03-12 21:45:12 DEBUG [15024346-1636-473f-8018-6985d633f845]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:12 DEBUG [72d0c090-7081-4e64-9a69-963a42ecb358]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
```

```
2026-03-12 21:45:12 WARN [72d0c090-7081-4e64-9a69-963a42ecb358]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Access
denied
2026-03-12 21:45:12 DEBUG [72d0c090-7081-4e64-9a69-963a42ecb358]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.createTraining(..) args:
[Alice.Smith1, nonexistent.trainer, Test Training, 2024-06-15, 60]
2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]
c.e.g.c.a.LoggingAspect - Calling:
TraineeService.getTraineeByUsername(..) args: [Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
```

```

        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1
            on t2_1.id=t2_0.trainer_id
    left join
        training_type s1_0
            on s1_0.id=t2_1.specialization_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

```

2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]
c.e.g.c.a.LoggingAspect - Completed:
TraineeService.getTraineeByUsername(..)
2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]
c.e.g.c.a.LoggingAspect - Calling:
TrainerService.getTrainerByUsername(..) args: [nonexistent.trainer]
Hibernate:

```

```

    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,

```

```

        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    join
        training_type s1_0
            on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainer_id
    left join
        trainee t2_1
            on t2_1.id=t2_0.trainee_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]

c.e.g.c.a.LoggingAspect - Completed:

TrainerService.getTrainerByUsername(..)

2026-03-12 21:45:12 ERROR [51895b59-63fb-45e1-b706-53260b6c58da]

c.e.g.c.a.LoggingAspect - Failed GymFacade.createTraining(..): Trainer not found: nonexistent.trainer

2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]

c.e.g.c.a.LoggingAspect - Stack trace:

java.util.NoSuchElementException: Trainer not found:

nonexistent.trainer

at

com.epam.gym.core.facade.GymFacade.lambda\$createTraining\$4(GymFacade.java:196)

at java.base/java.util.Optional.orElseThrow(Optional.java:403)

at

com.epam.gym.core.facade.GymFacade.createTraining(GymFacade.java:196)

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.createTraining(<gene
rated>)
        at
com.epam.gym.core.controller.TrainingController.addTraining(TrainingCon
troller.java:41)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
```

```
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPost(FrameworkServlet.java:914)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:590)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:885)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93)
```

```

        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 WARN [51895b59-63fb-45e1-b706-53260b6c58da]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainer not
found: nonexistent.trainer
2026-03-12 21:45:12 DEBUG [51895b59-63fb-45e1-b706-53260b6c58da]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-12 21:45:12 DEBUG [84d3a529-fdbd-4cfa-a049-9b47e50f888b]
o.s.w.s.DispatcherServlet - PATCH
"/api/trainees/Alice.Smith1/activate", parameters={}
2026-03-12 21:45:12 DEBUG [84d3a529-fdbd-4cfa-a049-9b47e50f888b]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [84d3a529-fdbd-4cfa-a049-9b47e50f888b]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0

```

```

left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:12 DEBUG [84d3a529-fdbd-4cfa-a049-9b47e50f888b]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [84d3a529-fdbd-4cfa-a049-9b47e50f888b]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [84d3a529-fdbd-4cfa-a049-9b47e50f888b]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deactivateTrainee(..)
args: [Alice.Smith1]
2026-03-12 21:45:12 DEBUG [84d3a529-fdbd-4cfa-a049-9b47e50f888b]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.deactivate(..) args:
[Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id

```

```

left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
2026-03-12 21:45:12 DEBUG [84d3a529-fdbd-4cfa-a049-9b47e50f888b]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.deactivate(...)
Hibernate:
    update
        "user"
    set
        first_name=?,
        is_active=?,
        last_name=?,
        password=?,
        username=?
    where
        id=?
2026-03-12 21:45:12 DEBUG [84d3a529-fdbd-4cfa-a049-9b47e50f888b]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.deactivateTrainee(...)
2026-03-12 21:45:12 DEBUG [84d3a529-fdbd-4cfa-a049-9b47e50f888b]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:12 DEBUG [413f8166-d247-408f-b57c-94c57355e14c]
o.s.w.s.DispatcherServlet - PATCH
"/api/trainees/Alice.Smith1/activate", parameters={}
2026-03-12 21:45:12 DEBUG [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(...)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(...)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?

```

```

        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deactivateTrainee(..)
args: [Alice.Smith1]
2026-03-12 21:45:12 DEBUG [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.deactivate(..) args:
[Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1
            on t2_1.id=t2_0.trainer_id
    left join
        training_type s1_0

```

```

        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
2026-03-12 21:45:12 ERROR [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.a.LoggingAspect - Failed TraineeService.deactivate(..): Trainee
is already inactive: Alice.Smith1
2026-03-12 21:45:12 DEBUG [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainee is already inactive:
Alice.Smith1
    at
com.epam.gym.core.service.TraineeService.deactivate(TraineeService.java
:124)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)

```

```
at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke (Method.java:569)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
    at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
    at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation (TransactionInterceptor.java:123)
    at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction (TransactionAspectSupport.java:385)
    at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke (TransactionInterceptor.java:119)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
    at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
    at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept (CglibAopProxy.java:717)
    at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.deactivate (<ge
nerated>)
```

```
        at
com.epam.gym.core.facade.GymFacade.deactivateTrainee (GymFacade.java:117
)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke (Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deactivateTrainee(<g
enerated>)
        at
com.epam.gym.core.controller.TraineeController.activate(TraineeControll
er.java:118)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
```

```
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:888)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74)
```

```
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 ERROR [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.a.LoggingAspect - Failed GymFacade.deactivateTrainee(..):
Trainee is already inactive: Alice.Smith1
2026-03-12 21:45:12 DEBUG [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainee is already inactive:
Alice.Smith1
        at
com.epam.gym.core.service.TraineeService.deactivate(TraineeService.java
:124)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.deactivate(<ge
nerated>)
        at
com.epam.gym.core.facade.GymFacade.deactivateTrainee(GymFacade.java:117
)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
```

```
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deactivateTrainee(<g
enerated>)
        at
com.epam.gym.core.controller.TraineeController.activate(TraineeControll
er.java:118)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
```

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:888)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run (SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker (ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run (ThreadPool
Executor.java:659)
```

```

        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 WARN [413f8166-d247-408f-b57c-94c57355e14c]
c.e.g.c.e.h.RestExceptionHandler - Illegal state: Trainee is already
inactive: Alice.Smith1
2026-03-12 21:45:12 DEBUG [413f8166-d247-408f-b57c-94c57355e14c]
o.s.w.s.DispatcherServlet - Completed 409 CONFLICT
2026-03-12 21:45:12 DEBUG [24de8ff2-cc9c-4d6f-b54d-9ddd06e51799]
o.s.w.s.DispatcherServlet - PATCH
"/api/trainees/Alice.Smith1/activate", parameters={}
2026-03-12 21:45:12 DEBUG [24de8ff2-cc9c-4d6f-b54d-9ddd06e51799]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [24de8ff2-cc9c-4d6f-b54d-9ddd06e51799]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [24de8ff2-cc9c-4d6f-b54d-9ddd06e51799]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [24de8ff2-cc9c-4d6f-b54d-9ddd06e51799]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [24de8ff2-cc9c-4d6f-b54d-9ddd06e51799]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainee(..) args:
[Alice.Smith1]
2026-03-12 21:45:12 DEBUG [24de8ff2-cc9c-4d6f-b54d-9ddd06e51799]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.activate(..) args:
[Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,

```

```

        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1
            on t2_1.id=t2_0.trainer_id
    left join
        training_type s1_0
            on s1_0.id=t2_1.specialization_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

2026-03-12 21:45:12 DEBUG [24de8ff2-cc9c-4d6f-b54d-9ddd06e51799]
 c.e.g.c.a.LoggingAspect - Completed: TraineeService.activate(..)
 Hibernate:

```

    update
        "user"
    set
        first_name=?,
        is_active=?,
        last_name=?,
        password=?,
        username=?
    where
        id=?

```

```

2026-03-12 21:45:12 DEBUG [24de8ff2-cc9c-4d6f-b54d-9ddd06e51799]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.activateTrainee(..)
2026-03-12 21:45:12 DEBUG [24de8ff2-cc9c-4d6f-b54d-9ddd06e51799]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:12 DEBUG [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
o.s.w.s.DispatcherServlet - PATCH
"/api/trainees/Alice.Smith1/activate", parameters={}
2026-03-12 21:45:12 DEBUG [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainee(..) args:
[Alice.Smith1]
2026-03-12 21:45:12 DEBUG [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.activate(..) args:
[Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,

```

```

        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1
            on t2_1.id=t2_0.trainer_id
    left join
        training_type s1_0
            on s1_0.id=t2_1.specialization_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

2026-03-12 21:45:12 ERROR [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]

c.e.g.c.a.LoggingAspect - Failed TraineeService.activate(..): Trainee is already active: Alice.Smith1

2026-03-12 21:45:12 DEBUG [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]

c.e.g.c.a.LoggingAspect - Stack trace:

java.lang.IllegalStateException: Trainee is already active:

Alice.Smith1

at

com.epam.gym.core.service.TraineeService.activate(TraineeService.java:113)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke (Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation (TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction (TransactionAspectSupport.java:385)
```

```
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invoke(
TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainee(GymFacade.java:113)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainee(<gen
erated>)
        at
com.epam.gym.core.controller.TraineeController.activate(TraineeControll
er.java:116)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:888)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
```

```
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
```

```
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 ERROR [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
c.e.g.c.a.LoggingAspect - Failed GymFacade.activateTrainee(..): Trainee
is already active: Alice.Smith1
2026-03-12 21:45:12 DEBUG [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainee is already active:
Alice.Smith1
        at
com.epam.gym.core.service.TraineeService.activate(TraineeService.java:1
13)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
```

```
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.proceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invoke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.activate(<generated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainee(GymFacade.java:113)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke (Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
```

```
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainee(<gen
erated>)
        at
com.epam.gym.core.controller.TraineeController.activate(TraineeControll
er.java:116)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
```

```
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:888)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:340)
```

```
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 WARN [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
c.e.g.c.e.h.RestExceptionHandler - Illegal state: Trainee is already
active: Alice.Smith1
2026-03-12 21:45:12 DEBUG [873bfd2d-e130-4ad0-b6c5-af7b187ccfcc]
o.s.w.s.DispatcherServlet - Completed 409 CONFLICT
2026-03-12 21:45:12 DEBUG [ed093a0b-a8db-4015-8786-79af2c57e48c]
o.s.w.s.DispatcherServlet - PATCH
"/api/trainees/Alice.Smith1/activate", parameters={}
2026-03-12 21:45:12 WARN [ed093a0b-a8db-4015-8786-79af2c57e48c]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:12 DEBUG [ed093a0b-a8db-4015-8786-79af2c57e48c]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
o.s.w.s.DispatcherServlet - PATCH "/api/trainees/John.Smith2/activate",
parameters={}
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
```

```

from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainee(..) args:
[John.Smith2]
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.activate(..) args:
[John.Smith2]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,

```

```

        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-12 21:45:12 ERROR [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]

c.e.g.c.a.LoggingAspect - Failed TraineeService.activate(..): Trainee not found: John.Smith2

2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]

c.e.g.c.a.LoggingAspect - Stack trace:

java.util.NoSuchElementException: Trainee not found: John.Smith2

at

com.epam.gym.core.service.TraineeService.lambda\$activate\$3(TraineeService.java:111)

at java.base/java.util.Optional.orElseThrow(Optional.java:403)

```
        at
com.epam.gym.core.service.TraineeService.activate(TraineeService.java:1
11)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainee(GymFacade.java:113)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
```

```
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainee(<generated>)
        at
com.epam.gym.core.controller.TraineeController.activate(TraineeController.java:116)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:888)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:896)
```

```
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 ERROR [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Failed GymFacade.activateTrainee(..): Trainee
not found: John.Smith2
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainee not found: John.Smith2
        at
com.epam.gym.core.service.TraineeService.lambda$activate$3(TraineeServi
ce.java:111)
        at java.base/java.util.Optional.orElseThrow(Optional.java:403)
        at
com.epam.gym.core.service.TraineeService.activate(TraineeService.java:1
11)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainee(GymFacade.java:113)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs (AbstractAspectJAdvice.java:637)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod (AbstractAspectJAdvice.java:627)
    at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroundAdvice.java:71)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:173)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
    at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (ExposeInvocationInterceptor.java:97)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
    at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept (CglibAopProxy.java:717)
    at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainee (<generated>)
    at
com.epam.gym.core.controller.TraineeController.activate (TraineeController.java:116)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke (Method.java:569)
    at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (InvocableHandlerMethod.java:261)
    at
org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest (InvocableHandlerMethod.java:189)
```

```
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:888)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
```

```
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run (SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker (ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run (ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run (TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run (Thread.java:840)
2026-03-12 21:45:12 WARN [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainee not
found: John.Smith2
2026-03-12 21:45:12 DEBUG [153a11cc-6eb9-47f7-8d92-6d2bef9ffc5f]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
o.s.w.s.DispatcherServlet - PATCH "/api/trainers/John.Smith2/activate",
parameters={}
```

```
2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deactivateTrainer(..)
args: [John.Smith2]
```

2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.deactivate(..) args:
[John.Smith2]

Hibernate:

```
select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
```

2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.deactivate(...)
Hibernate:

```
update
    "user"
set
    first_name=?,
    is_active=?,
    last_name=?,
    password=?,
    username=?
where
    id=?
```

2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.deactivateTrainer(...)

2026-03-12 21:45:12 DEBUG [8e4a2a20-a0c6-4261-b05b-34bed5d7d6ec]

o.s.w.s.DispatcherServlet - Completed 200 OK

2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]

o.s.w.s.DispatcherServlet - PATCH "/api/trainers/John.Smith2/activate",
parameters={}

2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]

c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(...)

args: [John.Smith2, [REDACTED]]

2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]

c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(...)

args: [John.Smith2, [REDACTED]]

Hibernate:

```
select
    t1_0.id
from
    trainee t1_0
left join
    "user" u1_0
    on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
```

2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]

c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(...)

2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]

c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(...)

2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]

c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(...)

args: [John.Smith2, [REDACTED]]

2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]

c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(...)

args: [John.Smith2, [REDACTED]]

Hibernate:

```

select
    t1_0.id
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deactivateTrainer(..)
args: [John.Smith2]
2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.deactivate(..) args:
[John.Smith2]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0

```

```

        on u1_0.id=t1_0.user_id
    join
        training_type s1_0
        on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
    left join
        trainee t2_1
        on t2_1.id=t2_0.trainee_id
    left join
        "user" u2_0
        on u2_0.id=t2_1.user_id
    join
        "user" u3_0
        on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

2026-03-12 21:45:12 ERROR [f30d7122-9d76-4de8-bb9b-882c4301b31a]

c.e.g.c.a.LoggingAspect - Failed TrainerService.deactivate(..): Trainer is already inactive: John.Smith2

2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]

c.e.g.c.a.LoggingAspect - Stack trace:

java.lang.IllegalStateException: Trainer is already inactive:
John.Smith2

at

com.epam.gym.core.service.TrainerService.deactivate(TrainerService.java:117)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:569)

at

org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection(AopUtils.java:351)

at

org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoinpoint(ReflectiveMethodInvocation.java:196)

at

org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)

at

org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:765)

```
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.deactivate(<ge
nerated>)
        at
com.epam.gym.core.facade.GymFacade.deactivateTrainer(GymFacade.java:175
)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
```

```
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod(
AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAround
Advice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deactivateTrainer(<g
enerated>)
        at
com.epam.gym.core.controller.TrainerController.activate(TrainerControll
er.java:98)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
```

```
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:888)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:482)
```

```
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:391)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 ERROR [f30d7122-9d76-4de8-bb9b-882c4301b31a]
c.e.g.c.a.LoggingAspect - Failed GymFacade.deactivateTrainer(..):
Trainer is already inactive: John.Smith2
2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainer is already inactive:
John.Smith2
        at
com.epam.gym.core.service.TrainerService.deactivate(TrainerService.java:117)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke (Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation (TransactionInterceptor.java:123)
```

```
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.deactivate(<ge
nerated>)
        at
com.epam.gym.core.facade.GymFacade.deactivateTrainer(GymFacade.java:175
)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deactivateTrainer(<g
enerated>)
        at
com.epam.gym.core.controller.TrainerController.activate(TrainerControll
er.java:98)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatchersS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:888)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
```

```
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
```

```

        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 WARN [f30d7122-9d76-4de8-bb9b-882c4301b31a]
c.e.g.c.e.h.RestExceptionHandler - Illegal state: Trainer is already
inactive: John.Smith2
2026-03-12 21:45:12 DEBUG [f30d7122-9d76-4de8-bb9b-882c4301b31a]
o.s.w.s.DispatcherServlet - Completed 409 CONFLICT
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
o.s.w.s.DispatcherServlet - PATCH "/api/trainers/John.Smith2/activate",
parameters={}
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id

```

```

from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainer(..) args:
[John.Smith2]
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.activate(..) args:
[John.Smith2]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    join

```

```

        training_type s1_0
            on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.activate(..)
Hibernate:
    update
        "user"
    set
        first_name=?,
        is_active=?,
        last_name=?,
        password=?,
        username=?
    where
        id=?
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.activateTrainer(..)
2026-03-12 21:45:12 DEBUG [454c9ef0-7de4-4683-b77b-b49d6f889202]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
o.s.w.s.DispatcherServlet - PATCH "/api/trainers/John.Smith2/activate",
parameters={}
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id

```

```

where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainer(..) args:
[John.Smith2]
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.activate(..) args:
[John.Smith2]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,

```

```

        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    join
        training_type s1_0
            on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainer_id
    left join
        trainee t2_1
            on t2_1.id=t2_0.trainee_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

2026-03-12 21:45:12 ERROR [2e761610-2141-4262-b4ed-10881232757c]

c.e.g.c.a.LoggingAspect - Failed TrainerService.activate(..): Trainer is already active: John.Smith2

2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]

c.e.g.c.a.LoggingAspect - Stack trace:

java.lang.IllegalStateException: Trainer is already active: John.Smith2

at

com.epam.gym.core.service.TrainerService.activate(TrainerService.java:106)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke (Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation (TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction (TransactionAspectSupport.java:385)
```

```
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invoke(
TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainer(GymFacade.java:171)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainer(<gen
erated>)
        at
com.epam.gym.core.controller.TrainerController.activate(TrainerControll
er.java:96)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:888)
        at
jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
```

```
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
```

```
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 ERROR [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Failed GymFacade.activateTrainer(..): Trainer
is already active: John.Smith2
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainer is already active: John.Smith2
        at
com.epam.gym.core.service.TrainerService.activate(TrainerService.java:1
06)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.proceedWithInvocation (TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction (TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invoke (TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.activate (<generated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainer (GymFacade.java:171)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (NativeMethod)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke (Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainer(<gen
erated>)
        at
com.epam.gym.core.controller.TrainerController.activate(TrainerControll
er.java:96)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
```

```
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:888)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:391)
```

```

        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
            at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 WARN [2e761610-2141-4262-b4ed-10881232757c]
c.e.g.c.e.h.RestExceptionHandler - Illegal state: Trainer is already
active: John.Smith2
2026-03-12 21:45:12 DEBUG [2e761610-2141-4262-b4ed-10881232757c]
o.s.w.s.DispatcherServlet - Completed 409 CONFLICT
2026-03-12 21:45:12 DEBUG [8afdde2a-00b2-4897-b056-63b8b5ae517d]
o.s.w.s.DispatcherServlet - PATCH "/api/trainers/John.Smith2/activate",
parameters={}
2026-03-12 21:45:12 WARN [8afdde2a-00b2-4897-b056-63b8b5ae517d]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:12 DEBUG [8afdde2a-00b2-4897-b056-63b8b5ae517d]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-12 21:45:12 DEBUG [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
o.s.w.s.DispatcherServlet - PATCH
"/api/trainers/Alice.Smith1/activate", parameters={}
2026-03-12 21:45:12 DEBUG [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join

```

```

        "user" u1_0
            on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:12 DEBUG [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainer(..) args:
[Alice.Smith1]
2026-03-12 21:45:12 DEBUG [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.activate(..) args:
[Alice.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    join
        training_type s1_0
            on s1_0.id=t1_0.specialization_id
    left join

```

```

        trainee2trainer t2_0
            on t1_0.id=t2_0.trainer_id
    left join
        trainee t2_1
            on t2_1.id=t2_0.trainee_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

2026-03-12 21:45:12 ERROR [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]

c.e.g.c.a.LoggingAspect - Failed TrainerService.activate(..): Trainer not found: Alice.Smith1

2026-03-12 21:45:12 DEBUG [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]

c.e.g.c.a.LoggingAspect - Stack trace:

java.util.NoSuchElementException: Trainer not found: Alice.Smith1

at

com.epam.gym.core.service.TrainerService.lambda\$activate\$4(TrainerService.java:104)

at java.base/java.util.Optional.orElseThrow(Optional.java:403)

at

com.epam.gym.core.service.TrainerService.activate(TrainerService.java:104)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:569)

at

org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection(AopUtils.java:351)

at

org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoinpoint(ReflectiveMethodInvocation.java:196)

at

org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)

at

org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:765)

```
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainer(GymFacade.java:171)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
```

```
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod(
AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAround
Advice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainer(<gen
erated>)
        at
com.epam.gym.core.controller.TrainerController.activate(TrainerControll
er.java:96)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
```

```
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:888)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:205)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:482)
```

```
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:340)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:391)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1744)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:61)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 ERROR [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
c.e.g.c.a.LoggingAspect - Failed GymFacade.activateTrainer(..): Trainer not found: Alice.Smith1
2026-03-12 21:45:12 DEBUG [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainer not found: Alice.Smith1
        at
com.epam.gym.core.service.TrainerService.lambda$activate$4(TrainerService.java:104)
        at java.base/java.util.Optional.orElseThrow(Optional.java:403)
        at
com.epam.gym.core.service.TrainerService.activate(TrainerService.java:104)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke (Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
```

```
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
occeedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainer(GymFacade.java:171)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
jdk.internal.reflect.GeneratedMethodAccessor39.invoke(Unknown Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainer(<gen
erated>)
```

```
        at
com.epam.gym.core.controller.TrainerController.activate(TrainerControll
er.java:96)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(Dispatchers
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:888)
        at
jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:205)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:174)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:149)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:167)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:90)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:482)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:115)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:93)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:74)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
340)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
91)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:896)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1744)
```

```

        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:1191)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:659)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:61)
            at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-12 21:45:12 WARN [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainer not
found: Alice.Smith1
2026-03-12 21:45:12 DEBUG [91e695b5-8b93-497f-8a4c-8cb1108a3ea0]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-12 21:45:12 DEBUG [587631b6-c77a-44a3-8321-f6ba30e1fc4d]
o.s.w.s.DispatcherServlet - GET "/api/training-types", parameters={}
2026-03-12 21:45:12 DEBUG [587631b6-c77a-44a3-8321-f6ba30e1fc4d]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith1, [REDACTED]]
2026-03-12 21:45:12 DEBUG [587631b6-c77a-44a3-8321-f6ba30e1fc4d]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:12 DEBUG [587631b6-c77a-44a3-8321-f6ba30e1fc4d]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:12 DEBUG [587631b6-c77a-44a3-8321-f6ba30e1fc4d]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:12 DEBUG [587631b6-c77a-44a3-8321-f6ba30e1fc4d]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getAllTrainingTypes()
args: []
2026-03-12 21:45:12 DEBUG [587631b6-c77a-44a3-8321-f6ba30e1fc4d]
c.e.g.c.a.LoggingAspect - Calling:
TrainingService.getAllTrainingTypes() args: []
Hibernate:

```

```

select
    ttl_0.id,
    ttl_0.training_type_name
from
    training_type ttl_0
2026-03-12 21:45:12 DEBUG [587631b6-c77a-44a3-8321-f6ba30e1fc4d]
c.e.g.c.a.LoggingAspect - Completed:
TrainingService.getAllTrainingTypes()
2026-03-12 21:45:12 DEBUG [587631b6-c77a-44a3-8321-f6ba30e1fc4d]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getAllTrainingTypes()
2026-03-12 21:45:12 DEBUG [587631b6-c77a-44a3-8321-f6ba30e1fc4d]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
o.s.w.s.DispatcherServlet - GET "/api/training-types", parameters={}
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith2, [REDACTED]]
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith2, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0

```

```

        on ul_0.id=t1_0.user_id
where
    ul_0.username=?
    and ul_0.password=?
fetch
    first ? rows only
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getAllTrainingTypes()
args: []
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Calling:
TrainingService.getAllTrainingTypes() args: []
Hibernate:
    select
        t1_0.id,
        t1_0.training_type_name
    from
        training_type t1_0
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Completed:
TrainingService.getAllTrainingTypes()
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getAllTrainingTypes()
2026-03-12 21:45:13 DEBUG [9b804f20-da4c-4aca-92bc-42322f3e7107]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-12 21:45:13 DEBUG [2d716950-d693-49fd-a676-c38994574b29]
o.s.w.s.DispatcherServlet - GET "/api/training-types", parameters={}
2026-03-12 21:45:13 WARN [2d716950-d693-49fd-a676-c38994574b29]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-12 21:45:13 DEBUG [2d716950-d693-49fd-a676-c38994574b29]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED

```