

## 1. Create new trainee:

localhost:8080/swagger-ui/index.html#/Trainees/register\_1

POST /api/trainees Register trainee

Parameters

No parameters

Request body required application/json

```
{
  "firstName": "Martha",
  "lastName": "Stewart",
  "dateOfBirth": "2000-01-20",
  "address": "45 Birch Lane"
}
```

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/trainees' \
  -H 'accept: */*' \
  -H 'Content-Type: application/json' \
  -d '{
    "firstName": "Martha",
    "lastName": "Stewart",
    "dateOfBirth": "2000-01-20",
    "address": "45 Birch Lane"
  }'
```

Request URL

http://localhost:8080/api/trainees

Server response

| Code | Details                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 201  | <p>Response body</p> <pre>{   "username": "Martha.Stewart",   "password": "yKHLiifBo0" }</pre> <p>Response headers</p> <pre>cache-control: no-cache, no-store, max-age=0, must-revalidate connection: keep-alive content-length: 53 content-type: application/json date: Wed, 22 Apr 2026 13:44:05 GMT expires: 0 keep-alive: timeout=60 pragma: no-cache vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers x-content-type-options: nosniff x-frame-options: DENY x-transaction-id: 4a1b8871-f3d6-4046-88b4-231042f98d9d x-xss-protection: 0</pre> |

## 2. Login, authorize as a newly created trainee and create training with existing trainer:

localhost:8080/swagger-ui/index.html#/Trainings/addTraining

POST /api/trainings Add training session

Parameters

No parameters

Request body required application/json

```
{
  "traineeUsername": "Martha.Stewart",
  "trainerUsername": "Victoria.Benson",
  "trainingName": "Morning Stretch Yoga",
  "trainingDate": "2026-04-23",
  "duration": 50
}
```

Execute Clear

Responses

Curl

```
curl -X 'POST' \
  'http://localhost:8080/api/trainings' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOiJNYXQ0aGEuU3RlZDZFdYdCIsInJvbnUiOiJST0xRQSQU10RUU1LCJpYXQ0OiJlE3NzY4NjUzMjQsImV4cCI6MTc3Njk1MjAyNH0.8sBTKKf9wQ0jBodYfDm7HRwJ3FvsHFVwZ' \
  -H 'Content-Type: application/json' \
  -d '{
    "traineeUsername": "Martha.Stewart",
    "trainerUsername": "Victoria.Benson",
    "trainingName": "Morning Stretch Yoga",
    "trainingDate": "2026-04-23",
    "duration": 50
  }'
```

Request URL

http://localhost:8080/api/trainings

Server response

Code Details

200

Response headers

```
cache-control: no-cache, no-store, max-age=0, must-revalidate
connection: keep-alive
content-length: 0
date: Wed, 22 Apr 2026 13:53:37 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
vary: Origin, Access-Control-Request-Method, Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: DENY
x-transaction-id: 58860e42-0d93-4a1c-bd6a-efbe763beaa1
x-xss-protection: 0
```

## Check services logs:

```
gym-core-1 | 2026-04-22 13:53:37 INFO [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.f.TransactionIdFilter - >>> POST /api/trainings [client=140.82.121.34]
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.a.LoggingAspect - Calling: GymFacade.createTraining(...) args: [Martha
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.a.LoggingAspect - Calling: TraineeService.getTraineeByUsername(...) ar
gs: [Martha.Stewart]
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.a.LoggingAspect - Completed: TraineeService.getTraineeByUsername(...)
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.a.LoggingAspect - Calling: TrainerService.getTrainerByUsername(...) ar
gs: [Victoria.Benson]
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.a.LoggingAspect - Completed: TrainerService.getTrainerByUsername(...)
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.a.LoggingAspect - Calling: TrainingsService.createTraining(...) args: [
Trainee(id=a99eb7b1-53fa-4c78-b057-fd662b49d6de, dateOfBirth=2000-01-20, address=45 Birch Lane), Trainer(id=5bb9931a-e8e9-4ac2-929c-72d5321765cc), Morning Stretch Yoga, T
rainingType(id=00000000-0000-0000-0000-000000000002, trainingTypeName=Yoga), 2026-04-23, 50]
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.a.LoggingAspect - Completed: TrainingsService.createTraining(...)
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.m.TrainingEventPublisher - [txId=58860e42-0d93-4a1c-bd6a-efbe763beaa1
] Published ADD event for trainer=Victoria.Benson
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.a.LoggingAspect - Completed: GymFacade.createTraining(...)
gym-core-1 | 2026-04-22 13:53:37 DEBUG [58860e42-0d93-4a1c-bd6a-efbe763beaa1] o.s.w.s.DispatcherServlet - Completed 200 OK
gym-core-1 | 2026-04-22 13:53:37 INFO [58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.c.f.TransactionIdFilter - <<< POST /api/trainings -> HTTP 200
trainer-report-service-1 | 2026-04-22 13:53:37 DEBUG [txId=58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.r.m.TrainingEventListener - [txId=58860e42-0d93-4a1c-bd6a-efbe763b
eaa1] Received ADD event for trainer=Victoria.Benson
trainer-report-service-1 | 2026-04-22 13:53:37 DEBUG [txId=58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.r.a.LoggingAspect - Calling: ReportService.processWorkload(...) arg
s: [com.epam.gym.report.dto.WorkloadRequest@41621506]
trainer-report-service-1 | 2026-04-22 13:53:37 DEBUG [txId=58860e42-0d93-4a1c-bd6a-efbe763beaa1] c.e.g.r.a.LoggingAspect - Completed: ReportService.processWorkload(...)
```

3. Check in ActiveMQ interface if message appeared in training.events:



[Home](#) | [Queues](#) | [Topics](#) | [Subscribers](#) | [Connections](#) | [Network](#) | [Scheduled](#) | [Send](#)

### Queues:

| Name                | Number Of Pending Messages | Number Of Consumers | Messages Enqueued | Messages Dequeued | Views                                                                       | Operations                                                                 |
|---------------------|----------------------------|---------------------|-------------------|-------------------|-----------------------------------------------------------------------------|----------------------------------------------------------------------------|
| training.events     | 0                          | 1                   | 1                 | 1                 | <a href="#">Browse Active Consumers</a><br><a href="#">Active Producers</a> | <a href="#">Send To Purge</a> <a href="#">Delete</a> <a href="#">Pause</a> |
| training.events.diq | 0                          | 1                   | 0                 | 0                 | <a href="#">Browse Active Consumers</a><br><a href="#">Active Producers</a> | <a href="#">Send To Purge</a> <a href="#">Delete</a> <a href="#">Pause</a> |

[Support](#) | [Logout](#)

Queue Views

- Graph
- XML

Topic Views

- XML

Subscribers Views

- XML

Useful Links

- Documentation
- FAQ
- Downloads
- Forums



[http://www.apache.org/](#)

Copyright 2005-2023 The Apache Software Foundation.

4. Check the trainer's workload report:

The screenshot displays the Swagger UI interface for the endpoint `/api/report/{username}`. The method is GET, and the full operation summary is "Get full trainer workload summary".

**Parameters:**

- Name:** username (required)
- Type:** string (path)
- Description:** Victoria.Benson

**Execute:** A blue button labeled "Execute" is visible.

**Curl:** The generated curl command is shown in a dark box:

```
curl -X 'GET' \
  http://localhost:8081/api/report/Victoria.Benson' \
  -H 'accept: */*' \
  -H 'Authorization: Bearer eyJraWQoIjI1InNjbkdZWQ1Ml04MzVhLTNmMTctOTgzYS1lNmQxNTJlMzM5ZyYiLCJhbGciOiJIUzU1NiIsInR5cyJpdWIiOiJneW0tY29yZSIImF1ZCI6Imd5S1jb3JlIiwibmJmIjoxdjoxNDYyZTg2LjZyZ9wZ:'
```

**Request URL:** `http://localhost:8081/api/report/Victoria.Benson`

**Server response:**

| Code | Details                                                                                                                                                                                                                                                                                             |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 200  | <b>Response body</b> <pre>{   "username": "Victoria.Benson",   "firstName": "Victoria",   "lastName": "Benson",   "years": [     {       "year": 2026,       "months": [         {           "month": 4,           "totalDurationMinutes": 50         }       ]     }   ],   "active": true }</pre> |

**Response headers:**

```
cache-control: no-cache,no-store,max-age=0,must-revalidate
connection: keep-alive
content-disposition: inline;filename=f.txt
content-type: application/json
date: Wed, 22 Apr 2026 14:03:48 GMT
expires: 0
keep-alive: timeout=60
pragma: no-cache
transfer-encoding: chunked
vary: Origin,Access-Control-Request-Method,Access-Control-Request-Headers
x-content-type-options: nosniff
x-frame-options: SAMEORIGIN
x-transaction-id: local-0fef59b5-be25-43a4-9249-8f28b98592fe
x-xss-protection: 0
```

## 5. Add invalid JMS message:

```
[veronika.khan@Veronikas-MacBook-Pro gym-app % curl -u admin:admin -X POST "http://localhost:8161/api/message/training.events?type=queue&_type=WorkloadRequest" -H "Content-Type: text/plain" -d '{"firstName":"Bad","lastName":"Message","trainingDurationMinutes":30}'
Message sent
```

Check the report service logs for the relevant error (Dead letter received):

```
trainer-report-service-1 | 2026-04-22 14:34:13 ERROR [txId=no-tx] c.e.g.r.m.TrainingEventListener - [txId=no-tx] Invalid message routed to DLQ - violations: trainingDate must not be null, actionType must not be null, trainerUsername must not be blank
trainer-report-service-1 | 2026-04-22 14:34:13 ERROR [txId=NO_TX] c.e.g.r.m.DeadLetterQueueListener - Dead letter received - jmsId=ID:be20d9840ba2-39601-1776864852293-1:1:2:1:1, body={"trainerUsername":null,"firstName":"Bad","lastName":"Message","trainingDate":null,"trainingDurationMinutes":30,"actionType":null,"active":false}
```

Make sure the message appeared in training.events.dql in ActiveMQ interface:

The screenshot shows the ActiveMQ web interface in a browser. The address bar indicates the URL is `localhost:8161/admin/queues.jsp`. The page features the ActiveMQ logo and the Apache Software Foundation branding. A navigation bar at the top includes links for Home, Queues, Topics, Subscribers, Connections, Network, Scheduled, and Send. Below this, there are input fields for 'Queue Name' and 'Queue Name Filter', along with 'Create' and 'Filter' buttons. The main content area is titled 'Queues:' and displays a table with the following data:

| Name                | Number Of Pending Messages | Number Of Consumers | Messages Enqueued | Messages Dequeued | Views                                       | Operations                 |
|---------------------|----------------------------|---------------------|-------------------|-------------------|---------------------------------------------|----------------------------|
| training.events     | 0                          | 1                   | 3                 | 3                 | Browse Active Consumers<br>Active Producers | Send To Purge Delete Pause |
| training.events.dql | 0                          | 1                   | 1                 | 1                 | Browse Active Consumers<br>Active Producers | Send To Purge Delete Pause |

On the right side of the interface, there are several sidebar sections: 'Queue Views' (Graph, XML), 'Topic Views' (XML), 'Subscribers Views' (XML), and 'Useful Links' (Documentation, FAQ, Downloads, Forums). The footer of the page states 'Copyright 2005-2023 The Apache Software Foundation.'