

```
Using CATALINA_BASE:   /Users/veronika.khan/apache-tomcat-10.1.52
Using CATALINA_HOME:   /Users/veronika.khan/apache-tomcat-10.1.52
Using CATALINA_TMPDIR: /Users/veronika.khan/apache-tomcat-10.1.52/temp
Using JRE_HOME:
/opt/homebrew/opt/openjdk@17/libexec/openjdk.jdk/Contents/Home
Using CLASSPATH:
/Users/veronika.khan/apache-tomcat-10.1.52/bin/bootstrap.jar:/Users/veronika.khan/apache-tomcat-10.1.52/bin/tomcat-juli.jar
Using CATALINA_OPTS:
13-Mar-2026 14:53:13.510 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Server version
name:   Apache Tomcat/10.1.52
13-Mar-2026 14:53:13.512 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Server built:
Jan 23 2026 19:29:07 UTC
13-Mar-2026 14:53:13.512 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Server version
number: 10.1.52.0
13-Mar-2026 14:53:13.512 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log OS Name:
Mac OS X
13-Mar-2026 14:53:13.512 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log OS Version:
26.3
13-Mar-2026 14:53:13.512 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Architecture:
aarch64
13-Mar-2026 14:53:13.512 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Java Home:
/opt/homebrew/Cellar/openjdk@17/17.0.16/libexec/openjdk.jdk/Contents/Home
13-Mar-2026 14:53:13.512 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log JVM Version:
17.0.16+0
13-Mar-2026 14:53:13.512 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log JVM Vendor:
Homebrew
13-Mar-2026 14:53:13.512 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log CATALINA_BASE:
/Users/veronika.khan/apache-tomcat-10.1.52
13-Mar-2026 14:53:13.512 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log CATALINA_HOME:
/Users/veronika.khan/apache-tomcat-10.1.52
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument:
-Djava.util.logging.config.file=/Users/veronika.khan/apache-tomcat-10.1.52/conf/logging.properties
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
```

```
argument:
-Djava.util.logging.manager=org.apache.juli.ClassLoaderLogManager
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: -Djdk.tls.ephemeralDHKeySize=2048
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: -Djava.protocol.handler.pkgs=org.apache.catalina.webresources
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: -Dsun.io.useCanonCaches=false
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: -Dorg.apache.catalina.security.SecurityListener.UMASK=0027
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: --add-opens=java.base/java.lang=ALL-UNNAMED
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: --add-opens=java.base/java.lang.reflect=ALL-UNNAMED
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: --add-opens=java.base/java.io=ALL-UNNAMED
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: --add-opens=java.base/java.util=ALL-UNNAMED
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: --add-opens=java.base/java.util.concurrent=ALL-UNNAMED
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: --add-opens=java.rmi/sun.rmi.transport=ALL-UNNAMED
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: -Dcatalina.base=/Users/veronika.khan/apache-tomcat-10.1.52
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument: -Dcatalina.home=/Users/veronika.khan/apache-tomcat-10.1.52
13-Mar-2026 14:53:13.516 INFO [main]
org.apache.catalina.startup.VersionLoggerListener.log Command line
argument:
-Djava.io.tmpdir=/Users/veronika.khan/apache-tomcat-10.1.52/temp
13-Mar-2026 14:53:13.521 INFO [main]
org.apache.catalina.core.AprLifecycleListener.lifecycleEvent The Apache
Tomcat Native library which allows using OpenSSL was not found on the
java.library.path:
[/Users/veronika.khan/Library/Java/Extensions:/Library/Java/Extensions:
/Network/Library/Java/Extensions:/System/Library/Java/Extensions:/usr/l
ib/java:.]
```

13-Mar-2026 14:53:13.603 INFO [main]
org.apache.coyote.AbstractProtocol.init Initializing ProtocolHandler
["http-nio-8080"]
13-Mar-2026 14:53:13.613 INFO [main]
org.apache.catalina.startup.Catalina.load Server initialization in
[164] milliseconds
13-Mar-2026 14:53:13.627 INFO [main]
org.apache.catalina.core.StandardService.startInternal Starting service
[Catalina]
13-Mar-2026 14:53:13.627 INFO [main]
org.apache.catalina.core.StandardEngine.startInternal Starting Servlet
engine: [Apache Tomcat/10.1.52]
13-Mar-2026 14:53:13.635 INFO [main]
org.apache.catalina.startup.HostConfig.deployWAR Deploying web
application archive
[/Users/veronika.khan/apache-tomcat-10.1.52/webapps/ROOT.war]
13-Mar-2026 14:53:14.345 INFO [main]
org.apache.jasper.servlet.TldScanner.scanJars At least one JAR was
scanned for TLDs yet contained no TLDs. Enable debug logging for this
logger for a complete list of JARs that were scanned but no TLDs were
found in them. Skipping unneeded JARs during scanning can improve
startup time and JSP compilation time.
2026-03-13 14:53:14 DEBUG [NO_TX] c.e.g.c.WebAppInitializer - No
ContextLoaderListener registered, as createRootApplicationContext() did
not return an application context
2026-03-13 14:53:14 DEBUG [NO_TX] c.e.g.c.f.TransactionIdFilter -
Filter 'transactionIdFilter' configured for use
2026-03-13 14:53:14 INFO [NO_TX] o.s.w.s.DispatcherServlet -
Initializing Servlet 'dispatcher'
2026-03-13 14:53:16 DEBUG [NO_TX] o.s.w.s.DispatcherServlet - Detected
AcceptHeaderLocaleResolver
2026-03-13 14:53:16 DEBUG [NO_TX] o.s.w.s.DispatcherServlet - Detected
FixedThemeResolver
2026-03-13 14:53:16 DEBUG [NO_TX] o.s.w.s.DispatcherServlet - Detected
org.springframework.web.servlet.view.DefaultRequestToViewNameTranslator
@597bc1c6
2026-03-13 14:53:16 DEBUG [NO_TX] o.s.w.s.DispatcherServlet - Detected
org.springframework.web.servlet.support.SessionFlashMapManager@1e915e7e
2026-03-13 14:53:16 DEBUG [NO_TX] o.s.w.s.DispatcherServlet -
enableLoggingRequestDetails='false': request parameters and headers
will be masked to prevent unsafe logging of potentially sensitive data
2026-03-13 14:53:16 INFO [NO_TX] o.s.w.s.DispatcherServlet - Completed
initialization in 2158 ms
13-Mar-2026 14:53:16.603 INFO [main]
org.apache.catalina.startup.HostConfig.deployWAR Deployment of web
application archive
[/Users/veronika.khan/apache-tomcat-10.1.52/webapps/ROOT.war] has
finished in [2,968] ms
13-Mar-2026 14:53:16.603 INFO [main]
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web

application directory
[/Users/veronika.khan/apache-tomcat-10.1.52/webapps/docs]
13-Mar-2026 14:53:16.632 INFO [main]
org.apache.jasper.servlet.TldScanner.scanJars At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for this logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.
13-Mar-2026 14:53:16.633 INFO [main]
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory
[/Users/veronika.khan/apache-tomcat-10.1.52/webapps/docs] has finished in [29] ms
13-Mar-2026 14:53:16.633 INFO [main]
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory
[/Users/veronika.khan/apache-tomcat-10.1.52/webapps/manager]
13-Mar-2026 14:53:16.665 INFO [main]
org.apache.jasper.servlet.TldScanner.scanJars At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for this logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.
13-Mar-2026 14:53:16.668 INFO [main]
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory
[/Users/veronika.khan/apache-tomcat-10.1.52/webapps/manager] has finished in [35] ms
13-Mar-2026 14:53:16.668 INFO [main]
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory
[/Users/veronika.khan/apache-tomcat-10.1.52/webapps/examples]
13-Mar-2026 14:53:16.742 INFO [main]
org.apache.jasper.servlet.TldScanner.scanJars At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for this logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.
13-Mar-2026 14:53:16.747 INFO [main]
org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory
[/Users/veronika.khan/apache-tomcat-10.1.52/webapps/examples] has finished in [79] ms
13-Mar-2026 14:53:16.747 INFO [main]
org.apache.catalina.startup.HostConfig.deployDirectory Deploying web application directory
[/Users/veronika.khan/apache-tomcat-10.1.52/webapps/host-manager]
13-Mar-2026 14:53:16.772 INFO [main]
org.apache.jasper.servlet.TldScanner.scanJars At least one JAR was scanned for TLDs yet contained no TLDs. Enable debug logging for this

logger for a complete list of JARs that were scanned but no TLDs were found in them. Skipping unneeded JARs during scanning can improve startup time and JSP compilation time.

13-Mar-2026 14:53:16.773 INFO [main]

org.apache.catalina.startup.HostConfig.deployDirectory Deployment of web application directory

[/Users/veronika.khan/apache-tomcat-10.1.52/webapps/host-manager] has finished in [26] ms

13-Mar-2026 14:53:16.774 INFO [main]

org.apache.coyote.AbstractProtocol.start Starting ProtocolHandler ["http-nio-8080"]

13-Mar-2026 14:53:16.779 INFO [main]

org.apache.catalina.startup.Catalina.start Server startup in [3165] milliseconds

2026-03-13 14:54:42 DEBUG [bcfa9b79-a287-42dc-98be-7c0c993eafae]

o.s.w.s.DispatcherServlet - POST "/api/trainees", parameters={}

2026-03-13 14:54:42 DEBUG [bcfa9b79-a287-42dc-98be-7c0c993eafae]

c.e.g.c.a.LoggingAspect - Calling: GymFacade.registerTrainee(..) args: [Alice, Smith, 1990-05-15, 123 Main St]

2026-03-13 14:54:42 DEBUG [bcfa9b79-a287-42dc-98be-7c0c993eafae]

c.e.g.c.a.LoggingAspect - Calling: TraineeService.createTrainee(..) args: [Alice, Smith, 1990-05-15, 123 Main St]

2026-03-13 14:54:42 DEBUG [bcfa9b79-a287-42dc-98be-7c0c993eafae]

c.e.g.c.a.LoggingAspect - Calling:

UsernameGenerator.generateUsername(..) args: [Alice, Smith]

Hibernate:

select

u1_0.username

from

trainee t1_0

join

"user" u1_0

on u1_0.id=t1_0.user_id

where

u1_0.username=?

or u1_0.username like ? escape ''

Hibernate:

select

u1_0.username

from

trainer t1_0

join

"user" u1_0

on u1_0.id=t1_0.user_id

where

u1_0.username=?

or u1_0.username like ? escape ''

2026-03-13 14:54:42 DEBUG [bcfa9b79-a287-42dc-98be-7c0c993eafae]

c.e.g.c.a.LoggingAspect - Completed:

UsernameGenerator.generateUsername(..)

```
2026-03-13 14:54:42 DEBUG [bcfa9b79-a287-42dc-98be-7c0c993eafae]
c.e.g.c.a.LoggingAspect - Calling: PasswordGenerator.generatePassword()
args: []
2026-03-13 14:54:42 DEBUG [bcfa9b79-a287-42dc-98be-7c0c993eafae]
c.e.g.c.a.LoggingAspect - Completed:
PasswordGenerator.generatePassword()
Hibernate:
    insert
    into
        "user"
        (first_name, is_active, last_name, password, username, id)
    values
        (?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        trainee
        (address, date_of_birth, user_id, id)
    values
        (?, ?, ?, ?)
2026-03-13 14:54:42 DEBUG [bcfa9b79-a287-42dc-98be-7c0c993eafae]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.createTrainee(...)
2026-03-13 14:54:42 DEBUG [bcfa9b79-a287-42dc-98be-7c0c993eafae]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.registerTrainee(...)
2026-03-13 14:54:42 DEBUG [bcfa9b79-a287-42dc-98be-7c0c993eafae]
o.s.w.s.DispatcherServlet - Completed 201 CREATED
2026-03-13 14:54:42 DEBUG [cfb4758e-c3b3-4e1b-81f8-79e0bf037a85]
o.s.w.s.DispatcherServlet - POST "/api/trainees", parameters={}
2026-03-13 14:54:42 WARN [cfb4758e-c3b3-4e1b-81f8-79e0bf037a85]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: firstName: must
not be blank
2026-03-13 14:54:42 DEBUG [cfb4758e-c3b3-4e1b-81f8-79e0bf037a85]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-13 14:54:42 DEBUG [7fd3a113-a23f-4bc0-ba58-c95e6868528e]
o.s.w.s.DispatcherServlet - POST "/api/trainees", parameters={}
2026-03-13 14:54:42 WARN [7fd3a113-a23f-4bc0-ba58-c95e6868528e]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: lastName: must
not be blank
2026-03-13 14:54:42 DEBUG [7fd3a113-a23f-4bc0-ba58-c95e6868528e]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-13 14:54:43 DEBUG [a875bd2d-1b2e-4d68-89ba-9b15916a9523]
o.s.w.s.DispatcherServlet - GET "/api/training-types", parameters={}
2026-03-13 14:54:43 DEBUG [a875bd2d-1b2e-4d68-89ba-9b15916a9523]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(...)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [a875bd2d-1b2e-4d68-89ba-9b15916a9523]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(...)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
```

```

        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [a875bd2d-1b2e-4d68-89ba-9b15916a9523]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [a875bd2d-1b2e-4d68-89ba-9b15916a9523]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [a875bd2d-1b2e-4d68-89ba-9b15916a9523]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getAllTrainingTypes()
args: []
2026-03-13 14:54:43 DEBUG [a875bd2d-1b2e-4d68-89ba-9b15916a9523]
c.e.g.c.a.LoggingAspect - Calling:
TrainingService.getAllTrainingTypes() args: []
Hibernate:
    select
        tt1_0.id,
        tt1_0.training_type_name
    from
        training_type tt1_0
2026-03-13 14:54:43 DEBUG [a875bd2d-1b2e-4d68-89ba-9b15916a9523]
c.e.g.c.a.LoggingAspect - Completed:
TrainingService.getAllTrainingTypes()
2026-03-13 14:54:43 DEBUG [a875bd2d-1b2e-4d68-89ba-9b15916a9523]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getAllTrainingTypes()
2026-03-13 14:54:43 DEBUG [a875bd2d-1b2e-4d68-89ba-9b15916a9523]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:43 DEBUG [74d84be7-53d9-4b9b-88c1-7b0014b9e2cb]
o.s.w.s.DispatcherServlet - POST "/api/trainers", parameters={}
2026-03-13 14:54:43 DEBUG [74d84be7-53d9-4b9b-88c1-7b0014b9e2cb]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.registerTrainer(..) args:
[John, Smith, 00000000-0000-0000-0000-000000000001]
2026-03-13 14:54:43 DEBUG [74d84be7-53d9-4b9b-88c1-7b0014b9e2cb]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.createTrainer(..)
args: [John, Smith, 00000000-0000-0000-0000-000000000001]
Hibernate:
    select
        tt1_0.id,
        tt1_0.training_type_name
    from
        training_type tt1_0
    where
        tt1_0.id=?

```

2026-03-13 14:54:43 DEBUG [74d84be7-53d9-4b9b-88c1-7b0014b9e2cb]

c.e.g.c.a.LoggingAspect - Calling:

UsernameGenerator.generateUsername(..) args: [John, Smith]

Hibernate:

```
select
    u1_0.username
from
    trainee t1_0
join
    "user" u1_0
    on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    or u1_0.username like ? escape ''
```

Hibernate:

```
select
    u1_0.username
from
    trainer t1_0
join
    "user" u1_0
    on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    or u1_0.username like ? escape ''
```

2026-03-13 14:54:43 DEBUG [74d84be7-53d9-4b9b-88c1-7b0014b9e2cb]

c.e.g.c.a.LoggingAspect - Completed:

UsernameGenerator.generateUsername(..)

2026-03-13 14:54:43 DEBUG [74d84be7-53d9-4b9b-88c1-7b0014b9e2cb]

c.e.g.c.a.LoggingAspect - Calling: PasswordGenerator.generatePassword()

args: []

2026-03-13 14:54:43 DEBUG [74d84be7-53d9-4b9b-88c1-7b0014b9e2cb]

c.e.g.c.a.LoggingAspect - Completed:

PasswordGenerator.generatePassword()

Hibernate:

```
insert
into
    "user"
    (first_name, is_active, last_name, password, username, id)
values
    (?, ?, ?, ?, ?, ?)
```

Hibernate:

```
insert
into
    trainer
    (specialization_id, user_id, id)
values
    (?, ?, ?)
```

2026-03-13 14:54:43 DEBUG [74d84be7-53d9-4b9b-88c1-7b0014b9e2cb]

c.e.g.c.a.LoggingAspect - Completed: TrainerService.createTrainer(..)


```
2026-03-13 14:54:43 DEBUG [74d84be7-53d9-4b9b-88c1-7b0014b9e2cb]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.registerTrainer(..)
2026-03-13 14:54:43 DEBUG [74d84be7-53d9-4b9b-88c1-7b0014b9e2cb]
o.s.w.s.DispatcherServlet - Completed 201 CREATED
2026-03-13 14:54:43 DEBUG [f90ec8e1-c1e4-48f1-8be0-e0c6d7db5546]
o.s.w.s.DispatcherServlet - POST "/api/trainers", parameters={}
2026-03-13 14:54:43 WARN [f90ec8e1-c1e4-48f1-8be0-e0c6d7db5546]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: firstName: must
not be blank
2026-03-13 14:54:43 DEBUG [f90ec8e1-c1e4-48f1-8be0-e0c6d7db5546]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-13 14:54:43 DEBUG [c855b47c-e7b1-47cf-9cfc-6f8141fe8ebf]
o.s.w.s.DispatcherServlet - POST "/api/trainers", parameters={}
2026-03-13 14:54:43 WARN [c855b47c-e7b1-47cf-9cfc-6f8141fe8ebf]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: specializationId:
must not be null
2026-03-13 14:54:43 DEBUG [c855b47c-e7b1-47cf-9cfc-6f8141fe8ebf]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-13 14:54:43 DEBUG [93f2b4b1-d9ae-4180-b78a-e5fa09fc728c]
o.s.w.s.DispatcherServlet - POST "/api/trainers", parameters={}
2026-03-13 14:54:43 DEBUG [93f2b4b1-d9ae-4180-b78a-e5fa09fc728c]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.registerTrainer(..) args:
[John, Smith, 00000000-0000-0000-0000-000000000000]
2026-03-13 14:54:43 DEBUG [93f2b4b1-d9ae-4180-b78a-e5fa09fc728c]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.createTrainer(..)
args: [John, Smith, 00000000-0000-0000-0000-000000000000]
Hibernate:
    select
        ttl_0.id,
        ttl_0.training_type_name
    from
        training_type ttl_0
    where
        ttl_0.id=?
2026-03-13 14:54:43 ERROR [93f2b4b1-d9ae-4180-b78a-e5fa09fc728c]
c.e.g.c.a.LoggingAspect - Failed TrainerService.createTrainer(..):
TrainingType with id 00000000-0000-0000-0000-000000000000 not found
2026-03-13 14:54:43 DEBUG [93f2b4b1-d9ae-4180-b78a-e5fa09fc728c]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: TrainingType with id
00000000-0000-0000-0000-000000000000 not found
    at
com.epam.gym.core.service.TrainerService.lambda$createTrainer$0(Trainer
Service.java:52)
    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at
com.epam.gym.core.service.TrainerService.createTrainer(TrainerService.j
ava:52)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.createTrainer(
<generated>)
        at
com.epam.gym.core.facade.GymFacade.registerTrainer(GymFacade.java:150)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.registerTrainer (<gen
erated>)
        at
com.epam.gym.core.controller.TrainerController.register (TrainerControll
er.java:52)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
```

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPost (FrameworkServle
t.java:914)
        at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:590)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:885)
        at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperValve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextValve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (AuthenticatorBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.java:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.java:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccessLogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:399)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractProtocol.java:903)
```

```
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:43 ERROR [93f2b4b1-d9ae-4180-b78a-e5fa09fc728c]
c.e.g.c.a.LoggingAspect - Failed GymFacade.registerTrainer(..):
TrainingType with id 00000000-0000-0000-0000-000000000000 not found
2026-03-13 14:54:43 DEBUG [93f2b4b1-d9ae-4180-b78a-e5fa09fc728c]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: TrainingType with id
00000000-0000-0000-0000-000000000000 not found
        at
com.epam.gym.core.service.TrainerService.lambda$createTrainer$0(Trainer
Service.java:52)
        at java.base/java.util.Optional.orElseThrow(Optional.java:403)
        at
com.epam.gym.core.service.TrainerService.createTrainer(TrainerService.j
ava:52)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.createTrainer(
<generated>)
```



```
        at
com.epam.gym.core.facade.GymFacade.registerTrainer (GymFacade.java:150)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.registerTrainer(<gen
erated>)
        at
com.epam.gym.core.controller.TrainerController.register(TrainerControll
er.java:52)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
```

```
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPost(FrameworkServle
t.java:914)
            at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:590)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:885)
            at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:165)
```

```
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:43 WARN [93f2b4b1-d9ae-4180-b78a-e5fa09fc728c]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: TrainingType
with id 00000000-0000-0000-0000-000000000000 not found
```

```
2026-03-13 14:54:43 DEBUG [93f2b4b1-d9ae-4180-b78a-e5fa09fc728c]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-13 14:54:43 DEBUG [9086a7ce-f581-455e-b210-5faebd751e61]
o.s.w.s.DispatcherServlet - GET "/api/auth/login", parameters={}
2026-03-13 14:54:43 DEBUG [9086a7ce-f581-455e-b210-5faebd751e61]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [9086a7ce-f581-455e-b210-5faebd751e61]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [9086a7ce-f581-455e-b210-5faebd751e61]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [9086a7ce-f581-455e-b210-5faebd751e61]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [9086a7ce-f581-455e-b210-5faebd751e61]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:43 DEBUG [f3b38694-5bdc-47f1-8a69-5b041eeba23a]
o.s.w.s.DispatcherServlet - GET "/api/auth/login", parameters={}
2026-03-13 14:54:43 DEBUG [f3b38694-5bdc-47f1-8a69-5b041eeba23a]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [f3b38694-5bdc-47f1-8a69-5b041eeba23a]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
```

```

2026-03-13 14:54:43 DEBUG [f3b38694-5bdc-47f1-8a69-5b041eeba23a]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [f3b38694-5bdc-47f1-8a69-5b041eeba23a]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [f3b38694-5bdc-47f1-8a69-5b041eeba23a]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [f3b38694-5bdc-47f1-8a69-5b041eeba23a]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [f3b38694-5bdc-47f1-8a69-5b041eeba23a]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:43 DEBUG [f3b38694-5bdc-47f1-8a69-5b041eeba23a]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:43 DEBUG [f3b38694-5bdc-47f1-8a69-5b041eeba23a]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:43 DEBUG [7323bfef-c2ac-471e-8a83-b7cc20f79092]
o.s.w.s.DispatcherServlet - GET "/api/auth/login", parameters={}
2026-03-13 14:54:43 DEBUG [7323bfef-c2ac-471e-8a83-b7cc20f79092]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [7323bfef-c2ac-471e-8a83-b7cc20f79092]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only

```

```
2026-03-13 14:54:43 DEBUG [7323bfef-c2ac-471e-8a83-b7cc20f79092]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [7323bfef-c2ac-471e-8a83-b7cc20f79092]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [7323bfef-c2ac-471e-8a83-b7cc20f79092]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [7323bfef-c2ac-471e-8a83-b7cc20f79092]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [7323bfef-c2ac-471e-8a83-b7cc20f79092]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:43 DEBUG [7323bfef-c2ac-471e-8a83-b7cc20f79092]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:43 WARN [7323bfef-c2ac-471e-8a83-b7cc20f79092]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Invalid
username or password
2026-03-13 14:54:43 DEBUG [7323bfef-c2ac-471e-8a83-b7cc20f79092]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:43 DEBUG [f2b0cf30-371c-4d73-9c3e-511a7f7bb2b1]
o.s.w.s.DispatcherServlet - GET "/api/auth/login", parameters={}
2026-03-13 14:54:43 WARN [f2b0cf30-371c-4d73-9c3e-511a7f7bb2b1]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:43 DEBUG [f2b0cf30-371c-4d73-9c3e-511a7f7bb2b1]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]
o.s.w.s.DispatcherServlet - PUT "/api/auth/password", parameters={}
2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
```

```

from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.changePassword(..) args:
[Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]
c.e.g.c.a.LoggingAspect - Calling:
TraineeService.getTraineeByUsername(..) args: [Alice.Smith]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join

```



```

        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where

```

```

    u1_0.username=?

```

2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]

c.e.g.c.a.LoggingAspect - Completed:

TraineeService.getTraineeByUsername(..)

2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]

c.e.g.c.a.LoggingAspect - Calling: TraineeService.changePassword(..)

args: [Alice.Smith, [REDACTED]]

Hibernate:

```

select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0

```

```

        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.changePassword(..)
Hibernate:

```

update
    "user"
set
    first_name=?,
    is_active=?,
    last_name=?,
    password=?,
    username=?
where
    id=?

```

2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.changePassword(..)
2026-03-13 14:54:43 DEBUG [237cf5c1-c3e0-46d6-962c-eb61477f6f86]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:43 DEBUG [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
o.s.w.s.DispatcherServlet - PUT "/api/auth/password", parameters={}
2026-03-13 14:54:43 DEBUG [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]

Hibernate:

```

select
    t1_0.id
from
    trainee t1_0
left join
    "user" u1_0

```

```

        on ul_0.id=t1_0.user_id
where
    ul_0.username=?
    and ul_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:43 DEBUG [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" ul_0
        on ul_0.id=t1_0.user_id
    where
        ul_0.username=?
        and ul_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:43 DEBUG [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:43 WARN [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Invalid
username or password
2026-03-13 14:54:43 DEBUG [a2ced746-28b1-4e9d-9d71-ba885c3d7edf]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:43 DEBUG [b74c543f-0a47-4ba2-9bd7-2f697dc12fe9]
o.s.w.s.DispatcherServlet - PUT "/api/auth/password", parameters={}
2026-03-13 14:54:43 WARN [b74c543f-0a47-4ba2-9bd7-2f697dc12fe9]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: newPassword: must
not be blank
2026-03-13 14:54:43 DEBUG [b74c543f-0a47-4ba2-9bd7-2f697dc12fe9]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-13 14:54:43 DEBUG [eee9ef81-7511-42fd-98b8-754eb81ec759]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith",
parameters={}

```

2026-03-13 14:54:43 DEBUG [eee9ef81-7511-42fd-98b8-754eb81ec759]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]

2026-03-13 14:54:43 DEBUG [eee9ef81-7511-42fd-98b8-754eb81ec759]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]

Hibernate:

```
select
    t1_0.id
from
    trainee t1_0
left join
    "user" u1_0
    on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
```

2026-03-13 14:54:43 DEBUG [eee9ef81-7511-42fd-98b8-754eb81ec759]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)

2026-03-13 14:54:43 DEBUG [eee9ef81-7511-42fd-98b8-754eb81ec759]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)

2026-03-13 14:54:43 DEBUG [eee9ef81-7511-42fd-98b8-754eb81ec759]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTraineeByUsername(..)
args: [Alice.Smith]

2026-03-13 14:54:43 DEBUG [eee9ef81-7511-42fd-98b8-754eb81ec759]

c.e.g.c.a.LoggingAspect - Calling:

TraineeService.getTraineeByUsername(..) args: [Alice.Smith]

Hibernate:

```
select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
```

```

        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1
            on t2_1.id=t2_0.trainer_id
    left join
        training_type s1_0
            on s1_0.id=t2_1.specialization_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

```

2026-03-13 14:54:43 DEBUG [eee9ef81-7511-42fd-98b8-754eb81ec759]
c.e.g.c.a.LoggingAspect - Completed:
TraineeService.getTraineeByUsername(..)
2026-03-13 14:54:43 DEBUG [eee9ef81-7511-42fd-98b8-754eb81ec759]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTraineeByUsername(..)
2026-03-13 14:54:43 DEBUG [eee9ef81-7511-42fd-98b8-754eb81ec759]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:43 DEBUG [5d05c3e8-6f63-4aeb-bd1c-bffffef3416f4]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith",
parameters={}
2026-03-13 14:54:43 WARN [5d05c3e8-6f63-4aeb-bd1c-bffffef3416f4]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:43 DEBUG [5d05c3e8-6f63-4aeb-bd1c-bffffef3416f4]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:43 DEBUG [53b168a0-b9c3-469b-b558-f1021712f6c8]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith",
parameters={}
2026-03-13 14:54:43 DEBUG [53b168a0-b9c3-469b-b558-f1021712f6c8]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [53b168a0-b9c3-469b-b558-f1021712f6c8]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:

```

```

select
    t1_0.id
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:43 DEBUG [53b168a0-b9c3-469b-b558-f1021712f6c8]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [53b168a0-b9c3-469b-b558-f1021712f6c8]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [53b168a0-b9c3-469b-b558-f1021712f6c8]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [53b168a0-b9c3-469b-b558-f1021712f6c8]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [53b168a0-b9c3-469b-b558-f1021712f6c8]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:43 DEBUG [53b168a0-b9c3-469b-b558-f1021712f6c8]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:43 WARN [53b168a0-b9c3-469b-b558-f1021712f6c8]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Invalid
username or password
2026-03-13 14:54:43 DEBUG [53b168a0-b9c3-469b-b558-f1021712f6c8]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:43 DEBUG [5f8049ec-b68d-4644-abcc-f11690270c84]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith",
parameters={}
2026-03-13 14:54:43 WARN [5f8049ec-b68d-4644-abcc-f11690270c84]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Access
denied

```

```
2026-03-13 14:54:43 DEBUG [5f8049ec-b68d-4644-abcc-f11690270c84]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
o.s.w.s.DispatcherServlet - GET "/api/trainees/John.Smith1",
parameters={}
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
```

```
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTraineeByUsername(..)
args: [John.Smith1]
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Calling:
TraineeService.getTraineeByUsername(..) args: [John.Smith1]
Hibernate:
```

```
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1
        on t2_1.id=t2_0.trainer_id
    left join
        training_type s1_0
        on s1_0.id=t2_1.specialization_id
    left join
        "user" u2_0
        on u2_0.id=t2_1.user_id
    join
```



```

        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Completed:
TraineeService.getTraineeByUsername(..)
2026-03-13 14:54:43 ERROR [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Failed GymFacade.getTraineeByUsername(..):
Trainee not found: John.Smith1
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainee not found: John.Smith1
    at
com.epam.gym.core.facade.GymFacade.lambda$getTraineeByUsername$0(GymFac
ade.java:86)
    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at
com.epam.gym.core.facade.GymFacade.getTraineeByUsername(GymFacade.java:
86)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)

```

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.getTraineeByUsername
(<generated>)
        at
com.epam.gym.core.controller.TraineeController.getProfile(TraineeContro
ller.java:71)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
```

```
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doGet (FrameworkServlet
.java:903)
            at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:564)
            at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:885)
                at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
                at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:193)
                    at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
                        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
                            at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
                                at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
                                    at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
```

```
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run (SocketProcessorBase.
java:52)
```

```

        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:43 WARN [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainee not
found: John.Smith1
2026-03-13 14:54:43 DEBUG [18b726c2-75fa-4fcc-9aaa-97ba49436fec]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-13 14:54:43 DEBUG [975belc3-cb4f-4d45-a122-9d95e143b061]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith",
parameters={}
2026-03-13 14:54:43 DEBUG [975belc3-cb4f-4d45-a122-9d95e143b061]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [975belc3-cb4f-4d45-a122-9d95e143b061]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [975belc3-cb4f-4d45-a122-9d95e143b061]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [975belc3-cb4f-4d45-a122-9d95e143b061]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [975belc3-cb4f-4d45-a122-9d95e143b061]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTraineeProfile(..)
args: [Alice.Smith, Alice, Updated, 1990-05-15, 456 New Ave, true]
2026-03-13 14:54:43 DEBUG [975belc3-cb4f-4d45-a122-9d95e143b061]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.updateTrainee(..)
args: [Alice.Smith, Alice, Updated, 1990-05-15, 456 New Ave, true]
Hibernate:
    select
        t1_0.id,

```

```

        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-13 14:54:43 DEBUG [975be1c3-cb4f-4d45-a122-9d95e143b061]

c.e.g.c.a.LoggingAspect - Completed: TraineeService.updateTrainee(..)

Hibernate:

update

"user"

set

first_name=?,

```

        is_active=?,
        last_name=?,
        password=?,
        username=?
    where
        id=?
Hibernate:
    update
        trainee
    set
        address=?,
        date_of_birth=?,
        user_id=?
    where
        id=?
2026-03-13 14:54:43 DEBUG [975be1c3-cb4f-4d45-a122-9d95e143b061]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.updateTraineeProfile(..)
2026-03-13 14:54:43 DEBUG [975be1c3-cb4f-4d45-a122-9d95e143b061]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:43 DEBUG [15a05063-eb7d-485a-b7ab-18988a8a6e2e]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith",
parameters={}
2026-03-13 14:54:43 WARN [15a05063-eb7d-485a-b7ab-18988a8a6e2e]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: isActive: must
not be null
2026-03-13 14:54:43 DEBUG [15a05063-eb7d-485a-b7ab-18988a8a6e2e]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-13 14:54:43 DEBUG [02982865-d39d-4493-864e-9c236405ae88]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith",
parameters={}
2026-03-13 14:54:43 WARN [02982865-d39d-4493-864e-9c236405ae88]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:43 DEBUG [02982865-d39d-4493-864e-9c236405ae88]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/John.Smith1",
parameters={}
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join

```

```

        "user" u1_0
            on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTraineeProfile(..)
args: [John.Smith1, Test, Test, null, null, true]
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.updateTrainee(..)
args: [John.Smith1, Test, Test, null, null, true]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,

```



```

        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

```

2026-03-13 14:54:43 ERROR [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Failed TraineeService.updateTrainee(..):
Trainee not found: John.Smith1

```

```

2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Stack trace:

```

```

java.util.NoSuchElementException: Trainee not found: John.Smith1
    at
com.epam.gym.core.service.TraineeService.lambda$updateTrainee$0(Trainee
Service.java:61)
    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at
com.epam.gym.core.service.TraineeService.updateTrainee(TraineeService.j
ava:61)

```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
    at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
occeedWithInvocation(TransactionInterceptor.java:123)
    at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
    at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
    at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.updateTrainee(
<generated>)
    at
com.epam.gym.core.facade.GymFacade.updateTraineeProfile(GymFacade.java:
93)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.updateTraineeProfile
(<generated>)
```

```
        at
com.epam.gym.core.controller.TraineeController.updateProfile(TraineeCon
troller.java:85)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(Dispatchers
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPut(FrameworkServlet
.java:925)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:593)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:885)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
```

```
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:399)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:43 ERROR [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Failed GymFacade.updateTraineeProfile(..):
Trainee not found: John.Smith1
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainee not found: John.Smith1
        at
com.epam.gym.core.service.TraineeService.lambda$updateTrainee$0(TraineeService.java:61)
        at java.base/java.util.Optional.orElseThrow(Optional.java:403)
        at
com.epam.gym.core.service.TraineeService.updateTrainee(TraineeService.java:61)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(NativeMethod)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation (TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction (TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke (TransactionInterceptor.java:119)
```



```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.updateTrainee(
<generated>)
        at
com.epam.gym.core.facade.GymFacade.updateTraineeProfile(GymFacade.java:
93)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
```

```
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.updateTraineeProfile
(<generated>)
        at
com.epam.gym.core.controller.TraineeController.updateProfile (TraineeCon
troller.java:85)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
```

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPut (FrameworkServlet
.java:925)
        at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:593)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:885)
        at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperValve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextValve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (AuthenticatorBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.java:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.java:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccessLogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:399)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractProtocol.java:903)
```

```

        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:43 WARN [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainee not
found: John.Smith1
2026-03-13 14:54:43 DEBUG [06dad4e8-9b5a-4da7-bd84-62bf819bafcd]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-13 14:54:43 DEBUG [858295d2-6754-4469-9aba-02c44d426c06]
o.s.w.s.DispatcherServlet - DELETE "/api/trainees/Alice.Smith",
parameters={}
2026-03-13 14:54:43 DEBUG [858295d2-6754-4469-9aba-02c44d426c06]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:43 DEBUG [858295d2-6754-4469-9aba-02c44d426c06]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [858295d2-6754-4469-9aba-02c44d426c06]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [858295d2-6754-4469-9aba-02c44d426c06]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [858295d2-6754-4469-9aba-02c44d426c06]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deleteTrainee(..) args:
[Alice.Smith]

```

2026-03-13 14:54:43 DEBUG [858295d2-6754-4469-9aba-02c44d426c06]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.deleteTrainee(..)
args: [Alice.Smith]

Hibernate:

```
select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
```

Hibernate:

```

select
    t1_0.trainee_id,
    t1_0.id,
    t1_0.training_duration,
    t1_0.trainer_id,
    t1_0.training_date,
    t1_0.training_name,
    t1_0.training_type_id
from
    training t1_0
where
    t1_0.trainee_id=?

```

2026-03-13 14:54:43 DEBUG [858295d2-6754-4469-9aba-02c44d426c06]

c.e.g.c.a.LoggingAspect - Completed: TraineeService.deleteTrainee(..)

Hibernate:

```

delete
from
    trainee
where
    id=?

```

Hibernate:

```

delete
from
    "user"
where
    id=?

```

2026-03-13 14:54:43 DEBUG [858295d2-6754-4469-9aba-02c44d426c06]

c.e.g.c.a.LoggingAspect - Completed: GymFacade.deleteTrainee(..)

2026-03-13 14:54:43 DEBUG [858295d2-6754-4469-9aba-02c44d426c06]

o.s.w.s.DispatcherServlet - Completed 200 OK

2026-03-13 14:54:43 DEBUG [4ca2fc85-3420-4b57-bf2a-a696cb2dd9ef]

o.s.w.s.DispatcherServlet - POST "/api/trainees", parameters={}

2026-03-13 14:54:43 DEBUG [4ca2fc85-3420-4b57-bf2a-a696cb2dd9ef]

c.e.g.c.a.LoggingAspect - Calling: GymFacade.registerTrainee(..) args:
[Alice, Smith, 1990-05-15, 123 Main St]

2026-03-13 14:54:43 DEBUG [4ca2fc85-3420-4b57-bf2a-a696cb2dd9ef]

c.e.g.c.a.LoggingAspect - Calling: TraineeService.createTrainee(..)
args: [Alice, Smith, 1990-05-15, 123 Main St]

2026-03-13 14:54:43 DEBUG [4ca2fc85-3420-4b57-bf2a-a696cb2dd9ef]

c.e.g.c.a.LoggingAspect - Calling:

UsernameGenerator.generateUsername(..) args: [Alice, Smith]

Hibernate:

```

select
    u1_0.username
from
    trainee t1_0
join
    "user" u1_0
    on u1_0.id=t1_0.user_id
where

```

```

        u1_0.username=?
        or u1_0.username like ? escape ''
Hibernate:
    select
        u1_0.username
    from
        trainer t1_0
    join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        or u1_0.username like ? escape ''
2026-03-13 14:54:43 DEBUG [4ca2fc85-3420-4b57-bf2a-a696cb2dd9ef]
c.e.g.c.a.LoggingAspect - Completed:
UsernameGenerator.generateUsername(..)
2026-03-13 14:54:43 DEBUG [4ca2fc85-3420-4b57-bf2a-a696cb2dd9ef]
c.e.g.c.a.LoggingAspect - Calling: PasswordGenerator.generatePassword()
args: []
2026-03-13 14:54:43 DEBUG [4ca2fc85-3420-4b57-bf2a-a696cb2dd9ef]
c.e.g.c.a.LoggingAspect - Completed:
PasswordGenerator.generatePassword()
Hibernate:
    insert
    into
        "user"
        (first_name, is_active, last_name, password, username, id)
    values
        (?, ?, ?, ?, ?, ?)
Hibernate:
    insert
    into
        trainee
        (address, date_of_birth, user_id, id)
    values
        (?, ?, ?, ?)
2026-03-13 14:54:43 DEBUG [4ca2fc85-3420-4b57-bf2a-a696cb2dd9ef]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.createTrainee(..)
2026-03-13 14:54:43 DEBUG [4ca2fc85-3420-4b57-bf2a-a696cb2dd9ef]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.registerTrainee(..)
2026-03-13 14:54:43 DEBUG [4ca2fc85-3420-4b57-bf2a-a696cb2dd9ef]
o.s.w.s.DispatcherServlet - Completed 201 CREATED
2026-03-13 14:54:43 DEBUG [a6fd2ee9-4033-4ca3-992c-db27a7bbbb23]
o.s.w.s.DispatcherServlet - DELETE "/api/trainees/Alice.Smith",
parameters={}
2026-03-13 14:54:43 WARN [a6fd2ee9-4033-4ca3-992c-db27a7bbbb23]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:43 DEBUG [a6fd2ee9-4033-4ca3-992c-db27a7bbbb23]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED

```



```
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
o.s.w.s.DispatcherServlet - DELETE "/api/trainees/John.Smith1",
parameters={}
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
```

2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deleteTrainee(..) args:
[John.Smith1]

2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.deleteTrainee(..)
args: [John.Smith1]

Hibernate:

```
select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
```

```
where
    u1_0.username=?
2026-03-13 14:54:43 ERROR [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Failed TraineeService.deleteTrainee(..):
Trainee not found: John.Smith1
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainee not found: John.Smith1
    at
com.epam.gym.core.service.TraineeService.lambda$deleteTrainee$1(Trainee
Service.java:74)
    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at
com.epam.gym.core.service.TraineeService.deleteTrainee(TraineeService.j
ava:74)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.proceedWithInvocation (TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction (TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invoke (TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.deleteTrainee (<generated>)
        at
com.epam.gym.core.facade.GymFacade.deleteTrainee (GymFacade.java:99)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (NativeMethod)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deleteTrainee(<gener
ated>)
        at
com.epam.gym.core.controller.TraineeController.delete(TraineeController
.java:100)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
```

```
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doDelete (FrameworkServlet.java:936)
        at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:596)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServlet.java:885)
        at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperValve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextValve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (AuthenticatorBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.java:113)
```

```
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:342)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:399)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:43 ERROR [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Failed GymFacade.deleteTrainee(..): Trainee not found: John.Smith1
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainee not found: John.Smith1
        at
com.epam.gym.core.service.TraineeService.lambda$deleteTrainee$1(TraineeService.java:74)
        at java.base/java.util.Optional.orElseThrow(Optional.java:403)
        at
com.epam.gym.core.service.TraineeService.deleteTrainee(TraineeService.java:74)
```



```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
occeedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.deleteTrainee(
<generated>)
        at
com.epam.gym.core.facade.GymFacade.deleteTrainee(GymFacade.java:99)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deleteTrainee(<gener
ated>)
```

```
        at
com.epam.gym.core.controller.TraineeController.delete(TraineeController
.java:100)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(Dispatchers
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doDelete(FrameworkServ
let.java:936)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:596)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:885)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
```

```

        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:43 WARN [22a0396a-ff58-4159-99ec-09ccb14bd75f]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainee not
found: John.Smith1
2026-03-13 14:54:43 DEBUG [22a0396a-ff58-4159-99ec-09ccb14bd75f]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith1",
parameters={}
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?

```

```

    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTrainerByUsername(..)
args: [John.Smith1]
2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]
c.e.g.c.a.LoggingAspect - Calling:
TrainerService.getTrainerByUsername(..) args: [John.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,

```

```

        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    join
        training_type s1_0
        on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
    left join
        trainee t2_1
        on t2_1.id=t2_0.trainee_id
    left join
        "user" u2_0
        on u2_0.id=t2_1.user_id
    join
        "user" u3_0
        on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]

c.e.g.c.a.LoggingAspect - Completed:

TrainerService.getTrainerByUsername(..)

2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]

c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTrainerByUsername(..)

2026-03-13 14:54:43 DEBUG [ca6a11bd-3177-4fee-b33a-13800bea8db0]

o.s.w.s.DispatcherServlet - Completed 200 OK

2026-03-13 14:54:43 DEBUG [2f8819b1-9a51-48a2-a481-a58e822539cd]

o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith1",

parameters={}

2026-03-13 14:54:43 WARN [2f8819b1-9a51-48a2-a481-a58e822539cd]

c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or invalid Authorization header

2026-03-13 14:54:43 DEBUG [2f8819b1-9a51-48a2-a481-a58e822539cd]

o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED

2026-03-13 14:54:43 DEBUG [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]

o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith1",

parameters={}


```
2026-03-13 14:54:43 DEBUG [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:43 DEBUG [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:43 DEBUG [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:43 DEBUG [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:43 DEBUG [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:43 DEBUG [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:43 WARN [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Invalid
username or password
```

```
2026-03-13 14:54:43 DEBUG [2db4f3c2-917a-47bb-9a6e-9fb883dc8045]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [b6d46196-8422-48c7-8c20-3b761d92c0bc]
o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith",
parameters={}
2026-03-13 14:54:44 WARN [b6d46196-8422-48c7-8c20-3b761d92c0bc]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Access
denied
2026-03-13 14:54:44 DEBUG [b6d46196-8422-48c7-8c20-3b761d92c0bc]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]
o.s.w.s.DispatcherServlet - GET "/api/trainers/Alice.Smith",
parameters={}
2026-03-13 14:54:44 DEBUG [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTrainerByUsername(..)
args: [Alice.Smith]
2026-03-13 14:54:44 DEBUG [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]
c.e.g.c.a.LoggingAspect - Calling:
TrainerService.getTrainerByUsername(..) args: [Alice.Smith]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
```

```

        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-13 14:54:44 DEBUG [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]

c.e.g.c.a.LoggingAspect - Completed:

TrainerService.getTrainerByUsername(..)

2026-03-13 14:54:44 ERROR [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]

c.e.g.c.a.LoggingAspect - Failed GymFacade.getTrainerByUsername(..):

Trainer not found: Alice.Smith

2026-03-13 14:54:44 DEBUG [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]

c.e.g.c.a.LoggingAspect - Stack trace:

java.util.NoSuchElementException: Trainer not found: Alice.Smith

at

com.epam.gym.core.facade.GymFacade.lambda\$getTrainerByUsername\$1(GymFacade.java:157)

```
        at java.base/java.util.Optional.orElseThrow(Optional.java:403)
        at
com.epam.gym.core.facade.GymFacade.getTrainerByUsername(GymFacade.java:
157)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.getTrainerByUsername
(<generated>)
        at
com.epam.gym.core.controller.TrainerController.getProfile(TrainerContro
ller.java:66)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
```

```
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(Dispatchers
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doGet(FrameworkServlet
.java:903)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:564)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:885)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:88)
```

```
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run (SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker (ThreadPooL
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run (ThreadPoo
lExecutor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run (TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run (Thread.java:840)
2026-03-13 14:54:44 WARN [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainer not
found: Alice.Smith
2026-03-13 14:54:44 DEBUG [2c1e684f-baf1-4f8f-bfee-25cc2d7fa848]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
```

```
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
o.s.w.s.DispatcherServlet - PUT "/api/trainers/John.Smith1",
parameters={}
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
```



```
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTrainerProfile(..)
args: [John.Smith1, John, Updated, true]
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Calling:
TrainerService.getTrainerByUsername(..) args: [John.Smith1]
Hibernate:
```

```
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    join
        training_type s1_0
        on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
    left join
        trainee t2_1
        on t2_1.id=t2_0.trainee_id
    left join
        "user" u2_0
        on u2_0.id=t2_1.user_id
    join
        "user" u3_0
        on u3_0.id=t1_0.user_id
```

```
where
    u1_0.username=?
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Completed:
TrainerService.getTrainerByUsername(..)
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.updateTrainer(..)
args: [John.Smith1, John, Updated,
00000000-0000-0000-0000-000000000001, true]
```

Hibernate:

```
select
    tt1_0.id,
    tt1_0.training_type_name
from
    training_type tt1_0
where
    tt1_0.id=?
```

Hibernate:

```
select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
```

```

        trainee2trainer t2_0
            on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.updateTrainer(..)
Hibernate:
    update
        "user"
    set
        first_name=?,
        is_active=?,
        last_name=?,
        password=?,
        username=?
    where
        id=?
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.updateTrainerProfile(..)
2026-03-13 14:54:44 DEBUG [03fc8588-9759-4f0d-917b-961c4b280527]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:44 DEBUG [b5328b78-7bdb-43f8-9175-f810ff5f11db]
o.s.w.s.DispatcherServlet - PUT "/api/trainers/John.Smith1",
parameters={}
2026-03-13 14:54:44 WARN [b5328b78-7bdb-43f8-9175-f810ff5f11db]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: firstName: must
not be blank
2026-03-13 14:54:44 DEBUG [b5328b78-7bdb-43f8-9175-f810ff5f11db]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-13 14:54:44 DEBUG [3881affb-b063-4823-8f06-75bcdd7fc19a]
o.s.w.s.DispatcherServlet - PUT "/api/trainers/John.Smith1",
parameters={}
2026-03-13 14:54:44 WARN [3881affb-b063-4823-8f06-75bcdd7fc19a]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:44 DEBUG [3881affb-b063-4823-8f06-75bcdd7fc19a]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [1d4df545-fd53-470b-9879-8772b1a478a6]
o.s.w.s.DispatcherServlet - PUT "/api/trainers/Alice.Smith",
parameters={}

```

2026-03-13 14:54:44 DEBUG [1d4df545-fd53-470b-9879-8772b1a478a6]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]

2026-03-13 14:54:44 DEBUG [1d4df545-fd53-470b-9879-8772b1a478a6]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]

Hibernate:

```
select
    t1_0.id
from
    trainee t1_0
left join
    "user" u1_0
    on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
```

2026-03-13 14:54:44 DEBUG [1d4df545-fd53-470b-9879-8772b1a478a6]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)

2026-03-13 14:54:44 DEBUG [1d4df545-fd53-470b-9879-8772b1a478a6]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)

2026-03-13 14:54:44 DEBUG [1d4df545-fd53-470b-9879-8772b1a478a6]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTrainerProfile(..)
args: [Alice.Smith, Test, Test, true]

2026-03-13 14:54:44 DEBUG [1d4df545-fd53-470b-9879-8772b1a478a6]

c.e.g.c.a.LoggingAspect - Calling:
TrainerService.getTrainerByUsername(..) args: [Alice.Smith]

Hibernate:

```
select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
```

```

        u3_0.last_name,
        u3_0.password,
        u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-13 14:54:44 DEBUG [1d4df545-fd53-470b-9879-8772b1a478a6]

c.e.g.c.a.LoggingAspect - Completed:

TrainerService.getTrainerByUsername(..)

2026-03-13 14:54:44 ERROR [1d4df545-fd53-470b-9879-8772b1a478a6]

c.e.g.c.a.LoggingAspect - Failed GymFacade.updateTrainerProfile(..):

Trainer not found: Alice.Smith

2026-03-13 14:54:44 DEBUG [1d4df545-fd53-470b-9879-8772b1a478a6]

c.e.g.c.a.LoggingAspect - Stack trace:

java.util.NoSuchElementException: Trainer not found: Alice.Smith

at

com.epam.gym.core.facade.GymFacade.lambda\$updateTrainerProfile\$2(GymFacade.java:164)

at java.base/java.util.Optional.orElseThrow(Optional.java:403)

at

com.epam.gym.core.facade.GymFacade.updateTrainerProfile(GymFacade.java:164)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

```
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
    at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
    at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.updateTrainerProfile
(<generated>)
    at
com.epam.gym.core.controller.TrainerController.updateProfile(TrainerCon
troller.java:80)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
    at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
    at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
    at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
    at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
    at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
    at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
    at
org.springframework.web.servlet.DispatcherServlet.doService(Dispatchers
ervlet.java:979)
    at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
    at
org.springframework.web.servlet.FrameworkServlet.doPut(FrameworkServlet
.java:925)
    at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:593)
```

```
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:885)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.java:654)
```



```

        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:44 WARN [1d4df545-fd53-470b-9879-8772b1a478a6]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainer not
found: Alice.Smith
2026-03-13 14:54:44 DEBUG [1d4df545-fd53-470b-9879-8772b1a478a6]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-13 14:54:44 DEBUG [407b3ec6-89f5-4d85-8cd8-1bb380f37243]
o.s.w.s.DispatcherServlet - GET
"/api/trainees/Alice.Smith/not-assigned-trainers", parameters={}
2026-03-13 14:54:44 DEBUG [407b3ec6-89f5-4d85-8cd8-1bb380f37243]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [407b3ec6-89f5-4d85-8cd8-1bb380f37243]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0

```

```

left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:44 DEBUG [407b3ec6-89f5-4d85-8cd8-1bb380f37243]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [407b3ec6-89f5-4d85-8cd8-1bb380f37243]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [407b3ec6-89f5-4d85-8cd8-1bb380f37243]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getNotAssignedTrainers(..)
args: [Alice.Smith]
2026-03-13 14:54:44 DEBUG [407b3ec6-89f5-4d85-8cd8-1bb380f37243]
c.e.g.c.a.LoggingAspect - Calling:
TraineeService.getNotAssignedTrainers(..) args: [Alice.Smith]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u1_0.id,
        u1_0.first_name,
        u1_0.is_active,
        u1_0.last_name,
        u1_0.password,
        u1_0.username,
        t1_0.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username
    from
        trainer t1_0
    join
        training_type s1_0
            on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainer_id

```

```

left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u1_0
        on u1_0.id=t2_1.user_id
join
    "user" u2_0
        on u2_0.id=t1_0.user_id
where
    t1_0.id not in ((select
        t4_0.trainer_id
    from
        trainee t3_0
    join
        trainee2trainer t4_0
            on t3_0.id=t4_0.trainee_id
    join
        "user" u3_0
            on u3_0.id=t3_0.user_id
    where
        u3_0.username=?))

```

```

2026-03-13 14:54:44 DEBUG [407b3ec6-89f5-4d85-8cd8-1bb380f37243]
c.e.g.c.a.LoggingAspect - Completed:
TraineeService.getNotAssignedTrainers(..)
2026-03-13 14:54:44 DEBUG [407b3ec6-89f5-4d85-8cd8-1bb380f37243]
c.e.g.c.a.LoggingAspect - Completed:
GymFacade.getNotAssignedTrainers(..)
2026-03-13 14:54:44 DEBUG [407b3ec6-89f5-4d85-8cd8-1bb380f37243]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:44 DEBUG [994d431b-f963-4e99-8e06-4a0c1c19ba8d]
o.s.w.s.DispatcherServlet - GET
"/api/trainees/Alice.Smith/not-assigned-trainers", parameters={}
2026-03-13 14:54:44 WARN [994d431b-f963-4e99-8e06-4a0c1c19ba8d]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:44 DEBUG [994d431b-f963-4e99-8e06-4a0c1c19ba8d]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [25d3c0e7-2c79-4da2-9922-77ee838ffeae]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith/trainers",
parameters={}
2026-03-13 14:54:44 DEBUG [25d3c0e7-2c79-4da2-9922-77ee838ffeae]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [25d3c0e7-2c79-4da2-9922-77ee838ffeae]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id

```

```

from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:44 DEBUG [25d3c0e7-2c79-4da2-9922-77ee838ffeae]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [25d3c0e7-2c79-4da2-9922-77ee838ffeae]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [25d3c0e7-2c79-4da2-9922-77ee838ffeae]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTraineeTrainers(..)
args: [Alice.Smith, [John.Smith1]]
2026-03-13 14:54:44 DEBUG [25d3c0e7-2c79-4da2-9922-77ee838ffeae]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.updateTrainers(..)
args: [Alice.Smith, [John.Smith1]]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    left join

```

```

        trainee2trainer t2_0
            on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
Hibernate:
select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0

```

```

        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username in (?)
2026-03-13 14:54:44 DEBUG [25d3c0e7-2c79-4da2-9922-77ee838ffeae]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.updateTrainers(..)
Hibernate:
    insert
    into
        trainee2trainer
        (trainee_id, trainer_id)
    values
        (?, ?)
2026-03-13 14:54:44 DEBUG [25d3c0e7-2c79-4da2-9922-77ee838ffeae]
c.e.g.c.a.LoggingAspect - Completed:
GymFacade.updateTraineeTrainers(..)
2026-03-13 14:54:44 DEBUG [25d3c0e7-2c79-4da2-9922-77ee838ffeae]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:44 DEBUG [c9dc963b-a3fb-4fc6-b3f4-8d272f866f15]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith/trainers",
parameters={}
2026-03-13 14:54:44 WARN [c9dc963b-a3fb-4fc6-b3f4-8d272f866f15]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: trainerUsernames:
must not be empty
2026-03-13 14:54:44 DEBUG [c9dc963b-a3fb-4fc6-b3f4-8d272f866f15]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-13 14:54:44 DEBUG [0d1ef032-f08f-4c0c-9259-40a8361c1090]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith/trainers",
parameters={}
2026-03-13 14:54:44 DEBUG [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0

```

```

        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:44 DEBUG [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.updateTraineeTrainers(..)
args: [Alice.Smith, [ghost.trainer.999]]
2026-03-13 14:54:44 DEBUG [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.updateTrainers(..)
args: [Alice.Smith, [ghost.trainer.999]]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1

```

```

        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
Hibernate:
select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id

```



```

left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username in (?)
2026-03-13 14:54:44 ERROR [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.a.LoggingAspect - Failed TraineeService.updateTrainers(..):
Trainers not found: [ghost.trainer.999]
2026-03-13 14:54:44 DEBUG [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainers not found:
[ghost.trainer.999]
    at
com.epam.gym.core.service.TraineeService.updateTrainers(TraineeService.
java:146)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)

```

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.updateTrainers
(<generated>)
```

```
        at
com.epam.gym.core.facade.GymFacade.updateTraineeTrainers (GymFacade.java
:138)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
```

```
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
    at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.updateTraineeTrainer
s(<generated>)
    at
com.epam.gym.core.controller.TraineeController.updateTrainers(TraineeCo
ntroller.java:145)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
    at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
    at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
    at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
    at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
    at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
```

```
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPut(FrameworkServlet.java:925)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:593)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:885)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:88)
```

```
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run (SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker (ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run (ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run (TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run (Thread.java:840)
2026-03-13 14:54:44 ERROR [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.a.LoggingAspect - Failed GymFacade.updateTraineeTrainers(..):
Trainers not found: [ghost.trainer.999]
2026-03-13 14:54:44 DEBUG [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainers not found:
[ghost.trainer.999]
```

```
        at
com.epam.gym.core.service.TraineeService.updateTrainers(TraineeService.
java:146)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.updateTrainers
(<generated>)
        at
com.epam.gym.core.facade.GymFacade.updateTraineeTrainers(GymFacade.java
:138)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
```



```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
```

```
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.updateTraineeTrainer
s(<generated>)
        at
com.epam.gym.core.controller.TraineeController.updateTrainers(TraineeCo
ntroller.java:145)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPut(FrameworkServlet
.java:925)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:593)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:885)
```

```
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
```

```
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:44 WARN [0d1ef032-f08f-4c0c-9259-40a8361c1090]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainers not
found: [ghost.trainer.999]
2026-03-13 14:54:44 DEBUG [0d1ef032-f08f-4c0c-9259-40a8361c1090]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-13 14:54:44 DEBUG [ebadc5dc-22ce-4e6c-818b-93887cb5cc0d]
o.s.w.s.DispatcherServlet - PUT "/api/trainees/Alice.Smith/trainers",
parameters={}
2026-03-13 14:54:44 WARN [ebadc5dc-22ce-4e6c-818b-93887cb5cc0d]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:44 DEBUG [ebadc5dc-22ce-4e6c-818b-93887cb5cc0d]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [f53f6f37-4e8d-48a8-bfbc-30fe0b559cf8]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith/trainings",
parameters={}
2026-03-13 14:54:44 DEBUG [f53f6f37-4e8d-48a8-bfbc-30fe0b559cf8]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [f53f6f37-4e8d-48a8-bfbc-30fe0b559cf8]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
```

```

Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [f53f6f37-4e8d-48a8-bfbc-30fe0b559cf8]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [f53f6f37-4e8d-48a8-bfbc-30fe0b559cf8]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [f53f6f37-4e8d-48a8-bfbc-30fe0b559cf8]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTraineeTrainings(..)
args: [Alice.Smith, null, null, null, null]
2026-03-13 14:54:44 DEBUG [f53f6f37-4e8d-48a8-bfbc-30fe0b559cf8]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.getTrainings(..)
args: [Alice.Smith, null, null, null, null]

```

```

Hibernate:
    select
        t1_0.id,
        t1_0.training_duration,
        t1_0.trainee_id,
        t2_0.id,
        t2_0.address,
        t2_0.date_of_birth,
        t2_0.user_id,
        u1_0.id,
        u1_0.first_name,
        u1_0.is_active,
        u1_0.last_name,
        u1_0.password,
        u1_0.username,
        t1_0.trainer_id,
        t3_0.id,
        t3_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t3_0.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,

```

```

        t1_0.training_date,
        t1_0.training_name,
        t1_0.training_type_id,
        tt1_0.id,
        tt1_0.training_type_name
from
    training t1_0
join
    trainee t2_0
        on t2_0.id=t1_0.trainee_id
join
    "user" u1_0
        on u1_0.id=t2_0.user_id
join
    trainer t3_0
        on t3_0.id=t1_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t3_0.specialization_id
left join
    "user" u2_0
        on u2_0.id=t3_0.user_id
join
    training_type tt1_0
        on tt1_0.id=t1_0.training_type_id
where
    u1_0.username=?

```

2026-03-13 14:54:44 DEBUG [f53f6f37-4e8d-48a8-bfbc-30fe0b559cf8]

c.e.g.c.a.LoggingAspect - Completed: TraineeService.getTrainings(..)

2026-03-13 14:54:44 DEBUG [f53f6f37-4e8d-48a8-bfbc-30fe0b559cf8]

c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTraineeTrainings(..)

2026-03-13 14:54:44 DEBUG [f53f6f37-4e8d-48a8-bfbc-30fe0b559cf8]

o.s.w.s.DispatcherServlet - Completed 200 OK

2026-03-13 14:54:44 DEBUG [e7328c6b-f06e-4f73-9e07-beaclad2d281]

o.s.w.s.DispatcherServlet - GET

"/api/trainees/Alice.Smith/trainings?periodFrom=2025-01-01&periodTo=2025-12-31&trainerUsername=John.Smith1&trainingType=Fitness",

parameters={masked}

2026-03-13 14:54:44 DEBUG [e7328c6b-f06e-4f73-9e07-beaclad2d281]

c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)

args: [Alice.Smith, [REDACTED]]

2026-03-13 14:54:44 DEBUG [e7328c6b-f06e-4f73-9e07-beaclad2d281]

c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)

args: [Alice.Smith, [REDACTED]]

Hibernate:

```

select
    t1_0.id
from
    trainee t1_0
left join

```

```

        "user" u1_0
            on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:44 DEBUG [e7328c6b-f06e-4f73-9e07-beaclad2d281]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [e7328c6b-f06e-4f73-9e07-beaclad2d281]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [e7328c6b-f06e-4f73-9e07-beaclad2d281]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTraineeTrainings(..)
args: [Alice.Smith, 2025-01-01, 2025-12-31, John.Smith1, Fitness]
2026-03-13 14:54:44 DEBUG [e7328c6b-f06e-4f73-9e07-beaclad2d281]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.getTrainings(..)
args: [Alice.Smith, 2025-01-01, 2025-12-31, John.Smith1, Fitness]
Hibernate:
    select
        t1_0.id,
        t1_0.training_duration,
        t1_0.trainee_id,
        t2_0.id,
        t2_0.address,
        t2_0.date_of_birth,
        t2_0.user_id,
        u1_0.id,
        u1_0.first_name,
        u1_0.is_active,
        u1_0.last_name,
        u1_0.password,
        u1_0.username,
        t1_0.trainer_id,
        t3_0.id,
        t3_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t3_0.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.training_date,
        t1_0.training_name,
        t1_0.training_type_id,
        tt1_0.id,
        tt1_0.training_type_name
    from

```

```

        training t1_0
    join
        trainee t2_0
            on t2_0.id=t1_0.trainee_id
    join
        "user" u1_0
            on u1_0.id=t2_0.user_id
    join
        trainer t3_0
            on t3_0.id=t1_0.trainer_id
    left join
        training_type s1_0
            on s1_0.id=t3_0.specialization_id
    join
        "user" u2_0
            on u2_0.id=t3_0.user_id
    join
        training_type tt1_0
            on tt1_0.id=t1_0.training_type_id
    where
        u1_0.username=?
        and t1_0.training_date>=?
        and t1_0.training_date<=?
        and u2_0.username=?
        and tt1_0.training_type_name=?

```

```

2026-03-13 14:54:44 DEBUG [e7328c6b-f06e-4f73-9e07-beaclad2d281]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.getTrainings(..)
2026-03-13 14:54:44 DEBUG [e7328c6b-f06e-4f73-9e07-beaclad2d281]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTraineeTrainings(..)
2026-03-13 14:54:44 DEBUG [e7328c6b-f06e-4f73-9e07-beaclad2d281]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:44 DEBUG [aa77ee8a-da59-437c-895a-f3a3b0378693]
o.s.w.s.DispatcherServlet - GET "/api/trainees/Alice.Smith/trainings",
parameters={}
2026-03-13 14:54:44 WARN [aa77ee8a-da59-437c-895a-f3a3b0378693]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:44 DEBUG [aa77ee8a-da59-437c-895a-f3a3b0378693]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith1/trainings",
parameters={}
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select

```



```

        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTrainerTrainings(..)
args: [John.Smith1, null, null, null]
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.getTrainings(..)
args: [John.Smith1, null, null, null]
Hibernate:
    select
        t1_0.id,
        t1_0.training_duration,
        t1_0.trainee_id,
        t2_0.id,

```

```

        t2_0.address,
        t2_0.date_of_birth,
        t2_0.user_id,
        u1_0.id,
        u1_0.first_name,
        u1_0.is_active,
        u1_0.last_name,
        u1_0.password,
        u1_0.username,
        t1_0.trainer_id,
        t3_0.id,
        t3_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t3_0.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.training_date,
        t1_0.training_name,
        t1_0.training_type_id,
        tt1_0.id,
        tt1_0.training_type_name
from
    training t1_0
join
    trainee t2_0
        on t2_0.id=t1_0.trainee_id
left join
    "user" u1_0
        on u1_0.id=t2_0.user_id
join
    trainer t3_0
        on t3_0.id=t1_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t3_0.specialization_id
join
    "user" u2_0
        on u2_0.id=t3_0.user_id
join
    training_type tt1_0
        on tt1_0.id=t1_0.training_type_id
where
    u2_0.username=?

```

2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]

c.e.g.c.a.LoggingAspect - Completed: TrainerService.getTrainings(..)

```
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTrainerTrainings(..)
2026-03-13 14:54:44 DEBUG [dc6fa7af-1cb6-4266-92df-c74a990a26b6]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
o.s.w.s.DispatcherServlet - GET
"/api/trainers/John.Smith1/trainings?periodFrom=2025-01-01&periodTo=202
5-12-31&traineeUsername=Alice.Smith", parameters={masked}
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
```

```
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getTrainerTrainings(..)
args: [John.Smith1, 2025-01-01, 2025-12-31, Alice.Smith]
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.getTrainings(..)
args: [John.Smith1, 2025-01-01, 2025-12-31, Alice.Smith]
Hibernate:
```

```
    select
        t1_0.id,
        t1_0.training_duration,
        t1_0.trainee_id,
        t2_0.id,
        t2_0.address,
        t2_0.date_of_birth,
        t2_0.user_id,
        u1_0.id,
        u1_0.first_name,
        u1_0.is_active,
        u1_0.last_name,
        u1_0.password,
        u1_0.username,
        t1_0.trainer_id,
        t3_0.id,
        t3_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t3_0.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.training_date,
        t1_0.training_name,
        t1_0.training_type_id,
        tt1_0.id,
        tt1_0.training_type_name
    from
        training t1_0
    join
        trainee t2_0
        on t2_0.id=t1_0.trainee_id
    join
        "user" u1_0
        on u1_0.id=t2_0.user_id
```

```

join
    trainer t3_0
        on t3_0.id=t1_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t3_0.specialization_id
join
    "user" u2_0
        on u2_0.id=t3_0.user_id
join
    training_type tt1_0
        on tt1_0.id=t1_0.training_type_id
where
    u2_0.username=?
    and t1_0.training_date>=?
    and t1_0.training_date<=?
    and u1_0.username=?
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.getTrainings(..)
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getTrainerTrainings(..)
2026-03-13 14:54:44 DEBUG [4302d0a3-7b54-418c-a0d2-ff2b238ac9fc]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:44 DEBUG [574197e7-eb47-4aea-abbc-21f4627d0c0f]
o.s.w.s.DispatcherServlet - GET "/api/trainers/John.Smith1/trainings",
parameters={}
2026-03-13 14:54:44 WARN [574197e7-eb47-4aea-abbc-21f4627d0c0f]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:44 DEBUG [574197e7-eb47-4aea-abbc-21f4627d0c0f]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?

```

```
fetch
    first ? rows only
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.createTraining(..) args:
[Alice.Smith, John.Smith1, Morning Session, 2025-06-15, 60]
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Calling:
TraineeService.getTraineeByUsername(..) args: [Alice.Smith]
Hibernate:
```

```
select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
```

```

left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Completed:
TraineeService.getTraineeByUsername(..)
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Calling:
TrainerService.getTrainerByUsername(..) args: [John.Smith1]
Hibernate:
select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join

```

```

        trainee t2_1
            on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Completed:
TrainerService.getTrainerByUsername(..)
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Calling: TrainingService.createTraining(..)
args: [Trainee(id=f018d76d-fd31-4709-830d-ab8b00a5f5ea,
dateOfBirth=1990-05-15, address=123 Main St),
Trainer(id=e6cdd154-5966-429d-a45b-d12e64c06a4d), Morning Session,
TrainingType(id=00000000-0000-0000-0000-000000000001,
trainingTypeName=Fitness), 2025-06-15, 60]
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Completed: TrainingService.createTraining(..)
Hibernate:
    insert
    into
        training
        (training_duration, trainee_id, trainer_id, training_date,
training_name, training_type_id, id)
    values
        (?, ?, ?, ?, ?, ?, ?)
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.createTraining(..)
2026-03-13 14:54:44 DEBUG [db06404f-2c4d-4f3b-b52e-3485be69e9d1]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:44 DEBUG [030e10a6-6c94-41f2-b841-1bb690b9101e]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
2026-03-13 14:54:44 WARN [030e10a6-6c94-41f2-b841-1bb690b9101e]
c.e.g.c.e.h.RestExceptionHandler - Validation failed: trainingName:
must not be blank
2026-03-13 14:54:44 DEBUG [030e10a6-6c94-41f2-b841-1bb690b9101e]
o.s.w.s.DispatcherServlet - Completed 400 BAD_REQUEST
2026-03-13 14:54:44 DEBUG [a2b8fe0a-2d45-4f05-a7a2-d78426fd3fc9]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
2026-03-13 14:54:44 WARN [a2b8fe0a-2d45-4f05-a7a2-d78426fd3fc9]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:44 DEBUG [a2b8fe0a-2d45-4f05-a7a2-d78426fd3fc9]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [3ed77329-b6b9-457c-931d-892930d14f72]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}

```



```
2026-03-13 14:54:44 DEBUG [3ed77329-b6b9-457c-931d-892930d14f72]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [3ed77329-b6b9-457c-931d-892930d14f72]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [3ed77329-b6b9-457c-931d-892930d14f72]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [3ed77329-b6b9-457c-931d-892930d14f72]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 WARN [3ed77329-b6b9-457c-931d-892930d14f72]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Invalid
username or password
2026-03-13 14:54:44 DEBUG [3ed77329-b6b9-457c-931d-892930d14f72]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [125c8579-63ea-4022-9a0a-2c0b765bebec]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
2026-03-13 14:54:44 WARN [125c8579-63ea-4022-9a0a-2c0b765bebec]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Access
denied
2026-03-13 14:54:44 DEBUG [125c8579-63ea-4022-9a0a-2c0b765bebec]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]
o.s.w.s.DispatcherServlet - POST "/api/trainings", parameters={}
2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
```

```

        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.createTraining(..) args:
[Alice.Smith, nonexistent.trainer, Test Training, 2024-06-15, 60]
2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]
c.e.g.c.a.LoggingAspect - Calling:
TraineeService.getTraineeByUsername(..) args: [Alice.Smith]
Hibernate:
    select
        t1_0.id,
        t1_0.address,
        t1_0.date_of_birth,
        t2_0.trainee_id,
        t2_1.id,
        t2_1.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainee t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    left join
        trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
    left join
        trainer t2_1

```

```

        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id

```

where

```
u1_0.username=?
```

2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]

c.e.g.c.a.LoggingAspect - Completed:

TraineeService.getTraineeByUsername(..)

2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]

c.e.g.c.a.LoggingAspect - Calling:

TrainerService.getTrainerByUsername(..) args: [nonexistent.trainer]

Hibernate:

```

select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id

```

```

left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]

c.e.g.c.a.LoggingAspect - Completed:

TrainerService.getTrainerByUsername(..)

2026-03-13 14:54:44 ERROR [910aabb8-4035-438e-bbe2-4faedb843d0e]

c.e.g.c.a.LoggingAspect - Failed GymFacade.createTraining(..): Trainer not found: nonexistent.trainer

2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]

c.e.g.c.a.LoggingAspect - Stack trace:

java.util.NoSuchElementException: Trainer not found:
nonexistent.trainer

at

com.epam.gym.core.facade.GymFacade.lambda\$createTraining\$4(GymFacade.java:196)

at java.base/java.util.Optional.orElseThrow(Optional.java:403)

at

com.epam.gym.core.facade.GymFacade.createTraining(GymFacade.java:196)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:569)

at

org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection(AopUtils.java:351)

at

org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoinpoint(ReflectiveMethodInvocation.java:196)

at

org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)

```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.createTraining(<gene
rated>)
        at
com.epam.gym.core.controller.TrainingController.addTraining(TrainingCon
troller.java:41)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(Dispatchers
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.doPost(FrameworkServle
t.java:914)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:590)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:885)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:193)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
99)
```

```

        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:44 WARN [910aabb8-4035-438e-bbe2-4faedb843d0e]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainer not
found: nonexistent.trainer
2026-03-13 14:54:44 DEBUG [910aabb8-4035-438e-bbe2-4faedb843d0e]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-13 14:54:44 DEBUG [084e52a8-47b9-44d5-b479-54ab5038c3c4]
o.s.w.s.DispatcherServlet - PATCH "/api/trainees/Alice.Smith/activate",
parameters={}
2026-03-13 14:54:44 DEBUG [084e52a8-47b9-44d5-b479-54ab5038c3c4]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [084e52a8-47b9-44d5-b479-54ab5038c3c4]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only

```



```
2026-03-13 14:54:44 DEBUG [084e52a8-47b9-44d5-b479-54ab5038c3c4]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [084e52a8-47b9-44d5-b479-54ab5038c3c4]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [084e52a8-47b9-44d5-b479-54ab5038c3c4]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deactivateTrainee(..)
args: [Alice.Smith]
2026-03-13 14:54:44 DEBUG [084e52a8-47b9-44d5-b479-54ab5038c3c4]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.deactivate(..) args:
[Alice.Smith]
```

Hibernate:

```
select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
```

```

        on u2_0.id=t2_1.user_id
    join
        "user" u3_0
        on u3_0.id=t1_0.user_id
    where
        u1_0.username=?
2026-03-13 14:54:44 DEBUG [084e52a8-47b9-44d5-b479-54ab5038c3c4]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.deactivate(...)
Hibernate:
    update
        "user"
    set
        first_name=?,
        is_active=?,
        last_name=?,
        password=?,
        username=?
    where
        id=?
2026-03-13 14:54:44 DEBUG [084e52a8-47b9-44d5-b479-54ab5038c3c4]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.deactivateTrainee(...)
2026-03-13 14:54:44 DEBUG [084e52a8-47b9-44d5-b479-54ab5038c3c4]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:44 DEBUG [38bc4f2a-664c-409d-81b5-20537aed9a24]
o.s.w.s.DispatcherServlet - PATCH "/api/trainees/Alice.Smith/activate",
parameters={}
2026-03-13 14:54:44 DEBUG [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(...)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(...)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(...)
2026-03-13 14:54:44 DEBUG [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(...)

```

```
2026-03-13 14:54:44 DEBUG [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deactivateTrainee(..)
args: [Alice.Smith]
2026-03-13 14:54:44 DEBUG [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.deactivate(..) args:
[Alice.Smith]
```

Hibernate:

```
select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
```

```
        where
            u1_0.username=?
2026-03-13 14:54:44 ERROR [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.a.LoggingAspect - Failed TraineeService.deactivate(..): Trainee
is already inactive: Alice.Smith
2026-03-13 14:54:44 DEBUG [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainee is already inactive:
Alice.Smith
        at
com.epam.gym.core.service.TraineeService.deactivate(TraineeService.java
:124)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
```

```
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod(
AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAround
Advice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.deactivate(<ge
nerated>)
        at
com.epam.gym.core.facade.GymFacade.deactivateTrainee(GymFacade.java:117
)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deactivateTrainee(<g
enerated>)
        at
com.epam.gym.core.controller.TraineeController.activate(TraineeControll
er.java:118)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
```

```
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServlet.java:888)
        at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperValve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextValve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (AuthenticatorBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.java:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.java:83)
```



```
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run (SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker (ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run (ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run (TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run (Thread.java:840)
2026-03-13 14:54:44 ERROR [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.a.LoggingAspect - Failed GymFacade.deactivateTrainee(..):
Trainee is already inactive: Alice.Smith
2026-03-13 14:54:44 DEBUG [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainee is already inactive:
Alice.Smith
        at
com.epam.gym.core.service.TraineeService.deactivate (TraineeService.java
:124)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
```

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation (TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction (TransactionAspectSupport.java:385)
```

```
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invoke(
TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.deactivate(<ge
nerated>)
        at
com.epam.gym.core.facade.GymFacade.deactivateTrainee(GymFacade.java:117
)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deactivateTrainee (<g
enerated>)
        at
com.epam.gym.core.controller.TraineeController.activate (TraineeControll
er.java:118)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:888)
        at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperValve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextValve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (AuthenticatorBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.java:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.java:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccessLogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:399)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractProtocol.java:903)
```

```

        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:44 WARN [38bc4f2a-664c-409d-81b5-20537aed9a24]
c.e.g.c.e.h.RestExceptionHandler - Illegal state: Trainee is already
inactive: Alice.Smith
2026-03-13 14:54:44 DEBUG [38bc4f2a-664c-409d-81b5-20537aed9a24]
o.s.w.s.DispatcherServlet - Completed 409 CONFLICT
2026-03-13 14:54:44 DEBUG [f684e323-b3ed-429b-9369-28b163510e75]
o.s.w.s.DispatcherServlet - PATCH "/api/trainees/Alice.Smith/activate",
parameters={}
2026-03-13 14:54:44 DEBUG [f684e323-b3ed-429b-9369-28b163510e75]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [f684e323-b3ed-429b-9369-28b163510e75]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [f684e323-b3ed-429b-9369-28b163510e75]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [f684e323-b3ed-429b-9369-28b163510e75]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [f684e323-b3ed-429b-9369-28b163510e75]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainee(..) args:
[Alice.Smith]

```

2026-03-13 14:54:44 DEBUG [f684e323-b3ed-429b-9369-28b163510e75]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.activate(..) args:
[Alice.Smith]

Hibernate:

```
select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?
```



```
2026-03-13 14:54:44 DEBUG [f684e323-b3ed-429b-9369-28b163510e75]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.activate(..)
Hibernate:
    update
        "user"
    set
        first_name=?,
        is_active=?,
        last_name=?,
        password=?,
        username=?
    where
        id=?
2026-03-13 14:54:44 DEBUG [f684e323-b3ed-429b-9369-28b163510e75]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.activateTrainee(..)
2026-03-13 14:54:44 DEBUG [f684e323-b3ed-429b-9369-28b163510e75]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:44 DEBUG [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
o.s.w.s.DispatcherServlet - PATCH "/api/trainees/Alice.Smith/activate",
parameters={}
2026-03-13 14:54:44 DEBUG [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:44 DEBUG [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:44 DEBUG [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:44 DEBUG [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainee(..) args:
[Alice.Smith]
2026-03-13 14:54:44 DEBUG [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.activate(..) args:
[Alice.Smith]
Hibernate:
```

```

select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

```

2026-03-13 14:54:44 ERROR [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.a.LoggingAspect - Failed TraineeService.activate(..): Trainee
is already active: Alice.Smith
2026-03-13 14:54:44 DEBUG [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.a.LoggingAspect - Stack trace:

```

```
java.lang.IllegalStateException: Trainee is already active: Alice.Smith
    at
com.epam.gym.core.service.TraineeService.activate(TraineeService.java:1
13)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
    at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
```

```
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
    at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
    at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
    at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.activate(<gene
rated>)
    at
com.epam.gym.core.facade.GymFacade.activateTrainee(GymFacade.java:113)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
```

```
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainee(<generated>)
        at
com.epam.gym.core.controller.TraineeController.activate(TraineeController.java:116)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:888)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:193)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
99)
```

```
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:44 ERROR [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.a.LoggingAspect - Failed GymFacade.activateTrainee(..): Trainee
is already active: Alice.Smith
2026-03-13 14:54:44 DEBUG [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainee is already active: Alice.Smith
        at
com.epam.gym.core.service.TraineeService.activate(TraineeService.java:1
13)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
```



```
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
    at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
    at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
    at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainee(GymFacade.java:113)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainee (<generated>)
        at
com.epam.gym.core.controller.TraineeController.activate (TraineeController.java:116)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest (InvocableHandlerMethod.java:189)
```

```
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:888)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:162)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run (SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker (ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run (ThreadPool
Executor.java:491)
```

```
at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:63)
    at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:44 WARN [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
c.e.g.c.e.h.RestExceptionHandler - Illegal state: Trainee is already
active: Alice.Smith
2026-03-13 14:54:44 DEBUG [82735407-6e0a-48fc-aa90-e3daa5a0e4bf]
o.s.w.s.DispatcherServlet - Completed 409 CONFLICT
2026-03-13 14:54:44 DEBUG [cd1e6b03-e7fd-479a-be95-7754f4c00ce3]
o.s.w.s.DispatcherServlet - PATCH "/api/trainees/Alice.Smith/activate",
parameters={}
2026-03-13 14:54:44 WARN [cd1e6b03-e7fd-479a-be95-7754f4c00ce3]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:44 DEBUG [cd1e6b03-e7fd-479a-be95-7754f4c00ce3]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:44 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
o.s.w.s.DispatcherServlet - PATCH "/api/trainees/John.Smith1/activate",
parameters={}
2026-03-13 14:54:44 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(...)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:44 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(...)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:44 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(...)
2026-03-13 14:54:44 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(...)
2026-03-13 14:54:44 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(...)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:44 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(...)
args: [John.Smith1, [REDACTED]]
Hibernate:
```

```

select
    t1_0.id
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only

```

```

2026-03-13 14:54:45 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:45 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:45 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainee(..) args:
[John.Smith1]
2026-03-13 14:54:45 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.activate(..) args:
[John.Smith1]

```

Hibernate:

```

select
    t1_0.id,
    t1_0.address,
    t1_0.date_of_birth,
    t2_0.trainee_id,
    t2_1.id,
    t2_1.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainee t1_0
left join
    "user" u1_0

```

```

        on u1_0.id=t1_0.user_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainee_id
left join
    trainer t2_1
        on t2_1.id=t2_0.trainer_id
left join
    training_type s1_0
        on s1_0.id=t2_1.specialization_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-13 14:54:45 ERROR [4bac73c2-7246-4a89-9f4a-58709dc63858]

c.e.g.c.a.LoggingAspect - Failed TraineeService.activate(..): Trainee not found: John.Smith1

2026-03-13 14:54:45 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]

c.e.g.c.a.LoggingAspect - Stack trace:

java.util.NoSuchElementException: Trainee not found: John.Smith1

at

com.epam.gym.core.service.TraineeService.lambda\$activate\$3(TraineeService.java:111)

at java.base/java.util.Optional.orElseThrow(Optional.java:403)

at

com.epam.gym.core.service.TraineeService.activate(TraineeService.java:111)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:569)

at

org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection(AopUtils.java:351)

at

org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoinpoint(ReflectiveMethodInvocation.java:196)

at

org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)


```
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainee(GymFacade.java:113)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainee (<generated>)
        at
com.epam.gym.core.controller.TraineeController.activate (TraineeController.java:116)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest (InvocableHandlerMethod.java:189)
```

```
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherS
ervlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:888)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:162)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run (SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker (ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run (ThreadPool
Executor.java:491)
```

```
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:45 ERROR [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Failed GymFacade.activateTrainee(..): Trainee
not found: John.Smith1
2026-03-13 14:54:45 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainee not found: John.Smith1
        at
com.epam.gym.core.service.TraineeService.lambda$activate$3(TraineeServi
ce.java:111)
        at java.base/java.util.Optional.orElseThrow(Optional.java:403)
        at
com.epam.gym.core.service.TraineeService.activate(TraineeService.java:1
11)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
```

```
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.proceedWithInvocation (TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction (TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invoke (TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TraineeService$$SpringCGLIB$$0.activate (<generated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainee (GymFacade.java:113)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```



```
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainee(<gen
erated>)
        at
com.epam.gym.core.controller.TraineeController.activate(TraineeControll
er.java:116)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
```

```
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:888)
            at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
            at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:193)
            at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
            at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:51)
            at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:162)
            at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
            at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(TransactionIdFilter.java:24)
            at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
            at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:162)
            at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
            at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:165)
            at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:88)
            at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:492)
            at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:113)
```

```
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:342)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:399)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:45 WARN [4bac73c2-7246-4a89-9f4a-58709dc63858]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainee not found: John.Smith1
2026-03-13 14:54:45 DEBUG [4bac73c2-7246-4a89-9f4a-58709dc63858]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
o.s.w.s.DispatcherServlet - PATCH "/api/trainers/John.Smith1/activate", parameters={}
2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
```

2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]

Hibernate:

```
select
    t1_0.id
from
    trainee t1_0
left join
    "user" u1_0
    on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
```

2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)

2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)

2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]

2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]

Hibernate:

```
select
    t1_0.id
from
    trainer t1_0
left join
    "user" u1_0
    on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
```

2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)

2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)

2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deactivateTrainer(..)
args: [John.Smith1]

2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.deactivate(..) args:
[John.Smith1]

Hibernate:

```

select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
where
    u1_0.username=?

```

2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.deactivate(..)

Hibernate:

```

update
    "user"

```

```

set
    first_name=?,
    is_active=?,
    last_name=?,
    password=?,
    username=?
where
    id=?
2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.deactivateTrainer(..)
2026-03-13 14:54:45 DEBUG [d1874441-7a5d-42a5-9a4a-a0deb163e25a]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
o.s.w.s.DispatcherServlet - PATCH "/api/trainers/John.Smith1/activate",
parameters={}
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join

```

```

        "user" u1_0
            on u1_0.id=t1_0.user_id
where
    u1_0.username=?
    and u1_0.password=?
fetch
    first ? rows only
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.deactivateTrainer(..)
args: [John.Smith1]
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.deactivate(..) args:
[John.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    join
        training_type s1_0
            on s1_0.id=t1_0.specialization_id
    left join

```

```

        trainee2trainer t2_0
            on t1_0.id=t2_0.trainer_id
left join
        trainee t2_1
            on t2_1.id=t2_0.trainee_id
left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
join
        "user" u3_0
            on u3_0.id=t1_0.user_id
where
        u1_0.username=?

```

2026-03-13 14:54:45 ERROR [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]

c.e.g.c.a.LoggingAspect - Failed TrainerService.deactivate(..): Trainer is already inactive: John.Smith1

2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]

c.e.g.c.a.LoggingAspect - Stack trace:

java.lang.IllegalStateException: Trainer is already inactive:
John.Smith1

at

com.epam.gym.core.service.TrainerService.deactivate(TrainerService.java:117)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at

java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)

at

java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:569)

at

org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection(AopUtils.java:351)

at

org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoinpoint(ReflectiveMethodInvocation.java:196)

at

org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:163)

at

org.springframework.aop.framework.CglibAopProxy\$CglibMethodInvocation.proceed(CglibAopProxy.java:765)

at

org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.proceed(MethodInvocationProceedingJoinPoint.java:89)


```
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.java:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.deactivate(<ge
nerated>)
        at
com.epam.gym.core.facade.GymFacade.deactivateTrainer(GymFacade.java:175
)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
            at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
            at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
            at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
```

```
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deactivateTrainer(<generated>)
        at
com.epam.gym.core.controller.TrainerController.activate(TrainerController.java:98)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
```

```
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:888)
            at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
```

```
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:45 ERROR [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Failed GymFacade.deactivateTrainer(..):
Trainer is already inactive: John.Smith1
```

```
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainer is already inactive:
John.Smith1
    at
com.epam.gym.core.service.TrainerService.deactivate(TrainerService.java
:117)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
    at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.deactivate(<ge
nerated>)
        at
com.epam.gym.core.facade.GymFacade.deactivateTrainer(GymFacade.java:175
)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
            at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
            at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
                at java.base/java.lang.reflect.Method.invoke (Method.java:569)
                at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
                    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
                        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
                            at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
                                at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
                                    at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
                                        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
                                            at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```



```
    at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
    at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.deactivateTrainer(<g
enerated>)
    at
com.epam.gym.core.controller.TrainerController.activate(TrainerControll
er.java:98)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
    at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
    at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
    at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
    at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
    at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
    at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
    at
org.springframework.web.servlet.DispatcherServlet.doService(Dispatchers
ervlet.java:979)
    at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
    at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServl
et.java:888)
    at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
```

```
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
```

```

        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:45 WARN [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
c.e.g.c.e.h.RestExceptionHandler - Illegal state: Trainer is already
inactive: John.Smith1
2026-03-13 14:54:45 DEBUG [1a7dc50a-e24b-4a4f-9071-f9fa5d0acd02]
o.s.w.s.DispatcherServlet - Completed 409 CONFLICT
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
o.s.w.s.DispatcherServlet - PATCH "/api/trainers/John.Smith1/activate",
parameters={}
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?

```

```

    fetch
        first ? rows only
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainer(..) args:
[John.Smith1]
2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.activate(..) args:
[John.Smith1]
Hibernate:
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,

```

```

        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    join
        training_type s1_0
        on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
    left join
        trainee t2_1
        on t2_1.id=t2_0.trainee_id
    left join
        "user" u2_0
        on u2_0.id=t2_1.user_id
    join
        "user" u3_0
        on u3_0.id=t1_0.user_id
    where
        u1_0.username=?

```

2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
 c.e.g.c.a.LoggingAspect - Completed: TrainerService.activate(..)
 Hibernate:

```

    update
        "user"
    set
        first_name=?,
        is_active=?,
        last_name=?,
        password=?,
        username=?
    where
        id=?

```

2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
 c.e.g.c.a.LoggingAspect - Completed: GymFacade.activateTrainer(..)
 2026-03-13 14:54:45 DEBUG [e4547b36-f180-4d4c-8fde-707e36ab7efc]
 o.s.w.s.DispatcherServlet - Completed 200 OK

```
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
o.s.w.s.DispatcherServlet - PATCH "/api/trainers/John.Smith1/activate",
parameters={}
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
```

```
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainer(..) args:
[John.Smith1]
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.activate(..) args:
[John.Smith1]
```

Hibernate:

```
select
    t1_0.id,
    t1_0.specialization_id,
    s1_0.id,
    s1_0.training_type_name,
    t2_0.trainer_id,
    t2_1.id,
    t2_1.address,
    t2_1.date_of_birth,
    t2_1.user_id,
    u2_0.id,
    u2_0.first_name,
    u2_0.is_active,
    u2_0.last_name,
    u2_0.password,
    u2_0.username,
    t1_0.user_id,
    u3_0.id,
    u3_0.first_name,
    u3_0.is_active,
    u3_0.last_name,
    u3_0.password,
    u3_0.username
from
    trainer t1_0
left join
    "user" u1_0
        on u1_0.id=t1_0.user_id
join
    training_type s1_0
        on s1_0.id=t1_0.specialization_id
left join
    trainee2trainer t2_0
        on t1_0.id=t2_0.trainer_id
left join
    trainee t2_1
        on t2_1.id=t2_0.trainee_id
left join
    "user" u2_0
        on u2_0.id=t2_1.user_id
join
    "user" u3_0
        on u3_0.id=t1_0.user_id
```

```
        where
            u1_0.username=?
2026-03-13 14:54:45 ERROR [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Failed TrainerService.activate(..): Trainer
is already active: John.Smith1
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainer is already active: John.Smith1
    at
com.epam.gym.core.service.TrainerService.activate(TrainerService.java:1
06)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
```



```
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod(
AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJAround
Advice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainer(GymFacade.java:171)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
```

```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point (ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed (MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod (LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
```

```
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
    at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainer(<gen
erated>)
    at
com.epam.gym.core.controller.TrainerController.activate(TrainerControll
er.java:96)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
    at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
    at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
    at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
    at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
    at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
    at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
    at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherS
ervlet.java:979)
    at
org.springframework.web.servlet.FrameworkServlet.processRequest(Framewo
rkServlet.java:1014)
```

```
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServlet.java:888)
        at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (TransactionIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerRequestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (ApplicationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFilterChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperValve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextValve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (AuthenticatorBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.java:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.java:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccessLogValve.java:654)
```

```
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:45 ERROR [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Failed GymFacade.activateTrainer(..): Trainer
is already active: John.Smith1
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.a.LoggingAspect - Stack trace:
java.lang.IllegalStateException: Trainer is already active: John.Smith1
        at
com.epam.gym.core.service.TrainerService.activate(TrainerService.java:1
06)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
```

```
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
oceedWithInvocation (TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction (TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke (TransactionInterceptor.java:119)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainer(GymFacade.java:171)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
```

```
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke (Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainer (<gen
erated>)
        at
com.epam.gym.core.controller.TrainerController.activate (TrainerControll
er.java:96)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0 (Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMe
thodAccessorImpl.java:77)
```



```
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke (
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request (InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle (ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod (RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal (RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle (AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch (Dispatcher
Servlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService (DispatcherS
ervlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest (Framewo
rkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service (FrameworkServl
et.java:888)
        at jakarta.servlet.http.HttpServlet.service (HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter (WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
```

```
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal (Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter (OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter (Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter (ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke (StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke (StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke (Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke (StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke (ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke (AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke (StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service (CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service (Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process (AbstractProcessorLight
.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process (AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun (NioEndpoin
t.java:1775)
```

```
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:45 WARN [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
c.e.g.c.e.h.RestExceptionHandler - Illegal state: Trainer is already
active: John.Smith1
2026-03-13 14:54:45 DEBUG [2d487d95-6ecb-450b-a8f3-03bb65c3e9e0]
o.s.w.s.DispatcherServlet - Completed 409 CONFLICT
2026-03-13 14:54:45 DEBUG [9e95d158-5565-4e57-a5e6-797650c199be]
o.s.w.s.DispatcherServlet - PATCH "/api/trainers/John.Smith1/activate",
parameters={}
2026-03-13 14:54:45 WARN [9e95d158-5565-4e57-a5e6-797650c199be]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:45 DEBUG [9e95d158-5565-4e57-a5e6-797650c199be]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED
2026-03-13 14:54:45 DEBUG [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
o.s.w.s.DispatcherServlet - PATCH "/api/trainers/Alice.Smith/activate",
parameters={}
2026-03-13 14:54:45 DEBUG [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:45 DEBUG [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:45 DEBUG [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
```

```
2026-03-13 14:54:45 DEBUG [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:45 DEBUG [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.activateTrainer(..) args:
[Alice.Smith]
2026-03-13 14:54:45 DEBUG [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.activate(..) args:
[Alice.Smith]
Hibernate:
```

```
    select
        t1_0.id,
        t1_0.specialization_id,
        s1_0.id,
        s1_0.training_type_name,
        t2_0.trainer_id,
        t2_1.id,
        t2_1.address,
        t2_1.date_of_birth,
        t2_1.user_id,
        u2_0.id,
        u2_0.first_name,
        u2_0.is_active,
        u2_0.last_name,
        u2_0.password,
        u2_0.username,
        t1_0.user_id,
        u3_0.id,
        u3_0.first_name,
        u3_0.is_active,
        u3_0.last_name,
        u3_0.password,
        u3_0.username
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    join
        training_type s1_0
            on s1_0.id=t1_0.specialization_id
    left join
        trainee2trainer t2_0
            on t1_0.id=t2_0.trainer_id
    left join
        trainee t2_1
            on t2_1.id=t2_0.trainee_id
    left join
        "user" u2_0
            on u2_0.id=t2_1.user_id
    join
```

```
        "user" u3_0
            on u3_0.id=t1_0.user_id
    where
        u1_0.username=?
2026-03-13 14:54:45 ERROR [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.a.LoggingAspect - Failed TrainerService.activate(..): Trainer
not found: Alice.Smith
2026-03-13 14:54:45 DEBUG [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainer not found: Alice.Smith
    at
com.epam.gym.core.service.TrainerService.lambda$activate$4(TrainerServi
ce.java:104)
    at java.base/java.util.Optional.orElseThrow(Optional.java:403)
    at
com.epam.gym.core.service.TrainerService.activate(TrainerService.java:1
04)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
    at java.base/java.lang.reflect.Method.invoke(Method.java:569)
    at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
    at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
    at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
    at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
    at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
    at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
    at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
```

```
        at java.base/java.lang.reflect.Method.invoke (Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethodWithGivenArgs (AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMethod (AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke (AspectJAroundAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.proceedWithInvocation (TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.invokeWithinTransaction (TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invoke (TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke (ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed (ReflectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.proceed (CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedInterceptor.intercept (CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.activate (<generated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainer (GymFacade.java:171)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainer(<gen
erated>)
        at
com.epam.gym.core.controller.TrainerController.activate(TrainerControll
er.java:96)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(
InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeFor
Request(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableH
andlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHan
dlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter
.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(Dispatcher
Servlet.java:1089)
```



```
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:888)
            at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
            at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:193)
            at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
            at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:51)
            at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:162)
            at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
            at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(TransactionIdFilter.java:24)
            at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerRequestFilter.java:116)
            at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:162)
            at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
            at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperValve.java:165)
            at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextValve.java:88)
            at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(AuthenticatorBase.java:492)
            at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.java:113)
```

```
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.java:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccessLogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:342)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:399)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight.java:63)
        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractProtocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoint.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThread.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:45 ERROR [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.a.LoggingAspect - Failed GymFacade.activateTrainer(..): Trainer not found: Alice.Smith
2026-03-13 14:54:45 DEBUG [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.a.LoggingAspect - Stack trace:
java.util.NoSuchElementException: Trainer not found: Alice.Smith
        at
com.epam.gym.core.service.TrainerService.lambda$activate$4(TrainerService.java:104)
        at java.base/java.util.Optional.orElseThrow(Optional.java:403)
        at
com.epam.gym.core.service.TrainerService.activate(TrainerService.java:104)
```

```
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
```

```
        at
org.springframework.transaction.interceptor.TransactionInterceptor$1.pr
occeedWithInvocation(TransactionInterceptor.java:123)
        at
org.springframework.transaction.interceptor.TransactionAspectSupport.in
vokeWithinTransaction(TransactionAspectSupport.java:385)
        at
org.springframework.transaction.interceptor.TransactionInterceptor.invo
ke(TransactionInterceptor.java:119)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.service.TrainerService$$SpringCGLIB$$0.activate(<gene
rated>)
        at
com.epam.gym.core.facade.GymFacade.activateTrainer(GymFacade.java:171)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMe
thodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.support.AopUtils.invokeJoinpointUsingReflection
(AopUtils.java:351)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.invokeJoin
point(ReflectiveMethodInvocation.java:196)
```

```
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:163)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.aspectj.MethodInvocationProceedingJoinPoint.pro
ceed(MethodInvocationProceedingJoinPoint.java:89)
        at
com.epam.gym.core.aspect.LoggingAspect.logServiceMethod(LoggingAspect.j
ava:29)
        at jdk.internal.reflect.GeneratedMethodAccessor60.invoke(Unknown
Source)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(Dele
gatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
dWithGivenArgs(AbstractAspectJAdvice.java:637)
        at
org.springframework.aop.aspectj.AbstractAspectJAdvice.invokeAdviceMetho
d(AbstractAspectJAdvice.java:627)
        at
org.springframework.aop.aspectj.AspectJAroundAdvice.invoke(AspectJARoun
dAdvice.java:71)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:173)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.interceptor.ExposeInvocationInterceptor.invoke(
ExposeInvocationInterceptor.java:97)
        at
org.springframework.aop.framework.ReflectiveMethodInvocation.proceed(Re
flectiveMethodInvocation.java:184)
        at
org.springframework.aop.framework.CglibAopProxy$CglibMethodInvocation.p
roceed(CglibAopProxy.java:765)
        at
org.springframework.aop.framework.CglibAopProxy$DynamicAdvisedIntercept
or.intercept(CglibAopProxy.java:717)
        at
com.epam.gym.core.facade.GymFacade$$SpringCGLIB$$0.activateTrainer(<gen
erated>)
```

```
        at
com.epam.gym.core.controller.TrainerController.activate(TrainerController.java:96)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(NativeMethod)
        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.base/java.lang.reflect.Method.invoke(Method.java:569)
        at
org.springframework.web.method.support.InvocableHandlerMethod.doInvoke(InvocableHandlerMethod.java:261)
        at
org.springframework.web.method.support.InvocableHandlerMethod.invokeForRequest(InvocableHandlerMethod.java:189)
        at
org.springframework.web.servlet.mvc.method.annotation.ServletInvocableHandlerMethod.invokeAndHandle(ServletInvocableHandlerMethod.java:118)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.invokeHandlerMethod(RequestMappingHandlerAdapter.java:917)
        at
org.springframework.web.servlet.mvc.method.annotation.RequestMappingHandlerAdapter.handleInternal(RequestMappingHandlerAdapter.java:829)
        at
org.springframework.web.servlet.mvc.method.AbstractHandlerMethodAdapter.handle(AbstractHandlerMethodAdapter.java:87)
        at
org.springframework.web.servlet.DispatcherServlet.doDispatch(DispatcherServlet.java:1089)
        at
org.springframework.web.servlet.DispatcherServlet.doService(DispatcherServlet.java:979)
        at
org.springframework.web.servlet.FrameworkServlet.processRequest(FrameworkServlet.java:1014)
        at
org.springframework.web.servlet.FrameworkServlet.service(FrameworkServlet.java:888)
        at jakarta.servlet.http.HttpServlet.service(HttpServlet.java:658)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(ApplicationFilterChain.java:193)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFilterChain.java:138)
```

```
        at
org.apache.tomcat.websocket.server.WsFilter.doFilter(WsFilter.java:51)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
com.epam.gym.core.filter.TransactionIdFilter.doFilterInternal(Transacti
onIdFilter.java:24)
        at
org.springframework.web.filter.OncePerRequestFilter.doFilter(OncePerReq
uestFilter.java:116)
        at
org.apache.catalina.core.ApplicationFilterChain.internalDoFilter(Applic
ationFilterChain.java:162)
        at
org.apache.catalina.core.ApplicationFilterChain.doFilter(ApplicationFil
terChain.java:138)
        at
org.apache.catalina.core.StandardWrapperValve.invoke(StandardWrapperVal
ve.java:165)
        at
org.apache.catalina.core.StandardContextValve.invoke(StandardContextVal
ve.java:88)
        at
org.apache.catalina.authenticator.AuthenticatorBase.invoke(Authenticato
rBase.java:492)
        at
org.apache.catalina.core.StandardHostValve.invoke(StandardHostValve.jav
a:113)
        at
org.apache.catalina.valves.ErrorReportValve.invoke(ErrorReportValve.jav
a:83)
        at
org.apache.catalina.valves.AbstractAccessLogValve.invoke(AbstractAccess
LogValve.java:654)
        at
org.apache.catalina.core.StandardEngineValve.invoke(StandardEngineValve
.java:72)
        at
org.apache.catalina.connector.CoyoteAdapter.service(CoyoteAdapter.java:
342)
        at
org.apache.coyote.http11.Http11Processor.service(Http11Processor.java:3
99)
        at
org.apache.coyote.AbstractProcessorLight.process(AbstractProcessorLight
.java:63)
```

```

        at
org.apache.coyote.AbstractProtocol$ConnectionHandler.process(AbstractPr
otocol.java:903)
        at
org.apache.tomcat.util.net.NioEndpoint$SocketProcessor.doRun(NioEndpoin
t.java:1775)
        at
org.apache.tomcat.util.net.SocketProcessorBase.run(SocketProcessorBase.
java:52)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor.runWorker(ThreadPoolE
xecutor.java:973)
        at
org.apache.tomcat.util.threads.ThreadPoolExecutor$Worker.run(ThreadPool
Executor.java:491)
        at
org.apache.tomcat.util.threads.TaskThread$WrappingRunnable.run(TaskThre
ad.java:63)
        at java.base/java.lang.Thread.run(Thread.java:840)
2026-03-13 14:54:45 WARN [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
c.e.g.c.e.h.RestExceptionHandler - Resource not found: Trainer not
found: Alice.Smith
2026-03-13 14:54:45 DEBUG [7f50372f-0ef9-4092-bdd6-1efd4bee0dfd]
o.s.w.s.DispatcherServlet - Completed 404 NOT_FOUND
2026-03-13 14:54:45 DEBUG [4ed94094-0438-4cc7-a287-e9b8653da383]
o.s.w.s.DispatcherServlet - GET "/api/training-types", parameters={}
2026-03-13 14:54:45 DEBUG [4ed94094-0438-4cc7-a287-e9b8653da383]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [Alice.Smith, [REDACTED]]
2026-03-13 14:54:45 DEBUG [4ed94094-0438-4cc7-a287-e9b8653da383]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [Alice.Smith, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:45 DEBUG [4ed94094-0438-4cc7-a287-e9b8653da383]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:45 DEBUG [4ed94094-0438-4cc7-a287-e9b8653da383]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)

```



```
2026-03-13 14:54:45 DEBUG [4ed94094-0438-4cc7-a287-e9b8653da383]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getAllTrainingTypes()
args: []
2026-03-13 14:54:45 DEBUG [4ed94094-0438-4cc7-a287-e9b8653da383]
c.e.g.c.a.LoggingAspect - Calling:
TrainingService.getAllTrainingTypes() args: []
Hibernate:
    select
        ttl_0.id,
        ttl_0.training_type_name
    from
        training_type ttl_0
2026-03-13 14:54:45 DEBUG [4ed94094-0438-4cc7-a287-e9b8653da383]
c.e.g.c.a.LoggingAspect - Completed:
TrainingService.getAllTrainingTypes()
2026-03-13 14:54:45 DEBUG [4ed94094-0438-4cc7-a287-e9b8653da383]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getAllTrainingTypes()
2026-03-13 14:54:45 DEBUG [4ed94094-0438-4cc7-a287-e9b8653da383]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
o.s.w.s.DispatcherServlet - GET "/api/training-types", parameters={}
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainee(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Calling: TraineeService.authenticate(..)
args: [John.Smith1, [REDACTED]]
Hibernate:
    select
        t1_0.id
    from
        trainee t1_0
    left join
        "user" u1_0
        on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Completed: TraineeService.authenticate(..)
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainee(..)
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.authenticateTrainer(..)
args: [John.Smith1, [REDACTED]]
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Calling: TrainerService.authenticate(..)
args: [John.Smith1, [REDACTED]]
```

```

Hibernate:
    select
        t1_0.id
    from
        trainer t1_0
    left join
        "user" u1_0
            on u1_0.id=t1_0.user_id
    where
        u1_0.username=?
        and u1_0.password=?
    fetch
        first ? rows only
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Completed: TrainerService.authenticate(..)
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.authenticateTrainer(..)
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Calling: GymFacade.getAllTrainingTypes()
args: []
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Calling:
TrainingService.getAllTrainingTypes() args: []
Hibernate:
    select
        tt1_0.id,
        tt1_0.training_type_name
    from
        training_type tt1_0
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Completed:
TrainingService.getAllTrainingTypes()
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
c.e.g.c.a.LoggingAspect - Completed: GymFacade.getAllTrainingTypes()
2026-03-13 14:54:45 DEBUG [ea6cc6d9-1638-4d91-8d54-1410cfad4f19]
o.s.w.s.DispatcherServlet - Completed 200 OK
2026-03-13 14:54:45 DEBUG [4a1e46de-ebb2-4be3-8f27-d26b7c1b62df]
o.s.w.s.DispatcherServlet - GET "/api/training-types", parameters={}
2026-03-13 14:54:45 WARN [4a1e46de-ebb2-4be3-8f27-d26b7c1b62df]
c.e.g.c.e.h.RestExceptionHandler - Authentication failure: Missing or
invalid Authorization header
2026-03-13 14:54:45 DEBUG [4a1e46de-ebb2-4be3-8f27-d26b7c1b62df]
o.s.w.s.DispatcherServlet - Completed 401 UNAUTHORIZED

```