

Patient: GSR17 NOFILTER,

Date of Birth: Mar 21, 1954

Gender: Male

Patient ID: GSR17



Halifax Vision Centre

7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8


## OS Single Field Analysis

## Central 24-2 Threshold Test

Fixation Monitor: Gaze/Blind Spot  
Fixation Target: Central  
Fixation Losses: 2/13  
False POS Errors: 1%  
False NEG Errors: 0%  
Test Duration: 04:40  
Fovea: Off

Stimulus: III, White  
Background: 31.5 asb  
Strategy: SITA Standard  
Pupil Diameter: 0.8  
Visual Acuity: 0.8  
Rx: +2.25 DS

Date: Apr 17, 2023  
Time: 11:46 AM  
Age: 69



-1	1	1	1
4	4	0	0
3	3	3	0
0	1	1	1
2	4	3	1
2	2	2	-1
2	2	2	2
0	3	4	1



Total Deviation

-5	-2	-2	-2
1	1	-3	-3
0	0	-1	-3
-4	-2	-2	-2
-1	1	0	-2
-1	-1	-1	-4
-1	-1	-2	-1
-3	-1	0	-2

Pattern Deviation

GHT: Within Normal Limits

VFI: 100%  
MD24-2: 1.71 dB  
PSD24-2: 1.46 dB



:: P < 5%  
:: P < 2%  
:: P < 1%  
■ P < 0.5%



Comments

Signature

