

Patient: **GSR15 no filter,**
Date of Birth: **Aug 12, 1939**
Gender: **Female**
Patient ID: **1939.0812.3A2C.646C.F0D5.66AE**



Halifax Vision Centre
7105 Chebucto Road, Suite 353, Halifax, NS B3L 4W8


OS Single Field Analysis

Central 24-2 Threshold Test

Fixation Monitor: **Gaze/Blind Spot**
Fixation Target: **Central**
Fixation Losses: **1/14**
False POS Errors: **0%**
False NEG Errors: **0%**
Test Duration: **05:49**
Fovea: **Off**

Stimulus: **III, White**
Background: **31.5 asb**
Strategy: **SITA Standard**
Pupil Diameter:
Visual Acuity: **1.0**
Rx: **+1.25 DS +1.25 DC X 169**

Date: **Apr 12, 2023**
Time: **10:40 AM**
Age: **83**





2	-1	0	0
0	-1	0	1
-2	-1	-2	-1
-1	-4	-3	-3
-2	-5	-4	-4
-3	-1	-1	-4
-6	-3	-7	-5
-6	-6	-6	-7

Total Deviation

2	-1	0	0
0	-1	0	1
-2	-1	-2	-1
-1	-4	-3	-3
-2	-5	-4	-4
-3	-1	-1	-4
-5	-3	-7	-5
-6	-6	-6	-7

Pattern Deviation



GHT: **Outside Normal Limits**

VFI: **94%**
MD24-2: **-2.89 dB P < 2%**
PSD24-2: **2.18 dB P < 5%**

:: P < 5%
▤ P < 2%
▥ P < 1%
■ P < 0.5%



Comments

Signature

